



Open Source Used In [talos] TALN Updater 2.2-380

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2276966511

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2276966511

Contents

1.1 lua-cjson 2.1.0

1.1.1 Available under license

1.2 lua 5.1.5

1.2.1 Available under license

1.3 bridgeutils 1.7.1

1.3.1 Available under license

1.4 perks 1.0.1

1.4.1 Available under license

1.5 modern-go-concurrent 0.0.0-20180306012644-bacd9c7ef1dd

1.5.1 Available under license

1.6 go-autorest-tracing 0.6.0

1.6.1 Available under license

1.7 go-autorest-to 0.4.0

1.7.1 Available under license

1.8 go-autorest-date 0.3.0

1.8.1 Available under license

1.9 x-time-rate 0.0.0-20210723032227-1f47c861a9ac

1.9.1 Available under license

1.10 googleapis-gnostic 0.5.5

1.10.1 Available under license

1.11 spf13-pflag 1.0.5

1.11.1 Available under license

1.12 go-jmespath 0.4.0

1.12.1 Available under license

1.13 azure-pipeline-go 0.2.3

1.13.1 Available under license

- 1.14 prometheus-procfs 0.7.3**
 - 1.14.1 Available under license
- 1.15 devigned-tab 0.1.1**
 - 1.15.1 Available under license
- 1.16 x-oauth2 0.0.0-20210514164344-f6687ab2804c**
 - 1.16.1 Available under license
- 1.17 azure-storage-blob-go 0.14.0**
 - 1.17.1 Available under license
- 1.18 json-iterator-go 1.1.12**
 - 1.18.1 Available under license
- 1.19 modern-go-reflect2 1.0.2**
 - 1.19.1 Available under license
- 1.20 botocore 2.0.0dev155**
 - 1.20.1 Available under license
- 1.21 prometheus-common 0.32.1**
 - 1.21.1 Available under license
- 1.22 alpine-keys 2.4-r1**
 - 1.22.1 Available under license
- 1.23 mitchellh-mapstructure 1.4.3**
 - 1.23.1 Available under license
- 1.24 s3transfer 0.5.1**
 - 1.24.1 Available under license
- 1.25 azure-service-bus-go 0.10.16**
 - 1.25.1 Available under license
- 1.26 walle-targz 0.0.0-20140417120357-57fe4206da5a**
 - 1.26.1 Available under license
- 1.27 luasocket 3.0.0**
 - 1.27.1 Available under license
- 1.28 packaging 21.3**
 - 1.28.1 Available under license
- 1.29 prometheus-client 1.12.2**
 - 1.29.1 Available under license
- 1.30 google-go-cmp 0.5.9**
 - 1.30.1 Available under license
- 1.31 prometheus-client-model 0.2.0**
 - 1.31.1 Available under license
- 1.32 yaml 1.2.0**
 - 1.32.1 Available under license
- 1.33 linenoise 1.0**

- 1.33.1 Available under license
- 1.34 tenacity 8.2.2**
 - 1.34.1 Available under license
- 1.35 gogo-protobuf 1.3.2**
 - 1.35.1 Available under license
- 1.36 aws-aws-sdk-go-v2 1.13.13**
 - 1.36.1 Available under license
- 1.37 msgpack 1.0.5**
 - 1.37.1 Available under license
- 1.38 logr 1.2.4**
 - 1.38.1 Available under license
- 1.39 mpdecimal 2.5.1-r2**
 - 1.39.1 Available under license
- 1.40 gdbm 1.23-r1**
 - 1.40.1 Available under license
- 1.41 chardet 5.1.0**
 - 1.41.1 Available under license
- 1.42 py3-ruamel.yaml.clib 0.2.7-r1**
 - 1.42.1 Available under license
- 1.43 libyaml 0.2.7-r1**
 - 1.43.1 Available under license
- 1.44 ruamel-yaml 0.2.7-r1**
 - 1.44.1 Available under license
- 1.45 py3-jmespath 1.0.1-r1**
 - 1.45.1 Available under license
- 1.46 py3-colorama 0.4.6-r3**
 - 1.46.1 Available under license
- 1.47 py3-distro 1.8.0-r2**
 - 1.47.1 Available under license
- 1.48 readline 8.2.1-r2**
 - 1.48.1 Available under license
- 1.49 bzip2 1.0.8-r6**
 - 1.49.1 Available under license
- 1.50 libunistring 1.1-r2**
 - 1.50.1 Available under license
- 1.51 libffi 3.4.4-r3**
 - 1.51.1 Available under license
- 1.52 python-requests 2.31.0**
 - 1.52.1 Available under license

- 1.53 acl 2.3.1-r4**
 - 1.53.1 Available under license
- 1.54 attr 2.5.1-r5**
 - 1.54.1 Available under license
- 1.55 py3-ruamel.yaml 0.17.28-r0**
 - 1.55.1 Available under license
- 1.56 rich 13.4.2**
 - 1.56.1 Available under license
- 1.57 aws-aws-sdk-go-v2 1.19.1**
 - 1.57.1 Available under license
- 1.58 aws-aws-lambda-go 1.41.0**
 - 1.58.1 Available under license
- 1.59 pax-utils 1.3.7-r2**
 - 1.59.1 Available under license
- 1.60 go-autorest 0.11.29**
 - 1.60.1 Available under license
- 1.61 platformdirs 3.8.1**
 - 1.61.1 Available under license
- 1.62 pyparsing 3.1.1**
 - 1.62.1 Available under license
- 1.63 aws-aws-sdk-go-v2 1.9.15**
 - 1.63.1 Available under license
- 1.64 procps 4.0.4-r0**
 - 1.64.1 Available under license
- 1.65 libidn 2.3.4-r4**
 - 1.65.1 Available under license
- 1.66 google-uuid 1.3.1**
 - 1.66.1 Available under license
- 1.67 cffi 1.16.0**
 - 1.67.1 Available under license
- 1.68 urllib3 1.26.17**
 - 1.68.1 Available under license
- 1.69 aws-smithy-go 1.15.0**
 - 1.69.1 Available under license
- 1.70 pam 1.5.3-r7**
 - 1.70.1 Available under license
- 1.71 python-setuptools 65.5.0**
 - 1.71.1 Available under license
- 1.72 urllib3 1.26.18**

- 1.72.1 Available under license
- 1.73 ruamel.yaml 0.17.28**
 - 1.73.1 Available under license
- 1.74 python-certifi 2023.07.22**
 - 1.74.1 Available under license
- 1.75 py3-urllib 1.26.18-r0**
 - 1.75.1 Available under license
- 1.76 python-pip 23.3.1**
 - 1.76.1 Available under license
- 1.77 aws-aws-sdk-go 1.21.2**
 - 1.77.1 Available under license
- 1.78 aws-aws-sdk-go-v2-internal-endpoints 2.4.37**
 - 1.78.1 Available under license
- 1.79 aws-aws-sdk-go-v2-service-sqs 1.24.7**
 - 1.79.1 Available under license
- 1.80 aws-aws-sdk-go-v2-internal-configsources 1.1.43**
 - 1.80.1 Available under license
- 1.81 cpp 13.2.1_git20231014-r0**
 - 1.81.1 Available under license
- 1.82 aws-aws-sdk-go-v2 1.9.37**
 - 1.82.1 Available under license
- 1.83 aws-aws-sdk-go-v2-internal-ini 1.3.45**
 - 1.83.1 Available under license
- 1.84 aws-aws-sdk-go-v2 1.23.2**
 - 1.84.1 Available under license
- 1.85 aws-aws-sdk-go-v2 1.13.43**
 - 1.85.1 Available under license
- 1.86 aws-aws-sdk-go-v2-aws-protocol-eventstream 1.4.14**
 - 1.86.1 Available under license
- 1.87 aws-aws-sdk-go-v2-service-ssooidc 1.17.3**
 - 1.87.1 Available under license
- 1.88 aws-aws-sdk-go-v2 1.15.2**
 - 1.88.1 Available under license
- 1.89 gettext 0.22.3-r0**
 - 1.89.1 Available under license
- 1.90 packaging 23.2**
 - 1.90.1 Available under license
- 1.91 aws-sdk-go 1.46.7**
 - 1.91.1 Available under license

1.92 nghttp2 1.58.0-r0

1.92.1 Available under license

1.93 xz 5.4.5-r0

1.93.1 Available under license

1.94 utmps 0.1.2.2-r0

1.94.1 Available under license

1.95 brotli 1.1.0-r1

1.95.1 Available under license

1.96 musl 1.2.4_git20230717-r4

1.96.1 Available under license

1.97 wcwidth 0.2.10

1.97.1 Available under license

1.98 prompt-toolkit 3.0.41

1.98.1 Available under license

1.99 zstd 1.5.5-r8

1.99.1 Available under license

1.100 pkgconf 2.1.0-r0

1.100.1 Available under license

1.101 skalibs 2.14.0.1-r0

1.101.1 Available under license

1.102 cryptography 41.0.7

1.102.1 Available under license

1.103 alpine-baselayout 3.4.3-r2

1.103.1 Available under license

1.104 libmd 1.1.0-r0

1.104.1 Available under license

1.105 bash 5.2.21-r0

1.105.1 Available under license

1.106 oniguruma 6.9.9-r0

1.106.1 Available under license

1.107 libbsd 0.11.7-r3

1.107.1 Available under license

1.108 pcre 10.42-r2

1.108.1 Available under license

1.109 sqlite 3.44.2-r0

1.109.1 Available under license

1.110 distlib 0.3.8

1.110.1 Available under license

1.111 libsodium 1.0.19-r0

- 1.111.1 Available under license
- 1.112 shadow 4.14.2-r0**
 - 1.112.1 Available under license
- 1.113 s2n 1.3.56-r0**
 - 1.113.1 Available under license
- 1.114 aws-c-compression 0.2.17-r1**
 - 1.114.1 Available under license
- 1.115 py3-cparser 2.21-r4**
 - 1.115.1 Available under license
- 1.116 s2n-tls 1.3.56-r0**
 - 1.116.1 Available under license
- 1.117 py3-cffi 1.16.0-r0**
 - 1.117.1 Available under license
- 1.118 py3-cryptography 41.0.7-r0**
 - 1.118.1 Available under license
- 1.119 py3-prompt_toolkit 3.0.41-r0**
 - 1.119.1 Available under license
- 1.120 aws-checksums 0.1.17-r1**
 - 1.120.1 Available under license
- 1.121 icu 74.1-r0**
 - 1.121.1 Available under license
- 1.122 golang-protobuf-extensions 1.0.4**
 - 1.122.1 Available under license
- 1.123 hiredis 1.2.0-r0**
 - 1.123.1 Available under license
- 1.124 util-linux 2.39.3-r0**
 - 1.124.1 Available under license
- 1.125 ncurses 6.4_p20231125-r0**
 - 1.125.1 Available under license
- 1.126 hyperscan 5.4.0-r1**
 - 1.126.1 Available under license
- 1.127 py3-parsing 3.1.1-r0**
 - 1.127.1 Available under license
- 1.128 py3-packaging 23.2-r0**
 - 1.128.1 Available under license
- 1.129 py3-pip 23.3.1-r0**
 - 1.129.1 Available under license
- 1.130 perl 5.38.2-r0**
 - 1.130.1 Available under license

- 1.131 py3-six 1.16.0-r8**
 - 1.131.1 Available under license
- 1.132 py3-dateutil 2.8.2-r4**
 - 1.132.1 Available under license
- 1.133 py3-wcwidth 0.2.10-r0**
 - 1.133.1 Available under license
- 1.134 py3-docutils 0.20.1-r1**
 - 1.134.1 Available under license
- 1.135 golang-jwt 4.5.0**
 - 1.135.1 Available under license
- 1.136 zlib 1.3.1-r0**
 - 1.136.1 Available under license
- 1.137 mergo 0.3.16**
 - 1.137.1 Available under license
- 1.138 busybox 1.36.1-r19**
 - 1.138.1 Available under license
- 1.139 coreutils 9.4-r2**
 - 1.139.1 Available under license
- 1.140 aws-aws-sdk-go-v2-service-s3 1.40.2**
 - 1.140.1 Available under license
- 1.141 aws-aws-sdk-go-v2-service-internal-checksum 1.1.38**
 - 1.141.1 Available under license
- 1.142 aws-aws-sdk-go-v2-service-internal-s3shared 1.15.6**
 - 1.142.1 Available under license
- 1.143 aws-aws-sdk-go-v2-internal-v4a 1.1.6**
 - 1.143.1 Available under license
- 1.144 python-certifi 2024.2.2**
 - 1.144.1 Available under license
- 1.145 python-pip 24.0**
 - 1.145.1 Available under license
- 1.146 fmt 10.1.1-r0**
 - 1.146.1 Available under license
- 1.147 ca-certificates 20240226-r0**
 - 1.147.1 Available under license
- 1.148 jq 1.7.1-r0**
 - 1.148.1 Available under license
- 1.149 redis 7.2.4-r0**
 - 1.149.1 Available under license
- 1.150 protobuf 1.33.0**

1.150.1 Available under license
1.151 aws-c-event-stream 0.4.1-r0
1.151.1 Available under license
1.152 aws-c-auth 0.7.14-r0
1.152.1 Available under license
1.153 aws-cli 2.15.14
1.153.1 Available under license
1.154 aws-c-common 0.9.12-r0
1.154.1 Available under license
1.155 awscrt 0.20.2
1.155.1 Available under license
1.156 aws-cli 2.15.14-r0
1.156.1 Available under license
1.157 py3-awscrt 0.20.2-r0
1.157.1 Available under license
1.158 aws-c-mqtt 0.10.1-r0
1.158.1 Available under license
1.159 aws-c-http 0.8.0-r0
1.159.1 Available under license
1.160 aws-c-s3 0.4.10-r0
1.160.1 Available under license
1.161 aws-c-sdkutils 0.1.14-r0
1.161.1 Available under license
1.162 aws-c-cal 0.6.9-r0
1.162.1 Available under license
1.163 aws-c-io 0.14.2-r0
1.163.1 Available under license
1.164 py3-certifi 2024.2.2-r0
1.164.1 Available under license
1.165 c-ares 1.27.0-r0
1.165.1 Available under license
1.166 py3-redis 5.0.1-r0
1.166.1 Available under license
1.167 luajit 2.1_p20230410-r3
1.167.1 Available under license
1.168 rspamd 3.6-r1
1.168.1 Available under license
1.169 hiredis 2.3.0
1.169.1 Available under license

- 1.170 py3-hiredis 2.3.0-r0**
 - 1.170.1 Available under license
- 1.171 distro 1.8.0**
 - 1.171.1 Available under license
- 1.172 docutils 0.20.1**
 - 1.172.1 Available under license
- 1.173 colorama 0.4.6**
 - 1.173.1 Available under license
- 1.174 idna 3.4**
 - 1.174.1 Available under license
- 1.175 apk-tools 2.14.4-r0**
 - 1.175.1 Available under license
- 1.176 go-autorest-logging 0.2.1**
 - 1.176.1 Available under license
- 1.177 libpwquality 1.4.5-r1**
 - 1.177.1 Available under license
- 1.178 cracklib 2.9.11-r6**
 - 1.178.1 Available under license
- 1.179 tomli 2.0.1**
 - 1.179.1 Available under license
- 1.180 six 1.16.0**
 - 1.180.1 Available under license
- 1.181 pycparser 2.21**
 - 1.181.1 Available under license
- 1.182 platformdirs 2.6.2**
 - 1.182.1 Available under license
- 1.183 spew 1.1.1**
 - 1.183.1 Available under license
- 1.184 kubernetes-klog 2.80.1**
 - 1.184.1 Available under license
- 1.185 golang 1.21.10**
 - 1.185.1 Notifications
 - 1.185.2 Available under license
- 1.186 x-sys 0.20.0**
 - 1.186.1 Available under license
- 1.187 x-text 0.15.0**
 - 1.187.1 Available under license
- 1.188 x-net 0.25.0**
 - 1.188.1 Available under license

1.189 x-crypto 0.23.0

1.189.1 Available under license

1.190 x-term 0.20.0

1.190.1 Available under license

1.191 futures 3.4.0

1.191.1 Available under license

1.192 glib 2.78.6-r0

1.192.1 Available under license

1.193 go-autorest-adal 0.9.24

1.193.1 Available under license

1.194 python-setuptools 70.3.0

1.194.1 Available under license

1.195 go-ieproxy 0.0.12

1.195.1 Available under license

1.196 goprotobuf 1.5.4

1.196.1 Available under license

1.197 py3-setuptools 70.3.0-r0

1.197.1 Available under license

1.198 simple launcher 1.1.0.14

1.198.1 Available under license

1.199 etcd 3.5.15

1.199.1 Available under license

1.200 curl 8.9.1-r0

1.200.1 Available under license

1.201 importlib-metadata 4.11.1

1.201.1 Available under license

1.202 python-dateutil 2.8.2

1.202.1 Available under license

1.203 ruamel-yaml-clib 0.2.7

1.203.1 Available under license

1.204 ruamel-yaml 0.17.28

1.204.1 Available under license

1.205 pyyaml 6.0.2

1.205.1 Available under license

1.206 xxhash 2.1.2

1.206.1 Available under license

1.207 gopkg.in-inf 0.9.1

1.207.1 Available under license

1.208 gofuzz 1.1.0

- 1.208.1 Available under license
- 1.209 fuzzyhash 1.0.0-r3**
 - 1.209.1 Available under license
- 1.210 httpparser 3.6-r1**
 - 1.210.1 Available under license
- 1.211 snowball-stemmer 3.6-r1**
 - 1.211.1 Available under license
- 1.212 libev 4.25**
 - 1.212.1 Available under license
- 1.213 openssl 3.1.7-r0**
 - 1.213.1 Available under license
- 1.214 expat 2.6.3-r0**
 - 1.214.1 Available under license
- 1.215 tre 0.7.6**
 - 1.215.1 Available under license
- 1.216 python 3.11.10-r0**
 - 1.216.1 Available under license
- 1.217 redis 5.0.1**
 - 1.217.1 Available under license
- 1.218 ucl 3.6-r1**
 - 1.218.1 Available under license
- 1.219 utils 0.0.0-20240902221715-702e33fdd3c3**
 - 1.219.1 Available under license
- 1.220 azure-amqp-common-go 3.1.2**
 - 1.220.1 Available under license
- 1.221 azure-go-amqp 0.13.13**
 - 1.221.1 Available under license
- 1.222 kubernetes-apimachinery 0.22.17**
 - 1.222.1 Available under license
- 1.223 kubernetes-api 0.22.17**
 - 1.223.1 Available under license
- 1.224 aws-aws-sdk-go-v2-feature-s3-manager 1.11.92**
 - 1.224.1 Available under license
- 1.225 logrus 1.8.3**
 - 1.225.1 Available under license
- 1.226 kubernetes-client 0.22.17**
 - 1.226.1 Available under license
- 1.227 nhooyr-io-websocket 1.8.17**
 - 1.227.1 Available under license

1.228 jmespath 1.0.1

1.228.1 Available under license

1.229 gopkg.in-yaml 2.4.0

1.229.1 Available under license

1.230 structured-merge-diff 4.2.3

1.230.1 Available under license

1.231 visual-studio-runtime 2014

1.231.1 Available under license

1.1 lua-cjson 2.1.0

1.1.1 Available under license :

Copyright (c) 2010-2012 Mark Pulford <mark@kyne.com.au>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.2 lua 5.1.5

1.2.1 Available under license :

This package was debianized by John V. Belmonte <jbelmonte@debian.org> on Sun, 20 Nov 2005 19:55:05 -0500.

It was downloaded from <<http://www.lua.org/ftp/>>.

Copyright Holder: Lua Team <team@lua.org>

License:

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Lua License

Lua is licensed under the terms of the MIT license reproduced below. This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html> .

=====

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(end of COPYRIGHT)

1.3 bridgeutils 1.7.1

1.3.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that

you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies

of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the

source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT

WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.4 perks 1.0.1

1.4.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc., <<http://fsf.org/>>
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION
AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution

of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will

be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is

given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
{description}  
Copyright (C) {year} {fullname}
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type  
`show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
```

`Gnomovision' (which makes passes at compilers) written by James Hacker.

{signature of Ty Coon}, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.5 modern-go-concurrent 0.0.0-20180306012644-bacd9c7ef1dd

1.5.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.6 go-autorest-tracing 0.6.0

1.6.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.7 go-autorest-to 0.4.0

1.7.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this

License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.8 go-autorest-date 0.3.0

1.8.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.9 x-time-rate 0.0.0-20210723032227-1f47c861a9ac

1.9.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at <http://tip.golang.org/CONTRIBUTORS>.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.10 googleapis-gnostic 0.5.5

1.10.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.11 spf13-pflag 1.0.5

1.11.1 Available under license :

Copyright (c) 2012 Alex Ogier. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.12 go-jmespath 0.4.0

1.12.1 Available under license :

MIT License

Copyright (c) 2012-2018 Mat Ryer and Tyler Bunnell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.13 azure-pipeline-go 0.2.3

1.13.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.14 prometheus-procfs 0.7.3

1.14.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

procfs provides functions to retrieve system, kernel and process metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at SoundCloud Ltd. (<http://soundcloud.com/>).

1.15 devigned-tab 0.1.1

1.15.1 Available under license :

MIT License

Copyright (c) 2019 David Justice

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.16 x-oauth2 0.0.0-20210514164344-f6687ab2804c

1.16.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at <http://tip.golang.org/CONTRIBUTORS>.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.17 azure-storage-blob-go 0.14.0

1.17.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.18 json-iterator-go 1.1.12

1.18.1 Available under license :

MIT License

Copyright (c) 2016 json-iterator

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.19 modern-go-reflect2 1.0.2

1.19.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.20 botocore 2.0.0dev155

1.20.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.21 prometheus-common 0.32.1

1.21.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.22 alpine-keys 2.4-r1

1.22.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.23 mitchellh-mapstructure 1.4.3

1.23.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 s3transfer 0.5.1

1.24.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

s3transfer

Copyright 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

1.25 azure-service-bus-go 0.10.16

1.25.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.26 walle-targz 0.0.0-20140417120357-57fe4206da5a

1.26.1 Available under license :

Copyright (c) 2014 Fredrik Wallgren

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.27 luasocket 3.0.0

1.27.1 Available under license :

Copyright (C) 2004-2022 Diego Nehab

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.28 packaging 21.3

1.28.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.29 prometheus-client 1.12.2

1.29.1 Available under license :

Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

The following components are included in this product:

perks - a fork of <https://github.com/bmizerany/perks>
<https://github.com/beorn7/perks>
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein
See <https://github.com/beorn7/perks/blob/master/README.md> for license details.

Go support for Protocol Buffers - Google's data interchange format
<http://github.com/golang/protobuf/>
Copyright 2010 The Go Authors
See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/matttproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0
Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.30 google-go-cmp 0.5.9

1.30.1 Available under license :

Copyright (c) 2017 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.31 prometheus-client-model 0.2.0

1.31.1 Available under license :

Data model artifacts for Prometheus.

Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.32 yaml 1.2.0

1.32.1 Available under license :

Copyright 2018 Eemeli Aro <eemeli@gmail.com>

Permission to use, copy, modify, and/or distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright notice
and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF
THIS SOFTWARE.

1.33 linenoise 1.0

1.33.1 Available under license :

Copyright (c) 2010-2014, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2013, Pieter Noordhuis <pcnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.34 tenacity 8.2.2

1.34.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.35 gogo-protobuf 1.3.2

1.35.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.

<https://github.com/golang/protobuf>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Anton Povarov <anton.povarov@gmail.com>

Brian Goff <cpuguy83@gmail.com>

Clayton Coleman <ccoleman@redhat.com>

Denis Smirnov <denis.smirnov.91@gmail.com>

DongYun Kang <ceram1000@gmail.com>

Dwayne Schultz <dschultz@pivotal.io>

Georg Apitz <gapitz@pivotal.io>

Gustav Paul <gustav.paul@gmail.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

Laurent <laurent@adyoulike.com>

Patrick Lee <patrick@dropbox.com>

Peter Edge <peter.edge@gmail.com>

Roger Johansson <rogeralsing@gmail.com>

Sam Nguyen <sam.nguyen@sendgrid.com>

Sergio Arbo <serabe@gmail.com>

Stephen J Day <stephen.day@docker.com>

Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.36 aws-aws-sdk-go-v2 1.13.13

1.36.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.37 msgpack 1.0.5

1.37.1 Available under license :

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.38 logr 1.2.4

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!
```

```
* Bootstrap Table of Contents v0.4.1 (http://afeld.github.io/bootstrap-toc/)
```

```
* Copyright 2015 Aidan Feldman
```

```
* Licensed under MIT (https://github.com/afeld/bootstrap-toc/blob/gh-pages/LICENSE.md) */
```

Found in path(s):

```
* /opt/cola/permits/1640242423_1681521633.1109512/0/dbosak01-logr-v1-2-4-0-g8c5ac86-tar-gz/dbosak01-logr-8c5ac86/docs/bootstrap-toc.css
```

```
* /opt/cola/permits/1640242423_1681521633.1109512/0/dbosak01-logr-v1-2-4-0-g8c5ac86-tar-gz/dbosak01-logr-8c5ac86/docs/bootstrap-toc.js
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
Source: https://github.com/algolia/docsearch/
```

```
License: MIT
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1640242423_1681521633.1109512/0/dbosak01-logr-v1-2-4-0-g8c5ac86-tar-gz/dbosak01-logr-8c5ac86/docs/docsearch.css
```

No license file was found, but licenses were detected in source scan.

Package: logr

Title: Creates Log Files

Version: 1.2.4

Authors@R:

```
person(given = "David",
       family = "Bosak",
       role = c("aut", "cre"),
       email = "dbosak01@gmail.com")
```

Description: Contains functions to help create log files. The package aims to overcome the difficulty of the base R `sink()` command. The `log_print()` function will print to both the console and the file log, without interfering in other write operations.

License: CC0

Encoding: UTF-8

URL: <https://logr.r-sassy.org>

BugReports: <https://github.com/dbosak01/logr/issues>

Depends: R (>= 3.4.0)

Suggests: knitr,

 rmarkdown,

 testthat,

```
tidylog,  
dplyr,  
utils  
Imports: withr  
VignetteBuilder: knitr  
Roxygen: list(markdown = TRUE)  
RoxygenNote: 7.1.1
```

Found in path(s):

```
* /opt/cola/permits/1640242423_1681521633.1109512/0/dbosak01-logr-v1-2-4-0-g8c5ac86-tar-gz/dbosak01-logr-8c5ac86/DESCRIPTION
```

1.39 mpdecimal 2.5.1-r2

1.39.1 Available under license :

DOCUMENTATION LICENSE

=====

Copyright 2010-2020 Stefan KraH. All rights reserved.

Redistribution and use in source (RST) and 'compiled' forms (HTML, PDF, PostScript and so forth) with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code (RST) must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified.
2. Modified documents must carry a notice that modification has occurred. This notice must also be present in any compiled form.
3. Redistributions in compiled form (converted to HTML, PDF, PostScript and other formats) must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS DOCUMENTATION IS PROVIDED BY THE AUTHOR "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

DISTRIBUTOR NOTES

=====

The license is the standard FreeBSD Documentation License with an added clause that requires a user notice for modifications. The following modification notices are sufficient:

RST files

The modification notice may be added below the license:

Copyright 2010-2020 Stefan KraH. All rights reserved.

...

...

IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

This file was modified in 2020 by DISTRIBUTOR.

HTML files

The modification notice may be added to the copyright footer:

Copyright 2010-2020 Stefan KraH, modified 2020 by DISTRIBUTOR.

/*

* Copyright (c) 2008-2020 Stefan KraH. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED
* TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/

1.40 gdbm 1.23-r1

1.40.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007, 2011 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses
are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays

"Appropriate Legal Notices"

to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything,

other

than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users'

Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or

customer support for that product

model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge.

You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product

is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately

under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You

may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do

not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each

time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement,

or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes

with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.41 chardet 5.1.0

1.41.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for

you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General

Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the

terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.42 py3-ruamel.yaml.clib 0.2.7-r1

1.42.1 Available under license :

AWS C Compression

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AWS C Http

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Lib Crypto is a fork of BoringSSL, which is itself a fork of OpenSSL. New files from AWS-LC are made available under the Apache-2.0 license OR the ISC license. These licenses are reproduced at the bottom of this file.

BoringSSL licensing

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL

licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Files in third_party/ have their own licenses, as described therein. The MIT license, for third_party/flat, which, unlike other third_party directories, is compiled into non-test libraries, is included below.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

263291445

OpenSSL License

```
/* =====
```

```
* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.
```

```
*
```

```
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.
```

```
*
```

```
* 3. All advertising materials mentioning  
features or use of this
```

```
* software must display the following acknowledgment:
```

```
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
```

```
*
```

```
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without
```


* prior written permission. For written permission, please contact
 * openssl-core@openssl.org.
 *

* 5. Products derived from this software may not be called "OpenSSL"
 * nor may "OpenSSL" appear in their names without prior written
 * permission of the OpenSSL Project.
 *

* 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
 *

* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.
 * =====
 *

* This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).
 *
 */

Original SSLeay License

/* Copyright (C) 1995-1998
 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *

* This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *

* This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation

- * included with this distribution is covered by the same copyright terms
- * except that the holder is Tim Hudson (tjh@cryptsoft.com).
- *
- * Copyright remains Eric Young's, and as such any Copyright notices in
- * the code are not to be removed.
- * If this package is used in a product, Eric Young should be given attribution
- * as the author of the parts of the library used.
- * This can be in the form of a textual message at program startup or
- * in documentation (online or textual) provided
- * with the package.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * "This product includes cryptographic software written by
- * Eric Young (eay@cryptsoft.com)"
- * The word 'cryptographic' can be left out if the routines from the library
- * being used are not cryptographic related :-).
- * 4. If you include any Windows specific code (or a derivative thereof) from
- * the apps directory (application
- * code) you must include an acknowledgement:
- * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- *
- * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * The licence and distribution terms for any publically available version or
- * derivative of this code
- * cannot be changed. i.e. this code cannot simply be
- * copied and put under another distribution licence
- * [including the GNU Public Licence.]
- */

ISC license used for completely new code in BoringSSL:

```
/* Copyright (c) 2015, Google Inc.
```

```
*
```

```
* Permission to use, copy, modify, and/or distribute this software for any
```

```
* purpose with or without fee is hereby granted, provided that the above
```

```
* copyright notice and this permission notice appear in all copies.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
```

```
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
```

```
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
```

```
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
```

```
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
```

```
* OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
```

```
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */
```

The code in `third_party/ fiat`
carries the MIT license:

Copyright (c) 2015-2016 the fiat-crypto authors (see
<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The code in `third_party/jitterentropy` is distributed under the 3-Clause BSD License. Amazon expressly elects to distribute the package under the 3-Clause BSD License and NOT under GNU General Public License Version 2:

Copyright (C) 2017 - 2021, Stephan Mueller <smueller@chronox.de>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

The code in `crypto/kyber/pqcrystals-kyber_kyber512_ref` carries the Public Domain license:

Public Domain (<https://creativecommons.org/share-your-work/public-domain/cc0/>)

For Keccak and AES we are using public-domain code from sources and by authors listed in comments on top of the respective files.

Licenses for support code

Parts of the TLS test suite are under the Go license. This code is not included in BoringSSL (i.e. `libcrypto` and `libssl`) when compiled, however, so distributing code linked against BoringSSL does not trigger this license:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BoringSSL uses the Chromium test infrastructure to run a continuous build, trybots etc. The scripts which manage this, and the script for generating build metadata, are under the Chromium license. Distributing code linked against BoringSSL does not trigger this license.

Copyright 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache 2.0 license for AWS-LC

content

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary

use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing,

shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

ISC license for AWS-LC content

Copyright Amazon.com, Inc. or its affiliates.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

S2N SUBCOMPONENTS:

The s2n Project contains subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is

subject to the terms and conditions of the following licenses.

=====
Third party MIT licenses
=====

The following components are provided under the MIT License. See project link for details.

SIKE

-> s2n/pq-crypto/sike_r1/LICENSE.txt

AWS C Event Stream

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

The MIT License (MIT)

Copyright (c) 2015-2020 the fiat-crypto authors (see

<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

AWS C Mqtt

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS C Common

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

s2n

Copyright 2014-2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS C Auth

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Crt Python

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

** PKCS#11 Headers; version 2.40 -- <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/>

Copyright (c) OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

AWS C Cal

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS-LC

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

AWS C Io

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

1.43 libyami 0.2.7-r1

1.43.1 Available under license :

AWS C Compression

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AWS C Http

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Lib Crypto is a fork of BoringSSL, which is itself a fork of OpenSSL. New files from AWS-LC are made available under the Apache-2.0 license OR the ISC license. These licenses are reproduced at the bottom of this file.

BoringSSL licensing

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Files in third_party/ have their own licenses, as described therein. The MIT license, for third_party/flat, which, unlike other third_party directories, is

compiled into non-test libraries, is included below.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

263291445

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. All advertising materials mentioning
features or use of this

* software must display the following acknowledgment:

* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

*

* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.

*

* 5. Products derived from this software may not be called "OpenSSL"

* nor may "OpenSSL" appear in their names without prior written

```

* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING,
* BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Original SSLeay License

```

/* Copyright (C) 1995-1998
Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.

```

```

* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided
  with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the routines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application
  code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code
  cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

ISC license used for completely new code in BoringSSL:

```

/* Copyright (c) 2015, Google Inc.

```


*
* Permission to use, copy, modify, and/or distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
* OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */

The code in `third_party/ fiat`
carries the MIT license:

Copyright (c) 2015-2016 the fiat-crypto authors (see
<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The code in `third_party/jitterentropy` is distributed under the 3-Clause BSD
License. Amazon expressly elects to distribute the package under the 3-Clause
BSD License and NOT under GNU General Public License Version 2:

Copyright (C) 2017 - 2021, Stephan Mueller <smueller@chronox.de>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

The code in `crypto/kyber/pqcrystals-kyber_kyber512_ref` carries the Public Domain license:

Public Domain (<https://creativecommons.org/share-your-work/public-domain/cc0/>)

For Keccak and AES we are using public-domain code from sources and by authors listed in comments on top of the respective files.

Licenses for support code

Parts of the TLS test suite are under the Go license. This code is not included in BoringSSL (i.e. `libcrypto` and `libssl`) when compiled, however, so distributing code linked against BoringSSL does not trigger this license:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BoringSSL uses the Chromium test infrastructure to run a continuous build, trybots etc. The scripts which manage this, and the script for generating build metadata, are under the Chromium license. Distributing code linked against BoringSSL does not trigger this license.

Copyright 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based

on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent

License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation
is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing,

shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

ISC license for AWS-LC content

Copyright Amazon.com, Inc. or its affiliates.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
S2N SUBCOMPONENTS:

The s2n Project contains subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

=====

Third party MIT licenses

The following components are provided under the MIT License. See project link for details.

SIKE

-> s2n/pq-crypto/sike_r1/LICENSE.txt

AWS C Event Stream

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

The MIT License (MIT)

Copyright (c) 2015-2020 the fiat-crypto authors (see

<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

AWS C Mqtt

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS C Common

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

s2n

Copyright 2014-2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS C Auth

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Crt Python

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

** PKCS#11 Headers; version 2.40 -- <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/>

Copyright (c) OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website:

[<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works.

However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any

document or deliverable produced by an OASIS

Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR

FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

AWS C Cal

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS-LC

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

AWS C Io

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

1.44 ruamel-yaml 0.2.7-r1

1.44.1 Available under license :

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.45 py3-jmespath 1.0.1-r1

1.45.1 Available under license :

Copyright (c) 2013 Amazon.com, Inc. or its affiliates. All Rights Reserved

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.46 py3-colorama 0.4.6-r3

1.46.1 Available under license :

Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.47 py3-distro 1.8.0-r2

1.47.1 Available under license :

Copyright (c) 2013 Michael Dowling <mtdowling@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with the License. A copy of the License is located at

<http://aws.amazon.com/apache2.0/>

or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.48 headline 8.2.1-r2

1.48.1 Available under license :

@c The GNU Free Documentation License.

@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{ } 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

@end display

@enumerate 0

@item

PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document @dfn{free} in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item

APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers

to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall

directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain `@sc{ascii}` without markup, Texinfo input format, `LaTeX{} input format`, `@acronym{SGML}` or `@acronym{XML}` using a publicly available `@acronym{DTD}`, and standard-conforming simple `@acronym{HTML}`, PostScript or `@acronym{PDF}` designed for human modification. Examples of transparent image formats include `@acronym{PNG}`, `@acronym{XCF}` and `@acronym{JPG}`. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, `@acronym{SGML}` or `@acronym{XML}` for which the `@acronym{DTD}` and/or processing tools are not generally available, and the machine-generated `@acronym{HTML}`, PostScript or `@acronym{PDF}` produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item

VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have

printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible.

You may add other material on the covers in addition.

Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material.

If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that

this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item

MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A

@item

Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item

List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item

State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item

Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

@item

Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

@item

Include an unaltered copy of this License.

@item

Preserve the section Entitled ``History'', Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled ``History'' in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

@item

Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

@item

For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

@item

Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

@item

Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

@item

Preserve any Warranty Disclaimers.

@end enumerate

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties---for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list

of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item

COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History" in the various original documents, forming one section Entitled ``History"; likewise combine any sections Entitled ``Acknowledgements", and any sections Entitled ``Dedications". You must delete all sections Entitled ``Endorsements."

@item

COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract
a single document from such a collection, and distribute
it individually under this License, provided you insert a copy of this
License into the extracted document, and follow this License in all
other respects regarding verbatim copying of that document.

@item

AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate
and independent documents or works, in or on a volume of a storage or
distribution medium, is called an ``aggregate" if the copyright
resulting from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not
apply to the other works in the aggregate which are not themselves
derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these
copies of the Document, then if the Document is less than one half of
the entire aggregate, the Document's Cover Texts may
be placed on
covers that bracket the Document within the aggregate, or the
electronic equivalent of covers if the Document is in electronic form.
Otherwise they must appear on printed covers that bracket the whole
aggregate.

@item

TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special
permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions
of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original
version will prevail.

If a section in the Document is Entitled ``Acknowledgements",
``Dedications", or ``History", the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

@item

TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item

FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See [@uref{http://www.gnu.org/copyleft/}](http://www.gnu.org/copyleft/).

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document

specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item

RELICENSING

``Massive Multiauthor Collaboration Site" (or ``MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration" (or ``MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page

@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample

@group

```
Copyright (C) @var{year} @var{your name}.
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License".
@end group
@end smallexample
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{ }Texts." line with this:

```
@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover
  Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

```
@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:
      GNU GENERAL PUBLIC LICENSE
      Version 3, 29 June 2007
```

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast,

the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that

same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you

receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other

parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

- e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and

adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions.

Additional permissions that are applicable to the entire Program shall

be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some

trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that

copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify

or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it

in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered

independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,

or

(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and
`show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.49 bzip2 1.0.8-r6

1.49.1 Available under license :

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org
bzip2/libbzip2 version 1.0.8 of 13 July 2019

1.50 libunistring 1.1-r2

1.50.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a

patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the

facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.51 libffi 3.4.4-r3

1.51.1 Available under license :

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh an testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You

are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright

holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work

as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

libffi - Copyright (c) 1996-2022 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 python-requests 2.31.0

1.52.1 Available under license :

Modifications:

Copyright (c) 2011 Kenneth Reitz.

Original Project:

Copyright (c) 2010 by Armin Ronacher.

Some rights reserved.

Redistribution and use in source and binary forms of the theme, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

We kindly ask you to only use these themes in an unmodified manner just for Flask and Flask-related products, not for unrelated projects. If you like the visual style and want to use it for your own projects, please consider making some larger changes to the themes (such as changing font faces, sizes, colors or margins).

THIS THEME IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS THEME, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2019 Kenneth Reitz. All rights reserved.

Requests

Copyright 2019 Kenneth Reitz

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.53 acl 2.3.1-r4

1.53.1 Available under license :

Most components of the "acl" package are licensed under Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see below),

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions

are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation
may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision
will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR

DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one  
line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it
```

under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
``Gnomovision'` (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License

does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Most components of the "acl" package are licensed under Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote

it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of

the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It

is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the

"copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.54 attr 2.5.1-r5

1.54.1 Available under license :

License and Credits

attrs is licensed under the [MIT](<https://choosealicense.com/licenses/mit/>) license. The full license text can be also found in the [source code repository](<https://github.com/python-attrs/attrs/blob/main/LICENSE>).

attrs is written and maintained by [Hynek Schlawack](<https://hynek.me/>).

The development is kindly supported by my employer [Variomedia AG](<https://www.variomedia.de/>), *attrs* [Tidelift subscribers](https://tidelift.com/subscription/pkg/pypi-attrs?utm_source=pypi-

attrs&utm_medium=referral&utm_campaign=enterprise&utm_term=repo), and all my amazing [GitHub Sponsors](https://github.com/sponsors/hynek).

A full list of contributors can be found in [GitHub's overview](https://github.com/python-attrs/attrs/graphs/contributors).

Its the spiritual successor of [characteristic](https://characteristic.readthedocs.io/) and aspires to fix some of its clunkiness and unfortunate decisions.

Both were inspired by Twisted's

[FancyEqMixin](https://docs.twisted.org/en/stable/api/twisted.python.util.FancyEqMixin.html)

but both are implemented using class decorators because [subclassing is bad for you](https://www.youtube.com/watch?v=3MNVP9-hglc), mkay?

The MIT License (MIT)

Copyright (c) 2015 Hynek Schlawack and the attrs contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.55 py3-ruamel.yaml 0.17.28-r0

1.55.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2023 Anthon van der Neut, Ruamel bvba

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.56 rich 13.4.2

1.56.1 Available under license :

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributors

The following people have contributed to the development of Rich:

<!-- Add your name below, sort alphabetically by surname. Link to GitHub profile / your home page. -->

- [Patrick Arminio](<https://github.com/patrick91>)
- [Gregory Beauregard](<https://github.com/GBeauregard/pyffstream>)
- [Artur Borecki](<https://github.com/pufereq>)
- [Dennis Brakhane](<https://github.com/brakhane>)

- [Darren Burns](https://github.com/darrenburns)
- [Jim Crist-Harif](https://github.com/jcrist)
- [Ed Davis](https://github.com/davised)
- [Pete Davison](https://github.com/pd93)
- [James Estevez](https://github.com/jstvz)
- [Oleksis Fraga](https://github.com/oleksis)
- [Andy Gimblett](https://github.com/gimbo)
- [Micha Grny](https://github.com/mgorny)
- [Nok Lam Chan](https://github.com/noklam)
- [Leron Gray](https://github.com/daddycocoaman)
- [Andre Hora](https://github.com/andrehora)
- [Kenneth Hoste](https://github.com/boegel)
- [Lanqing Huang](https://github.com/lqhuang)
- [Finn Hughes](https://github.com/finnhughes)
-
- [Ionite](https://github.com/ionite34)
- [Josh Karpel](https://github.com/JoshKarpel)
- [Jan Katins](https://github.com/jankatins)
- [Hugo van Kemenade](https://github.com/hugovk)
- [Andrew Kettmann](https://github.com/akettmann)
- [Martin Larralde](https://github.com/althonos)
- [Hedy Li](https://github.com/hedythedev)
- [Luka Mamukashvili](https://github.com/UltraStudioLTD)
- [Alexander Mancevice](https://github.com/amancevice)
- [Will McGugan](https://github.com/willmcgugan)
- [Paul McGuire](https://github.com/ptmcg)
- [Antony Milne](https://github.com/AntonyMilneQB)
- [Michael Milton](https://github.com/multimeric)
- [Martina Oefelein](https://github.com/oefe)
- [Nathan Page](https://github.com/nathanrpage97)
- [Dave Pearson](https://github.com/davep/)
- [Avi Perl](https://github.com/avi-perl)
- [Laurent Peuch](https://github.com/psycojoker)
- [Ronny Pfannschmidt](https://github.com/RonnyPfannschmidt/)
- [Olivier Philippon](https://github.com/DrBenton)
-
- [Kylian Point](https://github.com/p0lux)
- [Kyle Pollina](https://github.com/kylepollina)
- [Sebastin Ramrez](https://github.com/tiangolo)
- [Felipe Guedes](https://github.com/guedesfelipe)
- [Min RK](https://github.com/minrk)
- [Clment Robert](https://github.com/neutrinoceros)
- [Brian Rutledge](https://github.com/bhrutledge)
- [Tushar Sadhwani](https://github.com/tusharsadhwani)
- [Paul Sanders](https://github.com/sanders41)
- [Tim Savage](https://github.com/timsavage)
- [Anthony Shaw](https://github.com/tonybaloney)
- [Nicolas Simonds](https://github.com/0xDEC0DE)

- [Aaron Stephens](https://github.com/aaronst)
- [Gabriele N. Tornetta](https://github.com/p403n1x87)
- [Nils Vu](https://github.com/nilsvu)
- [Arian Mollik Wasi](https://github.com/wasi-master)
- [Handhika Yanuar Pratama](https://github.com/theDreamer911)
- [za](https://github.com/za)
- [Motahhar Mokfi](https://github.com/motahhar)
- [Tomer Shalev](https://github.com/tomers)
- [Serkan UYSAL](https://github.com/uysalserkan)
-
- [Zhe Huang](https://github.com/onlyacat)
- [Adrian Zuber](https://github.com/xadrianzetx)
- [Ke Sun](https://github.com/ksun212)
- [Qiming Xu](https://github.com/xqm32)
- [James Addison](https://github.com/jayaddison)
- [Pierro](https://github.com/xpierroz)

1.57 aws-aws-sdk-go-v2 1.19.1

1.57.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```
import (
    "context"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
```

```
// Enterprise incurs additional fees. For more information, see Upgrade a
```

```
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html)
```

```
// .
```

```
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }
}
```

```
result, metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
```

```
c.addOperationAssociateLicenseMiddlewares)
```

```
if err != nil {
```

```

    return nil, err
}

out
:= result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if
    err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {

```

```

return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}

```

```

}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${{ github.event.pull_request.base.sha }}
\${{ github.sha }} > refDiffFiles.txt

```

- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt -> targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${ { matrix.python-version } }
  uses: actions/setup-python@v2
  with:
    python-version: ${ { matrix.python-version } }
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package licensemanager

```

import (
    "context"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
    if params == nil {
        params = &CheckInLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {

```

```

return nil, err
}

out := result.(*CheckInLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckInLicenseInput struct {

// License consumption token.
//
// This member is required.
LicenseConsumptionToken *string

// License beneficiary.
Beneficiary
*string

noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {

```

```

return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack,
options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil
{
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
return nil

```



```

}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckInLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
if params == nil {
params = &CheckoutLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type
CheckoutLicenseInput struct {

// Checkout type.

```

```

//
// This member is required.
CheckoutType types.CheckoutType

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

```

```

// Amazon Resource Name
// (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return
err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {

```

```

return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack);
err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutLicense",
}
}

```

```

}
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
    "context"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
    ..func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
    c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This
    // member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

```

```

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack);
    err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)

```

```

*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}

```

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licenssemanager

```

```

import (

```

```

"context"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version
    *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

```



```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if  
    err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {  
        return err  
    }  
}
```

```

}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack);
err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "GetLicense",
    }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Lists the licenses for your account.

```

```

func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {

```

```

if params == nil {
    params = &ListLicensesInput{}
}

result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*ListLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    //
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata
}

```

```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack);  
    err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {  
        return err  
    }  
}
```

```

}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "ListLicenses",
    }
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
    "context"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Deletes the specified license.

```

func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }
}

```

```

result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*DeleteLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the
    license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

    // License status.
    Status types.LicenseDeletionStatus

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
    if err != nil {

```

```

return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack,
options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack);

```

```

err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Checks out the specified license for offline use.
```

```
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns  
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {  
    if params == nil {  
        params = &CheckoutBorrowLicenseInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,  
c.addOperationCheckoutBorrowLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
}
```

```
out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}
```

```
type CheckoutBorrowLicenseInput struct {
```

```
// Unique, case-sensitive identifier that you
// provide to ensure the idempotency of
// the request.
```

```
//
```

```
// This member is required.
```

```
ClientToken *string
```

```
// Digital signature method. The possible value is JSON Web Signature (JWS)
```

```
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
```

```
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
```

```
//
```

```
// This member is required.
```

```
DigitalSignatureMethod types.DigitalSignatureMethod
```

```
// License entitlements. Partial checkouts are not supported.
```

```
//
```

```
// This member is required.
```

```
Entitlements []types.EntitlementData
```

```
// Amazon Resource Name (ARN) of the license. The license must use the borrow
```

```
// consumption configuration.
```

```
//
```

```
// This member is required.
```

```
LicenseArn *string
```

```
// Information about constraints.
```

```
CheckoutMetadata []types.Metadata
```

```
// Node ID.
```

```
NodeId *string
```

```
noSmithyDocumentSerde
```

```
}
```

```
type CheckoutBorrowLicenseOutput struct {
```

```
// Information about constraints.
```

```
CheckoutMetadata []types.Metadata
```

```
// Allowed license entitlements.
```

```
EntitlementsAllowed
```

```

[]types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
}

```

```

}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err
= stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```



```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutBorrowLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
if params == nil {
params = &CreateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*CreateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CreateLicenseInput struct {

// License beneficiary.
//
// This member is required.
Beneficiary *string

// Unique, case-sensitive identifier that you provide to ensure

```

```
the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Configuration for consumption of the license. Choose a provisional
// configuration for workloads running with continuous connectivity. Choose a
// borrow configuration for workloads with offline usage.
//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange
```

```

//
Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}

```

```

}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return
    err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,

```

```

ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CreateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
..func(*Options)) (*ListReceivedLicensesOutput, error) {
if params == nil {
params = &ListReceivedLicensesInput{ }
}

result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
if err != nil {
return nil, err
}

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type ListReceivedLicensesInput struct {

// Filters to scope the results. The following filters are supported:
//
- ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.

```

```

LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if
err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return
err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,

```

```
ServiceID: ServiceID,  
SigningName: "license-manager",  
OperationName: "ListReceivedLicenses",  
}  
}
```

1.58 aws-aws-lambda-go 1.41.0

1.58.1 Available under license :

Copyright 2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Lambda functions are made available under a modified MIT license.
See LICENSE-LAMBDA_CODE for details.

The remainder of the project is made available under the terms of the
Apache License, version 2.0. See LICENSE for details.
MIT No Attribution

Permission is hereby granted, free of charge, to any person obtaining a copy of this
software and associated documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.59 pax-utils 1.3.7-r2

1.59.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission

to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program
or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical

commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.60 go-autorest 0.11.29

1.60.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.61 platformdirs 3.8.1

1.61.1 Available under license :

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.62 pyparsing 3.1.1

1.62.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.63 aws-aws-sdk-go-v2 1.9.15

1.63.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.64 procps 4.0.4-r0

1.64.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work

are not derived from the Program,
and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

When

we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they
can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free

library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification

follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote

it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked

with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

You should have received a copy of the GNU Library General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer)
or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.65 libidn 2.3.4-r4

1.65.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated

material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.
Libidn2 COPYING -- Licensing information. -*- outline -*-
Copyright (C) 2011-2016 Simon Josefsson
See the end for copying conditions.

The source code for the C library (libidn2.a or libidn.so) are licensed under the terms of either the GNU General Public License version 2.0 or later (see the file COPYINGv2) or the GNU Lesser General Public License version 3.0 or later (see the file COPYING.LESSERv3), or both in parallel as here.

The command line tool, self tests, examples, and other auxiliary files, are licensed under the GNU General Public License version 3.0 or later.

The license of the Unicode character data files (which are parsed into static storage in the library) are documented in COPYING.unicode.

Other files are licensed as indicated in each file.

There may be exceptions to these general rules, see each file for precise information.

This file is free software: you can redistribute
it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation, either version 3 of the License, or (at your
option) any later version.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this file. If not, see <<http://www.gnu.org/licenses/>>.

A. Unicode Copyright.

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes and in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in the License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend.

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO,

ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages.

In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement

of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles

which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1

Unicode Data Files include all data files
under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.66 google-uuid 1.3.1

1.66.1 Available under license :

Paul Borman <borman@google.com>

bmatsuo

shawnps

theory

jboverfelt

dsymonds

cd1

wallclockbuilder

dansouza

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.67 cffi 1.16.0

1.67.1 Available under license :

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except when otherwise stated (look for LICENSE files in directories or information at the beginning of each file) all software and documentation is licensed as follows:

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL

THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.68 urllib3 1.26.17

1.68.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.69 aws-smithy-go 1.15.0

1.69.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.70 pam 1.5.3-r7

1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<html><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><title>Chapter 12. Copyright information for this document</title><meta name="generator" content="DocBook XSL Stylesheets V1.79.2"><link rel="home" href="Linux-PAM_ADG.html" title="The Linux-PAM Application Developers' Guide"><link rel="up" href="Linux-PAM_ADG.html" title="The Linux-PAM Application Developers' Guide"><link rel="prev" href="adg-author.html" title="Chapter 11. Author/acknowledgments"></head><body bgcolor="white" text="black" link="#0000FF" vlink="#840084" alink="#0000FF"><div class="navheader"><table width="100%" summary="Navigation header"><tr><th colspan="3" align="center">Chapter 12. Copyright information for this document</th></tr><tr><td width="20%" align="left"><a accesskey="p" href="adg-author.html">Prev</a> </td><th width="60%" align="center"> </th><td width="20%" align="right"> </td></tr></table><hr></div><div class="chapter"><div class="titlepage"><div><div><h1 class="title"><a name="adg-copyright"></a>Chapter 12. Copyright information for this document</h1></div></div></div><pre class="programlisting">Copyright (c) 2006 Thorsten Kukuk &lt;kukuk@thkukuk.de&gt;
Copyright (c) 1996-2002 Andrew G. Morgan &lt;morgan@kernel.org&gt;
</pre><p>
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

```
</pre><pre class="programlisting">
```

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

</pre><p>

Alternatively, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GNU GPL are required instead of the above restrictions.

(This clause is necessary due to a potential bad interaction between the GNU GPL and the restrictions contained in a BSD-style copyright.)

</p><pre class="programlisting">

```
THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
```

```
</pre></div><div class="navfooter"><hr><table width="100%" summary="Navigation footer"><tr><td width="40%" align="left"><a accesskey="p" href="adg-author.html">Prev</a> </td><td width="20%" align="center"> </td><td width="40%" align="right"> </td></tr><tr><td width="40%" align="left" valign="top">Chapter 11. Author/acknowledgments </td><td width="20%" align="center"><a accesskey="h" href="Linux-PAM_ADG.html">Home</a></td><td width="40%" align="right" valign="top"> </td></tr></table></div></body></html>
```

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/adg/html/adg-copyright.html

No license file was found, but licenses were detected in source scan.

```
<html><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><title>Chapter 9. Copyright information for this document</title><meta name="generator" content="DocBook XSL Stylesheets V1.79.2"><link rel="home" href="Linux-PAM_MWG.html" title="The Linux-PAM Module Writers' Guide"><link rel="up" href="Linux-PAM_MWG.html" title="The Linux-PAM Module Writers' Guide"><link rel="prev" href="mwg-author.html" title="Chapter 8. Author/acknowledgments"></head><body bgcolor="white" text="black" link="#0000FF" vlink="#840084" alink="#0000FF"><div class="navheader"><table width="100%" summary="Navigation header"><tr><th colspan="3" align="center">Chapter 9. Copyright information for this document</th></tr><tr><td width="20%" align="left"><a accesskey="p" href="mwg-author.html">Prev</a> </td><th width="60%" align="center"> </th><td width="20%" align="right"> </td></tr></table><hr></div><div class="chapter"><div class="titlepage"><div><div><h1 class="title"><a name="mwg-copyright"></a>Chapter 9. Copyright information for this document</h1></div></div></div><pre class="programlisting">
```

Copyright (c) 2006 Thorsten Kukuk <kukuk@thkukuk.de>

Copyright (c) 1996-2002 Andrew G. Morgan <morgan@kernel.org>

</pre><p>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

</pre><pre class="programlisting">

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

</pre><p>

Alternatively, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GNU GPL are required instead of the above restrictions. (This clause is necessary due to a potential bad interaction between the GNU GPL and the restrictions contained in a BSD-style copyright.)

</p><pre class="programlisting">

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

```
</pre></div><div class="navfooter"><hr><table width="100%" summary="Navigation footer"><tr><td width="40%" align="left"><a accesskey="p" href="mwg-author.html">Prev</a> </td><td width="20%" align="center"> </td><td width="40%" align="right"> </td></tr><tr><td width="40%" align="left" valign="top">Chapter 8. Author/acknowledgments </td><td width="20%" align="center"><a accesskey="h" href="Linux-PAM_MWG.html">Home</a></td><td width="40%" align="right" valign="top"> </td></tr></table></div></body></html>
```

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/mwg/html/mwg-copyright.html

No license file was found, but licenses were detected in source scan.

```
<html><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><title>6.36. pam_tty_audit - enable/disable tty auditing</title><meta name="generator" content="DocBook XSL Stylesheets V1.79.2"><link rel="home" href="Linux-PAM_SAG.html" title="The Linux-PAM System Administrators' Guide"><link rel="up" href="sag-module-reference.html" title="Chapter 6. A reference guide for available modules"><link rel="prev" href="sag-pam_timestamp.html" title="6.35. pam_timestamp - authenticate using cached successful authentication
```


available on older kernels (3.9?).

</p></dd></dl></div></div><div class="section"><div class="titlepage"><div><div><h3 class="title">6.36.3. MODULE TYPES PROVIDED</h3></div></div></div><p>

Only the session type is supported.

</p></div><div class="section"><div class="titlepage"><div><div><h3 class="title">6.36.4. RETURN VALUES</h3></div></div></div><div

class="variablelist"><dl class="variablelist"><dt>PAM_SESSION_ERR</dt><dd><p>

Error reading or modifying the TTY audit flag. See the system log for more details.

</p></dd><dt>PAM_SUCCESS</dt><dd><p>

Success.

</p></dd></dl></div></div><div class="section"><div class="titlepage"><div><div><h3 class="title">6.36.5. NOTES</h3></div></div></div><p>

When TTY auditing is enabled, it is inherited by all processes started by that user. In particular, daemons restarted by a user will still have TTY auditing enabled, and audit TTY input even by other users unless auditing for these users is explicitly disabled. Therefore, it is recommended to use <code class="option">disable=*</code> as the first option for most daemons using PAM.

</p><p>

To view the data that was logged by the kernel to audit use the command aureport --tty.

</p><p>

The <code class="option"><em class="replaceable"><code>patterns</code></code> are comma separated lists of glob patterns or ranges of uids. A range is specified as <em class="replaceable"><code>min_uid</code>:<em class="replaceable"><code>max_uid</code> where

one of these values can be empty. If <em class="replaceable"><code>min_uid</code> is empty only user with the uid <em class="replaceable"><code>max_uid</code> will be matched. If <em class="replaceable"><code>max_uid</code> is empty users with the uid

greater than or equal to <em class="replaceable"><code>min_uid</code> will be matched.

</p><p>

Please note that passwords in some circumstances may be logged by TTY auditing even if the <code class="option">log_passwd</code> is not used. For example, all input to an ssh session will be logged - even if there is a password being typed into some software running at the remote host because only the local TTY state affects the local TTY auditing.

</p></div><div class="section"><div class="titlepage"><div><div><h3 class="title">6.36.6. EXAMPLES</h3></div></div></div><p>

Audit all administrative actions.

</p><pre class="programlisting">

session required pam_tty_audit.so disable=* enable=root

</pre><p>

</p></div><div class="section"><div class="titlepage"><div><div><h3 class="title">6.36.7. AUTHOR</h3></div></div></div><p>

pam_tty_audit was written by Miloslav Trma

<mitr@redhat.com>.

The log_passwd option was added by Richard Guy Briggs

<rgb@redhat.com>.

```
</p></div></div><div class="navfooter"><hr><table width="100%" summary="Navigation footer"><tr><td width="40%" align="left"><a accesskey="p" href="sag-pam_timestamp.html">Prev</a> </td><td width="20%" align="center"><a accesskey="u" href="sag-module-reference.html">Up</a></td><td width="40%" align="right"> <a accesskey="n" href="sag-pam_umask.html">Next</a></td></tr><tr><td width="40%" align="left" valign="top">6.35. pam_timestamp - authenticate using cached successful authentication attempts </td><td width="20%" align="center"><a accesskey="h" href="Linux-PAM_SAG.html">Home</a></td><td width="40%" align="right" valign="top"> 6.37. pam_umask - set the file mode creation mask</td></tr></table></div></body></html>
```

Found in path(s):

```
* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/sag/html/sag-pam_tty_audit.html
```

No license file was found, but licenses were detected in source scan.

The Linux-PAM Module Writers' Guide

Andrew G. Morgan

<morgan@kernel.org>

Thorsten Kukuk

<kukuk@thkukuk.de>

Version 1.1.2, 31. August 2010

Abstract

This manual documents what a programmer needs to know in order to write a module that conforms to the Linux-PAM standard. It also discusses some security issues from the point of view of the module programmer.

1. Introduction

1.1. Description

1.2. Synopsis

2. What can be expected by the module

2.1. Getting and setting PAM_ITEMS and data

- 2.1.1. Set module internal data
- 2.1.2. Get module internal data
- 2.1.3. Setting PAM items
- 2.1.4. Getting PAM items
- 2.1.5. Get user name
- 2.1.6. The conversation function
- 2.1.7. Set or change PAM environment variable
- 2.1.8. Get a PAM environment variable
- 2.1.9. Getting the
PAM environment

- 2.2. Other functions provided by libpam
 - 2.2.1. Strings describing PAM error codes
 - 2.2.2. Request a delay on failure

- 3. What is expected of a module
 - 3.1. Overview
 - 3.1.1. Functional independence
 - 3.1.2. Minimizing administration problems
 - 3.1.3. Arguments supplied to the module
 - 3.2. Authentication management
 - 3.2.1. Service function for user authentication
 - 3.2.2. Service function to alter credentials
 - 3.3. Account management
 - 3.3.1. Service function for account management
 - 3.4. Session management
 - 3.4.1. Service function to start session management
 - 3.4.2. Service function to terminate session management
 - 3.5. Authentication token management
 - 3.5.1. Service function to alter authentication token

- 4. Generic optional arguments
- 5. Programming notes
 - 5.1. Security issues for module creation
 - 5.1.1. Sufficient resources

5.1.2. Who's who?

5.1.3. Using the conversation function

5.1.4. Authentication tokens

5.2. Use of syslog(3)

5.3. Modules that require system libraries

6. An example module

7. See also

8. Author/acknowledgments

9. Copyright information for this document

Chapter 1. Introduction

1.1. Description

Linux-PAM (Pluggable Authentication Modules for Linux) is a library that enables the local system administrator to choose how individual applications authenticate users. For an overview of the Linux-PAM library see the Linux-PAM System Administrators' Guide.

A Linux-PAM module is a single executable binary file that can be loaded by the Linux-PAM interface library. This PAM library is configured locally with a system file, `/etc/pam.conf`, to authenticate a user request via the locally available authentication modules. The modules themselves will usually be located in the directory `/lib/security` (or `/lib64/security`, depending on the architecture) and take the form of dynamically loadable object files (see `dlopen(3)`). Alternatively, the modules can be statically linked into the Linux-PAM library; this is mostly to allow Linux-PAM to be used on platforms without dynamic linking available, but this is a deprecated functionality. It is the Linux-PAM interface that is called by an application and it is the responsibility of the library to locate, load and call the appropriate functions in a Linux-PAM-module.

Except for the immediate purpose of interacting with the user (entering a password etc..) the module should never call the application directly. This exception requires a "conversation mechanism" which is documented below.

1.2. Synopsis

```
#include <security/pam_modules.h>
```

```
gcc -fPIC -c pam_module.c
```

```
gcc -shared -o pam_module.so pam_module.o -lpam
```

Chapter 2. What can be expected by the module

Here we list the interface that the conventions that all Linux-PAM modules must adhere to.

2.1. Getting and setting PAM_ITEMS and data

First, we cover what the module should expect from the Linux-PAM library and a Linux-PAM aware application. Essentially this is the libpam.* library.

2.1.1. Set module internal data

```
#include <security/pam_modules.h>

int pam_set_data pamh,
(
    module_data_name,
    data,
    (*cleanup)(pam_handle_t *pamh, void *data, int
error_status));

pam_handle_t *pamh;
const char *module_data_name;
void *data;
void (*cleanup)(pam_handle_t *pamh, void *data, int error_status);
```

2.1.1.1. DESCRIPTION

The pam_set_data function associates a pointer to an object with the (hopefully) unique string module_data_name in the PAM context specified by the pamh argument.

PAM modules may be dynamically loadable objects. In general such files should not contain static variables. This function and its counterpart pam_get_data(3) , provide a mechanism for a module to associate some data with the handle pamh. Typically a module will call the pam_set_data function to register some data under a (hopefully) unique module_data_name. The data is available for use by other modules too but not by an application. Since this functions stores only a pointer to the data, the module should not modify or free the content of it.

The function cleanup() is associated with the data and, if non-NULL, it is called when this data is over-written or following a call to pam_end(3).

The error_status argument is used to indicate to the module the sort of action it is to take in cleaning this data item. As an example, Kerberos creates a

ticket file during the authentication phase, this file might be associated with a data item. When `pam_end(3)` is called by the module, the `error_status` carries the return value of the `pam_authenticate(3)` or other libpam function as appropriate. Based on this value the Kerberos module may choose to delete the ticket file (authentication failure) or leave it in place.

The `error_status` may have been logically OR'd with either of the following two values:

PAM_DATA_REPLACE

When a data item is being replaced (through a second call to `pam_set_data`) this mask is used. Otherwise, the call is assumed to be from `pam_end(3)`.

PAM_DATA_SILENT

Which indicates that the process would prefer to perform the `cleanup()` quietly. That is, discourages logging/messages to the user. It is generally used to indicate that the current closing of the library is in a fork(2)ed process, and that the parent will take care of cleaning up things that exist outside of the current process space (files etc.).

2.1.1.2. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

Data was successful stored.

PAM_SYSTEM_ERR

A NULL pointer was submitted as PAM handle or the function was called by an application.

2.1.2. Get module internal data

```
#include <security/pam_modules.h>
```

```
int
```

```
    pam_get_data( pamh,  
                 module_data_name,  
                 data);
```

```
const pam_handle_t *pamh;
```

```
const char *module_data_name;
const void **data;
```

2.1.2.1. DESCRIPTION

This function together with the `pam_set_data(3)` function is useful to manage module-specific data meaningful only to the calling PAM module.

The `pam_get_data` function looks up the object associated with the (hopefully) unique string `module_data_name` in the PAM context specified by the `pamh` argument. A successful call to `pam_get_data` will result in `data` pointing to the object. Note, this data is not a copy and should be treated as constant by the module.

2.1.2.2. RETURN VALUES

PAM_SUCCESS

Data was successfully retrieved.

PAM_SYSTEM_ERR

A NULL pointer was submitted as PAM handle or the function was called by an application.

PAM_NO_MODULE_DATA

Module data not found or there is an entry, but it has the value NULL.

2.1.3. Setting PAM items

```
#include
<security/pam_modules.h>
```

```
int pam_set_item( pamh,
                 item_type,
                 item);
```

```
pam_handle_t *pamh;
int item_type;
const void *item;
```

2.1.3.1. DESCRIPTION

The `pam_set_item` function allows applications and PAM service modules to access and to update PAM information of `item_type`. For this a copy of the object

pointed to by the item argument is created. The following item_types are supported:

PAM_SERVICE

The service name (which identifies that PAM stack that the PAM functions will use to authenticate the program).

PAM_USER

The username of the entity under whose identity service will be given. That is, following authentication, PAM_USER identifies the local entity that gets to use the service. Note, this value can be mapped from something (eg., "anonymous") to something else (eg. "guest119") by any module in the PAM stack. As such an application should consult the value of PAM_USER after each call to a PAM function.

PAM_USER_PROMPT

The string used when prompting for a user's name. The default value for this string is a localized version of "login: ".

PAM_TTY

The terminal name prefixed by /dev/ for device files. In the past, graphical X-based applications used to store the \$DISPLAY variable here, but with the introduction of PAM_XDISPLAY this usage is deprecated.

PAM_RUSER

The requesting user name: local name for a locally requesting user or a remote user name for a remote requesting user.

Generally an application or module will attempt to supply the value that is most strongly authenticated (a local account before a remote one. The level of trust in this value is embodied in the actual authentication stack associated with the application, so it is ultimately at the discretion of the system administrator.

PAM_RUSER@PAM_RHOST should always identify the requesting user. In some cases, PAM_RUSER may be NULL. In such situations, it is unclear who the requesting entity is.

PAM_RHOST

The requesting hostname (the hostname of the machine from which the

PAM_RUSER entity is requesting service). That is PAM_RUSER@PAM_RHOST does identify the requesting user. In some applications, PAM_RHOST may be NULL. In such situations, it is unclear where the authentication request is originating from.

PAM_AUTHTOK

The authentication token (often a password). This token should be ignored by all module functions besides `pam_sm_authenticate(3)` and `pam_sm_chauthtok(3)`. In the former function it is used to pass the most recent authentication token from one stacked module to another. In the latter function the token is used for another purpose. It contains the currently active authentication token.

PAM_OLDAUTHTOK

The old authentication token. This token should be ignored by all module functions except `pam_sm_chauthtok(3)`.

PAM_CONV

The `pam_conv` structure. See `pam_conv(3)`.

The following additional items are specific to Linux-PAM and should not be used in portable applications:

PAM_FAIL_DELAY

A function pointer to redirect centrally managed failure delays. See `pam_fail_delay(3)`.

PAM_XDISPLAY

The name of the X display. For graphical, X-based applications the value for this item should be the `$DISPLAY` variable. This value may be used independently of `PAM_TTY` for passing the name of the display.

PAM_XAUTHDATA

A pointer to a structure containing the X authentication data required to make a connection to the display specified by `PAM_XDISPLAY`, if such information is necessary. See `pam_xauth_data(3)`.

PAM_AUTHTOK_TYPE

The default action is for the module to use the following prompts when requesting passwords: "New UNIX password: " and "Retype UNIX password: ".

The example word UNIX can be replaced with this item, by default it is empty. This item is used by pam_get_authtok(3).

For all item_types,
other than PAM_CONV and PAM_FAIL_DELAY, item is a pointer to a <NUL> terminated character string. In the case of PAM_CONV, item points to an initialized pam_conv structure. In the case of PAM_FAIL_DELAY, item is a function pointer: void (*delay_fn)(int retval, unsigned usec_delay, void *appdata_ptr)

Both, PAM_AUTHTOK and PAM_OLDAUTHTOK, will be reset before returning to the application. Which means an application is not able to access the authentication tokens.

2.1.3.2. RETURN VALUES

PAM_BAD_ITEM

The application attempted to set an undefined or inaccessible item.

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

Data was successful updated.

PAM_SYSTEM_ERR

The pam_handle_t passed as first argument was invalid.

2.1.4. Getting PAM items

```
#include <security/pam_modules.h>
```

```
int pam_get_item( pamh,  
                 item_type,  
                 item);
```

```
const pam_handle_t *pamh;  
int item_type;  
const void **item;
```

2.1.4.1. DESCRIPTION

The pam_get_item

function allows applications and PAM service modules to access and retrieve PAM information of item_type. Upon successful return, item contains a pointer to the value of the corresponding item. Note, this is a pointer to the actual data and should not be free()'ed or over-written! The following values are supported for item_type:

PAM_SERVICE

The service name (which identifies that PAM stack that the PAM functions will use to authenticate the program).

PAM_USER

The username of the entity under whose identity service will be given. That is, following authentication, PAM_USER identifies the local entity that gets to use the service. Note, this value can be mapped from something (eg., "anonymous") to something else (eg. "guest119") by any module in the PAM stack. As such an application should consult the value of PAM_USER after each call to a PAM function.

PAM_USER_PROMPT

The string used when prompting for a user's name. The default value for this string is a localized version of "login: ".

PAM_TTY

The terminal name prefixed by /dev/ for device files. In the past, graphical X-based applications used to store the \$DISPLAY variable here, but with the introduction of PAM_XDISPLAY this usage is deprecated.

PAM_RUSER

The requesting user name: local name for a locally requesting user or a remote user name for a remote requesting user.

Generally an application or module will attempt to supply the value that is most strongly authenticated (a local account before a remote one. The level of trust in this value is embodied in the actual authentication stack associated with the application, so it is ultimately at the discretion of the system administrator.

PAM_RUSER@PAM_RHOST should always identify the requesting user. In some cases, PAM_RUSER may be NULL. In such situations, it is unclear who the requesting entity is.

PAM_RHOST

The requesting hostname (the hostname of the machine from which the PAM_RUSER entity is requesting service). That is PAM_RUSER@PAM_RHOST does identify the requesting user. In some applications, PAM_RHOST may be NULL. In such situations, it is unclear where the authentication request is originating from.

PAM_AUTHTOK

The authentication token (often a password). This token should be ignored by all module functions besides pam_sm_authenticate(3) and pam_sm_chauthtok(3). In the former function it is used to pass the most recent authentication token from one stacked module to another. In the latter function the token is used for another purpose. It contains the currently active authentication token.

PAM_OLDAUTHTOK

The old authentication token. This token should be ignored by all module functions except pam_sm_chauthtok(3).

PAM_CONV

The pam_conv structure. See pam_conv(3).

The following additional items are specific to Linux-PAM and should not be used in portable applications:

PAM_FAIL_DELAY

A function pointer to redirect centrally managed failure delays. See pam_fail_delay(3).

PAM_XDISPLAY

The name of the X display. For graphical, X-based applications the value for this item should be the \$DISPLAY variable. This value may be used independently of PAM_TTY for passing the name of the display.

PAM_XAUTHDATA

A pointer to a structure containing the X authentication data required to make a connection to the display specified by PAM_XDISPLAY, if such information is necessary. See pam_xauth_data(3).

PAM_AUTHTOK_TYPE

The default action is for the module to use the following prompts when

requesting passwords: "New UNIX password: " and "Retype UNIX password: ".
The example word UNIX can be replaced with this item, by default it is empty. This item is used by pam_get_authtok(3).

If a service module wishes to obtain the name of the user, it should not use this function, but instead perform a call to pam_get_user(3).

Only

a service module is privileged to read the authentication tokens, PAM_AUTHTOK and PAM_OLDAUTHTOK.

2.1.4.2. RETURN VALUES

PAM_BAD_ITEM

The application attempted to set an undefined or inaccessible item.

PAM_BUF_ERR

Memory buffer error.

PAM_PERM_DENIED

The value of item was NULL.

PAM_SUCCESS

Data was successful updated.

PAM_SYSTEM_ERR

The pam_handle_t passed as first argument was invalid.

2.1.5. Get user name

```
#include <security/pam_modules.h>
```

```
int pam_get_user( pamh,  
                 user,  
                 prompt);
```

```
const pam_handle_t *pamh;  
const char **user;  
const char *prompt;
```

2.1.5.1. DESCRIPTION

The `pam_get_user` function returns the name of the user specified by `pam_start(3)`. If no user was specified it returns what `pam_get_item(pamh, PAM_USER, ...)` would have returned. If this is `NULL` it obtains the username via the `pam_conv(3)` mechanism, it prompts the user with the first non-`NULL` string in the following list:

- The prompt argument passed to the function.
- What is returned by `pam_get_item(pamh, PAM_USER_PROMPT, ...)`;
- The default prompt: "login: "

By whatever means the username is obtained, a pointer to it is returned as the contents of `*user`. Note, this memory should not be `free()`'d or modified by the module.

This function sets the `PAM_USER` item associated with the `pam_set_item(3)` and `pam_get_item(3)` functions.

2.1.5.2. RETURN VALUES

PAM_SUCCESS

User name was successful retrieved.

PAM_SYSTEM_ERR

A `NULL` pointer was submitted.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the username.

PAM_BUF_ERR

Memory buffer error.

PAM_ABORT

Error resuming an old conversation.

PAM_CONV_AGAIN

The conversation method supplied by the application is waiting for an event.

2.1.6. The conversation function

```
#include <security/pam_appl.h>

struct pam_message {
    int msg_style;
    const char *msg;
};

struct
pam_response {
    char *resp;
    int resp_retcode;
};

struct pam_conv {
    int (*conv)(int num_msg, const struct pam_message **msg,
                struct pam_response **resp, void *appdata_ptr);
    void *appdata_ptr;
};
```

2.1.6.1. DESCRIPTION

The PAM library uses an application-defined callback to allow a direct communication between a loaded module and the application. This callback is specified by the struct `pam_conv` passed to `pam_start(3)` at the start of the transaction.

When a module calls the referenced `conv()` function, the argument `appdata_ptr` is set to the second element of this structure.

The other arguments of a call to `conv()` concern the information exchanged by module and application. That is to say, `num_msg` holds the length of the array of pointers, `msg`. After a successful return, the pointer `resp` points to an array of `pam_response` structures, holding the application supplied text. The `resp_retcode` member of this struct is unused and should be set to zero. It is the caller's responsibility to release both, this array and the responses themselves, using `free(3)`. Note, `*resp` is a struct `pam_response` array and not an array of pointers.

The number of responses is always equal to the `num_msg` conversation function argument. This does require that the response array is `free(3)`'d after every call to the conversation function. The index of the responses corresponds directly to the prompt index in the `pam_message` array.

On failure, the conversation function should release any resources it has

allocated, and return one of the predefined PAM error codes.

Each message can have one of four types, specified by the `msg_style` member of struct `pam_message`:

PAM_PROMPT_ECHO_OFF

Obtain a string without echoing any text.

PAM_PROMPT_ECHO_ON

Obtain a string whilst echoing text.

PAM_ERROR_MSG

Display an error message.

PAM_TEXT_INFO

Display some text.

The point of having an array of messages is that it becomes possible to pass a number of things to the application in a single call from the module. It can also be convenient for the application that related things come at once: a windows based application can then present a single form with many messages/prompts on at once.

In passing, it is worth noting that there is a discrepancy between the way Linux-PAM handles the `const struct pam_message **msg` conversation function argument and the way that Solaris' PAM (and derivatives, known to include HP/UX, are there others?) does. Linux-PAM interprets the `msg` argument as entirely equivalent to the following prototype `const struct pam_message *msg[]` (which, in spirit, is consistent with the commonly used prototypes for `argv` argument to the familiar `main()` function: `char **argv`; and `char *argv[]`). Said another way Linux-PAM interprets the `msg` argument as a pointer to an array of `num_msg` read only 'struct `pam_message`' pointers. Solaris' PAM implementation interprets this argument as a pointer to a pointer to an array of `num_msg` `pam_message` structures.

Fortunately, perhaps, for most module/application developers when `num_msg` has a value of one these two definitions are entirely equivalent. Unfortunately, casually raising this number to two has led to unanticipated compatibility problems.

For what its worth the two known module writer work-arounds for trying to maintain source level compatibility with both PAM implementations are:

- never call the conversation function with `num_msg` greater than one.

- set up msg as doubly referenced so both types of conversation function can find the messages. That is, make

```
msg[n] = & (( *msg )[n])
```

2.1.6.2. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

Conversation failure. The application should not set *resp.

PAM_SUCCESS

Success.

2.1.7. Set or change PAM environment variable

```
#include <security/pam_appl.h>
```

```
int pam_putenv( pamh,  
               name_value);
```

```
pam_handle_t *pamh;  
const char *name_value;
```

2.1.7.1.

DESCRIPTION

The pam_putenv function is used to add or change the value of PAM environment variables as associated with the pamh handle.

The pamh argument is an authentication handle obtained by a prior call to pam_start(). The name_value argument is a single NUL terminated string of one of the following forms:

NAME=value of variable

In this case the environment variable of the given NAME is set to the indicated value: value of variable. If this variable is already known, it is overwritten. Otherwise it is added to the PAM environment.

NAME=

This function sets the variable to an empty value. It is listed separately to indicate that this is the correct way to achieve such a setting.

NAME

Without an '=' the pam_putenv() function will delete the corresponding variable from the PAM environment.

pam_putenv() operates on a copy of name_value, which means in contrast to putenv(3), the application is responsible for freeing the data.

2.1.7.2. RETURN

VALUES

PAM_PERM_DENIED

Argument name_value given is a NULL pointer.

PAM_BAD_ITEM

Variable requested (for deletion) is not currently set.

PAM_ABORT

The pamh handle is corrupt.

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

The environment variable was successfully updated.

2.1.8. Get a PAM environment variable

```
#include <security/pam_appl.h>
```

```
const char *pam_getenv( pamh,  
                        name);
```

```
pam_handle_t *pamh;  
const char *name;
```

2.1.8.1. DESCRIPTION

The `pam_getenv` function searches the PAM environment list as associated with the handle `pamh` for an item that matches the string pointed to by `name` and returns a pointer to the value of the environment variable. The application is not allowed to free the data.

2.1.8.2. RETURN VALUES

The `pam_getenv` function returns `NULL` on failure.

2.1.9. Getting the PAM environment

```
#include <security/pam_appl.h>
```

```
char **pam_getenvlist( pamh);
```

```
pam_handle_t *pamh;
```

2.1.9.1. DESCRIPTION

The `pam_getenvlist` function returns a complete copy of the PAM environment as associated with the handle `pamh`. The PAM environment variables represent the contents of the regular environment variables of the authenticated user when service is granted.

The format of the memory is a `malloc()`'d array of char pointers, the last element of which is set to `NULL`. Each of the non-`NULL` entries in this array point to a NUL terminated and `malloc()`'d char string of the form: "name=value".

It should be noted that this memory will never be `free()`'d by `libpam`. Once obtained by a call to `pam_getenvlist`, it is the responsibility of the calling application to `free()` this memory.

It is by design, and not a coincidence, that the format and contents of the returned array matches that required for the third argument of the `execle(3)` function call.

2.1.9.2. RETURN VALUES

The `pam_getenvlist` function returns `NULL` on failure.

2.2. Other functions provided by `libpam`

2.2.1. Strings describing PAM error codes

```
#include
```

```
<security/pam_appl.h>
```

```
const char *pam_strerror( pamh,  
                        errnum);
```

```
pam_handle_t *pamh;  
int errnum;
```

2.2.1.1. DESCRIPTION

The `pam_strerror` function returns a pointer to a string describing the error code passed in the argument `errnum`, possibly using the `LC_MESSAGES` part of the current locale to select the appropriate language. This string must not be modified by the application. No library function will modify this string.

2.2.1.2. RETURN VALUES

This function returns always a pointer to a string.

2.2.2. Request a delay on failure

```
#include <security/pam_appl.h>
```

```
int pam_fail_delay( pamh,  
                  usec);
```

```
pam_handle_t *pamh;  
unsigned int usec;
```

2.2.2.1. DESCRIPTION

The `pam_fail_delay` function provides a mechanism by which an application or module can suggest a minimum delay of `usec` micro-seconds. The function keeps a record of the longest time requested with this function. Should `pam_authenticate(3)` fail, the failing return to the application is delayed by an amount of time randomly distributed (by up to 50%) about this longest value.

Independent of success, the delay time is reset to its zero default value when the PAM service module returns control to the application. The delay occurs after all authentication modules have been called, but before control is returned to the service application.

When using this function the programmer should check if it is available with:

```
#ifdef HAVE_PAM_FAIL_DELAY
```

```
....  
#endif /* HAVE_PAM_FAIL_DELAY */
```

For applications written with a single thread that are event driven in nature, generating this delay may be undesirable. Instead, the application may want to register the delay in some other way. For example, in a single threaded server that serves multiple authentication requests from a single event loop, the application might want to simply mark a given connection as blocked until an application timer expires. For this reason the delay function can be changed with the

PAM_FAIL_DELAY item. It can be queried and set with `pam_get_item(3)` and `pam_set_item(3)` respectively. The value used to set it should be a function pointer of the following prototype:

```
void (*delay_fn)(int retval, unsigned usec_delay, void *appdata_ptr);
```

The arguments being the `retval` return code of the module stack, the `usec_delay` micro-second delay that libpam is requesting and the `appdata_ptr` that the application has associated with the current pamh. This last value was set by the application when it called `pam_start(3)` or explicitly with `pam_set_item(3)`.

Note that the PAM_FAIL_DELAY item is set to NULL by default. This indicates that PAM should perform a random delay as described above when authentication fails and a delay has been suggested. If an application does not want the PAM library to perform any delay on authentication failure, then the application must define a custom delay function that executes no statements and set the PAM_FAIL_DELAY item to point to this function.

2.2.2.2.

RETURN VALUES

PAM_SUCCESS

Delay was successful adjusted.

PAM_SYSTEM_ERR

A NULL pointer was submitted as PAM handle.

Chapter 3. What is expected of a module

The module must supply a sub-set of the six functions listed below. Together they define the function of a Linux-PAM module. Module developers are strongly urged to read the comments on security that follow this list.

3.1. Overview

The six module functions are grouped into four independent management groups. These groups are as follows: authentication, account, session and password. To be properly defined, a module must define all functions within at least one of these groups. A single module may contain the necessary functions for all four groups.

3.1.1. Functional independence

The independence of the four groups of service a module can offer means that the module should allow for the possibility that any one of these four services may legitimately be called in any order. Thus, the module writer should consider

the appropriateness of performing a service without the prior success of some other part of the module.

As an informative example, consider the possibility that an application applies to change a user's authentication token, without having first requested that Linux-PAM authenticate the user. In some cases this may be deemed appropriate: when root wants to change the authentication token of some lesser user. In other cases it may not be appropriate: when joe maliciously wants to reset alice's password; or when anyone other than the user themselves wishes to reset their KERBEROS authentication token. A policy for this action should be defined by any reasonable authentication scheme, the module writer should consider this when implementing a given module.

3.1.2. Minimizing administration problems

To avoid system administration problems and the poor construction of a `/etc/pam.conf` file, the module developer may define all six of the following functions. For those functions that would not be called, the module should return `PAM_SERVICE_ERR` and write an appropriate message to the system log. When this action is deemed inappropriate, the function would simply return `PAM_IGNORE`.

3.1.3. Arguments supplied to the module

The `flags` argument of each of the following functions can be logically OR'd with `PAM_SILENT`, which is used to inform the module to not pass any text (errors or warnings) application.

The `argc` and `argv` arguments are taken from the line appropriate to this module---that is, with the `service_name` matching that of the application---in the configuration file (see the Linux-PAM System Administrators' Guide). Together these two parameters provide the number of arguments and an array of pointers to the individual argument tokens. This will be familiar to C programmers as the ubiquitous method of passing command arguments to the

function main(). Note, however, that the first argument (argv[0]) is a true argument and not the name of the module.

3.2.

Authentication management

3.2.1. Service function for user authentication

```
#include <security/pam_modules.h>
```

```
int pam_sm_authenticate( pamh,  
                        flags,  
                        argc,  
                        argv);
```

```
pam_handle_t *pamh;  
int flags;  
int argc;  
const char **argv;
```

3.2.1.1. DESCRIPTION

The pam_sm_authenticate function is the service module's implementation of the pam_authenticate(3) interface.

This function performs the task of authenticating the user.

Valid flags, which may be logically OR'd with PAM_SILENT, are:

PAM_SILENT

Do not emit any messages.

PAM_DISALLOW_NULL_AUTH Tok

Return PAM_AUTH_ERR if the database of authentication tokens for this authentication mechanism has a NULL entry for the user. Without this flag, such a NULL token will lead to a success without the user being prompted.

3.2.1.2. RETURN VALUES

PAM_AUTH_ERR

Authentication failure.

PAM_CRED_INSUFFICIENT

For some reason the application does not have sufficient credentials to authenticate the user.

PAM_AUTHINFO_UNAVAIL

The modules were not able to access the authentication information. This might be due to a network or hardware failure etc.

PAM_SUCCESS

The authentication token was successfully updated.

PAM_USER_UNKNOWN

The supplied username is not known to the authentication service.

PAM_MAXTRIES

One or more of the authentication modules has reached its limit of tries authenticating the user. Do not try again.

3.2.2. Service function to alter credentials

```
#include <security/pam_modules.h>
```

```
int pam_sm_setcred( pamh,  
                    flags,  
                    argc,  
                    argv);
```

```
pam_handle_t *pamh;  
int flags;  
int argc;  
const char **argv;
```

3.2.2.1. DESCRIPTION

The `pam_sm_setcred` function is the service module's implementation of the `pam_setcred(3)` interface.

This function performs the task of altering the credentials of the user with respect to the corresponding authorization scheme. Generally, an authentication module may have access to more information about a user than their authentication token. This function is used to make such information available to the application. It should only be called after the user has been

authenticated but before a session has been established.

Valid flags, which may be logically OR'd with PAM_SILENT, are:

PAM_SILENT

Do not emit any messages.

PAM_ESTABLISH_CRED

Initialize the credentials for the user.

PAM_DELETE_CRED

Delete the credentials associated with the authentication service.

PAM_REINITIALIZE_CRED

Reinitialize the user credentials.

PAM_REFRESH_CRED

Extend the lifetime of the user credentials.

The way the auth stack is navigated in order to evaluate the pam_setcred() function call, independent of the pam_sm_setcred() return codes, is exactly the same way that it was navigated when evaluating the pam_authenticate() library call. Typically, if a stack entry was ignored in evaluating pam_authenticate(), it will be ignored when libpam evaluates the pam_setcred() function call. Otherwise, the return codes from each module specific pam_sm_setcred() call are treated as required.

3.2.2.2. RETURN VALUES

PAM_CRED_UNAVAIL

This module cannot retrieve the user's credentials.

PAM_CRED_EXPIRED

The user's credentials have expired.

PAM_CRED_ERR

This module was unable to set the credentials of the user.

PAM_SUCCESS

The user credential was successfully set.

PAM_USER_UNKNOWN

The user is not known to this authentication module.

These, non-PAM_SUCCESS, return values will typically lead to the credential stack failing. The first such error will dominate in the return value of `pam_setcred()`.

3.3. Account management

3.3.1. Service function for account management

```
#include <security/pam_modules.h>
```

```
int pam_sm_acct_mgmt( pamh,  
                    flags,  
                    argc,  
                    argv);
```

```
pam_handle_t  
*pamh;  
int flags;  
int argc;  
const char **argv;
```

3.3.1.1. DESCRIPTION

The `pam_sm_acct_mgmt` function is the service module's implementation of the `pam_acct_mgmt(3)` interface.

This function performs the task of establishing whether the user is permitted to gain access at this time. It should be understood that the user has previously been validated by an authentication module. This function checks for other things. Such things might be: the time of day or the date, the terminal line, remote hostname, etc. This function may also determine things like the expiration on passwords, and respond that the user change it before continuing.

Valid flags, which may be logically OR'd with PAM_SILENT, are:

PAM_SILENT

Do not emit any messages.

PAM_DISALLOW_NULL_AUTHTOK

Return PAM_AUTH_ERR if the database of authentication tokens for this authentication mechanism has a NULL entry for the user.

3.3.1.2. RETURN VALUES

PAM_ACCT_EXPIRED

User account has expired.

PAM_AUTH_ERR

Authentication failure.

PAM_NEW_AUTHTOK_REQD

The user's authentication token has expired. Before calling this function again the application will arrange for a new one to be given. This will likely result in a call to pam_sm_chauthtok().

PAM_PERM_DENIED

Permission denied.

PAM_SUCCESS

The authentication token was successfully updated.

PAM_USER_UNKNOWN

User unknown to password service.

3.4. Session management

3.4.1. Service function to start session management

```
#include <security/pam_modules.h>
```

```
int pam_sm_open_session( pamh,  
                        flags,  
                        argc,  
                        argv);
```

```
pam_handle_t *pamh;  
int flags;  
int argc;  
const char **argv;
```

3.4.1.1. DESCRIPTION

The `pam_sm_open_session` function is the service module's implementation of the `pam_open_session(3)` interface.

This function is called to commence a session. The only valid value for flags is zero or:

PAM_SILENT

Do not emit any messages.

3.4.1.2. RETURN VALUES

PAM_SESSION_ERR

Cannot make/remove an entry for the specified session.

PAM_SUCCESS

The session was successfully started.

3.4.2. Service function to terminate session management

```
#include <security/pam_modules.h>
```

```
int pam_sm_close_session( pamh,  
                          flags,  
                          argc,  
                          argv);
```

```
pam_handle_t *pamh;  
int flags;  
int argc;  
const char **argv;
```

3.4.2.1. DESCRIPTION

The `pam_sm_close_session` function is the service module's implementation of the `pam_close_session(3)` interface.

This function is called to terminate a session. The only valid value for flags is zero or:

PAM_SILENT

Do not emit any messages.

3.4.2.2. RETURN VALUES

PAM_SESSION_ERR

Cannot make/remove an entry for the specified session.

PAM_SUCCESS

The session was successfully terminated.

3.5. Authentication token management

3.5.1. Service function to alter authentication token

```
#include <security/pam_modules.h>
```

```
int
```

```
pam_sm_chauthtok( pamh,  
                 flags,  
                 argc,  
                 argv);
```

```
pam_handle_t *pamh;
```

```
int flags;
```

```
int argc;
```

```
const char **argv;
```

3.5.1.1. DESCRIPTION

The `pam_sm_chauthtok` function is the service module's implementation of the `pam_chauthtok(3)` interface.

This function is used to (re-)set the authentication token of the user.

Valid flags, which may be logically OR'd with `PAM_SILENT`, are:

PAM_SILENT

Do not emit any messages.

PAM_CHANGE_EXPIRED_AUTH Tok

This argument indicates to the module that the user's authentication token (password) should only be changed if it has expired. This flag is optional

and must be combined with one of the following two flags. Note, however, the following two options are mutually exclusive.

PAM_PRELIM_CHECK

This indicates that the modules are being probed as to their ready status for altering the user's authentication token. If the module requires access to another system over some network it should attempt to verify it can connect to this system on receiving this flag. If a module cannot establish it is ready to update the user's authentication token it should return PAM_TRY_AGAIN, this information will be passed back to the application.

If the control value sufficient is used in the password stack, the PAM_PRELIM_CHECK section of the modules following that control value is not always executed.

PAM_UPDATE_AUTHTOK

This informs the module that this is the call it should change the authorization tokens. If the flag is logically OR'd with PAM_CHANGE_EXPIRED_AUTHTOK, the token is only changed if it has actually expired.

The PAM library calls this function twice in succession. The first time with PAM_PRELIM_CHECK and then, if the module does not return PAM_TRY_AGAIN, subsequently with PAM_UPDATE_AUTHTOK. It is only on the second call that the authorization token is (possibly) changed.

3.5.1.2. RETURN VALUES

PAM_AUTHTOK_ERR

The module was unable to obtain the new authentication token.

PAM_AUTHTOK_RECOVERY_ERR

The module was unable to obtain the old authentication token.

PAM_AUTHTOK_LOCK_BUSY

Cannot change the authentication token since it is currently locked.

PAM_AUTHTOK_DISABLE_AGING

Authentication token aging has been disabled.

PAM_PERM_DENIED

Permission denied.

PAM_TRY_AGAIN

Preliminary check was unsuccessful. Signals an immediate return to the application is desired.

PAM_SUCCESS

The authentication token was successfully updated.

PAM_USER_UNKNOWN

User unknown to password service.

Chapter 4. Generic optional arguments

Here we list the generic arguments that all modules can expect to be passed. They are not mandatory, and their absence should be accepted without comment by the module.

debug

Use the `pam_syslog(3)` call to log debugging information to the system log files.

use_first_pass

The module should not prompt the user for a password. Instead, it should obtain the previously typed password (by a call to `pam_get_item()` for the `PAM_AUTHTOK` item), and use that. If that doesn't work, then the user will not be authenticated. (This option is intended for `auth` and `passwd` modules only).

Chapter 5. Programming notes

Here we collect some pointers for the module writer to bear in mind when writing/developing a Linux-PAM compatible module.

5.1. Security issues for module creation

5.1.1. Sufficient resources

Care should be taken to ensure that the proper execution of a module is not compromised by a lack of system resources. If a module is unable to open

sufficient files to perform its task, it should fail gracefully, or request additional resources. Specifically, the quantities manipulated by the `setrlimit` (2) family of commands should be taken into consideration.

5.1.2. Who's who?

Generally, the module may wish to establish the identity of the user requesting a service. This may not be the same as the username returned by `pam_get_user()`. Indeed, that is only going to be the name of the user under whose identity the service will be given. This is not necessarily the user that requests the service.

In other words, user X runs a program that is `setuid-Y`, it grants the user to have the permissions of Z. A specific example of this sort of service request is the `su` program: user joe executes `su` to become the user jane. In this situation `X=joe`, `Y=root` and `Z=jane`. Clearly, it is important that the module does not confuse these different users and grant an inappropriate level of privilege.

The following is the convention to be adhered to when juggling user-identities.

- X, the identity of the user invoking the service request. This is the user identifier; returned by the function `getuid(2)`.
- Y, the privileged identity of the application used to grant the requested service. This is the effective user identifier; returned by the function `geteuid(2)`.
- Z, the user under whose identity the service will be granted. This is the username returned by `pam_get_user()` and also stored in the Linux-PAM item, `PAM_USER`.
- Linux-PAM has a place for an additional user identity that a module may care to make use of. This is the `PAM_RUSER` item. Generally, network sensitive modules/applications may wish to set/read this item to establish the identity of the user requesting a service from a remote location.

Note, if a module wishes to modify the identity of either the `uid` or `euid` of the running process, it should take care to restore the original values prior to returning control to the Linux-PAM library.

5.1.3. Using the conversation function

Prior to calling the conversation function, the module should reset the contents of the pointer that will return the applications response. This is a good idea since the application may fail to fill the pointer and the module

should be in a position
to notice!

The module should be prepared for a failure from the conversation. The generic error would be PAM_CONV_ERR, but anything other than PAM_SUCCESS should be treated as indicating failure.

5.1.4. Authentication tokens

To ensure that the authentication tokens are not left lying around the items, PAM_AUTHTOK and PAM_OLDAUTHTOK, are not available to the application: they are defined in <security/pam_modules.h>. This is ostensibly for security reasons, but a maliciously programmed application will always have access to all memory of the process, so it is only superficially enforced. As a general rule the module should overwrite authentication tokens as soon as they are no longer needed. Especially before free()'ing them. The Linux-PAM library is required to do this when either of these authentication token items are (re)set.

Not to dwell too little on this concern; should the module store the authentication tokens either as (automatic) function variables or using pam_[gs]et_data()

the associated memory should be over-written explicitly before it is released. In the case of the latter storage mechanism, the associated cleanup() function should explicitly overwrite the *data before free()'ing it: for example,

```
/*
 * An example cleanup() function for releasing memory that was used to
 * store a password.
 */

int cleanup(pam_handle_t *pamh, void *data, int error_status)
{
    char *xx;

    if ((xx = data)) {
        while (*xx)
            *xx++ = '\0';
        free(data);
    }
    return PAM_SUCCESS;
}
```

5.2. Use of syslog(3)

Only rarely should error information be directed to the user. Usually, this is to be limited to “sorry you cannot login now” type messages. Information

concerning errors in the configuration file, `/etc/pam.conf`, or due to some system failure encountered by the module, should be written to `syslog(3)` with facility-type `LOG_AUTHPRIV`.

With a few exceptions, the level of logging is, at the discretion of the module developer. Here is the recommended usage of different logging levels:

- As a general rule, errors encountered by a module should be logged at the `LOG_ERR` level. However, information regarding an unrecognized argument, passed to a module from an entry in the `/etc/pam.conf` file, is required to be logged at the `LOG_ERR` level.
- Debugging information, as activated by the `debug` argument to the module in `/etc/pam.conf`, should be logged at the `LOG_DEBUG` level.
- If a module discovers that its personal configuration file or some system file it uses for information is corrupted or somehow unusable, it should indicate this by logging messages at level, `LOG_ALERT`.
- Shortages of system resources, such as a failure to manipulate a file or `malloc()` failures should be logged at level `LOG_CRIT`.
- Authentication failures, associated with an incorrectly typed password should be logged at level, `LOG_NOTICE`.

5.3. Modules that require system libraries

Writing a module is much like writing an application. You have to provide the "conventional hooks" for it to work correctly, like `pam_sm_authenticate()` etc., which would correspond to the `main()` function in a normal function.

Typically, the author may want to link against some standard system libraries. As when one compiles a normal program, this can be done for modules too: you simply append the `-lXXX` arguments for the desired libraries when you create the shared module object. To make sure a module is linked to the `libwhatever.so` library when it is `dlopen()`ed, try:

```
% gcc -shared -o pam_module.so pam_module.o -lwhatever
```

Chapter 6. An example module

At some point, we may include a fully commented example of a module in this document. For now, please look at the modules directory of the Linux-PAM sources.

Chapter 7. See also

- The Linux-PAM System Administrators' Guide.
- The Linux-PAM Application Developers' Guide.
- The V. Samar and R. Schemers (SunSoft), ``UNIFIED LOGIN WITH PLUGGABLE AUTHENTICATION MODULES'', Open Software Foundation Request For Comments 86.0, October 1995.

Chapter 8. Author/acknowledgments

This document was written by Andrew G. Morgan (morgan@kernel.org) with many contributions from Chris Adams, Peter Allgeyer, Tim Baverstock, Tim Berger, Craig S. Bell, Derrick J. Brashear, Ben Buxton, Seth Chaiklin, Oliver Crow, Chris Dent, Marc Ewing, Cristian Gafton, Emmanuel Galanos, Brad M. Garcia, Eric Hester, Roger Hu, Eric Jacksch, Michael K. Johnson, David Kinchlea, Olaf Kirch, Marcin Korzonek, Thorsten Kukuk, Stephen Langasek, Nicolai Langfeldt, Elliot Lee, Luke Kenneth Casson Leighton, Al Longyear, Ingo Luetkebohle, Marek Michalkiewicz, Robert Milkowski, Aleph One, Martin Pool, Sean Reifschneider, Jan Rekorajski, Erik Troan, Theodore Ts'o, Jeff Uphoff, Myles Uyema, Savochkin Andrey Vladimirovich, Ronald Wahl, David Wood, John Wilmes, Joseph S. D. Yao and Alex O. Yuriev.

Thanks are also due to Sun Microsystems, especially to Vipin Samar and Charlie Lai

for their advice. At an early stage in the development of Linux-PAM, Sun graciously made the documentation for their implementation of PAM available. This act greatly accelerated the development of Linux-PAM.

Chapter 9. Copyright information for this document

Copyright (c) 2006 Thorsten Kukuk <kukuk@thkukuk.de>

Copyright (c) 1996-2002 Andrew G. Morgan <morgan@kernel.org>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Alternatively, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GNU GPL are required instead of the above restrictions. (This clause is necessary due to a potential bad interaction between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/mwg/Linux-PAM_MWG.txt

No license file was found, but licenses were detected in source scan.

The Linux-PAM System Administrators' Guide

Andrew G. Morgan

<morgan@kernel.org>

Thorsten Kukuk

<kukuk@thkukuk.de>

Version 1.1.2, 31. August 2010

Abstract

This manual documents what a system-administrator needs to know about the Linux-PAM library. It covers the correct syntax of the PAM configuration file and discusses strategies for maintaining a secure system.

1. Introduction
2. Some comments on the text
3. Overview
4. The Linux-PAM configuration file
 - 4.1. Configuration file syntax
 - 4.2. Directory based configuration
 - 4.3. Example configuration file entries
5. Security issues
 - 5.1. If something goes wrong
 - 5.2. Avoid having a weak `other' configuration
6. A reference guide for available modules
 - 6.1. pam_access - logdaemon style login access control
 - 6.2. pam_debug - debug the PAM stack
 - 6.3. pam_deny
 - locking-out PAM module
 - 6.4. pam_echo - print text messages
 - 6.5. pam_env - set/unset environment variables
 - 6.6. pam_exec - call an external command
 - 6.7. pam_faildelay - change the delay on failure per-application
 - 6.8. pam_faillock - temporarily locking access based on failed authentication attempts during an interval
 - 6.9. pam_filter - filter module
 - 6.10. pam_ftp - module for anonymous access
 - 6.11. pam_group - module to modify group access
 - 6.12. pam_issue - add issue file to user prompt
 - 6.13. pam_keyinit - display the keyinit file
 - 6.14. pam_lastlog - display date of last login
 - 6.15. pam_limits - limit resources
 - 6.16. pam_listfile - deny or allow services based on an arbitrary file
 - 6.17. pam_localuser - require users to be listed in /etc/passwd
 - 6.18. pam_loginuid - record user's login uid to the process attribute
 - 6.19. pam_mail - inform about available mail
 - 6.20. pam_mkhomedir - create users home directory
 - 6.21. pam_motd - display the motd file
 - 6.22. pam_namespace - setup a private namespace
 - 6.23. pam_nologin - prevent non-root users from login
 - 6.24. pam_permit - the promiscuous module
 - 6.25. pam_pwhistory - grant access using .pwhistory file
 - 6.26. pam_rhosts - grant access using .rhosts file
 - 6.27. pam_rootok - gain only root access
 - 6.28. pam_securetty - limit root login to special devices
 - 6.29. pam_selinux - set the default security context

- 6.30. pam_seslimit - allow/reject access based on SELinux mode
 - 6.31. pam_setquota - set or modify disk quotas on session start
 - 6.32. pam_shells - check for valid login shell
 - 6.33. pam_succeed_if - test account characteristics
 - 6.34. pam_time - time controlled access
 - 6.35. pam_timestamp - authenticate using cached successful authentication attempts
 - 6.36. pam_tty_audit - enable/disable tty auditing
 - 6.37. pam_umask - set the file mode creation mask
 - 6.38. pam_unix - traditional
- password authentication
- 6.39. pam_userdb - authenticate against a db database
 - 6.40. pam_warn - logs all PAM items
 - 6.41. pam_wheel - only permit root access to members of group wheel
 - 6.42. pam_xauth - forward xauth keys between users

7. See also

8. Author/acknowledgments

9. Copyright information for this document

Chapter 1. Introduction

Linux-PAM (Pluggable Authentication Modules for Linux) is a suite of shared libraries that enable the local system administrator to choose how applications authenticate users.

In other words, without (rewriting and) recompiling a PAM-aware application, it is possible to switch between the authentication mechanism(s) it uses. Indeed, one may entirely upgrade the local authentication system without touching the applications themselves.

Historically an application that has required a given user to be authenticated, has had to be compiled to use a specific authentication mechanism. For example, in the case of traditional UN*X systems, the identity of the user is verified by the user entering a correct password. This password, after being prefixed by a two character ``salt'', is encrypted (with crypt(3)). The user is then authenticated if this encrypted password is identical to the second field of the user's entry in the system password database (the /etc/passwd file). On such systems, most if not all forms of privileges are granted based on this single authentication scheme. Privilege comes in the form of a personal user-identifier (UID) and membership of various groups. Services and applications are available based on the personal and group identity of the user. Traditionally, group membership has been assigned based on entries in the /etc/group file.

It is the purpose of the Linux-PAM project to separate the development of privilege granting software from the development of secure and appropriate

authentication schemes. This is accomplished by providing a library of functions that an application may use to request that a user be authenticated.

This PAM library is configured locally with a system file, `/etc/pam.conf` (or a series of configuration files located in `/etc/pam.d/`) to authenticate a user request via the locally available authentication modules. The modules themselves will usually be located in the directory `/lib/security` or `/lib64/security` and take the form of dynamically loadable object files (see `dlopen(3)`).

Chapter 2. Some comments on the text

Before proceeding to read the rest of this document, it should be noted that the text assumes that certain files are placed in certain directories. Where they have been specified, the conventions we adopt here for locating these files are those of the relevant RFC (RFC-86.0, see bibliography"). If you are using a distribution of Linux (or some other operating system) that supports PAM but chooses to distribute these files in a different way you should be careful when copying examples directly from the text.

As an example of the above, where it is explicit, the text assumes that PAM loadable object files (the modules) are to be located in the following directory: `/lib/security/` or `/lib64/security` depending on the architecture. This is generally the location that seems to be compatible with the Filesystem Hierarchy Standard (FHS). On Solaris, which has its own licensed version of PAM, and some other implementations of UN*X, these files can be found in `/usr/lib/security`. Please be careful to perform the necessary transcription when using the examples from the text.

Chapter 3. Overview

For the uninitiated, we begin by considering an example. We take an application that grants some service to users; `login` is one such program. `login` does two things, it first establishes that the requesting user is whom they claim to be and second provides them with the requested service: in the case of `login` the service is a command shell (`bash`, `tcsh`, `zsh`, etc.) running with the identity of the user.

Traditionally, the former step is achieved by the `login` application prompting the user for a password and then verifying that it agrees with that located on the system; hence verifying that as far as the system is concerned the user is who they claim to be. This is the task that is delegated to Linux-PAM.


From the perspective of the application programmer (in this case the person that wrote the `login` application), Linux-PAM takes care of this authentication task -- verifying the identity of the user.

The flexibility of Linux-PAM is that you, the system administrator, have the freedom to stipulate which authentication scheme is to be used. You have the freedom to set the scheme for any/all PAM-aware applications on your Linux system. That is, you can authenticate from anything as naive as simple trust (pam_permit) to something as paranoid as a combination of a retinal scan, a voice print and a one-time password!

To illustrate the flexibility you face, consider the following situation: a system administrator (parent) wishes to improve the mathematical ability of her users (children). She can configure their favorite "Shoot 'em up game" (PAM-aware of course) to authenticate them with a request for the product of a couple of random numbers less than 12. It is clear that if the game is any good they will soon learn their multiplication tables. As they mature, the authentication can be upgraded to include (long) division!

Linux-PAM deals with four separate types of (management) task. These are: authentication management; account management; session management; and password management. The association of the preferred management scheme with the behavior of an application is made with entries in the relevant Linux-PAM configuration file. The management functions are performed by modules specified in the configuration file. The syntax for this file is discussed in the section below.

Here is a figure that describes the overall organization of Linux-PAM:



By

way of explanation, the left of the figure represents the application; application X. Such an application interfaces with the Linux-PAM library and knows none of the specifics of its configured authentication method. The Linux-PAM library (in the center) consults the contents of the PAM configuration file and loads the modules that are appropriate for application-X. These modules fall into one of four management groups (lower-center) and are stacked in the order they appear in the configuration file. These modules, when called by Linux-PAM, perform the various authentication tasks for the application. Textual information, required from/or offered to the user, can be exchanged through the use of the application-supplied conversation function.

If a program is going to use PAM, then it has to have PAM functions explicitly coded into the program. If you have access to the source code you can add the appropriate PAM functions. If you do not have access to the source code, and the

binary does not have the PAM functions included, then it is not possible to use PAM.

Chapter 4. The Linux-PAM configuration file

When a PAM aware privilege granting application is started, it activates its attachment to the PAM-API. This activation performs a number of tasks, the most important being the reading of the configuration file(s): `/etc/pam.conf`. Alternatively and preferably, the configuration can be set by individual configuration files located in a `pam.d` directory. The presence of this directory will cause Linux-PAM to ignore `/etc/pam.conf`.

These files list the PAMs that will do the authentication tasks required by this service, and the appropriate behavior of the PAM-API in the event that individual PAMs fail.

4.1. Configuration file syntax

The syntax of the `/etc/pam.conf` configuration file is as follows. The file is made up of a list of rules, each rule is typically placed on a single line, but may be extended with an escaped end of line: ``\. Comments are preceded with`

``#'` marks and extend to the next end of line.

The format of each rule is a space separated collection of tokens, the first three being case-insensitive:

service type control module-path module-arguments

The syntax of files contained in the `/etc/pam.d/` directory, are identical except for the absence of any service field. In this case, the service is the name of the file in the `/etc/pam.d/` directory. This filename must be in lower case.

An important feature of PAM, is that a number of rules may be stacked to combine the services of a number of PAMs for a given authentication task.

The service is typically the familiar name of the corresponding application: `login` and `su` are good examples. The service-name, `other`, is reserved for giving default rules. Only lines that mention the current service (or in the absence of such, the `other` entries) will be associated with the given service-application.

The `type` is the management group that the rule corresponds to. It is used to specify

which of the management groups the subsequent module is to be associated with. Valid entries are:

`account`

this module type performs non-authentication based account management. It is typically used to restrict/permit access to a service based on the time of day, currently available system resources (maximum number of users) or perhaps the location of the applicant user -- `'root'` login only on the console.

`auth`

this module type provides two aspects of authenticating the user. Firstly, it establishes that the user is who they claim to be, by instructing the application to prompt the user for a password or other means of identification. Secondly, the module can grant group membership or other privileges through its credential granting properties.

`password`

this module type is required for updating the authentication token associated with the user. Typically, there is one module for each `'challenge/response'` based authentication (`auth`) type.

`session`

this module type is associated with doing things that need to be done for the user before/after they can be given service. Such things include the logging of information concerning the opening/closing of some data exchange with a user, mounting directories, etc.

If the type value from the list above is prepended with a - character the PAM library will not log to the system log if it is not possible to load the module because it is missing in the system. This can be useful especially for modules which are not always installed on the system and are not required for correct authentication and authorization of the login session.

The third field, control, indicates the behavior of the PAM-API should the module fail to succeed in its authentication task. There are two types of syntax for this control field: the simple one has a single simple keyword; the more complicated one involves a square-bracketed selection of value=action pairs.

For the simple
(historical) syntax valid control values are:

required

failure of such a PAM will ultimately lead to the PAM-API returning failure but only after the remaining stacked modules (for this service and type) have been invoked.

requisite

like required, however, in the case that such a module returns a failure, control is directly returned to the application or to the superior PAM stack. The return value is that associated with the first required or requisite module to fail. Note, this flag can be used to protect against the possibility of a user getting the opportunity to enter a password over an unsafe medium. It is conceivable that such behavior might inform an attacker of valid accounts on a system. This possibility should be weighed against the not insignificant concerns of exposing a sensitive password in a hostile environment.

sufficient

if such a module succeeds and no prior required module has failed the PAM framework returns success to the application or to the superior PAM stack immediately without calling any further modules in the stack. A failure of a sufficient module is ignored and processing of the PAM module stack continues unaffected.

optional

the success or failure of this module is only important if it is the only module in the stack associated with this service+type.

include

include all lines of given type from the configuration file specified as an argument to this control.

substack

include all lines of given type from the configuration file specified as an argument to this control. This differs from include in that evaluation of the done and die actions in a substack does not cause skipping the rest of the complete module stack, but only of the substack. Jumps in a substack also can not make evaluation jump out of it, and the whole substack is counted as one module when the jump is done in a parent stack. The reset action will

reset the state of a module stack to the state it was in as of beginning of the substack evaluation.

For the more complicated syntax valid control values have the following form:

```
[value1=action1 value2=action2 ...]
```

Where valueN corresponds to the return code from the function invoked in the module for which the line is defined. It is selected from one of these: success, open_err, symbol_err, service_err, system_err, buf_err, perm_denied, auth_err, cred_insufficient, authinfo_unavail, user_unknown, maxtries, new_authtok_reqd, acct_expired, session_err, cred_unavail, cred_expired, cred_err, no_module_data, conv_err, authtok_err, authtok_recover_err, authtok_lock_busy, authtok_disable_aging, try_again, ignore, abort, authtok_expired, module_unknown, bad_item, conv_again, incomplete, and default.

The last of these, default, implies 'all valueN's not mentioned explicitly.

Note, the full list of PAM errors is available in /usr/include/security/_pam_types.h. The actionN can take one of the following forms:

ignore

when used with a stack of modules, the module's return status will not contribute to the return code the application obtains.

bad

this action indicates that the return code should be thought of as indicative of the module failing. If this module is the first in the stack to fail, its status value will be used for that of the whole stack. This is the default action for all return codes.

die

equivalent to bad with the side effect of terminating the module stack and PAM immediately returning to the application.

ok

this tells PAM that the administrator thinks this return code should contribute directly to the return code of the full stack of modules. In other words, if the former state of the stack would lead to a return of PAM_SUCCESS, the module's return code will override this value. Note, if the former state of the stack holds some value that is indicative of a modules failure, this 'ok' value will not be used to override that value.

done

equivalent to ok with the side effect of terminating the module stack and PAM immediately returning to the application unless there was a non-ignored module failure before.

N (an unsigned integer)

jump over the next N modules in the stack. Note that N equal to 0 is not allowed, it would be treated as ignore in such case. The side effect depends on the PAM function call: for pam_authenticate, pam_acct_mgmt, pam_chauthtok, and pam_open_session it is ignore; for pam_setcred and pam_close_session it is one of ignore, ok, or bad depending on the module's return value.

reset

clear all memory of the state of the module stack and start again with the next stacked module.

If a return code's action is not specifically defined via a valueN token, and the default value is not specified, that return code's action defaults to bad.

Each of the four keywords: required; requisite; sufficient; and optional, have an equivalent expression in terms of the [...] syntax. They are as follows:

required

[success=ok new_authtok_reqd=ok ignore=ignore default=bad]

requisite

```
[success=ok new_authtok_reqd=ok ignore=ignore default=die]
```

sufficient

```
[success=done new_authtok_reqd=done default=ignore]
```

optional

```
[success=ok new_authtok_reqd=ok default=ignore]
```

module-path is either the full filename of the PAM to be used by the application (it begins with a '/'), or a relative pathname from the default module location: /lib/security/ or /lib64/security/, depending on the architecture.

module-arguments are a space separated list of tokens that can be used to modify the specific behavior of the given PAM. Such arguments will be documented for each individual module. Note, if you wish to include spaces in an argument, you should surround that argument with square brackets.

```
squid auth required pam_mysql.so user=passwd_query passwd=mada \
    db=eminence [query=select
user_name from internet_service \
    where user_name='%u' and password=PASSWORD('%p') and \
    service='web_proxy']
```

When using this convention, you can include '[' characters inside the string, and if you wish to include a ']' character inside the string that will survive the argument parsing, you should use '\]'. In other words:

```
[..\]\] --> ..[\].
```

Any line in (one of) the configuration file(s), that is not formatted correctly, will generally tend (erring on the side of caution) to make the authentication process fail. A corresponding error is written to the system log files with a call to syslog(3).

4.2. Directory based configuration

More flexible than the single configuration file is it to configure libpam via the contents of pam.d directories. In this case the directories are filled with files each of which has a filename equal to a service-name (in lower-case): it is the personal configuration file for the named service.

Vendor-supplied

PAM configuration files might be installed in the system directory `/usr/lib/pam.d/` or a configurable vendor specific directory instead of the machine configuration directory `/etc/pam.d/`. If no machine configuration file is found, the vendor-supplied file is used. All files in `/etc/pam.d/` override files with the same name in other directories.

The syntax of each file in `pam.d` is similar to that of the `/etc/pam.conf` file and is made up of lines of the following form:

```
type control module-path module-arguments
```

The only difference being that the `service-name` is not present. The `service-name` is of course the name of the given configuration file. For example, `/etc/pam.d/login` contains the configuration for the `login` service.

4.3. Example configuration file entries

In this section, we give some examples of entries that can be present in the Linux-PAM configuration file. As a first attempt at configuring your system you could do worse than to implement these.

If a system is to be considered secure, it had better have a reasonably secure 'other' entry. The following is a paranoid setting (which is not a bad place to start!):

```
#
# default; deny access
#
other auth required pam_deny.so
other account required pam_deny.so
other password required pam_deny.so
other session required pam_deny.so
```

Whilst fundamentally a secure default, this is not very sympathetic to a misconfigured system. For example, such a system is vulnerable to locking everyone out should the rest of the file become badly written.

The module `pam_deny` (documented in a later section) is not very sophisticated. For example, it logs no information when it is invoked so unless the users of a system contact the administrator when failing to execute a service application, the administrator may go for a long while in ignorance of the fact that his system is misconfigured.

The addition of the following line before those in the above example would provide a suitable warning

to the administrator.

```
#
# default; wake up! This application is not configured
#
other auth required pam_warn.so
other password required pam_warn.so
```

Having two 'other auth' lines is an example of stacking.

On a system that uses the /etc/pam.d/ configuration, the corresponding default setup would be achieved with the following file:

```
#
# default configuration: /etc/pam.d/other
#
auth required pam_warn.so
auth required pam_deny.so
account required pam_deny.so
password required pam_warn.so
password required pam_deny.so
session required pam_deny.so
```

This is the only explicit example we give for an /etc/pam.d/ file. In general, it should be clear how to transpose the remaining examples to this configuration scheme.

On a less sensitive computer, one on which the system administrator wishes to remain ignorant of much of the power of Linux-PAM, the following selection of lines (in /etc/pam.d/other) is likely to mimic the historically familiar Linux setup.

```
#
# default; standard UN*X access
#
auth required pam_unix.so
account required pam_unix.so
password required pam_unix.so
session required pam_unix.so
```

In general this will provide a starting place for most applications.

Chapter 5. Security issues

5.1. If something goes wrong

Linux-PAM has the potential to seriously change the security of your system. You can choose to have no security or absolute security (no access permitted). In general, Linux-PAM errs towards the latter. Any number of configuration errors can disable access to your system partially, or completely.

The most dramatic problem that is likely to be encountered when configuring Linux-PAM is that of deleting the configuration file(s): `/etc/pam.d/*` and/or `/etc/pam.conf`. This will lock you out of your own system!

To recover, your best bet is to restore the system from a backup or boot the system into a rescue system and correct things from there.

5.2.

Avoid having a weak 'other' configuration

It is not a good thing to have a weak default (other) entry. This service is the default configuration for all PAM aware applications and if it is weak, your system is likely to be vulnerable to attack.

Here is a sample "other" configuration file. The `pam_deny` module will deny access and the `pam_warn` module will send a syslog message to `auth.notice`:

```
#
# The PAM configuration file for the 'other' service
#
auth    required pam_deny.so
auth    required pam_warn.so
account required pam_deny.so
account required pam_warn.so
password required pam_deny.so
password required pam_warn.so
session required pam_deny.so
session required pam_warn.so
```

Chapter 6. A reference guide for available modules

Here, we collect together the descriptions of the various modules coming with Linux-PAM.

6.1. `pam_access` - logdaemon style login access control

```
pam_access.so [ debug ] [ nodelgroup ] [ noaudit ] [ accessfile=file ] [
fieldsep=sep
] [ listsep=sep ]
```

6.1.1. DESCRIPTION

The pam_access PAM module is mainly for access management. It provides logdaemon style login access control based on login names, host or domain names, internet addresses or network numbers, or on terminal line names, X\$DISPLAY values, or PAM service names in case of non-networked logins.

By default rules for access management are taken from config file /etc/security/access.conf if you don't specify another file. Then individual *.conf files from the /etc/security/access.d/ directory are read. The files are parsed one after another in the order of the system locale. The effect of the individual files is the same as if all the files were concatenated together in the order of parsing. This means that once a pattern is matched in some file no further files are parsed. If a config file is explicitly specified with the accessfile option the files in the above directory are not parsed.

By default rules for access management are taken from config file /etc/security/access.conf or, if that one is not present, the file %vendordir%/security/access.conf. These settings can be overruled by setting in a config file explicitly specified with the accessfile option. Then individual *.conf files from the /etc/security/access.d/ and %vendordir%/security/access.d directories are read. If /etc/security/access.d/@filename@.conf exists, then %vendordir%/security/access.d/@filename@.conf will not be used. All access.d/*.conf files are sorted by their @filename@.conf in lexicographic order regardless of which of the directories they reside in. The effect of the individual files is the same as if all the files were concatenated together in the order of parsing. This means that once a pattern is matched in some file no further files are parsed. If a config file is explicitly specified with the accessfile option the files in the above directories are not parsed.

If Linux PAM is compiled with audit support the module will report when it denies access based on origin (host, tty, etc.).

6.1.2. DESCRIPTION

The /etc/security/access.conf file specifies (user/group, host), (user/group, network/netmask), (user/group, tty), (user/group, X-\$DISPLAY-value), or (user/group, pam-service-name) combinations for which a login will be either accepted or refused.

When someone logs in, the file access.conf is scanned for the first entry that matches the (user/group, host) or (user/group, network/netmask) combination, or, in case of non-networked logins, the first entry that matches the (user/group, tty) combination, or in the case of non-networked logins without a tty, the first entry that matches the (user/group, X-\$DISPLAY-value) or (user/group, pam-service-name/) combination. The permissions field of that table entry

determines whether the login will be accepted or refused.

Each line of the login access control table has three fields separated by a ":" character (colon):

```
permission:users/groups:origins
```

The first field, the permission field, can be either a "+" character (plus) for access granted or a "-" character (minus) for access denied.

The second field, the users/group field, should be a list of one or more login names, group names, or ALL (which always matches). To differentiate user entries from group entries, group entries should be written with brackets, e.g. (group).

The third field, the origins field, should be a list of one or more tty names (for non-networked logins), X \$DISPLAY values or PAM service names (for non-networked logins without a tty), host names, domain names (begin with "."), host addresses, internet network numbers (end with "."), internet network addresses with network mask (where network mask can be a decimal number or an internet address also), ALL (which always matches) or LOCAL. The LOCAL keyword matches if and only if pam_get_item(3), when called with an item_type of PAM_RHOST, returns NULL or an empty string (and therefore the origins field is compared against the return value of pam_get_item(3) called with an item_type of PAM_TTY or, absent that, PAM_SERVICE).

If supported by the system you can use @netgroupname in host or user patterns. The @@netgroupname syntax is supported in the user pattern only and it makes the local system hostname to be passed to the netgroup match call in addition to the user name. This might not work correctly on some libc implementations causing the match to always fail.

The EXCEPT operator makes it possible to write very compact rules.

If the nodegroup is not set, the group file is searched when a name does not match that of the logged-in user. Only groups are matched in which users are explicitly listed. However the PAM module does not look at the primary group id of a user.

The "#" character at start of line (no space at front) can be used to mark this line as a comment line.

6.1.3. OPTIONS

```
accessfile=/path/to/access.conf
```

Indicate an alternative access.conf style configuration file to override the default.

This can be useful when different services need different access lists.

debug

A lot of debug information is printed with syslog(3).

noaudit

Do not report logins from disallowed hosts and ttys to the audit subsystem.

fieldsep=separators

This option modifies the field separator character that pam_access will recognize when parsing the access configuration file. For example: fieldsep =| will cause the default `:` character to be treated as part of a field value and `|` becomes the field separator. Doing this may be useful in conjunction with a system that wants to use pam_access with X based applications, since the PAM_TTY item is likely to be of the form "hostname:0" which includes a `:` character in its value. But you should not need this.

listsep=separators

This option modifies the list separator character that pam_access will recognize when parsing the access configuration file. For example: listsep =, will cause the default ` ` (space) and `\t` (tab) characters to be treated as part of a list element value and `,` becomes the only list element separator. Doing this may be useful on a system with group information obtained from a Windows domain, where the default built-in groups "Domain Users", "Domain Admins" contain a space.

nodefgroup

User tokens which are not enclosed in parentheses will not be matched against the group database. The backwards compatible default is to try the group database match even for tokens not enclosed in parentheses.

6.1.4. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.1.5. RETURN VALUES

PAM_SUCCESS

Access was granted.

PAM_PERM_DENIED

Access was not granted.

PAM_IGNORE

pam_setcred was called which does nothing.

PAM_ABORT

Not all relevant data or options could be gotten.

PAM_USER_UNKNOWN

The user is not known to the system.

6.1.6. FILES

/etc/security/access.conf

Default configuration file

%vendordir%/security/access.conf

Default configuration file if /etc/security/access.conf does not exist.

6.1.7. EXAMPLES

These are some example lines which might be specified in /etc/security/access.conf.

User root should be allowed to get access via cron, X11 terminal :0, tty1, ..., tty5, tty6.

```
+:root:crond :0 tty1 tty2 tty3 tty4 tty5 tty6
```

User root should be allowed to get access from hosts which own the IPv4 addresses. This does not mean that the connection have to be a IPv4 one, a IPv6 connection from a host with one of this IPv4 addresses does work, too.

```
+:root:192.168.200.1 192.168.200.4 192.168.200.9
```

```
+:root:127.0.0.1
```

User root should get access from network 192.168.201. where the term will be

evaluated by string matching. But it might be better to use network/netmask instead. The same meaning of 192.168.201. is 192.168.201.0/24 or 192.168.201.0/255.255.255.0.

```
+:root:192.168.201.
```

User root should be able to have access from hosts
foo1.bar.org and
foo2.bar.org (uses string matching also).

```
+:root:foo1.bar.org foo2.bar.org
```

User root should be able to have access from domain foo.bar.org (uses string matching also).

```
+:root:.foo.bar.org
```

User root should be denied to get access from all other sources.

```
-:root:ALL
```

User foo and members of netgroup admins should be allowed to get access from all sources. This will only work if netgroup service is available.

```
+:@admins foo:ALL
```

User john and foo should get access from IPv6 host address.

```
+:john foo:2001:db8:0:101::1
```

User john should get access from IPv6 net/mask.

```
+:john:2001:db8:0:101::/64
```

Members of group wheel should be allowed to get access from all sources.

```
+: (wheel):ALL
```

Disallow console logins to all but the shutdown, sync and all other accounts, which are a member of the wheel group.

```
-:ALL EXCEPT (wheel) shutdown sync:LOCAL
```

All other users should be denied to get access from all sources.

```
-:ALL:ALL
```

6.1.8. AUTHORS

The logdaemon style login access control scheme was designed and implemented by Wietse Venema. The pam_access PAM module was developed by Alexei Nogin <alexei@nogin.dnttm.ru>. The IPv6 support and the network(address) / netmask feature was developed and provided by Mike Becher <mike.becher@lrz-muenchen.de>.

6.2. pam_debug - debug the PAM stack

```
pam_debug.so [ auth=value ] [ cred=value ] [ acct=value ] [ prechauthtok=value ] [ chauthtok=value ] [ auth=value ] [ open_session=value ] [ close_session=value ]
```

6.2.1. DESCRIPTION

The pam_debug PAM module is intended as a debugging aide for determining how the PAM stack is operating. This module returns what its module arguments tell it to return.

6.2.2. OPTIONS

auth=value

The pam_sm_authenticate(3) function will return value.

cred=value

The pam_sm_setcred(3) function will return value.

acct=value

The pam_sm_acct_mgmt(3) function will return value.

prechauthtok=value

The pam_sm_chauthtok(3) function will return value if the PAM_PRELIM_CHECK flag is set.

chauthtok=value

The pam_sm_chauthtok(3) function will return value if the PAM_PRELIM_CHECK flag is not set.

open_session=value

The pam_sm_open_session(3) function will return value.

close_session=value

The pam_sm_close_session(3) function will return value.

Where value can be one of: success, open_err, symbol_err, service_err, system_err, buf_err, perm_denied, auth_err, cred_insufficient, authinfo_unavail, user_unknown, maxtries, new_authtok_reqd, acct_expired, session_err, cred_unavail, cred_expired, cred_err, no_module_data, conv_err, authtok_err, authtok_recover_err, authtok_lock_busy, authtok_disable_aging, try_again, ignore, abort, authtok_expired, module_unknown, bad_item, conv_again, incomplete.

6.2.3. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.2.4. RETURN VALUES

PAM_SUCCESS

Default return code if no other value was specified, else specified return value.

6.2.5. EXAMPLES

```
auth requisite
    pam_permit.so
auth [success=2 default=ok] pam_debug.so auth=perm_denied cred=success
auth [default=reset] pam_debug.so auth=success cred=perm_denied
auth [success=done default=die] pam_debug.so
auth optional pam_debug.so auth=perm_denied cred=perm_denied
auth sufficient pam_debug.so auth=success cred=success
```

6.2.6. AUTHOR

pam_debug was written by Andrew G. Morgan <morgan@kernel.org>.

6.3. pam_deny - locking-out PAM module

pam_deny.so

6.3.1. DESCRIPTION

This module can be used to deny access. It always indicates a failure to the application through the PAM framework. It might be suitable for using for default (the OTHER) entries.

6.3.2. OPTIONS

This module does not recognise any options.

6.3.3. MODULE TYPES PROVIDED

All module types (account, auth, password and session) are provided.

6.3.4. RETURN VALUES

PAM_AUTH_ERR

This is returned by the account and auth services.

PAM_CRED_ERR

This is returned by the setcred function.

PAM_AUTHTOK_ERR

This is returned by the password service.

PAM_SESSION_ERR

This is returned by the session service.

6.3.5. EXAMPLES

```
##%PAM-1.0
#
# If we don't have config entries for a service, the
# OTHER entries are used. To be secure, warn and deny
# access to everything.
other auth    required    pam_warn.so
other auth    required    pam_deny.so
other account required    pam_warn.so
other account required    pam_deny.so
other password required    pam_warn.so
other password required    pam_deny.so
other session required    pam_warn.so
other session required    pam_deny.so
```

6.3.6. AUTHOR

pam_deny was written by Andrew G. Morgan <morgan@kernel.org>

6.4. pam_echo - print text messages

pam_echo.so [file=/path/message]

6.4.1. DESCRIPTION

The pam_echo PAM module is for printing text messages to inform user about special things. Sequences starting with the % character are interpreted in the following way:

%H

The name of the remote host (PAM_RHOST).

%h

The name of the local host.

%s

The service name (PAM_SERVICE).

%t

The name of the controlling terminal (PAM_TTY).

%U

The remote user name (PAM_RUSER).

%u

The local user name (PAM_USER).

All other sequences beginning with % expands to the characters following the % character.

6.4.2. OPTIONS

file=/path/message

The content of the file /path/message will be printed with the PAM conversion function as PAM_TEXT_INFO.

6.4.3. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.4.4. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

Message was successful printed.

PAM_IGNORE

PAM_SILENT flag was given or message file does not exist, no message printed.

6.4.5. EXAMPLES

For an example of the use of this module, we show how it may be used to print information about good passwords:

```
password optional pam_echo.so file=/usr/share/doc/good-password.txt
password required
pam_unix.so
```

6.4.6. AUTHOR

Thorsten Kukuk <kukuk@thkukuk.de>

6.5. pam_env - set/unset environment variables

```
pam_env.so [ debug ] [ conffile=conf-file ] [ envfile=env-file ] [ readenv=0|1
] [ user_envfile=env-file ] [ user_readenv=0|1 ]
```

6.5.1. DESCRIPTION

The pam_env PAM module allows the (un)setting of environment variables. Supported is the use of previously set environment variables as well as PAM_ITEMs such as PAM_RHOST.

Rules for (un)setting of variables can be defined in an own config file. The path to this file can be specified with the conffile option. If this file does not exist, the default rules are taken from the config files /etc/security/pam_env.conf and /etc/security/pam_env.conf.d/*.conf. If the file /etc/security/pam_env.conf does not exist, the rules are taken from the files %vendordir%/security/pam_env.conf, %vendordir%/security/pam_env.conf.d/*.conf and /etc/security/pam_env.conf.d/*.conf in that order.

By default rules for (un)setting of variables are taken from the config file /etc/security/pam_env.conf. If this file does not exist %vendordir%/security/pam_env.conf is used. An alternate file can be specified with the conffile option, which overrules all other files.

By default rules for (un)setting of variables are taken from the config file /etc/security/pam_env.conf. An alternate file can be specified with the conffile option.

Environment variables can be defined in a file with simple KEY=VAL pairs on separate lines. The path to this file can be specified with the envfile option. If this file has not been defined, the settings are read from the files /etc/security/environment and /etc/security/environment.d/*. If the file /etc/environment does not exist, the settings are read from the files %vendordir%/environment, %vendordir%/environment.d/* and /etc/environment.d/* in that order. And last but not least, with the readenv option this mechanism can be completely disabled.

Second a file (/etc/environment by default) with simple KEY=VAL pairs on separate lines will be read. If this file does not exist, %vendordir%/etc/environment is used. With the envfile option an alternate file can be specified, which overrules all other files. And with the readenv option this can be completely disabled.

Second a file (/etc/environment by default) with simple KEY=VAL pairs on separate lines will be read. With the envfile option an alternate file can be specified. And with the readenv option this can be completely disabled.

Third it will read a user configuration file (\$HOME/.pam_environment by default). The default file can be changed with the user_envfile option and it can be turned on and off with the user_readenv option.

Since setting of PAM environment variables can have side effects to other modules, this module should be the last one on the stack.

6.5.2. DESCRIPTION

The %vendordir%/security/pam_env.conf and /etc/security/pam_env.conf files specify the environment variables to be set, unset or modified by pam_env(8).

When someone logs in, these files are read and the environment variables are set according.

The /etc/security/pam_env.conf file specifies the environment variables to be set, unset or modified by pam_env(8). When someone logs in, this file is read

and the environment variables are set according.

Each line starts with the variable name, there are then two possible options for each variable DEFAULT and OVERRIDE. DEFAULT allows an administrator to set the value of the variable to some default value, if none is supplied then the empty string is assumed. The OVERRIDE option tells pam_env that it should enter in its value (overriding the default value) if there is one to use. When OVERRIDE is not used, "" is assumed and no override will be done.

```
VARIABLE [DEFAULT=[value]] [OVERRIDE=[value]]
```

(Possibly non-existent) environment variables may be used in values using the `{string}` syntax and (possibly non-existent) PAM_ITEMS as well as HOME and SHELL may be used in values using the `@{string}` syntax. Both the `$` and `@` characters can be backslash escaped to be used as literal values values can be delimited with `""`, escaped `"` not supported. Note that many environment variables that you would like to use may not be set by the time the module is called. For example, `${HOME}` is used below several times, but many PAM applications don't make it available by the time you need it. The special variables `@{HOME}` and `@{SHELL}` are expanded to the values for the user from his passwd entry.

The `"#"` character at start of line (no space at front) can be used to mark this line as a comment line.

The `%vendordir%/environment` and `/etc/environment` files specify the environment variables to be set. These files must consist of simple `NAME=VALUE` pairs on separate lines. The `pam_env(8)` module will read these files after the `pam_env.conf` file.

The `/etc/environment` file specifies the environment variables to be set. The file must consist of simple `NAME=VALUE` pairs on separate lines.

The `pam_env(8)` module will read the file after the `pam_env.conf` file.

6.5.3. OPTIONS

```
conffile=/path/to/pam_env.conf
```

Indicate an alternative `pam_env.conf` style configuration file to override the default. This can be useful when different services need different environments.

```
debug
```

A lot of debug information is printed with `syslog(3)`.

```
envfile=/path/to/environment
```

Indicate an alternative environment file to override the default. The syntax are simple KEY=VAL pairs on separate lines. The export instruction can be specified for bash compatibility, but will be ignored. This can be useful when different services need different environments.

`readenv=0|1`

Turns on or off the reading of the file specified by `envfile` (0 is off, 1 is on). By default this option is on.

`user_envfile=filename`

Indicate an alternative `.pam_environment` file to override the default. The syntax is the same as for `/etc/security/pam_env.conf`. The filename is relative to the user home directory. This can be useful when different services need different environments.

`user_readenv=0|1`

Turns on or off the reading of the user specific environment file. 0 is off, 1 is on. By default this option is off as user supplied environment variables in the PAM environment could affect behavior of subsequent modules in the stack without the consent of the system administrator.

Due to problematic security this functionality is deprecated since the 1.5.0 version and will be removed completely at some point in the future.

6.5.4. MODULE TYPES PROVIDED

The auth and session module types are provided.

6.5.5. RETURN VALUES

PAM_ABORT

Not all relevant data or options could be gotten.

PAM_BUF_ERR

Memory buffer error.

PAM_IGNORE

No `pam_env.conf` and environment file was found.

PAM_SUCCESS

Environment variables were set.

6.5.6. FILES

`%vendordir%/security/pam_env.conf, /etc/security/pam_env.conf`

Default configuration
file

`%vendordir%/environment, /etc/environment`

Default environment file

`$HOME/.pam_environment`

User specific environment file

6.5.7. EXAMPLES

These are some example lines which might be specified in `/etc/security/pam_env.conf`.

Set the `REMOTEHOST` variable for any hosts that are remote, default to "localhost" rather than not being set at all

```
REMOTEHOST    DEFAULT=localhost OVERRIDE=@{PAM_RHOST}
```

Set the `DISPLAY` variable if it seems reasonable

```
DISPLAY       DEFAULT=${REMOTEHOST}:0.0 OVERRIDE=${DISPLAY}
```

Now some simple variables

```
PAGER         DEFAULT=less
MANPAGER      DEFAULT=less
LESS          DEFAULT="M q e h15 z23 b80"
NNTPSERVER    DEFAULT=localhost
PATH          DEFAULT=${HOME}/bin:/usr/local/bin:/bin\
:/usr/bin:/usr/local/bin/X11:/usr/bin/X11
XDG_DATA_HOME DEFAULT=@{HOME}/share/
```

Silly examples of escaped variables, just to show how they work.

```
DOLLAR        DEFAULT=\$
```



```
DOLLARDOLLAR
DEFAULT=    OVERRIDE=\${DOLLAR}
DOLLARPLUS  DEFAULT=\${REMOTEHOST}\${REMOTEHOST}
ATSIGN      DEFAULT=""    OVERRIDE=\@
```

6.5.8. AUTHOR

pam_env was written by Dave Kinchlea <kinch@kinch.ark.com>.

6.6. pam_exec - call an external command

```
pam_exec.so [ debug ] [ expose_authtok ] [ seteuid ] [ quiet ] [ quiet_log ] [
stdout ] [ log=file ] [ type=type ] command [ ... ]
```

6.6.1. DESCRIPTION

pam_exec is a PAM module that can be used to run an external command.

The child's environment is set to the current PAM environment list, as returned by pam_getenvlist(3). In addition, the following PAM items are exported as environment variables: PAM_RHOST, PAM_RUSER, PAM_SERVICE, PAM_TTY, PAM_USER and PAM_TYPE, which contains one of the module types: account, auth, password, open_session and close_session.

Commands called by pam_exec need to be aware of that the user can have control over the environment.

6.6.2. OPTIONS

debug

Print debug information.

expose_authtok

During authentication the calling command can read the password from stdin (3). Only first PAM_MAX_RESP_SIZE bytes of a password are provided to the command.

log=file

The output of the command is appended to file

type=type

Only run the command if the module type matches the given type.

stdout

Per default the output of the executed command is written to /dev/null. With this option, the stdout output of the executed command is redirected to the calling application. It's in the responsibility of this application what happens with the output. The log option is ignored.

quiet

Per default pam_exec.so will echo the exit status of the external command if it fails. Specifying this option will suppress the message.

quiet_log

Per default pam_exec.so will log the exit status of the external command if it fails. Specifying this option will suppress the log message.

seteuid

Per default pam_exec.so will execute the external command with the real user ID of the calling process. Specifying this option means the command is run with the effective user ID.

6.6.3. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.6.4. RETURN VALUES

PAM_SUCCESS

The external command was run successfully.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the username.

PAM_INCOMPLETE

The conversation method supplied by the application returned PAM_CONV_AGAIN.

PAM_SERVICE_ERR

No argument or a wrong number of arguments were given.

PAM_SYSTEM_ERR

A system error occurred or the command to execute failed.

PAM_IGNORE

pam_setcred was called, which does not execute the command. Or, the value given for the type= parameter did not match the module type.

6.6.5. EXAMPLES

Add the following line to /etc/pam.d/passwd to rebuild the NIS database after each local password change:

```
password optional pam_exec.so seteuid /usr/bin/make -C /var/yp
```

This will execute the command

```
make -C /var/yp
```

with effective user ID.

6.6.6. AUTHOR

pam_exec was written by Thorsten Kukuk <kukuk@thkukuk.de> and Josh Triplett <josh@joshtriplett.org>.

6.7. pam_faildelay - change the delay on failure per-application

```
pam_faildelay.so [ debug ] [ delay=microseconds ]
```

6.7.1. DESCRIPTION

pam_faildelay is a PAM module that can be used to set the delay on failure per-application.

If no delay is given, pam_faildelay will use the value of FAIL_DELAY from /etc/login.defs.

6.7.2. OPTIONS

debug

Turns on debugging messages sent to syslog.

delay=N

Set the delay on failure to N microseconds.

6.7.3. MODULE TYPES PROVIDED

Only the auth module type is provided.

6.7.4. RETURN VALUES

PAM_IGNORE

Delay was successful adjusted.

PAM_SYSTEM_ERR

The specified delay was not valid.

6.7.5. EXAMPLES

The following example will set the delay on failure to 10 seconds:

```
auth
optional pam_faildelay.so delay=10000000
```

6.7.6. AUTHOR

pam_faildelay was written by Darren Tucker <dtucker@zip.com.au>.

6.8. pam_faillock - temporarily locking access based on failed authentication attempts during an interval

```
auth ... pam_faillock.so { preauth|authfail|authsucc } [ conf=/path/to/
config-file ] [ dir=/path/to/tally-directory ] [ even_deny_root ] [ deny=n ] [
fail_interval=n ] [ unlock_time=n ] [ root_unlock_time=n ] [ admin_group=name ]
[ audit ] [ silent ] [ no_log_info ]
```

```
account ... pam_faillock.so [ dir=/path/to/tally-directory ] [ no_log_info ]
```

6.8.1. DESCRIPTION

This module maintains a list of failed authentication attempts per user during a specified interval and locks the account in case there were more than deny consecutive failed authentications.

Normally, failed attempts to authenticate root will not cause the root account to become blocked, to prevent denial-of-service: if your users aren't given shell accounts and root may only login via su or at the machine console (not telnet/rsh, etc), this is safe.

6.8.2. OPTIONS

{preauth|authfail|authsucc}

This argument must be set accordingly to the position of this module instance in the PAM stack.

The preauth argument must be used when the module is called before the modules which ask for the user credentials such as the password. The module just examines whether the user should be blocked from accessing the service in case there were anomalous number of failed consecutive authentication attempts recently. This call is optional if authsucc is used.

The authfail argument must be used when the module is called after the modules which determine the authentication outcome, failed. Unless the user is already blocked due to previous authentication failures, the module will record the failure into the appropriate user tally file.

The authsucc argument must be used when the module is called after the modules which determine the authentication outcome, succeeded. Unless the user is already blocked due to previous authentication failures, the module will then clear the record of the failures in the respective user tally file. Otherwise it will return authentication error. If this call is not done, the pam_faillock will not distinguish between consecutive and non-consecutive failed authentication attempts. The preauth call must be used in such case. Due to complications in the way the PAM stack can be configured it is also possible to call pam_faillock as an account module. In such configuration the module must be also called in the preauth stage.

conf=/path/to/config-file

Use another configuration file instead of the default /etc/security/faillock.conf.

Use another configuration file instead of the default which is to use the file /etc/security/faillock.conf or, if that one is not present, the file %vendordir%/security/faillock.conf.

The options for configuring the module behavior are described in the faillock.conf(5) manual page. The options specified on the module command line

override the values from the configuration file.

6.8.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.8.4. RETURN VALUES

PAM_AUTH_ERR

An invalid option was given, the module was not able to retrieve the user name, no valid counter file was found, or too many failed logins.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the username.

PAM_INCOMPLETE

The conversation method supplied by the application returned PAM_CONV_AGAIN.

PAM_SUCCESS

Everything was successful.

PAM_IGNORE

User not present in passwd database.

6.8.5. EXAMPLES

Here are two possible configuration examples for `/etc/pam.d/login`. They make `pam_faillock` to lock the account after 4 consecutive failed logins during the default interval of 15 minutes. Root account will be locked as well. The accounts will be automatically unlocked after 20 minutes.

In the first example the module is called only in the auth phase and the module does not print any information about the account being blocked by `pam_faillock`. The `preauth` call can be added to tell users that their logins are blocked by the module and also to abort the authentication without even asking for password in such case.

/etc/security/faillock.conf file example:

```
deny=4
unlock_time=1200
silent
```

/etc/pam.d/config file example:

```
auth required pam_securetty.so
auth required pam_env.so
auth required pam_nologin.so
# optionally call: auth requisite pam_faillock.so preauth
# to display the message about account being locked
auth [success=1 default=bad] pam_unix.so
auth [default=die] pam_faillock.so authfail
auth sufficient pam_faillock.so authsucc
auth required pam_deny.so
account required pam_unix.so
password required pam_unix.so
shadow
session required pam_selinux.so close
session required pam_loginuid.so
session required pam_unix.so
session required pam_selinux.so open
```

In the second example the module is called both in the auth and account phases and the module informs the authenticating user when the account is locked if silent option is not specified in the faillock.conf.

```
auth required pam_securetty.so
auth required pam_env.so
auth required pam_nologin.so
auth required pam_faillock.so preauth
# optionally use requisite above if you do not want to prompt for the password
# on locked accounts
auth sufficient pam_unix.so
auth [default=die] pam_faillock.so authfail
auth required pam_deny.so
account required pam_faillock.so
# if you drop the above call to pam_faillock.so the lock will be done also
# on non-consecutive authentication failures
account required pam_unix.so
password required pam_unix.so
shadow
session required pam_selinux.so close
```

session required pam_loginuid.so
session required pam_unix.so
session required pam_selinux.so open

6.8.6. AUTHOR

pam_faillock was written by Tomas Mraz.

6.9. pam_filter - filter module

pam_filter.so [debug] [new_term] [non_term] run1|run2 filter [...]

6.9.1. DESCRIPTION

This module is intended to be a platform for providing access to all of the input/output that passes between the user and the application. It is only suitable for tty-based and (stdin/stdout) applications.

To function this module requires filters to be installed on the system. The single filter provided with the module simply transposes upper and lower case letters in the input and output streams. (This can be very annoying and is not kind to termcap based editors).

Each component of the module has the potential to invoke the desired filter. The filter is always `execv(2)` with the privilege of the calling application and not that of the user. For this reason it cannot usually be killed by the user without closing their session.

6.9.2. OPTIONS

debug

Print debug information.

new_term

The default action of the filter is to set the `PAM_TTY` item to indicate the terminal that the user is using to connect to the application. This argument indicates that the filter should set `PAM_TTY` to the filtered pseudo-terminal.

non_term

don't try to set the `PAM_TTY` item.

runX

In order that the module can invoke a filter it should know when to invoke it. This argument is required to tell the filter when to do this.

Permitted values for X are 1 and 2. These indicate the precise time that the filter is to be run. To understand this concept it will be useful to have read the pam(3) manual page. Basically, for each management group there are up to two ways of calling the module's functions. In the case of the authentication and session components there are actually two separate functions. For the case of authentication, these functions are pam_authenticate(3) and pam_setcred(3), here run1 means run the filter from the pam_authenticate function and run2 means run the filter from pam_setcred. In the case of the session modules, run1 implies that the filter is invoked at the pam_open_session(3) stage, and run2 for pam_close_session(3).

For the case of the account component. Either run1 or run2 may be used.

For the case of the password component, run1 is used to indicate that the filter is run on the first occasion of pam_chauthtok(3) (the PAM_PRELIM_CHECK phase) and run2 is used to indicate that the filter is run on the second occasion (the PAM_UPDATE_AUTHTOK phase).

filter

The full pathname of the filter to be run and any command line arguments that the filter might expect.

6.9.3. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.9.4. RETURN VALUES

PAM_SUCCESS

The new filter was set successfully.

PAM_ABORT

Critical error, immediate abort.

6.9.5. EXAMPLES

Add the following line to /etc/pam.d/login to see how to configure login to transpose upper and lower case letters once the user has logged in:

session required pam_filter.so run1 /lib/security/pam_filter/upperLOWER

6.9.6. AUTHOR

pam_filter was written by Andrew G. Morgan <morgan@kernel.org>.

6.10. pam_ftp - module for anonymous access

pam_ftp.so [debug] [ignore] [users=XXX,YYY, ...]

6.10.1. DESCRIPTION

pam_ftp is a PAM module which provides a pluggable anonymous ftp mode of access.

This module intercepts the user's name and password. If the name is ftp or anonymous, the user's password is broken up at the @ delimiter into a PAM_RUSER and a PAM_RHOST part; these pam-items being set accordingly. The username (PAM_USER) is set to ftp. In this case the module succeeds. Alternatively, the module sets the PAM_AUTHTOK item with the entered password and fails.

This module is not safe and easily spoofable.

6.10.2. OPTIONS

debug

Print debug information.

ignore

Pay no attention to the email address of the user (if supplied).

ftp=XXX,YYY,...

Instead of ftp or anonymous, provide anonymous login to the comma separated list of users: XXX,YYY,.... Should the applicant enter one of these usernames the returned username is set to the first in the list: XXX.

6.10.3. MODULE TYPES PROVIDED

Only the auth module type is provided.

6.10.4. RETURN VALUES

PAM_SUCCESS

The authentication was successful.

PAM_USER_UNKNOWN

User not known.

6.10.5. EXAMPLES

Add the following line to `/etc/pam.d/ftpd` to handle ftp style anonymous login:

```
#
# ftpd; add ftp-specifics. These lines enable anonymous ftp over
# standard UN*X access (the listfile entry blocks access to
# users listed in /etc/ftpusers)
#
auth sufficient pam_ftp.so
auth required pam_unix.so use_first_pass
auth required pam_listfile.so
\
    onerr=succeed item=user sense=deny file=/etc/ftpusers
```

6.10.6. AUTHOR

`pam_ftp` was written by Andrew G. Morgan <morgan@kernel.org>.

6.11. `pam_group` - module to modify group access

`pam_group.so`

6.11.1. DESCRIPTION

The `pam_group` PAM module does not authenticate the user, but instead it grants group memberships (in the credential setting phase of the authentication module) to the user. Such memberships are based on the service they are applying for.

By default rules for group memberships are taken from config file `/etc/security/group.conf`.

If `/etc/security/group.conf` does not exist, `%vendordir%/security/group.conf` is used.

This module's usefulness relies on the file-systems accessible to the user. The point being that once granted the membership of a group, the user may attempt to create a setgid binary with a restricted group ownership. Later, when the user is not given membership to this group, they can recover group membership

with the precompiled binary.

The reason that the file-systems that the user has access to are so significant, is the fact that when a system is mounted nosuid the user is unable to create or execute such a binary file. For this module to provide any level of security, all file-systems that the user has write access to should be mounted nosuid.

The pam_group module functions in parallel with the /etc/group file. If the user is granted any groups based on the behavior of this module, they are granted in addition to those entries /etc/group (or equivalent).

6.11.2. DESCRIPTION

The pam_group PAM module does not authenticate the user, but instead it grants group memberships (in the credential setting phase of the authentication module) to the user. Such memberships are based on the service they are applying for.

For this module to function correctly there must be a correctly formatted /etc/security/group.conf file present. White spaces are ignored and lines maybe extended with '\ ' (escaped newlines). Text following a '#' is ignored to the end of the line.

The syntax of the lines is as follows:

```
services;ttys;users;times;groups
```

The first field, the services field, is a logic list of PAM service names that the rule applies to.

The second field, the tty field, is a logic list of terminal names that this rule applies to.

The third field, the users field, is a logic list of users, or a UNIX group, or a netgroup of users to whom this rule applies. Group names are preceded by a '%' symbol, while netgroup names are preceded by a '@' symbol.

A logic list namely means individual tokens that are optionally prefixed with '!' (logical not) and separated with '&' (logical and) and '|' (logical or).

For these items the simple wildcard '*' may be used only once. With UNIX groups or netgroups no wildcards or logic operators are allowed.

The times field is used to indicate "when" these groups are to be given to the user. The format here is a logic list of day/time-range entries. The days are specified by

a sequence of two character entries, MoTuSa for example is Monday Tuesday and Saturday. Note that repeated days are unset MoMo = no day, and MoWk = all weekdays bar Monday. The two character combinations accepted are Mo Tu We Th Fr Sa Su Wk Wd Al, the last two being week-end days and all 7 days of the week respectively. As a final example, AlFr means all days except Friday.

Each day/time-range can be prefixed with a '!' to indicate "anything but". The time-range part is two 24-hour times HHMM, separated by a hyphen, indicating the start and finish time (if the finish time is smaller than the start time it is deemed to apply on the following day).

The groups field is a comma or space separated list of groups that the user inherits membership of. These groups are added if the previous fields are satisfied by the user's request.

For a rule to be active, ALL of service+ttys+users must be satisfied by the applying process.

6.11.3. OPTIONS

This module does not recognise any options.

6.11.4.

MODULE TYPES PROVIDED

Only the auth module type is provided.

6.11.5. RETURN VALUES

PAM_SUCCESS

group membership was granted.

PAM_ABORT

Not all relevant data could be gotten.

PAM_BUF_ERR

Memory buffer error.

PAM_CRED_ERR

Group membership was not granted.

PAM_IGNORE

pam_sm_authenticate was called which does nothing.

PAM_USER_UNKNOWN

The user is not known to the system.

6.11.6. FILES

/etc/security/group.conf

Default configuration file

6.11.7. EXAMPLES

These are some example lines which might be specified in /etc/security/group.conf.

Running 'xsh' on tty* (any ttyXXX device), the user 'us' is given access to the floppy (through membership of the floppy group)

```
xsh;tty*&!ttyp*;us;A10000-2400;floppy
```

Running 'xsh' on tty* (any ttyXXX device), the users 'sword', 'pike' and 'shield' are given access to games (through membership of the floppy group) after work hours.

```
xsh; tty* ;sword|pike|shield;!Wk0900-1800;games, sound  
xsh; tty* ;*;A10900-1800;floppy
```

Any

member of the group 'admin' running 'xsh' on tty*, is granted access (at any time) to the group 'plugdev'

```
xsh; tty* ;%admin;A10000-2400;plugdev
```

6.11.8. AUTHORS

pam_group was written by Andrew G. Morgan <morgan@kernel.org>.

6.12. pam_issue - add issue file to user prompt

```
pam_issue.so [ noesc ] [ issue=issue-file-name ]
```

6.12.1. DESCRIPTION

pam_issue is a PAM module to prepend an issue file to the username prompt. It also by default parses escape codes in the issue file similar to some common

getty's (using \x format).

Recognized escapes:

\d

current day

\l

name of this tty

\m

machine architecture (uname -m)

\n

machine's network node hostname (uname -n)

\o

domain name of this system

\r

release number of operating system (uname -r)

\t

current time

\s

operating system name (uname -s)

\u

number of users currently logged in

\U

same as \u except it is suffixed with "user" or "users" (eg. "1 user" or "10 users")

\v

operating system version and build date (`uname -v`)

6.12.2. OPTIONS

`noesc`

Turns off escape code parsing.

`issue=issue-file-name`

The file to output if not using the default.

6.12.3. MODULE TYPES PROVIDED

Only the `auth` module type is provided.

6.12.4. RETURN VALUES

`PAM_BUF_ERR`

Memory buffer error.

`PAM_IGNORE`

The prompt was already changed.

`PAM_SERVICE_ERR`

A service module error occurred.

`PAM_SUCCESS`

The new prompt was set successfully.

6.12.5. EXAMPLES

Add the following line to `/etc/pam.d/login` to set the user specific issue at login:

```
auth optional pam_issue.so issue=/etc/issue
```

6.12.6. AUTHOR

`pam_issue` was written by Ben Collins <bcollins@debian.org>.

6.13. `pam_keyinit` - display the keyinit file

pam_keyinit.so [debug] [force] [revoke]

6.13.1. DESCRIPTION

The pam_keyinit PAM module ensures that the invoking process has a session keyring other than the user default session keyring.

The module checks to see if the process's session keyring is the user-session-keyring(7), and, if it is, creates a new session-keyring(7) with which to replace it. If a new session keyring is created, it will install a link to the user-keyring(7) in the session keyring so that keys common to the user will be automatically accessible through it. The session keyring of the invoking process will thenceforth be inherited by all its children unless they override it.

In order to allow other PAM modules to attach tokens to the keyring, this module provides both an auth (limited to pam_setcred(3)) and a session component. The session keyring is created in the module called. Moreover this module should be included as early as possible in a PAM configuration.

This module is intended primarily for use by login processes. Be aware that after the session keyring has been replaced, the old session keyring and the keys it contains will no longer be accessible.

This module should not, generally, be invoked by programs like su, since it is usually desirable for the key set to percolate through to the alternate context. The keys have their own permissions system to manage this.

The keyutils package is used to manipulate keys more directly. This can be obtained from:

Keyutils

6.13.2. OPTIONS

debug

Log debug information with syslog(3).

force

Causes the session keyring of the invoking process to be replaced unconditionally.

revoke

Causes the session keyring of the invoking process to be revoked when the invoking process exits if the session keyring was created for this process in the first place.

6.13.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.13.4. RETURN VALUES

PAM_SUCCESS

This module will usually return this value

PAM_AUTH_ERR

Authentication failure.

PAM_BUF_ERR

Memory buffer error.

PAM_IGNORE

The return value should be ignored by PAM dispatch.

PAM_SERVICE_ERR

Cannot determine the user name.

PAM_SESSION_ERR

This module will return this value if its arguments are invalid or if a system error such as ENOMEM occurs.

PAM_USER_UNKNOWN

User not known.

6.13.5. EXAMPLES

Add this line to your login entries to start each login session with its own session keyring:

```
session required pam_keyinit.so
```

This will prevent keys from one session leaking into another session for the same user.

6.13.6. AUTHOR

pam_keyinit was written by David Howells, <dhowells@redhat.com>.

6.14. pam_lastlog - display date of last login

```
pam_lastlog.so [ debug ] [ silent ] [ never ] [ nodate ] [ nohost ] [ noterm ]  
[ nowtmp ] [ nouupdate ] [ showfailed ] [ inactive=<days> ] [ unlimited ]
```

6.14.1. DESCRIPTION

pam_lastlog is a PAM module to display a line of information about the last login of the user. In addition, the module maintains the `/var/log/lastlog` file.

Some applications may perform this function themselves. In such cases, this module is not necessary.

The module checks `LASTLOG_UID_MAX` option in `/etc/login.defs` and does not update or display last login records for users with UID higher than its value. If the option is not present or its value is invalid, no user ID limit is applied.

If the module is called in the auth or account phase, the accounts that were not used recently enough will be disallowed to log in. The check is not performed for the root account so the root is never locked out. It is also not performed for users with UID higher than the `LASTLOG_UID_MAX` value.

6.14.2. OPTIONS

debug

Print debug information.

silent

Don't inform the user about any previous login, just update the `/var/log/lastlog` file. This option does not affect display of bad login attempts.

never

If the `/var/log/lastlog` file does not contain any old entries for the user, indicate that the user has never previously logged in with a welcome message.

nodate

Don't display the date of the last login.

noterm

Don't display the terminal name on which the last login was attempted.

nohost

Don't indicate from which host the last login was attempted.

nowtmp

Don't update the wtmp entry.

noupdate

Don't update any file.

showfailed

Display number of failed login attempts and the date of the last failed attempt from btmp. The date is not displayed when nodate is specified.

inactive=<days>

This option is specific for the auth or account phase. It specifies the number of days after the last login of the user when the user will be locked out by the module. The default value is 90.

unlimited

If the fsize limit is set, this option can be used to override it, preventing failures on systems with large UID values that lead lastlog to become a huge sparse file.

6.14.3. MODULE TYPES PROVIDED

The auth and account module type allows one to lock out users who did not login recently enough. The session module type is provided for displaying the information about the last login and/or updating the lastlog and wtmp files.

6.14.4.

RETURN VALUES

PAM_SUCCESS

Everything was successful.

PAM_SERVICE_ERR

Internal service module error.

PAM_USER_UNKNOWN

User not known.

PAM_AUTH_ERR

User locked out in the auth or account phase due to inactivity.

PAM_IGNORE

There was an error during reading the lastlog file in the auth or account phase and thus inactivity of the user cannot be determined.

6.14.5. EXAMPLES

Add the following line to `/etc/pam.d/login` to display the last login time of a user:

```
session required pam_lastlog.so nowtmp
```

To reject the user if he did not login during the previous 50 days the following line can be used:

```
auth required pam_lastlog.so inactive=50
```

6.14.6. AUTHOR

`pam_lastlog` was written by Andrew G. Morgan <morgan@kernel.org>.

Inactive account lock out added by Tomáš Mráz <tm@t8m.info>.

6.15. pam_limits - limit resources

```
pam_limits.so [ conf=/path/to/limits.conf ] [ debug ] [ set_all ] [ utmp_early ] [ noaudit ]
```

6.15.1. DESCRIPTION

The

pam_limits PAM module sets limits on the system resources that can be obtained in a user-session. Users of uid=0 are affected by this limits, too.

By default limits are taken from the /etc/security/limits.conf config file. Then individual *.conf files from the /etc/security/limits.d/ directory are read. The files are parsed one after another in the order of "C" locale. The effect of the individual files is the same as if all the files were concatenated together in the order of parsing. If a config file is explicitly specified with a module option then the files in the above directory are not parsed.

By default limits are taken from the /etc/security/limits.conf config file or, if that one is not present, the file %vendordir%/security/limits.conf. Then individual *.conf files from the /etc/security/limits.d/ and %vendordir%/security/limits.d directories are read. If /etc/security/limits.d/@filename@.conf exists, then %vendordir%/security/limits.d/@filename@.conf will not be used.

All limits.d/*.conf files are sorted by their @filename@.conf in lexicographic order regardless of which of the directories they reside in. The effect of the individual files is the same as if all the files were concatenated together in the order of parsing. If a config file is explicitly specified with the config option the files in the above directories are not parsed.

The module must not be called by a multithreaded application.

If Linux PAM is compiled with audit support the module will report when it denies access based on limit of maximum number of concurrent login sessions.

6.15.2. DESCRIPTION

The pam_limits.so module applies ulimit limits, nice priority and number of simultaneous login sessions limit to user login sessions. This description of the configuration file syntax applies to the /etc/security/limits.conf file and *.conf files in the /etc/security/limits.d directory.

The syntax of the lines is as follows:

```
<domain> <type> <item> <value>
```

The fields listed above should be filled as follows:

<domain>

a username

a groupname, with @group syntax. This should not be confused with netgroups.

the wildcard *, for default entry.

the wildcard %, for maxlogins limit only, can also be used with %group syntax. If the % wildcard is used alone it is identical to using * with maxsyslogins limit. With a group specified after % it limits the total number of logins of all users that are member of the group.

an uid range specified as <min_uid>:<max_uid>. If min_uid is omitted, the match is exact for the max_uid. If max_uid is omitted, all uids greater than or equal min_uid match.

a gid range specified as @<min_gid>:<max_gid>. If min_gid is omitted, the match is exact for the max_gid. If max_gid is omitted, all gids greater than or equal min_gid match. For the exact match all groups including the user's supplementary groups are examined. For the range matches only the user's primary group is examined.

a gid specified as %:<gid> applicable to maxlogins limit only. It limits the total number of logins of all users that are member of the group with the specified gid.

<type>

hard

for enforcing hard resource limits. These limits are set by the superuser and enforced by the Kernel. The user cannot raise his requirement of system resources above such values.

soft

for enforcing soft resource limits. These limits are ones that the user can move up or down within the permitted range by any pre-existing hard limits. The values specified with this token can be thought of as default values, for normal system usage.

-

for enforcing both soft and hard resource limits together.

Note, if you specify a type of '-' but neglect to supply the item and value fields then the module will never enforce any limits on the specified user/group etc. .

<item>

core

limits the core file size (KB)

data

maximum data size (KB)

fsize

maximum filesize (KB)

memlock

maximum locked-in-memory address space (KB)

nofile

maximum number of open file descriptors

rss

maximum resident set size (KB) (Ignored in Linux 2.4.30 and higher)

stack

maximum stack size (KB)

cpu

maximum CPU time (minutes)

nproc

maximum number of processes

as

address space limit (KB)

maxlogins

maximum number of logins for this user (this limit does not apply to user with uid=0)

maxsyslogins

maximum number of all logins on system; user is not allowed to log-in if total number of all user logins is greater than specified number (this limit does not apply to user with uid=0)

nonewprivs

value of 0 or 1; if set to 1 disables acquiring new privileges

by

invoking `prctl(PR_SET_NO_NEW_PRIVS)`

priority

the priority to run user process with (negative values boost process priority)

locks

maximum locked files (Linux 2.4 and higher)

sigpending

maximum number of pending signals (Linux 2.6 and higher)

msgqueue

maximum memory used by POSIX message queues (bytes) (Linux 2.6 and higher)

nice

maximum nice priority allowed to raise to (Linux 2.6.12 and higher)
values: [-20,19]

rtprio

maximum realtime priority allowed for non-privileged processes (Linux 2.6.12 and higher)

All items support the values -1, unlimited or infinity indicating no limit, except for priority, nice, and nonewprivs. If `nofile` is to be set to one of these values, it will be set to the contents of `/proc/sys/fs/nr_open` instead (see `setrlimit(3)`).

If a hard limit or soft limit of a resource is set to a valid value, but outside of the supported range of the local system, the system may reject the new limit or unexpected behavior may occur. If the control value required is used, the module will reject the login if a limit could not be set.

In general, individual limits have priority over group limits, so if you impose no limits for admin group, but one of the members in this group have a limits line, the user will have its limits set according to this line.

Also, please note that all limit settings are set per login. They are not global, nor are they permanent; existing only for the duration of the session. One exception is the maxlogin option, this one is system wide. But there is a race, concurrent logins at the same time will not always be detect as such but only counted as one.

In the limits configuration file, the '#' character introduces a comment - after which the rest of the line is ignored.

The pam_limits module does report configuration problems found in its configuration file and errors via syslog(3).

6.15.3. OPTIONS

`conf=/path/to/limits.conf`

Indicate an alternative limits.conf style configuration file to override the default.

`debug`

Print debug information.

`set_all`

Set the limits for which no value is specified in the configuration file to the one from the process with the PID 1. Please note that if the init process is systemd these limits will not be the kernel default limits and this option should not be used.

`utmp_early`

Some broken applications actually allocate a utmp entry for the user before the user is admitted to the system. If some of the services you are configuring PAM for do this, you can selectively use this module argument to compensate for this behavior and at the same time maintain system-wide consistency with a single limits.conf file.

`noaudit`

Do not report exceeded maximum logins count to the audit subsystem.

6.15.4. MODULE TYPES PROVIDED

Only the session module type is provided.

6.15.5. RETURN VALUES

PAM_ABORT

Cannot get current limits.

PAM_IGNORE

No limits found for this user.

PAM_PERM_DENIED

New limits could not be set.

PAM_SERVICE_ERR

Cannot read config file.

PAM_SESSION_ERR

Error recovering account name.

PAM_SUCCESS

Limits were changed.

PAM_USER_UNKNOWN

The user is not known to the system.

6.15.6. FILES

`/etc/security/limits.conf`

Default configuration file

`%vendordir%/security/limits.conf`

Default configuration file if `/etc/security/limits.conf` does not exist.

6.15.7. EXAMPLES

These are some example lines which might be specified in `/etc/security/limits.conf`.

```

*      soft  core      0
*      hard  nofile    512
@student  hard  nproc    20
@faculty  soft  nproc    20
@faculty  hard  nproc    50
ftp       hard  nproc    0
@student  -    maxlogins  4
@student  -    nonewprivs  1
:123     hard  cpu
        5000
@500:    soft  cpu      10000
600:700  hard  locks    10

```

6.15.8. AUTHORS

pam_limits was initially written by Cristian Gafton <gafton@redhat.com>

6.16. pam_listfile - deny or allow services based on an arbitrary file

```

pam_listfile.so item=[tty|user|rhost|ruser|group|shell] sense=[allow|deny] file
=/path/filename onerr=[succeed|fail] [ apply=[user|@group] ] [ quiet ]

```

6.16.1. DESCRIPTION

pam_listfile is a PAM module which provides a way to deny or allow services based on an arbitrary file.

The module gets the item of the type specified -- user specifies the username, PAM_USER; tty specifies the name of the terminal over which the request has been made, PAM_TTY; rhost specifies the name of the remote host (if any) from which the request was made, PAM_RHOST; and ruser specifies the name of the remote user (if available) who made the request, PAM_RUSER -- and looks for an instance of that item in the file=filename. filename contains one line per item

listed. If the item is found, then if sense=allow, PAM_SUCCESS is returned, causing the authorization request to succeed; else if sense=deny, PAM_AUTH_ERR is returned, causing the authorization request to fail.

If an error is encountered (for instance, if filename does not exist, or a poorly-constructed argument is encountered), then if onerr=succeed, PAM_SUCCESS is returned, otherwise if onerr=fail, PAM_AUTH_ERR or PAM_SERVICE_ERR (as appropriate) will be returned.

An additional argument, apply=, can be used to restrict the application of the above to a specific user (apply=username) or a given group (apply=@groupname). This added restriction is only meaningful when used with the tty, rhost and shell items.

Besides this last one, all arguments should be specified; do not count on any default behavior.

No credentials are awarded by this module.

6.16.2. OPTIONS

item=[tty|user|rhost|ruser|group|shell]

What is listed in the file and should be checked for.

sense=[allow|deny]

Action to take if found in file, if the item is NOT found in the file, then the opposite action is requested.

file=/path/filename

File containing one item per line. The file needs to be a plain file and not world writable.

onerr=[succeed|fail]

What to do if something weird happens like being unable to open the file.

apply=[user|@group]

Restrict the user class for which the restriction apply. Note that with item=[user|ruser|group] this does not make sense, but for item=[tty|rhost|shell] it have a meaning.

quiet

Do not treat service refusals or missing list files as errors that need to be logged.

6.16.3. MODULE TYPES PROVIDED

All module types (auth, account, password and session) are provided.

6.16.4. RETURN VALUES

PAM_AUTH_ERR

Authentication failure.

PAM_BUF_ERR

Memory buffer error.

PAM_IGNORE

The rule does not apply to the apply option.

PAM_SERVICE_ERR

Error in service module.

PAM_SUCCESS

Success.

6.16.5.

EXAMPLES

Classic 'ftusers' authentication can be implemented with this entry in `/etc/pam.d/ftpd`:

```
#
# deny ftp-access to users listed in the /etc/ftusers file
#
auth required pam_listfile.so \
    onerr=succeed item=user sense=deny file=/etc/ftusers
```

Note, users listed in `/etc/ftusers` file are (counterintuitively) not allowed access to the ftp service.

To allow login access only for certain users, you can use a `/etc/pam.d/login` entry like this:

```
#
# permit login to users listed in /etc/loginusers
#
auth required pam_listfile.so \
    onerr=fail item=user sense=allow file=/etc/loginusers
```

For this example to work, all users who are allowed to use the login service should be listed in the file `/etc/loginusers`. Unless you are explicitly trying to lock out root, make sure that when you do this, you leave a way for root to log in, either by listing root in `/etc/loginusers`, or by listing a user who is able to su to the root account.

6.16.6. AUTHOR

pam_listfile

was written by Michael K. Johnson <johnsonm@redhat.com> and Elliot Lee <sopwith@cuc.edu>.

6.17. pam_localuser - require users to be listed in /etc/passwd

pam_localuser.so [debug] [file=/path/passwd]

6.17.1. DESCRIPTION

pam_localuser is a PAM module to help implementing site-wide login policies, where they typically include a subset of the network's users and a few accounts that are local to a particular workstation. Using pam_localuser and pam_wheel or pam_listfile is an effective way to restrict access to either local users and/or a subset of the network's users.

This could also be implemented using pam_listfile.so and a very short awk script invoked by cron, but it's common enough to have been separated out.

6.17.2. OPTIONS

debug

Print debug information.

file=/path/passwd

Use a file other than /etc/passwd.

6.17.3. MODULE TYPES PROVIDED

All module types (account, auth, password and session) are provided.

6.17.4. RETURN VALUES

PAM_SUCCESS

The new localuser was set successfully.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the

username.

PAM_INCOMPLETE

The conversation method supplied by the application returned PAM_CONV_AGAIN.

PAM_SERVICE_ERR

The user name is not valid or the passwd file is unavailable.

PAM_PERM_DENIED

The user is not listed in the passwd file.

6.17.5. EXAMPLES

Add the following lines to /etc/pam.d/su to allow only local users or group wheel to use su.

```
account sufficient pam_localuser.so
account required pam_wheel.so
```

6.17.6. AUTHOR

pam_localuser was written by Nalin Dahyabhai <nalin@redhat.com>.

6.18. pam_loginuid - record user's login uid to the process attribute

```
pam_loginuid.so [ require_auditd ]
```

6.18.1. DESCRIPTION

The pam_loginuid module sets the loginuid process attribute for the process that was authenticated. This is necessary for applications to be correctly audited. This PAM module should only be used for entry point applications like: login, sshd, gdm, vsftpd, crond and atd. There are probably other entry point applications besides these. You should not use it for applications like sudo or su as that defeats the purpose by changing the loginuid to the account they just switched to.

6.18.2. OPTIONS

```
require_auditd
```

This option, when given, will cause this module to query the audit daemon

status and deny logins if it is not running.

6.18.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.18.4. RETURN VALUES

PAM_SUCCESS

The loginuid value is set and auditd is running if check requested.

PAM_IGNORE

The /proc/self/loginuid file is not present on the system or the login process runs inside uid namespace and kernel does not support overwriting loginuid.

PAM_SESSION_ERR

Any other error prevented setting loginuid or auditd is not running.

6.18.5. EXAMPLES

```
##PAM-1.0
auth    required pam_unix.so
auth    required
        pam_nologin.so
account required pam_unix.so
password required pam_unix.so
session required pam_unix.so
session required pam_loginuid.so
```

6.18.6. AUTHOR

pam_loginuid was written by Steve Grubb <sgrubb@redhat.com>

6.19. pam_mail - inform about available mail

```
pam_mail.so [ close ] [ debug ] [ dir=maildir ] [ empty ] [ hash=count ] [
noenv ] [ nopen ] [ quiet ] [ standard ]
```

6.19.1. DESCRIPTION

The pam_mail PAM module provides the "you have new mail" service to the user. It can be plugged into any application that has credential or session hooks. It gives a single message indicating the newness of any mail it finds in the

user's mail folder. This module also sets the PAM environment variable, MAIL, to the user's mail directory.

If the mail spool file (be it /var/mail/\$USER or a pathname given with the dir= parameter) is a directory then pam_mail assumes it is in the Maildir format.

6.19.2. OPTIONS

close

Indicate if the user has any mail also on logout.

debug

Print debug information.

dir=maildir

Look for the user's mail in an alternative location defined by maildir/<login>. The default location for mail is /var/mail/<login>. Note, if the supplied maildir is prefixed by a '~', the directory is interpreted as indicating a file in the user's home directory.

empty

Also print message if user has no mail.

hash=count

Mail directory hash depth. For example, a hashcount of 2 would make the mail file be /var/spool/mail/u/s/user.

noenv

Do not set the MAIL environment variable.

nopen

Don't print any mail information on login. This flag is useful to get the MAIL environment variable set, but to not display any information about it.

quiet

Only report when there is new mail.

standard

Old style "You have..." format which doesn't show the mail spool being used. This also implies "empty".

6.19.3. MODULE TYPES PROVIDED

The session and auth (on establishment and deletion of credentials) module types are provided.

6.19.4. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_SERVICE_ERR

Badly formed arguments.

PAM_SUCCESS

Success.

PAM_USER_UNKNOWN

User not known.

6.19.5. EXAMPLES

Add the following line to /etc/pam.d/login to indicate that the user has new mail when they login to the system.

```
session optional pam_mail.so standard
```

6.19.6. AUTHOR

pam_mail was written by Andrew G. Morgan <morgan@kernel.org>.

6.20. pam_mkhome - create users home directory

```
pam_mkhome.so [ silent ] [ debug ] [ umask=mode ] [ skel=skeldir ]
```

6.20.1. DESCRIPTION

The pam_mkhome PAM module will create a users home directory if it does not exist when the session begins. This allows users to be present in central database (such as NIS, kerberos or LDAP) without using a distributed file

system or pre-creating a large number of directories. The skeleton directory (usually /etc/skel/) is used to copy default files and also sets a umask for the creation.

The new users home directory will not be removed after logout of the user.

6.20.2. OPTIONS

silent

Don't print informative messages.

debug

Turns on debugging via syslog(3).

umask=mask

The file mode creation mask is set to mask. The default value of mask is 0022. If this option is not specified, then the permissions of created user home directory is set to the value of HOME_MODE configuration item from /etc/login.defs. If there is no such configuration item then the value is computed from the value of UMASK in the same file. If there is no such configuration option either the default value of 0755 is used for the mode.

skel=/path/to/skel/directory

Indicate an alternative skel directory to override the default /etc/skel.

6.20.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.20.4. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_PERM_DENIED

Not enough permissions to create the new directory or read the skel directory.

PAM_USER_UNKNOWN

User not known to the underlying authentication module.

PAM_SUCCESS

Environment variables were set.

6.20.5. EXAMPLES

A sample `/etc/pam.d/login` file:

```
auth    requisite pam_securetty.so
auth    sufficient pam_ldap.so
auth    required pam_unix.so
auth    required pam_nologin.so
account sufficient pam_ldap.so
account required pam_unix.so
password required pam_unix.so
session required pam_mkhomedir.so skel=/etc/skel/ umask=0022
session required pam_unix.so
session optional pam_lastlog.so
session optional pam_mail.so standard
```

6.20.6. AUTHOR

`pam_mkhomedir` was written by Jason Gunthorpe <jgg@debian.org>.

6.21. pam_motd - display the motd file

```
pam_motd.so [ motd=/path/filename ] [ motd_dir=/path/dirname.d ]
```

6.21.1. DESCRIPTION

`pam_motd` is a PAM module that can be used to display arbitrary motd (message of the day) files after a successful login.

By default, `pam_motd` shows files in the following locations:

```
/etc/motd
/run/motd
/usr/lib/motd
/etc/motd.d/
/run/motd.d/
/usr/lib/motd.d/
```

Each message size is limited to 64KB.

If `/etc/motd` does not exist, then `/run/motd` is shown. If `/run/motd` does not

exist, then `/usr/lib/motd` is shown.

Similar overriding behavior applies to the directories. Files in `/etc/motd.d/` override files with the same name in `/run/motd.d/` and `/usr/lib/motd.d/`. Files in `/run/motd.d/` override files with the same name in `/usr/lib/motd.d/`.

Files in the directories listed above are displayed in lexicographic order by name. Moreover, the files are filtered by reading them with the credentials of the target user authenticating on the system.

To silence a message, a symbolic link with target `/dev/null` may be placed in `/etc/motd.d` with the same filename as the message to be silenced. Example: Creating a symbolic link as follows silences `/usr/lib/motd.d/my_motd`.

```
ln -s /dev/null /etc/motd.d/my_motd
```

The `MOTD_SHOWN=pam` environment variable is set after showing the motd files, even when all of them were silenced using symbolic links.

6.21.2. OPTIONS

`motd=/path/filename`

The `/path/filename` file is displayed as message of the day. Multiple paths to try can be specified as a colon-separated list. By default this option is set to `/etc/motd:/run/motd:/usr/lib/motd`.

`motd_dir=/path/dirname.d`

The `/path/dirname.d` directory is scanned and each file contained inside of it is displayed. Multiple directories to scan can be specified as a colon-separated list. By default this option is set to `/etc/motd.d:/run/motd.d:/usr/lib/motd.d`.

When no options are given, the default behavior applies for both options. Specifying either option (or both) will disable the default behavior for both options.

6.21.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.21.4. RETURN VALUES

`PAM_ABORT`

Not all relevant data or options could be obtained.

PAM_BUF_ERR

Memory
buffer error.

PAM_IGNORE

This is the default return value of this module.

6.21.5. EXAMPLES

The suggested usage for /etc/pam.d/login is:

```
session optional pam_motd.so
```

To use a motd file from a different location:

```
session optional pam_motd.so motd=/elsewhere/motd
```

To use a motd file from elsewhere, along with a corresponding .d directory:

```
session optional pam_motd.so motd=/elsewhere/motd motd_dir=/elsewhere/motd.d
```

6.21.6. AUTHOR

pam_motd was written by Ben Collins <bcollins@debian.org>.

The motd_dir= option was added by Allison Karlitskaya
<allison.karlitskaya@redhat.com>.

6.22. pam_namespace - setup a private namespace

```
pam_namespace.so [ debug ] [ unmnt_remnt ] [ unmnt_only ] [ require_selinux ] [
gen_hash ] [ ignore_config_error ] [ ignore_instance_parent_mode ] [
unmount_on_close ] [ use_current_context ] [ use_default_context ] [
mount_private ]
```

6.22.1. DESCRIPTION

The pam_namespace PAM module sets up a private namespace for a session with
polyinstantiated

directories. A polyinstantiated directory provides a different
instance of itself based on user name, or when using SELinux, user name,
security context or both. If an executable script /etc/security/namespace.init

exists, it is used to initialize the instance directory after it is set up and mounted on the polyinstantiated directory. The script receives the polyinstantiated directory path, the instance directory path, flag whether the instance directory was newly created (0 for no, 1 for yes), and the user name as its arguments.

If `/etc/security/namespace.init` does not exist, `%vendordir%/security/namespace.init` is the alternative to be used for it.

The `pam_namespace` module disassociates the session namespace from the parent namespace. Any mounts/unmounts performed in the parent namespace, such as mounting of devices, are not reflected in the session namespace. To propagate selected mount/unmount events from the parent namespace into the disassociated session namespace, an administrator may use the special `shared-subtree` feature.

For additional information on `shared-subtree` feature, please refer to the `mount(8)` man page and the `shared-subtree` description at <http://lwn.net/Articles/159077> and <http://lwn.net/Articles/159092>.

6.22.2. DESCRIPTION

The `pam_namespace.so` module allows setup of private namespaces with polyinstantiated directories. Directories can be polyinstantiated based on user name or, in the case of SELinux, user name, sensitivity level or complete security context. If an executable script `/etc/security/namespace.init` exists, it is used to initialize the namespace every time an instance directory is set up and mounted. The script receives the polyinstantiated directory path and the instance directory path as its arguments.

The `/etc/security/namespace.conf` file specifies which directories are polyinstantiated, how they are polyinstantiated, how instance directories would be named, and any users for whom polyinstantiation would not be performed.

The `/etc/security/namespace.conf` file (or `%vendordir%/security/namespace.conf` if it does not exist) specifies which directories are polyinstantiated, how they are polyinstantiated, how instance directories would be named, and any users for whom polyinstantiation would not be performed. Then individual `*.conf` files from the `/etc/security/namespace.d/` and `%vendordir%/security/namespace.d` directories are taken too. If `/etc/security/namespace.d/@filename@.conf` exists, then `%vendordir%/security/namespace.d/@filename@.conf` will not be used. All `namespace.d/*.conf` files are sorted by their `@filename@.conf` in lexicographic order regardless of which of the directories they reside in.

When someone logs in, the file `namespace.conf` is scanned. Comments are marked by `#` characters. Each non comment line represents one polyinstantiated directory. The fields are separated by spaces but can be quoted by `"` characters also escape sequences `\b`, `\n`, and `\t` are recognized. The fields are as follows:

polydir
instance_prefix method list_of_uids

The first field, polydir, is the absolute pathname of the directory to polyinstantiate. The special string \$HOME is replaced with the user's home directory, and \$USER with the username. This field cannot be blank.

The second field, instance_prefix is the string prefix used to build the pathname for the instantiation of <polydir>. Depending on the polyinstantiation method it is then appended with "instance differentiation string" to generate the final instance directory path. This directory is created if it did not exist already, and is then bind mounted on the <polydir> to provide an instance of <polydir> based on the <method> column. The special string \$HOME is replaced with the user's home directory, and \$USER with the username. This field cannot be blank.

The third field, method, is the method used for polyinstantiation. It can take these values; "user" for polyinstantiation based on user name, "level" for polyinstantiation based on process MLS level and user name, "context" for polyinstantiation based on process security context and user name, "tmpfs" for mounting tmpfs filesystem as an instance dir, and "tmpdir" for creating temporary directory as an instance dir which is removed when the user's session is closed. Methods "context" and "level" are only available with SELinux. This field cannot be blank.

The fourth field, list_of_uids, is a comma separated list of user names for whom the polyinstantiation is not performed. If left blank, polyinstantiation will be performed for all users. If the list is preceded with a single "~" character, polyinstantiation is performed only for users in the list.

The method field can contain also following optional flags separated by : characters.

create=mode,owner,group - create the polyinstantiated directory. The mode, owner and group parameters are optional. The default for mode is determined by umask, the default owner is the user whose session is opened, the default group is the primary group of the user.

iscript=path - path to the instance directory init script. The base directory for relative paths is /etc/security/namespace.d.

noinit - instance directory init script will not be executed.

shared - the instance directories for "context" and "level" methods will not contain the user name and will be shared among all users.

mntopts=value - value of this flag is passed to the mount call when the tmpfs mount is done. It allows for example the specification of the maximum size of the tmpfs instance that is created by the mount call. In addition to options specified in the tmpfs(5) manual the nosuid, noexec, and nodev flags can be used to respectively disable setuid bit effect, disable running executables, and disable devices to be interpreted on the mounted tmpfs filesystem.

The directory where polyinstantiated instances are to be created, must exist and must have, by default, the mode of 0000. The requirement that the instance parent be of mode 0000 can be overridden with the command line option `ignore_instance_parent_mode`

In case of context or level polyinstantiation the SELinux context which is used for polyinstantiation is the context used for executing a new process as obtained by `getexeccon`. This context must be set by the calling application or `pam_selinux.so` module. If this context is not set the polyinstantiation will be based just on user name.

The "instance differentiation string" is `<user name>` for "user" method and `<user name>_<raw directory context>` for "context" and "level" methods. If the whole string is too long the end of it is replaced with md5sum of itself. Also when command line option `gen_hash` is used the whole string is replaced with md5sum of itself.

6.22.3. OPTIONS

`debug`

A lot of debug information is logged using syslog

`unmnt_remnt`

For programs such as `su` and `newrole`, the login session has already setup a polyinstantiated namespace. For these programs, polyinstantiation is performed based on new user id or security context, however the command first needs to undo the polyinstantiation performed by login. This argument instructs the command to first undo previous polyinstantiation before proceeding with new polyinstantiation based on new id/context

`unmnt_only`

For trusted programs that want to undo any existing bind mounts and process instance directories on their own, this argument allows them to unmount currently mounted instance directories

require_selinux

If selinux is not enabled, return failure

gen_hash

Instead of using the security context string for the instance name, generate and use its md5 hash.

ignore_config_error

If a line in the configuration file corresponding to a polyinstantiated directory contains format error, skip that line process the next line. Without this option, pam will return an error to the calling program resulting in termination of the session.

ignore_instance_parent_mode

Instance

parent directories by default are expected to have the restrictive mode of 000. Using this option, an administrator can choose to ignore the mode of the instance parent. This option should be used with caution as it will reduce security and isolation goals of the polyinstantiation mechanism.

unmount_on_close

Explicitly unmount the polyinstantiated directories instead of relying on automatic namespace destruction after the last process in a namespace exits. This option should be used only in case it is ensured by other means that there cannot be any processes running in the private namespace left after the session close. It is also useful only in case there are multiple pam session calls in sequence from the same process.

use_current_context

Useful for services which do not change the SELinux context with setexeccon call. The module will use the current SELinux context of the calling process for the level and context polyinstantiation.

use_default_context

Useful for services which do not use pam_selinux for changing the SELinux context with setexeccon call. The module will use the default SELinux context of the user for the level and context polyinstantiation.

mount_private

This option can be used on systems where the / mount point or its submounts are made shared (for example with a mount --make-rshared / command). The module will mark the whole directory tree so any mount and unmount operations in the polyinstantiation namespace are private. Normally the pam_namespace will try to detect the shared / mount point and make the polyinstantiated directories private automatically. This option has to be used just when only a subtree is shared and / is not.

Note that mounts and unmounts done in the private namespace will not affect the parent namespace if this option is used or when the shared / mount point is autodetected.

6.22.4. MODULE TYPES PROVIDED

Only

the session module type is provided. The module must not be called from multithreaded processes.

6.22.5. RETURN VALUES

PAM_SUCCESS

Namespace setup was successful.

PAM_SERVICE_ERR

Unexpected system error occurred while setting up namespace.

PAM_SESSION_ERR

Unexpected namespace configuration error occurred.

6.22.6. FILES

/etc/security/namespace.conf

Main configuration file

%vendordir%/security/namespace.conf

Default configuration file if /etc/security/namespace.conf does not exist.

/etc/security/namespace.d

Directory for additional configuration files

%vendordir%/security/namespace.d

Directory for additional vendor specific configuration files.

```
/etc/security/namespace.init
```

Init script for instance directories

```
%vendordir%/security/namespace.init
```

Vendor init script for instance directories if /etc/security/namespace.init does not exist.

6.22.7. EXAMPLES

These are some example lines which might be specified in /etc/security/namespace.conf.

```
# The following three lines will polyinstantiate /tmp,  
# /var/tmp and user's home directories. /tmp and /var/tmp  
# will be polyinstantiated based on the security level  
# as well as user name, whereas home directory will be  
# polyinstantiated based on the full security context and user name.  
# Polyinstantiation will not be performed for user root  
# and adm for directories /tmp and /var/tmp, whereas home  
# directories will be polyinstantiated for all users.  
#  
# Note that instance directories do not have to reside inside  
# the polyinstantiated directory. In the examples below,  
# instances of /tmp will be created in /tmp-inst directory,  
# where as instances of /var/tmp and users home directories  
# will reside within the directories that are being  
# polyinstantiated.  
#  
/tmp /tmp-inst/          level root,adm  
/var/tmp /var/tmp/tmp-inst/ level root,adm  
$HOME $HOME/$USER.inst/inst- context
```

For the <service>s you need polyinstantiation (login for example) put the following line in /etc/pam.d/<service> as the last line for session group:

```
session required pam_namespace.so [arguments]
```

This module also depends on pam_selinux.so setting the context.

6.22.8. AUTHORS

The namespace setup scheme was designed by Stephen Smalley, Janak Desai and

Chad Sellers. The pam_namespace PAM module was developed by Janak Desai <janak@us.ibm.com>, Chad Sellers <csellers@tresys.com> and Steve Grubb <sgrubb@redhat.com>. Additional improvements by Xavier Toth <txtoth@gmail.com> and Tomas Mraz <tmraz@redhat.com>.

6.23. pam_nologin - prevent non-root users from login

```
pam_nologin.so [ file=/path/nologin ] [ successok ]
```

6.23.1. DESCRIPTION

pam_nologin is a PAM module that prevents users from logging into the system when /var/run/nologin or /etc/nologin exists. The contents of the file are displayed to the user. The pam_nologin module has no effect on the root user's ability to log in.

6.23.2. OPTIONS

file=/path/nologin

Use this file instead the default /var/run/nologin or /etc/nologin.

successok

Return PAM_SUCCESS if no file exists, the default is PAM_IGNORE.

6.23.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.23.4. RETURN VALUES

PAM_AUTH_ERR

The user is not root and /etc/nologin exists, so the user is not permitted to log in.

PAM_BUF_ERR

Memory buffer error.

PAM_IGNORE

This is the default return value.

PAM_SUCCESS

Success: either the user is root or the nologin file does not exist.

PAM_USER_UNKNOWN

User not known to the underlying authentication module.

6.23.5. EXAMPLES

The suggested usage for /etc/pam.d/login is:

```
auth required pam_nologin.so
```

6.23.6. AUTHOR

pam_nologin was written by Michael K. Johnson <johnsonm@redhat.com>.

6.24. pam_permit - the promiscuous module

pam_permit.so

6.24.1. DESCRIPTION

pam_permit is a PAM module that always permit access. It does nothing else.

In the case of authentication, the user's name will be set to nobody if the application didn't set one. Many applications and PAM modules become confused if this name is unknown.

This module is very dangerous. It should be used with extreme caution.

6.24.2. OPTIONS

This module does not recognise any options.

6.24.3. MODULE TYPES PROVIDED

The auth, account, password and session module types are provided.

6.24.4. RETURN VALUES

PAM_SUCCESS

This module always returns this value.

6.24.5. EXAMPLES

Add this line to your other login entries to disable account management, but continue to permit users to log in.

```
account required pam_permit.so
```

6.24.6. AUTHOR

pam_permit was written by Andrew G. Morgan, <morgan@kernel.org>.

6.25. pam_pwhistory - grant access using .pwhistory file

```
pam_pwhistory.so [ debug ] [ use_authtok ] [ enforce_for_root ] [ remember=N ]  
[ retry=N ] [ authtok_type=STRING ] [ file=/path/filename ] [ conf=/path/to/  
config-file  
]
```

6.25.1. DESCRIPTION

This module saves the last passwords for each user in order to force password change history and keep the user from alternating between the same password too frequently.

This module does not work together with kerberos. In general, it does not make much sense to use this module in conjunction with NIS or LDAP, since the old passwords are stored on the local machine and are not available on another machine for password history checking.

6.25.2. OPTIONS

debug

Turns on debugging via syslog(3).

use_authtok

When password changing enforce the module to use the new password provided by a previously stacked password module (this is used in the example of the stacking of the pam_passwdqc module documented below).

enforce_for_root

If this option is set, the check is enforced for root, too.

remember=N

The last N passwords for each user are saved. The default is 10. Value of 0 makes the module to keep the existing contents

of the `opasswd` file
unchanged.

`retry=N`

Prompt user at most `N` times before returning with error. The default is 1.

`authtok_type=STRING`

See `pam_get_authtok(3)` for more details.

`file=/path/filename`

Store password history in file `/path/filename` rather than the default location. The default location is `/etc/security/opasswd`.

`conf=/path/to/config-file`

Use another configuration file instead of the default `/etc/security/pwhistory.conf`.

The options for configuring the module behavior are described in the `pwhistory.conf(5)` manual page. The options specified on the module command line override the values from the configuration file.

6.25.3. MODULE TYPES PROVIDED

Only the password module type is provided.

6.25.4. RETURN VALUES

PAM_AUTHTOK_ERR

No new password was entered, the user aborted password change or new password couldn't be set.

PAM_IGNORE

Password history was disabled.

PAM_MAXTRIES

Password was rejected too often.

PAM_USER_UNKNOWN

User is not known to system.

6.25.5. FILES

/etc/security/opasswd

Default file with password history

/etc/security/pwhistory.conf

Config file for pam_pwhistory options

%vendordir%/security/pwhistory.conf

Config file for pam_pwhistory options. It will be used if /etc/security/pwhistory.conf does not exist.

6.25.6. EXAMPLES

An example password section would be:

```
##PAM-1.0
password required pam_pwhistory.so
password required pam_unix.so use_authok
```

In combination with pam_passwdqc:

```
##PAM-1.0
password required pam_passwdqc.so config=/etc/passwdqc.conf
password required pam_pwhistory.so use_authok
password required pam_unix.so use_authok
```

6.25.7. AUTHOR

pam_pwhistory was written by Thorsten Kukuk <kukuk@thkukuk.de>

6.26. pam_rhosts - grant access using .rhosts file

pam_rhosts.so

6.26.1. DESCRIPTION

This module performs the standard network authentication for services, as used by traditional implementations of rlogin and rsh etc.

The authentication mechanism of this module is based on the contents of two files; /etc/hosts.equiv (or and ~/.rhosts. Firstly, hosts listed in the former

file are treated as equivalent to the localhost. Secondly, entries in the user's own copy of the latter file is used to map "remote-host remote-user" pairs to that user's account on the current host. Access is granted to the user if their host is present in /etc/hosts.equiv and their remote account is identical to their local one, or if their remote account has an entry in their personal configuration file.

The module authenticates a remote user (internally specified by the item PAM_RUSER connecting from the remote host (internally specified by the item PAM_RHOST). Accordingly, for applications to be compatible this authentication module they must set these items prior to calling pam_authenticate(). The module is not capable of independently probing the network connection for such information.

6.26.2. OPTIONS

debug

Print debug information.

silent

Don't print informative messages.

superuser=account

Handle account as root.

6.26.3. MODULE TYPES PROVIDED

Only the auth module type is provided.

6.26.4. RETURN VALUES

PAM_AUTH_ERR

The remote host, remote user name or the local user name couldn't be determined or access was denied by .rhosts file.

PAM_USER_UNKNOWN

User is not known to system.

6.26.5. EXAMPLES

To grant a remote user access by /etc/hosts.equiv or .rhosts for rsh add the following lines to /etc/pam.d/rsh:

```
##PAM-1.0
#
auth required pam_rhosts.so
auth required pam_nologin.so
auth required pam_env.so
auth required pam_unix.so
```

6.26.6. AUTHOR

pam_rhosts was written by Thorsten Kukuk <kukuk@thkukuk.de>

6.27. pam_rootok - gain only root access

pam_rootok.so [debug]

6.27.1. DESCRIPTION

pam_rootok is a PAM module that authenticates the user if their UID is 0.

Applications

that are created setuid-root generally retain the UID of the user but run with the authority of an enhanced effective-UID. It is the real UID that is checked.

6.27.2. OPTIONS

debug

Print debug information.

6.27.3. MODULE TYPES PROVIDED

The auth, account and password module types are provided.

6.27.4. RETURN VALUES

PAM_SUCCESS

The UID is 0.

PAM_AUTH_ERR

The UID is not 0.

6.27.5. EXAMPLES

In the case of the su(1) application the historical usage is to permit the

superuser to adopt the identity of a lesser user without the use of a password. To obtain this behavior with PAM the following pair of lines are needed for the corresponding entry in the `/etc/pam.d/su` configuration file:

```
# su authentication. Root is granted access by default.
auth sufficient pam_rootok.so
auth required pam_unix.so
```

6.27.6. AUTHOR

`pam_rootok` was written by Andrew G. Morgan, <morgan@kernel.org>.

6.28. `pam_securetty` - limit root login to special devices

```
pam_securetty.so [ debug
]
```

6.28.1. DESCRIPTION

`pam_securetty` is a PAM module that allows root logins only if the user is logging in on a "secure" tty, as defined by the listing in the `securetty` file. `pam_securetty` checks at first, if `/etc/securetty` exists. If not and it was built with `vendordir` support, it will use `%vendordir%/securetty`. `pam_securetty` also checks that the `securetty` files are plain files and not world writable. It will also allow root logins on the tty specified with `console=` switch on the kernel command line and on ttys from the `/sys/class/tty/console/active`.

This module has no effect on non-root users and requires that the application fills in the `PAM_TTY` item correctly.

For canonical usage, should be listed as a required authentication method before any sufficient authentication methods.

6.28.2. OPTIONS

`debug`

Print debug information.

`noconsole`

Do not automatically allow root logins on the kernel console device, as specified on the kernel command line or by the `sys` file, if it is not also specified in the `securetty` file.

6.28.3. MODULE TYPES PROVIDED

Only the auth module type is provided.

6.28.4. RETURN VALUES

PAM_SUCCESS

The user is allowed to continue authentication. Either the user is not root, or the root user is trying to log in on an acceptable device.

PAM_AUTH_ERR

Authentication is rejected. Either root is attempting to log in via an unacceptable device, or the securetty file is world writable or not a normal file.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the username.

PAM_INCOMPLETE

The conversation method supplied by the application returned PAM_CONV_AGAIN.

PAM_SERVICE_ERR

An error occurred while the module was determining the user's name or tty, or the module could not open the securetty file.

PAM_USER_UNKNOWN

The module could not find the user name in the /etc/passwd file to verify whether the user had a UID of 0. Therefore, the results of running this module are ignored.

6.28.5. EXAMPLES

```
auth required pam_securetty.so
```

```
auth required pam_unix.so
```

6.28.6. AUTHOR

pam_securetty was written by Elliot Lee <sopwith@cuc.edu>.

6.29. pam_selinux - set the default security context

```
pam_selinux.so [ open ] [ close ] [ restore ] [ nottys ] [ debug ] [ verbose ]  
[ select_context ] [ env_params ] [ use_current_range ]
```

6.29.1. DESCRIPTION

pam_selinux is a PAM module that sets up the default SELinux security context for the next executed process.

When a new session is started, the `open_session` part of the module computes and sets up the execution security context used for the next `execve(2)` call, the file security context for the controlling terminal, and the security context used for creating a new kernel keyring.

When the session is ended, the `close_session` part of the module restores old security contexts that were in effect before the change made by the `open_session` part of the module.

Adding `pam_selinux` into the PAM stack might disrupt behavior of other PAM modules which execute applications. To avoid that, `pam_selinux.so open` should be placed after such modules in the PAM stack, and `pam_selinux.so close` should be placed before them. When such a placement is not feasible, `pam_selinux.so restore` could be used to temporarily restore original security contexts.

6.29.2. OPTIONS

`open`

Only execute the `open_session` part of the module.

`close`

Only execute the `close_session` part of the module.

`restore`

In `open_session` part of the module, temporarily restore the security contexts as they were before the previous call of the module. Another call of this module without the `restore` option will set up the new security contexts again.

`nottys`

Do not setup security context of the controlling terminal.

debug

Turn on debug messages via syslog(3).

verbose

Attempt to inform the user when security context is set.

select_context

Attempt to ask the user for a custom security context role. If MLS is on, ask also for sensitivity level.

env_params

Attempt to obtain a custom security context role from PAM environment. If MLS is on, obtain also sensitivity level. This option and the select_context option are mutually exclusive. The respective PAM environment variables are SELINUX_ROLE_REQUESTED, SELINUX_LEVEL_REQUESTED, and SELINUX_USE_CURRENT_RANGE. The first two variables are self describing and the last one if set to 1 makes the PAM module behave as if the use_current_range was specified on the command line of the module.

use_current_range

Use the sensitivity level of the current process for the user context instead of the default level. Also suppresses asking of the sensitivity level from the user or obtaining it from PAM environment.

6.29.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.29.4. RETURN VALUES

PAM_SUCCESS

The security context was set successfully.

PAM_SESSION_ERR

Unable to get or set a valid context.

PAM_USER_UNKNOWN

The user is not known to the system.

PAM_BUF_ERR

Memory allocation error.

6.29.5. EXAMPLES

```
auth    required pam_unix.so
session required pam_permit.so
session optional pam_selinux.so
```

6.29.6. AUTHOR

pam_selinux was written by Dan Walsh <dwalsh@redhat.com>.

6.30. pam_sepermit - allow/reject access based on SELinux mode

```
pam_sepermit.so [ debug ] [ conf=/path/to/config/file ]
```

6.30.1. DESCRIPTION

The pam_sepermit module allows or denies login depending on SELinux enforcement state.

When the user which is logging in matches an entry in the config file he is allowed access only when the SELinux is in enforcing mode. Otherwise he is denied access. For users not matching any entry in the config file the pam_sepermit module returns PAM_IGNORE return value.

The config file contains a list of user names one per line with optional arguments. If the name is prefixed with @ character it means that all users in the group name match. If it is prefixed with a % character the SELinux user is used to match against the name instead of the account name. Note that when SELinux is disabled the SELinux user assigned to the account cannot be determined. This means that such entries are never matched when SELinux is disabled and pam_sepermit will return PAM_IGNORE.

See sepermit.conf(5) for details.

If there is no explicitly specified configuration file and /etc/security/sepermit.conf does not exist, %vendordir%/security/sepermit.conf is used.

6.30.2. OPTIONS

debug

Turns on debugging via syslog(3).

conf=/path/to/config/file

Path to alternative config file overriding the default.

6.30.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.30.4. RETURN VALUES

PAM_AUTH_ERR

SELinux is disabled or in the permissive mode and the user matches.

PAM_SUCCESS

SELinux is in the enforcing mode and the user matches.

PAM_IGNORE

The user does not match any entry in the config file.

PAM_USER_UNKNOWN

The module was unable to determine the user's name.

PAM_SERVICE_ERR

Error during reading or parsing the config file.

6.30.5. FILES

/etc/security/sepermit.conf

Default configuration file

6.30.6. EXAMPLES

```
auth [success=done ignore=ignore default=bad] pam_sepermit.so
```

```
auth required pam_unix.so
```

```
account required pam_unix.so
```

```
session required pam_permit.so
```

6.30.7. AUTHOR

pam_sepermit and this manual page were written by Tomas Mraz
<tmraz@redhat.com>.

6.31. pam_setquota - set or modify disk quotas on session start

```
pam_setquota.so [ fs=/home ] [ overwrite=0 ] [ debug=0 ] [ startuid=1000 ] [
enduid=0 ] [ bsoftlimit=19000 ] [ bhardlimit=20000 ] [ isoftlimit=3000 ] [
ihardlimit=4000 ]
```

6.31.1. DESCRIPTION

pam_setquota is a PAM module to set or modify a disk quota at session start

This makes quotas usable with central user databases, such as MySQL or LDAP.

6.31.2. OPTIONS

fs=/home

The device file or mountpoint the policy applies to. Defaults to the filesystem containing the users home directory.

overwrite=0

Overwrite an existing quota. Note: Enabling this will remove the ability for the admin to manually configure different quotas for users for a filesystem with edquota(8). (Defaults to 0)

debug=0

Enable debugging. A value of 1 outputs the old and new quota on a device. A value of 2 also prints out the matched and found filesystems should fs be unset. (Defaults to 0)

startuid=1000

Describe the start of the UID range the policy is applied to. (Defaults to UID_MIN from login.defs or the uidmin value defined at compile-time if UID_MIN is undefined.)

enduid=0

Describe the end of the UID range the policy is applied to. Setting enduid=0 results in an open-ended UID range (i.e. all uids greater than startuid are included). (Defaults to 0)

bsoftlimit=19000

Soft limit for disk quota blocks,
as defined by quotactl(2). Note:
bsoftlimit and bhardlimit must be set at the same time!

bhardlimit=20000

Hard limit for disk quota blocks, as defined by quotactl(2). Note:
bsoftlimit and bhardlimit must be set at the same time!

isoftlimit=3000

Soft limit for inodes, as defined by quotactl(2). Note: isoftlimit and
ihardlimit must be set at the same time!

ihardlimit=4000

Hard limit for inodes, as defined by quotactl(2). Note: isoftlimit and
ihardlimit must be set at the same time!

6.31.3. MODULE TYPES PROVIDED

Only the session module type is provided.

6.31.4. RETURN VALUES

PAM_SUCCESS

The quota was set successfully.

PAM_IGNORE

No action was taken because either the UID of the user was outside of the
specified range, a quota already existed and overwrite=1 was not configured
or no limits were configured at all.

PAM_USER_UNKNOWN

The user was not found.

PAM_PERM_DENIED

/proc/mounts could not be opened.

The filesystem
or device specified was not found.

The limits for the user could not be retrieved. See syslog for more information.

The limits for the user could not be set. See syslog for more information.

Either isoftlimit/ihardlimit or bsoftlimit/bhardlimit were not set at the same time.

6.31.5. EXAMPLES

A single invocation of ``pam_setquota`` applies a specific policy to a UID range. Applying different policies to specific UID ranges is done by invoking `pam_setquota` more than once. The last matching entry defines the resulting quota.

```
session required pam_setquota.so bsoftlimit=1000 bhardlimit=2000 isoftlimit=1000 ihardlimit=2000
startuid=1000 enduid=0 fs=/home
session required pam_setquota.so bsoftlimit=19000 bhardlimit=20000 isoftlimit=3000 ihardlimit=4000
startuid=2001 enduid=3000 fs=/dev/sda1
session required pam_setquota.so bsoftlimit=19000 bhardlimit=20000 isoftlimit=3000 ihardlimit=4000
startuid=3001 enduid=4000 fs=/dev/sda1 overwrite=1
```

6.31.6.

AUTHOR

`pam_setquota` was originally written by Ruslan Savchenko <savrus@mexmat.net>.

Further modifications were made by Shane Tzen <shane@ict.usc.edu>, Sven Hartge <sven@svenhartge.de> and Keller Fuchs <kellerfuchs@hashbang.sh>.

6.32. pam_shells - check for valid login shell

`pam_shells.so`

6.32.1. DESCRIPTION

`pam_shells` is a PAM module that only allows access to the system if the user's shell is listed in `/etc/shells`.

If this file does not exist, entries are taken from files `%vendordir%/shells`, `%vendordir%/shells.d/*` and `/etc/shells.d/*` in that order.

It also checks if needed files (e.g. `/etc/shells`) are plain files and not world writable.

6.32.2. OPTIONS

This module does not recognise any options.

6.32.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.32.4. RETURN VALUES

PAM_AUTH_ERR

Access to the system was denied.

PAM_SUCCESS

The user's login shell was listed as valid shell in /etc/shells.

PAM_SERVICE_ERR

The module was not able to get the name of the user.

6.32.5. EXAMPLES

```
auth required pam_shells.so
```

6.32.6. AUTHOR

pam_shells was written by Erik Troan <ewt@redhat.com>.

6.33. pam_succeed_if - test account characteristics

```
pam_succeed_if.so [flag...] [condition...]
```

6.33.1. DESCRIPTION

pam_succeed_if.so is designed to succeed or fail authentication based on characteristics of the account belonging to the user being authenticated or values of other PAM items. One use is to select whether to load other modules based on this test.

The module should be given one or more conditions as module arguments, and authentication will succeed only if all of the conditions are met.

6.33.2. OPTIONS

The following flags are supported:

debug

Turns on debugging messages sent to syslog.

use_uid

Evaluate conditions using the account of the user whose UID the application is running under instead of the user being authenticated.

quiet

Don't log failure or success to the system log.

quiet_fail

Don't log failure to the system log.

quiet_success

Don't log success to the system log.

audit

Log unknown users to the system log.

Conditions are three words: a field, a test, and a value to test for.

Available fields are user, uid, gid, shell, home, ruser, rhost, tty and service
:

field < number

Field has a value numerically less than number.

field <= number

Field has a value numerically less than or equal to number.

field eq number

Field has a value numerically equal to number.

field >= number

Field has a value numerically greater than or equal to number.

field > number

Field has a value numerically greater than number.

field > number

Field has a value numerically different from number.

field = string

Field exactly matches the given string.

field != string

Field does not match the given string.

field =~ glob

Field matches the given glob.

field !~ glob

Field does not match the given glob.

field in item:item:...

Field is contained in the list of items separated by colons.

field notin item:item:...

Field is not contained in the list of items separated by colons.

user ingroup group[:group:....]

User is in given group(s).

user notingroup group[:group:....]

User is not in given group(s).

user inetgr netgroup

(user,host) is in given netgroup.

user notinetgr group

(user,host) is not in given netgroup.

6.33.3. MODULE TYPES PROVIDED

All module types (account, auth, password and session) are provided.

6.33.4. RETURN VALUES

PAM_SUCCESS

The condition was true.

PAM_AUTH_ERR

The condition was false.

PAM_SERVICE_ERR

A service error occurred or the arguments can't be parsed correctly.

6.33.5. EXAMPLES

To emulate the behaviour of `pam_wheel`, except there is no fallback to group 0 being only approximated by checking also the root group membership:

```
auth required pam_succeed_if.so quiet user ingroup wheel:root
```

Given that the type matches, only
loads the othermodule rule if the UID is over
500. Adjust the number after default to skip several rules.

```
type [default=1 success=ignore] pam_succeed_if.so quiet uid > 500  
type required othermodule.so arguments...
```

6.33.6. AUTHOR

Nalin Dahyabhai <nalin@redhat.com>

6.34. pam_time - time controlled access

```
pam_time.so [ conffile=conf-file ] [ debug ] [ noaudit ]
```

6.34.1. DESCRIPTION

The `pam_time` PAM module does not authenticate the user, but instead it restricts access to a system and or specific applications at various times of the day and on specific days or over various terminal lines. This module can be configured to deny access to (individual) users based on their name, the time of day, the day of week, the service they are applying for and their terminal from which they are making their request.

By default rules for time/port access are taken from config file `/etc/security/time.conf`. An alternative file can be specified with the `conf` option.

If there is no explicitly specified configuration file and `/etc/security/time.conf` does not exist, `%vendordir%/security/time.conf` is used.

If Linux PAM is compiled with audit support the module will report when it denies access.

6.34.2. DESCRIPTION

The `pam_time` PAM module does not authenticate the user, but instead it restricts access to a system and or specific applications at various times of the day and on specific days or over various terminal lines. This module can be configured to deny access to (individual) users based on their name, the time of day, the day of week, the service they are applying for and their terminal from which they are making their request.

For this module to function correctly there must be a correctly formatted `/etc/security/time.conf` file present. White spaces are ignored and lines maybe extended with `\` (escaped newlines). Text following a `#` is ignored to the end of the line.

The syntax of the lines is as follows:

```
services;tty;users;times
```

In words, each rule occupies a line, terminated with a newline or the beginning of a comment; a `#`. It contains four fields separated with semicolons, `;`.

The first field, the `services` field, is a logic list of PAM service names that the rule applies to.

The second field, the `tty` field, is a logic list of terminal names that this rule applies to.

The third field, the `users` field, is a logic list of users or a netgroup of users to whom this rule applies.

A logic list namely means individual tokens that are optionally prefixed with `!` (logical not) and separated with `&` (logical and) and `|` (logical or).

For these items the simple wildcard `*` may be used only once. With netgroups no wildcards or logic operators are allowed.

The times field is used to indicate the times at which this rule applies. The format here is a logic list of day/time-range entries. The days are specified by a sequence of two character entries, MoTuSa for example is Monday Tuesday and Saturday. Note that repeated days are unset MoMo = no day, and MoWk = all weekdays bar Monday. The two character combinations accepted are Mo Tu We Th Fr Sa Su Wk Wd Al, the last two being week-end days and all 7 days of the week respectively. As a final example, AlFr means all days except Friday.

Each day/time-range can be prefixed with a '!' to indicate "anything but". The time-range part is two 24-hour times HHMM, separated by a hyphen, indicating the start and finish time (if the finish time is smaller than the start time it is deemed to apply on the following day).

For a rule to be active, ALL of service+ttys+users must be satisfied by the applying process.

Note, currently there is no daemon enforcing the end of a session. This needs to be remedied.

Poorly formatted rules are logged as errors using syslog(3).

6.34.3. OPTIONS

conffile=/path/to/time.conf

Indicate an alternative time.conf style configuration file to override the default.

debug

Some debug information is printed with syslog(3).

noaudit

Do not report logins at disallowed time to the audit subsystem.

6.34.4. MODULE TYPES PROVIDED

Only the account type is provided.

6.34.5. RETURN VALUES

PAM_SUCCESS

Access was granted.

PAM_ABORT

Not all relevant data could be gotten.

PAM_BUF_ERR

Memory buffer error.

PAM_PERM_DENIED

Access was not granted.

PAM_USER_UNKNOWN

The user is not known to the system.

6.34.6. FILES

/etc/security/time.conf

Default configuration file

6.34.7. EXAMPLES

These are some example lines which might be specified in /etc/security/time.conf.

All users except for root are denied access to console-login at all times:

```
login ; tty* & !tty* ; !root ; !A10000-2400
```

Games (configured to use PAM) are only to be accessed out of working hours. This rule does not apply to the user waster:

```
games ; * ; !waster ; Wd0000-2400 | Wk1800-0800
```

6.34.8. AUTHOR

pam_time was written by Andrew G. Morgan <morgan@kernel.org>.

6.35. pam_timestamp - authenticate using cached successful authentication attempts

pam_timestamp.so

```
[ timestampdir=directory ] [ timestamp_timeout=number ] [ verbose ] [ debug ]
```

6.35.1. DESCRIPTION

In a nutshell, `pam_timestamp` caches successful authentication attempts, and allows you to use a recent successful attempt as the basis for authentication. This is similar mechanism which is used in `sudo`.

When an application opens a session using `pam_timestamp`, a timestamp file is created in the `timestampdir` directory for the user. When an application attempts to authenticate the user, a `pam_timestamp` will treat a sufficiently recent timestamp file as grounds for succeeding.

The default encryption hash is taken from the `HMAC_CRYPTO_ALGO` variable from `/etc/login.defs`.

6.35.2. OPTIONS

`timestampdir=directory`

Specify an alternate directory where `pam_timestamp` creates timestamp files.

`timestamp_timeout=number`

How long should `pam_timestamp` treat timestamp as valid after their last modification date (in seconds). Default is 300 seconds.

`verbose`

Attempt to inform the user when access is granted.

`debug`

Turns on debugging messages sent to `syslog(3)`.

6.35.3. MODULE TYPES PROVIDED

The auth and session module types are provided.

6.35.4. RETURN VALUES

`PAM_AUTH_ERR`

The module was not able to retrieve the user name or no valid timestamp file was found.

`PAM_SUCCESS`

Everything was successful.

PAM_SESSION_ERR

Timestamp file could not be created or updated.

6.35.5. NOTES

Users can get confused when they are not always asked for passwords when running a given program. Some users reflexively begin typing information before noticing that it is not being asked for.

6.35.6. EXAMPLES

```
auth sufficient pam_timestamp.so verbose
auth required pam_unix.so
```

```
session required pam_unix.so
session optional pam_timestamp.so
```

6.35.7. FILES

/var/run/pam_timestamp/...

timestamp files and directories

6.35.8. AUTHOR

pam_timestamp was written by Nalin Dahyabhai.

6.36. pam_tty_audit - enable/disable tty auditing

```
pam_tty_audit.so [ disable=patterns ] [ enable=patterns ]
```

6.36.1. DESCRIPTION

The pam_tty_audit PAM module is used to enable or disable TTY auditing. By default, the kernel does not audit input on any TTY.

6.36.2. OPTIONS

disable=patterns

For each user matching patterns, disable TTY auditing. This overrides any previous enable option matching the same user name on the command line. See NOTES for further description of patterns.

enable=patterns

For each user matching patterns, enable TTY auditing. This overrides any previous disable option matching the same user name on the command line. See NOTES for further description of patterns.

open_only

Set the TTY audit flag when opening the session, but do not restore it when closing the session. Using this option is necessary for some services that don't fork() to run the authenticated session, such as sudo.

log_passwd

Log keystrokes when ECHO mode is off but ICANON mode is active. This is the mode in which the tty is placed during password entry. By default, passwords are not logged. This option may not be available on older kernels (3.9?).

6.36.3. MODULE TYPES PROVIDED

Only the session type is supported.

6.36.4. RETURN VALUES

PAM_SESSION_ERR

Error reading or modifying the TTY audit flag. See the system log for more details.

PAM_SUCCESS

Success.

6.36.5. NOTES

When TTY auditing is enabled, it is inherited by all processes started by that user. In particular, daemons restarted by a user will still have TTY auditing enabled, and audit TTY input even by other users unless auditing for these users is explicitly disabled. Therefore, it is recommended to use disable=* as the first option for most daemons using PAM.

To view the data that was logged by the kernel to audit use the command `aureport --tty`.

The patterns are comma separated lists of glob patterns or ranges of uids. A range is specified as `min_uid:max_uid` where one of these values

can be empty.

If `min_uid` is empty only user with the uid `max_uid` will be matched. If `max_uid` is empty users with the uid greater than or equal to `min_uid` will be matched.

Please note that passwords in some circumstances may be logged by TTY auditing even if the `log_passwd` is not used. For example, all input to an ssh session will be logged - even if there is a password being typed into some software running at the remote host because only the local TTY state affects the local TTY auditing.

6.36.6. EXAMPLES

Audit all administrative actions.

```
session required pam_tty_audit.so disable=* enable=root
```

6.36.7. AUTHOR

`pam_tty_audit` was written by Miloslav Trma <mitr@redhat.com>. The `log_passwd` option was added by Richard Guy Briggs <rgb@redhat.com>.

6.37. pam_umask - set the file mode creation mask

```
pam_umask.so [ debug ] [ silent ] [ usergroups ] [ nousergroups ] [ umask=mask ]
```

6.37.1. DESCRIPTION

`pam_umask` is a PAM module to set the file mode creation mask of the current environment.

The `umask` affects the default permissions assigned to newly created files.

The PAM module tries to get the `umask` value from the following places in the following order:

- `umask=` entry in the user's GECOS field
- `umask=` argument
- `UMASK` entry from `/etc/login.defs`
- `UMASK=` entry from `/etc/default/login`

The GECOS field is split on comma `,` characters. The module also in addition to the `umask=` entry recognizes `pri=` entry, which sets the nice priority value for the session, and `ulimit=` entry, which sets the maximum size of files the

processes in the session can create.

6.37.2. OPTIONS

debug

Print debug information.

silent

Don't print informative messages.

usergroups

If the user is not root and the username is the same as primary group name, the umask group bits are set to be the same as owner bits (examples: 022 -> 002, 077 -> 007).

nousergroups

This is the direct opposite of the usergroups option described above, which can be useful in case pam_umask has been compiled with usergroups enabled by default and you want to disable it at runtime.

umask=mask

Sets the calling process's file mode creation mask (umask) to mask & 0777. The value is interpreted as Octal.

6.37.3. MODULE TYPES PROVIDED

Only the session type is provided.

6.37.4. RETURN VALUES

PAM_SUCCESS

The new umask was set successfully.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

The conversation method supplied by the application failed to obtain the username.

PAM_INCOMPLETE

The conversation method supplied by the application returned PAM_CONV_AGAIN.

PAM_SERVICE_ERR

No username was given.

PAM_USER_UNKNOWN

User not known.

6.37.5. EXAMPLES

Add the following line to `/etc/pam.d/login` to set the user specific umask at login:

```
session optional pam_umask.so umask=0022
```

6.37.6. AUTHOR

`pam_umask` was written by Thorsten Kukuk <kukuk@thkukuk.de>.

6.38. pam_unix - traditional password authentication

`pam_unix.so`

[...]

6.38.1. DESCRIPTION

This is the standard Unix authentication module. It uses standard calls from the system's libraries to retrieve and set account information as well as authentication. Usually this is obtained from the `/etc/passwd` and the `/etc/shadow` file as well if shadow is enabled.

The account component performs the task of establishing the status of the user's account and password based on the following shadow elements: `expire`, `last_change`, `max_change`, `min_change`, `warn_change`. In the case of the latter, it may offer advice to the user on changing their password or, through the PAM_AUTHTOKEN_REQD return, delay giving service to the user until they have established a new password. The entries listed above are documented in the `shadow(5)` manual page. Should the user's record not contain one or more of these entries, the corresponding shadow check is not performed.

The authentication component performs the task of checking the users

credentials (password).

The default action of this module is to not permit the user access to a service if their official password is blank.

A helper binary, `unix_chkpwd(8)`, is provided to check the user's password when it is stored in a read protected database. This binary is very simple and will only check the password of the user invoking it. It is called transparently on behalf of the user by the authenticating component of this module. In this way it is possible for applications like `xlock(1)` to work without being `setuid-root`. The module, by default, will temporarily turn off `SIGCHLD` handling for the duration of execution of the helper binary. This is generally the right thing to do, as many applications are not prepared to handle this signal from a child they didn't know was `fork()`d. The `noreap` module argument can be used to suppress this temporary shielding and may be needed for use with certain applications.

The maximum length of a password supported by the `pam_unix` module via the helper binary is `PAM_MAX_RESP_SIZE` - currently 512 bytes. The rest of the password provided by the conversation function to the module will be ignored.

The password component of this module performs the task of updating the user's password. The default encryption hash is taken from the `ENCRYPT_METHOD` variable from `/etc/login.defs`

The session component of this module logs when a user logins or leave the system.

Remaining arguments, supported by others functions of this module, are silently ignored. Other arguments are logged as errors through `syslog(3)`.

6.38.2. OPTIONS

`debug`

Turns on debugging via `syslog(3)`.

`audit`

A little more extreme than `debug`.

`quiet`

Turns off informational messages namely messages about session open and close via `syslog(3)`.

`nullok`

The default action of this module is to not permit the user access to a service if their official password is blank. The nullok argument overrides this default.

nullresetok

Allow users to authenticate with blank password if password reset is enforced even if nullok is not set. If password reset is not required and nullok is not set the authentication with blank password will be denied.

try_first_pass

Before prompting the user for their password, the module first tries the previous stacked module's password in case that satisfies this module as well.

use_first_pass

The argument use_first_pass forces the module to use a previous stacked modules password and will never prompt the user - if no password is available or the password is not appropriate, the user will be denied access.

nodelay

This argument can be used to discourage the authentication component from requesting a delay should the authentication as a whole fail. The default action is for the module to request a delay-on-failure of the order of two second.

use_authtok

When password changing enforce the module to set the new password to the one provided by a previously stacked password module (this is used in the example of the stacking of the pam_passwdqc module documented below).

authtok_type=type

This argument can be used to modify the password prompt when changing passwords to include the type of the password. Empty by default.

nis

NIS RPC is used for setting new passwords.

remember=n

The last n passwords for each user are saved in /etc/security/opasswd in order to force password change history and keep the user from alternating between the same password too frequently. The MD5 password hash algorithm is used for storing the old passwords. Instead of this option the pam_pwhistory module should be used.

shadow

Try to maintain a shadow based system.

md5

When a user changes their password next, encrypt it with the MD5 algorithm.

bigcrypt

When a user changes their password next, encrypt it with the DEC C2 algorithm.

sha256

When a user changes their password next, encrypt it with the SHA256 algorithm. The SHA256 algorithm must be supported by the crypt(3) function.

sha512

When a user changes their password next, encrypt it with the SHA512 algorithm. The SHA512 algorithm must be supported by the crypt(3) function.

blowfish

When a user changes their password next, encrypt it with the blowfish algorithm. The blowfish algorithm must be supported by the crypt(3) function.

gost_ycrypt

When a user changes their password next, encrypt it with the gost-ycrypt algorithm. The gost-ycrypt algorithm must be supported by the crypt(3) function.

ycrypt

When a user changes their password next, encrypt it with the ycrypt algorithm. The ycrypt algorithm must be supported by the crypt(3) function.

rounds=n

Set the optional number of rounds of the SHA256, SHA512, blowfish, gost-yescrypt, and yescrypt password hashing algorithms to n.

broken_shadow

Ignore errors reading shadow information for users in the account management module.

minlen=n

Set a minimum password length of n characters. The max. for DES crypt based passwords are 8 characters.

no_pass_expiry

When set ignore password expiration as defined by the shadow entry of the user. The option has an effect only in case pam_unix was not used for the authentication or it returned authentication failure meaning that other authentication source or method succeeded. The example can be public key authentication in sshd. The module will return PAM_SUCCESS instead of eventual PAM_NEW_AUTHTOK_REQD or PAM_AUTHTOK_EXPIRED.

Invalid arguments are logged with syslog(3).

6.38.3. MODULE TYPES PROVIDED

All module types (account, auth, password and session) are provided.

6.38.4. RETURN VALUES

PAM_IGNORE

Ignore this module.

6.38.5. EXAMPLES

An example usage for /etc/pam.d/login would be:

```
# Authenticate the user
auth    required pam_unix.so
# Ensure users account and password are still
active
account required pam_unix.so
# Change the user's password, but at first check the strength
```

```
# with pam_passwdqc(8)
password required pam_passwdqc.so config=/etc/passwdqc.conf
password required pam_unix.so use_authok nullok yescrypt
session required pam_unix.so
```

6.38.6. AUTHOR

pam_unix was written by various people.

6.39. pam_userdb - authenticate against a db database

```
pam_userdb.so db=/path/database [ debug ] [ crypt=[crypt|none] ] [ icase ] [
dump ] [ try_first_pass ] [ use_first_pass ] [ unknown_ok ] [ key_only ]
```

6.39.1. DESCRIPTION

The pam_userdb module is used to verify a username/password pair against values stored in a Berkeley DB database. The database is indexed by the username, and the data fields corresponding to the username keys are the passwords.

6.39.2. OPTIONS

crypt=[crypt|none]

Indicates whether encrypted or plaintext passwords are stored in the database. If it is crypt, passwords should be stored in the database in crypt(3)

form. If none is selected, passwords should be stored in the database as plaintext.

db=/path/database

Use the /path/database database for performing lookup. There is no default; the module will return PAM_IGNORE if no database is provided. Note that the path to the database file should be specified without the .db suffix.

debug

Print debug information. Note that password hashes, both from db and computed, will be printed to syslog.

dump

Dump all the entries in the database to the log. Don't do this by default!

icase

Make the password verification to be case insensitive (ie when working with registration numbers and such). Only works with plaintext password storage.

try_first_pass

Use the authentication token previously obtained by another module that did the conversation with the application. If this token can not be obtained then the module will try to converse. This option can be used for stacking different modules that need to deal with the authentication tokens.

use_first_pass

Use the authentication token previously obtained by another module that did the conversation with the application. If this token can not be obtained then the module will fail. This option can be used for stacking different modules that need to deal with the authentication tokens.

unknown_ok

Do not return error when checking for a user that is not in the database. This can be used to stack more than one pam_userdb module that will check a username/password pair in more than a database.

key_only

The username and password are concatenated together in the database hash as 'username-password' with a random value. if the concatenation of the username and password with a dash in the middle returns any result, the user is valid. this is useful in cases where the username may not be unique but the username and password pair are.

6.39.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.39.4. RETURN VALUES

PAM_AUTH_ERR

Authentication failure.

PAM_AUTHTOK_RECOVERY_ERR

Authentication information cannot be recovered.

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

Conversation failure.

PAM_SERVICE_ERR

Error in service module.

PAM_SUCCESS

Success.

PAM_USER_UNKNOWN

User not known to the underlying authentication module.

6.39.5. EXAMPLES

```
auth sufficient pam_userdb.so icase db=/etc/dbtest
```

6.39.6. AUTHOR

pam_userdb was written by Cristian Gafton >gafton@redhat.com<.

6.40. pam_warn - logs all PAM items

pam_warn.so

6.40.1. DESCRIPTION

pam_warn is a PAM module that logs the service, terminal, user, remote user and remote host to syslog(3). The items are not probed for, but instead obtained from the standard PAM items. The module always returns PAM_IGNORE, indicating that it does not want to affect the authentication process.

6.40.2. OPTIONS

This module does not recognise any options.

6.40.3. MODULE

TYPES PROVIDED

The auth, account, password and session module types are provided.

6.40.4. RETURN VALUES

PAM_IGNORE

This module always returns PAM_IGNORE.

6.40.5. EXAMPLES

```
##PAM-1.0
#
# If we don't have config entries for a service, the
# OTHER entries are used. To be secure, warn and deny
# access to everything.
other auth    required    pam_warn.so
other auth    required    pam_deny.so
other account required    pam_warn.so
other account required    pam_deny.so
other password required    pam_warn.so
other password required    pam_deny.so
other session required    pam_warn.so
other session required    pam_deny.so
```

6.40.6. AUTHOR

pam_warn was written by Andrew G. Morgan <morgan@kernel.org>.

6.41. pam_wheel - only permit root access to members of group wheel

```
pam_wheel.so [ debug ] [ deny ] [ group=name ] [ root_only ] [ trust ] [
use_uid ]
```

6.41.1. DESCRIPTION

The pam_wheel PAM module is used to enforce the so-called wheel group. By default

it permits access to the target user if the applicant user is a member of the wheel group. If no group with this name exist, the module is using the group with the group-ID 0.

6.41.2. OPTIONS

debug

Print debug information.

deny

Reverse the sense of the auth operation: if the user is trying to get UID 0 access and is a member of the wheel group (or the group of the group option), deny access. Conversely, if the user is not in the group, return PAM_IGNORE (unless trust was also specified, in which case we return PAM_SUCCESS).

group=name

Instead of checking the wheel or GID 0 groups, use the name group to perform the authentication.

root_only

The check for wheel membership is done only when the target user UID is 0.

trust

The pam_wheel module will return PAM_SUCCESS instead of PAM_IGNORE if the user is a member of the wheel group (thus with a little play stacking the modules the wheel members may be able to su to root without being prompted for a passwd).

use_uid

The check will be done against the real uid of the calling process, instead of trying to obtain the user from the login session associated with the terminal in use.

6.41.3. MODULE TYPES PROVIDED

The auth and account module types are provided.

6.41.4. RETURN VALUES

PAM_AUTH_ERR

Authentication failure.

PAM_BUF_ERR

Memory buffer error.

PAM_IGNORE

The return value should be ignored by PAM dispatch.

PAM_PERM_DENY

Permission denied.

PAM_SERVICE_ERR

Cannot determine the user name.

PAM_SUCCESS

Success.

PAM_USER_UNKNOWN

User not known.

6.41.5. EXAMPLES

The root account gains access by default (rootok), only wheel members can become root (wheel) but Unix authenticate non-root applicants.

```
su  auth  sufficient  pam_rootok.so
su  auth  required    pam_wheel.so
su  auth  required    pam_unix.so
```

6.41.6. AUTHOR

pam_wheel was written by Cristian Gafton <gafton@redhat.com>.

6.42.

pam_xauth - forward xauth keys between users

```
pam_xauth.so [ debug ] [ xauthpath=/path/to/xauth ] [ systemuser=UID ] [
targetuser=UID ]
```

6.42.1. DESCRIPTION

The pam_xauth PAM module is designed to forward xauth keys (sometimes referred to as "cookies") between users.

Without pam_xauth, when xauth is enabled and a user uses the su(1) command to assume another user's privileges, that user is no longer able to access the original user's X display because the new user does not have the key needed to access the display. pam_xauth solves the problem by forwarding the key from the user running su (the source user) to the user whose identity the source user is assuming (the target user) when the session is created, and destroying the key when the session is torn down.

This means, for example, that when you run `su(1)` from an `xterm` session, you will be able to run X programs without explicitly dealing with the `xauth(1)` `xauth` command or `~/.Xauthority` files.

`pam_xauth` will only forward keys if `xauth` can list a key connected to the `$DISPLAY` environment variable.

Primitive access control is provided by `~/.xauth/export` in the invoking user's home directory and `~/.xauth/import` in the target user's home directory.

If a user has a `~/.xauth/import` file, the user will only receive cookies from users listed in the file. If there is no `~/.xauth/import` file, the user will accept cookies from any other user.

If a user has a `.xauth/export` file, the user will only forward cookies to users listed in the file. If there is no `~/.xauth/export` file, and the invoking user is not root, the user will forward cookies to any other user. If there is no `~/.xauth/export` file, and the invoking user is root, the user will not forward cookies to other users.

Both the import and export files support wildcards (such as `*`). Both the import and export files can be empty, signifying that no users are allowed.

6.42.2. OPTIONS

`debug`

Print debug information.

`xauthpath=/path/to/xauth`

Specify the path the `xauth` program (it is expected in `/usr/X11R6/bin/xauth`, `/usr/bin/xauth`, or `/usr/bin/X11/xauth` by default).

`systemuser=UID`

Specify the highest UID which will be assumed to belong to a "system" user. `pam_xauth` will refuse to forward credentials to users with UID less than or equal to this number, except for root and the "targetuser", if specified.

`targetuser=UID`

Specify a single target UID which is exempt from the `systemuser` check.

6.42.3. MODULE TYPES PROVIDED

Only the session type is provided.

6.42.4. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_PERM_DENIED

Permission denied by import/export file.

PAM_SESSION_ERR

Cannot determine user name, UID or access users home directory.

PAM_SUCCESS

Success.

PAM_USER_UNKNOWN

User not known.

6.42.5. EXAMPLES

Add the following line to `/etc/pam.d/su` to forward xauth keys between users when calling `su`:

```
session optional pam_xauth.so
```

6.42.6. AUTHOR

`pam_xauth` was

written by Nalin Dahyabhai <nalin@redhat.com>, based on original version by Michael K. Johnson <johnsonm@redhat.com>.

Chapter 7. See also

- The Linux-PAM Application Writers' Guide.
- The Linux-PAM Module Writers' Guide.
- The V. Samar and R. Schemers (SunSoft), ``UNIFIED LOGIN WITH PLUGGABLE AUTHENTICATION MODULES'', Open Software Foundation Request For Comments 86.0, October 1995.

Chapter 8. Author/acknowledgments

This document was written by Andrew G. Morgan (morgan@kernel.org) with many contributions from Chris Adams, Peter Allgeyer, Tim Baverstock, Tim Berger, Craig S. Bell, Derrick J. Brashear, Ben Buxton, Seth Chaiklin, Oliver Crow, Chris Dent, Marc Ewing, Cristian Gafton, Emmanuel Galanos, Brad M. Garcia, Eric Hester, Michel D'Hooge, Roger Hu, Eric Jacksch, Michael K. Johnson, David Kinchlea, Olaf Kirch, Marcin Korzonek, Thorsten Kukuk, Stephen Langasek, Nicolai Langfeldt, Elliot Lee, Luke Kenneth Casson Leighton, Al Longyear, Ingo Luetkebohle, Marek Michalkiewicz, Robert Milkowski, Aleph One, Martin Pool, Sean Reifschneider, Jan Rekorajski, Erik Troan, Theodore Ts'o, Jeff Uphoff, Myles Uyema, Savochkin Andrey Vladimirovich, Ronald Wahl, David Wood, John Wilmes, Joseph S. D. Yao and Alex O. Yuriev.

Thanks are also due to Sun Microsystems, especially to Vipin Samar and Charlie Lai for their advice. At an early stage in the development of Linux-PAM, Sun graciously made the documentation for their implementation of PAM available. This act greatly accelerated the development of Linux-PAM.

Chapter 9. Copyright information for this document

Copyright (c) 2006 Thorsten Kukuk <kukuk@thkukuk.de>

Copyright (c) 1996-2002 Andrew G. Morgan <morgan@kernel.org>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Alternatively, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GNU GPL are required instead of the above restrictions. (This clause is necessary due to a potential bad interaction between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/sag/Linux-PAM_SAG.txt

No license file was found, but licenses were detected in source scan.

The Linux-PAM Application Developers' Guide

Andrew G. Morgan

<morgan@kernel.org>

Thorsten Kukuk

<kukuk@thkukuk.de>

Version 1.1.2, 31. August 2010

Abstract

This manual documents what an application developer needs to know about the Linux-PAM library. It describes how an application might use the Linux-PAM library to authenticate users. In addition it contains a description of the functions to be found in libpam_misc library, that can be used in general applications. Finally, it contains some comments on PAM related security issues for the application developer.

1. Introduction

1.1. Description

1.2. Synopsis

2. Overview

3. The public interface to Linux-PAM

3.1. What can be expected by the application

3.1.1. Initialization of PAM transaction

3.1.2. Termination of PAM transaction

3.1.3. Setting

PAM items

3.1.4. Getting PAM items

3.1.5. Strings describing PAM error codes

3.1.6. Request a delay on failure

3.1.7. Authenticating the user

3.1.8. Setting user credentials

3.1.9. Account validation management

3.1.10. Updating authentication tokens

3.1.11. Start PAM session management

3.1.12. terminating PAM session management

3.1.13. Set or change PAM environment variable

3.1.14. Get a PAM environment variable

3.1.15. Getting the PAM environment

3.2. What is expected of an application

3.2.1. The conversation function

3.3. Programming notes

4. Security issues of Linux-PAM

4.1. Care about standard library calls

4.2. Choice of a service name

4.3. The conversation function

4.4. The identity of the user

4.5. Sufficient resources

5. A library of miscellaneous helper functions

5.1. Functions supplied

5.1.1. Text based conversation function

5.1.2. Transcribing an environment to that of PAM

5.1.3. Liberating a locally saved environment

5.1.4. BSD like PAM environment variable setting

6. Porting legacy applications

7. Glossary of PAM related terms

8. An example application

9. Files

10. See also

11. Author/acknowledgments
12. Copyright information for this document

Chapter 1. Introduction

1.1. Description

Linux-PAM (Pluggable Authentication Modules for Linux) is a library that enables the local system administrator to choose how individual applications authenticate users. For an overview of the Linux-PAM library see the Linux-PAM System Administrators' Guide.

It is the purpose of the Linux-PAM project to liberate the development of privilege granting software from the development of secure and appropriate authentication schemes. This is accomplished by providing a documented library of functions that an application may use for all forms of user authentication management. This library dynamically loads locally configured authentication modules that actually perform the authentication tasks.

From the perspective of an application developer the information contained in the local configuration of the PAM library should not be important. Indeed it is intended that an application treat the functions documented here as a 'black box' that will deal with all aspects of user authentication. 'All aspects' includes user verification, account management, session initialization/termination and also the resetting of passwords (authentication tokens).

1.2. Synopsis

For general applications that wish to use the services provided by Linux-PAM the following is a summary of the relevant linking information:

```
#include <security/pam_appl.h>
```

```
cc -o application .... -lpam
```

In addition to libpam, there is a library of miscellaneous functions that make the job of writing PAM-aware applications easier (this library is not covered in the DCE-RFC for PAM and is specific to the Linux-PAM distribution):

```
#include  
<security/pam_appl.h>  
#include <security/pam_misc.h>
```

```
cc -o application .... -lpam -lpam_misc
```

Chapter 2. Overview

Most service-giving applications are restricted. In other words, their service is not available to all and every prospective client. Instead, the applying client must jump through a number of hoops to convince the serving application that they are authorized to obtain service.

The process of authenticating a client is what PAM is designed to manage. In addition to authentication, PAM provides account management, credential management, session management and authentication-token (password changing) management services. It is important to realize when writing a PAM based application that these services are provided in a manner that is transparent to the application. That is to say, when the application is written, no assumptions can be made about how the client will be authenticated.

The process of authentication is performed by the PAM library via a call to `pam_authenticate()`.

The return value of this function will indicate whether a named client (the user) has been authenticated. If the PAM library needs to prompt the user for any information, such as their name or a password then it will do so. If the PAM library is configured to authenticate the user using some silent protocol, it will do this too. (This latter case might be via some hardware interface for example.)

It is important to note that the application must leave all decisions about when to prompt the user at the discretion of the PAM library.

The PAM library, however, must work equally well for different styles of application. Some applications, like the familiar `login` and `passwd` are terminal based applications, exchanges of information with the client in these cases is as plain text messages. Graphically based applications, however, have a more sophisticated interface. They generally interact with the user via specially constructed dialogue boxes. Additionally, network based services require that text messages exchanged with the client are specially formatted for automated processing: one such example is `ftpd` which prefixes each exchanged message with a numeric identifier.

The presentation of simple requests to a client is thus something very dependent on the protocol that the serving application will use. In spite of the fact that PAM demands that it drives the whole authentication process, it is not possible to leave such protocol subtleties up to the PAM library. To overcome this potential problem, the application provides the PAM library with a conversation function. This function is called from within the PAM library and enables the PAM to directly interact with the client. The sorts of things that this conversation function must be able to do are prompt the user with text and/or obtain textual input from the user for processing by the PAM library. The details of this function are provided in a later section.

For example, the conversation function may be called by the PAM library with a request to prompt the user for a password. Its job is to reformat the prompt request into a form that the client will understand. In the case of ftpd, this might involve prefixing the string with the number 331 and sending the request over the network to a connected client. The conversation function will then obtain any reply and, after extracting the typed password, will return this string of text to the PAM library. Similar concerns need to be addressed in the case of an X-based graphical server.

There are a number of issues that need to be addressed when one is porting an existing application to become PAM compliant. A section below has been devoted to this: Porting legacy applications.

Besides authentication, PAM provides other forms of management. Session management is provided with calls to `pam_open_session()` and `pam_close_session()`. What these functions actually do is up to the local administrator. But typically, they could be used to log entry and exit from the system or for mounting and unmounting the user's home directory. If an application provides continuous service for a period of time, it should probably call these functions, first open after the user is authenticated and then close when the service is terminated.

Account management is another area that an application developer should include with a call to `pam_acct_mgmt()`. This call will perform checks on the good health of the user's account (has it expired etc.). One of the things this function may check is whether the user's authentication token has expired - in such a case the application may choose to attempt to update it with a call to `pam_chauthtok()`, although some applications are not suited to this task (ftp for example) and in this case the application should deny access to the user.

PAM is also capable of setting and deleting the user's credentials with the call `pam_setcred()`. This function should always be called after the user is authenticated and before service is offered to the user. By convention, this should be the last call to the PAM library before the PAM session is opened. What exactly a credential is, is not well defined. However, some examples are given in the glossary below.

Chapter 3. The public interface to Linux-PAM

Firstly, the relevant include file for the Linux-PAM library is `<security/pam_appl.h>`. It contains the definitions for a number of functions. After listing these functions, we collect some guiding remarks for programmers.

3.1. What can be expected by the application

3.1.1. Initialization of PAM transaction

```
#include <security/pam_appl.h>

int pam_start( service_name,
              user,
              pam_conversation,
              pamh);

const char *service_name;
const char *user;
const struct pam_conv *pam_conversation;
pam_handle_t **pamh;

int pam_start_confdir( service_name,
                      user,

                      pam_conversation,
                      confdir,
                      pamh);

const char *service_name;
const char *user;
const struct pam_conv *pam_conversation;
const char *confdir;
pam_handle_t **pamh;
```

3.1.1.1. DESCRIPTION

The `pam_start` function creates the PAM context and initiates the PAM transaction. It is the first of the PAM functions that needs to be called by an application. The transaction state is contained entirely within the structure identified by this handle, so it is possible to have multiple transactions in parallel. But it is not possible to use the same handle for different transactions, a new one is needed for every new context.

The `service_name` argument specifies the name of the service to apply and will be stored as `PAM_SERVICE` item in the new context. The policy for the service will be read from the file `/etc/pam.d/service_name` or, if that file does not exist, from `/etc/pam.conf`.

The `user` argument can specify the name of the target user and will be stored as `PAM_USER` item. If the argument is `NULL`, the module has to ask for this item if necessary.

The `pam_conversation` argument points to a struct `pam_conv` describing the conversation function to use. An application must provide this for direct communication between a loaded module and the application.

Following a successful return (`PAM_SUCCESS`) the contents of `pamh` is a handle that contains the PAM context for successive calls to the PAM functions. In an error case is the content of `pamh` undefined.

The `pam_handle_t` is a blind structure and the application should not attempt to probe it directly for information. Instead the PAM library provides the functions `pam_set_item(3)` and `pam_get_item(3)`. The PAM handle cannot be used for multiple authentications at the same time as long as `pam_end` was not called on it before.

The `pam_start_confdir` function behaves like the `pam_start` function but it also allows setting `confdir` argument with a path to a directory to override the default (`/etc/pam.d`) path for service policy files. If the `confdir` is `NULL`, the function works exactly the same as `pam_start`.

3.1.1.2. RETURN VALUES

PAM_ABORT

General failure.

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

Transaction was successfully started.

PAM_SYSTEM_ERR

System error, for example a `NULL` pointer was submitted instead of a pointer to data.

3.1.2. Termination of PAM transaction

```
#include <security/pam_appl.h>
```

```
int pam_end( pamh,  
            pam_status);
```

```
pam_handle_t *pamh;
```

```
int pam_status;
```

3.1.2.1. DESCRIPTION

The `pam_end` function terminates the PAM transaction and is the last function an application should call in the PAM context. Upon return the handle `pamh` is no longer valid and all memory associated with it will be invalid.

The `pam_status` argument should be set to the value returned to the application by the last PAM library call.

The value taken by `pam_status` is used as an argument to the module specific callback

function, `cleanup()` (See `pam_set_data(3)` and `pam_get_data(3)`). In this way the module can be given notification of the pass/fail nature of the tear-down process, and perform any last minute tasks that are appropriate to the module before it is unlinked. This argument can be logically OR'd with `PAM_DATA_SILENT` to indicate that the module should not treat the call too seriously. It is generally used to indicate that the current closing of the library is in a fork(2)ed process, and that the parent will take care of cleaning up things that exist outside of the current process space (files etc.).

This function free's all memory for items associated with the `pam_set_item(3)` and `pam_get_item(3)` functions. Pointers associated with such objects are not valid anymore after `pam_end` was called.

3.1.2.2. RETURN VALUES

PAM_SUCCESS

Transaction was successful terminated.

PAM_SYSTEM_ERR

System error, for example a NULL pointer was submitted as PAM handle or the function was called by a module.

3.1.3. Setting PAM items

```
#include <security/pam_modules.h>
```

```
int pam_set_item( pamh,  
                 item_type,  
                 item);
```

```
pam_handle_t *pamh;  
int item_type;  
const void *item;
```

3.1.3.1. DESCRIPTION

The `pam_set_item` function allows applications and PAM service modules to access and to update PAM information of `item_type`. For this a copy of the object pointed to by the `item` argument is created. The following `item_types` are supported:

PAM_SERVICE

The service name (which identifies that PAM stack that the PAM functions will use to authenticate the program).

PAM_USER

The username of the entity under whose identity service will be given. That is, following authentication, `PAM_USER` identifies the local entity that gets to use the service. Note, this value can be mapped from something (eg., "anonymous") to something else (eg. "guest119") by any module in the PAM stack. As such an application should consult the value of `PAM_USER` after each call to a PAM function.

PAM_USER_PROMPT

The string used when prompting for a user's name. The default value for this string is a localized version of "login: ".

PAM_TTY

The terminal name prefixed by `/dev/` for device files. In the past, graphical X-based applications used to store the `$DISPLAY` variable here, but with the introduction of `PAM_XDISPLAY` this usage is deprecated.

PAM_RUSER

The requesting user name: local name for a locally requesting user or a remote user name for a remote requesting user.

Generally an application or module will attempt to supply the value that is most strongly authenticated (a local account before a remote one. The level of trust in this value is embodied in the actual authentication stack associated with the application, so it is ultimately at the discretion of the system administrator.

PAM_RUSER@PAM_RHOST should always identify the requesting user. In some cases, PAM_RUSER may be NULL. In such situations, it is unclear who the requesting entity is.

PAM_RHOST

The requesting hostname (the hostname of the machine from which the PAM_RUSER entity is requesting service). That is PAM_RUSER@PAM_RHOST does identify the requesting user. In some applications, PAM_RHOST may be NULL. In such situations, it is unclear where the authentication request is originating from.

PAM_AUTHTOK

The authentication token (often a password). This token should be ignored by all module functions besides pam_sm_authenticate(3) and pam_sm_chauthtok(3). In the former function it is used to pass the most recent authentication token from one stacked module to another. In the latter function the token is used for another purpose. It contains the currently active authentication token.

PAM_OLDAUTHTOK

The old authentication token. This token should be ignored by all module functions except pam_sm_chauthtok(3).

PAM_CONV

The pam_conv structure. See pam_conv(3).

The following additional items are specific to Linux-PAM and should not be used in portable applications:

PAM_FAIL_DELAY

A function pointer to redirect centrally managed failure delays. See pam_fail_delay(3).

PAM_XDISPLAY

The name of the X display. For graphical, X-based applications the value for this item should be the \$DISPLAY variable. This value may be used independently of PAM_TTY for passing the name of the display.

PAM_XAUTHDATA

A pointer to a structure containing the X authentication data required to make a connection to the display specified by PAM_XDISPLAY, if such information is necessary. See pam_xauth_data(3).

PAM_AUTHTOK_TYPE

The default action is for the module to use the following prompts when requesting passwords: "New UNIX password: " and "Retype UNIX password: ".

The example word UNIX can be replaced with this item, by default it is empty. This item is used by pam_get_authtok(3).

For all item_types, other than PAM_CONV and PAM_FAIL_DELAY, item is a pointer to a <NUL> terminated character string. In the case of PAM_CONV, item points to an initialized pam_conv structure. In the case of PAM_FAIL_DELAY, item is a function pointer: void (*delay_fn)(int retval, unsigned usec_delay, void *appdata_ptr)

Both, PAM_AUTHTOK and PAM_OLDAUTHTOK, will be reset before returning to the application. Which means an application is not able to access the authentication tokens.

3.1.3.2. RETURN VALUES

PAM_BAD_ITEM

The application attempted to set an undefined or inaccessible item.

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

Data was successful updated.

PAM_SYSTEM_ERR

The pam_handle_t passed as first argument was invalid.

3.1.4. Getting PAM items

```
#include <security/pam_modules.h>
```

```
int pam_get_item( pamh,  
                 item_type,  
                 item);
```

```
const pam_handle_t *pamh;
int item_type;
const void **item;
```

3.1.4.1. DESCRIPTION

The `pam_get_item` function allows applications and PAM service modules to access and retrieve PAM information of `item_type`. Upon successful return, `item` contains a pointer to the value of the corresponding item. Note, this is a pointer to the actual data and should not be `free()`'ed or over-written! The following values are supported for `item_type`:

PAM_SERVICE

The service name (which identifies that PAM stack that the PAM functions will use to authenticate the program).

PAM_USER

The username of the entity under whose identity service will be given. That is, following authentication, `PAM_USER` identifies the local entity that gets to use the service. Note, this value can be mapped from something (eg., "anonymous") to something else (eg. "guest119") by any module in the PAM stack. As such an application should consult the value of `PAM_USER` after each call to a PAM function.

PAM_USER_PROMPT

The string used when prompting for a user's name. The default value for this string is a localized version of "login: ".

PAM_TTY

The terminal name prefixed by `/dev/` for device files. In the past, graphical X-based applications used to store the `$DISPLAY` variable here, but with the introduction of `PAM_XDISPLAY` this usage is deprecated.

PAM_RUSER

The requesting user name: local name for a locally requesting user or a remote user name for a remote requesting user.

Generally an application or module will attempt to supply the value that is most strongly authenticated (a local account before a remote one. The level of trust in this value is embodied in the actual authentication stack associated with the application, so it is ultimately at the discretion of

the system administrator.

PAM_RUSER@PAM_RHOST should always identify the requesting user. In some cases, PAM_RUSER may be NULL. In such situations, it is unclear who the requesting entity is.

PAM_RHOST

The requesting hostname (the hostname of the machine from which the PAM_RUSER entity is requesting service). That is PAM_RUSER@PAM_RHOST does identify the requesting user. In some applications, PAM_RHOST may be NULL. In such situations, it is unclear where the authentication request is originating from.

PAM_AUTHTOK

The authentication token (often a password). This token should be ignored by all module functions besides pam_sm_authenticate(3) and pam_sm_chauthtok(3). In the former function it is used to pass the most recent authentication token from one stacked module to another. In the latter function the token is used for another purpose. It contains the currently active authentication token.

PAM_OLDAUTHTOK

The old authentication token. This token should be ignored by all module functions except pam_sm_chauthtok(3).

PAM_CONV

The pam_conv structure. See pam_conv(3).

The following additional items are specific to Linux-PAM and should not be used in portable applications:

PAM_FAIL_DELAY

A function pointer to redirect centrally managed failure delays. See pam_fail_delay(3).

PAM_XDISPLAY

The name of the X display. For graphical, X-based applications the value for this item should be the \$DISPLAY variable. This value may be used independently of PAM_TTY for passing the name of the display.

PAM_XAUTHDATA

A pointer to a structure containing the X authentication data required to make a connection to the display specified by PAM_XDISPLAY, if such information is necessary. See pam_xauth_data(3).

PAM_AUTHTOK_TYPE

The default action is for the module to use the following prompts when requesting passwords: "New UNIX password: " and "Retype UNIX password: ". The example word UNIX can be replaced with this item, by default it is empty. This item is used by pam_get_authtok(3).

If a service module wishes to obtain the name of the user, it should not use this function, but instead perform a call to pam_get_user(3).

Only a service module is privileged to read the authentication tokens, PAM_AUTHTOK and PAM_OLDAUTHTOK.

3.1.4.2. RETURN VALUES

PAM_BAD_ITEM

The application attempted to set an undefined or inaccessible item.

PAM_BUF_ERR

Memory buffer error.

PAM_PERM_DENIED

The value of item was NULL.

PAM_SUCCESS

Data was successful updated.

PAM_SYSTEM_ERR

The pam_handle_t passed as first argument was invalid.

3.1.5. Strings describing PAM error codes

```
#include <security/pam_appl.h>
```

```
const char *pam_strerror( pamh,  
                          errnum);
```

```
pam_handle_t *pamh;  
int errnum;
```

3.1.5.1. DESCRIPTION

The `pam_strerror` function returns a pointer to a string describing the error code passed in the argument `errnum`, possibly using the `LC_MESSAGES` part of the current locale to select the appropriate language. This string must not be modified by the application. No library function will modify this string.

3.1.5.2.

RETURN VALUES

This function returns always a pointer to a string.

3.1.6. Request a delay on failure

```
#include <security/pam_appl.h>
```

```
int pam_fail_delay( pamh,  
                  usec);
```

```
pam_handle_t *pamh;  
unsigned int usec;
```

3.1.6.1. DESCRIPTION

The `pam_fail_delay` function provides a mechanism by which an application or module can suggest a minimum delay of `usec` micro-seconds. The function keeps a record of the longest time requested with this function. Should `pam_authenticate(3)` fail, the failing return to the application is delayed by an amount of time randomly distributed (by up to 50%) about this longest value.

Independent of success, the delay time is reset to its zero default value when the PAM service module returns control to the application. The delay occurs after all authentication modules have been called, but before control is returned to the service application.

When using this function the programmer should check if it is available with:

```
#ifdef HAVE_PAM_FAIL_DELAY  
....  
#endif /* HAVE_PAM_FAIL_DELAY */
```

For applications written with a single thread that are event driven in nature, generating this delay may be undesirable. Instead, the application may want to register the delay in some other way. For example, in a single threaded server that serves multiple authentication requests from a single event loop, the application might want to simply mark a given connection as blocked until an application timer expires. For this reason the delay function can be changed with the PAM_FAIL_DELAY item. It can be queried and set with pam_get_item(3) and pam_set_item(3) respectively. The value used to set it should be a function pointer of the following prototype:

```
void (*delay_fn)(int retval, unsigned usec_delay, void *appdata_ptr);
```

The arguments being the retval return code of the module stack, the usec_delay micro-second delay that libpam is requesting and the appdata_ptr that the application has associated with the current pamh. This last value was set by the application when it called pam_start(3) or explicitly with pam_set_item(3).

Note that the PAM_FAIL_DELAY item is set to NULL by default. This indicates that PAM should perform a random delay as described above when authentication fails and a delay has been suggested. If an application does not want the PAM library to perform any delay on authentication failure, then the application must define a custom delay function that executes no statements and set the PAM_FAIL_DELAY item to point to this function.

3.1.6.2. RETURN VALUES

PAM_SUCCESS

Delay was successful adjusted.

PAM_SYSTEM_ERR

A NULL pointer was submitted as PAM handle.

3.1.7. Authenticating the user

```
#include <security/pam_appl.h>
```

```
int pam_authenticate( pamh,  
                    flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.7.1. DESCRIPTION

The `pam_authenticate` function is used to authenticate the user. The user is required to provide an authentication token depending upon the authentication service, usually this is a password, but could also be a finger print.

The PAM service module may request that the user enter their username via the conversation mechanism (see `pam_start(3)` and `pam_conv(3)`). The name of the authenticated user will be present in the PAM item `PAM_USER`. This item may be recovered with a call to `pam_get_item(3)`.

The `pamh` argument is an authentication handle obtained by a prior call to `pam_start()`. The `flags` argument is the binary or of zero or more of the following values:

`PAM_SILENT`

Do not emit any messages.

`PAM_DISALLOW_NULL_AUTHTOK`

The PAM module service should return `PAM_AUTH_ERR` if the user does not have a registered authentication token.

3.1.7.2. RETURN VALUES

`PAM_ABORT`

The application should exit immediately after calling `pam_end(3)` first.

`PAM_AUTH_ERR`

The user was not authenticated.

`PAM_CRED_INSUFFICIENT`

For some reason the application does not have sufficient credentials to authenticate the user.

`PAM_AUTHINFO_UNAVAIL`

The modules were not able to access the authentication information. This might be due to a network or hardware failure etc.

`PAM_MAXTRIES`

One or more of the authentication modules has reached its limit of tries authenticating the user. Do not try again.

PAM_SUCCESS

The user was successfully authenticated.

PAM_USER_UNKNOWN

User unknown to authentication service.

3.1.8. Setting user credentials

```
#include <security/pam_appl.h>
```

```
int pam_setcred( pamh,  
                flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.8.1. DESCRIPTION

The `pam_setcred` function is used to establish, maintain and delete the credentials of a user. It should be called to set the credentials after a user has been authenticated and before a session is opened for the user (with `pam_open_session(3)`). The credentials should be deleted after the session has been closed (with `pam_close_session(3)`).

A credential is something that the user possesses. It is some property, such as a Kerberos ticket, or a supplementary group membership that make up the uniqueness of a given user. On a Linux system the user's UID and GID's are credentials too. However, it has been decided that these properties (along with the default supplementary groups of which the user is a member) are credentials that should be set directly by the application and not by PAM. Such credentials should be established, by the application, prior to a call to this function. For example, `initgroups(2)` (or equivalent) should have been performed.

Valid flags, any one of which, may be logically OR'd with `PAM_SILENT`, are:

PAM_ESTABLISH_CRED

Initialize the credentials for the user.

PAM_DELETE_CRED

Delete the user's credentials.

PAM_REINITIALIZE_CRED

Fully reinitialize the user's credentials.

PAM_REFRESH_CRED

Extend the lifetime of the existing credentials.

3.1.8.2. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_CRED_ERR

Failed to set user credentials.

PAM_CRED_EXPIRED

User credentials are expired.

PAM_CRED_UNAVAIL

Failed to retrieve user credentials.

PAM_SUCCESS

Data was successful stored.

PAM_SYSTEM_ERR

A NULL pointer was submitted as PAM handle, the function was called by a module or another system error occurred.

PAM_USER_UNKNOWN

User is not known to an authentication module.

3.1.9. Account validation management

```
#include <security/pam_appl.h>
```

```
int pam_acct_mgmt( pamh,  
                  flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.9.1. DESCRIPTION

The `pam_acct_mgmt` function is used to determine if the user's account is valid. It checks for authentication token and account expiration and verifies access restrictions. It is typically called after the user has been authenticated.

The `pamh` argument is an authentication handle obtained by a prior call to `pam_start()`. The `flags` argument is the binary or of zero or more of the following values:

PAM_SILENT

Do not emit any messages.

PAM_DISALLOW_NULL_AUTH Tok

The PAM module service should return `PAM_NEW_AUTH Tok_REQD` if the user has a null authentication token.

3.1.9.2. RETURN VALUES

PAM_ACCT_EXPIRED

User account has expired.

PAM_AUTH_ERR

Authentication failure.

PAM_NEW_AUTH Tok_REQD

The user account is valid but their authentication token is expired. The correct response to this return-value is to require that the user satisfies the `pam_chautok()` function before obtaining service. It may not be possible for some applications to do this. In such cases, the user should be denied access until such time as they can update their password.

PAM_PERM_DENIED

Permission denied.

PAM_SUCCESS

The authentication token was successfully updated.

PAM_USER_UNKNOWN

User unknown to password service.

3.1.10. Updating authentication tokens

```
#include <security/pam_appl.h>
```

```
int pam_chauthtok( pamh,  
                  flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.10.1.

DESCRIPTION

The `pam_chauthtok` function is used to change the authentication token for a given user (as indicated by the state associated with the handle `pamh`).

The `pamh` argument is an authentication handle obtained by a prior call to `pam_start()`. The `flags` argument is the binary or of zero or more of the following values:

PAM_SILENT

Do not emit any messages.

PAM_CHANGE_EXPIRED_AUTH Tok

This argument indicates to the modules that the user's authentication token (password) should only be changed if it has expired. If this argument is not passed, the application requires that all authentication tokens are to be changed.

3.1.10.2. RETURN VALUES

PAM_AUTH Tok_ERR

A module was unable to obtain the new authentication token.

PAM_AUTH Tok_RECOVERY_ERR

A module was unable to obtain the old authentication token.

PAM_AUTH Tok_LOCK_BUSY

One or more of the modules was unable to change the authentication token

since it is currently locked.

PAM_AUTHTOK_DISABLE_AGING

Authentication token aging has been disabled for at least one of the modules.

PAM_PERM_DENIED

Permission denied.

PAM_SUCCESS

The authentication token was successfully updated.

PAM_TRY_AGAIN

Not all of the modules were in a position to update the authentication token(s). In such a case none of the user's authentication tokens are updated.

PAM_USER_UNKNOWN

User unknown to password service.

3.1.11. Start PAM session management

```
#include <security/pam_appl.h>
```

```
int pam_open_session( pamh,  
                    flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.11.1. DESCRIPTION

The `pam_open_session` function sets up a user session for a previously successful authenticated user. The session should later be terminated with a call to `pam_close_session(3)`.

It should be noted that the effective uid, `geteuid(2)`, of the application should be of sufficient privilege to perform such tasks as creating or mounting the user's home directory for example.

The flags argument is the binary or of zero or more of the following values:

PAM_SILENT

Do not emit any messages.

3.1.11.2. RETURN VALUES

PAM_ABORT

General failure.

PAM_BUF_ERR

Memory buffer error.

PAM_SESSION_ERR

Session failure.

PAM_SUCCESS

Session was successful created.

3.1.12. terminating PAM session management

```
#include <security/pam_appl.h>
```

```
int pam_close_session( pamh,  
                      flags);
```

```
pam_handle_t *pamh;  
int flags;
```

3.1.12.1. DESCRIPTION

The `pam_close_session` function is used to indicate that an authenticated session has ended. The session should have been created with a call to `pam_open_session(3)`.

It should be noted that the effective uid, `geteuid(2)`, of the application should be of sufficient privilege to perform such tasks as unmounting the user's home directory for example.

The flags argument is the binary or of zero or more of the following values:

PAM_SILENT

Do not emit any messages.

3.1.12.2.

RETURN VALUES

PAM_ABORT

General failure.

PAM_BUF_ERR

Memory buffer error.

PAM_SESSION_ERR

Session failure.

PAM_SUCCESS

Session was successful terminated.

3.1.13. Set or change PAM environment variable

```
#include <security/pam_appl.h>
```

```
int pam_putenv( pamh,  
               name_value);
```

```
pam_handle_t *pamh;  
const char *name_value;
```

3.1.13.1. DESCRIPTION

The `pam_putenv` function is used to add or change the value of PAM environment variables as associated with the `pamh` handle.

The `pamh` argument is an authentication handle obtained by a prior call to `pam_start()`. The `name_value` argument is a single NUL terminated string of one of the following forms:

`NAME=value of variable`

In this case the environment variable of the given `NAME` is set to the indicated value: `value of variable`. If this variable is already known, it is overwritten. Otherwise it is added to the PAM environment.

`NAME=`

This function sets the variable to an empty value. It is listed separately to indicate that this is the correct way to achieve such a setting.

NAME

Without an '=' the pam_putenv() function will delete the corresponding variable from the PAM environment.

pam_putenv() operates on a copy of name_value, which means in contrast to putenv(3), the application is responsible for freeing the data.

3.1.13.2. RETURN VALUES

PAM_PERM_DENIED

Argument name_value given is a NULL pointer.

PAM_BAD_ITEM

Variable requested (for deletion) is not currently set.

PAM_ABORT

The pamh handle is corrupt.

PAM_BUF_ERR

Memory buffer error.

PAM_SUCCESS

The environment variable was successfully updated.

3.1.14. Get a PAM environment variable

```
#include <security/pam_appl.h>
```

```
const char *pam_getenv( pamh,  
                        name);
```

```
pam_handle_t *pamh;  
const char *name;
```

3.1.14.1. DESCRIPTION

The `pam_getenv` function searches the PAM environment list as associated with the handle `pamh` for an item that matches the string pointed to by `name` and returns a pointer to the value of the environment variable. The application is not allowed to free the data.

3.1.14.2. RETURN VALUES

The `pam_getenv` function returns `NULL` on failure.

3.1.15. Getting the PAM environment

```
#include <security/pam_appl.h>
```

```
char **pam_getenvlist( pamh);
```

```
pam_handle_t *pamh;
```

3.1.15.1. DESCRIPTION

The `pam_getenvlist` function returns a complete copy of the PAM environment as associated with the handle `pamh`. The PAM environment variables represent the contents of the regular environment variables of the authenticated user when service is granted.

The format of the memory is a `malloc()`'d array of char pointers, the last element of which is set to `NULL`. Each of the non-`NULL` entries in this array point to a NUL terminated and `malloc()`'d char string of the form: "name=value".

It should be noted that this memory will never be `free()`'d by `libpam`. Once obtained by a call to `pam_getenvlist`, it is the responsibility of the calling application to `free()` this memory.

It is by design, and not a coincidence, that the format and contents of the returned array matches that required for the third argument of the `execle(3)` function call.

3.1.15.2. RETURN VALUES

The `pam_getenvlist` function returns `NULL` on failure.

3.2. What is expected of an application

3.2.1. The conversation function

```
#include <security/pam_appl.h>
```

```

struct pam_message {
    int msg_style;
    const char *msg;
};

struct pam_response {
    char *resp;
    int resp_retcode;
};

struct pam_conv {
    int (*conv)(int num_msg, const struct pam_message **msg,
                struct pam_response **resp, void *appdata_ptr);
    void *appdata_ptr;
};

```

3.2.1.1. DESCRIPTION

The PAM library uses an application-defined callback to allow a direct communication between a loaded module and the application. This callback is specified by the struct `pam_conv` passed to `pam_start(3)` at the start of the transaction.

When a module calls the referenced `conv()` function, the argument `appdata_ptr` is set to the second element of this structure.

The other arguments of a call to `conv()` concern the information exchanged by module and application. That is to say, `num_msg` holds the length of the array of pointers, `msg`. After a successful return, the pointer `resp` points to an array of `pam_response` structures, holding the application supplied text. The `resp_retcode` member of this struct is unused and should be set to zero. It is the caller's responsibility to release both, this array and the responses themselves, using `free(3)`. Note, `*resp` is a struct `pam_response` array and not an array of pointers.

The number of responses is always equal to the `num_msg` conversation function argument. This does require that the response array is `free(3)`'d after every call to the conversation function. The index of the responses corresponds directly to the prompt index in the `pam_message` array.

On failure, the conversation function should release any resources it has allocated, and return one of the predefined PAM error codes.

Each message can have one of four types, specified by the `msg_style` member of

struct pam_message:

PAM_PROMPT_ECHO_OFF

Obtain a string without echoing any text.

PAM_PROMPT_ECHO_ON

Obtain a string whilst echoing text.

PAM_ERROR_MSG

Display an error message.

PAM_TEXT_INFO

Display some text.

The point of having an array of messages is that it becomes possible to pass a number of things to the application in a single call from the module. It can also be convenient for the application that related things come at once: a windows based application can then present a single form with many messages/prompts on at once.

In passing, it is worth noting that there is a discrepancy between the way Linux-PAM handles the const struct pam_message **msg conversation function argument and the way that Solaris' PAM (and derivatives, known to include HP/UX, are there others?) does. Linux-PAM interprets the msg argument as entirely equivalent to the following prototype const struct pam_message *msg[] (which, in spirit, is consistent with the commonly used prototypes for argv argument to the familiar main() function: char **argv; and char *argv[]). Said another way Linux-PAM interprets the msg argument as a pointer to an array of num_msg read only 'struct pam_message' pointers. Solaris' PAM implementation interprets this argument as a pointer to a pointer to an array of num_msg pam_message structures. Fortunately, perhaps, for most module/application developers when num_msg has a value of one these two definitions are entirely equivalent. Unfortunately, casually raising this number to two has led to unanticipated compatibility problems.

For what its worth the two known module writer work-arounds for trying to maintain source level compatibility with both PAM implementations are:

- never call the conversation function with num_msg greater than one.
- set up msg as doubly referenced so both types of conversation function can find the messages. That is, make

```
msg[n] = & (( *msg )[n])
```

3.2.1.2. RETURN VALUES

PAM_BUF_ERR

Memory buffer error.

PAM_CONV_ERR

Conversation failure. The application should not set *resp.

PAM_SUCCESS

Success.

3.3. Programming notes

Note, all of the authentication service function calls accept the token PAM_SILENT, which instructs the modules to not send messages to the application. This token can be logically OR'd with any one of the permitted tokens specific to the individual function calls. PAM_SILENT does not override the prompting of the user for passwords etc., it only stops informative messages from being generated.

Chapter 4. Security issues of Linux-PAM

PAM, from the perspective of an application, is a convenient API for authenticating users. PAM modules generally have no increased privilege over that possessed by the application that is making use of it. For this reason, the application must take ultimate responsibility for protecting the environment in which PAM operates.

A poorly (or maliciously) written application can defeat any Linux-PAM module's authentication mechanisms by simply ignoring its return values. It is the application's task and responsibility to grant privileges and access to services. The Linux-PAM library simply assumes the responsibility of authenticating the user; ascertaining that the user is who they say they are. Care should be taken to anticipate all of the documented behavior of the Linux-PAM library functions. A failure to do this will most certainly lead to a future security breach.

4.1. Care about standard library calls

In general, writers of authorization-granting applications should assume that

each module is likely to call any or all 'libc' functions. For 'libc' functions that return pointers to static/dynamically allocated structures (ie. the library allocates the memory and the user is not expected to 'free()' it) any module call to this function is likely to corrupt a pointer previously obtained by the application. The application programmer should either re-call such a 'libc' function after a call to the Linux-PAM library, or copy the structure contents to some safe area of memory before passing control to the Linux-PAM library.

Two important function classes that fall into this category are `getpwnam(3)` and `syslog(3)`.

4.2. Choice of a service name

When picking the service-name that corresponds to the first entry in the Linux-PAM configuration file, the application programmer should avoid the temptation of choosing something related to `argv[0]`. It is a trivial matter for any user to invoke any application on a system under a different name and this should not be permitted to cause a security breach.

In general, this is always the right advice if the program is `setuid`, or otherwise more privileged than the user that invokes it. In some cases, avoiding this advice is convenient, but as an author of such an application, you

should consider well the ways in which your program will be installed and used. (Its often the case that programs are not intended to be `setuid`, but end up being installed that way for convenience. If your program falls into this category, don't fall into the trap of making this mistake.)

To invoke some target application by another name, the user may symbolically link the target application with the desired name. To be precise all the user need do is, `ln -s /target/application ./preferred_name` and then run `./preferred_name`.

By studying the Linux-PAM configuration file(s), an attacker can choose the `preferred_name` to be that of a service enjoying minimal protection; for example a game which uses Linux-PAM to restrict access to certain hours of the day. If the service-name were to be linked to the filename under which the service was invoked, it is clear that the user is effectively in the position of dictating which authentication scheme the service uses. Needless to say, this is not a secure situation.

The conclusion is that the application developer should carefully define the service-name of an application. The safest thing is to make it a single hard-wired name.

4.3. The conversation function

Care should be taken to ensure that the `conv()` function is robust. Such a function is provided in the library `libpam_misc` (see below).

4.4. The identity of the user

The Linux-PAM modules will need to determine the identity of the user who requests a service, and the identity of the user who grants the service. These two users will seldom be the same. Indeed there is generally a third user identity to be considered, the new (assumed) identity of the user once the service is granted.

The need for keeping tabs on these identities is clearly an issue of security. One convention that is actively used by some modules is that the identity of the user requesting a service should be the current UID (user ID) of the running process; the identity of the privilege granting user is the EUID (effective user ID) of the running process; the identity of the user, under whose name the service will be executed, is given by the contents of the `PAM_USER` `pam_get_item(3)`. Note, modules can change the values of `PAM_USER` and `PAM_RUSER` during any of the `pam_*`() library calls. For this reason, the application should take care to use the `pam_get_item()` every time it wishes to establish who the authenticated user is (or will currently be).

For network-serving databases and other applications that provide their own security model (independent of the OS kernel) the above scheme is insufficient to identify the requesting user.

A more portable solution to storing the identity of the requesting user is to use the `PAM_RUSER` `pam_get_item(3)`. The application should supply this value before attempting to authenticate the user with `pam_authenticate()`. How well this name can be trusted will ultimately be at the discretion of the local administrator (who configures PAM for your application) and a selected module may attempt to override the value where it can obtain more reliable data. If an application is unable to determine the identity of the requesting entity/user, it should not call `pam_set_item(3)` to set `PAM_RUSER`.

In addition to the `PAM_RUSER` item, the application should supply the `PAM_RHOST` (requesting host) item. As a general rule, the following convention for its value can be assumed: `NULL` = unknown; `localhost` = invoked directly from the local system; `other.place.xyz` = some component of the user's connection originates from this remote/requesting host. At present, PAM has no established convention for indicating whether the application supports a trusted path to communication from this host.

4.5. Sufficient resources

Care should be taken to ensure that the proper execution of an application is not compromised by a lack of system resources. If an application is unable to open sufficient files to perform its service, it should fail gracefully, or request additional resources. Specifically, the quantities manipulated by the `setrlimit(2)` family of commands should be taken into consideration.

This is also true of conversation prompts. The application should not accept prompts of arbitrary length without checking for resource allocation failure and dealing with such extreme conditions gracefully and in a manner that preserves the PAM API. Such tolerance may be especially important when attempting to track a malicious adversary.

Chapter 5. A library of miscellaneous helper functions

To aid the work of the application developer a library of miscellaneous functions is provided. It is called `libpam_misc`, and contains a text based conversation function, and routines for enhancing the standard PAM-environment variable support.

The functions, structures and macros, made available by this library can be defined by including `<security/pam_misc.h>`. It should be noted that this library is specific to Linux-PAM and is not referred to in the defining DCE-RFC (see See also) below.

5.1. Functions supplied

5.1.1. Text based conversation function

```
#include <security/pam_misc.h>
```

```
int misc_conv( num_msg,
               msgm,
               response,
               appdata_ptr);

int num_msg;
const struct pam_message **msgm;
struct pam_response **response;
void *appdata_ptr;
```

5.1.1.1. DESCRIPTION

The `misc_conv` function is part of `libpam_misc` and not of the standard `libpam` library. This function will prompt the user with the appropriate comments and

obtain the appropriate inputs as directed by authentication modules.

In addition to simply slotting into the appropriate `pam_conv(3)`, this function provides some time-out facilities. The function exports five variables that can be used by an application programmer to limit the amount of time this conversation function will spend waiting for the user to type something. The five variables are as follows:

```
time_t pam_misc_conv_warn_time;
```

This variable contains the time (as returned by `time(2)`) that the user should be first warned that the clock is ticking. By default it has the value 0, which indicates that no such warning will be given. The application may set its value to sometime in the future, but this should be done prior to passing control to the Linux-PAM library.

```
const char *pam_misc_conv_warn_line;
```

Used in conjunction with `pam_misc_conv_warn_time`, this variable is a pointer to the string that will be displayed when it becomes time to warn the user that the timeout is approaching. Its default value is a translated version of "...Time is running out...", but this can be changed by the application prior to passing control to Linux-PAM.

```
time_t pam_misc_conv_die_time;
```

This variable contains the time (as returned by `time(2)`) that the will time out. By default it has the value 0, which indicates that the conversation function will not timeout. The application may set its value to sometime in the future, but this should be done prior to passing control to the Linux-PAM library.

```
const char *pam_misc_conv_die_line;
```

Used in conjunction with `pam_misc_conv_die_time`, this variable is a pointer to the string that will be displayed when the conversation times out. Its default value is a translated version of "...Sorry, your time is up!", but this can be changed by the application prior to passing control to Linux-PAM.

```
int pam_misc_conv_died;
```

Following a return from the Linux-PAM library, the value of this variable indicates whether the conversation has timed out. A value of 1 indicates the time-out occurred.

The following two function pointers are available for supporting binary prompts in the conversation function. They are optimized for the current incarnation of the libpamc library and are subject to change.

```
int (*pam_binary_handler_fn)(void *appdata, pamc_bp_t *prompt_p);
```

This function pointer is initialized to NULL but can be filled with a function that provides machine-machine (hidden) message exchange. It is intended for use with hidden authentication protocols such as RSA or Diffie-Hellman key exchanges. (This is still under development.)

```
int (*pam_binary_handler_free)(void *appdata, pamc_bp_t *delete_me);
```

This function pointer is initialized to PAM_BP_RENEW(delete_me, 0, 0), but can be redefined as desired by the application.

5.1.2. Transcribing an environment to that of PAM

```
#include <security/pam_misc.h>
```

```
int pam_misc_paste_env( pamh,  
                       user);
```

```
pam_handle_t *pamh;  
const char * const *user;
```

5.1.2.1. DESCRIPTION

This function takes the supplied list of environment pointers and uploads its contents to the PAM environment. Success is indicated by PAM_SUCCESS.

5.1.3. Liberating a locally saved environment

```
#include <security/pam_misc.h>
```

```
int pam_misc_drop_env( env);
```

```
char **env;
```

5.1.3.1. DESCRIPTION

This function is defined to complement the pam_getenvlist(3) function. It liberates the memory associated with env, overwriting with 0 all memory before free()ing it.

5.1.4. BSD like PAM environment variable setting

```
#include <security/pam_misc.h>
```

```
int pam_misc_setenv( pamh,  
                    name,  
                    value,  
                    readonly);
```

```
pam_handle_t *pamh;  
const char *name;  
const char *value;  
int readonly;
```

5.1.4.1. DESCRIPTION

This function performs a task equivalent to `pam_putenv(3)`, its syntax is, however, more like the BSD style function; `setenv()`. The name and value are concatenated with an '=' to form a `name=value` and passed to `pam_putenv()`. If, however, the PAM variable is already set, the replacement will only be applied if the last argument, `readonly`, is zero.

Chapter 6. Porting legacy applications

The point of PAM is that the application is not supposed to have any idea how the attached authentication modules will choose to authenticate the user.

So

all they can do is provide a conversation function that will talk directly to the user(client) on the modules' behalf.

Consider the case that you plug a retinal scanner into the login program. In this situation the user would be prompted: "please look into the scanner". No username or password would be needed - all this information could be deduced from the scan and a database lookup. The point is that the retinal scanner is an ideal task for a "module".

While it is true that a pop-daemon program is designed with the POP protocol in mind and no-one ever considered attaching a retinal scanner to it, it is also the case that the "clean" PAM'ification of such a daemon would allow for the possibility of a scanner module being attached to it. The point being that the "standard" pop-authentication protocol(s) [which will be needed to satisfy inflexible/legacy clients] would be supported by inserting an appropriate `pam_qpopper` module(s). However, having rewritten `popd` once in this way any new protocols can be implemented in-situ.

One simple test of a ported application would be to insert the pam_permit module and see if the application demands you type a password... In such a case, xlock would fail to lock the terminal - or would at best be a screen-saver, ftp would give password free access to all etc.. Neither of these is a very secure thing to do, but they do illustrate how much flexibility PAM puts in the hands of the local admin.

The key issue, in doing things correctly, is identifying what is part of the authentication procedure (how many passwords etc..) the exchange protocol (prefixes to prompts etc., numbers like 331 in the case of ftpd) and what is part of the service that the application delivers. PAM really needs to have total control in the authentication "procedure", the conversation function should only deal with reformatting user prompts and extracting responses from raw input.

Chapter 7. Glossary of PAM related terms

The following are a list of terms used within this document.

Authentication token

Generally, this is a password. However, a user can authenticate him/herself in a variety of ways. Updating the user's authentication token thus corresponds to refreshing the object they use to authenticate themselves with the system. The word password is avoided to keep open the possibility that the authentication involves a retinal scan or other non-textual mode of challenge/response.

Credentials

Having successfully authenticated the user, PAM is able to establish certain characteristics/attributes of the user. These are termed credentials. Examples of which are group memberships to perform privileged tasks with, and tickets in the form of environment variables etc. . Some user-credentials, such as the user's UID and GID (plus default group memberships) are not deemed to be PAM-credentials. It is the responsibility of the application to grant these directly.

Chapter 8. An example application

To get a flavor of the way a Linux-PAM application is written we include the following example. It prompts the user for their password and indicates whether their account is valid on the standard output, its return code also indicates the success (0 for success; 1 for failure).

/*

This program was contributed by Shane Watts
[modifications by AGM and kukuk]

You need to add the following (or equivalent) to the
/etc/pam.d/check_user file:

```
# check authorization
auth    required    pam_unix.so
account required    pam_unix.so
*/

#include <security/pam_appl.h>
#include <security/pam_misc.h>
#include <stdio.h>

static struct pam_conv conv = {
    misc_conv,
    NULL
};

int main(int argc, char *argv[])
{
    pam_handle_t *pamh=NULL;
    int retval;
    const char *user="nobody";

    if(argc == 2) {
        user = argv[1];
    }

    if(argc > 2) {
        fprintf(stderr, "Usage: check_user [username]\n");
        exit(1);
    }

    retval = pam_start("check_user",
user, &conv, &pamh);

    if (retval == PAM_SUCCESS)
        retval = pam_authenticate(pamh, 0); /* is user really user? */

    if (retval == PAM_SUCCESS)
        retval = pam_acct_mgmt(pamh, 0); /* permitted access? */

    /* This is where we have been authorized or not. */

    if (retval == PAM_SUCCESS) {
        fprintf(stdout, "Authenticated\n");
    } else {
```

```

    fprintf(stdout, "Not Authenticated\n");
}

if (pam_end(pamh,retval) != PAM_SUCCESS) {    /* close Linux-PAM */
    pamh = NULL;
    fprintf(stderr, "check_user: failed to release authenticator\n");
    exit(1);
}

return ( retval == PAM_SUCCESS ? 0:1 );    /* indicate success */
}

```

Chapter 9. Files

/usr/include/security/pam_appl.h

Header file with interfaces for Linux-PAM applications.

/usr/include/security/pam_misc.h

Header file for useful library functions for making applications easier to write.

Chapter 10. See also

- The Linux-PAM System Administrators' Guide.
- The Linux-PAM Module Writers' Guide.
- The V. Samar and R. Schemers (SunSoft), ``UNIFIED LOGIN WITH PLUGGABLE AUTHENTICATION MODULES'', Open Software Foundation Request For Comments 86.0, October 1995.

Chapter 11. Author/acknowledgments

This document was written by Andrew G. Morgan (morgan@kernel.org) with many contributions from Chris Adams, Peter Allgeyer, Tim Baverstock, Tim Berger, Craig S. Bell, Derrick J. Brashear, Ben Buxton, Seth Chaiklin, Oliver Crow, Chris Dent, Marc Ewing, Cristian Gafton, Emmanuel Galanos, Brad M. Garcia, Eric Hester, Roger Hu, Eric Jacksch, Michael K. Johnson, David Kinchlea, Olaf Kirch, Marcin Korzonek, Thorsten Kukuk, Stephen Langasek, Nicolai Langfeldt, Elliot Lee, Luke Kenneth Casson Leighton, Al Longyear, Ingo Luetkebohle, Marek Michalkiewicz, Robert Milkowski, Aleph One, Martin Pool, Sean Reifschneider, Jan Rekorajski, Erik Troan, Theodore Ts'o, Jeff Uphoff, Myles Uyema, Savochnik Andrey Vladimirovich,

Ronald Wahl, David Wood, John Wilmes, Joseph S. D. Yao
and Alex O. Yuriev.

Thanks are also due to Sun Microsystems, especially to Vipin Samar and Charlie Lai for their advice. At an early stage in the development of Linux-PAM, Sun graciously made the documentation for their implementation of PAM available. This act greatly accelerated the development of Linux-PAM.

Chapter 12. Copyright information for this document

Copyright (c) 2006 Thorsten Kukuk <kukuk@thkukuk.de>

Copyright (c) 1996-2002 Andrew G. Morgan <morgan@kernel.org>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Alternatively, this product may be distributed under the terms of the GNU General Public License (GPL), in which case the provisions of the GNU GPL are required instead of the above restrictions. (This clause is necessary due to a potential bad interaction between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/adg/Linux-PAM_ADG.txt

No license file was found, but licenses were detected in source scan.

```
<html><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><title>Chapter 9. Copyright information for this document</title><meta name="generator" content="DocBook XSL Stylesheets V1.79.2"><link rel="home" href="Linux-PAM_SAG.html" title="The Linux-PAM System Administrators' Guide"><link rel="up" href="Linux-PAM_SAG.html" title="The Linux-PAM System Administrators' Guide"><link rel="prev" href="sag-author.html" title="Chapter 8. Author/acknowledgments"></head><body bgcolor="white" text="black" link="#0000FF" vlink="#840084" alink="#0000FF"><div class="navheader"><table width="100%" summary="Navigation header"><tr><th colspan="3" align="center">Chapter 9. Copyright information for this document</th></tr><tr><td width="20%" align="left"><a accesskey="p" href="sag-author.html">Prev</a> </td><th width="60%" align="center"> </th><td width="20%" align="right"> </td></tr></table><hr></div><div class="chapter"><div class="titlepage"><div><div><h1 class="title"><a name="sag-copyright"></a>Chapter 9. Copyright information for this document</h1></div></div></div><pre class="programlisting">Copyright (c) 2006 Thorsten Kukuk &lt;kukuk@thkukuk.de&gt;&gt;;
Copyright (c) 1996-2002 Andrew G. Morgan &lt;morgan@kernel.org&gt;&gt;;
</pre><p>
```

```
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
```

```
</p><pre class="programlisting">
```

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

```
</pre><p>
```

```
Alternatively, this product may be distributed under the terms of
the GNU General Public License (GPL), in which case the provisions
of the GNU GPL are required instead of the above restrictions.
(This clause is necessary due to a potential bad interaction between
the GNU GPL and the restrictions contained in a BSD-style copyright.)
```

```
</p><pre class="programlisting">
```

```
THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR

TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

```
</pre></div><div class="navfooter"><hr><table width="100%" summary="Navigation footer"><tr><td width="40%" align="left"><a accesskey="p" href="sag-author.html">Prev</a> </td><td width="20%" align="center"> </td><td width="40%" align="right"> </td></tr><tr><td width="40%" align="left" valign="top">Chapter 8. Author/acknowledgments </td><td width="20%" align="center"><a accesskey="h" href="Linux-PAM_SAG.html">Home</a></td><td width="40%" align="right" valign="top"> </td></tr></table></div></body></html>
```

Found in path(s):

* /opt/cola/permits/1822720343_1704297183.37862/0/linux-pam-1-5-3-docs-tar-xz/Linux-PAM-1.5.3/doc/sag/html/sag-copyright.html

1.71 python-setuptools 65.5.0

1.71.1 Available under license :

Copyright Jason R. Coombs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's

principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above				
2.1.1	2001-now	PSF		yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to

CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT

is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee.

This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License

Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston,

VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with

Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make

the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both

that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright 2017-2019 Jason R. Coombs, Barry Warsaw

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The code contained in this directory was automatically generated using the following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuputils/config/_validate_pyproject --enable-plugins
setuputils.distutils --very-verbose
```

Please avoid changing it manually.

You can report issues or suggest changes directly to `validate-pyproject` (or to the relevant plugin repository)

- <https://github.com/abravalheri/validate-pyproject/issues>

The following files include code from opensource projects (either as direct copies or modified versions):

- `fastjsonschema_exceptions.py`:
 - project: `fastjsonschema` - licensed under BSD-3-Clause (<https://github.com/horejsek/python-fastjsonschema>)
- `extra_validations.py` and `format.py`, `error_reporting.py`:
 - project: `validate-pyproject` - licensed under MPL-2.0 (<https://github.com/abravalheri/validate-pyproject>)

Additionally the following files are automatically generated by tools provided by the same projects:

- - `__init__.py`
- `fastjsonschema_validations.py`

The relevant copyright notes and licenses are included below.

```
`fastjsonschema`
=====
```

Copyright (c) 2018, Michal Horejsek
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are

reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have

received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6.

Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at

<https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Copyright (c) 2018 Luminoso Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2017-2019 Brett Cannon, Barry Warsaw

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.72 urllib3 1.26.18

1.72.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.73 ruamel.yaml 0.17.28

1.73.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2023 Anthon van der Neut, Ruamel bvba

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.74 python-certifi 2023.07.22

1.74.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with

an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v

\$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means

any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. “Secondary License”

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”

means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)

means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for

any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights

to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in

Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms,

provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),

so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent,

then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes

an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party’s negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so

this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party’s ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.75 py3-urllib 1.26.18-r0

1.75.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.76 python-pip 23.3.1

1.76.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v
\$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any

third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS

FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for

the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS"

basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)

1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following
URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission

to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be

consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise

permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any

other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.77 aws-aws-sdk-go 1.21.2

1.77.1 Available under license :

```
{  
  "version": "1.0",  
  "examples": {  
  }  
}
```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

```
{  
  "version": "2.0",  
  "metadata": {  
    "apiVersion": "2018-08-01",  
    "endpointPrefix": "license-manager",  
    "jsonVersion": "1.1",  
    "protocol": "json",  
    "serviceFullName": "AWS License Manager",  
    "serviceId": "License Manager",  
    "signatureVersion": "v4",  
    "targetPrefix": "AWSLicenseManager",  
    "uid": "license-manager-2018-08-01"  
  },  
  "operations": {
```

```

"CreateLicenseConfiguration":{
  "name":"CreateLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"CreateLicenseConfigurationRequest"},
  "output":{"shape":"CreateLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"DeleteLicenseConfiguration":{
  "name":"DeleteLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteLicenseConfigurationRequest"},
  "output":{"shape":"DeleteLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"GetLicenseConfiguration":{
  "name":"GetLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetLicenseConfigurationRequest"},
  "output":{"shape":"GetLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
}

```

```

]
},
"GetServiceSettings":{
  "name":"GetServiceSettings",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetServiceSettingsRequest"},
  "output":{"shape":"GetServiceSettingsResponse"},
  "errors":[
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"ListAssociationsForLicenseConfiguration":{
  "name":"ListAssociationsForLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListAssociationsForLicenseConfigurationRequest"},
  "output":{"shape":"ListAssociationsForLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"FilterLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"ListLicenseConfigurations":{
  "name":"ListLicenseConfigurations",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListLicenseConfigurationsRequest"},
  "output":{"shape":"ListLicenseConfigurationsResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"FilterLimitExceededException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},

```



```

    {"shape":"RateLimitExceededException"}
  ]
},
"ListLicenseSpecificationsForResource":{
  "name":"ListLicenseSpecificationsForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListLicenseSpecificationsForResourceRequest"},
  "output":{"shape":"ListLicenseSpecificationsForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"ListResourceInventory":{
  "name":"ListResourceInventory",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListResourceInventoryRequest"},
  "output":{"shape":"ListResourceInventoryResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"FilterLimitExceededException"},
    {"shape":"FailedDependencyException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"ListTagsForResource":{
  "name":"ListTagsForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListTagsForResourceRequest"},
  "output":{"shape":"ListTagsForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},

```

```

    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"ListUsageForLicenseConfiguration":{
  "name":"ListUsageForLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListUsageForLicenseConfigurationRequest"},
  "output":{"shape":"ListUsageForLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"FilterLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"TagResource":{
  "name":"TagResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"TagResourceRequest"},
  "output":{"shape":"TagResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"UntagResource":{
  "name":"UntagResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UntagResourceRequest"},
  "output":{"shape":"UntagResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},

```

```

    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"UpdateLicenseConfiguration":{
  "name":"UpdateLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UpdateLicenseConfigurationRequest"},
  "output":{"shape":"UpdateLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"UpdateLicenseSpecificationsForResource":{
  "name":"UpdateLicenseSpecificationsForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UpdateLicenseSpecificationsForResourceRequest"},
  "output":{"shape":"UpdateLicenseSpecificationsForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"InvalidResourceStateException"},
    {"shape":"LicenseUsageException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ]
},
"UpdateServiceSettings":{
  "name":"UpdateServiceSettings",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UpdateServiceSettingsRequest"},
  "output":{"shape":"UpdateServiceSettingsResponse"},

```

```

"errors":[
  {"shape":"InvalidParameterValueException"},
  {"shape":"ServerInternalException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"}
]
},
"shapes":{
  "AccessDeniedException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "exception":true
  },
  "AuthorizationException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "exception":true
  },
  "Boolean":{"type":"boolean"},
  "BoxBoolean":{"type":"boolean"},
  "BoxInteger":{"type":"integer"},
  "BoxLong":{"type":"long"},
  "ConsumedLicenseSummary":{
    "type":"structure",
    "members":{
      "ResourceType":{"shape":"ResourceType"},
      "ConsumedLicenses":{"shape":"BoxLong"}
    }
  },
  "ConsumedLicenseSummaryList":{
    "type":"list",
    "member":{"shape":"ConsumedLicenseSummary"}
  },
  "CreateLicenseConfigurationRequest":{
    "type":"structure",
    "required":[
      "Name",
      "LicenseCountingType"
    ],
    "members":{
      "Name":{"shape":"String"},
      "Description":{"shape":"String"},

```

```

    "LicenseCountingType":{"shape":"LicenseCountingType"},
    "LicenseCount":{"shape":"BoxLong"},
    "LicenseCountHardLimit":{"shape":"BoxBoolean"},
    "LicenseRules":{"shape":"StringList"},
    "Tags":{"shape":"TagList"}
  }
},
"CreateLicenseConfigurationResponse":{"
  "type":"structure",
  "members":{"
    "LicenseConfigurationArn":{"shape":"String"}
  }
},
"DateTime":{"type":"timestamp"},
"DeleteLicenseConfigurationRequest":{"
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{"
    "LicenseConfigurationArn":{"shape":"String"}
  }
},
"DeleteLicenseConfigurationResponse":{"
  "type":"structure",
  "members":{"
  }
},
"FailedDependencyException":{"
  "type":"structure",
  "members":{"
    "Message":{"shape":"Message"}
  },
  "exception":true,
  "fault":true
},
"Filter":{"
  "type":"structure",
  "members":{"
    "Name":{"shape":"FilterName"},
    "Values":{"shape":"FilterValues"}
  }
},
"FilterLimitExceededException":{"
  "type":"structure",
  "members":{"
    "Message":{"shape":"Message"}
  },
  "exception":true
},

```

```

"FilterName":{"type":"string"},
"FilterValue":{"type":"string"},
"FilterValues":{"
  "type":"list",
  "member":{"shape":"FilterValue"}
},
"Filters":{"
  "type":"list",
  "member":{"shape":"Filter"}
},
"GetLicenseConfigurationRequest":{"
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{"
    "LicenseConfigurationArn":{"shape":"String"}
  }
},
"GetLicenseConfigurationResponse":{"
  "type":"structure",
  "members":{"
    "LicenseConfigurationId":{"shape":"String"},
    "LicenseConfigurationArn":{"shape":"String"},
    "Name":{"shape":"String"},
    "Description":{"shape":"String"},
    "LicenseCountingType":{"shape":"LicenseCountingType"},
    "LicenseRules":{"shape":"StringList"},
    "LicenseCount":{"shape":"BoxLong"},
    "LicenseCountHardLimit":{"shape":"BoxBoolean"},
    "ConsumedLicenses":{"shape":"BoxLong"},
    "Status":{"shape":"String"},
    "OwnerAccountId":{"shape":"String"},
    "ConsumedLicenseSummaryList":{"shape":"ConsumedLicenseSummaryList"},
    "ManagedResourceSummaryList":{"shape":"ManagedResourceSummaryList"},
    "Tags":{"shape":"TagList"}
  }
},
"GetServiceSettingsRequest":{"
  "type":"structure",
  "members":{"
  }
},
"GetServiceSettingsResponse":{"
  "type":"structure",
  "members":{"
    "S3BucketArn":{"shape":"String"},
    "SnsTopicArn":{"shape":"String"},
    "OrganizationConfiguration":{"shape":"OrganizationConfiguration"},
    "EnableCrossAccountsDiscovery":{"shape":"BoxBoolean"}
  }
}

```

```

    }
  },
  "InvalidParameterValueException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "exception":true,
    "synthetic":true
  },
  "InvalidResourceStateException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "exception":true
  },
  "InventoryFilter":{
    "type":"structure",
    "required":[
      "Name",
      "Condition"
    ],
    "members":{
      "Name":{"shape":"String"},
      "Condition":{"shape":"InventoryFilterCondition"},
      "Value":{"shape":"String"}
    }
  },
  "InventoryFilterCondition":{
    "type":"string",
    "enum":[
      "EQUALS",
      "NOT_EQUALS",
      "BEGINS_WITH",
      "CONTAINS"
    ]
  },
  "InventoryFilterList":{
    "type":"list",
    "member":{"shape":"InventoryFilter"}
  },
  "LicenseConfiguration":{
    "type":"structure",
    "members":{
      "LicenseConfigurationId":{"shape":"String"},
      "LicenseConfigurationArn":{"shape":"String"},
      "Name":{"shape":"String"},

```

```

    "Description":{"shape":"String"},
    "LicenseCountingType":{"shape":"LicenseCountingType"},
    "LicenseRules":{"shape":"StringList"},
    "LicenseCount":{"shape":"BoxLong"},
    "LicenseCountHardLimit":{"shape":"BoxBoolean"},
    "ConsumedLicenses":{"shape":"BoxLong"},
    "Status":{"shape":"String"},
    "OwnerAccountId":{"shape":"String"},
    "ConsumedLicenseSummaryList":{"shape":"ConsumedLicenseSummaryList"},
    "ManagedResourceSummaryList":{"shape":"ManagedResourceSummaryList"}
  }
},
"LicenseConfigurationAssociation":{
  "type":"structure",
  "members":{
    "ResourceArn":{"shape":"String"},
    "ResourceType":{"shape":"ResourceType"},
    "ResourceOwnerId":{"shape":"String"},
    "AssociationTime":{"shape":"DateTime"}
  }
},
"LicenseConfigurationAssociations":{
  "type":"list",
  "member":{"shape":"LicenseConfigurationAssociation"}
},
"LicenseConfigurationStatus":{
  "type":"string",
  "enum":[
    "AVAILABLE",
    "DISABLED"
  ]
},
"LicenseConfigurationUsage":{
  "type":"structure",
  "members":{
    "ResourceArn":{"shape":"String"},
    "ResourceType":{"shape":"ResourceType"},
    "ResourceStatus":{"shape":"String"},
    "ResourceOwnerId":{"shape":"String"},
    "AssociationTime":{"shape":"DateTime"},
    "ConsumedLicenses":{"shape":"BoxLong"}
  }
},
"LicenseConfigurationUsageList":{
  "type":"list",
  "member":{"shape":"LicenseConfigurationUsage"}
},
"LicenseConfigurations":{

```



```

    "type":"list",
    "member":{"shape":"LicenseConfiguration"}
  },
  "LicenseCountingType":{
    "type":"string",
    "enum":[
      "vCPU",
      "Instance",
      "Core",
      "Socket"
    ]
  },
  "LicenseSpecification":{
    "type":"structure",
    "required":["LicenseConfigurationArn"],
    "members":{
      "LicenseConfigurationArn":{"shape":"String"}
    }
  },
  "LicenseSpecifications":{
    "type":"list",
    "member":{"shape":"LicenseSpecification"}
  },
  "LicenseUsageException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "exception":true
  },
  "ListAssociationsForLicenseConfigurationRequest":{
    "type":"structure",
    "required":["LicenseConfigurationArn"],
    "members":{
      "LicenseConfigurationArn":{"shape":"String"},
      "MaxResults":{"shape":"BoxInteger"},
      "NextToken":{"shape":"String"}
    }
  },
  "ListAssociationsForLicenseConfigurationResponse":{
    "type":"structure",
    "members":{
      "LicenseConfigurationAssociations":{"shape":"LicenseConfigurationAssociations"},
      "NextToken":{"shape":"String"}
    }
  },
  "ListLicenseConfigurationsRequest":{

```

```

"type":"structure",
"members":{
  "LicenseConfigurationArns":{"shape":"StringList"},
  "MaxResults":{"shape":"BoxInteger"},
  "NextToken":{"shape":"String"},
  "Filters":{"shape":"Filters"}
}
},
>ListLicenseConfigurationsResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurations":{"shape":"LicenseConfigurations"},
    "NextToken":{"shape":"String"}
  }
},
>ListLicenseSpecificationsForResourceRequest":{
  "type":"structure",
  "required":["ResourceArn"],
  "members":{
    "ResourceArn":{"shape":"String"},
    "MaxResults":{"shape":"BoxInteger"},
    "NextToken":{"shape":"String"}
  }
},
>ListLicenseSpecificationsForResourceResponse":{
  "type":"structure",
  "members":{
    "LicenseSpecifications":{"shape":"LicenseSpecifications"},
    "NextToken":{"shape":"String"}
  }
},
>ListResourceInventoryRequest":{
  "type":"structure",
  "members":{
    "MaxResults":{"shape":"BoxInteger"},
    "NextToken":{"shape":"String"},
    "Filters":{"shape":"InventoryFilterList"}
  }
},
>ListResourceInventoryResponse":{
  "type":"structure",
  "members":{
    "ResourceInventoryList":{"shape":"ResourceInventoryList"},
    "NextToken":{"shape":"String"}
  }
},
>ListTagsForResourceRequest":{
  "type":"structure",

```

```

    "required":["ResourceArn"],
    "members":{
      "ResourceArn":{"shape":"String"}
    }
  },
  "ListTagsForResourceResponse":{
    "type":"structure",
    "members":{
      "Tags":{"shape":"TagList"}
    }
  },
  "ListUsageForLicenseConfigurationRequest":{
    "type":"structure",
    "required":["LicenseConfigurationArn"],
    "members":{
      "LicenseConfigurationArn":{"shape":"String"},
      "MaxResults":{"shape":"BoxInteger"},
      "NextToken":{"shape":"String"},
      "Filters":{"shape":"Filters"}
    }
  },
  "ListUsageForLicenseConfigurationResponse":{
    "type":"structure",
    "members":{
      "LicenseConfigurationUsageList":{"shape":"LicenseConfigurationUsageList"},
      "NextToken":{"shape":"String"}
    }
  },
  "ManagedResourceSummary":{
    "type":"structure",
    "members":{
      "ResourceType":{"shape":"ResourceType"},
      "AssociationCount":{"shape":"BoxLong"}
    }
  },
  "ManagedResourceSummaryList":{
    "type":"list",
    "member":{"shape":"ManagedResourceSummary"}
  },
  "Message":{"type":"string"},
  "OrganizationConfiguration":{
    "type":"structure",
    "required":["EnableIntegration"],
    "members":{
      "EnableIntegration":{"shape":"Boolean"}
    }
  },
  "RateLimitExceededException":{

```

```

"type":"structure",
"members":{
  "Message":{"shape":"Message"}
},
"exception":true
},
"ResourceInventory":{
"type":"structure",
"members":{
  "ResourceId":{"shape":"String"},
  "ResourceType":{"shape":"ResourceType"},
  "ResourceArn":{"shape":"String"},
  "Platform":{"shape":"String"},
  "PlatformVersion":{"shape":"String"},
  "ResourceOwningAccountId":{"shape":"String"}
}
},
"ResourceInventoryList":{
"type":"list",
"member":{"shape":"ResourceInventory"}
},
"ResourceLimitExceededException":{
"type":"structure",
"members":{
  "Message":{"shape":"Message"}
},
"exception":true
},
"ResourceType":{
"type":"string",
"enum":[
  "EC2_INSTANCE",
  "EC2_HOST",
  "EC2_AMI"
]
},
"ServerInternalException":{
"type":"structure",
"members":{
  "Message":{"shape":"Message"}
},
"exception":true,
"fault":true
},
"String":{"type":"string"},
"StringList":{
"type":"list",
"member":{"shape":"String"}
}

```

```

},
"Tag":{
  "type":"structure",
  "members":{
    "Key":{"shape":"String"},
    "Value":{"shape":"String"}
  }
},
"TagKeyList":{
  "type":"list",
  "member":{"shape":"String"}
},
"TagList":{
  "type":"list",
  "member":{"shape":"Tag"}
},
"TagResourceRequest":{
  "type":"structure",
  "required":[
    "ResourceArn",
    "Tags"
  ],
  "members":{
    "ResourceArn":{"shape":"String"},
    "Tags":{"shape":"TagList"}
  }
},
"TagResourceResponse":{
  "type":"structure",
  "members":{
  }
},
"UntagResourceRequest":{
  "type":"structure",
  "required":[
    "ResourceArn",
    "TagKeys"
  ],
  "members":{
    "ResourceArn":{"shape":"String"},
    "TagKeys":{"shape":"TagKeyList"}
  }
},
"UntagResourceResponse":{
  "type":"structure",
  "members":{
  }
}

```

```

},
"UpdateLicenseConfigurationRequest":{
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{
    "LicenseConfigurationArn":{"shape":"String"},
    "LicenseConfigurationStatus":{"shape":"LicenseConfigurationStatus"},
    "LicenseRules":{"shape":"StringList"},
    "LicenseCount":{"shape":"BoxLong"},
    "LicenseCountHardLimit":{"shape":"BoxBoolean"},
    "Name":{"shape":"String"},
    "Description":{"shape":"String"}
  }
},
"UpdateLicenseConfigurationResponse":{
  "type":"structure",
  "members":{
  }
},
"UpdateLicenseSpecificationsForResourceRequest":{
  "type":"structure",
  "required":["ResourceArn"],
  "members":{
    "ResourceArn":{"shape":"String"},
    "AddLicenseSpecifications":{"shape":"LicenseSpecifications"},
    "RemoveLicenseSpecifications":{"shape":"LicenseSpecifications"}
  }
},
"UpdateLicenseSpecificationsForResourceResponse":{
  "type":"structure",
  "members":{
  }
},
"UpdateServiceSettingsRequest":{
  "type":"structure",
  "members":{
    "S3BucketArn":{"shape":"String"},
    "SnsTopicArn":{"shape":"String"},
    "OrganizationConfiguration":{"shape":"OrganizationConfiguration"},
    "EnableCrossAccountsDiscovery":{"shape":"BoxBoolean"}
  }
},
"UpdateServiceSettingsResponse":{
  "type":"structure",
  "members":{
  }
}
}

```

```

}
{
  "version": "2.0",
  "service": "<fullname> AWS License Manager </fullname> <p> <i>This is the AWS License Manager API Reference.</i> It provides descriptions, syntax, and usage examples for each of the actions and data types for License Manager. The topic for each action shows the Query API request parameters and the XML response. You can also view the XML request elements in the WSDL. </p> <p> Alternatively, you can use one of the AWS SDKs to access an API that's tailored to the programming language or platform that you're using. For more information, see <a href=\"http://aws.amazon.com/tools/#SDKs\">AWS SDKs</a>. </p>",
  "operations": {
    "CreateLicenseConfiguration": "<p>Creates a new license configuration object. A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or VCPU), tenancy (shared tenancy, Amazon EC2 Dedicated Instance, Amazon EC2 Dedicated Host, or any of these), host affinity (how long a VM must be associated with a host), the number of licenses purchased and used.</p>",
    "DeleteLicenseConfiguration": "<p>Deletes an existing license configuration. This action fails if the configuration is in use.</p>",
    "GetLicenseConfiguration": "<p>Returns a detailed description of a license configuration.</p>",
    "GetServiceSettings": "<p>Gets License Manager settings for a region. Exposes the configured S3 bucket, SNS topic, etc., for inspection. </p>",
    "ListAssociationsForLicenseConfiguration": "<p>Lists the resource associations for a license configuration. Resource associations need not consume licenses from a license configuration. For example, an AMI or a stopped instance may not consume a license (depending on the license rules). Use this operation to find all resources associated with a license configuration.</p>",
    "ListLicenseConfigurations": "<p>Lists license configuration objects for an account, each containing the name, description, license type, and other license terms modeled from a license agreement.</p>",
    "ListLicenseSpecificationsForResource": "<p>Returns the license configuration for a resource.</p>",
    "ListResourceInventory": "<p>Returns a detailed list of resources.</p>",
    "ListTagsForResource": "<p>Lists tags attached to a resource.</p>",
    "ListUsageForLicenseConfiguration": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>",
    "TagResource": "<p>Attach one of more tags to any resource.</p>",
    "UntagResource": "<p>Remove tags from a resource.</p>",
    "UpdateLicenseConfiguration": "<p>Modifies the attributes of an existing license configuration object. A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (Instances, cores, sockets, VCPUs), tenancy (shared or Dedicated Host), host affinity (how long a VM is associated with a host), the number of licenses purchased and used.</p>",
    "UpdateLicenseSpecificationsForResource": "<p>Adds or removes license configurations for a specified AWS resource. This operation currently supports updating the license specifications of AMIs, instances, and hosts. Launch templates and AWS CloudFormation templates are not managed from this operation as those resources send the license configurations directly to a resource creation operation, such as <code>RunInstances</code>.</p>",
    "UpdateServiceSettings": "<p>Updates License Manager service settings.</p>"
  },
  "shapes": {

```

```

"AccessDeniedException": {
  "base": "<p>Access to resource denied.</p>",
  "refs": {
  }
},
"AuthorizationException": {
  "base": "<p>The AWS
user account does not have permission to perform the action. Check the IAM policy associated with this
account.</p>",
  "refs": {
  }
},
"Boolean": {
  "base": null,
  "refs": {
    "OrganizationConfiguration$EnableIntegration": "<p>Flag to activate AWS Organization integration.</p>"
  }
},
"BoxBoolean": {
  "base": null,
  "refs": {
    "CreateLicenseConfigurationRequest$LicenseCountHardLimit": "<p>Flag indicating whether hard or soft
license enforcement is used. Exceeding a hard limit results in the blocked deployment of new instances.</p>",
    "GetLicenseConfigurationResponse$LicenseCountHardLimit": "<p>Sets the number of available licenses as a
hard limit.</p>",
    "GetServiceSettingsResponse$EnableCrossAccountsDiscovery": "<p>Indicates whether cross-account
discovery has been enabled.</p>",
    "LicenseConfiguration$LicenseCountHardLimit": "<p>Sets the number of available licenses as a hard
limit.</p>",
    "UpdateLicenseConfigurationRequest$LicenseCountHardLimit":
"<p>Sets the number of available licenses as a hard limit.</p>",
    "UpdateServiceSettingsRequest$EnableCrossAccountsDiscovery": "<p>Activates cross-account
discovery.</p>"
  }
},
"BoxInteger": {
  "base": null,
  "refs": {
    "ListAssociationsForLicenseConfigurationRequest$MaxResults": "<p>Maximum number of results to return in
a single call. To retrieve the remaining results, make another call with the returned <code>NextToken</code>
value.</p>",
    "ListLicenseConfigurationsRequest$MaxResults": "<p>Maximum number of results to return in a single call.
To retrieve the remaining results, make another call with the returned <code>NextToken</code> value.</p>",
    "ListLicenseSpecificationsForResourceRequest$MaxResults": "<p>Maximum number of results to return in a
single call. To retrieve the remaining results, make another call with the returned <code>NextToken</code>
value.</p>",
    "ListResourceInventoryRequest$MaxResults":

```


"<p>Maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned <code>NextToken</code> value.</p>",

"ListUsageForLicenseConfigurationRequest\$MaxResults": "<p>Maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned <code>NextToken</code> value.</p>"

```
    }
  },
  "BoxLong": {
    "base": null,
    "refs": {
      "ConsumedLicenseSummary$ConsumedLicenses": "<p>Number of licenses consumed by a resource.</p>",
      "CreateLicenseConfigurationRequest$LicenseCount": "<p>Number of licenses managed by the license configuration.</p>",
      "GetLicenseConfigurationResponse$LicenseCount": "<p>Number of available licenses.</p>",
      "GetLicenseConfigurationResponse$ConsumedLicenses": "<p>Number of licenses assigned to resources.</p>",
      "LicenseConfiguration$LicenseCount": "<p>Number of licenses managed by the license configuration.</p>",
      "LicenseConfiguration$ConsumedLicenses": "<p>Number of licenses consumed. </p>",
      "LicenseConfigurationUsage$ConsumedLicenses": "<p>Number of licenses consumed out of the total provisioned in the license configuration.</p>",
      "ManagedResourceSummary$AssociationCount": "<p>Number of resources associated with licenses.</p>",
      "UpdateLicenseConfigurationRequest$LicenseCount": "<p>New number of licenses managed by the license configuration.</p>"
    }
  },
  "ConsumedLicenseSummary": {
    "base": "<p>Details about license consumption.</p>",
    "refs": {
      "ConsumedLicenseSummaryList$member": null
    }
  },
  "ConsumedLicenseSummaryList": {
    "base": null,
    "refs": {
      "GetLicenseConfigurationResponse$ConsumedLicenseSummaryList": "<p>List of summaries for consumed licenses used by various resources.</p>",
      "LicenseConfiguration$ConsumedLicenseSummaryList": "<p>List of summaries for licenses consumed by various resources.</p>"
    }
  },
  "CreateLicenseConfigurationRequest": {
    "base": null,
    "refs": {
    }
  },
  "CreateLicenseConfigurationResponse": {
    "base": null,
    "refs": {
```

```

    }
  },
  "DateTime": {
    "base": null,
    "refs": {
      "LicenseConfigurationAssociation$AssociationTime": "<p>Time when the license configuration was associated
with the resource.</p>",
      "LicenseConfigurationUsage$AssociationTime": "<p>Time when the license configuration was initially
associated with a resource.</p>"
    }
  },
  "DeleteLicenseConfigurationRequest": {
    "base": null,
    "refs": {
    }
  },
  "DeleteLicenseConfigurationResponse": {
    "base": null,
    "refs": {
    }
  },
  "FailedDependencyException": {
    "base": "<p>A dependency required to run the API is missing.</p>",
    "refs": {
    }
  },
  "Filter": {
    "base": "<p>A filter name and value pair
that is used to return a more specific list of results from a describe operation. Filters can be used to match a set of
resources by specific criteria, such as tags, attributes, or IDs. The filters supported by a <code>Describe</code>
operation are documented with the <code>Describe</code> operation.</p>",
    "refs": {
      "Filters$member": null
    }
  },
  "FilterLimitExceededException": {
    "base": "<p>The request uses too many filters or too many filter values.</p>",
    "refs": {
    }
  },
  "FilterName": {
    "base": null,
    "refs": {
      "Filter$Name": "<p>Name of the filter. Filter names are case-sensitive.</p>"
    }
  },
  "FilterValue": {
    "base": null,

```

```

"refs": {
  "FilterValues$member": null
},
"FilterValues": {
  "base": null,
  "refs": {
    "Filter$Values": "<p>One or more filter values. Filter values are case-sensitive.</p>"
  }
},
"Filters": {
  "base": null,

"refs": {
  "ListLicenseConfigurationsRequest$Filters": "<p>One or more filters.</p>",
  "ListUsageForLicenseConfigurationRequest$Filters": "<p>List of filters to apply.</p>"
},
"GetLicenseConfigurationRequest": {
  "base": null,
  "refs": {
  }
},
"GetLicenseConfigurationResponse": {
  "base": null,
  "refs": {
  }
},
"GetServiceSettingsRequest": {
  "base": null,
  "refs": {
  }
},
"GetServiceSettingsResponse": {
  "base": null,
  "refs": {
  }
},
"InvalidParameterValueException": {
  "base": "<p>One or more parameter values are not valid.</p>",
  "refs": {
  }
},
"InvalidResourceStateException": {
  "base": "<p>License Manager cannot allocate a license to a resource because of its state. </p> <p>For example, you cannot allocate a license to an instance in the process of shutting down.</p>",
  "refs": {
  }
}

```

```

},
"InventoryFilter": {
  "base": "<p>An inventory filter object.</p>",
  "refs": {
    "InventoryFilterList$member": null
  }
},
"InventoryFilterCondition": {
  "base": null,
  "refs": {
    "InventoryFilter$Condition": "<p>The condition of the filter.</p>"
  }
},
"InventoryFilterList": {
  "base": null,
  "refs": {
    "ListResourceInventoryRequest$Filters": "<p>One or more filters.</p>"
  }
},
"LicenseConfiguration": {
  "base": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or VCPU), tenancy (shared tenancy, Amazon EC2 Dedicated Instance, Amazon EC2 Dedicated Host, or any of these), host affinity (how long a VM must be associated with a host), the number of licenses purchased and used.</p>",
  "refs": {
    "LicenseConfigurations$member": null
  }
},
"LicenseConfigurationAssociation": {
  "base": "<p>Describes a server resource that is associated with a license configuration.</p>",
  "refs": {
    "LicenseConfigurationAssociations$member": null
  }
},
"LicenseConfigurationAssociations": {
  "base": null,
  "refs": {
    "ListAssociationsForLicenseConfigurationResponse$LicenseConfigurationAssociations": "<p>Lists association objects for the license configuration, each containing the association time, number of consumed licenses, resource ARN, resource ID, account ID that owns the resource, resource size, and resource type.</p>"
  }
},
"LicenseConfigurationStatus": {
  "base": null,
  "refs": {

```

```

    "UpdateLicenseConfigurationRequest$LicenseConfigurationStatus": "<p>New status of the license
configuration (<code>ACTIVE</code> or <code>INACTIVE</code>).</p>"
  }
},
"LicenseConfigurationUsage": {
  "base": "<p>Contains details of the usage of each resource
from the license pool.</p>",
  "refs": {
    "LicenseConfigurationUsageList$member": null
  }
},
"LicenseConfigurationUsageList": {
  "base": null,
  "refs": {
    "ListUsageForLicenseConfigurationResponse$LicenseConfigurationUsageList": "<p>An array of
<code>LicenseConfigurationUsage</code> objects.</p>"
  }
},
"LicenseConfigurations": {
  "base": null,
  "refs": {
    "ListLicenseConfigurationsResponse$LicenseConfigurations": "<p>Array of license configuration
objects.</p>"
  }
},
"LicenseCountingType": {
  "base": null,
  "refs": {
    "CreateLicenseConfigurationRequest$LicenseCountingType": "<p>Dimension to use to track the license
inventory.</p>",
    "GetLicenseConfigurationResponse$LicenseCountingType": "<p>Dimension on which the licenses are counted
(for example, instances, cores, sockets, or VCPUs).</p>",
    "LicenseConfiguration$LicenseCountingType": "<p>Dimension to use to track license
inventory.</p>"
  }
},
"LicenseSpecification": {
  "base": "<p>Object used for associating a license configuration with a resource.</p>",
  "refs": {
    "LicenseSpecifications$member": null
  }
},
"LicenseSpecifications": {
  "base": null,
  "refs": {
    "ListLicenseSpecificationsForResourceResponse$LicenseSpecifications": "<p>License configurations
associated with a resource.</p>",
    "UpdateLicenseSpecificationsForResourceRequest$AddLicenseSpecifications": "<p>License configuration

```

ARNs to be added to a resource.</p>",

"UpdateLicenseSpecificationsForResourceRequest\$RemoveLicenseSpecifications": "<p>License configuration ARNs to be removed from a resource.</p>"

```
    }
  },
  "LicenseUsageException": {
    "base": "<p>You do not have enough licenses available to support a new resource launch.</p>",
    "refs": {
    }
  },
  "ListAssociationsForLicenseConfigurationRequest": {
    "base": null,
    "refs":
  {
  }
  },
  "ListAssociationsForLicenseConfigurationResponse": {
    "base": null,
    "refs": {
    }
  },
  "ListLicenseConfigurationsRequest": {
    "base": null,
    "refs": {
    }
  },
  "ListLicenseConfigurationsResponse": {
    "base": null,
    "refs": {
    }
  },
  "ListLicenseSpecificationsForResourceRequest": {
    "base": null,
    "refs": {
    }
  },
  "ListLicenseSpecificationsForResourceResponse": {
    "base": null,
    "refs": {
    }
  },
  "ListResourceInventoryRequest": {
    "base": null,
    "refs": {
    }
  },
  "ListResourceInventoryResponse": {
    "base": null,
```

```

"refs": {
}
},
"ListTagsForResourceRequest": {
"base": null,
"refs": {
}
},
"ListTagsForResourceResponse": {
"base": null,
"refs": {
}
},
"ListUsageForLicenseConfigurationRequest": {
"base": null,
"refs": {
}
},
"ListUsageForLicenseConfigurationResponse":
{
"base": null,
"refs": {
}
},
"ManagedResourceSummary": {
"base": "<p>Summary for a resource.</p>",
"refs": {
"ManagedResourceSummaryList$member": null
}
},
"ManagedResourceSummaryList": {
"base": null,
"refs": {
"GetLicenseConfigurationResponse$ManagedResourceSummaryList": "<p>List of summaries of managed
resources.</p>",
"LicenseConfiguration$ManagedResourceSummaryList": "<p>List of summaries for managed resources.</p>"
}
},
"Message": {
"base": null,
"refs": {
"AccessDeniedException$Message": null,
"AuthorizationException$Message": null,
"FailedDependencyException$Message": null,
"FilterLimitExceededException$Message": null,
"InvalidParameterValueException$Message": null,
"InvalidResourceStateException$Message": null,
"LicenseUsageException$Message": null,

```

```

    "RateLimitExceededException$Message":
null,
    "ResourceLimitExceededException$Message": null,
    "ServerInternalException$Message": null
    }
},
"OrganizationConfiguration": {
    "base": "<p>Object containing configuration information for AWS Organizations.</p>",
    "refs": {
        "GetServiceSettingsResponse$OrganizationConfiguration": "<p>Indicates whether AWS Organizations has
been integrated with License Manager for cross-account discovery.</p>",
        "UpdateServiceSettingsRequest$OrganizationConfiguration": "<p>Integrates AWS Organizations with License
Manager for cross-account discovery.</p>"
    }
},
"RateLimitExceededException": {
    "base": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
    "refs": {
    }
},
"ResourceInventory": {
    "base": "<p>A set of attributes that describe a resource.</p>",
    "refs": {
        "ResourceInventoryList$member": null
    }
},
"ResourceInventoryList": {
    "base": null,
    "refs": {
        "ListResourceInventoryResponse$ResourceInventoryList": "<p>The detailed list of resources.</p>"
    }
},
"ResourceLimitExceededException": {
    "base": "<p>Your resource limits have been exceeded.</p>",
    "refs": {
    }
},
"ResourceType": {
    "base": null,
    "refs": {
        "ConsumedLicenseSummary$ResourceType": "<p>Resource type of the resource consuming a license
(instance, host, or AMI).</p>",
        "LicenseConfigurationAssociation$ResourceType": "<p>Type of server resource.</p>",
        "LicenseConfigurationUsage$ResourceType": "<p>Type of resource associated with the license
configuration.</p>",
        "ManagedResourceSummary$ResourceType": "<p>Type of resource associated with a license (instance, host,
or AMI).</p>",

```



```

    "ResourceInventory$ResourceType": "<p>The type of resource.</p>"
  }
},
"ServerInternalException": {
  "base": "<p>The server experienced an internal error. Try
again.</p>",
  "refs": {
  }
},
"String": {
  "base": null,
  "refs": {
    "CreateLicenseConfigurationRequest$Name": "<p>Name of the license configuration.</p>",
    "CreateLicenseConfigurationRequest$Description": "<p>Human-friendly description of the license
configuration.</p>",
    "CreateLicenseConfigurationResponse$LicenseConfigurationArn": "<p>ARN of the license configuration
object after its creation.</p>",
    "DeleteLicenseConfigurationRequest$LicenseConfigurationArn": "<p>Unique ID of the configuration object to
delete.</p>",
    "GetLicenseConfigurationRequest$LicenseConfigurationArn": "<p>ARN of the license configuration being
requested.</p>",
    "GetLicenseConfigurationResponse$LicenseConfigurationId": "<p>Unique ID for the license
configuration.</p>",
    "GetLicenseConfigurationResponse$LicenseConfigurationArn": "<p>ARN of the license configuration
requested.</p>",
    "GetLicenseConfigurationResponse$Name": "<p>Name
of the license configuration.</p>",
    "GetLicenseConfigurationResponse$Description": "<p>Description of the license configuration.</p>",
    "GetLicenseConfigurationResponse$Status": "<p>License configuration status (active, etc.).</p>",
    "GetLicenseConfigurationResponse$OwnerAccountId": "<p>Owner account ID for the license
configuration.</p>",
    "GetServiceSettingsResponse$S3BucketArn": "<p>Regional S3 bucket path for storing reports, license trail
event data, discovery data, etc.</p>",
    "GetServiceSettingsResponse$SnsTopicArn": "<p>SNS topic configured to receive notifications from License
Manager.</p>",
    "InventoryFilter$Name": "<p>The name of the filter.</p>",
    "InventoryFilter$Value": "<p>Value of the filter.</p>",
    "LicenseConfiguration$LicenseConfigurationId": "<p>Unique ID of the <code>LicenseConfiguration</code>
object.</p>",
    "LicenseConfiguration$LicenseConfigurationArn": "<p>ARN of the <code>LicenseConfiguration</code>
object.</p>",
    "LicenseConfiguration$Name": "<p>Name of the license configuration.</p>",
    "LicenseConfiguration$Description": "<p>Description of the license configuration.</p>",
    "LicenseConfiguration$Status": "<p>Status of the license configuration.</p>",
    "LicenseConfiguration$OwnerAccountId": "<p>Account ID of the license configuration's owner.</p>",
    "LicenseConfigurationAssociation$ResourceArn": "<p>ARN of the resource associated with the license
configuration.</p>",
    "LicenseConfigurationAssociation$ResourceOwnerId": "<p>ID of the AWS account that owns the resource

```

consuming licenses.</p>","

"LicenseConfigurationUsage\$ResourceArn": "<p>ARN of the resource associated with a license configuration.</p>","

"LicenseConfigurationUsage\$ResourceStatus": "<p>Status of a resource associated with the license configuration.</p>","

"LicenseConfigurationUsage\$ResourceOwnerId": "<p>ID of the account that owns a resource that is associated with the license configuration.</p>","

"LicenseSpecification\$LicenseConfigurationArn": "<p>ARN of the <code>LicenseConfiguration</code> object.</p>","

"ListAssociationsForLicenseConfigurationRequest\$LicenseConfigurationArn": "<p>ARN of a <code>LicenseConfiguration</code> object.</p>","

"ListAssociationsForLicenseConfigurationRequest\$NextToken": "<p>Token for the next set of results.</p>","

"ListAssociationsForLicenseConfigurationResponse\$NextToken": "<p>Token for the next set of results.</p>","

"ListLicenseConfigurationsRequest\$NextToken": "<p>Token for the next set of results.</p>","

"ListLicenseConfigurationsResponse\$NextToken": "<p>Token for the next set of results.</p>","

"ListLicenseSpecificationsForResourceRequest\$ResourceArn": "<p>ARN of an AMI or Amazon EC2 instance that has an associated license configuration.</p>","

"ListLicenseSpecificationsForResourceRequest\$NextToken": "<p>Token for the next set of results.</p>","

"ListLicenseSpecificationsForResourceResponse\$NextToken": "<p>Token for the next set of results.</p>","

"ListResourceInventoryRequest\$NextToken": "<p>Token for the next set of results.</p>","

"ListResourceInventoryResponse\$NextToken": "<p>Token for the next set of results.</p>","

"ListTagsForResourceRequest\$ResourceArn": "<p>ARN for the resource.</p>","

"ListUsageForLicenseConfigurationRequest\$LicenseConfigurationArn": "<p>ARN of the targeted <code>LicenseConfiguration</code> object.</p>","

"ListUsageForLicenseConfigurationRequest\$NextToken": "<p>Token for the next set of results.</p>","

"ListUsageForLicenseConfigurationResponse\$NextToken": "<p>Token for the next set of results.</p>","

"ResourceInventory\$ResourceId": "<p>Unique ID of the resource.</p>","

"ResourceInventory\$ResourceArn": "<p>The ARN of the resource.</p>","

"ResourceInventory\$Platform": "<p>The platform of the resource.</p>","

"ResourceInventory\$PlatformVersion":

"<p>Platform version of the resource in the inventory.</p>","

"ResourceInventory\$ResourceOwningAccountId": "<p>Unique ID of the account that owns the resource.</p>","

"StringList\$member": null,

"Tag\$Key": "<p>Key for the resource tag.</p>","

"Tag\$Value": "<p>Value for the resource tag.</p>","

"TagKeyList\$member": null,

"TagResourceRequest\$ResourceArn": "<p>Resource of the ARN to be tagged.</p>","

"UntagResourceRequest\$ResourceArn": "<p>ARN of the resource.</p>","

"UpdateLicenseConfigurationRequest\$LicenseConfigurationArn": "<p>ARN for a license configuration.</p>","

"UpdateLicenseConfigurationRequest\$Name": "<p>New name of the license configuration.</p>","

"UpdateLicenseConfigurationRequest\$Description": "<p>New human-friendly description of the license configuration.</p>","

"UpdateLicenseSpecificationsForResourceRequest\$ResourceArn": "<p>ARN for an AWS server resource.</p>","

"UpdateServiceSettingsRequest\$S3BucketArn": "<p>ARN of the Amazon S3 bucket where License Manager information is stored.</p>","

"UpdateServiceSettingsRequest\$SnsTopicArn": "<p>ARN of the Amazon SNS topic used for License Manager

```

alerts.</p>"
  }
},
"StringList": {
  "base": null,
  "refs": {
    "CreateLicenseConfigurationRequest$LicenseRules": "<p>Array of configured License Manager rules.</p>",
    "GetLicenseConfigurationResponse$LicenseRules": "<p>List of flexible text strings designating license
rules.</p>",
    "LicenseConfiguration$LicenseRules": "<p>Array of configured License Manager rules.</p>",
    "ListLicenseConfigurationsRequest$LicenseConfigurationArns": "<p>An array of ARNs for the calling
accounts license configurations.</p>",
    "UpdateLicenseConfigurationRequest$LicenseRules": "<p>List of flexible text strings designating license
rules.</p>"
  }
},
"Tag": {
  "base": "<p>Tag for a resource in a key-value
format.</p>",
  "refs": {
    "TagList$member": null
  }
},
"TagKeyList": {
  "base": null,
  "refs": {
    "UntagResourceRequest$TagKeys": "<p>List keys identifying tags to remove.</p>"
  }
},
"TagList": {
  "base": null,
  "refs": {
    "CreateLicenseConfigurationRequest$Tags": "<p>The tags to apply to the resources during launch. You can
only tag instances and volumes on launch. The specified tags are applied to all instances or volumes that are created
during launch. To tag a resource after it has been created, see CreateTags .</p> </p>",
    "GetLicenseConfigurationResponse$Tags": "<p>List of tags attached to the license configuration.</p>",
    "ListTagsForResourceResponse$Tags": "<p>List of tags attached to the resource.</p>",
    "TagResourceRequest$Tags": "<p>Names of the tags to attach to the resource.</p>"
  }
},
"TagResourceRequest": {
  "base": null,
  "refs": {
  }
},
"TagResourceResponse": {
  "base": null,

```

```

    "refs": {
    }
  },
  "UntagResourceRequest": {
    "base": null,
    "refs": {
    }
  },
  "UntagResourceResponse": {
    "base": null,
    "refs": {
    }
  },
  "UpdateLicenseConfigurationRequest": {
    "base": null,
    "refs": {
    }
  },
  "UpdateLicenseConfigurationResponse": {
    "base": null,
    "refs": {
    }
  },
  "UpdateLicenseSpecificationsForResourceRequest": {
    "base": null,
    "refs": {
    }
  },
  "UpdateLicenseSpecificationsForResourceResponse": {
    "base": null,
    "refs": {
    }
  },
  "UpdateServiceSettingsRequest": {
    "base": null,
    "refs": {
    }
  },
  "UpdateServiceSettingsResponse": {
    "base": null,
    "refs": {
    }
  }
}
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
{
  "pagination": {
  }
}
```

1.78 aws-aws-sdk-go-v2-internal-endpoints

2.4.37

1.78.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
  if params == nil {
    params = &CheckoutLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
```

```

if
err != nil {
    return nil, err
}

out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Key fingerprint identifying the license.
    //
    // This member is required.
    KeyFingerprint *string

    // Product SKU.
    //
    // This member is required.
    ProductSKU *string

    // License beneficiary.
    Beneficiary *string

    // Node ID.
    NodeId *string

    noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

```

```

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err

```

```

= awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutLicense",
}
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {

```

```

return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:

```

```

v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver:

```



```
&builtInResolver{
  Region:    options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
  Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
name: License Scan
```

on: [pull_request]

jobs:

licensescan:

```
name: License Scan
runs-on: ubuntu-latest
strategy:
matrix:
python-version: [3.9]
```

steps:

```
- name: Checkout target
  uses: actions/checkout@v2
  with:
    path: sdkbase
    ref: ${{ github.base_ref }}
- name: Checkout this ref
  uses: actions/checkout@v2
  with:
    path: new-ref
    fetch-depth: 0
- name: Get Diff
  run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
  uses: actions/setup-python@v2
  with:
```

```

python-version: ${ matrix.python-version }
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        }
      },
      "Operator": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
        "traits": {
          "smithy.api#documentation": "<p>An operator for filtering results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe

```

```

operation.\n    Filters can be used to match a set of resources by specific criteria.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {

```

```

    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
    "traits": {
      "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    }
  },
  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
  }
},
"InstanceType": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The instance type of the resource.</p>"
  }
},
"AccountID": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of the instance.</p>"
  }
},
"Region": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
  }
},
"UsageOperation": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
  }
},
"ProductCode": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
  "traits": {
    "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
  }
},
"LastUpdatedTime": {
  "target": "smithy.api#String",
  "traits": {

```

```

    "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
  }
},
"SubscriptionName": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
},
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {

```

```

    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
  }
],

"traits": {
  "aws.api#service": {
    "sdkId": "License Manager Linux Subscriptions",
    "arnNamespace": "license-manager-linux-subscriptions",
    "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-linux-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",

"x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  },
  "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager Linux Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The

```

```

AWS region used to dispatch the request.",
  "type": "String"
},
"UseDualStack": {
  "builtIn": "AWS::UseDualStack",
  "required": true,
  "default": false,
  "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
  "type": "Boolean"
},
"UseFIPS": {
  "builtIn": "AWS::UseFIPS",
  "required": true,
  "default": false,
  "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

"type": "Boolean"
},
"Endpoint": {
  "builtIn": "SDK::Endpoint",
  "required": false,
  "documentation": "Override the endpoint used to send this request",
  "type": "String"
}
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {

    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {

```



```

        "ref": "UseFIPS"
    },
    true
]
}
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {

"conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [],

"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
    "type": "endpoint"
}
]
}
]
},
{
    "conditions": [],
    "type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Region"
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "aws.partition",
            "argv": [
              {
                "ref": "Region"
              }
            ]
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ],
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          }
        ]
      }
    ]
  }
]

```

```

        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {

          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        }
      ]
    },
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsDualStack"
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [

```

```

        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                    ]
                }
            ],
            "fn": "getAttr",

```

```

        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsFIPS"
        ]
    }
]
},
"type": "tree",

"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}."{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},

{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
            ],

```

```

        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "type": "tree",
          "rules": [
            {
              "conditions": [],
              "endpoint": {
                "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
              },
              "type": "endpoint"
            }
          ]
        }
      ]
    }
  ],
},

```



```

        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
"endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
    }
},
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
},
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
},
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {

```



```

        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
}

```

```

    },
    {
      "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
        }
      },
    },

```

```

    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
      }
    }
  }

```

```

    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {

      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {

```

```

        "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
},
"params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,

```

```

      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {

```

```

"SourceRegions": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
  "traits": {
    "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
    "smithy.api#required": {}
  }
},
"OrganizationIntegration": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
  "traits": {
    "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
  "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n  subscriptions.</p>",
    "smithy.api#http": {
"code": 200,
  "method": "POST",

```

```

    "uri": "/subscription/ListLinuxSubscriptionInstances"
  },
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Instances"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of the AmiID with an optional operator to see subscriptions that match, partially match, or don't match a certain Amazon Machine Image (AMI) ID.</p>
        <p>The valid names for this filter are:</p>
        <ul>
          <li><code>AmiID</code></li>
          <li><code>InstanceID</code></li>
          <li><code>AccountID</code></li>
          <li><code>Status</code></li>
          <li><code>Region</code></li>
          <li><code>UsageOperation</code></li>
          <li><code>ProductCode</code></li>
          <li><code>InstanceType</code></li>
        </ul>
        <p>The valid Operators for this filter are:</p>
        <ul>
          <li><code>contains</code></li>
          <li><code>equals</code></li>
          <li><code>NotEqual</code></li>
        </ul>
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>",
      "smithy.api#length": {
        "min": 1,
        "max": 16384
      }
    }
  }
}

```



```

    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
      "traits": {
        "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have

```

linked your organization, the returned results will include data aggregated across your accounts in Organizations.

```
"smithy.api#http": {
  "code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptions"
},
"smithy.api#idempotent": {},
"smithy.api#paginated": {
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "Subscriptions"
}

}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of <code>Subscription</code> with an optional operator to see subscriptions that match, partially match, or don't match a certain subscription's name.</p><p>The valid names for this filter are:</p><ul><li><code>Subscription</code></li></ul><p>The valid Operators for this filter are:</p><ul><li><code>contains</code></li><li><code>>equals</code></li><li><code>Notequal</code></li></ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>",
        "smithy.api#length": {
          "min": 1,
          "max": 16384
        }
      }
    }
  }
}
```

```

    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {
        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
      },
      {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
      }
    ]
  }
},
"smithy.api#length": {

```

```
    "min": 1,  
    "max": 20  
  }  
}  
},
```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
```

```
  "type": "string",  
  "traits": {  
    "smithy.api#enum": [  
      {  
        "name": "Enabled",  
        "value": "Enabled",  
        "documentation": "Enabled OrganizationIntegration"  
      },  
      {  
        "name": "Disabled",  
        "value": "Disabled",  
        "documentation": "Disabled OrganizationIntegration"  
      }  
    ]  
  }  
},
```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
```

```
  "type": "list",  
  "member": {  
    "target": "smithy.api#String"  
  }  
},
```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
```

```
  "type": "string",  
  "traits": {  
    "smithy.api#enum": [  
  
    {  
      "name": "InProgress",  
      "value": "InProgress",  
      "documentation": "InProgress status"  
    },  
    {  
      "name": "Completed",  
      "value": "Completed",  
      "documentation": "Completed status"  
    },  
    {  
      "name": "Successful",  
      "value": "Successful",  
      "documentation": "Successful status"  
    }  
  ]  
}
```

```

    },
    {
      "name": "Failed",
      "value": "Failed",
      "documentation": "Failed status"
    }
  ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
{
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    },
    "smithy.api#uniqueItems": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    }
  }
},

```

```

    "Type": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
      }
    },
    "InstanceCount": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
      },
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
    },
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/UpdateServiceSettings"
  },
  "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {
        "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n  allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n    subscriptions.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {

```



```

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if
err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
}

```

```

if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {

```

```

return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "DisassociateLicense",
}
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
}

```

```

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
        &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {

```

```

    signingName = "grafana"
  } else {
    signingName = *v4Scheme.SigningName
  }
  if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
  } else {
    signingRegion = *v4Scheme.SigningRegion
  }
  if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
  v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
  // The signer sets an equivalent value at client initialization time.
  // Setting this context value will cause the signer to extract it
  // and override the value set at client initialization time.
  ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,

```

```

    UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
    Endpoint: options.BaseEndpoint,
  },
  "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

```

```

// License version.
Version *string

noSmithyDocumentSerde
}

type GetLicenseOutput struct {

// License details.
License *types.License

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}

```



```

}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

```

```

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var
signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it

```

```

// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName ==
nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:
options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"

```

```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckoutBorrowLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type CheckoutBorrowLicenseInput struct {

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Digital signature method. The possible value is JSON Web Signature (JWS)
    // algorithm PS384. For more information, see RFC 7518 Digital Signature with
    // RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
    //
    // This member is required.
    DigitalSignatureMethod types.DigitalSignatureMethod

    // License entitlements. Partial checkouts are not supported.
    //
    // This member is required.

```

```

Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde

```

```

}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);

```

```

err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

```

```

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```



```

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata,
        fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"

```

```

signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the
value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.

```

```

// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtinResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {

```

```

if params == nil {
    params = &ListLicensesInput{}
}

result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*ListLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)  
    if  
    err != nil {  
        return err  
    }  
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack, options); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
```

```

err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID:
        ServiceID,
    SigningName: "license-manager",
    OperationName: "ListLicenses",
}
}

```

```

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
}
}

```

```

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx,
signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
    }
}

```



```

    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }
}

```

```

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

    // License status.
    Status types.LicenseDeletionStatus

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)

```

```

if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```

```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
)
}
}

```

```

    internalauth.SupportedSchemes,
  )
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

```

```

}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
EndpointResolver:
options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
    if params == nil {
        params = &CheckInLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckInLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.

```


ResultMetadata middleware.Metadata

```
noSmithyDocumentSerde  
}
```

```
func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack);  
    err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack, options); err != nil {  
        return err  
    }  
}
```

```

if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {

```

```

// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName
== nil {
v4aScheme.SigningName = aws.String("license-manager")
}
}
}

```

```

if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
    ..func(*Options)) (*ListReceivedLicensesOutput, error) {
    if params == nil {
        params = &ListReceivedLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
    c.addOperationListReceivedLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListReceivedLicensesOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type ListReceivedLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - ProductSKU
    // - Status
    // - Fingerprint
    // - IssuerName
    // - Beneficiary
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.

```

```

LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
}

```

```

if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return
err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {

```

```

    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)

```

```

if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {

```

```

    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override
the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
{
    "smithy": "2.0",

```

```

"shapes": {
  "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
    "type": "structure",
    "members": {
      "DirectoryId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      }
    ]
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",

```

```

        "smithy.api#required": {}
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
    "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current state of the\n    resource.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
    },
}

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/DeregisterIdentityProvider"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
    ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/DisassociateUser"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      },
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation":
            "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      },
      "Domain": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {

```

```

"type": "structure",
"members": {
  "InstanceUserSummary": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
      "smithy.api#required": {}
    }
  }
}
},

"com.amazonaws.licenseanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    },
    "Operation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
      }
    },
    "Value": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
  }
},

"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
  }
},

"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",

```

```

"members": {
  "ActiveDirectoryIdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
        "smithy.api#required":
{}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of an identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "FailureMessage": {
      "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
        }
    },
    "traits": {
        "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
    "type": "structure",
    "members": {
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "Status": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
                "smithy.api#required": {}
            }
        },
        "Products": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
            "traits": {
                "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
                "smithy.api#required": {}
            }
        },
        "LastStatusCheckDate": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The date of the last status check.</p>"
            }
        }
    }
},

```



```

    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",

```

```

        "smithy.api#required": {}
    },
    "StatusMessage": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
        }
    },
    "Domain": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
    },
    "AssociationDate": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
        }
    },
    "DisassociationDate": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
        }
    }
},
    "traits": {
        "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
    }
},
    "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#InternalServerError": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        }
    },
    "traits": {

```

```

    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
  "type": "service",

  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
    }
  ],
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager User Subscriptions",
      "arnNamespace": "license-manager-user-subscriptions",

```

```

    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  }
]
},
  "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager User Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      }
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack

```

endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",

```
    "type": "Boolean"
  },
  "UseFIPS": {
    "builtIn": "AWS::UseFIPS",
    "required": true,
    "default": false,
    "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
    "type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseFIPS"
      },
      true
    ]
  }
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
```

```

    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ]
    },
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
]
},
{
  "conditions": [
    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Region"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",

```



```

        "supportsFIPS"
    ]
}
]
},
{
    "fn": "booleanEquals",
    "argv": [
        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
                "supportsDualStack"
            ]
        }
    ]
},
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
        "type": "error"
    }
],
    {
        "conditions": [
            {

```



```

        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    }
],
"type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    },
    {
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                }
            },
            {
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],

```

```

        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsDualStack"
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            }
        }
    ]
}

```

```

        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does
not support DualStack",
    "type": "error"
}
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
],
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
],
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        }
    ]
}
}

```

```

    }
  },
  {
    "documentation":
    "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with
    FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {

```

```

        "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
    }
},
"params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    }
},
"params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    }
},
"params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": true
}
},
{
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    }
},
"params": {
    "Region": "cn-north-1",
    "UseFIPS": false,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{

```

```

    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
}

```



```

},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

```

  "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {

```

```

        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
{
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
    "type": "structure",

```

```

"members": {
  "IdentityProviderSummaries": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
      "smithy.api#required": {}
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {

```

```

"smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
"smithy.api#http": {
  "code": 200,
  "method": "POST",
  "uri": "/instance/ListInstances"
},
"smithy.api#paginated": {
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "InstanceSummaries"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
  "type": "structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    }
  }
},

```

```

    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
      },
      "smithy.api#paginated": {

```

```

        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n    more sets of key-value pairs that you specify.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {

```

```

"type": "structure",
"members": {
  "ProductUserSummaries": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",
    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},

"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ]
}

```



```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceUserSummaries"
  }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",

```

```

    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of a product for a user.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  },
  "SubscriptionStartDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
    }
  },
  "SubscriptionEndDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The end date of a subscription.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
  }
}

```

```

},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {

```

```

    "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
    "smithy.api#required": {}
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n  subnets to provision VPC endpoints.</p>"
    }
  },
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary":
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
      "smithy.api#required": {}
    }
  }
  },
},
"com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 404
  }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
  "type": "string",

"traits": {
  "smithy.api#length": {
    "min": 5,
    "max": 200
  },
  "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
        "smithy.api#length": {
          "min": 1
        },
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n  your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings

```

such as the subnets to provision VPC endpoints, and the security group ID that is associated with the VPC endpoints. The security group should permit inbound TCP port 1688 communication from resources in the VPC.

```
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "

Starts a product subscription for a user with the specified identity provider.



Your estimated bill for charges on the number of users and related costs will take 48 hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing.



For more information, see Viewing your monthly charges in the Amazon Web Services Billing User Guide.


```

```
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StartProductSubscription"
```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},

```



```

"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
    }
},
"IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required":
    }
}
},
"Product": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",
    "members": {
        "ProductUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
            "traits": {
                "smithy.api#documentation":
                "<p>Metadata that describes the start product subscription operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
    "type": "list",
    "member": {
        "target": "smithy.api#String"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
    "type": "string",

```

```

    "traits": {
      "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#Subnets": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnet"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered

```

```

identity\n    provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "UpdateSettings": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
            "traits": {
                "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n
<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n        </li>\n
    <li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n        </li>\n
    <li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n        </li>\n    </ul>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
      "type": "structure",
      "members": {
        "AddSubnets": {

          "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
          "traits": {
            "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
            "smithy.api#required": {}
          }
        },
        "RemoveSubnets": {
          "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
          "traits": {
            "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
            "smithy.api#required": {}
          }
        },
        "SecurityGroupId": {
          "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
          "traits": {
            "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A parameter is not valid.</p>",
        "smithy.api#error": "client"
      }
    }
  }
}

```

```

{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpResponseCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      },
      {
        "id": "Service",
        "namespace": "*"
      }
    ]
  },
  "shapes": {
    "com.amazonaws.licensemanager#AWSLicenseManager": {
      "type": "service",
      "version": "2018-08-01",
      "operations": [
        {
          "target": "com.amazonaws.licensemanager#AcceptGrant"
        },
        {
          "target": "com.amazonaws.licensemanager#CheckInLicense"
        },
        {
          "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
        },
        {
          "target": "com.amazonaws.licensemanager#CheckoutLicense"
        }
      ]
    }
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#CreateGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateGrantVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateToken"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    },
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  }

```

```

},
{
  "target": "com.amazonaws.licensemanager#GetLicense"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
  "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{

```



```

    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],
"traits": {
  "aws.api#service": {

```

```

    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",
    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
      },
      "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
      }
    }
  }
}

```

```

    },
    "rules": [
      {
        "conditions": [
          {
            "fn": "isSet",
            "argv": [
              {
                "ref": "Endpoint"
              }
            ]
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
      },
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
      },
      {

```

```

        "conditions": [],
        "endpoint": {
            "url": {
                "ref": "Endpoint"
            },
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "aws.partition",
                    "argv": [
                        {
                            "ref": "Region"
                        }
                    ],
                    "assign": "PartitionResult"
                }
            ],
            "type": "tree",
            "rules": [
                {
                    "conditions": [
                        {
                            "fn": "booleanEquals",
                            "argv": [
                                {
                                    "ref":

```

"UseFIPS"

```

        true
    ]
},
{
    "fn": "booleanEquals",
    "argv": [
        {
            "ref": "UseDualStack"
        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    },
    {
        "fn": "booleanEquals",
        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                    "supportsDualStack"
                ]
            }
        ]
    }
]
]

```

```

    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
  {
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
  }
],
{
  "conditions": [
    {
      "fn": "booleanEquals",

      "argv": [
        {
          "ref": "UseFIPS"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,

```

```

    {
        "fn": "getAttr",
        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsFIPS"
        ]
    }
],
"type": "tree",
"rules": [

    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ]
},
"type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              }
            ],
          }
        ],
      }
    ],
    "supportsDualStack"
  ]
},
{
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
},
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does not support DualStack",
  "type": "error"
}
],
{
  "conditions": [],
  "endpoint": {
    "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  }
}

```



```

        },
        "type": "endpoint"
    }
]
}
],
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.af-south-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "af-south-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.ap-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "ap-east-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.ap-northeast-1.amazonaws.com"
                }
            }
        }
    ]
}

```

```

    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

    {
      "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-southeast-1.amazonaws.com"
        }
      }
    },
    {
      "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-southeast-2.amazonaws.com"
        }
      }
    },
    {
      "params": {
        "Region": "ap-southeast-2",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-southeast-3.amazonaws.com"
        }
      }
    },
    {
      "params": {
        "Region": "ap-southeast-3",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
      }
    },
    {

```

```

"params": {
  "Region": "ca-central-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-north-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region":
"eu-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

{
  "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
  "expect": {

    "endpoint": {
      "url": "https://license-manager.eu-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,

    "UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },

```

```

    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.sa-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "sa-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {

```

```

"Region": "us-west-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",

```



```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",

```

```

        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
    "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}

```

```

    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {

```

```

    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled
but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  }
}

```

```

    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

"expect": {
    "endpoint": {
        "url": "https://example.com"
    }
},
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,

"UseDualStack": false,
        "Endpoint": "https://example.com"
    }
}

```

```

    },
    {
      "documentation": "For custom endpoint with fips enabled and dualstack disabled",
      "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "For custom endpoint with fips disabled and dualstack enabled",
      "expect": {
        "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "Missing region",
      "expect": {
        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
},
"output": {
  "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
},
"errors": [
  {

```

```

        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
}
],
"traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant

```



```

ARN.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
"code": "ServiceAccessDenied",
  "httpResponseCode": 401
    },
    "smithy.api#documentation": "<p>Access to resource denied.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 401
  }
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
        }
    }
},
"com.amazonaws.licensemanager#AllowedOperation": {
    "type": "enum",
    "members": {
        "CREATE_GRANT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CreateGrant"
            }
        },
        "CHECKOUT_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckoutLicense"
            }
        },
        "CHECKOUT_BORROW_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckoutBorrowLicense"
            }
        },
        "CHECK_IN_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckInLicense"
            }
        },
        "EXTEND_CONSUMPTION_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "ExtendConsumptionLicense"
            }
        },
        "LIST_PURCHASED_LICENSES": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "ListPurchasedLicenses"
            }
        }
    }
}

```

```

    "CREATE_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateToken"
      }
    }
  },
  "com.amazonaws.licensemanager#AllowedOperationList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#AllowedOperation"
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max":
7
      }
    }
  },
  "com.amazonaws.licensemanager#Arn": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 2048
      },
      "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
    }
  },
  "com.amazonaws.licensemanager#ArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    }
  },
  "com.amazonaws.licensemanager#AuthorizationException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError":

```

```

{
    "code": "AuthorizationFailure",
    "httpResponseCode": 403
  },
  "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 403
}
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},
"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "MaxTimeToLiveInMinutes": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
      "smithy.api#required": {}
    }
  }
}
}

```

```

},
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  }
}

```

```

    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
        "smithy.api#required": {}
      }
    },
    "DigitalSignatureMethod": {
      "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
      "traits": {
        "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.<br>For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
        "smithy.api#required": {}
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "CheckoutMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {

```



```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"LicenseConsumptionToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License consumption token.</p>"
  }
},
"EntitlementsAllowed":
{
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"SignedToken": {
  "target": "com.amazonaws.licensemanager#SignedToken",
  "traits": {
    "smithy.api#documentation": "<p>Signed token.</p>"
  }
},
"IssuedAt": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
  }
},
"Expiration": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
  }
},
"CheckoutMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about constraints.</p>"
  }
}
},

```

```

"traits": {
  "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n    <p>If the
account that created the license is the same that is performing the check out, you must\n    specify the account

```

```

as the beneficiary.<p>\n    </note>"
    }
  },
  "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
    "type": "structure",
    "members": {
      "ProductSKU": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product
SKU.</p>",
          "smithy.api#required": {}
        }
      },
      "CheckoutType": {
        "target": "com.amazonaws.licensemanager#CheckoutType",
        "traits": {
          "smithy.api#documentation": "<p>Checkout type.</p>",
          "smithy.api#required": {}
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
          "smithy.api#required": {}
        }
      },
      "Entitlements": {
        "target": "com.amazonaws.licensemanager#EntitlementDataList",
        "traits": {
          "smithy.api#documentation": "<p>License entitlements.</p>",
          "smithy.api#required": {}
        }
      },
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
          "smithy.api#required": {}
        }
      },
      "Beneficiary": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License beneficiary.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "IssuedAt": {

```

```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
      "PROVISIONAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PROVISIONAL"
        }
      },
      "PERPETUAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PERPETUAL"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 36
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ClientToken": {
      "type": "string",
      "traits": {
        "smithy.api#length": {
          "min": 0,
          "max": 2048
        },
        "smithy.api#pattern": "^\\S+$"
      }
    },
    "com.amazonaws.licensemanager#ConflictException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "ConflictException",
          "httpResponseCode":
409
        },
        "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 409
      }
    },
    "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
      "type": "structure",
      "members": {
        "ResourceType": {
          "target": "com.amazonaws.licensemanager#ResourceType",
          "traits": {
            "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
          }
        },
        "ConsumedLicenses": {
          "target": "com.amazonaws.licensemanager#BoxLong",
          "traits": {
            "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
          }
        }
      }
    },
  },

```

```

"traits": {
  "smithy.api#documentation": "<p>Details about license consumption.</p>"
}
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"LicenseArn": {

```



```

    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Principals": {
    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n  <ul>\n    <li>\n      <p>An Amazon Web Services account, which includes only the account specified.</p>\n    </li>\n    <ul>\n      <li>\n        <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n      </li>\n    </ul>\n    <li>\n      <p>An organization, which will include all accounts across your organization.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
}

```

```

    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrantVersionRequest": {
    "type": "structure",
    "members": {
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        }
      }
    },
    "smithy.api#required": {}
  },
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>"
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  }
}

```

```

    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the grant.</p>"
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n      blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
      "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n      <ul>\n        <li>\n          <p>\n            <code>Cores</code> dimension: <code>allowedTenancy</code> |\n              <code>licenseAffinityToHost</code> |\n              <code>maximumCores</code> |\n              <code>minimumCores</code>\n            </p>\n          </li>\n          <li>\n            <p>\n              <code>Instances</code> dimension: <code>allowedTenancy</code> |\n                <code>maximumCores</code> |\n                <code>minimumCores</code> |\n                <code>maximumSockets</code> | <code>minimumSockets</code> |\n                <code>maximumVcpus</code> | <code>minimumVcpus</code>\n            </p>\n          </li>\n          <li>\n            <p>\n              <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n                <code>licenseAffinityToHost</code> |\n                <code>maximumSockets</code> |\n                <code>minimumSockets</code>\n            </p>\n          </li>\n          <li>\n            <p>\n              <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n                <code>honorVcpuOptimization</code> |\n                <code>maximumVcpus</code> |\n                <code>minimumVcpus</code>\n            </p>\n          </li>\n        </ul>\n      <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n      values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n      <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n      <code>True</code> and <code>False</code>.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is\n      uninstalled.</p>"
    }
  }
}

```

```

    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    },
    "DestinationLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

        "traits": {
          "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
    "type": "structure",
    "members": {
        "ReportGeneratorName":
    {
        "target": "com.amazonaws.licensemanager#ReportGeneratorName",
        "traits": {
            "smithy.api#documentation": "<p>Name of the report generator.</p>",
            "smithy.api#required": {}
        }
    },
    "Type": {
        "target": "com.amazonaws.licensemanager#ReportTypeList",
        "traits": {
            "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n    <ul>\n        <li>\n            <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n            <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n
</ul>",
            "smithy.api#required": {}
        }
    }
},
    "ReportContext": {
        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
            "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
            "smithy.api#required": {}
        }
    },
    "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
            "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
            "smithy.api#required": {}
        }
    },
    "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientRequestToken",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
    {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseRequest": {
    "type": "structure",
    "members": {
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License name.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    }
  },
}

```

```

"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target":
"com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "LicenseName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>License name.</p>",
            "smithy.api#required": {}
          }
        },
        "ProductName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Product name.</p>",
            "smithy.api#required": {}
          }
        },
        "Issuer": {
          "target": "com.amazonaws.licensemanager#Issuer",
          "traits": {
            "smithy.api#documentation": "<p>License issuer.</p>",
            "smithy.api#required": {}
          }
        },
        "HomeRegion": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Home Region of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "Validity": {
          "target": "com.amazonaws.licensemanager#DatetimeRange",
          "traits": {
            "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }

```



```

    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n    usage.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>",
        "smithy.api#required": {}
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>"
      }
    }
  },
  "traits": {

```

```

"smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT token used to get an access token. With an access token,\n    you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n    call License Manager to manage the specified license.</p>"
  },
  "com.amazonaws.licensemanager#CreateTokenRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n    JWT token.</p>",
            "smithy.api#required": {}
          }
        },
        "RoleArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n    License Manager does not check whether the roles are in use.</p>"
          }
        },
        "ExpirationInDays": {
          "target": "com.amazonaws.licensemanager#Integer",
          "traits": {
            "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
          }
        }
      }
    }
  }
}

```

```

    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n      to the amr claim of the JWT token.</p>"
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#CreateTokenResponse": {
      "type": "structure",
      "members": {
        "TokenId": {
          "target": "com.amazonaws.licensemanager#String",

          "traits": {
            "smithy.api#documentation": "<p>Token ID.</p>"
          }
        },
        "TokenType": {
          "target": "com.amazonaws.licensemanager#TokenType",
          "traits": {
            "smithy.api#documentation": "<p>Token type.</p>"
          }
        },
        "Token": {
          "target": "com.amazonaws.licensemanager#TokenString",
          "traits": {
            "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#DateTime": {

```

```

    "type": "timestamp"
  },
  "com.amazonaws.licensemanager#DatetimeRange": {
    "type": "structure",
    "members": {
      "Begin": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Start of the time range.</p>",
          "smithy.api#required": {}
        }
      },
      "End": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>End of the time range.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
                "smithy.api#required": {}
            }
        },
        "StatusReason": {
            "target": "com.amazonaws.licensemanager#StatusReasonMessage",
            "traits": {
                "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Current version of the
grant.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        }
    }
}

```

```

    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicense": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {

```

```

        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
    },
}

"errors": [
    {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
    "type": "structure",
    "members":
{
    "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```



```

        "smithy.api#documentation": "<p>ID of the license configuration.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action
deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It
has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>",
      "smithy.api#required":

```

```

{}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
}
}

```

```

    }
  },
  "com.amazonaws.licensemanager#Entitlement": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
        }
      },
      "MaxCount": {
        "target": "com.amazonaws.licensemanager#Long",
        "traits": {
          "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
        }
      },
      "Overage": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
          "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
        }
      },
      "Unit": {
        "target": "com.amazonaws.licensemanager#EntitlementUnit",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement unit.</p>",
          "smithy.api#required": {}
        }
      },
      "AllowCheckIn": {
        "target":
"com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
          "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
        }
      }
    },
    "traits": {

```

```

    "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement
data value.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data unit.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

"smithy.api#enumValue": "Count"
  }
},

```

```

"NONE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "None"
  }
},
"SECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Seconds"
  }
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},

```

```

"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits"
  }
}
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
}

```



```

    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },
  "KILOBITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits/Second"
    }
  },
  "MEGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue":
" Megabits/Second"
    }
  },
  "GIGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {

```

```

        "smithy.api#enumValue": "Gigabits/Second"
    }
},
"TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits/Second"
    }
},
"COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Count/Second"
    }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#Entitlement"
    }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
    "type": "enum",
    "members": {
        "COUNT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Count"
            }
        },
        "NONE": {
            "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "None"
    }
  },
  "SECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Seconds"
    }
  },
  "MICROSECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Microseconds"
    }
  },
  "MILLISECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Milliseconds"
    }
  },
  "BYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  }

```

```

    },
    "KILOBYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobytes/Second"
      }
    },
    "MEGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabytes/Second"
      }
    },
    "GIGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabytes/Second"
      }
    },
    "TERABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Terabytes/Second"
      }
    },
    "BITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bits/Second"
      }
    },
    "KILOBITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobits/Second"
      }
    },
    "MEGABITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabits/Second"
      }
    },
    "GIGABITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabits/Second"
      }
    }
  }

```

```

    }
  },
  "TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits/Second"
    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementUsageList":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {

```

```

"type": "structure",
"members": {
  "LicenseConsumptionToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License consumption token.</p>",
      "smithy.api#required": {}
    }
  }
},
"DryRun": {
  "target": "com.amazonaws.licensemanager#Boolean",
  "traits": {
    "smithy.api#default": false,
    "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {

```



```

    "target": "com.amazonaws.licensemanager#Message"
  },
  "ErrorCode": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"traits": {
  "aws.protocols#awsQueryError": {
    "code": "FailedDependency",
    "httpResponseCode": 424
  },
  "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 424
}
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanager#FilterValues",
      "traits": {
        "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n    describe operation. Filters can be used
to match a set of resources by specific criteria,\n    such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```

```

    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n      are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {

```

```

"AccessToken": {
  "target": "com.amazonaws.licensemanager#TokenString",
  "traits": {
    "smithy.api#documentation": "<p>Temporary access token.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {

```

```

"type": "structure",
"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
},
{
    "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
    },
    "traits": {
      {
        "smithy.api#input": {}
      }
    },
  },
  "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
        }
      },
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
        }
      },
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>"
        }
      },
      "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Description of the license configuration.</p>"
        }
      },
      "LicenseCountingType": {
        "target": "com.amazonaws.licensemanager#LicenseCountingType",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},

```



```

"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
      }
    }
  }
}

```

```

    }
  },
  "SourceLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
    }
  },
  "DestinationLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
}

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
            "smithy.api#required":
        }
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {
        "ReportGenerator": {
            "target": "com.amazonaws.licensemanager#ReportGenerator",
            "traits": {
                "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>License version.</p>"
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#GetLicenseResponse": {
      "type": "structure",
      "members": {
        "License": {
          "target": "com.amazonaws.licensemanager#License",
          "traits": {
            "smithy.api#documentation": "<p>License details.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#GetLicenseUsage": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "target": "com.amazonaws.licensemanager#ValidationException"
    },
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
    }
  }
}

```

```

},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
  "type": "structure",
  "members": {
    "LicenseUsage": {
      "target":
"com.amazonaws.licensemanager#LicenseUsage",
      "traits": {
        "smithy.api#documentation": "<p>License usage details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n      and so on.</p>"
      }
    }
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
    }
  }
}

```



```

    },
    "LicenseManagerResourceShareArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    },
    "ParentArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Parent ARN.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>",
        "smithy.api#required": {}
      }
    },
    "GranteePrincipalArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {

```

```

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
  "smithy.api#required": {}
}
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>",
    "smithy.api#required": {}
  }
},
"GrantedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Granted operations.</p>",
    "smithy.api#required": {}
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation":

```

```

"<p>Describes a grant.</p>"
  }
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  },
  "ACTIVE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  }
}

```

```

    },
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    }
  }
},
"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>"
  }
},
"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product SKU.</p>"
  }
}

```

```

    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Granted license metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
},
"com.amazonaws.licensemanager#ISO8601DateTime":
{
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|1-2)[0-9]T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[+-](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
  }
},
"com.amazonaws.licensemanager#Integer": {
  "type": "integer"
}

```

```

    },
    "com.amazonaws.licensemanager#InvalidParameterValueException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "InvalidParameterValueProvided",
          "httpResponseCode": 400
        },
        "smithy.api#documentation":
        "<p>One or more parameter values are not valid.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#InvalidResourceStateException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "InvalidResourceState",
          "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state.</p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#InventoryFilter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Name of the filter.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }

```

```

    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
  }
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    },
    "BEGINS_WITH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "BEGINS_WITH"
      }
    },
    "CONTAINS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CONTAINS"
      }
    }
  }
}

```



```

    },
    "com.amazonaws.licensemanager#InventoryFilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#InventoryFilter"
      }
    },
    "com.amazonaws.licensemanager#Issuer": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Issuer name.</p>",
            "smithy.api#required": {}
          }
        },
        "SignKey": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
      }
    },
    "com.amazonaws.licensemanager#IssuerDetails": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Issuer name.</p>"
          }
        },
        "SignKey": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
          }
        },
        "KeyFingerprint": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>"
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#IssuerDetails",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>"
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

"smithy.api#documentation": "<p>Home Region of the license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>License status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>License metadata.</p>"
  }
},
"CreateTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>License
creation time.</p>"
  }
},

```

```

"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules.</p>"
      }
    }
  }
}

```

```

    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },
  "OwnerAccountId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
    }
  },
  "ConsumedLicenseSummaryList": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
    "traits": {
      "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
    }
  },
  "ManagedResourceSummaryList": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "AutomatedDiscoveryInformation": {
    "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
    "traits": {
      "smithy.api#documentation": "<p>Automated discovery information.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n    must be associated with a host), and the number of licenses purchased and used.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn":
    {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    },
    "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
      "type": "enum",
      "members": {
        "AVAILABLE": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "AVAILABLE"
          }
        },
        "DISABLED": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "DISABLED"
          }
        }
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
      "type": "structure",
      "members": {
        "ResourceArn": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
  },
  "ResourceType": {
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
      "smithy.api#documentation": "<p>Type of resource.</p>"
    }
  },
  "ResourceStatus": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the resource.</p>"
    }
  },
  "ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },
  "AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
    }
  },

  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
    }
  }
}

```



```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfiguration"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionContext": {
    "type": "structure",
    "members": {
      "UsageOperation": {
        "target": "com.amazonaws.licensemanager#UsageOperation",
        "traits": {
          "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
      }
    },
    "com.amazonaws.licensemanager#LicenseConversionTask": {
      "type": "structure",
      "members": {
        "LicenseConversionTaskId": {
          "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
          }
        },
        "ResourceArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n  conversion task.</p>"
          }
        },
        "SourceLicenseContext": {
          "target": "com.amazonaws.licensemanager#LicenseConversionContext",
          "traits": {
            "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "DestinationLicenseContext": {
    "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>The status of the conversion task.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {

```

```

    "type": "string",
    "traits": {

    "smithy.api#length": {
        "min": 0,
        "max": 50
    },
    "smithy.api#pattern": "^lct-[a-zA-Z0-9]*$"
    }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
    "type": "enum",
    "members": {
        "IN_PROGRESS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "IN_PROGRESS"
            }
        },
        "SUCCEEDED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "SUCCEEDED"
            }
        },
        "FAILED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "FAILED"
            }
        }
    }
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
        "VCPU": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "vCPU"
            }
        }
    }
}

```

```

    },
    "INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Instance"
      }
    },
    "CORE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Core"
      }
    },
    "SOCKET": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Socket"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {

```

```

"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Resource type.</p>"
  }
},
"ErrorMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Error message.</p>"
  }
},
"FailureTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Failure time.</p>"
  }
},
"OperationName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the operation.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {

```

```

        "smithy.api#documentation": "<p>Reserved.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
    }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "AmiAssociationScope": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
},
"com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
        "AVAILABLE": {

```

```

    "target": "smithy.api#Unit",

    "traits": {
      "smithy.api#enumValue": "AVAILABLE"
    }
  },
  "PENDING_AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_AVAILABLE"
    }
  },
  "DEACTIVATED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DEACTIVATED"
    }
  },
  "SUSPENDED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "SUSPENDED"
    }
  },
  "EXPIRED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "EXPIRED"
    }
  },

  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  }
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {

```

```

    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseUsageException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "LicenseUsageFailure",
        "httpResponseCode": 412
      },
      "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 412
    }
  },
  "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      }
    ]
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",

```

```

"members": {
  "LicenseConfigurationAssociations": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
    "traits": {
      "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
    "type": "structure",
    "members": {
        "GrantArns": {
            "target": "com.amazonaws.licensemanager#ArnList",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
                <ul>\n
                <li>\n
                <p>\n
                <code>LicenseArn</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>GrantStatus</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>GranteePrincipalARN</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>ProductSKU</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>LicenseIssuerName</code>\n
                </p>\n
                </li>\n
                </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
    "type": "structure",

```

```

"members": {
  "Grants": {
    "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
  "smithy.api#documentation": "<p>Distributed grant details.</p>"
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
"target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
            "smithy.api#required": {}
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#BoxInteger",
          "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
  {
    "type": "structure",
    "members": {
      "LicenseOperationFailureList": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
        "traits": {
          "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  }

```

```

    },
    "com.amazonaws.licensemanager#ListLicenseConfigurations": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArns": {
          "target": "com.amazonaws.licensemanager#StringList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#BoxInteger",
          "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#Filters",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    }
  }
}

```



```

    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n    </p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTasks": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":

```

```

"com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </li>\n    </ul>\n"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
  "type": "structure",
  "members": {
    "ReportGenerators": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorList",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {
        "LicenseSpecifications": {
            "target": "com.amazonaws.licensemanager#LicenseSpecifications",
            "traits": {
                "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
            }
        }
    },
}

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseVersions": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  }
},

"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
    <ul>\n
    <li>\n
    <p>\n
    <code>Beneficiary</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>ProductSKU</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>Fingerprint</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>Status</code>\n
    </p>\n
    </li>\n
    </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
```



```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the recipient as this Amazon Web Services account, your organization, or an organizational unit (OU) to which this member account belongs.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ParentArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranteePrincipalArn</code>\n
          </p>\n
        </li>\n
      </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n  </ul>\n    <code>GranterAccountId</code>\n  </p>\n  </li>\n  </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },

```

```

    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {
        "target": "com.amazonaws.licensemanager#GrantList",
        "traits": {
          "smithy.api#documentation": "<p>Received grant details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists received licenses.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n    <ul>\n        <li>\n            <p>\n                <code>Beneficiary</code>\n            </li>\n            <li>\n                <p>\n                    <code>ProductSKU</code>\n                </p>\n            </li>\n        </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
    "type": "structure",
    "members": {
        "Licenses": {
            "target": "com.amazonaws.licensemanager#GrantedLicenseList",
            "traits": {
                "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </li>\n    <li>\n      <p>\n        <code>IssuerName</code>\n      </li>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",

```

```

"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#GrantedLicenseList",
    "traits": {
      "smithy.api#documentation": "<p>Received license details.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```



```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p>
<ul>
<li>
<p>
<code>account_id</code> - The ID of the Amazon Web Services account that owns the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>application_name</code> - The name of the application.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>license_included</code> - The type of license included.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n
Possible values are <code>sql-server-enterprise</code> | \n
<code>sql-server-standard</code> | \n
<code>sql-server-web</code> | \n
<code>windows-server-datacenter</code>.</p>
</li>
<li>
<p>
<code>platform</code> - The platform of the resource.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>resource_id</code> - The ID of the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>tag:key</code> - The key/value combination of a tag assigned to the resource.
Logical operators are <code>EQUALS</code> (single account) or \n
<code>EQUALS</code> | <code>NOT_EQUALS</code> (cross account).</p>
</li>
</ul>"
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},

```

```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
    "type": "structure",
    "members": {
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the tags.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTokens": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTokensRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListTokensResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists your tokens.</p>"
  }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current
license consumption for any license inventory and configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>resourceArn</code> - The ARN of the license configuration resource.\n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>).\n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceAccount</code> - The ID of the account that owns the resource. \n          Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Location": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Long": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
      "ResourceType":
    {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
      "AssociationCount": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
  },
  "com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
      "smithy.api#range": {
        "min": 1,
        "max": 100
      }
    }
  },
  "com.amazonaws.licensemanager#MaxSize3StringList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    },
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 3
      }
    }
  },
  "com.amazonaws.licensemanager#Message": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Metadata": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The key name.</p>"
        }
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",

```



```

    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n    Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n    <ul>\n      <li>\n        <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n      <li>\n        <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n      </li>\n      <li>\n        <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n      </li>\n    </ul>\n    <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a

```

```

grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n          </dd>\n          </dl>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n          override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
    "smithy.api#required": {}
  }
},
"ProductInformationFilterList": {
  "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
  "traits": {
    "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n    <li>\n    <p>\n    <code>Application Name</code> - The name of the
application.\n    Logical operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Publisher</code> - The publisher of the application.\n    Logical
operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Version</code> - The version of the application.\n    Logical operator is
<code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Platform
Name</code> - The name of the platform.\n    Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n    </p>\n    </li>\n    <li>\n    <p>\n    <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n    Logical operator is <code>NOT_EQUALS</code>.</p>\n    </li>\n
    <li>\n    <p>\n    <code>License Included</code> - The type of license included.\n    Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n    Possible values are:
<code>sql-server-enterprise</code> | \n    <code>sql-server-standard</code> | \n    <code>sql-server-
web</code> | \n    <code>windows-server-datacenter</code>.</p>\n    </li>\n    </ul>\n
    <p>The following filters and logical operators are supported when the resource type\n    is
<code>RDS</code>:</p>\n    <ul>\n    <li>\n    <p>\n    <code>Engine Edition</code> -
The edition of the database engine.\n    Logical operator is <code>EQUALS</code>.\n    Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>License Pack</code> - The license
pack.\n    Logical operator is <code>EQUALS</code>.\n    Possible values are: <code>data
guard</code> | \n    <code>diagnostic pack sqlt</code> | \n
    <code>tuning pack sqlt</code> | \n    <code>ols</code> | \n    <code>olap</code>.</p>\n
    </li>\n    </ul>",
    "smithy.api#required": {}
  }
}
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ProductInformationFilter": {
    "type": "structure",
    "members": {
      "ProductInformationFilterName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Filter name.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterValue": {
        "target": "com.amazonaws.licensemanager#StringList",

        "traits": {
          "smithy.api#documentation": "<p>Filter value.</p>"
        }
      },
      "ProductInformationFilterComparator": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Logical operator.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
  }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {

```

```

    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
      },
      "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 429
    }
  },
  "com.amazonaws.licensemanager#ReceivedMetadata": {
    "type": "structure",
    "members": {
      "ReceivedStatus": {
        "target": "com.amazonaws.licensemanager#ReceivedStatus",
        "traits": {
          "smithy.api#documentation": "<p>Received status.</p>"
        }
      },
      "ReceivedStatusReason": {
        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
          "smithy.api#documentation": "<p>Received
status reason.</p>"
        }
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Allowed operations.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
}

```

```

    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    },
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
  "Status": {

```



```

        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
    "type": "enum",
    "members": {
        "NONE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "None"
            }
        },
        "WEEKLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Weekly"
            }
        },
        "MONTHLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Monthly"
            }
        }
    }
},
"com.amazonaws.licensemanager#ReportContext": {
    "type": "structure",
    "members": {
        "licenseConfigurationArns": {
            "target": "com.amazonaws.licensemanager#ArnList",
            "traits": {

```

```

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
  "smithy.api#required": {}
}
},
"traits": {
  "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    },
    "period": {
      "target": "com.amazonaws.licensemanager#ReportFrequencyType",

      "traits": {
        "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    }
  },
}

```

```

    "MONTH": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "MONTH"
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    },
    "ReportType": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",
      "traits": {
        "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
      }
    },
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
      }
    },
    "LastRunStatus": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
      }
    }
  }
}

```

```

    },
    "LastRunFailureReason":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
  },
  "LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
  },
  "ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}

```

```

}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
      }
    }
  }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "LicenseConfigurationUsageReport"
  }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {

```

```

"ResourceId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"Platform": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform of the resource.</p>"
  }
},
"PlatformVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
  }
},
"ResourceOwningAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a resource.</p>"
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ResourceInventory"
  }
}

```

```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ResourceLimitExceeded",

      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "EC2_HOST"
    }
},
"EC2_AMI": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_AMI"
    }
},
"RDS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "RDS"
    }
},
"SYSTEMS_MANAGER_MANAGED_INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {

```



```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits":
{
    "smithy.api#length": {
        "min": 0,
        "max": 400
    },
    "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
    "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#String"
    }
},
"com.amazonaws.licensemanager#Tag": {
    "type": "structure",
    "members": {
        "Key": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Tag key.</p>"
            }
        }
    }
}
}

```

```

    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Tag value.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
},
"com.amazonaws.licensemanager#TagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#TagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#TagResourceResponse"
  },
  "errors": [
    {
      "target":
"com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    }
  },
},

```

```

"TokenType": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"ExpirationTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
  }
},
"TokenProperties": {
  "target": "com.amazonaws.licensemanager#MaxSize3StringList",
  "traits": {
    "smithy.api#documentation": "<p>Data specified by the caller.</p>"
  }
},
"RoleArns": {
  "target": "com.amazonaws.licensemanager#ArnList",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",

```

```

    "member": {
      "target": "com.amazonaws.licensemanager#TokenData"
    }
  },
  "com.amazonaws.licensemanager#TokenString": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 4096
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#TokenType": {
    "type": "enum",
    "members": {
      "REFRESH_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "REFRESH_TOKEN"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
  {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#UntagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UntagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UntagResourceResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "TagKeys": {
      "target": "com.amazonaws.licensemanager#TagKeyList",
      "traits": {
        "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
    },
  },

```

```

"LicenseConfigurationStatus": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
  "traits": {
    "smithy.api#documentation": "<p>New status of the license configuration.</p>"
  }
},
"LicenseRules": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
  }
},
"Name": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New description of the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>New product information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",

```



```

        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation":
          "<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n        <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n      </li>\n      <li>\n        <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n      </li>\n    </ul>",
        "smithy.api#required": {}
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

        "traits":
    {
        "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
        "smithy.api#required": {}
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },

    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
  }
},
"SnsTopicArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
  }
},
"OrganizationConfiguration": {
  "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
  }
},
"EnableCrossAccountsDiscovery": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
  }
}
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {

```



```

    return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
}

```



```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {

```

```

return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}
}

```

```

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("grafana")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return next.HandleSerialize(ctx, in)
}

```

```

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Creates a license.

```

```

func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

```

```

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.Entitlement

    // Home Region for the license.
    //
    // This member is required.
    HomeRegion *string

    // License issuer.
    //
    // This member is required.
    Issuer *types.Issuer

    // License name.
    //
    // This member is required.
    LicenseName *string

    // Product name.
    //
    // This member is required.
    ProductName *string

    // Product SKU.
    //

```

```

// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err
!= nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```



```

return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName:
"license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

```

```

}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint,
err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)

```

```

var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{

```

```

Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

1.79 aws-aws-sdk-go-v2-service-sqs 1.24.7

1.79.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata

```

```

return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Key fingerprint identifying the license.
    //
    // This member is required.
    KeyFingerprint *string

    // Product SKU.
    //
    // This member is required.
    ProductSKU *string

    // License beneficiary.
    Beneficiary *string

    // Node ID.
    NodeId *string

    noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

    // Checkout type.
    CheckoutType types.CheckoutType

    // Allowed license entitlements.
    EntitlementsAllowed []types.EntitlementData

```

```

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {

```

```

return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}

```

```

}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutLicense",
}
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

```



```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
}
}

```

```

if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver:
    &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

```
}
AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
name: License Scan
```

```
on: [pull_request]
```

```
jobs:
```

```
  licensescan:
```

```
    name: License Scan
```

```
    runs-on: ubuntu-latest
```

```
    strategy:
```

```
      matrix:
```

```
        python-version: [3.9]
```

```
  steps:
```

```
    - name: Checkout target
```

```
      uses: actions/checkout@v2
```

```
      with:
```

```
        path: sdkbase
```

```
        ref: ${{ github.base_ref }}
```

```
    - name: Checkout this ref
```

```
      uses: actions/checkout@v2
```

```
      with:
```

```
        path: new-ref
```

```
        fetch-depth: 0
```

```
    - name: Get Diff
```

```
      run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
```

```
    ${{ github.sha }} > refDiffFiles.txt
```

```
    - name: Get Target Files
```

```
      run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
```

```
    - name: Checkout scancode
```

```
      uses: actions/checkout@v2
```

```
      with:
```

```
        repository: nexB/scancode-toolkit
```

```
        path: scancode-toolkit
```

```
        fetch-depth: 1
```

```
    - name: Set up Python ${{ matrix.python-version }}
```

```
      uses: actions/setup-python@v2
```

```
      with:
```

```
        python-version: ${{ matrix.python-version }}
```

```
    # ScanCode
```

```
    - name: Self-configure scancode
```

```
      working-directory: ./scancode-toolkit
```

```
      run: ./scancode --help
```

```
    - name: Run Scan code on target
```

```
      run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
```

```

toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        },
        "Operator": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
          "traits": {
            "smithy.api#documentation": "<p>An operator for filtering results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe
operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/GetServiceSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "LinuxSubscriptionsDiscovery": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
        "traits": {
          "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
        }
      },
      "LinuxSubscriptionsDiscoverySettings": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
      }
    },
    "InstanceType": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance type of the resource.</p>"
      }
    }
  }
}

```

```

    }
  },
  "AccountID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of the instance.</p>"
    }
  },
  "Region": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
    }
  },
  "UsageOperation": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
    }
  },
  "SubscriptionName": {
    "target": "smithy.api#String",
    "traits": {

```

```

        "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
    "type": "service",
    "version": "2018-05-10",
    "operations": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
        }
    ],
    "traits": {
        "aws.api#service": {
            "sdkId": "License Manager Linux Subscriptions",

```



```

    "arnNamespace": "license-manager-linux-subscriptions",
    "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-linux-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",

"x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  },
  "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager Linux Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The
AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,

```

```

        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
    },
    "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

"type": "Boolean"
    },
    "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ]
    }
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",

```

```

    "type": "error"
  },
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
      }
    ],
    "conditions": [],

    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
]
},
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",

```

```

"argv": [
    {
        "ref": "Region"
    }
]
},
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [
                    {
                        "ref": "Region"
                    }
                ],
            },
        ],
    },
    "assign": "PartitionResult"
    },
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        {
                            "ref": "UseFIPS"
                        },
                        true
                    ],
                },
            ],
        },
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ],
        },
    ],
    "type": "tree",
    "rules": [

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsFIPS"
          ]
        }
      ]
    }
  ],
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        },
        "supportsDualStack"
      ]
    }
  ]
},
{
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "endpoint": {
            "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}"

```



```

        }
      ]
    }
  ],
  "type": "tree",

  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "endpoint": {
            "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
          },
          "type": "endpoint"
        }
      ]
    }
  ],
  {
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
  }
]
},

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsDualStack"
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
            "endpoint": {
              "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
              "properties": {},
              "headers": {}
            },
            "type": "endpoint"
          }
        ]
      ]
    },
    {
      "conditions": [],
      "error": "DualStack is enabled but this partition does not support DualStack",
      "type": "error"
    }
  ]
},

```



```

        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ],
    },
    {
        "conditions": [],
        "error": "Invalid Configuration: Missing Region",
        "type": "error"
    }
]
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
            "expect": {

```

```

"endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
    },
"params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
    },
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
}

```

```

    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint":
    {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
    }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
      }
    }
  }
}

```

```

    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint":
{
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {

```

```

"documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
"expect": {
  "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": true
}
},
{
"documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
  }
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
"expect": {
  "error": "DualStack is enabled but this partition does not support DualStack"
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": false,
  "UseDualStack": true
}
},
{

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
  }
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},

```

```

{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {

"Region": "us-isob-east-1",
  "UseFIPS": true,
  "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",

```

```

"UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,

"Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",

```

```

    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {
    "SourceRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```



```

    }
  },
  "OrganizationIntegration": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
    "traits": {
      "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
    "type":
"operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n  subscriptions.</p>",
      "smithy.api#http": {

"code": 200,
      "method": "POST",
      "uri": "/subscription/ListLinuxSubscriptionInstances"
    },
      "smithy.api#idempotent": {},
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",

```

```

        "pageSize": "MaxResults",
        "items": "Instances"
    }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify. For example, you can filter by
the name of\n    <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n
match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n    <p>The valid names for this filter
are:</p>\n    <ul>\n        <li>\n            <p>\n                <code>AmiID</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>InstanceID</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>AccountID</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>Status</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>Region</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>UsageOperation</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>ProductCode</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>InstanceType</code>\n            </p>\n
</li>\n    </ul>\n    <p>The valid Operators for this
filter are:</p>\n    <ul>\n        <li>\n            <p>\n                <code>contains</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>equals</code>\n            </p>\n
</li>\n        <li>\n            <p>\n                <code>NotEqual</code>\n            </p>\n
</li>\n    </ul>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    }
},
"NextToken": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>",
        "smithy.api#length": {
            "min": 1,
            "max": 16384
        }
    }
}
},
"traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if

```

parameters in request increases."

```
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
    "type": "structure",
    "members": {
      "Instances": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
        "traits": {
          "smithy.api#documentation":
            "<p>An array that contains instance objects.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n  organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/ListLinuxSubscriptions"
      }
    }
  }
}
```

```

    },
    "smithy.api#idempotent": {},
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "Subscriptions"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of <code>Subscription</code> with an optional operator to see subscriptions that match, partially match, or don't match a certain subscription's name.</p>\n\n<p>The valid names for this filter are:</p>\n\n<ul>\n<li>\n\n<p>\n\n<code>Subscription</code>\n\n</p>\n\n</li>\n\n</ul>\n\n<p>The valid Operators for this filter are:</p>\n\n<ul>\n\n<li>\n\n<p>\n\n<code>contains</code>\n\n</p>\n\n</li>\n\n<li>\n\n<p>\n\n<code>equals</code>\n\n</p>\n\n</li>\n\n<li>\n\n<p>\n\n<code>NotEqual</code>\n\n</p>\n\n</li>\n\n</ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>",
        "smithy.api#length": {
          "min": 1,
          "max": 16384
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if

```

parameters in request increases."

```
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
    "type": "structure",
    "members": {
      "Subscriptions": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
        "traits": {
          "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
    "type": "string",
    "traits": {
      "smithy.api#enum": [
        {
          "name": "EQUAL",
          "value": "Equal",
          "documentation": "Equal operator"
        },
        {
          "name": "NOT_EQUAL",
          "value": "NotEqual",
          "documentation": "Not equal operator"
        },
        {
          "name": "CONTAINS",
          "value": "Contains",
          "documentation": "Contains operator"
        }
      ],
      "smithy.api#length": {
        "min": 1,
        "max": 20
      }
    }
  },
}
```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "InProgress",
        "value": "InProgress",
        "documentation": "InProgress status"
      },
      {
        "name": "Completed",
        "value": "Completed",
        "documentation": "Completed status"
      },
      {
        "name": "Successful",
        "value": "Successful",
        "documentation": "Successful status"
      },
      {
        "name": "Failed",
        "value": "Failed",
        "documentation": "Failed status"
      }
    ]
  }
}

```

```

    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
{
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"traits": {
  "smithy.api#length": {
    "min": 1,
    "max": 100
  },
  "smithy.api#uniqueItems": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    }
  },
  "Type": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as"
    }
  }
}

```

OS licensing from Amazon EC2 or BYOS.</p>"

```
    }
  },
  "InstanceCount": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>An object which details a discovered Linux
subscription.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    }
  ]
}
```



```

    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/UpdateServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {
        "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n  allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
  "type": "structure",

```

```

"members": {
  "LinuxSubscriptionsDiscovery": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
    "traits": {
      "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    }
  },

  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n  subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

```

```

        "smithy.api#error": "client"
    }
}
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

```

```

// The ID of the workspace to remove the Grafana Enterprise license from.
//
// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {

```

```

    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "DisassociateLicense",
}
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint

```

```

resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
        &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        }
    }
}

```

```

    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
}

```



```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Checks out the specified license for offline use.
```

```
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns  
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {  
    if params == nil {  
        params = &CheckoutBorrowLicenseInput{ }  
    }  
}
```

```
    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,  
c.addOperationCheckoutBorrowLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
}
```

```
    out := result.(*CheckoutBorrowLicenseOutput)  
    out.ResultMetadata  
    = metadata  
    return out, nil  
}
```

```
type CheckoutBorrowLicenseInput struct {
```

```
    // Unique, case-sensitive identifier that you provide to ensure the idempotency of  
    // the request.
```

```
    //
```

```
    // This member is required.
```

```
    ClientToken *string
```

```
    // Digital signature method. The possible value is JSON Web Signature (JWS)
```

```
    // algorithm PS384. For more information, see RFC 7518 Digital Signature with
```

```
    // RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
```

```

//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```

```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {

```

```

return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
return err
}
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
return err
}
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutBorrowLicense",
}
}

```

```

}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata,
        fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the
            value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:

```

```

v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"

```

```

smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)

```



```

if err != nil {
    return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {

```

```

    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "GetLicense",
}
}

```

```

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in

```

```

middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
        var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError

```

```

if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName ==
        nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    }
}

```

```

    break
    case *internalauth.AuthenticationSchemeNone:
    break
    }
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
    c.addOperationListLicensesMiddlewares)

```

```

if err != nil {
    return nil, err
}

out := result.(*ListLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
    if err != nil {

```

```

return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID:
            ServiceID,
        SigningName: "license-manager",
        OperationName: "ListLicenses",
    }
}

```

```

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```



```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the

```

```

client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break

```

```

    }
    }

    return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }
}

```

```

out := result.(*DeleteLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type
DeleteLicenseInput struct {

// Amazon Resource Name (ARN) of the license.
//
// This member is required.
LicenseArn *string

// Current version of the license.
//
// This member is required.
SourceVersion *string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
}

```

```

if err = addSetLoggerMiddleware(stack,
options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "DeleteLicense",
    }
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```

```

}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for

```

```

_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {

```



```

return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
    EndpointResolver:
options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"

```

```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
    if params == nil {
        params = &CheckInLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckInLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
if err != nil {
    return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckInLicense",
    }
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
    }

```

```

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName
== nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
}
}

```

```

    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
}

```

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"
```

```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
    if params == nil {
        params = &ListReceivedLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListReceivedLicensesOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type ListReceivedLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - ProductSKU
    // - Status
    // - Fingerprint
    // - IssuerName
    // - Beneficiary
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

```

```

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```

```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return
err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region

```

```

string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return
        out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override

```


the value set at client initialization time.

```
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
  v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
  if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
  }
  if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return
next.HandleSerialize(ctx, in)
}
```

```
func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
  return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
      Region:    options.Region,
      UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
      UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
      Endpoint:   options.BaseEndpoint,
    },
  }, "ResolveEndpoint", middleware.After)
}
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      }
    }
  }
}
```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
  "type": "structure",
  "members": {
    "DirectoryId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation":
    "<p>Details about an Active Directory identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n    <p>Your estimated bill for charges on the number of users and related
costs will take 48\n    hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
    "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {

```

```

    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#documentation":
            "<p>Metadata that describes the results of an identity provider operation.</p>",
          "smithy.api#required": {}
        }
      },
      "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
        "type": "operation",
        "input": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
        },
        "output": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
        },
        "errors": [
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
          }
        ],
        "traits": {
          "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
          "smithy.api#http": {
            "code": 200,

```

```

        "method": "POST",
        "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
}

},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Domain": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The domain name of the user.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
    "type": "structure",
    "members": {
        "Attribute": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
            }
        },
        "Operation": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
            }
        },
        "Value": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Value of the filter.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
    "type": "union",
    "members": {
        "ActiveDirectoryIdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
            }
        }
    }
}

```



```

    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
        "smithy.api#required":
{}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of an identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "FailureMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
        "smithy.api#required": {}
      }
    },
    "Products": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
        "smithy.api#required": {}
      }
    },
    "LastStatusCheckDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The date of the last status check.</p>"
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  },
  "AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
  },
  "DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
  "smithy.api#error": "server"
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {

```

```

"type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
  }
],
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  }
}

```

```

    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",
        "x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ],
      "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
      ]
    ]
  },
  "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager User Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",

```

```

        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
    },
    "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    }
                ],
                true
            }
        ]
    },
    {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",

```

```

        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],

"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "endpoint": {
        "url": {
            "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "aws.partition",
                    "argv": [
                        {
                            "ref": "Region"
                        }
                    ]
                }
            ],
        }
    ],
}

```



```

        "assign": "PartitionResult"
    }
],
"type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    },
                                    "supportsFIPS"
                                ]
                            }
                        ]
                    }
                ]
            }
        ],
    },

```

```

        {
            "fn": "booleanEquals",
            "argv": [
                true,
                {
                    "fn": "getAttr",
                    "argv": [
                        {
                            "ref": "PartitionResult"
                        },
                        "supportsDualStack"
                    ]
                }
            ]
        },
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ],
        {
            "conditions": [],
            "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
            "type": "error"
        }
    ],
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                ],
            }
        ]
    }

```

```

        true
      ]
    }
  ],
  "type": "tree",
}

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ]
  },
  {
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        }
      },
      {
        "type": "endpoint"
      }
    ]
  },
  {
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
  }
]
},
}

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
},

```

```

        {
            "conditions": [],
            "error": "DualStack is enabled but this partition does
not support DualStack",
            "type": "error"
        }
    ],
    },
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
],
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation":

```

```

"For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
    }
  },

```

```

    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {

```

```

    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
      }
    },
  },

```



```

"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    }
}
}

```

```

    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {

```

```

    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",

```

  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }

```

```

    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
],
"version": "1.0"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
  }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
  {
    "type": "structure",
    "members": {
      "IdentityProviderSummaries": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
        "smithy.api#required": {}
    }
},
"NextToken": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",

```

```

        "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "InstanceSummaries"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
    "type":
"structure",
    "members": {
        "InstanceSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "ProductUserSummaries"
    }
  }
}

```



```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},

"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",

```

```

    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceUserSummaries"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
        "type": "structure",
        "members": {
            "InstanceUserSummaries": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
                "traits": {
                    "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
                }
            },
            "NextToken": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
        "type": "structure",
        "members": {
            "Username": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
                    "smithy.api#required": {}
                }
            },
            "Product": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                    "smithy.api#required": {}
                }
            },
            "IdentityProvider": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
                "traits": {
                    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    }
}

```

```

    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a product for a user.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    },
    "SubscriptionStartDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
      }
    },
    "SubscriptionEndDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The end date of a subscription.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
    "type": "operation",
    "input": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>The registered identity providers product related configuration settings such as the\n    subnets to provision VPC endpoints.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary":
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider operation.</p>",
        "smithy.api#required": {}
      }
    }
    },
  },
  "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 404
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
    "type": "string",

```

```

"traits": {
  "smithy.api#length": {
    "min": 5,
    "max": 200
  },
  "smithy.api#pattern": "^sg-(([0-9a-z]{8})|([0-9a-z]{17}))$"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
        "smithy.api#length": {
          "min": 1
        },
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n    your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n    subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n    endpoints. The security group should permit inbound TCP port 1688
communication from resources\n    in the VPC.</p>"
  }
}

```



```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n      <note>\n        <p>Your estimated bill for charges on the number of users and related costs will take 48\n        hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n        monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n      </note>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StartProductSubscription"
      }
    }
  },

```

```

"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    }
  ],
  {
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }

```

```

    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required":
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummary": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
        "traits": {
          "smithy.api#documentation":
            "<p>Metadata that describes the start product subscription operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#StringList": {
    "type": "list",
    "member": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#Subnet": {
    "type": "string",
    "traits": {
      "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n provider.</p>",
        "smithy.api#http": {
          "code": 200,

```

```

        "method": "POST",
        "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "UpdateSettings": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
            "traits": {
                "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n    </li>\n    <li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n    </li>\n    <li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n    </li>\n    </ul>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
    "type": "structure",

```

```

"members": {
  "AddSubnets": {

    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
      "smithy.api#required": {}
    }
  },
  "RemoveSubnets": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
      "smithy.api#required": {}
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
{
  "smithy": "2.0",
  "metadata": {

```

```

"suppressions": [
  {
    "id": "HttpMethodSemantics",
    "namespace": "*"
  },
  {
    "id": "HttpResponseCodeSemantics",
    "namespace": "*"
  },
  {
    "id": "PaginatedTrait",
    "namespace": "*"
  },
  {
    "id": "HttpHeaderTrait",
    "namespace": "*"
  },
  {
    "id": "HttpUriConflict",
    "namespace": "*"
  },
  {
    "id": "Service",
    "namespace": "*"
  }
]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
    ]
  }
}

```



```

    {
      "target": "com.amazonaws.licensemanager#CreateGrantVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateToken"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    },
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  }

```

```

},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
  "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{

```

```

    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",

```

```

    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
      },
      "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
      }
    },
    "rules": [
      {
        "conditions": [

```

```

    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Endpoint"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        }
      }
    }
  ]
}

```

```

        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ]
},
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [
                    {
                        "ref": "Region"
                    }
                ]
            },
            "assign": "PartitionResult"
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        {
                            "ref":

```

"UseFIPS"

```

                    },
                    true
                ]
            },
            {

```

```

        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsFIPS"
                            ]
                        }
                    ]
                }
            ]
        },
        {
            "fn": "booleanEquals",
            "argv": [
                true,
                {
                    "fn": "getAttr",
                    "argv": [
                        {
                            "ref": "PartitionResult"
                        },
                    ],
                }
            ]
        }
    ],
    "supportsDualStack"
}

```

```

        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    },
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",

"argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    }
],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,

{
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"

```



```

        },
        "supportsFIPS"
    ]
}
]
}
],
"type": "tree",
"rules": [
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
},
{
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
}
],
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [

```

```

        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                }
            ],
        }
    ],
    "supportsDualStack":
        [
            ]
        ]
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "DualStack is enabled but this partition does not support DualStack",
        "type": "error"
    }
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]

```

```

    },
    {
      "conditions": [],
      "error": "Invalid Configuration: Missing Region",
      "type": "error"
    }
  ]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint":
{
          "url": "https://license-manager.af-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "af-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-northeast-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-northeast-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    }
  ]
}

```

```

    }
  },
  {
    "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-northeast-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-northeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-northeast-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-northeast-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-1.amazonaws.com"
    }
  }
}

```

```

}
    },
    "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-3.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-3",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ca-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    },
    {
      "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-central-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-central-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region":
"eu-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-west-1.amazonaws.com"
        }
      }
    }
  ]
}

```

```

    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {

      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-3",
      "UseFIPS": false,

      "UseDualStack": false
    }
  },
  {
    "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.me-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },

```

```

{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-2.amazonaws.com"
    }
  }
}

```



```

    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},

```

```

{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },

```

```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{

```

```

    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},

```

```

    {
      "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled
but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    }
}

```



```

    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
},
"output": {
  "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
},
"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#AllowedOperation": {
    "type": "enum",
    "members": {
      "CREATE_GRANT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CreateGrant"
        }
      },
      "CHECKOUT_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckoutLicense"
        }
      },
      "CHECKOUT_BORROW_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckoutBorrowLicense"
        }
      },
      "CHECK_IN_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckInLicense"
        }
      },
      "EXTEND_CONSUMPTION_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "ExtendConsumptionLicense"
        }
      },
      "LIST_PURCHASED_LICENSES": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "ListPurchasedLicenses"
        }
      },
      "CREATE_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CreateToken"
        }
      }
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max":
7
    }
  }
},
"com.amazonaws.licensemanager#Arn": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d)?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}):[A-Za-
z0-9_/.-]{0,63};[A-Za-z0-9_/.-]{0,63};[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
  }
},
"com.amazonaws.licensemanager#ArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  }
},
"com.amazonaws.licensemanager#AuthorizationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError":
{
      "code": "AuthorizationFailure",
      "httpResponseCode": 403
    },
    "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",

```

```

    "smithy.api#error": "client",
    "smithy.api#httpError": 403
  }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},

"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},

```

```

"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CheckInLicenseRequest":
    {
        "type": "structure",
        "members": {
            "LicenseConsumptionToken": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>License consumption token.</p>",
                    "smithy.api#required": {}
                }
            },
            "Beneficiary": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>License beneficiary.</p>"
                }
            }
        },
        "traits": {
            "smithy.api#input": {}
        }
    },
    "com.amazonaws.licensemanager#CheckInLicenseResponse": {
        "type": "structure",
        "members": {},
        "traits": {
            "smithy.api#output": {}
        }
    },
    "com.amazonaws.licensemanager#CheckoutBorrowLicense":
    {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
            }
        ]
    }

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
      "smithy.api#required": {}
    }
  }
}
}

```

```

    }
  },
  "DigitalSignatureMethod": {
    "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
    "traits": {
      "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a
href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
      "smithy.api#required": {}
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {}
    }
  }
}

```

```

        "smithy.api#documentation": "<p>License consumption token.</p>"
    }
},
"EntitlementsAllowed":
{
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
},
"NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
    }
},
"SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
    }
},
"IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
},
"Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
},
"CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicense": {
    "type": "operation",

```

```



```

```

"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product
SKU.</p>",
    "smithy.api#required": {}
  }
},
"CheckoutType": {
  "target": "com.amazonaws.licensemanager#CheckoutType",
  "traits": {
    "smithy.api#documentation": "<p>Checkout type.</p>",
    "smithy.api#required": {}
  }
},
"KeyFingerprint": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
    "smithy.api#required": {}
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
}

```

```

    }
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
      }
    },
    "Expiration": {

```

```

        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
        }
    },
    "LicenseArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
        "PROVISIONAL": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PROVISIONAL"
            }
        },
        "PERPETUAL": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PERPETUAL"
            }
        }
    }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max": 36
        }
    }
},
"com.amazonaws.licensemanager#ClientToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,

```

```

        "max": 2048
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#ConflictException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ConflictException",
        "httpResponseCode":
409
      },
      "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 409
    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
        }
      },
      "ConsumedLicenses": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about license consumption.</p>"
    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
    "type": "list",
    "member": {

```



```

    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {

```

```

    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n  <ul>\n    <li>\n      <p>An Amazon Web Services account, which includes only the account specified.</p>\n    </li>\n    <li>\n      <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n    </li>\n    <li>\n      <p>An organization, which will include all accounts across your organization.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
},

```

```

"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
      }
    },
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the grant.</p>"
      }
    }
  }
}

```

```

    },
    "Options": {
      "target": "com.amazonaws.licensemanager#Options",
      "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
      }
    },
    "LicenseCountHardLimit": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.

```



```

Exceeding a hard limit\n    blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
"com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n    vary by dimension, as follows.</p>\n
<ul>\n    <li>\n        <p>\n            <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
            <code>licenseAffinityToHost</code> |\n            <code>maximumCores</code> |
<code>minimumCores</code>\n        </p>\n        </li>\n        <li>\n            <p>\n                <code>Instances</code> dimension: <code>allowedTenancy</code> |\n                <code>maximumCores</code> |
<code>minimumCores</code> |\n                <code>maximumSockets</code> | <code>minimumSockets</code> |\n                <code>maximumVcpus</code> | <code>minimumVcpus</code>\n            </p>\n        </li>\n        <li>\n            <p>\n                <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n                <code>licenseAffinityToHost</code> |\n                <code>maximumSockets</code> |
<code>minimumSockets</code>\n            </p>\n        </li>\n        <li>\n            <p>\n                <code>vCPUs</code> dimension: <code>allowedTenancy</code> |
<code>honorVcpuOptimization</code> |\n                <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n            </p>\n        </li>\n    </ul>\n    <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n    values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
  {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {

        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n    For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
          "smithy.api#required": {}
        }
      },
      "DestinationLicenseContext":
    {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
      "type": "structure",
      "members": {
        "LicenseConversionTaskId": {
          "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

```

```

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {

```

```

"type": "structure",
"members": {
  "ReportGeneratorName":
  {
    "target": "com.amazonaws.licensemanager#ReportGeneratorName",
    "traits": {
      "smithy.api#documentation": "<p>Name of the report generator.</p>",
      "smithy.api#required": {}
    }
  },
  "Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n  <ul>\n    <li>\n      <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n    </li>\n    <li>\n      <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#Issuer",
    "traits": {
      "smithy.api#documentation": "<p>License issuer.</p>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region for the license.</p>",
      "smithy.api#required": {}
    }
  }
}

  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {

```

"smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",

```
    "smithy.api#required": {}
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license.</p>"
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  }
},
"traits": {
```



```

    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
    }
},
"LicenseName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
    }
},
"ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
    }
},
"Issuer": {
    "target": "com.amazonaws.licensemanager#Issuer",
    "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>",
        "smithy.api#required": {}
    }
},
"Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
        "smithy.api#required": {}
    }
},
"LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
    }
},
"Entitlements": {

```

```

    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for workloads with offline\n    usage.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>New version of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  }
},
"traits": {
  "smithy.api#output":
}
}
},
"com.amazonaws.licensemanager#CreateToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

{
  "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
  "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
  "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT token used to get an access token. With an access token,\n    you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n    call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
{
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n    JWT token.</p>",
      "smithy.api#required": {}
    }
},
    "RoleArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n    License Manager does not check whether the roles are in use.</p>"
      }
},
    "ExpirationInDays": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
      }
},
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n    to the amr claim of the JWT token.</p>"
      }
}
}
}

```

```

    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#TokenType",
      "traits": {
        "smithy.api#documentation": "<p>Token type.</p>"
      }
    },
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {

```

```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Start of the time range.</p>",
      "smithy.api#required": {}
    }
  },
  "End": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>End of the time range.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      },
      "StatusReason": {
        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
          "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Current version of the
grant.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteGrantResponse": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Grant ARN.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
          "smithy.api#documentation": "<p>Grant status.</p>"
        }
      }
    }
  }
}

```



```

    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
" <p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],

```

```

    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
    },
  },

  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}

```

```

},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement name.</p>",
      "smithy.api#required": {}
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
    }
  },
  "MaxCount": {
    "target": "com.amazonaws.licensemanager#Long",
    "traits": {
      "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
    }
  },
  "Overage": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement unit.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowCheckIn": {
    "target":
"com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data name.</p>",
      "smithy.api#required": {}
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement
data value.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data unit.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
"smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    }
  },
  "SECONDS": {

```



```
"target": "smithy.api#Unit",
"traits": {
  "smithy.api#enumValue": "Seconds"
}
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS":
```

```

{
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Bits"
    }
},
"KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Kilobits"
    }
},
"MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Megabits"
    }
},
"GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Gigabits"
    }
},
"TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits"
    }
}
},
"PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Percent"
    }
},
"BYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Bytes/Second"
    }
},
"KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Kilobytes/Second"
    }
}

```

```

},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
}

```

```

    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS":
  {
    "target": "smithy.api#Unit",

```

```
"traits": {
  "smithy.api#enumValue": "Seconds"
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
```

```

    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },

```

```

"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
}

```

```

    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementUsageList":

```



```

{
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementUsage"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",

```

```

    "smithy.api#required": {}
  }
},
"DryRun": {
  "target": "com.amazonaws.licensemanager#Boolean",
  "traits": {
    "smithy.api#default": false,
    "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action,
without actually making the request. Provides an error response if you do not have the required permissions.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
}

```

```

    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FailedDependency",
        "httpResponseCode": 424
      },
      "smithy.api#documentation":
    }
  },
  "com.amazonaws.licensemanager#Filter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#FilterName",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
        }
      },
      "Values": {
        "target": "com.amazonaws.licensemanager#FilterValues",
        "traits": {
          "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
    }
  },
  "com.amazonaws.licensemanager#FilterLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FilterLimitExceeded",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
      "smithy.api#error": "client",

```

```

    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n      are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",

```

```

        "smithy.api#required": {}
    }
},
"Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
    "type": "structure",
    "members": {
        "Grant": {
            "target": "com.amazonaws.licensemanager#Grant",
            "traits": {
                "smithy.api#documentation": "<p>Grant details.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicense": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
},
{
    "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {

```



```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
        "LicenseConfigurationId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
            }
        },
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
            }
        },
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the license configuration.</p>"
            }
        },
        "Description": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Description of the license configuration.</p>"
            }
        },
        "LicenseCountingType": {
            "target": "com.amazonaws.licensemanager#LicenseCountingType",
            "traits": {
                "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
            }
        },
        "LicenseRules": {
            "target": "com.amazonaws.licensemanager#StringList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},

```

```

"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
      }
    }
  },
  "traits": {
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information

```

about the license type converted from.</p>"

```
    }
  },
  "DestinationLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
```

```

{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":

```

```

{}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
  "type": "structure",
  "members": {

```

```

    "License": {
      "target": "com.amazonaws.licensemanager#License",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {

```



```

    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
      "LicenseUsage": {
        "target":
"com.amazonaws.licensemanager#LicenseUsage",
        "traits": {
          "smithy.api#documentation": "<p>License usage details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ]
  }
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "S3BucketArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n      and so on.</p>"
        }
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    }
  },
  "LicenseManagerResourceShareArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License

```

```

Manager management account \n    provides member accounts with access to this share.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>",
      "smithy.api#required": {}
    }
  },
  "ParentArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Parent ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
      "smithy.api#required": {}
    }
  },
}

```

```

"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>",
    "smithy.api#required": {}
  }
},
"GrantedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Granted operations.</p>",
    "smithy.api#required": {}
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanager#Grant"
}
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  },
  "ACTIVE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  }
}

```

```

    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {

```

```

    "smithy.api#documentation": "<p>Granted license issuer.</p>"
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>Granted license status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Granted license metadata.</p>"
  }
},
"CreateTime": {

```

```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Version of the granted license.</p>"
    }
  },
  "ReceivedMetadata": {
    "target": "com.amazonaws.licensemanager#ReceivedMetadata",
    "traits": {
      "smithy.api#documentation": "<p>Granted license received metadata.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
  },
  "com.amazonaws.licensemanager#GrantedLicenseList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#GrantedLicense"
    }
  },
  "com.amazonaws.licensemanager#ISO8601DateTime":
  {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^(-?(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
    }
  },
  "com.amazonaws.licensemanager#Integer": {
    "type": "integer"
  },
  "com.amazonaws.licensemanager#InvalidParameterValueException": {
    "type": "structure",
    "members": {
      "Message": {

```



```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InvalidParameterValueProvided",
        "httpResponseCode": 400
    },
    "smithy.api#documentation":
"<p>One or more parameter values are not valid.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "InvalidResourceState",
            "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#InventoryFilter": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the filter.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "Condition": {
        "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
        "traits": {
            "smithy.api#documentation": "<p>Condition of the filter.</p>",

```

```

        "smithy.api#required": {}
    },
    "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Value of the filter.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
    "type": "enum",
    "members": {
        "EQUALS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "EQUALS"
            }
        },
        "NOT_EQUALS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "NOT_EQUALS"
            }
        },
        "BEGINS_WITH": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "BEGINS_WITH"
            }
        },
        "CONTAINS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CONTAINS"
            }
        }
    }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#InventoryFilter"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#Issuer": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>",
          "smithy.api#required": {}
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
      }
    }
  },
  "com.amazonaws.licensemanager#IssuerDetails": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>"
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#License": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License name.</p>"
        }
      },
      "ProductName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product name.</p>"
        }
      },
      "ProductSKU": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product SKU.</p>"
        }
      },
      "Issuer": {
        "target": "com.amazonaws.licensemanager#IssuerDetails",
        "traits": {
          "smithy.api#documentation": "<p>License issuer.</p>"
        }
      },
      "HomeRegion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Home Region of the license.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseStatus",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {

"target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  }

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
  }
},
"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the license configuration.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
}
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {

```

```

    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "AutomatedDiscoveryInformation": {
    "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
    "traits": {
      "smithy.api#documentation": "<p>Automated discovery information.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
  "type": "structure",
  "members": {
    "ResourceArn":
{
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of server resource.</p>"
      }
    },
    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
      }
    },
    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {

```



```

"smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
  }
},
"AmiAssociationScope": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
  "type": "enum",
  "members":
{
  "AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "AVAILABLE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
  },

```

```

"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits":
{
  "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceStatus": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the resource.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"AssociationTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
  }
},

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
  "type": "list",
  "member": {

```

```

    "target": "com.amazonaws.licensemanager#LicenseConfiguration"
  }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n  conversion task.</p>"
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
      }
    },
    "DestinationLicenseContext": {
      "target":

```

```

"com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
  "traits": {
    "smithy.api#documentation": "<p>The status of the conversion task.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
  }
},
"StartTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
  }
},
"LicenseConversionTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
  }
},
"EndTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

```

```

"smithy.api#length": {
  "min": 0,
  "max": 50
},
"smithy.api#pattern": "^\\c[t-a-zA-Z0-9]*$"
}
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUCCEEDED"
      }
    },
    "FAILED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTask"
  }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
  "type": "enum",
  "members": {
    "VCPU": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "vCPU"
      }
    },
    "INSTANCE": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Instance"
    }
  },
  "CORE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Core"
    }
  },
  "SOCKET": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Socket"
    }
  }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Resource type.</p>"
  }
},
"ErrorMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Error message.</p>"
  }
},
"FailureTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Failure time.</p>"
  }
},
"OperationName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the operation.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
}
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseOperationFailureList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
    }
  },
  "com.amazonaws.licensemanager#LicenseSpecification": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

          "smithy.api#required": {}
        }
      },
      "AmiAssociationScope": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
  },
  "com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
      "AVAILABLE": {
        "target": "smithy.api#Unit",

```



```

"traits": {
  "smithy.api#enumValue": "AVAILABLE"
},
},
"PENDING_AVAILABLE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_AVAILABLE"
  }
},
"DEACTIVATED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DEACTIVATED"
  }
},
"SUSPENDED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "SUSPENDED"
  }
},
"EXPIRED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "EXPIRED"
  }
},
},
"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
},
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlement usages.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
        "LicenseConfigurationAssociations": {

```

```

        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
        "traits": {
            "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
}

```

```

],
"traits": {
  "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>LicenseArn</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>GrantStatus</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>GranteePrincipalARN</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>LicenseIssuerName</code>\n
            </p>\n
          </li>\n
        </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {

```

```

    "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
    "smithy.api#documentation": "<p>Distributed grant details.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {

```

```

"type": "structure",
"members": {
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {

```

```

    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
    },

    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    }
  }
}

```



```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    },
    "Filters": {

```

```

    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTasks": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </li>\n    </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
    "type": "structure",
    "members": {
      "ReportGenerators": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorList",
        "traits": {
          "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
    }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [

```



```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>Beneficiary</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>ProductSKU</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Fingerprint</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Status</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ParentArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranteePrincipalArn</code>\n
          </p>\n
        </li>\n
      </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
        <li>\n
        <p>\n
        <code>ProductSKU</code>\n
        </li>\n
        <li>\n
        <p>\n
        <code>LicenseIssuerName</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>LicenseArn</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GrantStatus</code>\n
        </p>\n
        </li>\n
        </ul>\n
        <code>GranterAccountId</code>\n
        </p>\n
        </li>\n
        </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },

```

```

    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {
        "target": "com.amazonaws.licensemanager#GrantList",
        "traits": {
          "smithy.api#documentation": "<p>Received grant details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists received licenses.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n    <ul>\n        <li>\n            <p>\n                <code>Beneficiary</code>\n            </li>\n            <li>\n                <p>\n                    <code>ProductSKU</code>\n                </p>\n            </li>\n        </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
    "type": "structure",
    "members": {
        "Licenses": {
            "target": "com.amazonaws.licensemanager#GrantedLicenseList",
            "traits": {
                "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {

```



```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </li>\n      <li>\n        <p>\n          <code>Status</code>\n        </p>\n      </li>\n      <li>\n        <p>\n          <code>Fingerprint</code>\n        </p>\n      </li>\n      <li>\n        <p>\n          <code>IssuerName</code>\n        </p>\n      </li>\n      <li>\n        <p>\n          <code>Beneficiary</code>\n        </p>\n      </li>\n    </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",

```

```

"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#GrantedLicenseList",
    "traits": {
      "smithy.api#documentation": "<p>Received license details.</p>"
    }
  },

  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p>
<ul>
<li>
<p>
<code>account_id</code> - The ID of the Amazon Web Services account that owns the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>application_name</code> - The name of the application.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>license_included</code> - The type of license included.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n
Possible values are <code>sql-server-enterprise</code> | \n
<code>sql-server-standard</code> | \n
<code>sql-server-web</code> | \n
<code>windows-server-datacenter</code>.</p>
</li>
<li>
<p>
<code>platform</code> - The platform of the resource.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>resource_id</code> - The ID of the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>tag:key</code> - The key/value combination of a tag assigned to the resource.
Logical operators are <code>EQUALS</code> (single account) or \n
<code>EQUALS</code> | <code>NOT_EQUALS</code> (cross account).</p>
</li>
</ul>"
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},

```

```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
    "type": "structure",
    "members": {
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the tags.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTokens": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTokensRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListTokensResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists your tokens.</p>"
  }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation":
          "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current
license consumption for any license inventory and configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>resourceArn</code> - The ARN of the license configuration resource.\n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n      <li>\n        <p>\n          <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>).\n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n      <li>\n        <p>\n          <code>resourceAccount</code> - The ID of the account that owns the resource. \n          Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n    </ul>"
      }
    }
  }
}

```



```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Location": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Long": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
      "ResourceType":
    {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
      "AssociationCount": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
  },
  "com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
      "smithy.api#range": {
        "min": 1,
        "max": 100
      }
    }
  },
  "com.amazonaws.licensemanager#MaxSize3StringList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    },
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 3
      }
    }
  },
  "com.amazonaws.licensemanager#Message": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Metadata": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The key name.</p>"
        }
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n    Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n    <ul>\n      <li>\n        <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
      </li>\n      <li>\n        <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n      </li>\n      <li>\n        <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n      </li>\n    </ul>\n    <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a

```

```

grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n          </dd>\n          </dl>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n          override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
    "smithy.api#required": {}
  }
},
"ProductInformationFilterList": {
  "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
  "traits": {
    "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n    <li>\n    <p>\n    <code>Application Name</code> - The name of the
application.\n    Logical operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Publisher</code> - The publisher of the application.\n    Logical
operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Version</code> - The version of the application.\n    Logical operator is
<code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Platform
Name</code> - The name of the platform.\n    Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n    </p>\n    </li>\n    <li>\n    <p>\n    <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n    Logical operator is <code>NOT_EQUALS</code>.</p>\n    </li>\n
    <li>\n    <p>\n    <code>License Included</code> - The type of license included.\n    Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n    Possible values are:
<code>sql-server-enterprise</code> | \n    <code>sql-server-standard</code> | \n    <code>sql-server-
web</code> | \n    <code>windows-server-datacenter</code>.</p>\n    </li>\n    </ul>\n
<p>The following filters and logical operators are supported when the resource type\n    is
<code>RDS</code>:</p>\n    <ul>\n    <li>\n    <p>\n    <code>Engine Edition</code> -
The edition of the database engine.\n    Logical operator is <code>EQUALS</code>.\n    Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>License Pack</code> - The license
pack.\n    Logical operator is <code>EQUALS</code>.\n    Possible values are: <code>data
guard</code> | \n    <code>diagnostic pack sqlt</code> | \n
    <code>tuning pack sqlt</code> | \n    <code>ols</code> | \n    <code>olap</code>.</p>\n
    </li>\n    </ul>",
    "smithy.api#required": {}
  }
}
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ProductInformationFilter": {
    "type": "structure",
    "members": {
      "ProductInformationFilterName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Filter name.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterValue": {
        "target": "com.amazonaws.licensemanager#StringList",

        "traits": {
          "smithy.api#documentation": "<p>Filter value.</p>"
        }
      },
      "ProductInformationFilterComparator": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Logical operator.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
  }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {

```

```

    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
      },
      "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 429
    }
  },
  "com.amazonaws.licensemanager#ReceivedMetadata": {
    "type": "structure",
    "members": {
      "ReceivedStatus": {
        "target": "com.amazonaws.licensemanager#ReceivedStatus",
        "traits": {
          "smithy.api#documentation": "<p>Received status.</p>"
        }
      },
      "ReceivedStatusReason": {
        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
          "smithy.api#documentation": "<p>Received
status reason.</p>"
        }
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Allowed operations.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
}

```



```

    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    },
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
  "Status": {

```

```

        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
    "type": "enum",
    "members": {
        "NONE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "None"
            }
        },
        "WEEKLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Weekly"
            }
        },
        "MONTHLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Monthly"
            }
        }
    }
},
"com.amazonaws.licensemanager#ReportContext": {
    "type": "structure",
    "members": {
        "licenseConfigurationArns": {
            "target": "com.amazonaws.licensemanager#ArnList",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    },
    "period": {
      "target": "com.amazonaws.licensemanager#ReportFrequencyType",

      "traits": {
        "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    }
  },
}

```

```

    "MONTH": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "MONTH"
    }
  },
  "com.amazonaws.licensemanager#ReportGenerator": {
    "type": "structure",
    "members": {
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the report generator.</p>"
        }
      },
      "ReportType": {
        "target": "com.amazonaws.licensemanager#ReportTypeList",
        "traits": {
          "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
        }
      },
      "ReportContext": {
        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
          "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
      },
      "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
          "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
      },
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
      },
      "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
      }
    }
  }
}

```

```

    },
    "LastRunFailureReason":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
  },
  "LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
  },
  "ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}

```

```

}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
      }
    }
  }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "LicenseConfigurationUsageReport"
  }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {

```

```

"ResourceId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"Platform": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform of the resource.</p>"
  }
},
"PlatformVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
  }
},
"ResourceOwningAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a resource.</p>"
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ResourceInventory"
  }
}

```



```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ResourceLimitExceeded",

      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "EC2_HOST"
    }
},
"EC2_AMI": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_AMI"
    }
},
"RDS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "RDS"
    }
},
"SYSTEMS_MANAGER_MANAGED_INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {

```

```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits":
{
    "smithy.api#length": {
        "min": 0,
        "max": 400
    },
    "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
    "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#String"
    }
},
"com.amazonaws.licensemanager#Tag": {
    "type": "structure",
    "members": {
        "Key": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Tag key.</p>"
            }
        }
    }
}
}

```

```

    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"com.amazonaws.licensemanager#TagValue": {
    "type": "string",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
},
"com.amazonaws.licensemanager#TagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#TagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#TagResourceResponse"
  },
  "errors": [
    {
      "target":
"com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    }
  },
},

```

```

"TokenType": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"ExpirationTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
  }
},
"TokenProperties": {
  "target": "com.amazonaws.licensemanager#MaxSize3StringList",
  "traits": {
    "smithy.api#documentation": "<p>Data specified by the caller.</p>"
  }
},
"RoleArns": {
  "target": "com.amazonaws.licensemanager#ArnList",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",

```

```

    "member": {
      "target": "com.amazonaws.licensemanager#TokenData"
    }
  },
  "com.amazonaws.licensemanager#TokenString": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 4096
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#TokenType": {
    "type": "enum",
    "members": {
      "REFRESH_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "REFRESH_TOKEN"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
  {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#UntagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UntagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UntagResourceResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "TagKeys": {
      "target": "com.amazonaws.licensemanager#TagKeyList",
      "traits": {
        "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},

```



```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
    },
  },

```

```

"LicenseConfigurationStatus": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
  "traits": {
    "smithy.api#documentation": "<p>New status of the license configuration.</p>"
  }
},
"LicenseRules": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
  }
},
"Name": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New description of the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>New product information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
    ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n    </li>\n      <li>\n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n    </li>\n    </ul>",
        "smithy.api#required": {}
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

    "traits":
  {
    "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },

    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
  }
},
"SnsTopicArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
  }
},
"OrganizationConfiguration": {
  "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
  }
},
"EnableCrossAccountsDiscovery": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
  }
}
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {

```



```

    return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {

```

```

return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}
}

```

```

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "grafana"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this
context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

```

```

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Creates a license.

```

```

func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

```

```

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.Entitlement

    // Home Region for the license.
    //
    // This member is required.
    HomeRegion *string

    // License issuer.
    //
    // This member is required.
    Issuer *types.Issuer

    // License name.
    //
    // This member is required.
    LicenseName *string

    // Product name.
    //
    // This member is required.
    ProductName *string

    // Product SKU.
    //

```



```

// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err
!= nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName:
"license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

```

```

}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint,
err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)

```

```

var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{

```

```

Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

1.80 aws-aws-sdk-go-v2-internal- configsources 1.1.43

1.80.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }
}
```

```
out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}
```

```
type CheckoutLicenseInput struct {
```

```
    // Checkout type.
```

```
    //
```

```
    // This member is required.
```

```
    CheckoutType types.CheckoutType
```

```
    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
```

```
    //
```

```
    // This member is required.
```

```
    ClientToken *string
```

```
    // License entitlements.
```

```
    //
```

```
    // This member is required.
```

```
    Entitlements []types.EntitlementData
```

```
    // Key fingerprint identifying the license.
```

```
    //
```

```
    // This member is required.
```

```
    KeyFingerprint *string
```

```
    // Product SKU.
```

```
    //
```

```
    // This member is required.
```

```
    ProductSKU *string
```

```
    // License beneficiary.
```

```
    Beneficiary *string
```

```
    // Node ID.
```

```
    NodeId *string
```

```
    noSmithyDocumentSerde
```

```
}
```

```
type CheckoutLicenseOutput struct {
```

```
    // Checkout type.
```

```
    CheckoutType types.CheckoutType
```

```
    // Allowed license entitlements.
```

EntitlementsAllowed []types.EntitlementData

// Date and time

at which the license checkout expires.

Expiration *string

// Date and time at which the license checkout is issued.

IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.

LicenseArn *string

// License consumption token.

LicenseConsumptionToken *string

// Node ID.

NodeId *string

// Signed token.

SignedToken *string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
```

```
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
```

```
if err != nil {
```

```
    return err
```

```
}
```

```
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
```

```
if err != nil {
```

```
    return err
```

```
}
```

```
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
```

```
    return err
```

```
}
```

```
if err = addSetLoggerMiddleware(stack, options); err != nil {
```

```
    return err
```

```
}
```

```
if err
```

```
= awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
```

```
    return err
```

```
}
```

```
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
```

```
    return err
```



```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

```

```

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme
:= range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {

```

```

    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver:
    &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
})
}

```

```
  },  
  }, "ResolveEndpoint", middleware.After)  
}
```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

```
- name: Checkout target  
  uses: actions/checkout@v2  
  with:  
    path: sdkbase  
    ref: ${{ github.base_ref }}  
- name: Checkout this ref  
  uses: actions/checkout@v2  
  with:  
    path: new-ref  
    fetch-depth: 0  
- name: Get Diff  
  run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}  
${{ github.sha }} > refDiffFiles.txt  
- name: Get Target Files  
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt  
- name: Checkout scancode  
  uses: actions/checkout@v2  
  with:  
    repository: nexB/scancode-toolkit  
    path: scancode-toolkit  
    fetch-depth: 1  
- name: Set up Python ${{ matrix.python-version }}  
  uses: actions/setup-python@v2  
  with:  
    python-version: ${{ matrix.python-version }}  
# ScanCode  
- name: Self-configure scancode  
  working-directory: ./scancode-toolkit  
  run: ./scancode --help
```

```

- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
  toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
  toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
  are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        },
        "Operator": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
          "traits": {
            "smithy.api#documentation": "<p>An operator for filtering results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe
        operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
      "type": "list",

```

```

    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/GetServiceSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
    {
      "type": "structure",
      "members": {}
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
      "type": "structure",
      "members": {
        "LinuxSubscriptionsDiscovery": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
          "traits": {
            "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
          }
        }
      },
    }
  }
}

```

```

"LinuxSubscriptionsDiscoverySettings": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
  "traits": {
    "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
  "traits": {
    "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
  }
},
"HomeRegions": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
  "traits": {
    "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n subscriptions.</p>"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
      }
    },
    "InstanceType": {
      "target": "smithy.api#String",

```



```

    "traits": {
      "smithy.api#documentation": "<p>The instance type of the resource.</p>"
    }
  },
  "AccountID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of the instance.</p>"
    }
  },
  "Region": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
    }
  },
  "UsageOperation": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
    }
  },
  "SubscriptionName": {

```

```

        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
    "type": "service",
    "version": "2018-05-10",
    "operations": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
        }
    ]
},

```

```

"traits": {
  "aws.api#service": {
    "sdkId": "License Manager Linux Subscriptions",
    "arnNamespace": "license-manager-linux-subscriptions",
    "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-linux-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",

"x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  },
  "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager Linux Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {

```

```

    "builtIn": "AWS::UseDualStack",
    "required": true,
    "default": false,
    "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
    "type": "Boolean"
  },
  "UseFIPS": {
    "builtIn": "AWS::UseFIPS",
    "required": true,
    "default": false,
    "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

"type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {

    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ]
  }
]

```

```

    }
  ],
  "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
  "type": "error"
},
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {

"conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],

"endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
]
}
],
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {

```

```

        "fn": "isSet",
    "argv": [
        {
            "ref": "Region"
        }
    ]
    },
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "aws.partition",
                    "argv": [
                        {
                            "ref": "Region"
                        }
                    ]
                },
            ],
        }
    ],
    "assign": "PartitionResult"
    },
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        {
                            "ref": "UseFIPS"
                        },
                        true
                    ]
                }
            ],
        },
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    ],

```

```

"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ],
    "fn": "booleanEquals",
    "argv": [
      true,
      {
        "fn": "getAttr",
        "argv": [
          {
            "ref": "PartitionResult"
          },
          "supportsDualStack"
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {

```

```

        "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                }
                            ],
                        }
                    ]
                }
            ]
        }
    ]
}

```



```

        "supportsFIPS"
      ]
    }
  ]
}
],
"type": "tree",

"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
],
{
  "conditions": [],
  "error": "FIPS is enabled but this partition does not support FIPS",
  "type": "error"
}
]
},

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ]
},
],

```

```

"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsDualStack"
            ]
          }
        ]
      }
    ]
  },
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [
        {
          "conditions": [],

          "endpoint": {
            "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
          },
          "type": "endpoint"
        }
      ]
    }
  ]
},

{
  "conditions": [],
  "error": "DualStack is enabled but this partition does not support DualStack",
  "type": "error"
}

```

```

        ]
    },
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
]
}
]
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",

```

```

    "expect": {
"endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",

```

```

        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}
}

```

```

},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{

```

```

  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }

```

```

    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {

      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",

```



```

"UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,

    "Endpoint": "https://example.com"
  }
},
{

```

```

        "documentation": "For custom endpoint with fips disabled and dualstack enabled",
        "expect": {
            "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
        },
        "params": {
            "Region": "us-east-1",
            "UseFIPS": false,
            "UseDualStack": true,
            "Endpoint": "https://example.com"
        }
    },
    {
        "documentation": "Missing region",
        "expect": {
            "error": "Invalid Configuration: Missing Region"
        }
    }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "Enabled",
                "value": "Enabled",
                "documentation": "Enabled LinuxSubscriptionsDiscovery"
            },
            {
                "name": "Disabled",
                "value": "Disabled",
                "documentation": "Disabled LinuxSubscriptionsDiscovery"
            }
        ]
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
    "type": "structure",
    "members": {
        "SourceRegions": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
            "traits": {
                "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",

```

```

        "smithy.api#required": {}
    },
    "OrganizationIntegration": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
        "traits": {
            "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
        "type":
"operation",
        "input": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
            },
            {
                "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
            },
            {
                "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n  subscriptions.</p>",
            "smithy.api#http": {

"code": 200,
            "method": "POST",
            "uri": "/subscription/ListLinuxSubscriptionInstances"
        },
        "smithy.api#idempotent": {},
        "smithy.api#paginated": {
            "inputToken": "NextToken",

```

```

        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "Instances"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify. For example, you can filter by
the name of\n    <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n
match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n    <p>The valid names for this filter
are:</p>\n    <ul>\n        <li>\n            <p>\n                <code>AmiID</code>\n            </p>\n            </li>\n            <li>\n                <p>\n                    <code>InstanceID</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>AccountID</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>Status</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>Region</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>UsageOperation</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>ProductCode</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>InstanceType</code>\n                </p>\n            </li>\n        </ul>\n        <p>The valid Operators for this
filter are:</p>\n        <ul>\n            <li>\n                <p>\n                    <code>contains</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>equals</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>NotEqual</code>\n                </p>\n            </li>\n        </ul>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    }
},
"NextToken": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>",
        "smithy.api#length": {
            "min": 1,
            "max": 16384
        }
    }
}
},
"traits": {

```

```

    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
      "traits": {
        "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n  organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",

```

```

    "uri": "/subscription/ListLinuxSubscriptions"
  },
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Subscriptions"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or
more sets of key-value pairs that you specify. For example, you can filter by the name of
<code>Subscription</code> with an optional operator to see subscriptions that match,
partially match, or don't
match a certain subscription's name.</p>
<p>The valid names for this filter are:</p>
<ul>
<li>
<p>
<code>Subscription</code>
</p>
</li>
</ul>
<p>The valid Operators for this filter are:</p>
<ul>
<li>
<p>
<code>contains</code>
</p>
</li>
<li>
<p>
<code>>equals</code>
</p>
</li>
<li>
<p>
<code>NotEqual</code>
</p>
</li>
</ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>",
        "smithy.api#length": {
          "min": 1,
          "max": 16384
        }
      }
    }
  },
  "traits": {

```

```

    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {
        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
      },
      {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
      }
    ],
    "smithy.api#length": {
      "min": 1,
      "max": 20
    }
  }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "InProgress",
        "value": "InProgress",
        "documentation": "InProgress status"
      },
      {
        "name": "Completed",
        "value": "Completed",
        "documentation": "Completed status"
      },
      {
        "name": "Successful",
        "value": "Successful",
        "documentation": "Successful status"
      },
      {
        "name": "Failed",
        "value": "Failed",
        "documentation": "Failed status"
      }
    ]
  }
}

```



```

    }
  ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
{
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"traits": {
  "smithy.api#length": {
    "min": 1,
    "max": 100
  },
  "smithy.api#uniqueItems": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    }
  },
  "Type": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services"
    }
  }
}
}

```

Marketplace. Certain subscriptions may use licensing from the Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.

```
    }
  },
  "InstanceCount": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux
subscription.</p>"
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
      },
      {
```

```

        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/UpdateServiceSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
    "type": "structure",
    "members": {
        "LinuxSubscriptionsDiscovery": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
            "traits": {
                "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
                "smithy.api#required": {}
            }
        },
        "LinuxSubscriptionsDiscoverySettings": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
            "traits": {
                "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>",
                "smithy.api#required": {}
            }
        },
        "AllowUpdate": {
            "target": "smithy.api#Boolean",
            "traits": {
                "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {

```

```

"type": "structure",
"members": {
  "LinuxSubscriptionsDiscovery": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
    "traits": {
      "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    }
  },

  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  },

  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    }
  },

  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  },

  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n  subscriptions.</p>"
    }
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {

```

```

        "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
        "smithy.api#error": "client"
    }
}
}
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```
import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Removes the Grafana Enterprise license from a workspace.

```
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

```

```

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

```

```

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

```

```
type DisassociateLicenseInput struct {
```

// The type of license to remove from the workspace.

//

// This member is required.

LicenseType types.LicenseType

// The ID of the workspace to remove the Grafana Enterprise license from.

//

// This member is required.

WorkspaceId *string

noSmithyDocumentSerde

}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.

//

// This member is required.

Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)

if err != nil {

return err

}

err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)

if

err != nil {

return err

}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {

return err

}

if err = addSetLoggerMiddleware(stack, options); err != nil {

return err

}

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {

return err

}

if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {

return err

}

if err = addResolveEndpointMiddleware(stack, options); err != nil {

return err

```

}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
}

```

```

if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

```



```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
        &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {

```

```

    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
  } else {
    signingRegion = *v4Scheme.SigningRegion
  }
  if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
  v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
  if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("grafana")
  }
  if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde

```

```

}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if
    err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {

```

```

return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
}
}

```

```

    OperationName: "GetLicense",
  }
}

type opGetLicenseResolveEndpointMiddleware struct {
  EndpointResolver EndpointResolverV2
  BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
  return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
  out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
  if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
    return next.HandleSerialize(ctx, in)
  }

  req, ok := in.Request.(*smithyhttp.Request)
  if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
  }

  if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
  }

  params := EndpointParameters{}

  m.BuiltInResolver.ResolveBuiltIns(&params)

  var resolvedEndpoint smithyendpoints.Endpoint
  resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
  if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
  }

  req.URL = &resolvedEndpoint.URI

  for
  k := range resolvedEndpoint.Headers {
    req.Header.Set(
      k,
      resolvedEndpoint.Headers.Get(k),

```

```

)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
}

```

```

break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName ==
nil {
    v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
    }
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"

```



```

"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
if params == nil {
params = &CheckoutBorrowLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Digital signature method. The possible value is JSON Web Signature (JWS)
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//

```

```

// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)

```

```

if err != nil {
    return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

```

```

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in

```

```

middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata,
            fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
        var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError

```

```

if
errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the
value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    }
}

```

```

    break
    case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)

```

```

if err != nil {
    return nil, err
}

out := result.(*ListLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
    if err != nil {

```



```

return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID:
            ServiceID,
        SigningName: "license-manager",
        OperationName: "ListLicenses",
    }
}

```

```

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```

```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the

```

```

client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break

```

```

    }
    }

    return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }
}

```

```

out := result.(*DeleteLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type
DeleteLicenseInput struct {

// Amazon Resource Name (ARN) of the license.
//
// This member is required.
LicenseArn *string

// Current version of the license.
//
// This member is required.
SourceVersion *string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
}

```

```

if err = addSetLoggerMiddleware(stack,
options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "DeleteLicense",
    }
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```



```

}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for

```

```

_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {

```

```

return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
    EndpointResolver:
options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensmanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"

```

```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
    if params == nil {
        params = &CheckInLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckInLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
if err != nil {
    return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckInLicense",
    }
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
    }

```

```

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName
== nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
}
}

```



```

ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:
options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
}

```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"
```

```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
    if params == nil {
        params = &ListReceivedLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListReceivedLicensesOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type ListReceivedLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - ProductSKU
    // - Status
    // - Fingerprint
    // - IssuerName
    // - Beneficiary
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

```

```

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```

```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return
err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region

```



```

string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return
        out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override

```

the value set at client initialization time.

```
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
  v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
  if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
  }
  if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return
next.HandleSerialize(ctx, in)
}
```

```
func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
  return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
      Region:    options.Region,
      UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
      UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
      Endpoint:   options.BaseEndpoint,
    },
  }, "ResolveEndpoint", middleware.After)
}
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      }
    }
  }
}
```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
  "type": "structure",
  "members": {
    "DirectoryId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation":
    "<p>Details about an Active Directory identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n    <p>Your estimated bill for charges on the number of users and related
costs will take 48\n    hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
    "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  }
}
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {

```

```

    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#documentation":
            "<p>Metadata that describes the results of an identity provider operation.</p>",
          "smithy.api#required": {}
        }
      },
      "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
        "type": "operation",
        "input": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
        },
        "output": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
        },
        "errors": [
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
          },
          {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
          }
        ],
        "traits": {
          "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
          "smithy.api#http": {
            "code": 200,

```



```

        "method": "POST",
        "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
}

},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Domain": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The domain name of the user.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
    "type": "structure",
    "members": {
        "Attribute": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
            }
        },
        "Operation": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
            }
        },
        "Value": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Value of the filter.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
    "type": "union",
    "members": {
        "ActiveDirectoryIdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
            }
        }
    }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
        "smithy.api#required":
{}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of an identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "FailureMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
        "smithy.api#required": {}
      }
    },
    "Products": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
        "smithy.api#required": {}
      }
    },
    "LastStatusCheckDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The date of the last status check.</p>"
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",

```

```

        "traits": {
          "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
        }
      },
      "Domain": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
      },
      "AssociationDate": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
        }
      },
      "DisassociationDate": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {

```

```

"type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
  }
],
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  }
}

```

```

    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",
        "x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ],
      "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
      ]
    }
  ],
  "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager User Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",

```



```

        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
    },
    "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    }
                ],
                true
            }
        ]
    },
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [
        {
            "fn": "booleanEquals",

```

```

        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],

"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "endpoint": {
        "url": {
            "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "aws.partition",
                    "argv": [
                        {
                            "ref": "Region"
                        }
                    ]
                }
            ],
        }
    ],
}

```

```

        "assign": "PartitionResult"
    }
],
"type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    },
                                    "supportsFIPS"
                                ]
                            }
                        ]
                    }
                ]
            }
        ],
    },

```

```

        {
            "fn": "booleanEquals",
            "argv": [
                true,
                {
                    "fn": "getAttr",
                    "argv": [
                        {
                            "ref": "PartitionResult"
                        },
                        "supportsDualStack"
                    ]
                }
            ]
        },
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ],
        {
            "conditions": [],
            "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
            "type": "error"
        }
    ],
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                ],
            }
        ]
    }

```

```

        true
      ]
    }
  ],
  "type": "tree",

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ],
  },
  {
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
  }
]
},

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
},

```

```

        {
            "conditions": [],
            "error": "DualStack is enabled but this partition does
not support DualStack",
            "type": "error"
        }
    ]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]
},
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation":

```

```

"For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
    }
  },

```



```

    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {

```

```

    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
      }
    },
  },

```

```

"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"

```

```

    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {

```

```

    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
}

```

```

    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
  }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
  {
    "type": "structure",
    "members": {
      "IdentityProviderSummaries": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
        "smithy.api#required": {}
    }
},
"NextToken": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",

```



```

        "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "InstanceSummaries"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
    "type":
"structure",
    "members": {
        "InstanceSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
}
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "ProductUserSummaries"
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},

"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",

```

```

    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceUserSummaries"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
        "type": "structure",
        "members": {
            "InstanceUserSummaries": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
                "traits": {
                    "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
                }
            },
            "NextToken": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
        "type": "structure",
        "members": {
            "Username": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
                    "smithy.api#required": {}
                }
            },
            "Product": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                    "smithy.api#required": {}
                }
            },
            "IdentityProvider": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
                "traits": {
                    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    }
}

```

```

    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a product for a user.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    },
    "SubscriptionStartDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
      }
    },
    "SubscriptionEndDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The end date of a subscription.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
    "type": "operation",
    "input": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```



```

    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>The registered identity providers product related configuration settings such as the\n    subnets to provision VPC endpoints.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 404
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
    "type": "string",

```

```

"traits": {
  "smithy.api#length": {
    "min": 5,
    "max": 200
  },
  "smithy.api#pattern": "^sg-(([0-9a-z]{8})|([0-9a-z]{17}))$"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
        "smithy.api#length": {
          "min": 1
        },
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n  your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n  subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n  endpoints. The security group should permit inbound TCP port 1688
communication from resources\n  in the VPC.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n      <note>\n        <p>Your estimated bill for charges on the number of users and related costs will take 48\n        hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n        monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n      </note>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StartProductSubscription"
      }
    }
  },

```

```

"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    }
  ],
  {
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }

```

```

    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required":
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
        "traits": {
          "smithy.api#documentation":
            "<p>Metadata that describes the start product subscription operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StringList": {
    "type": "list",
    "member": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
    "type": "string",
    "traits": {
      "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity provider.</p>",
        "smithy.api#http": {
          "code": 200,

```

```

        "method": "POST",
        "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "UpdateSettings": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings",
            "traits": {
                "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n    </li>\n    <li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n    </li>\n    <li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n    </li>\n    </ul>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
    "type": "structure",

```



```

"members": {
  "AddSubnets": {

    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
      "smithy.api#required": {}
    }
  },
  "RemoveSubnets": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
      "smithy.api#required": {}
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
{
  "smithy": "2.0",
  "metadata": {

```

```

"suppressions": [
  {
    "id": "HttpMethodSemantics",
    "namespace": "*"
  },
  {
    "id": "HttpResponseCodeSemantics",
    "namespace": "*"
  },
  {
    "id": "PaginatedTrait",
    "namespace": "*"
  },
  {
    "id": "HttpHeaderTrait",
    "namespace": "*"
  },
  {
    "id": "HttpUriConflict",
    "namespace": "*"
  },
  {
    "id": "Service",
    "namespace": "*"
  }
]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
    ]
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#CreateGrantVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateToken"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    },
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  }

```

```

},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
  "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{

```

```

    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",

```

```

    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
      },
      "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
      }
    },
    "rules": [
      {
        "conditions": [

```

```

    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Endpoint"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        }
      }
    }
  ]
}

```

```

        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ]
},
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [
                    {
                        "ref": "Region"
                    }
                ]
            },
            "assign": "PartitionResult"
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        {
                            "ref":

```

"UseFIPS"

```

                    },
                    true
                ]
            },
            {

```



```

        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsFIPS"
                            ]
                        }
                    ]
                }
            ]
        },
        {
            "fn": "booleanEquals",
            "argv": [
                true,
                {
                    "fn": "getAttr",
                    "argv": [
                        {
                            "ref": "PartitionResult"
                        },
                    ],
                }
            ]
        }
    ],
    "supportsDualStack"
}

```

```

        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    },
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",

"argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    }
],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,

{
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"

```

```

        },
        "supportsFIPS"
    ]
}
]
}
],
"type": "tree",
"rules": [
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
},
{
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
}
],
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [

```

```

        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                }
            ],
        }
    ],
    "supportsDualStack":
        [
            ]
        ]
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "DualStack is enabled but this partition does not support DualStack",
        "type": "error"
    }
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]

```

```

    },
    {
      "conditions": [],
      "error": "Invalid Configuration: Missing Region",
      "type": "error"
    }
  ]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint":
{
          "url": "https://license-manager.af-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "af-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-northeast-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-northeast-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    }
  ]
}

```

```

    }
  },
  {
    "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-northeast-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-northeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-northeast-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-northeast-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-1.amazonaws.com"
    }
  }
}

```

```

}
    },
    "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-3.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-3",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ca-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    },
    {
      "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-central-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-central-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region":
"eu-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-west-1.amazonaws.com"
        }
      }
    }
  ]
}

```



```

    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {

      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-3",
      "UseFIPS": false,

      "UseDualStack": false
    }
  },
  {
    "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.me-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },

```

```

{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-2.amazonaws.com"
    }
  }
}

```

```

    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },

```

```

{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },

```

```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{

```

```

    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},

```



```

    {
      "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled
but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    }
}

```

```

    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
},
"output": {
  "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
},
"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#AllowedOperation": {
    "type": "enum",
    "members": {
      "CREATE_GRANT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CreateGrant"
        }
      },
      "CHECKOUT_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckoutLicense"
        }
      },
      "CHECKOUT_BORROW_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckoutBorrowLicense"
        }
      },
      "CHECK_IN_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CheckInLicense"
        }
      },
      "EXTEND_CONSUMPTION_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "ExtendConsumptionLicense"
        }
      },
      "LIST_PURCHASED_LICENSES": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "ListPurchasedLicenses"
        }
      },
      "CREATE_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "CreateToken"
        }
      }
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max":
7
    }
  }
},
"com.amazonaws.licensemanager#Arn": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d)?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}):[A-Za-
z0-9_/.-]{0,63};[A-Za-z0-9_/.-]{0,63};[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
  }
},
"com.amazonaws.licensemanager#ArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  }
},
"com.amazonaws.licensemanager#AuthorizationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError":
{
      "code": "AuthorizationFailure",
      "httpResponseCode": 403
    },
    "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",

```

```

    "smithy.api#error": "client",
    "smithy.api#httpError": 403
  }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},

"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},

```



```

"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CheckInLicenseRequest":
  {
    "type": "structure",
    "members": {
      "LicenseConsumptionToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License consumption token.</p>",
          "smithy.api#required": {}
        }
      },
      "Beneficiary": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License beneficiary.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CheckInLicenseResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicense":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
      }
    ]
  }

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
      "smithy.api#required": {}
    }
  }
}
}

```

```

    }
  },
  "DigitalSignatureMethod": {
    "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
    "traits": {
      "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a
href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
      "smithy.api#required": {}
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {}
    }
  }
}

```

```

        "smithy.api#documentation": "<p>License consumption token.</p>"
    }
},
"EntitlementsAllowed":
{
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
},
"NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
    }
},
"SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
    }
},
"IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
},
"Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
},
"CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicense": {
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target":
"com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Checks out the specified license.</p>\n      <note>\n      <p>If the
account that created the license is the same that is performing the check out, you must\n      specify the account
as the beneficiary.</p>\n      </note>"
}
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {

```

```

"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product
SKU.</p>",
    "smithy.api#required": {}
  }
},
"CheckoutType": {
  "target": "com.amazonaws.licensemanager#CheckoutType",
  "traits": {
    "smithy.api#documentation": "<p>Checkout type.</p>",
    "smithy.api#required": {}
  }
},
"KeyFingerprint": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
    "smithy.api#required": {}
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
}

```

```

    }
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
      }
    },
    "Expiration": {

```



```

        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
        }
    },
    "LicenseArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
        "PROVISIONAL": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PROVISIONAL"
            }
        },
        "PERPETUAL": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PERPETUAL"
            }
        }
    }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max": 36
        }
    }
},
"com.amazonaws.licensemanager#ClientToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,

```

```

        "max": 2048
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#ConflictException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ConflictException",
        "httpResponseCode":
409
      },
      "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 409
    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
        }
      },
      "ConsumedLicenses": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about license consumption.</p>"
    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
    "type": "list",
    "member": {

```

```

    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {

```

```

    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>
      <ul>
        <li>
          <p>An Amazon Web Services
account, which includes only the account specified.</p>
        </li>
        <li>
          <p>An organizational unit (OU), which includes all accounts in the OU.</p>
        </li>
        <li>
          <p>An organization, which will include all accounts across your organization.</p>
        </li>
      </ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    }
  },
  "Version": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
},

```

```

"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    },
    "smithy.api#required": {}
  },
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>"
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the grant.</p>"
    }
  }
}

```

```

    },
    "Options": {
      "target": "com.amazonaws.licensemanager#Options",
      "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
  },
  "errors": [

```



```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
      }
    },
    "LicenseCountHardLimit": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.

```

```

Exceeding a hard limit\n    blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
"com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n    vary by dimension, as follows.</p>\n
<ul>\n    <li>\n        <p>\n            <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
            <code>licenseAffinityToHost</code> |\n            <code>maximumCores</code> |
<code>minimumCores</code>\n        </p>\n        </li>\n        <li>\n            <p>\n                <code>Instances</code> dimension: <code>allowedTenancy</code> |\n                <code>maximumCores</code> |
<code>minimumCores</code> |\n                <code>maximumSockets</code> | <code>minimumSockets</code> |\n                <code>maximumVcpus</code> | <code>minimumVcpus</code>\n            </p>\n        </li>\n
        <li>\n            <p>\n                <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n                <code>licenseAffinityToHost</code> |\n                <code>maximumSockets</code> |
<code>minimumSockets</code>\n            </p>\n        </li>\n        <li>\n            <p>\n                <code>vCPUs</code> dimension: <code>allowedTenancy</code> |
<code>honorVcpuOptimization</code> |\n                <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n            </p>\n        </li>\n    </ul>\n    <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n    values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
  {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {

        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n    For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
          "smithy.api#required": {}
        }
      },
      "DestinationLicenseContext":
    {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
      "type": "structure",
      "members": {
        "LicenseConversionTaskId": {
          "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

```

```

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {

```

```

"type": "structure",
"members": {
  "ReportGeneratorName":
  {
    "target": "com.amazonaws.licensemanager#ReportGeneratorName",
    "traits": {
      "smithy.api#documentation": "<p>Name of the report generator.</p>",
      "smithy.api#required": {}
    }
  },
  "Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n  <ul>\n    <li>\n      <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n    </li>\n    <li>\n      <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```



```

    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {

```

"smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",

```
    "smithy.api#required": {}
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license.</p>"
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  }
},
"traits": {
```

```

    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
    }
},
"LicenseName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
    }
},
"ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
    }
},
"Issuer": {
    "target": "com.amazonaws.licensemanager#Issuer",
    "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>",
        "smithy.api#required": {}
    }
},
"Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
        "smithy.api#required": {}
    }
},
"LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
    }
},
"Entitlements": {

```

```

    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for workloads with offline\n    usage.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>New version of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  }
},
"traits": {
  "smithy.api#output":
}
}
},
"com.amazonaws.licensemanager#CreateToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

{
  "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
  "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
  "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT token used to get an access token. With an access token,\n    you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n    call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
{
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n    JWT token.</p>",
      "smithy.api#required": {}
    }
},
    "RoleArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n    License Manager does not check whether the roles are in use.</p>"
      }
},
    "ExpirationInDays": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
      }
},
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n    to the amr claim of the JWT token.</p>"
      }
}
}
}

```

```

    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#TokenType",
      "traits": {
        "smithy.api#documentation": "<p>Token type.</p>"
      }
    },
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {

```



```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Start of the time range.</p>",
      "smithy.api#required": {}
    }
  },
  "End": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>End of the time range.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      },
      "StatusReason": {
        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
          "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Current version of the
grant.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteGrantResponse": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Grant ARN.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
          "smithy.api#documentation": "<p>Grant status.</p>"
        }
      }
    }
  }
}

```

```

    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
}
],

```

```

    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
    },
  },

  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteLicenseResponse": {
      "type": "structure",
      "members": {
        "Status": {
          "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
          "traits": {
            "smithy.api#documentation": "<p>License status.</p>"
          }
        },
        "DeletionDate": {
          "target": "com.amazonaws.licensemanager#ISO8601DateTime",
          "traits": {
            "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#DeleteToken": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ]
    }
  }

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
}
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {

```



```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement name.</p>",
      "smithy.api#required": {}
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
    }
  },
  "MaxCount": {
    "target": "com.amazonaws.licensemanager#Long",
    "traits": {
      "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
    }
  },
  "Overage": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement unit.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowCheckIn": {
    "target":
"com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data name.</p>",
      "smithy.api#required": {}
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement
data value.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data unit.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    }
  },
  "SECONDS": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Seconds"
    }
  },
  "MICROSECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Microseconds"
    }
  },
  "MILLISECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Milliseconds"
    }
  },
  "BYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":

```

```

{
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Bits"
    }
},
"KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Kilobits"
    }
},
"MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Megabits"
    }
},
"GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Gigabits"
    }
},
"TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits"
    }
}
},
"PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Percent"
    }
},
"BYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Bytes/Second"
    }
},
"KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Kilobytes/Second"
    }
}

```

```

},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
}

```

```

    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS":
  {
    "target": "smithy.api#Unit",

```

```
"traits": {
  "smithy.api#enumValue": "Seconds"
},
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
```

```

    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },

```



```

"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
}

```

```

    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementUsageList":

```

```

{
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementUsage"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",

```

```

    "smithy.api#required": {}
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action,
without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {

```

```

    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FailedDependency",
        "httpResponseCode": 424
      },
      "smithy.api#documentation":
    }
  },
  "com.amazonaws.licensemanager#Filter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#FilterName",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
        }
      },
      "Values": {
        "target": "com.amazonaws.licensemanager#FilterValues",
        "traits": {
          "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
    }
  },
  "com.amazonaws.licensemanager#FilterLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FilterLimitExceeded",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
      "smithy.api#error": "client",

```

```

    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n      are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",

```



```

        "smithy.api#required": {}
    }
},
"Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
    "type": "structure",
    "members": {
        "Grant": {
            "target": "com.amazonaws.licensemanager#Grant",
            "traits": {
                "smithy.api#documentation": "<p>Grant details.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicense": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
            "smithy.api#required": {}
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
        "LicenseConfigurationId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
            }
        },
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
            }
        },
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the license configuration.</p>"
            }
        },
        "Description": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Description of the license configuration.</p>"
            }
        },
        "LicenseCountingType": {
            "target": "com.amazonaws.licensemanager#LicenseCountingType",
            "traits": {
                "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
            }
        },
        "LicenseRules": {
            "target": "com.amazonaws.licensemanager#StringList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},

```

```

"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
      }
    }
  },
  "traits": {
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information

```

about the license type converted from.</p>"

```
    }
  },
  "DestinationLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
```

```

{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":

```



```

{}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
  "type": "structure",
  "members": {

```

```

    "License": {
      "target": "com.amazonaws.licensemanager#License",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {

```

```

"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
  "type": "structure",
  "members": {
    "LicenseUsage": {
      "target":
"com.amazonaws.licensemanager#LicenseUsage",
      "traits": {
        "smithy.api#documentation": "<p>License usage details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "S3BucketArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n      and so on.</p>"
        }
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    }
  },
  "LicenseManagerResourceShareArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License

```

```

Manager management account \n    provides member accounts with access to this share.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>",
      "smithy.api#required": {}
    }
  },
  "ParentArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Parent ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
      "smithy.api#required": {}
    }
  },
}

```

```

"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>",
    "smithy.api#required": {}
  }
},
"GrantedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Granted operations.</p>",
    "smithy.api#required": {}
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanager#Grant"
}
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  },
  "ACTIVE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  }
}

```

```

    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {

```



```

    "smithy.api#documentation": "<p>Granted license issuer.</p>"
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>Granted license status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Granted license metadata.</p>"
  }
},
"CreateTime": {

```

```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Version of the granted license.</p>"
    }
  },
  "ReceivedMetadata": {
    "target": "com.amazonaws.licensemanager#ReceivedMetadata",
    "traits": {
      "smithy.api#documentation": "<p>Granted license received metadata.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
  },
  "com.amazonaws.licensemanager#GrantedLicenseList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#GrantedLicense"
    }
  },
  "com.amazonaws.licensemanager#ISO8601DateTime":
  {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(Z|[\+-](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
    }
  },
  "com.amazonaws.licensemanager#Integer": {
    "type": "integer"
  },
  "com.amazonaws.licensemanager#InvalidParameterValueException": {
    "type": "structure",
    "members": {
      "Message": {

```

```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InvalidParameterValueProvided",
        "httpResponseCode": 400
    },
    "smithy.api#documentation":
"<p>One or more parameter values are not valid.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "InvalidResourceState",
            "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#InventoryFilter": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the filter.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "Condition": {
        "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
        "traits": {
            "smithy.api#documentation": "<p>Condition of the filter.</p>",

```

```

        "smithy.api#required": {}
    },
    "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Value of the filter.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
    "type": "enum",
    "members": {
        "EQUALS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "EQUALS"
            }
        },
        "NOT_EQUALS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "NOT_EQUALS"
            }
        },
        "BEGINS_WITH": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "BEGINS_WITH"
            }
        },
        "CONTAINS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CONTAINS"
            }
        }
    }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#InventoryFilter"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#Issuer": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>",
          "smithy.api#required": {}
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
      }
    }
  },
  "com.amazonaws.licensemanager#IssuerDetails": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>"
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#License": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License name.</p>"
        }
      },
      "ProductName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product name.</p>"
        }
      },
      "ProductSKU": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product SKU.</p>"
        }
      },
      "Issuer": {
        "target": "com.amazonaws.licensemanager#IssuerDetails",
        "traits": {
          "smithy.api#documentation": "<p>License issuer.</p>"
        }
      },
      "HomeRegion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Home Region of the license.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseStatus",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {

"target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  }

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {

```



```

    "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
  }
},
"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the license configuration.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {

```

```

    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "AutomatedDiscoveryInformation": {
    "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
    "traits": {
      "smithy.api#documentation": "<p>Automated discovery information.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
  "type": "structure",
  "members": {
    "ResourceArn":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
  },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of server resource.</p>"
      }
    },
    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
      }
    },
    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {

```

```

"smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
  }
},
"AmiAssociationScope": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
  "type": "enum",
  "members":
{
  "AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "AVAILABLE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
  },

```

```

"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits":
{
  "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceStatus": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the resource.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"AssociationTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
  }
},

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
  "type": "list",
  "member": {

```

```

    "target": "com.amazonaws.licensemanager#LicenseConfiguration"
  }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n  conversion task.</p>"
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
      }
    },
    "DestinationLicenseContext": {
      "target":

```

```

"com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
  "traits": {
    "smithy.api#documentation": "<p>The status of the conversion task.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
  }
},
"StartTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
  }
},
"LicenseConversionTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
  }
},
"EndTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

```

```

"smithy.api#length": {
  "min": 0,
  "max": 50
},
"smithy.api#pattern": "^\\c{t-[a-zA-Z0-9]}*$"
}
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUCCEEDED"
      }
    },
    "FAILED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTask"
  }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
  "type": "enum",
  "members": {
    "VCPU": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "vCPU"
      }
    },
    "INSTANCE": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Instance"
    }
  },
  "CORE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Core"
    }
  },
  "SOCKET": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Socket"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```



```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Resource type.</p>"
  }
},
"ErrorMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Error message.</p>"
  }
},
"FailureTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Failure time.</p>"
  }
},
"OperationName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the operation.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
}
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseOperationFailureList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
    }
  },
  "com.amazonaws.licensemanager#LicenseSpecification": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

          "smithy.api#required": {}
        }
      },
      "AmiAssociationScope": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
  },
  "com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
      "AVAILABLE": {
        "target": "smithy.api#Unit",

```

```

"traits": {
  "smithy.api#enumValue": "AVAILABLE"
},
},
"PENDING_AVAILABLE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_AVAILABLE"
  }
},
"DEACTIVATED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DEACTIVATED"
  }
},
"SUSPENDED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "SUSPENDED"
  }
},
"EXPIRED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "EXPIRED"
  }
},
},
"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
},
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlement usages.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
        "LicenseConfigurationAssociations": {

```

```

        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
        "traits": {
            "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
    "type": "structure",
    "members": {
      "GrantArns": {
        "target": "com.amazonaws.licensemanager#ArnList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
          <ul>\n
            <li>\n
              <p>\n
                <code>LicenseArn</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>GrantStatus</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>GranteePrincipalARN</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>ProductSKU</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>LicenseIssuerName</code>\n
              </p>\n
            </li>\n
          </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {

```

```

    "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
    "smithy.api#documentation": "<p>Distributed grant details.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {

```



```

"type": "structure",
"members": {
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {

```

```

    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
    },

    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    }
  }
}

```

```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    },
    "Filters": {

```

```

    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTasks": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </li>\n    </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
    "type": "structure",
    "members": {
      "ReportGenerators": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorList",
        "traits": {
          "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {

```



```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
    }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>Beneficiary</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>ProductSKU</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Fingerprint</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Status</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n      recipient as this Amazon Web Services account, your organization, or an organizational unit\n      (OU) to which this member account belongs.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ParentArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranteePrincipalArn</code>\n
          </p>\n
        </li>\n
      </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GranterAccountId</code>\n      </p>\n    </li>\n  </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
}

```

```

    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {
        "target": "com.amazonaws.licensemanager#GrantList",
        "traits": {
          "smithy.api#documentation": "<p>Received grant details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists received licenses.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n    <ul>\n        <li>\n            <p>\n                <code>Beneficiary</code>\n            </li>\n            <li>\n                <p>\n                    <code>ProductSKU</code>\n                </p>\n            </li>\n        </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
    "type": "structure",
    "members": {
        "Licenses": {
            "target": "com.amazonaws.licensemanager#GrantedLicenseList",
            "traits": {
                "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </li>\n    <li>\n      <p>\n        <code>IssuerName</code>\n      </li>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",

```

```

"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#GrantedLicenseList",
    "traits": {
      "smithy.api#documentation": "<p>Received license details.</p>"
    }
  },

  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p>
<ul>
<li>
<p>
<code>account_id</code> - The ID of the Amazon Web Services account that owns the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>application_name</code> - The name of the application.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>license_included</code> - The type of license included.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n
Possible values are <code>sql-server-enterprise</code> | \n
<code>sql-server-standard</code> | \n
<code>sql-server-web</code> | \n
<code>windows-server-datacenter</code>.</p>
</li>
<li>
<p>
<code>platform</code> - The platform of the resource.
Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>
</li>
<li>
<p>
<code>resource_id</code> - The ID of the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
</li>
<li>
<p>
<code>tag:key</code> - The key/value combination of a tag assigned to the resource.
Logical operators are <code>EQUALS</code> (single account) or \n
<code>EQUALS</code> | <code>NOT_EQUALS</code> (cross account).</p>
</li>
</ul>"
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},

```

```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
    "type": "structure",
    "members": {
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the tags.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTokens": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTokensRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListTokensResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists your tokens.</p>"
  }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation":
        "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {

```



```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current
license consumption for any license inventory and configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>resourceArn</code> - The ARN of the license configuration resource.\n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceAccount</code> - The ID of the account that owns the resource. \n          Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Location": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Long": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
      "ResourceType":
    {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
      "AssociationCount": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
  },
  "com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
      "smithy.api#range": {
        "min": 1,
        "max": 100
      }
    }
  },
  "com.amazonaws.licensemanager#MaxSize3StringList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    },
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 3
      }
    }
  },
  "com.amazonaws.licensemanager#Message": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Metadata": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The key name.</p>"
        }
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n    Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n    <ul>\n      <li>\n        <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
      </li>\n      <li>\n        <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n      </li>\n      <li>\n        <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n      </li>\n    </ul>\n    <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a

```

```

grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n          </dd>\n          </dl>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n          override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
    "smithy.api#required": {}
  }
},
"ProductInformationFilterList": {
  "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
  "traits": {
    "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n    <li>\n    <p>\n    <code>Application Name</code> - The name of the
application.\n    Logical operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Publisher</code> - The publisher of the application.\n    Logical
operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Version</code> - The version of the application.\n    Logical operator is
<code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Platform
Name</code> - The name of the platform.\n    Logical operator is <code>EQUALS</code>.</p>\n
</li>\n    <li>\n    <p>\n    <code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n    </p>\n    </li>\n    <li>\n    <p>\n    <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n    Logical operator is <code>NOT_EQUALS</code>.</p>\n    </li>\n
<li>\n    <p>\n    <code>License Included</code> - The type of license included.\n    Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n    Possible values are:
<code>sql-server-enterprise</code> | \n    <code>sql-server-standard</code> | \n    <code>sql-server-
web</code> | \n    <code>windows-server-datacenter</code>.</p>\n    </li>\n    </ul>\n
<p>The following filters and logical operators are supported when the resource type\n    is
<code>RDS</code>:</p>\n    <ul>\n    <li>\n    <p>\n    <code>Engine Edition</code> -
The edition of the database engine.\n    Logical operator is <code>EQUALS</code>.\n    Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>License Pack</code> - The license
pack.\n    Logical operator is <code>EQUALS</code>.\n    Possible values are: <code>data
guard</code> | \n    <code>diagnostic pack sqlt</code> | \n
<code>tuning pack sqlt</code> | \n    <code>ols</code> | \n    <code>olap</code>.</p>\n
</li>\n    </ul>",
    "smithy.api#required": {}
  }
}
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ProductInformationFilter": {
    "type": "structure",
    "members": {
      "ProductInformationFilterName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Filter name.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterValue": {
        "target": "com.amazonaws.licensemanager#StringList",

        "traits": {
          "smithy.api#documentation": "<p>Filter value.</p>"
        }
      },
      "ProductInformationFilterComparator": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Logical operator.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
  }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {

```



```

    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
      },
      "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 429
    }
  },
  "com.amazonaws.licensemanager#ReceivedMetadata": {
    "type": "structure",
    "members": {
      "ReceivedStatus": {
        "target": "com.amazonaws.licensemanager#ReceivedStatus",
        "traits": {
          "smithy.api#documentation": "<p>Received status.</p>"
        }
      },
      "ReceivedStatusReason": {
        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
          "smithy.api#documentation": "<p>Received
status reason.</p>"
        }
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Allowed operations.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
}

```

```

    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    },
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
  "Status": {

```

```

        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
    "type": "enum",
    "members": {
        "NONE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "None"
            }
        },
        "WEEKLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Weekly"
            }
        },
        "MONTHLY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Monthly"
            }
        }
    }
},
"com.amazonaws.licensemanager#ReportContext": {
    "type": "structure",
    "members": {
        "licenseConfigurationArns": {
            "target": "com.amazonaws.licensemanager#ArnList",
            "traits": {

```

```

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
  "smithy.api#required": {}
}
},
"traits": {
  "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    },
    "period": {
      "target": "com.amazonaws.licensemanager#ReportFrequencyType",

      "traits": {
        "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    }
  },
}

```

```

    "MONTH": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "MONTH"
    }
  },
  "com.amazonaws.licensemanager#ReportGenerator": {
    "type": "structure",
    "members": {
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the report generator.</p>"
        }
      },
      "ReportType": {
        "target": "com.amazonaws.licensemanager#ReportTypeList",
        "traits": {
          "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
        }
      },
      "ReportContext": {
        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
          "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
      },
      "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
          "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
      },
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
      },
      "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
      }
    }
  }
}

```

```

    },
    "LastRunFailureReason":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
  },
  "LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
  },
  "ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}

```



```

}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
      }
    }
  }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "LicenseConfigurationUsageReport"
  }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {

```

```

"ResourceId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"Platform": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform of the resource.</p>"
  }
},
"PlatformVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
  }
},
"ResourceOwningAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a resource.</p>"
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ResourceInventory"
  }
}

```

```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ResourceLimitExceeded",

      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "EC2_HOST"
    }
},
"EC2_AMI": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_AMI"
    }
},
"RDS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "RDS"
    }
},
"SYSTEMS_MANAGER_MANAGED_INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {

```

```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits":
{
    "smithy.api#length": {
        "min": 0,
        "max": 400
    },
    "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
    "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#String"
    }
},
"com.amazonaws.licensemanager#Tag": {
    "type": "structure",
    "members": {
        "Key": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Tag key.</p>"
            }
        }
    }
}

```

```

    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Tag value.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
},
"com.amazonaws.licensemanager#TagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#TagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#TagResourceResponse"
  },
  "errors": [
    {
      "target":
"com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    }
  },
},

```

```

"TokenType": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"ExpirationTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
  }
},
"TokenProperties": {
  "target": "com.amazonaws.licensemanager#MaxSize3StringList",
  "traits": {
    "smithy.api#documentation": "<p>Data specified by the caller.</p>"
  }
},
"RoleArns": {
  "target": "com.amazonaws.licensemanager#ArnList",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",

```



```

    "member": {
      "target": "com.amazonaws.licensemanager#TokenData"
    }
  },
  "com.amazonaws.licensemanager#TokenString": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 4096
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#TokenType": {
    "type": "enum",
    "members": {
      "REFRESH_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "REFRESH_TOKEN"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
  {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#UntagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UntagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UntagResourceResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "TagKeys": {
      "target": "com.amazonaws.licensemanager#TagKeyList",
      "traits": {
        "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
    },
  },

```

```

"LicenseConfigurationStatus": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
  "traits": {
    "smithy.api#documentation": "<p>New status of the license configuration.</p>"
  }
},
"LicenseRules": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
  }
},
"Name": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New description of the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>New product information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n    </li>\n      <li>\n      <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n    </li>\n    </ul>",
        "smithy.api#required": {}
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

    "traits":
  {
    "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },

    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  }
}

```



```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {

```



```

    return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {

```

```

return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}
}

```

```

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("grafana")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return next.HandleSerialize(ctx, in)
}

```



```

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Creates a license.

```

```

func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

```

```

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

```

```

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

```

```

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.Entitlement

    // Home Region for the license.
    //
    // This member is required.
    HomeRegion *string

    // License issuer.
    //
    // This member is required.
    Issuer *types.Issuer

    // License name.
    //
    // This member is required.
    LicenseName *string

    // Product name.
    //
    // This member is required.
    ProductName *string

    // Product SKU.
    //

```

```

// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err
!= nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName:
        "license-manager",
    OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }
}

```

```

}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint,
err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)

```

```

var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{

```

```
Region: options.Region,  
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,  
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,  
Endpoint: options.BaseEndpoint,  
},  
}, "ResolveEndpoint", middleware.After)  
}
```

1.81 cpp 13.2.1_git20231014-r0

1.81.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES

PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
GNU Free Documentation License
Version 1.2, November 2002
```

Copyright (C) 2000-2023 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it,

with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We

have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose

title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3.

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications

adjacent to the other copyright notices.

F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

H. Include an unaltered copy of this License.

I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section

Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section.

You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in

the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve

its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically

terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.6 of 6 September 2010

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program

or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program
a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.
- c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the
most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the

scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions of this Software are embedded into an Object form of such source code, you may redistribute such embedded portions in such Object form without complying with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

=====
Software from third parties included in the LLVM Project:
=====

The LLVM Project contains third party software which is under different license terms. All such code will be identified clearly using at least one of two mechanisms:

1) It will be in a separate directory tree with its own `LICENSE.txt` or

`LICENSE` file at the top containing the specific license and restrictions which apply to that software, or
2) It will contain specific license and restriction terms at the top of every file.

=====
Legacy LLVM License (<https://llvm.org/docs/DeveloperPolicy.html#legacy>):
=====

The software contained in this directory tree is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
Threading Runtimes Team
Intel Corporation
<http://www.intel.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of Intel Corporation Threading Runtimes Team nor the names of its contributors may be used to endorse or promote products derived from

this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====
Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2011 University of Illinois at Urbana-Champaign. All rights reserved.

Developed by: Polaris Research Group
University of Illinois at Urbana-Champaign
<http://polaris.cs.uiuc.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
3. Neither the names of Polaris Research Group, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any

format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009-2023 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution

phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes.

You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

```
# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at http://tip.golang.org/CONTRIBUTORS.  
Copyright (c) 2009 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you

with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,
or
that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>. The files gnutng and gnu.eps are part of GNU Modula-2.

Copyright (C) 2005-2023 Free Software Foundation, Inc.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GNU Modula-2; see the file COPYING. If not, write to the Free Software Foundation, 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. */

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data

structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

=====
compiler_rt License
=====

The compiler_rt library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the

documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyrights and Licenses for Third Party Software Distributed with LLVM:

=====

The LLVM software contains code written by third parties. Such software will have its own individual LICENSE.TXT file in the directory in which it appears. This file will describe the copyrights, license, and restrictions which apply to that code.

The disclaimer of

warranty in the University of Illinois Open Source License applies to all code in the LLVM Distribution, and nothing in any of the other licenses gives permission to use the names of the LLVM Team or the University of Illinois to endorse or promote products derived from this Software.

The following pieces of software have additional or alternate copyrights, licenses, and/or restrictions:

Program	Directory
---------	-----------

<code>mach_override</code>	<code>lib/interception/mach_override</code>
----------------------------	---

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software

that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.82 aws-aws-sdk-go-v2 1.9.37

1.82.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Checks out the specified license. If the account that created the license is  
// the same that is performing the check out, you must specify the account as the  
// beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))  
(*CheckoutLicenseOutput, error) {  
    if params == nil {  
        params = &CheckoutLicenseInput{ }  
    }  
}
```

```
    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,  
c.addOperationCheckoutLicenseMiddlewares)  
    if  
    err != nil {  
        return nil, err  
    }  
}
```

```
    out := result.(*CheckoutLicenseOutput)  
    out.ResultMetadata = metadata  
    return out, nil  
}
```

```
type CheckoutLicenseInput struct {
```

```
    // Checkout type.  
    //  
    // This member is required.
```



```

CheckoutType types.CheckoutType

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
// at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.

```

```

LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
}

```

```

if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata

```

```

{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutLicense",
}
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil
    {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme
:= range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it

```

```

// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver:
&builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
name: License Scan

on: [pull_request]

```

jobs:
  licensescan:
    name: License Scan
    runs-on: ubuntu-latest
    strategy:
      matrix:
        python-version: [3.9]

    steps:
      - name: Checkout target
        uses: actions/checkout@v2
        with:
          path: sdkbase
          ref: ${{ github.base_ref }}
      - name: Checkout this ref
        uses: actions/checkout@v2
        with:
          path: new-ref
          fetch-depth: 0
      - name: Get Diff
        run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
        ${{ github.sha }} > refDiffFiles.txt
      - name: Get Target Files
        run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
      - name: Checkout scancode
        uses: actions/checkout@v2
        with:
          repository: nexB/scancode-toolkit
          path: scancode-toolkit
          fetch-depth: 1
      - name: Set up Python ${{ matrix.python-version }}
        uses: actions/setup-python@v2
        with:
          python-version: ${{ matrix.python-version }}
      # ScanCode
      - name: Self-configure scancode
        working-directory: ./scancode-toolkit
        run: ./scancode --help
      - name: Run Scan code on target
        run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
        toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
      - name: Run Scan code on pr ref
        run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
        toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
      # compare
      - name: License test
        run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
        are the same. Success."; exit 0; fi

```

```

{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        },
        "Operator": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
          "traits": {
            "smithy.api#documentation": "<p>An operator for filtering results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
      },
      "output": {

```



```

    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n  subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
      }
    },
    "InstanceType": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance type of the resource.</p>"
      }
    }
  },
  "AccountID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
    }
  }
}

```

```

    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of the instance.</p>"
      }
    },
    "Region": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
      }
    },
    "UsageOperation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
      }
    },
    "ProductCode": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
      "traits": {
        "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
      }
    },
    "LastUpdatedTime": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
      }
    },
    "SubscriptionName": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
  }
}

```

```

},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {

```

```

"additionalAllowedHeaders": [
  "*",
  "content-type",
  "x-amz-content-sha256",
  "x-amz-user-agent",
  "x-amzn-platform-id",
  "x-amzn-trace-id",
  "content-length",
  "x-api-key",
  "authorization",
  "x-amz-date",

"x-amz-security-token",
  "Access-Control-Allow-Headers",
  "Access-Control-Allow-Methods",
  "Access-Control-Allow-Origin"
],
"additionalExposedHeaders": [
  "x-amzn-errortype",
  "x-amzn-requestid",
  "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The
AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,

```

"documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

```
"type": "Boolean"
},
"Endpoint": {
  "builtIn": "SDK::Endpoint",
  "required": false,
  "documentation": "Override the endpoint used to send this request",
  "type": "String"
}
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ]
  },
  "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
  "type": "error"
},
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
```

```

"conditions": [
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseDualStack"
      },
      true
    ]
  }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
  "conditions": [],

"endpoint": {
  "url": {
    "ref": "Endpoint"
  },
  "properties": {},
  "headers": {}
},
"type": "endpoint"
}
]
},
{
"conditions": [],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",

"argv": [
      {
        "ref": "Region"
      }
    ]
  }
},
"type": "tree",
"rules": [

```

```

    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        }
      ],
      "assign": "PartitionResult"
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ]
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",

```



```

        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsFIPS"
        ]
    }

    ]
},
{
    "fn": "booleanEquals",
    "argv": [
        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
                "supportsDualStack"
            ]
        }
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
]
]

```

```

    },
    {
      "conditions": [],
      "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
      "type": "error"
    }
  ]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseFIPS"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]

```

},

```

{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",

```

```

        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsDualStack"
        ]
    }
]
},
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
],
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":

```

```

"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  },
  "type": "endpoint"
}
]
}
]
}
],
{
  "conditions": [],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    }
  ]
}

```

```

    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    }
  }
}

```

```

    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint":
    {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
    }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {

```

```

    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint":
        {
          "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
        }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  }
}

```



```

    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  }
}

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {

```

```

"Region": "us-isob-east-1",
  "UseFIPS": true,
  "UseDualStack": true
}
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",

"UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {

```

```

        "url": "https://example.com"
    }
},
"params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
}
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

```

```

"expect": {
    "endpoint": {
        "url": "https://example.com"
    }
},
"params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
}
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,

"Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"

```



```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
  "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n  subscriptions.</p>",
    "smithy.api#http": {

"code": 200,
    "method": "POST",
    "uri": "/subscription/ListLinuxSubscriptionInstances"
  },
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Instances"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {

```

```

"Filters": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or
more sets of key-value pairs that you specify. For example, you can filter by
the name of
<code>AmiID</code> with an optional operator to see subscriptions that match, partially
match, or don't match a certain Amazon Machine Image (AMI) ID.</p>
<p>The valid names for this filter
are:</p>
<ul>
<li>
<p>
<code>AmiID</code>
</p>
</li>
<li>
<p>
<code>InstanceID</code>
</p>
</li>
<li>
<p>
<code>AccountID</code>
</p>
</li>
<li>
<p>
<code>Status</code>
</p>
</li>
<li>
<p>
<code>Region</code>
</p>
</li>
<li>
<p>
<code>UsageOperation</code>
</p>
</li>
<li>
<p>
<code>ProductCode</code>
</p>
</li>
<li>
<p>
<code>InstanceType</code>
</p>
</li>
</ul>
<p>The valid Operators for this
filter are:</p>
<ul>
<li>
<p>
<code>contains</code>
</p>
</li>
<li>
<p>
<code>equals</code>
</p>
</li>
<li>
<p>
<code>NotEqual</code>
</p>
</li>
</ul>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",

```

```

        "traits": {
            "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
        }
    },
    "NextToken": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n    organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",
            "uri": "/subscription/ListLinuxSubscriptions"
        },
        "smithy.api#idempotent": {},
        "smithy.api#paginated": {
            "inputToken": "NextToken",
            "outputToken": "NextToken",
            "pageSize": "MaxResults",
            "items": "Subscriptions"
        }
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n    partially match, or don't
match a certain subscription's name.</p>\n    <p>The valid names for this filter are:</p>\n    <ul>\n
<li>\n        <p>\n            <code>Subscription</code>\n            </p>\n        </li>\n    </ul>\n
<p>The valid Operators for this filter are:</p>\n
    <ul>\n
    <li>\n        <p>\n            <code>contains</code>\n            </p>\n        </li>\n
<li>\n        <p>\n            <code>equals</code>\n            </p>\n        </li>\n
<li>\n        <p>\n            <code>NotEqual</code>\n            </p>\n        </li>\n    </ul>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>",
          "smithy.api#length": {
            "min": 1,
            "max": 16384
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
    "type": "structure",
    "members": {
      "Subscriptions": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",

```



```

    "traits": {
      "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {
        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
      },
      {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
      }
    ],
    "smithy.api#length": {
      "min": 1,
      "max": 20
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      }
    ]
  }
}

```

```

    },
    {
      "name": "Disabled",
      "value": "Disabled",
      "documentation": "Disabled OrganizationIntegration"
    }
  ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
{
      "name": "InProgress",
      "value": "InProgress",
      "documentation": "InProgress status"
    },
    {
      "name": "Completed",
      "value": "Completed",
      "documentation": "Completed status"
    },
    {
      "name": "Successful",
      "value": "Successful",
      "documentation": "Successful status"
    },
    {
      "name": "Failed",
      "value": "Failed",
      "documentation": "Failed status"
    }
  ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":

```

```

{
    "smithy.api#length": {
        "min": 1,
        "max": 100
    }
},
"traits": {
    "smithy.api#length": {
        "min": 1,
        "max": 100
    },
    "smithy.api#uniqueItems": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
    "type": "map",
    "key": {
        "target": "smithy.api#String"
    },
    "value": {
        "target": "smithy.api#String"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the subscription.</p>"
            }
        },
        "Type": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n    Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n    Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
            }
        },
        "InstanceCount": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
            "traits": {
                "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
            }
        }
    }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux
subscription.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
    "smithy.api#http": {

```

```

        "code": 200,
        "method": "POST",
        "uri": "/subscription/UpdateServiceSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
    "type": "structure",
    "members": {
        "LinuxSubscriptionsDiscovery": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
            "traits": {
                "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
                "smithy.api#required": {}
            }
        },
        "LinuxSubscriptionsDiscoverySettings": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
            "traits": {
                "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>",
                "smithy.api#required": {}
            }
        },
        "AllowUpdate": {
            "target": "smithy.api#Boolean",
            "traits": {
                "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
    "type": "structure",
    "members": {
        "LinuxSubscriptionsDiscovery": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
            "traits": {
                "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
            }
        }
    }
},

```

```

"LinuxSubscriptionsDiscoverySettings": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
  "traits": {
    "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated
from.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
  "traits": {
    "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
  "traits": {
    "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
  }
},
"HomeRegions": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
  "traits": {
    "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n  subscriptions.</p>"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
    "smithy.api#error": "client"
  }
}
}
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

```

```

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if
err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```



```

}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata

```

```

{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
        &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"

```

```

"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckoutBorrowLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type CheckoutBorrowLicenseInput struct {

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Digital signature method. The possible value is JSON Web Signature (JWS)
    // algorithm PS384. For more information, see RFC 7518 Digital Signature with
    // RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
    //
    // This member is required.
    DigitalSignatureMethod types.DigitalSignatureMethod

    // License entitlements. Partial checkouts are not supported.
    //
    // This member is required.
    Entitlements []types.EntitlementData

```

```

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
        return err
    }
}

```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {

```



```

return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
}
}
}

```

```

ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the
value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

```

```

}

result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*GetLicenseOutput)
out.ResultMetadata = metadata
return out,
nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {

```

```

return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {

```

```

    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "GetLicense",
    }
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)

```

```

if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName ==
        nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return next.HandleSerialize(ctx, in)
}

```



```

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

```

```

type
ListLicensesInput struct {

// Filters to scope the results. The following filters are supported:
// - Beneficiary
// - ProductSKU
// - Fingerprint
// - Status
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {

```

```

return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}

```

```

}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID:
            ServiceID,
        SigningName: "license-manager",
        OperationName: "ListLicenses",
    }
}

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```

```

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
            client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {

```

```

case *internalauth.AuthenticationSchemeV4:
    v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
    var signingName, signingRegion string
    if v4Scheme.SigningName == nil {
        signingName = "license-manager"
    } else {
        signingName = *v4Scheme.SigningName
    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx,
signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{

```

```

EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
  Region:    options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
  Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
  if params == nil {
    params = &DeleteLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
  if err != nil {
    return nil, err
  }

  out := result.(*DeleteLicenseOutput)
  out.ResultMetadata = metadata
  return out, nil
}

type
DeleteLicenseInput struct {

```

```

// Amazon Resource Name (ARN) of the license.
//
// This member is required.
LicenseArn *string

// Current version of the license.
//
// This member is required.
SourceVersion *string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
}

```



```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
}
}

```

```

    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case
*internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
        EndpointResolver:
            options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    },

```

```
}, "ResolveEndpoint", middleware.After)
}
```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks in the specified license. Check in a license when it is no longer in use.
```

```

func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
    if params == nil {
        params = &CheckInLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckInLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {

```

```

return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {

```

```

return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}
}

```



```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName
== nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return next.HandleSerialize(ctx, in)

```

```

}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:
options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
}

```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"
```

```

)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
    if params == nil {
        params = &ListReceivedLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListReceivedLicensesOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type ListReceivedLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - ProductSKU
    // - Status
    // - Fingerprint
    // - IssuerName
    // - Beneficiary
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

    // Received license details.
    Licenses []types.GrantedLicense

```



```

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
    if
    err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {

```

```

return
err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "ListReceivedLicenses",
}
}

```

```

type opListReceivedLicensesResolveEndpointMiddleware struct {

```

```

EndpointResolver EndpointResolverV2
BuiltInResolver builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return
        out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError

```

```

if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "license-manager"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override
            the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
    }
}

```

```

}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {

```

```

    "DirectoryId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
    },
    "com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n      <note>\n      <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a

```

```

href="https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html">Viewing your
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/AssociateUser"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
            "smithy.api#required": {}
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#BoxInteger": {
        "type": "integer"
    },
    "com.amazonaws.licensemanagerusersubscriptions#ConflictException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
            "smithy.api#error": "server"
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
        }
    ]
}

```



```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",

```

```

"members": {
  "Username": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
      "smithy.api#required": {}
    }
  },
  "InstanceId": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {

```

```

"Attribute": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
  }
},
"Operation": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
  }
},
"Value": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Value of the filter.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
},
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",

```

```

"members": {
  "IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
      "smithy.api#required":
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of an identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "FailureMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation":
    "<p>Describes an identity provider.</p>"
  },
  "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
      "type": "structure",
      "members": {
        "InstanceId": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
            "smithy.api#required": {}
          }
        },
        "Status": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
            "smithy.api#required": {}
          }
        },
        "Products": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
            "smithy.api#required": {}
          }
        },
        "LastStatusCheckDate": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The date of the last status check.</p>"
          }
        },
        "StatusMessage": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
          }
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
    "type": "list",
    "member": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
}

```

```

    "AssociationDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
      }
    },
    "DisassociationDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
  "type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
  },

```



```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
    }
  ],
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
    ]
  }
}

```

```

    "x-api-key",
    "authorization",
    "x-amz-date",
    "x-amz-security-token",
    "Access-Control-Allow-Headers",
    "Access-Control-Allow-Methods",
    "Access-Control-Allow-Origin"
  ],
  "additionalExposedHeaders": [
    "x-amzn-errortype",
    "x-amzn-requestid",
    "x-amzn-trace-id"
  ]
}
]
},
"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  }
}

```

```

    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
      "type": "error"
    }
  ]
}

```

```

    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
},
{
  "conditions": [
    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Region"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        }
      ],
      "assign": "PartitionResult"
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [

```

```

        {
            "ref": "UseFIPS"
        },
        true
    ]
},
{
    "fn": "booleanEquals",
    "argv": [
        {
            "ref": "UseDualStack"
        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ],
        "fn": "booleanEquals",
        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                ]
            }
        ]
    }
]

```



```

        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                    "supportsFIPS"
                ]
            }
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-subscriptions-
fips.{Region}.*{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ]
}

```

```

],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsDualStack"
            ]
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "endpoint": {
      "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does
not support DualStack",
  "type": "error"
}
],
{
  "conditions": [],
  "endpoint": {

```



```

        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
],
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
],
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation":
"For region us-east-1 with FIPS enabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        }
    ],
}

```

```

{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
    }
  }
}

```

```

    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
}

```

```

    },
    {
      "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {

```

```

        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but

```

this partition does not support one or both"

```
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
```

```

"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",

```

"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{

```

"documentation": "For custom endpoint with fips enabled and dualstack disabled",

```

"expect": {
  "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": true,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{

```

"documentation": "For custom endpoint with fips disabled and dualstack enabled",

```

"expect": {
  "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": true,
  "Endpoint": "https://example.com"
}

```

```

        }
      },
      {
        "documentation": "Missing region",
        "expect": {
          "error": "Invalid Configuration: Missing Region"
        }
      }
    ],
    "version": "1.0"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,

```



```

        "method": "POST",
        "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
{
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
}
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
        "type": "structure",
        "members": {
            "MaxResults": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
                "traits": {
                    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
                }
            },
            "NextToken": {
                "target": "smithy.api#String",
                "traits": {
                    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
    "type": "structure",
    "members": {
        "IdentityProviderSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
                "smithy.api#required": {}
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",

```

```

"members": {
  "MaxResults": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
  "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
      },
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
      "Product": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name

```

of the user-based subscription product.</p>",

```
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},
"MaxResults": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n    more sets of key-value pairs that you specify.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions operation.</p>"
      }
    }
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",

```

```

        "items": "InstanceUserSummaries"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
    "type": "structure",
    "members": {

```

```

"InstanceUserSummaries": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",
  "members": {

"Username": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
    "smithy.api#required": {}
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
}
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a product for a user.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {

```



```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  },
  "SubscriptionStartDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
    }
  },
  "SubscriptionEndDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The end date of a subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/RegisterIdentityProvider"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",

```

```

        "traits": {
            "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n    subnets to provision VPC endpoints.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
        "type": "structure",
        "members": {
            "IdentityProviderSummary": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
                "traits": {
                    "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 404
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 5,
                "max": 200
            },
            "smithy.api#pattern": "^sg-(([0-9a-z]{8})|([0-9a-z]{17}))$"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
        "type": "structure",
        "members": {

```

```

    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
        "smithy.api#length": {
          "min": 1
        },
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n    your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n    subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n    endpoints. The security group should permit inbound TCP port 1688
communication from resources\n    in the VPC.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more information, see <a href=\n      \"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n      monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StartProductSubscription"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "IdentityProvider": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    }
  ]
},
{

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StopProductSubscription"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"Product": {
    "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
  "type": "string",
  "traits": {
    "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {

```



```

        "target": "smithy.api#String"
    }
},
"traits": {
    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
    "smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n provider.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",
            "uri": "/identity-provider/UpdateIdentityProviderSettings"
        },
        "smithy.api#idempotent": {}
    }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",

```

```

    "traits": {
      "smithy.api#required": {}
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "UpdateSettings": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings",
    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n<ul>\n  <li>\n    <p>Subnets which you want to add to provision VPC endpoints.</p>\n  </li>\n  <li>\n    <p>Subnets which you want to remove the VPC endpoints from.</p>\n  </li>\n  <li>\n    <p>Security group ID which permits traffic to the VPC endpoints.</p>\n  </li>\n</ul>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
      "smithy.api#required": {}
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",

```

```

    "namespace": "*"
  },
  {
    "id": "HttpHeaderTrait",
    "namespace": "*"
  },
  {
    "id": "HttpUriConflict",
    "namespace": "*"
  },
  {
    "id": "Service",
    "namespace": "*"
  }
]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
    },
    {
      "target": "com.amazonaws.licensemanager#CreateToken"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    }
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {

```

```

    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseVersions"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },

```

```

    {
      "target": "com.amazonaws.licensemanager#ListTagsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#ListTokens"
    },
    {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#RejectGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#TagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UntagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager",
      "arnNamespace": "license-manager",
      "cloudFormationName": "LicenseManager",
      "cloudTrailEventSource": "licensemanager.amazonaws.com",
      "endpointPrefix": "license-manager"
    },
    "aws.auth#sigv4": {
      "name": "license-manager"
    },
    "aws.protocols#awsJson1_1": {},
    "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
    "smithy.api#title": "AWS License Manager",
    "smithy.api#xmlNamespace": {
      "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
    }
  }
}

```

```

    },
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {
        "Region": {
          "builtIn": "AWS::Region",
          "required": false,
          "documentation": "The AWS region used to dispatch the request.",
          "type": "String"
        },
        "UseDualStack": {
          "builtIn": "AWS::UseDualStack",
          "required": true,
          "default": false,
          "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
          "type": "Boolean"
        },
        "UseFIPS": {
          "builtIn": "AWS::UseFIPS",
          "required": true,
          "default": false,
          "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
          "type": "Boolean"
        },
        "Endpoint": {
          "builtIn": "SDK::Endpoint",
          "required": false,
          "documentation": "Override the endpoint used to send this request",
          "type": "String"
        }
      }
    },
    "rules": [
      {
        "conditions": [
          {
            "fn": "isSet",
            "argv": [
              {
                "ref": "Endpoint"
              }
            ]
          }
        ]
      }
    ]
  },
  "type": "tree",

```



```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
{
  "conditions": [
    {

```

```

    "fn": "isSet",
    "argv": [
      {
        "ref": "Region"
      }
    ]
  },
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref":
"UseFIPS"
              },
              true
            ]
          },
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "type": "tree",
        "rules": [

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsFIPS"
          ]
        }
      ]
    }
  ],
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        },
        "supportsDualStack"
      ]
    }
  ]
},
{
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      }
    },
    {
      "type": "endpoint"
    }
  ]
}

```

both",

```
    ]
  },
  {
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
  }
],
},
{
  "conditions": [
    {
      "fn": "booleanEquals",

"argv": [
  {
    "ref": "UseFIPS"
  },
  true
]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,

{
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsFIPS"
          ]
        }
      ]
    }
  ]
},
],
"type": "tree",
"rules": [
```



```

        }
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
],
},
"smithy.rules#endpointTests": {
    "testCases": [

```

```

{
  "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint":
      {
        "url": "https://license-manager.af-south-1.amazonaws.com"
      }
  },
  "params": {
    "Region": "af-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {

```

```

        "Region": "ap-northeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-3.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-3",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-south-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-south-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-1.amazonaws.com"
        }
    }
},
{
    "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",

```



```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ca-central-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "ca-central-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-central-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-central-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
    },
    "params": {
        "Region":
"eu-south-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {

```

```

    "endpoint": {
      "url": "https://license-manager.eu-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "me-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
    }
},
"params": {
    "Region": "us-east-2",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,

      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url":

```

```

"https://license-manager.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-northwest-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
}

```

```

    },
    {
      "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
        }
      },
      "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
  ],

  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-west-1.amazonaws.com"
      }
    },
  },

```



```

    "params": {
      "Region": "us-gov-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation":
    "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {

```

```

disabled",
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled
but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  }
}

```

```

    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,

```

```

        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#AccessDeniedException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {}
    }
  },
  "code": "ServiceAccessDenied",
  "httpResponseCode": 401,
  "smithy.api#documentation": "<p>Access to resource denied.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 401,
  "traits": {}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    }
  }
}

```

```

    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    },
    "CHECK_IN_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckInLicense"
      }
    },
    "EXTEND_CONSUMPTION_LICENSE":
  {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ExtendConsumptionLicense"
    }
  },
  "LIST_PURCHASED_LICENSES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ListPurchasedLicenses"
    }
  },
  "CREATE_TOKEN": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CreateToken"
    }
  }
}
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,

```



```

        "max":
7      }
    }
  },
  "com.amazonaws.licensemanager#Arn": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 2048
      },
      "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d)?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}):[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
    }
  },
  "com.amazonaws.licensemanager#ArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    }
  },
  "com.amazonaws.licensemanager#AuthorizationException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError":
{
      "code": "AuthorizationFailure",
      "httpResponseCode": 403
    },
      "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 403
    }
  },
  "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
    "type": "structure",
    "members": {
      "LastRunTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
        }
      }
    }
  },

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},

"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  }
},

"traits": {
  "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
}
},

"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},

"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},

"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},

"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
  {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
        "smithy.api#required": {}
      }
    },
    "DigitalSignatureMethod": {
      "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
      "traits": {
        "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"CheckoutMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about constraints.</p>"
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    }
  },
  "NodeId": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
      "smithy.api#documentation": "<p>Signed token.</p>"
    }
  },
  "IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#CheckoutLicense": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {

```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target":
"com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n      <p>If the
account that created the license is the same that is performing the check out, you must\n
specify the account
as the beneficiary.</p>\n    </note>"
}
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {

```



```

        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
    }
},
"KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
        "smithy.api#required": {}
    }
},
"Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",

"smithy.api#required": {}
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
},
"NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
    }
}
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
    "type": "structure",
    "members": {

```

```

"CheckoutType": {
  "target": "com.amazonaws.licensemanager#CheckoutType",
  "traits": {
    "smithy.api#documentation": "<p>Checkout type.</p>"
  }
},
"LicenseConsumptionToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License consumption token.</p>"
  }
},
"EntitlementsAllowed": {
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
  }
},
"SignedToken": {
  "target": "com.amazonaws.licensemanager#SignedToken",
  "traits": {
    "smithy.api#documentation": "<p>Signed token.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"IssuedAt": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
  }
},
"Expiration": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutType": {
  "type": "enum",
  "members": {
    "PROVISIONAL": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PROVISIONAL"
      }
    },
    "PERPETUAL": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PERPETUAL"
      }
    }
  }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 36
    }
  }
},
"com.amazonaws.licensemanager#ClientToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#ConflictException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
}

```

```

    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ConflictException",
        "httpResponseCode":
409
      },
      "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 409
    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
        }
      },
      "ConsumedLicenses": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
    }
  },
  "com.amazonaws.licensemanager#ConsumptionConfiguration": {
    "type": "structure",
    "members": {
      "RenewType": {
        "target": "com.amazonaws.licensemanager#RenewType",
        "traits": {
          "smithy.api#documentation": "<p>Renewal frequency.</p>"
        }
      }
    }
  }
}

```

```

    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  }
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {
  "target": "com.amazonaws.licensemanager#PrincipalArnList",
  "traits": {
    "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name\n (ARN):</p>\n <ul>\n <li>\n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n </li>\n </ul>\n <ul>\n <li>\n
<p>An organizational unit (OU), which includes all accounts in the OU.</p>\n </li>\n </ul>\n
<ul>\n <li>\n <p>An organization, which will include all accounts across your organization.</p>\n
</li>\n </ul>",
    "smithy.api#required": {}
  }
}
}

```

```

    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersion":

```

```

{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    }
  }
}

```



```

},
"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>"
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"SourceVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Current version of the grant.</p>"
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#CreateGrantVersionResponse": {
      "type": "structure",
      "members": {
        "GrantArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Grant ARN.</p>"
          }
        },
        "Status": {
          "target": "com.amazonaws.licensemanager#GrantStatus",
          "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
          }
        },
        "Version": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>New version of the grant.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#CreateLicense": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        }
      ]
    }
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or"
  }
}

```

all of these), license affinity to host (how long a license must be associated with a host), and the number of licenses purchased and used.

```
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Description of the license configuration.</p>"
        }
      },
      "LicenseCountingType": {
        "target": "com.amazonaws.licensemanager#LicenseCountingType",
        "traits": {
          "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
          "smithy.api#required": {}
        }
      },
      "LicenseCount": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
        }
      },
      "LicenseCountHardLimit": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
          "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit blocks the launch of new instances.</p>"
        }
      },
      "LicenseRules": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules vary by dimension, as follows.</p><ul><li><code>Cores</code> dimension: <code>allowedTenancy</code> |<code>licenseAffinityToHost</code> |<code>maximumCores</code> |</li></ul>"
        }
      }
    }
  }
}
```

```

<code>minimumCores</code>\n      </p>\n      </li>\n      <li>\n      <p>\n
<code>Instances</code> dimension: <code>allowedTenancy</code> | \n      <code>maximumCores</code> |
<code>minimumCores</code> | \n      <code>maximumSockets</code> | <code>minimumSockets</code> | \n
      <code>maximumVcpus</code> | <code>minimumVcpus</code>\n      </p>\n      </li>\n
<li>\n
  <p>\n      <code>Sockets</code> dimension: <code>allowedTenancy</code> | \n
<code>licenseAffinityToHost</code> | \n      <code>maximumSockets</code> |
<code>minimumSockets</code>\n      </p>\n      </li>\n      <li>\n      <p>\n
<code>vCPUs</code> dimension: <code>allowedTenancy</code> | \n
<code>honorVcpuOptimization</code> | \n      <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n      </p>\n      </li>\n      </ul>\n      <p>\n
The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n
values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"

```

```
    }
```

```
  },
```

```
  "Tags": {
```

```
    "target": "com.amazonaws.licensemanager#TagList",
```

```
    "traits": {
```

```
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
```

```
    }
```

```
  },
```

```
  "DisassociateWhenNotFound": {
```

```
    "target": "com.amazonaws.licensemanager#BoxBoolean",
```

```
    "traits": {
```

```
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
```

```
    }
```

```
  },
```

```
  "ProductInformationList": {
```

```
    "target": "com.amazonaws.licensemanager#ProductInformationList",
```

```
    "traits": {
```

```
      "smithy.api#documentation": "<p>Product information.</p>"
```

```
    }
```

```
  },
```

```
  "traits": {
```

```
    "smithy.api#input": {}
```

```
  }
```

```
},
```

```
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
```

```
{
```

```
  "type": "structure",
```

```
  "members": {
```

```
    "LicenseConfigurationArn": {
```

```
      "target": "com.amazonaws.licensemanager#String",
```

```
    }
```

```
  }
```

```
}
```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>",
    "smithy.api#required": {}
  },
  "SourceLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
      "smithy.api#required": {}
    }
  },
  "DestinationLicenseContext":
{
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

      "traits": {
        "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
{
  "target": "com.amazonaws.licensemanager#ReportGeneratorName",
  "traits": {
    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
  "Type": {

```



```

    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n      <ul>\n        <li>\n          <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n          </li>\n        <li>\n          <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n          </li>\n
</ul>",
      "smithy.api#required": {}
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  }
},

```

```

    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn":
    {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {

```

```

    "smithy.api#documentation": "<p>License issuer.</p>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region for the license.</p>",
    "smithy.api#required": {}
  }
}
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
    "smithy.api#required": {}
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>",
    "smithy.api#required": {}
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
    "smithy.api#required": {}
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license.</p>"
  }
}

```

```

    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
}

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    }
  },
}

```

```

"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>",
    "smithy.api#required": {}
  }
},
"Issuer": {
  "target": "com.amazonaws.licensemanager#Issuer",
  "traits":
{
  "smithy.api#documentation": "<p>License issuer.</p>",
  "smithy.api#required": {}
}
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the license.</p>",
    "smithy.api#required": {}
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
    "smithy.api#required": {}
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",
    "smithy.api#required": {}
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for

```

```

workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },

  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>"
    }
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>"
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>New version of the license.</p>"
    }
  }
},
"Status": {

```

```

        "target": "com.amazonaws.licensemanager#LicenseStatus",
        "traits": {
            "smithy.api#documentation": "<p>License status.</p>"
        }
    },
    "traits": {
        "smithy.api#output":
    }
},
"com.amazonaws.licensemanager#CreateToken": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateTokenRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateTokenResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT"
    }
}

```


token used to get an access token. With an access token, you can call AssumeRoleWithWebIdentity to get role credentials that you can use to call License Manager to manage the specified license.

```
    }
  },
  "com.amazonaws.licensemanager#CreateTokenRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",
            "smithy.api#required": {}
          }
        },
        "RoleArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n      License Manager does not check whether the roles are in use.</p>"
          }
        },
        "ExpirationInDays": {
          "target": "com.amazonaws.licensemanager#Integer",
          "traits": {
            "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
          }
        },
        "TokenProperties": {
          "target": "com.amazonaws.licensemanager#MaxSize3StringList",
          "traits": {
            "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n      to the amr claim of the JWT token.</p>"
          }
        },
        "ClientToken": {
          "target": "com.amazonaws.licensemanager#ClientToken",
          "traits": {
            "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
            "smithy.api#required": {}
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    }
  }
}
```

```

},
"com.amazonaws.licensemanager#CreateTokenResponse": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#TokenType",
      "traits": {
        "smithy.api#documentation": "<p>Token type.</p>"
      }
    },
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {}
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the
grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

```

```

"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "traits": {

"smithy.api#input": { }
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceVersion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Current version of the license.</p>",
          "smithy.api#required":
{}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseResponse": {
    "type": "structure",
    "members": {
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
        "traits": {
          "smithy.api#documentation": "<p>License status.</p>"
        }
      },
      "DeletionDate": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {

```



```

        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DeleteToken": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
    }
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {

```

```

    "tokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
      }
    }
  },

```

```

"MaxCount": {
  "target": "com.amazonaws.licensemanager#Long",
  "traits": {
    "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
  }
},
"Overage": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
  }
},
"Unit": {
  "target": "com.amazonaws.licensemanager#EntitlementUnit",
  "traits": {
    "smithy.api#documentation": "<p>Entitlement unit.</p>",
    "smithy.api#required": {}
  }
},
"AllowCheckIn": {
  "target":
"com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement
data value.</p>"
      }
    }
  }
},

```

```

    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Milliseconds"
    }
  },
  "BYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":
  {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
},
"KILOBYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes/Second"
  }
},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},

```

```

"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {

```

```

        "target": "com.amazonaws.licensemanager#Entitlement"
    }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
    "type": "enum",
    "members": {
        "COUNT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Count"
            }
        },
        "NONE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "None"
            }
        },
        "SECONDS":
    {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Seconds"
        }
    },
        "MICROSECONDS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Microseconds"
            }
        },
        "MILLISECONDS": {
            "target": "smithy.api#Unit",
            "traits": {

```



```

    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
"smithy.api#enumValue": "Terabytes/Second"
        }
    },
    "BITS_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Bits/Second"
        }
    },
    "KILOBITS_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Kilobits/Second"
        }
    },
    "MEGABITS_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Megabits/Second"
        }
    },
    "GIGABITS_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Gigabits/Second"
        }
    },
    "TERABITS_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Terabits/Second"
        }
    },
    "COUNT_PER_SECOND": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "Count/Second"
        }
    }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
    "type": "structure",
    "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementUsageList":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  }
},
"traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FailedDependency",
      "httpResponseCode": 424
    },
    "smithy.api#documentation":
    "<p>A dependency required to run the API is missing.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 424
  }
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanager#FilterValues",
      "traits": {
        "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used
to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
    },
    "com.amazonaws.licensemanager#FilterLimitExceededException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "FilterLimitExceeded",
          "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#Filter"
      }
    },
    "com.amazonaws.licensemanager#FilterName": {
      "type": "string"
    },
    "com.amazonaws.licensemanager#FilterValue": {
      "type": "string"
    }

```

```

},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with AssumeRoleWithWebIdentity. Access

```



```

tokens\n      are valid for one hour.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetAccessTokenRequest": {
    "type": "structure",
    "members": {
      "Token": {
        "target": "com.amazonaws.licensemanager#TokenString",
        "traits": {
          "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
          "smithy.api#required": {}
        }
      },
      "TokenProperties": {
        "target": "com.amazonaws.licensemanager#MaxSize3StringList",
        "traits": {
          "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetAccessTokenResponse":
  {
    "type": "structure",
    "members": {
      "AccessToken": {
        "target": "com.amazonaws.licensemanager#TokenString",
        "traits": {
          "smithy.api#documentation": "<p>Temporary access token.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetGrantResponse"
    },
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#GetGrantResponse": {
      "type": "structure",
      "members": {
        "Grant": {
          "target": "com.amazonaws.licensemanager#Grant",
          "traits": {
            "smithy.api#documentation": "<p>Grant details.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#GetLicense": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
    }
  }

```

```

    },
    "com.amazonaws.licensemanager#GetLicenseConfiguration": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
      }
    },
    "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
            "smithy.api#required": {}
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
  },

```

```

"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of available licenses.</p>"
      }
    },
    "LicenseCountHardLimit": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {

```

```

        "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
        "traits": {
            "smithy.api#documentation": "<p>Automated discovery information.</p>"
        }
    },
    "DisassociateWhenNotFound": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
            "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {

```

```

"type": "structure",
"members": {
  "LicenseConversionTaskId": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
      }
    },
    "DestinationLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
      }
    }
  }
}

```



```

    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license

```

```

configurations.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
  "type": "structure",
  "members": {
    "License": {
      "target": "com.amazonaws.licensemanager#License",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseUsage": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
  },
  "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {

```

```

    "LicenseUsage": {
      "target":
"com.amazonaws.licensemanager#LicenseUsage",
      "traits": {
        "smithy.api#documentation": "<p>License usage details.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
"com.amazonaws.licensemanager#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {

```

```

    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n    and so on.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n    cross-account discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    },
    "LicenseManagerResourceShareArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n    provides member accounts with access to this share.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#Grant": {
      "type": "structure",
      "members": {
        "GrantArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",

```

```

        "smithy.api#required": {}
    }
},
"GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
    }
},
"ParentArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
        "smithy.api#documentation": "<p>Parent ARN.</p>",
        "smithy.api#required": {}
    }
},
"LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>",
        "smithy.api#required": {}
    }
},
"GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
        "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
        "smithy.api#required": {}
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the grant.</p>",
        "smithy.api#required": {}
    }
},
"GrantStatus": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>",
        "smithy.api#required": {}
    }
},
"StatusReason": {

```

```

    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Granted operations.</p>",
      "smithy.api#required": {}
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",

```



```

    "traits": {
      "smithy.api#enumValue": "PENDING_ACCEPT"
    }
  },
  "REJECTED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "REJECTED"
    }
  },
  "ACTIVE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#GrantedLicense": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License name.</p>"
        }
      }
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  }
},
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  }
}

```

```

    },
    "Validity": {
      "target": "com.amazonaws.licensemanager#DatetimeRange",
      "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>"
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
      }
    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Granted license metadata.</p>"
      }
    },
    "CreateTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
      }
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {

```

```

        "smithy.api#documentation": "<p>Granted license received metadata.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#GrantedLicense"
    }
},
"com.amazonaws.licensemanager#ISO8601DateTime":
{
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,
            "max": 50
        },
        "smithy.api#pattern": "^(-?(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
    }
},
"com.amazonaws.licensemanager#Integer": {
    "type": "integer"
},
"com.amazonaws.licensemanager#InvalidParameterValueException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "InvalidParameterValueProvided",
            "httpResponseCode": 400
        },
        "smithy.api#documentation":
"<p>One or more parameter values are not valid.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {

```

```

"type": "structure",
"members": {
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "aws.protocols#awsQueryError": {
    "code": "InvalidResourceState",
    "httpResponseCode": 400
  },
  "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
  }
},

```

```

"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    },
    "BEGINS_WITH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "BEGINS_WITH"
      }
    },
    "CONTAINS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CONTAINS"
      }
    }
  }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n    and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
}
},
"com.amazonaws.licensemanager#IssuerDetails": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>"
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n    and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
      }
    },
    "KeyFingerprint": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {

"smithy.api#documentation": "<p>License name.</p>"
    }
},
"ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
    }
},
"ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>"
    }
},
"Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>"
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

"smithy.api#documentation": "<p>Home Region of the license.</p>"
    }
},
"Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
    }
},
"Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
},
"Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
}

```



```

    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfiguration": {
    "type": "structure",
    "members": {
      "LicenseConfigurationId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
        }
      },
    },
  },

```

```

"LicenseConfigurationArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
  }
},
"Name": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the license configuration.</p>"
  }
},
>Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the license configuration.</p>"
  }
},
"LicenseCountingType": {
  "target": "com.amazonaws.licensemanager#LicenseCountingType",
  "traits": {
    "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
  }
},
"LicenseRules": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>License rules.</p>"
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
  }
}

```

```

},
"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the license configuration.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license

```

agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
        }
      },
      "AssociationTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
        }
      },
      "AmiAssociationScope": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    }
  },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
  "type": "enum",
  "members":
{
  "AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "AVAILABLE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits":
{
      "smithy.api#documentation": "<p>Type of resource.</p>"
    }
  },
    "ResourceStatus": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Status of the resource.</p>"
      }
    },
    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },
  "AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
    }
  },

  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfiguration"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionContext": {

"type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
      }
    }
  }

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {

      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n    conversion task.</p>"
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
      }
    },
    "DestinationLicenseContext": {
      "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
      "traits": {
        "smithy.api#documentation": "<p>The status of the conversion task.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
      }
    }
  }
}

```

```

    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^\\lct-[a-zA-Z0-9]*$"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {

```



```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "SUCCEEDED"
        }
    },
    "FAILED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "FAILED"
        }
    }
}
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
        "VCPU": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "vCPU"
            }
        },
        "INSTANCE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Instance"
            }
        },
        "CORE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Core"
            }
        },
        "SOCKET": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Socket"
            }
        }
    }
}
}

```

```

},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type.</p>"
      }
    },
    "ErrorMessage": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Error message.</p>"
      }
    },
    "FailureTime": {
      "target": "com.amazonaws.licensemanager#DateTime",

```

```

    "traits": {
"smithy.api#documentation": "<p>Failure time.</p>"
    }
  },
  "OperationName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the operation.</p>"
    }
  },
  "ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
    }
  },
  "OperationRequestedBy": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
    }
  },
  "MetadataList": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Reserved.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
  },
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

```
    "smithy.api#required": {}
  },
  "AmiAssociationScope": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
  },
  "com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
  },
  "com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
      "AVAILABLE": {
        "target": "smithy.api#Unit",

        "traits": {
          "smithy.api#enumValue": "AVAILABLE"
        }
      },
      "PENDING_AVAILABLE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_AVAILABLE"
        }
      },
      "DEACTIVATED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "DEACTIVATED"
        }
      },
      "SUSPENDED": {
        "target": "smithy.api#Unit",
```

```

    "traits": {
      "smithy.api#enumValue": "SUSPENDED"
    }
  },
  "EXPIRED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "EXPIRED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  }
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```

```

    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
  },
  "output": {
"target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",

```

```

"members": {
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationAssociations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

```

```

"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {

```



```

    "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n    <ul>\n        <li>\n            <p>\n                <code>LicenseArn</code>\n            </p>\n            </li>\n            <li>\n                <p>\n                    <code>GrantStatus</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>GranteePrincipalARN</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>ProductSKU</code>\n                </p>\n            </li>\n            <li>\n                <p>\n                    <code>LicenseIssuerName</code>\n                </p>\n            </li>\n        </ul>\n    }
},
"NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
},
"MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
},
"traits": {
    "smithy.api#input": {}
},
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
    "type": "structure",
    "members": {
        "Grants": {
            "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
    "smithy.api#documentation": "<p>Distributed grant details.</p>"
    }
},
"NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
},
"traits": {
    "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```



```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |

```

```

<code>NOT_EQUALS</code>.</p>\n
  </li>\n      <li>\n          <p>\n              <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n  </ul>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licensemanager#Filters",
            "traits": {
                "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n    </p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
        "LicenseConversionTasks": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
            "traits": {
                "smithy.api#documentation": "<p>Information about the license configuration tasks for your

```

```

account.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
  {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </p>\n    </li>\n  </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits":
        {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
    "type": "structure",
    "members": {
      "ReportGenerators": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorList",
        "traits": {
          "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```



```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }

}

},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {

```

```

"type": "structure",
"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#LicenseList",
    "traits": {
      "smithy.api#documentation": "<p>License details.</p>"
    }
  },

  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},

```

```

"traits": {
  "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {

```

```

        "smithy.api#documentation": "<p>License details.</p>"
    }
},
"NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while

```

specifying the recipient as this Amazon Web Services account, your organization, or an organizational unit (OU) to which this member account belongs.</p>"

```
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target":
"com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}
```

```

    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ParentArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranteePrincipalArn</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
}

```



```

    },
    "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
      "type": "structure",
      "members": {
        "GrantArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
          }
        },
        "Filters": {
          "target": "com.amazonaws.licensemanager#FilterList",
          "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>LicenseIssuerName</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>LicenseArn</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>GrantStatus</code>\n          </p>\n        </li>\n      </ul>\n      <code>GranterAccountId</code>\n    </p>\n          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#MaxSize100",
          "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
      "type": "structure",
      "members": {
        "Grants": {
          "target": "com.amazonaws.licensemanager#GrantList",
          "traits": {
            "smithy.api#documentation": "<p>Received grant details.</p>"
          }
        }
      },
    },

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#ListReceivedLicenses": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists received licenses.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":

```

```

{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
      }
    }
  },
}

```

```

"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

```

```

"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </li>\n    <li>\n      <p>\n        <code>IssuerName</code>\n      </li>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </li>\n  </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Received license details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}

```

```

},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#InventoryFilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>account_id</code>\n        - The ID of the Amazon Web Services account that owns the resource.\n          Logical operators are\n        <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>application_name</code> - The name of the\n        application. \n          Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>license_included</code> - The type of license included. \n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n          Possible values\n        are <code>sql-server-enterprise</code> | \n          <code>sql-server-standard</code> | \n          <code>sql-server-web</code> | \n          <code>windows-server-datacenter</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>platform</code> - The platform of the resource.\n          Logical operators are\n        <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resource_id</code> - The ID of the resource. \n          Logical operators are\n        <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>tag:key</code> - The key/value combination of a tag assigned \n          to the resource. Logical\n        operators are <code>EQUALS</code> (single account) or\n          <code>EQUALS</code> |\n        <code>NOT_EQUALS</code> (cross account).</p>\n      </li>\n    </ul>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {

```

```

    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

```



```

    },
    "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
      "type": "structure",
      "members": {
        "Tags": {
          "target": "com.amazonaws.licensemanager#TagList",
          "traits": {
            "smithy.api#documentation": "<p>Information about the tags.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#ListTokens": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListTokensRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListTokensResponse"
      },
      "errors":
    [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
      "traits": {
        "smithy.api#documentation": "<p>Lists your tokens.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListTokensRequest": {
      "type": "structure",
      "members": {

```

```

"TokenIds": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>Token IDs.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

```

```

    "smithy.api#required": {}
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p>
<ul>
<li><code>resourceArn</code> - The ARN of the license configuration resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</li>
<li><code>resourceType</code> - The resource type (<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> | <code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>).
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</li>
<li><code>resourceAccount</code> - The ID of the account that owns the resource.
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</li>
</ul>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#Location": {
    "type": "string"
},
"com.amazonaws.licensemanager#Long": {
    "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
        "ResourceType":
{
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
            }
        },
        "AssociationCount": {
            "target": "com.amazonaws.licensemanager#BoxLong",
            "traits": {
                "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
},
"com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
        "smithy.api#range": {
            "min": 1,
            "max": 100
        }
    }
}
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  },
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 3
    }
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The key name.</p>"
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {

```

```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n      </dd>\n      </dl>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",

```

```

    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
  }
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "ProductInformationFilterList": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
    "traits": {
      "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n      <li>\n        <p>\n          <code>Application Name</code> - The name of the
application.\n          Logical operator is <code>EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>Application Publisher</code> - The publisher of the application.\n          Logical

```


operator is `EQUALS`.

- `Application Version` - The version of the application. Logical operator is `EQUALS`.
- `Platform Name` - The name of the platform. Logical operator is `EQUALS`.
- `Platform Type` - The platform type. Logical operator is `EQUALS`.
- `Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.
- `AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.
- `License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are:
 - `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

"smithy.api#required": {}
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",

```

```

"traits": {
  "smithy.api#documentation": "<p>Filter value.</p>"
}
},
"ProductInformationFilterComparator": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Logical operator.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
}
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
}

```

```

    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "RateLimitExceeded",
      "httpResponseCode": 429
    },
    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    }
  }
}

```

```

    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",

```

```

"members": {
  "Location": {
    "target": "com.amazonaws.licensemanager#Location",
    "traits": {
      "smithy.api#httpHeader": "Location"
    }
  },
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 308
}
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#RejectGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#RejectGrantResponse": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Grant ARN.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
          "smithy.api#documentation": "<p>Grant status.</p>"
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Grant version.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#RenewType":

```

```

{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "WEEKLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Weekly"
      }
    },
    "MONTHLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Monthly"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
    }
  },
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n      The only supported value is <code>1</code>.</p>"
      }
    }
  }
}

```

```

    }
  },
  "period": {
    "target": "com.amazonaws.licensemanager#ReportFrequencyType",

    "traits": {
      "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "MONTH"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    }
  },

```



```

"ReportType": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"LicenseManagerReportGeneratorArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
  }
},
"LastRunStatus": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
  }
},
"LastRunFailureReason":
{
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
  }
},
"LastReportGenerationTime": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
  }
},
"ReportCreatorAccount": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report

```

```

generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ReportType": {
    "type": "enum",
    "members": {
      "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
        }
      }
    }
  },
  "LICENSE_CONFIGURATION_USAGE_REPORT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "LicenseConfigurationUsageReport"
    }
  }
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {
    "ResourceId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    }
  }
},

```

```

    "Platform": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform of the resource.</p>"
      }
    },
    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a resource.</p>"
  },
  "com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
  },
  "com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },

```

```

"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_HOST"
      }
    },
    "EC2_AMI": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_AMI"
      }
    },
    "RDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "RDS"
      }
    },
    "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "InternalServerError",
            "httpResponseCode": 500
        },
        "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
        "smithy.api#error": "server",
        "smithy.api#httpError": 500
    }
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
  "type": "string",
  "traits":
{
  "smithy.api#length": {
    "min": 0,
    "max": 400
  },
  "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#TagList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Tag"
    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```



```

    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "ExpirationTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC

```

```

format.</p>"
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller.</p>"
    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {

```

```

    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#UntagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UntagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UntagResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UntagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "TagKeys": {
        "target": "com.amazonaws.licensemanager#TagKeyList",
        "traits": {
          "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseConfigurationStatus": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
      "traits": {
        "smithy.api#documentation": "<p>New status of the license configuration.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n configuration is licenseAffinityToHost.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {

```

```

        "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
    }
},
"LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
},
"Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
},
"ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
    }
},
"DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
}
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
}

```

```

    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
      }
    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
  {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to

```

```

update.</p>",
    "smithy.api#required": {}
  }
},
"ReportGeneratorName": {
  "target": "com.amazonaws.licensemanager#ReportGeneratorName",
  "traits": {
    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
"Type": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation":
    "<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n
    <p>License configuration report - Reports the number and details of consumed licenses for a license
    configuration.</p>\n      </li>\n      <li>\n      <p>Resource report - Reports the tracked licenses and
    resource consumption for a license configuration.</p>\n      </li>\n    </ul>",
    "smithy.api#required": {}
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>The report context.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
    idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {

```



```

        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
        },
        {
            "target": "com.amazonaws.licensemanager#LicenseUsageException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n      <p>You can update the license specifications of AMIs, instances, and hosts.\n      You cannot update the license specifications for launch templates and CloudFormation templates, \n      as they send license configurations to the operation that creates the resource.</p>"
    }
  },

  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
          "smithy.api#required": {}
        }
      },
      "AddLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
        }
      },
      "RemoveLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation":
            "<p>ARNs of the license configurations to remove.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },

  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },

  "com.amazonaws.licensemanager#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
    }
  }

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
    "type": "structure",
    "members": {
      "S3BucketArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
        }
      },
      "SnsTopicArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
        }
      },
      "OrganizationConfiguration": {
        "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
        "traits": {
          "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
}
}
}
}

```

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```

package grafana

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
    c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //

```

```

// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```

```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
return err
}
return nil

```

```

}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "AssociateLicense",
}
}

type opAssociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```



```

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {

```

```

    // The signer sets an equivalent value at client initialization time.
    // Setting this
context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (

```

```

"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.

```

```

//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

```

```

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,

```

```

ServiceID: ServiceID,
SigningName:
    "license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(

```

```

k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports
    %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
}
}

```



```

    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return
    stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}

```

1.83 aws-aws-sdk-go-v2-internal-ini 1.3.45

1.83.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.84 aws-aws-sdk-go-v2 1.23.2

1.84.1 Available under license :

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${{ github.event.pull_request.base.sha }}
\${{ github.sha }} > refDiffFiles.txt

```

- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt -> targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
  uses: actions/setup-python@v2
  with:
    python-version: ${{ matrix.python-version }}
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
Copyright (c) 2009 The Go Authors. All rights reserved.

```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.85 aws-aws-sdk-go-v2 1.13.43

1.85.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Key fingerprint identifying the license.
    //
    // This member is required.
    KeyFingerprint *string

    // Product SKU.
    //
    // This member is required.
    ProductSKU *string

```

```

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
if err != nil {
return err
}
}

```

```

err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err
= awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
}

```

```

if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,

```



```

) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(

```

```

    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:

```

```

    break
  }
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
  EndpointResolver: options.EndpointResolverV2,
  BuiltInResolver:
  &builtInResolver{
    Region:    options.Region,
    UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
    UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
    Endpoint:  options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${{ github.event.pull_request.base.sha }}
\${{ github.sha }} > refDiffFiles.txt

```

- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt -> targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${ { matrix.python-version } }
  uses: actions/setup-python@v2
  with:
    python-version: ${ { matrix.python-version } }
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "Operator": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
    "traits": {
      "smithy.api#documentation": "<p>An operator for filtering results.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
  {
    "type": "structure",
    "members": {}
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "LinuxSubscriptionsDiscovery": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
        "traits": {
          "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
        }
      },
      "LinuxSubscriptionsDiscoverySettings": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
        "traits": {
          "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n    Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
        "traits": {
          "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
        "traits": {
          "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
        }
      },
      "HomeRegions": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
        "traits": {
          "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n    subscriptions.</p>"
        }
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {

```

```

"type": "structure",
"members": {
  "AmiId": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
    }
  },
  "InstanceID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
    }
  },
  "InstanceType": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The instance type of the resource.</p>"
    }
  },
},
"AccountID": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of the instance.</p>"
  }
},
"Region": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
  }
},
"UsageOperation": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
  }
},
},

```

```

    "ProductCode": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
      "traits": {
        "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a href=\\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-operation.html\\>Usage\\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
      }
    },
    "LastUpdatedTime": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The time in which the last discovery updated the instance details.</p>"
      }
    },
    "SubscriptionName": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",

```



```

"operations": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
  }
],

```

```

"traits": {
  "aws.api#service": {
    "sdkId": "License Manager Linux Subscriptions",
    "arnNamespace": "license-manager-linux-subscriptions",
    "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-linux-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  }
}

```

```

    },
    "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
    "smithy.api#title": "AWS License Manager Linux Subscriptions",
    "smithy.rules#endpointRuleSet": {
        "version": "1.0",
        "parameters": {
            "Region": {
                "builtIn": "AWS::Region",
                "required": false,
                "documentation": "The
AWS region used to dispatch the request.",
                "type": "String"
            },
            "UseDualStack": {
                "builtIn": "AWS::UseDualStack",
                "required": true,
                "default": false,
                "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
                "type": "Boolean"
            },
            "UseFIPS": {
                "builtIn": "AWS::UseFIPS",
                "required": true,
                "default": false,
                "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
                "type": "Boolean"
            },
            "Endpoint": {
                "builtIn": "SDK::Endpoint",
                "required": false,
                "documentation": "Override the endpoint used to send this request",
                "type": "String"
            }
        },
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "isSet",
                        "argv": [
                            {
                                "ref": "Endpoint"
                            }
                        ]
                    }
                ]
            }
        ]
    }

```



```

    },
    true
  ]
},
{
  "fn": "booleanEquals",
  "argv": [
    {
      "ref": "UseDualStack"
    },
    true
  ]
},
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      true,
      {
        "fn": "getAttr",
        "argv": [
          {
            "ref": "PartitionResult"
          },
          "supportsFIPS"
        ]
      }
    ]
  }
]
},
{
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        },
        "supportsFIPS"
      ]
    }
  ]
}
}

```

```

        "supportsDualStack"
      ]
    }
  ]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
]
},
{
  "conditions": [],
  "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
  "type": "error"
}
]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        "ref": "UseFIPS"
      ],
      true
    }
  ]
}

```

```

    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              true,
              {
                "fn": "getAttr",
                "argv": [
                  {
                    "ref": "PartitionResult"
                  },
                  "supportsFIPS"
                ]
              }
            ]
          }
        ]
      },
      {
        "type": "tree",
        "rules": [
          {
            "conditions": [],
            "type": "tree",
            "rules": [
              {
                "conditions": [],
                "endpoint": {
                  "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                  "properties": {},
                  "headers": {}
                },
                "type": "endpoint"
              }
            ]
          }
        ]
      },
      {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
      }
    ]
  }

```

```

    }
  ]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "type": "tree",
      "rules": [
        {
          "conditions": [],

```

"endpoint": {
 "url": "https://license-manager-linux-


```

subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
    "properties": {},
    "headers": {}
  },
  "type": "endpoint"
}
]
}
],
},
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does not support DualStack",
  "type": "error"
}
],
},
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
}
]
}
],
},
{
  "conditions": [],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
}
],
},
"smithy.rules#endpointTests": {

```

```

"testCases": [
  {
    "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
      }
    }
  }
]

```

```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {

        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",

```

```

    "expect": {
      "endpoint":
{
      "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint":
{
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    }
}

```

```

    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",

"UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  }
}

```

```

    }
  },
  {
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,

"Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      }
    ],
  },

```



```

        {
            "name": "Disabled",
            "value": "Disabled",
            "documentation": "Disabled LinuxSubscriptionsDiscovery"
        }
    ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
    "type": "structure",
    "members": {
        "SourceRegions": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
            "traits": {
                "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "OrganizationIntegration": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
            "traits": {
                "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
    "type":
"operation",
    "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        }
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n  subscriptions.</p>",
    "smithy.api#http": {

"code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptionInstances"
},
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Instances"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n  match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>AmiID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>InstanceID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>AccountID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Region</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>UsageOperation</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductCode</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>InstanceType</code>\n      </p>\n    </li>\n  </ul>\n  <p>The valid Operators for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>contains</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>equals</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Notequal</code>\n      </p>\n    </li>\n  </ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
      "traits": {
        "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
      }
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
  },
  "errors": [
    {

```

```

    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n  organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/ListLinuxSubscriptions"
  },
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Subscriptions"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n  partially match, or don't
match a certain subscription's name.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n
<li>\n    <p>\n      <code>Subscription</code>\n    </p>\n  </li>\n  </ul>\n
<p>The valid Operators for this filter are:</p>\n
  <ul>\n
  <li>\n    <p>\n      <code>contains</code>\n    </p>\n  </li>\n
  <li>\n    <p>\n      <code>equals</code>\n    </p>\n  </li>\n
  <li>\n    <p>\n      <code>Notequal</code>\n    </p>\n  </li>\n  </ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {

```

```

        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
    },
    {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
    }
],
"smithy.api#length": {
    "min": 1,
    "max": 20
}
}
},

```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
```

```

    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "Enabled",
                "value": "Enabled",
                "documentation": "Enabled OrganizationIntegration"
            },
            {
                "name": "Disabled",
                "value": "Disabled",
                "documentation": "Disabled OrganizationIntegration"
            }
        ]
    }
},

```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
```

```

    "type": "list",
    "member": {
        "target": "smithy.api#String"
    }
},

```

```
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
```

```

    "type": "string",
    "traits": {
        "smithy.api#enum": [

```

```

{
    "name": "InProgress",
    "value": "InProgress",

```

```

        "documentation": "InProgress status"
    },
    {
        "name": "Completed",
        "value": "Completed",
        "documentation": "Completed status"
    },
    {
        "name": "Successful",
        "value": "Successful",
        "documentation": "Successful status"
    },
    {
        "name": "Failed",
        "value": "Failed",
        "documentation": "Failed status"
    }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
    "type": "list",
    "member": {
        "target": "smithy.api#String",
        "traits":
{
            "smithy.api#length": {
                "min": 1,
                "max": 100
            }
        }
    },
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max": 100
        },
        "smithy.api#uniqueItems": {}
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
    "type": "map",
    "key": {
        "target": "smithy.api#String"
    },
    "value": {
        "target": "smithy.api#String"
    }
}

```

```

    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The name of the subscription.</p>"
          }
        },
        "Type": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n    Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n    Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
          }
        },
        "InstanceCount": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
          "traits": {
            "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
        "smithy.api#error": "client"
      }
    }
  }

```



```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/UpdateServiceSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated"

```

from.</p>",

```
"smithy.api#required": {}
  }
},
"AllowUpdate": {
  "target": "smithy.api#Boolean",
  "traits": {
    "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux
subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home
Region.</p>"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated
from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
```



```

c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if

```

```

err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}

```

```

}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "grafana",
        OperationName: "DisassociateLicense",
    }
}

```

```

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```

```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err,
&ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",

```

```

    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("grafana")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

```



```

}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
if params == nil {
params = &CheckoutBorrowLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
return nil, err
}
}

```

```
out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}
```

```
type CheckoutBorrowLicenseInput struct {
```

```
// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
```

```
//
```

```
// This member is required.
```

```
ClientToken *string
```

```
// Digital signature method. The possible value is JSON Web Signature (JWS)
```

```
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
```

```
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
```

```
//
```

```
// This member is required.
```

```
DigitalSignatureMethod types.DigitalSignatureMethod
```

```
// License entitlements. Partial checkouts are not supported.
```

```
//
```

```
// This member is required.
```

```
Entitlements []types.EntitlementData
```

```
// Amazon Resource Name (ARN) of the license. The license must use the borrow
```

```
// consumption configuration.
```

```
//
```

```
// This member is required.
```

```
LicenseArn *string
```

```
// Information about constraints.
```

```
CheckoutMetadata []types.Metadata
```

```
// Node ID.
```

```
NodeId *string
```

```
noSmithyDocumentSerde
```

```
}
```

```
type
```

```
CheckoutBorrowLicenseOutput struct {
```

```
// Information about constraints.
```

```
CheckoutMetadata []types.Metadata
```

```
// Allowed license entitlements.
```

```

EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
}

```

```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

```

```

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
    }
}

```

```

}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the
value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
},

```

```

    }, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

```



```

noSmithyDocumentSerde
}

type GetLicenseOutput struct {

// License details.
License *types.License

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}

```

```

}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
    }
}

```

```

ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(

```

```

k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var
signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
}
}

```

```

    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName ==
nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"

```

```

"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

```

```

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
    if
    err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID:
        ServiceID,
    SigningName: "license-manager",
    OperationName: "ListLicenses",
}
}

```



```

}
}

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint
    smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx,
signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    }
}

```

```

case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

```

```

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"

```

```

"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

    // License status.
    Status types.LicenseDeletionStatus

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack,  
options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack, options); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
```

```

return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

```

```

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
    params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"

```

```

signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.

```



```

// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
EndpointResolver:
options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,  
c.addOperationCheckInLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*CheckInLicenseOutput)  
    out.ResultMetadata = metadata  
    return out, nil  
}  
  
type  
CheckInLicenseInput struct {  
  
    // License consumption token.  
    //  
    // This member is required.
```

```

LicenseConsumptionToken *string

// License beneficiary.
Beneficiary *string

noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}

```

```

}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{

```

```

Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for

```

```

k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ :=
            authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName
== nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Lists received licenses.  
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns  
    ...func(*Options)) (*ListReceivedLicensesOutput, error) {  
    if params == nil {  
        params = &ListReceivedLicensesInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,  
        c.addOperationListReceivedLicensesMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*ListReceivedLicensesOutput)  
    out.ResultMetadata  
    = metadata  
    return out, nil  
}  
  
type ListReceivedLicensesInput struct {
```

```

// Filters to scope the results. The following filters are supported:
// - ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
}

```

```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return
err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {

```

```

return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:

```



```

v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override
the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,

```

```

BuiltInResolver: &builtInResolver{
  Region: options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
  Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
      "type": "structure",
      "members": {
        "DirectoryId": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation":
        "<p>Details about an Active Directory identity provider.</p>"
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
      },
      "errors": [
        {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/AssociateUser"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "InstanceId": {
    "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>The identity provider of the user.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
    "smithy.api#error": "server"
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
    {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
        },
        "output": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
            "smithy.api#http": {
                "code": 200,
                "method": "POST",
                "uri": "/identity-provider/DeregisterIdentityProvider"
            },
            "smithy.api#idempotent": {}
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
        "type": "structure",
        "members": {
            "IdentityProvider": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
    "type": "structure",
    "members": {
      "InstanceUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Filter": {
    "type": "structure",
    "members": {
      "Attribute": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
        }
      },
      "Operation": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
        }
      },
      "Value": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Value of the filter.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
    }
  }
}

```



```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#FilterList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
    "type": "union",
    "members": {
      "ActiveDirectoryIdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
    "type": "structure",
    "members": {
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      },
      "Settings": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
        "traits": {
          "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
          "smithy.api#required":
{}
        }
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of an identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "FailureMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
    },
    "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
      "type": "structure",
      "members": {
        "InstanceId": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
            "smithy.api#required": {}
          }
        },
        "Status": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
            "smithy.api#required": {}
          }
        },
        "Products": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
          "traits": {

```

```

        "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
        "smithy.api#required": {}
    }
},
"LastStatusCheckDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date of the last status check.</p>"
    }
},
"StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  },
  "AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
  },
  "DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
    "type": "service",

    "version": "2018-05-10",
    "operations": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
      }
    ],
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
    },
    {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  }
],
"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",

```

```

    "required": false,
    "documentation": "The AWS region used to dispatch the request.",
    "type": "String"
  },
  "UseDualStack": {
    "builtIn": "AWS::UseDualStack",
    "required": true,
    "default": false,
    "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
    "type": "Boolean"
  },
  "UseFIPS": {
    "builtIn": "AWS::UseFIPS",
    "required": true,
    "default": false,
    "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
    "type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  },
  {
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {

```

```

        "ref": "UseFIPS"
    },

    true
]
}
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [
    {
        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
]
},
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [],
"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
"type": "endpoint"
}
],
},
{
"conditions": [
    {
        "fn": "isSet",
        "argv": [
            {
                "ref": "Region"
            }
        ]
    }
]
}
}

```



```

    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
  }
]
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ],
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ],
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",

```

```

"argv": [
  true,
  {
    "fn": "getAttr",
    "argv": [
      {
        "ref": "PartitionResult"
      },
      "supportsFIPS"
    ]
  }
],
{
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        },
        "supportsDualStack"
      ]
    }
  ]
},
"type": "tree",
"rules": [
  {
    "conditions": [],
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
{
  "conditions": [],

```

both",

```
        "error": "FIPS and DualStack are enabled, but this partition does not support one or  
        "type": "error"  
    }  
  ],  
},  
{  
  "conditions": [  
    {  
      "fn": "booleanEquals",  
      "argv": [  
        {  
          "ref": "UseFIPS"  
        },  
        true  
      ]  
    }  
  ],  
  "type": "tree",  
  "rules": [  
    {  
      "conditions": [  
        {  
          "fn": "booleanEquals",  
          "argv": [  
            true,  
            {  
              "fn": "getAttr",  
              "argv": [  
                {  
                  "ref": "PartitionResult"  
                },  
                "supportsFIPS"  
              ]  
            }  
          ]  
        }  
      ]  
      "type": "tree",  
      "rules": [  
        {  
          "conditions": [],  
          "endpoint": {  
            "url": "https://license-manager-user-subscriptions-  
fips.{Region}.{PartitionResult#dnsSuffix}",  
            "properties": {},  
          }  
        }  
      ]  
    }  
  ]  
}
```

```

        "headers": {}
    },
    {
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
}
],
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsDualStack"
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",

```

```

        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ],
        {
            "conditions": [],
            "error": "DualStack is enabled but this partition does
not support DualStack",
            "type": "error"
        }
    ],
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
],
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation":
    "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1

```

with FIPS disabled and DualStack disabled",

```
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
      }
    },
    "params": {
```



```

        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    }
}

```

```

    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack":
true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
},
{

```

```

"documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
"expect": {
  "error": "DualStack is enabled but this partition does not support DualStack"
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": false,
  "UseDualStack": true
}
},
{
"documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
  }
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
"documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{

```

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "UseFIPS": false,
  "UseDualStack": false,

```

```

        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
    },
    "errors": [
        {

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
{
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
    "type": "structure",
    "members": {
        "IdentityProviderSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
                "smithy.api#required": {}
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
        },
        "output": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
            }
        ]
    }
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n    more sets of key-value pairs that you specify.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {

```

```

    "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ]
},

```



```

    "traits": {
      "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
      },
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
      "Product": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
        }
      }
    }
  },

```

```

    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummaries": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
        }
      }
    },

    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceUserSummaries"
  }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a product for a user.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"SubscriptionStartDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
  }
},
"SubscriptionEndDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The end date of a subscription.</p>"
  }
}
},

```

```

"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    }
  },

```

```

    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n  subnets to provision VPC endpoints.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": {

```

```

        "target": "smithy.api#String"
    }
},
"traits": {
    "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 404
}
},
"com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
    "type": "string",
"traits": {
    "smithy.api#length": {
        "min": 5,
        "max": 200
    },
    "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
        "smithy.api#error": "client"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#Settings": {
    "type": "structure",
    "members": {
        "Subnets": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
            "traits": {
                "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
                "smithy.api#length": {
                    "min": 1
                },
                "smithy.api#required": {}
            }
        }
    },
    "SecurityGroupId": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",

```



```

    "traits": {
      "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in your VPC and the VPC endpoint for activation servers.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC endpoints. The security group should permit inbound TCP port 1688
communication from resources in the VPC.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity
provider.</p>\n    <note>\n    <p>Your estimated bill for charges on the number of users and related costs

```

will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing.

For more information, see Viewing your\n monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>

```
"smithy.api#http": {
  "code": 200,
  "method": "POST",
  "uri": "/user/StartProductSubscription"
}
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
        "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
            "smithy.api#required": {}
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
            },
            {
                "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
            "smithy.api#http": {
                "code": 200,
                "method": "POST",
                "uri": "/user/StopProductSubscription"
            }
        }
    }
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#StringList": {
      "type": "list",
      "member": {
        "target": "smithy.api#String"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
      "type": "string",
      "traits": {
        "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        }
      ]
    }
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "UpdateSettings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
      "traits": {
        "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n  update any combination of settings in a single operation such as the:</p>\n
<ul>\n  <li>\n    <p>Subnets which you want to add to provision VPC endpoints.</p>\n    </li>\n  <li>\n    <p>Subnets which you want to remove the VPC endpoints from.</p>\n    </li>\n  <li>\n    <p>Security group ID which permits traffic to the VPC endpoints.</p>\n    </li>\n  </ul>",
        "smithy.api#required": {}
      }
    }
  }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {

```

```

        "target": "smithy.api#String"
    }
},
"traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
}
}
}
{
"smithy": "2.0",
"metadata": {
    "suppressions": [
        {
            "id": "HttpMethodSemantics",
            "namespace": "*"
        },
        {
            "id": "HttpStatusCodeSemantics",
            "namespace": "*"
        },
        {
            "id": "PaginatedTrait",
            "namespace": "*"
        },
        {
            "id": "HttpHeaderTrait",
            "namespace": "*"
        },
        {
            "id": "HttpUriConflict",
            "namespace": "*"
        },
        {
            "id": "Service",
            "namespace": "*"
        }
    ]
},
"shapes": {
    "com.amazonaws.licensemanager#AWSLicenseManager": {
        "type": "service",
        "version": "2018-08-01",
        "operations": [
            {
                "target": "com.amazonaws.licensemanager#AcceptGrant"
            },

```



```

{
  "target": "com.amazonaws.licensemanager#CheckInLicense"
},
{
  "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
  "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
  "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
  "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
  "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
  "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
  "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
  "target": "com.amazonaws.licensemanager#CreateToken"
},
{
  "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
  "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
  "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#DeleteToken"
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    }
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
  },
  {

```

```

    "target": "com.amazonaws.licensemanager#ListLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseVersions"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  },

```

```

    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager",
      "arnNamespace": "license-manager",
      "cloudFormationName": "LicenseManager",
      "cloudTrailEventSource": "licensemanager.amazonaws.com",
      "endpointPrefix": "license-manager"
    },
    "aws.auth#sigv4": {
      "name": "license-manager"
    },
    "aws.protocols#awsJson1_1": {},
    "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
    "smithy.api#title": "AWS License Manager",
    "smithy.api#xmlNamespace": {
      "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
    },
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {
        "Region": {
          "builtIn": "AWS::Region",
          "required": false,
          "documentation": "The AWS region used to dispatch the request.",
          "type": "String"
        }
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send

```

this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

```
    "type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ]
  }
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
```

```

        "ref": "UseDualStack"
    },
    true
]
}
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [],
"endpoint": {
"url": {
"ref": "Endpoint"
},
"properties": {},
"headers": {}
},
"type": "endpoint"
}
]
},
{
"conditions": [
{
"fn": "isSet",
"argv": [
{
"ref": "Region"
}
]
}
]
},
],
"type": "tree",
"rules": [
{
"conditions": [
{
"fn": "aws.partition",
"argv": [
{
"ref": "Region"
}
]
},
],
"assign": "PartitionResult"
}
],
"type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              true,
              {
                "fn": "getAttr",
                "argv": [
                  {
                    "ref": "PartitionResult"
                  },
                  "supportsFIPS"
                ]
              }
            ]
          }
        ]
      }
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      true,
      {

```

```

        "fn": "getAttr",
        "argv": [
            {
                "ref": "PartitionResult"
            }
        ],
    "supportsDualStack"
        ]
    }
    ]
    }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
        "type": "error"
    }
    ],
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ]
    },
    ],

```



```

"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
  }
],
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [

```

```

        {
            "ref": "UseDualStack"
        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                        ],
                    }
                ],
            }
        ],
        "supportsDualStack"
    }
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
    },
    {
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
}

```

```

        ]
      },
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
]
},
{
  "conditions": [],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint":
{
          "url": "https://license-manager.af-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "af-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-east-1",
        "UseFIPS": false,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-3.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-3",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-south-1.amazonaws.com"

```

```

    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-1.amazonaws.com"
    }
  }
}

},
"params": {
  "Region": "ap-southeast-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-2.amazonaws.com"
    }
  }
},
"params": {
  "Region": "ap-southeast-2",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
  }
},
"params": {
  "Region": "ap-southeast-3",
  "UseFIPS": false,
  "UseDualStack": false
}
}

```

```

    },
    {
      "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ca-central-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-central-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-central-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
      }
    }
  }

```

```

    },
    "params": {
      "Region":
"eu-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
}

```

```

    },
    {
      "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.me-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "me-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.sa-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "sa-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
  },
  {
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-1.amazonaws.com"
      }
    },
  },

```



```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-2.amazonaws.com"
      }
    }
  },
  {
    "params": {
      "Region": "us-east-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
      }
    }
  },
  {
    "params": {
      "Region": "us-east-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-1.amazonaws.com"
      }
    }
  },
  {
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {

```

```

    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {

"Region": "us-west-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",

"expect": {
  "endpoint": {
    "url": "https://license-manager-fips.us-west-2.amazonaws.com"
  }
},
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {

```

```

        "Region": "us-east-1",
        "UseFIPS": true,

        "UseDualStack": true
    },
    {
        "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager.us-east-1.api.aws"
            }
        },
        "params": {
            "Region": "us-east-1",
            "UseFIPS": false,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
            }
        },
        "params": {
            "Region": "cn-north-1",
            "UseFIPS": false,
            "UseDualStack": false
        }
    },
    {
        "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
            }
        },
        "params": {
            "Region": "cn-northwest-1",
            "UseFIPS": false,
            "UseDualStack": false
        }
    }
},
{

```

```

    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
    "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-fips.us-gov-east-1.api.aws"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
}

```

```

{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled
but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
}

```

```

    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  }
}

```



```

    }
  },
  "params": {
    "UseFIPS": false,

"UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},
"traits": {
  "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#AcceptGrantResponse": {
      "type": "structure",
      "members": {
        "GrantArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Grant
ARN.</p>"
          }
        },
        "Status": {
          "target": "com.amazonaws.licensemanager#GrantStatus",
          "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
          }
        },
        "Version": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Grant version.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#AccessDeniedException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {}
      }
    },
    "code": "ServiceAccessDenied",
    "httpResponseCode": 401,
    "smithy.api#documentation": "<p>Access to resource denied.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 401
  },
  "com.amazonaws.licensemanager#ActivationOverrideBehavior": {
    "type": "enum",

```

```

"members": {
  "DISTRIBUTED_GRANTS_ONLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
    }
  },
  "ALL_GRANTS_PERMITTED_BY_ISSUER": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    },
    "CHECK_IN_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckInLicense"
      }
    },
    "EXTEND_CONSUMPTION_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ExtendConsumptionLicense"
      }
    }
  }
}

```

```

    }
  },
  "LIST_PURCHASED_LICENSES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ListPurchasedLicenses"
    }
  },
  "CREATE_TOKEN": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CreateToken"
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max":
7
    }
  }
},
"com.amazonaws.licensemanager#Arn": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
  }
},
"com.amazonaws.licensemanager#ArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  }
},
"com.amazonaws.licensemanager#AuthorizationException": {
  "type": "structure",

```

```

"members": {
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "aws.protocols#awsQueryError":
{
  "code": "AuthorizationFailure",
  "httpResponseCode": 403
},
  "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 403
}
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},
"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    }
  },
}

```

```

    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {

```

```

        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
    "type": "structure",
    "members": {
        "LicenseConsumptionToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License consumption token.</p>",
                "smithy.api#required": {}
            }
        },
        "Beneficiary": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License beneficiary.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    }
}

```



```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
    "type": "structure",
    "members":

```

```

{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
      "smithy.api#required": {}
    }
  },
  "DigitalSignatureMethod": {
    "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
    "traits": {
      "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.<br>For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
      "smithy.api#required": {}
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseConsumptionToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License consumption token.</p>"
        }
      },
      "EntitlementsAllowed": {
        "target": "com.amazonaws.licensemanager#EntitlementDataList",
        "traits": {
          "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
        }
      },
      "NodeId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Node ID.</p>"
        }
      },
      "SignedToken": {
        "target": "com.amazonaws.licensemanager#SignedToken",
        "traits": {
          "smithy.api#documentation": "<p>Signed token.</p>"
        }
      },
      "IssuedAt": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
        }
      },
      "Expiration": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
        }
      }
    }
  }
}

```

```

    },
    "CheckoutMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n    <p>If the
account that created the license is the same that is performing the check out, you must\n    specify the account
as the beneficiary.</p>\n    </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    },
    "KeyFingerprint": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
        "smithy.api#required": {}
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the

```

```

idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
}
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    }
  }
}

```

```

    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#CheckoutType": {
      "type": "enum",
      "members": {
        "PROVISIONAL": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "PROVISIONAL"
          }
        },
        "PERPETUAL": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "PERPETUAL"
          }
        }
      }
    },
  },

```

```

"com.amazonaws.licensemanager#ClientRequestToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 36
    }
  }
},
"com.amazonaws.licensemanager#ClientToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#ConflictException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ConflictException",
      "httpResponseCode":
409
    },
    "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 409
  }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
      }
    }
  },
  "ConsumedLicenses": {

```



```

        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
            "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
    },
},

"traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
},
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
    }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
    "type": "structure",
    "members": {
        "RenewType": {
            "target": "com.amazonaws.licensemanager#RenewType",
            "traits": {
                "smithy.api#documentation": "<p>Renewal frequency.</p>"
            }
        },
        "ProvisionalConfiguration": {
            "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
            "traits": {
                "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
            }
        },
        "BorrowConfiguration": {
            "target": "com.amazonaws.licensemanager#BorrowConfiguration",
            "traits": {
                "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
},
},
"com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    }
},

```

```

"output": {
  "target": "com.amazonaws.licensemanager#CreateGrantResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target":
"com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Principals": {
    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n  <ul>\n    <li>\n      <p>An Amazon Web Services account, which includes only the account specified.</p>\n    </li>\n    <ul>\n      <li>\n        <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n      </li>\n    </ul>\n    <li>\n      <p>An organization, which will include all accounts across your organization.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",

```

```

"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Grant ARN.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    }
  }
},
"smithy.api#required": {}
},
"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#GrantStatus",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the grant.</p>"
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  }
}

```

```

    },
    "traits":
  {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Description of the license configuration.</p>"
        }
      },
      "LicenseCountingType": {
        "target": "com.amazonaws.licensemanager#LicenseCountingType",

```



```

    "traits": {
      "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.
Exceeding a hard limit\n      blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
"com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n
<ul>\n      <li>\n          <p>\n              <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
              <code>licenseAffinityToHost</code> |\n              <code>maximumCores</code> |
              <code>minimumCores</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>Instances</code> dimension: <code>allowedTenancy</code> |\n              <code>maximumCores</code> |
              <code>minimumCores</code> |\n              <code>maximumSockets</code> | <code>minimumSockets</code> |\n              <code>maximumVcpus</code> | <code>minimumVcpus</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n              <code>licenseAffinityToHost</code> |\n              <code>maximumSockets</code> |
              <code>minimumSockets</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n              <code>honorVcpuOptimization</code> |\n              <code>maximumVcpus</code> |
              <code>minimumVcpus</code>\n          </p>\n          </li>\n        </ul>\n      <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n      values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  }
}

```

```

    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n    For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    },
    "DestinationLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in

```

```

the <i>License Manager User Guide</i>.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
    {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n      <ul>\n        <li>\n          <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n          <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n      </ul>",
        "smithy.api#required": {}
      }
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {

```

```

    "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
{
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",

```

```

"members": {
  "LicenseName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License name.</p>",
      "smithy.api#required": {}
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product
name.</p>",
      "smithy.api#required": {}
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>",
      "smithy.api#required": {}
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#Issuer",
    "traits": {
      "smithy.api#documentation": "<p>License issuer.</p>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region for the license.</p>",
      "smithy.api#required": {}
    }
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
    "smithy.api#required": {}
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    }
  }
}

```



```

    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
    "smithy.api#required": {}
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",
    "smithy.api#required": {}
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>License status.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"SourceVersion": {
  "target": "com.amazonaws.licensemanager#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>"
        }
    },
    "traits": {
"smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
        "type": "structure",
        "members": {
            "LicenseArn": {
                "target": "com.amazonaws.licensemanager#Arn",
                "traits": {
                    "smithy.api#documentation": "<p>License ARN.</p>"
                }
            },
            "Version": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>New version of the license.</p>"
                }
            },
            "Status": {
                "target": "com.amazonaws.licensemanager#LicenseStatus",
                "traits": {
                    "smithy.api#documentation": "<p>License status.</p>"
                }
            }
        },
        "traits": {
            "smithy.api#output":
        }
    },
    "com.amazonaws.licensemanager#CreateToken": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#CreateTokenRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#CreateTokenResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            }
        ]
    }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
  ],
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n      <p>A refresh token is a JWT token used to get an access token. With an access token,\n      you can call AssumeRoleWithWebIdentity to get role credentials that you can use to\n      call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",
      "smithy.api#required": {}
    }
},
    "RoleArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token.\n      License Manager does not check whether the roles are in use.</p>"
      }
}
}
}

```

```

    },
    "ExpirationInDays": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n      to the amr claim of the JWT token.</p>"
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#TokenType",
      "traits": {
        "smithy.api#documentation": "<p>Token type.</p>"
      }
    }
  },
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the
grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {

```



```

"type": "structure",
"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Grant ARN.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Grant version.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
      "type": "structure",
      "members":
    {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>",
      "smithy.api#required":
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {
        "TokenId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token ID.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {

```

```

"type": "enum",
"members": {
  "JWT_PS384": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "JWT_PS384"
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#Long",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
      }
    },
    "Overage": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement unit.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowCheckIn": {
      "target":

```

```

"com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement
data value.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {

```



```

"COUNT": {
  "target": "smithy.api#Unit",
  "traits": {

"smithy.api#enumValue": "Count"
  }
},
"NONE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "None"
  }
},
"SECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Seconds"
  }
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
}

```

```

    },
    "GIGABYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabytes"
      }
    },
    "TERABYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Terabytes"
      }
    },
    "BITS":
  {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {

```

```

    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
},
"KILOBYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes/Second"
  }
},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {

```

```

        "smithy.api#enumValue":
"Megabits/Second"
    }
  },
  "GIGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits/Second"
    }
  },
  "TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits/Second"
    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count"
    }
  },
  "NONE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "None"
    }
  },
  "SECONDS":
{
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Seconds"
  }
},
  "MICROSECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Microseconds"
    }
  },
  "MILLISECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Milliseconds"
    }
  },
  "BYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
},

```

```

"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {

    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits"
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
}

```

```

    },
    "BYTES_PER_SECOND": {
      "target":
"smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes/Second"
      }
    },
    "KILOBYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobytes/Second"
      }
    },
    "MEGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabytes/Second"
      }
    },
    "GIGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabytes/Second"
      }
    },
    "TERABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
"smithy.api#enumValue": "Terabytes/Second"
      }
    },
    "BITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bits/Second"
      }
    },
    "KILOBITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobits/Second"
      }
    },
    "MEGABITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "Megabits/Second"
    }
},
"GIGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Gigabits/Second"
    }
},

"TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits/Second"
    }
},
"COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Count/Second"
    }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Entitlement usage name.</p>",
                "smithy.api#required": {}
            }
        },
        "ConsumedValue": {
            "target": "com.amazonaws.licensemanager#String",

            "traits": {
                "smithy.api#documentation": "<p>Resource usage consumed.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxCount": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
            }
        }
    },
},

```



```

    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementUsageList":
{
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementUsage"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FailedDependency",
      "httpResponseCode": 424
    },
    "smithy.api#documentation":
    "<p>A dependency required to run the API is missing.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 424
  }
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanager#FilterValues",
      "traits": {
        "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {

```

```

"type": "structure",
"members": {
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "aws.protocols#awsQueryError": {
    "code": "FilterLimitExceeded",
    "httpResponseCode": 400
  },
  "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n    are valid for one hour.</p>"
}
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {

```

```

    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```



```

        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
        "LicenseConfigurationId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
            }
        },
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
            }
        },
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the license configuration.</p>"
            }
        },
        "Description": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
}

```

```

    },
    "ConsumedLicenseSummaryList": {
      "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
      }
    },
    "ManagedResourceSummaryList": {
      "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
      }
    },
    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
      }
    },
    "ProductInformationList": {
      "target": "com.amazonaws.licensemanager#ProductInformationList",
      "traits": {
        "smithy.api#documentation": "<p>Product information.</p>"
      }
    },
    "AutomatedDiscoveryInformation": {
      "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
      "traits": {
        "smithy.api#documentation": "<p>Automated discovery information.</p>"
      }
    },
    "DisassociateWhenNotFound": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#GetLicenseConversionTask": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
      },
    },

```

```

"output": {
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    }
  }
}

```

```

    }
  },
  "ResourceArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
    }
  },
  "SourceLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
    }
  },
  "DestinationLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {

```

```

        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {

```

```

    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

        "smithy.api#documentation": "<p>License version.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
        "License": {
            "target": "com.amazonaws.licensemanager#License",
            "traits": {
                "smithy.api#documentation": "<p>License details.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ]
}

```



```

"target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
  "type": "structure",
  "members": {
    "LicenseUsage": {
      "target":
"com.amazonaws.licensemanager#LicenseUsage",
      "traits": {
        "smithy.api#documentation": "<p>License usage details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
  },
  "errors": [
    {

```

```

        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
        "S3BucketArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n    and so on.</p>"
            }
        }
    },
    "SnsTopicArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
        }
    },
    "OrganizationConfiguration": {
        "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
        "traits": {
            "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n    cross-account discovery.</p>"
        }
    }
},

```

```

    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    },
    "LicenseManagerResourceShareArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License Manager management account \n      provides member accounts with access to this share.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Grant": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      },
      "GrantName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Grant name.</p>",
          "smithy.api#required": {}
        }
      },
      "ParentArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Parent ARN.</p>",
          "smithy.api#required": {}
        }
      },
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>License ARN.</p>",

```

```

        "smithy.api#required": {}
    }
},
"GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
        "smithy.api#required": {}
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the grant.</p>",
        "smithy.api#required": {}
    }
},
"GrantStatus": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>",
        "smithy.api#required": {}
    }
},
"StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
},
"Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>",
        "smithy.api#required": {}
    }
},
"GrantedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
        "smithy.api#documentation": "<p>Granted operations.</p>",
        "smithy.api#required": {}
    }
},
"Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {

```

```

        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#Grant"
    }
},
"com.amazonaws.licensemanager#GrantStatus": {
    "type": "enum",
    "members": {
        "PENDING_WORKFLOW": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PENDING_WORKFLOW"
            }
        },
        "PENDING_ACCEPT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PENDING_ACCEPT"
            }
        },
        "REJECTED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "REJECTED"
            }
        }
    },
    "ACTIVE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ACTIVE"
        }
    },
    "FAILED_WORKFLOW": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "FAILED_WORKFLOW"
        }
    }
}
}

```

```

    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "DISABLED"
    }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  }
}

```

```

    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Granted license metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
},
"com.amazonaws.licensemanager#ISO8601DateTime":
{
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  },

```



```

    "smithy.api#pattern": "^(-?(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.[0-9]+)?(Z|[+-])(?:2[0-3]|[0-1][0-9]):[0-5][0-9]+$"
  }
},
"com.amazonaws.licensemanager#Integer": {
  "type": "integer"
},
"com.amazonaws.licensemanager#InvalidParameterValueException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidParameterValueProvided",
      "httpResponseCode": 400
    },
    "smithy.api#documentation":
    "<p>One or more parameter values are not valid.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResourceState",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#InventoryFilter": {
  "type": "structure",
  "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
  }
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    },
    "BEGINS_WITH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "BEGINS_WITH"
      }
    },
    "CONTAINS": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "CONTAINS"
        }
    }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#InventoryFilter"
    }
},
"com.amazonaws.licensemanager#Issuer": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Issuer name.</p>",
                "smithy.api#required": {}
            }
        },
        "SignKey": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n    and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
    }
},
"com.amazonaws.licensemanager#IssuerDetails": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Issuer name.</p>"
            }
        },
        "SignKey": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {

```

"smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"

```
    }
  },
  "KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
}
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>"
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#IssuerDetails",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>"
      }
    }
  }
}
```

```

    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {

```

```

        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
            "smithy.api#documentation": "<p>License
creation time.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>License version.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
    "type": "structure",
    "members": {
        "LicenseConfigurationId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
            }
        },
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
            }
        },
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the license configuration.</p>"
            }
        },
        "Description": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Description of the license configuration.</p>"
            }
        },
        "LicenseCountingType": {
            "target": "com.amazonaws.licensemanager#LicenseCountingType",
            "traits": {
                "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
            }
        }
    }
}

```

```

    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },
  "OwnerAccountId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
    }
  },
  "ConsumedLicenseSummaryList": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
    }
  },
  "ManagedResourceSummaryList": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
    "traits": {
      "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "AutomatedDiscoveryInformation": {
    "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
    "traits": {
      "smithy.api#documentation": "<p>Automated discovery information.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      }
    }
  },

```



```

    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
      }
    },
    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    },
    "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
      "type": "enum",
      "members": {
        "AVAILABLE": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "AVAILABLE"
          }
        },
        "DISABLED": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "DISABLED"
          }
        }
      }
    }
  }

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of resource.</p>"
        }
      },
      "ResourceStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Status of the resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
        }
      },
      "AssociationTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
        }
      },
      "ConsumedLicenses": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfiguration"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionContext": {
    "type": "structure",
    "members": {
      "UsageOperation": {
        "target": "com.amazonaws.licensemanager#UsageOperation",
        "traits": {
          "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
      }
    },
    "com.amazonaws.licensemanager#LicenseConversionTask": {
      "type": "structure",
      "members": {
        "LicenseConversionTaskId": {
          "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
          }
        },
        "ResourceArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n  conversion task.</p>"
          }
        }
      }
    }
  }
}

```

```

    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
      }
    },
    "DestinationLicenseContext": {
      "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
      "traits": {
        "smithy.api#documentation": "<p>The status of the conversion task.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
      }
    },
    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
      }
    },
    "LicenseConversionTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
      }
    },
    "EndTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskId": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^lct-[a-zA-Z0-9]*$"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
    "type": "enum",
    "members": {
      "IN_PROGRESS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "IN_PROGRESS"
        }
      },
      "SUCCEEDED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SUCCEEDED"
        }
      },
      "FAILED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "FAILED"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTasks": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
  },
  "com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",

```

```

"members": {
  "VCPU": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "vCPU"
    }
  },
  "INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Instance"
    }
  },
  "CORE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Core"
    }
  },
  "SOCKET": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Socket"
    }
  }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseOperationFailure": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Resource type.</p>"
        }
      },
      "ErrorMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Error message.</p>"
        }
      },
      "FailureTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Failure time.</p>"
        }
      },
      "OperationName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the operation.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
        }
      },
      "OperationRequestedBy": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "MetadataList": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Reserved.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseSpecification"
  }
}

```



```

    }
  },
  "com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
      "AVAILABLE": {
        "target": "smithy.api#Unit",

        "traits": {
          "smithy.api#enumValue": "AVAILABLE"
        }
      },
      "PENDING_AVAILABLE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_AVAILABLE"
        }
      },
      "DEACTIVATED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "DEACTIVATED"
        }
      },
      "SUSPENDED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SUSPENDED"
        }
      },
      "EXPIRED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EXPIRED"
        }
      },
      "PENDING_DELETE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_DELETE"
        }
      },
      "DELETED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "DELETED"
        }
      }
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationAssociations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListDistributedGrants": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      }
    ]
  }
}

```

```

    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>LicenseArn</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>GrantStatus</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>GranteePrincipalARN</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>LicenseIssuerName</code>\n
            </p>\n
          </li>\n
        </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {
        "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
  "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
"target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
  "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
  "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
  "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{

```

```

        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
},
"traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
    "type": "structure",
    "members": {
        "LicenseOperationFailureList": {
            "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
            "traits": {
                "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurations": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license

```



```

configurations.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n          Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n          Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n
<code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n          Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n    </li>\n    <li>\n      <p>\n
<code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n    </li>\n  </ul>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
  "type": "structure",
  "members": {
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },

```

```

    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTasks": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target":
"com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n <ul>\n <li>\n <p>\n <code>LicenseConfigurationArn</code>\n
</p>\n </li>\n </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits":
    {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
  "type": "structure",
  "members": {
    "ReportGenerators": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorList",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {

```

```

"LicenseSpecifications": {
  "target": "com.amazonaws.licensemanager#LicenseSpecifications",
  "traits": {
    "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",

```

```

"members": {
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",

```



```

"input": {
  "target": "com.amazonaws.licensemanager#ListLicensesRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListLicensesResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>Beneficiary</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>ProductSKU</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Fingerprint</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>Status</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  }
}

```

```

    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListLicensesResponse": {
    "type": "structure",
    "members": {
      "Licenses": {
        "target": "com.amazonaws.licensemanager#LicenseList",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrants": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
    }
  }
}

```

```

},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>ParentArn</code>\n
            </p>\n
          </li>\n
          <li>\n
            <p>\n
              <code>GranteePrincipalArn</code>\n
            </p>\n
          </li>\n
        </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GranterAccountId</code>\n      </p>\n    </li>\n  </ul>"
      }
    }
  },

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Received grant details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists received licenses.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",

```



```

    "traits": {
      "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Status</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Fingerprint</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>IssuerName</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Beneficiary</code>\n
            </li>\n
        </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
    "type": "structure",
    "members": {
      "Licenses": {
        "target": "com.amazonaws.licensemanager#GrantedLicenseList",
        "traits": {
          "smithy.api#documentation": "<p>Received license details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListResourceInventory": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FailedDependencyException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {

```

```

    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators\n are supported:</p>\n <ul>\n <li>\n <p>\n <code>account_id</code>\n - The ID of the Amazon Web Services account that owns the resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n <p>\n <code>application_name</code> - The name of the application.\n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n </li>\n <li>\n <p>\n <code>license_included</code> - The type of license included.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n </li>\n <li>\n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n </li>\n <li>\n <p>\n <code>resource_id</code> - The ID of the resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> | <code>NOT_EQUALS</code> (cross account).</p>\n </li>\n </ul>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

"smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
  "type": "structure",
  "members": {
    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the tags.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTokens": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTokensRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTokensResponse"
  },
}

```

```

"errors":
[
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n
  <li>\n
    <p>\n
      <code>LicenseArns</code>\n
    </p>\n
  </li>\n
</ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",

```

```

        "traits": {
            "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
    "type": "structure",
    "members": {
        "Tokens": {
            "target": "com.amazonaws.licensemanager#TokenList",
            "traits": {
                "smithy.api#documentation": "<p>Received token details.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p>
        <ul>
          <li><code>resourceArn</code> - The ARN of the license configuration resource.</li>
          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>
          <li><code>resourceType</code> - The resource type

```



```

<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n      Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n      <p>\n      <code>resourceAccount</code> - The ID of the account that owns the resource. \n      Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {

"LicenseConfigurationUsageList": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license configurations.</p>"
  }
},
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#Location": {
  "type": "string"
},
"com.amazonaws.licensemanager#Long": {
  "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
  "type": "structure",
  "members": {
    "ResourceType":
{
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
  }
}
}
}

```

```

    },
    "AssociationCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
  }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
  }
},
"com.amazonaws.licensemanager#MaxSize100": {
  "type": "integer",
  "traits": {
    "smithy.api#range": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  },
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 3
    }
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The key name.</p>"
    }
  },

  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  },
  "com.amazonaws.licensemanager#MetadataList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Metadata"
    }
  },
  "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#Options": {
    "type": "structure",
    "members": {
      "ActivationOverrideBehavior": {
        "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
        "traits": {
          "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n

```

```

    </li>\n    </li>\n    <p>As a grantor, you can optionally specify an\n
    <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n    account in your
    organization.</p>\n    </li>\n    </li>\n    <p>As a grantee, if the grantor creating the distributed
    grant doesnt specify an\n    <code>ActivationOverrideBehavior</code>, you can optionally specify one
    when you\n    are activating the grant.</p>\n    </li>\n    </ul>\n    <dl>\n
    <dt>DISTRIBUTED_GRANTS_ONLY</dt>\n    <dd>\n    <p>Use this value to activate a grant
    without replacing any member accounts\n    active grants for the same product.</p>\n    </dd>\n
    <dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n    <dd>\n    <p>Use this value to activate a
    grant and disable other active grants in any\n    member accounts
    for the same product. This action will also replace their\n    previously activated grants with this activated
    grant.</p>\n    </dd>\n    </dl>"
    }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
    such as activation\n    override behavior. For more information, see <a
    href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
    License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "com.amazonaws.licensemanager#OrganizationConfiguration": {
    "type": "structure",
    "members": {
      "EnableIntegration": {
        "target": "com.amazonaws.licensemanager#Boolean",
        "traits": {
          "smithy.api#default": false,
          "smithy.api#documentation":
            "<p>Enables Organizations integration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
  }
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ProductInformation": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "ProductInformationFilterList": {
      "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
      "traits": {
        "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n
<p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n
<p>The following filters and are supported when
the resource type \n
is <code>SSM_MANAGED</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Application Name</code> - The name of the
application.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Publisher</code> - The publisher of the application.\n
Logical
operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Version</code> - The version of the application.\n
Logical operator is
<code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform
Name</code> - The name of the platform.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n
</p>\n
</li>\n
<li>\n
<p>\n
<code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n
Logical operator is <code>NOT_EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>License Included</code> - The type of license included.\n
Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n
Possible values are:
<code>sql-server-enterprise</code> | \n
<code>sql-server-standard</code> | \n
<code>sql-server-
web</code> | \n
<code>windows-server-datacenter</code>.</p>\n
</li>\n
</ul>\n
<p>The following filters and logical operators are supported when the resource type\n
is
<code>RDS</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Engine Edition</code> -
The edition of the database engine.\n
Logical operator is <code>EQUALS</code>.\n
Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>License Pack</code> - The license

```

```

pack.\n      Logical operator is <code>EQUALS</code>.\n      Possible values are: <code>data
guard</code> | \n      <code>diagnostic pack sqlt</code> | \n
      <code>tuning pack sqlt</code> | \n      <code>ols</code> | \n      <code>olap</code>.</p>\n
</li>\n      </ul>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",

      "traits": {
        "smithy.api#documentation": "<p>Filter value.</p>"
      }
    },
    "ProductInformationFilterComparator": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Logical operator.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
  }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {

```

```

    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ProductInformation"
    }
  },
  "com.amazonaws.licensemanager#ProvisionalConfiguration": {
    "type": "structure",
    "members": {
      "MaxTimeToLiveInMinutes": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
      },
      "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 429
    }
  },
  "com.amazonaws.licensemanager#ReceivedMetadata": {
    "type": "structure",
    "members": {
      "ReceivedStatus": {
        "target": "com.amazonaws.licensemanager#ReceivedStatus",
        "traits": {
          "smithy.api#documentation": "<p>Received status.</p>"
        }
      }
    },
    "ReceivedStatusReason": {

```

```

        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
            "smithy.api#documentation": "<p>Received
status reason.</p>"
        }
    },
    "AllowedOperations": {
        "target": "com.amazonaws.licensemanager#AllowedOperationList",
        "traits": {
            "smithy.api#documentation": "<p>Allowed operations.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
    "type": "enum",
    "members": {
        "PENDING_WORKFLOW": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "PENDING_WORKFLOW"
            }
        },
        "PENDING_ACCEPT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue":
"PENDING_ACCEPT"
            }
        },
        "REJECTED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "REJECTED"
            }
        },
        "ACTIVE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "ACTIVE"
            }
        },
        "FAILED_WORKFLOW": {
            "target": "smithy.api#Unit",
            "traits": {

```



```

        "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
},
"DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DELETED"
    }
},
"DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DISABLED"
    }
},
"WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
}
},
"com.amazonaws.licensemanager#RedirectException": {
    "type": "structure",
    "members": {
        "Location": {
            "target": "com.amazonaws.licensemanager#Location",
            "traits": {
                "smithy.api#httpHeader": "Location"
            }
        },
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 308
    }
},
"com.amazonaws.licensemanager#RejectGrant": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#RejectGrantRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",

```

```

"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Grant ARN.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "WEEKLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Weekly"
      }
    },
    "MONTHLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Monthly"
      }
    }
  }
}
},

```

```

"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
    }
  },
  "com.amazonaws.licensemanager#ReportFrequency": {
    "type": "structure",
    "members": {
      "value": {
        "target": "com.amazonaws.licensemanager#Integer",
        "traits": {
          "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n      The only supported value is <code>1</code>.</p>"
        }
      },
      "period": {
        "target": "com.amazonaws.licensemanager#ReportFrequencyType",

        "traits": {
          "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
      }
    },
    "com.amazonaws.licensemanager#ReportFrequencyType": {
      "type": "enum",
      "members": {
        "DAY": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "DAY"
          }
        }
      }
    }
  }

```

```

    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "MONTH"
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    },
    "ReportType": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",
      "traits": {
        "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
      }
    },
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
      }
    }
  }
}

```

```

    }
  },
  "LastRunStatus": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
    }
  },
  "LastRunFailureReason": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
  },
  "LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
  },
  "ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },

```

```

    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
      }
    }
  }
},
  "LICENSE_CONFIGURATION_USAGE_REPORT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "LicenseConfigurationUsageReport"
    }
  }
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {

```

```

    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {
    "ResourceId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "Platform": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform of the resource.</p>"
      }
    },
    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a resource.</p>"
  }
}

```



```

},
"com.amazonaws.licensemanager#ResourceInventoryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ResourceInventory"
  }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ResourceLimitExceeded",

      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "EC2_INSTANCE"
    }
},
"EC2_HOST": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_HOST"
    }
},
"EC2_AMI": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_AMI"
    }
},
"RDS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "RDS"
    }
},
"SYSTEMS_MANAGER_MANAGED_INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
      },
      "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
      "smithy.api#error": "server",
      "smithy.api#httpError": 500
    }
  },
  "com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 4096
      }
    }
  },
  "com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 400
      },
      "smithy.api#pattern": "^[\\s\\S]+$"
    }
  },
  "com.amazonaws.licensemanager#String": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#StringList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "com.amazonaws.licensemanager#Tag": {

```

```

"type": "structure",
"members": {
  "Key": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Tag key.</p>"
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Tag value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  },
  "com.amazonaws.licensemanager#TagKeyList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "com.amazonaws.licensemanager#TagList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Tag"
    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {

```

```

"TokenId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token ID.</p>"
  }
},
"TokenType": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"ExpirationTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
  }
},
"TokenProperties": {
  "target": "com.amazonaws.licensemanager#MaxSize3StringList",
  "traits": {
    "smithy.api#documentation": "<p>Data specified by the caller.</p>"
  }
},
"RoleArns": {
  "target": "com.amazonaws.licensemanager#ArnList",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
  }
}
"traits": {

```

```

    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {
    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  }
},
"com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#UntagResource": {
  "type": "operation",

```

```



```



```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
"target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseConfigurationStatus": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
    "traits": {
      "smithy.api#documentation": "<p>New status of the license configuration.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {

"smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",

```

```

      "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
      }
    },
    "DisassociateWhenNotFound": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
      }
    }
  },
  "traits":
{
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation":
          "<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n        <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n      </li>\n      <li>\n        <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n      </li>\n    </ul>",
        "smithy.api#required": {}
      }
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {

```

```

        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
    }
},
"ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
{
        "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
        "smithy.api#required": {}
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
    },
    "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    }
  }
},

```

```

    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
      "type": "structure",
      "members": {},
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#UpdateServiceSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
      }
    },
  },

```

```

"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {

```



```

}

result,
metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
c.addOperationAssociateLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
    middleware.After)
    if err != nil {
        return err
    }
}

```

```

err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {

```

```

if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
    return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
    return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(

```

```

    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "grafana"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this
context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:

```

```

    break
  }
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
  EndpointResolver: options.EndpointResolverV2,
  BuiltInResolver: &builtInResolver{
    Region:    options.Region,
    UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
    UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
    Endpoint:   options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package licensemanager
```

```

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
  if params == nil {
    params = &CreateLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
  if err != nil {
    return nil, err
  }
}

```

```

out := result.(*CreateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CreateLicenseInput
struct {

// License beneficiary.
//
// This member is required.
Beneficiary *string

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Configuration for consumption of the license. Choose a provisional
// configuration for workloads running with continuous connectivity. Choose a
// borrow configuration for workloads with offline usage.
//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.

```



```

//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err

```

```

!= nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {

```

```

return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName:
"license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)

```

```

if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint,
err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports
            %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

```

```

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return
    stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}

```

1.86 aws-aws-sdk-go-v2-aws-protocol-eventstream 1.4.14

1.86.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,

```

```

c.addOperationCheckoutLicenseMiddlewares)
if
err != nil {
return nil, err
}

out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutLicenseInput struct {

// Checkout type.
//
// This member is required.
CheckoutType types.CheckoutType

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

```

```

type CheckoutLicenseOutput struct {

    // Checkout type.
    CheckoutType types.CheckoutType

    // Allowed license entitlements.
    EntitlementsAllowed []types.EntitlementData

    // Date and time
    at which the license checkout expires.
    Expiration *string

    // Date and time at which the license checkout is issued.
    IssuedAt *string

    // Amazon Resource Name (ARN) of the checkout license.
    LicenseArn *string

    // License consumption token.
    LicenseConsumptionToken *string

    // Node ID.
    NodeId *string

    // Signed token.
    SignedToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
}

```



```

if err
= awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```

```

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme
:= range authSchemes {
    switch authScheme.(type) {

```

```

case *internalauth.AuthenticationSchemeV4:
    v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
    var signingName, signingRegion string
    if v4Scheme.SigningName == nil {
        signingName = "license-manager"
    } else {
        signingName = *v4Scheme.SigningName
    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme,
    _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,

```

```
BuiltInResolver:
&builtInResolver{
  Region:    options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
  Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${{ github.event.pull_request.base.sha }}

\${{ github.sha }} > refDiffFiles.txt

- name: Get Target Files

run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt

- name: Checkout scancode

uses: actions/checkout@v2

with:

repository: nexB/scancode-toolkit

path: scancode-toolkit

fetch-depth: 1

- name: Set up Python \${{ matrix.python-version }}

```

uses: actions/setup-python@v2
with:
  python-version: ${ { matrix.python-version } }
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        },
        "Operator": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
          "traits": {
            "smithy.api#documentation": "<p>An operator for filtering results.</p>"
          }
        }
      }
    }
  },
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/GetServiceSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {}
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
    "type": "structure",

```

```

"members": {
  "LinuxSubscriptionsDiscovery": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
    "traits": {
      "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    }
  },
  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {

```



```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
    }
  },
  "InstanceType": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The instance type of the resource.</p>"
    }
  },
},
"AccountID": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of the instance.</p>"
  }
},
"Region": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
  }
},
"UsageOperation": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
  }
},
"ProductCode": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
  "traits": {
    "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
  }
},
"LastUpdatedTime": {

```

```

        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
        }
    },
    "SubscriptionName": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
    "type": "service",
    "version": "2018-05-10",
    "operations": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],

  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",

"x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ],
      "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
      ]
    },
    "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
    "smithy.api#title": "AWS License Manager Linux Subscriptions",
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {
        "Region": {
          "builtIn": "AWS::Region",

```

```

        "required": false,
        "documentation": "The
AWS region used to dispatch the request.",
        "type": "String"
    },
    "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
    },
    "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

"type": "Boolean"
    },
    "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",

```

```

        "argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    },
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {

"conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [],

"endpoint": {
            "url": {
                "ref": "Endpoint"
            },
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
    ]
}
]
},
{

```

```

"conditions": [],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
"argv": [
          {
            "ref": "Region"
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "aws.partition",
            "argv": [
              {
                "ref": "Region"
              }
            ]
          }
        ],
"assign": "PartitionResult"
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ],
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {

```

```

        "ref": "UseDualStack"
    },
    true
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {

                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ],
        {
            "fn": "booleanEquals",
            "argv": [
                true,
                {
                    "fn": "getAttr",
                    "argv": [
                        {
                            "ref": "PartitionResult"
                        },
                        "supportsDualStack"
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
        "type": "error"
    }
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,

```



```

{
    "fn": "getAttr",
    "argv": [
        {
            "ref": "PartitionResult"
        },
        "supportsFIPS"
    ]
    }
    ]
    }
    ],
    "type": "tree",

    "rules": [
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        },
        {
            "conditions": [],
            "error": "FIPS is enabled but this partition does not support FIPS",
            "type": "error"
        }
    ]
},

{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {

```

```

        "ref": "UseDualStack"
    },
    true
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsDualStack"
                        ]
                    }
                ]
            }
        ]
    },
    {
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "type": "tree",
                "rules": [
                    {
                        "conditions": [],
                        "endpoint": {
                            "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                            "properties": {},
                            "headers": {}
                        },
                        "type": "endpoint"
                    }
                ]
            }
        ]
    }
],

```

```

{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
]
}
],
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
"endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
},
"params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint":
    {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint":
    {
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
      }
    }
  }

```

```

    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
  }
}

```

```

    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {

"Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {

```



```

        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",

"UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,

```

```

        "UseDualStack": false,

        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "Enabled",
                "value": "Enabled",
                "documentation": "Enabled LinuxSubscriptionsDiscovery"
            },
            {
                "name": "Disabled",
                "value": "Disabled",
                "documentation": "Disabled LinuxSubscriptionsDiscovery"
            }
        ]
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
    "type": "structure",

```

```

"members": {
  "SourceRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "OrganizationIntegration": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
    "traits": {
      "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
  "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n  subscriptions.</p>",
    "smithy.api#http": {

```

```

"code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptionInstances"
},
"smithy.api#idempotent": {},
"smithy.api#paginated": {
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "Instances"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of <code>AmiID</code> with an optional operator to see subscriptions that match, partially match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n<p>The valid names for this filter are:</p>\n<ul>\n<li>\n<p>\n<code>AmiID</code>\n</p>\n</li>\n<li>\n<p>\n<code>InstanceID</code>\n</p>\n</li>\n<li>\n<p>\n<code>AccountID</code>\n</p>\n</li>\n<li>\n<p>\n<code>Status</code>\n</p>\n</li>\n<li>\n<p>\n<code>Region</code>\n</p>\n</li>\n<li>\n<p>\n<code>UsageOperation</code>\n</p>\n</li>\n<li>\n<p>\n<code>ProductCode</code>\n</p>\n</li>\n<li>\n<p>\n<code>InstanceType</code>\n</p>\n</li>\n</ul>\n<p>The valid Operators for this filter are:</p>\n<ul>\n<li>\n<p>\n<code>contains</code>\n</p>\n</li>\n<li>\n<p>\n<code>>equals</code>\n</p>\n</li>\n<li>\n<p>\n<code>NotEqual</code>\n</p>\n</li>\n</ul>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>",
      "smithy.api#length": {

```

```

        "min": 1,
        "max": 16384
    }
}
},
"traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
    "type": "structure",
    "members": {
        "Instances": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
            "traits": {
                "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
        }
    ]
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n  organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/ListLinuxSubscriptions"
      },
      "smithy.api#idempotent": {},
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "Subscriptions"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n  partially match, or don't
match a certain subscription's name.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n
<li>\n    <p>\n      <code>Subscription</code>\n    </p>\n    </li>\n  </ul>\n
<p>The valid Operators for this filter are:</p>\n
  <ul>\n
    <li>\n      <p>\n        <code>contains</code>\n      </p>\n    </li>\n
    <li>\n      <p>\n        <code>equals</code>\n      </p>\n    </li>\n
    <li>\n      <p>\n        <code>NotEqual</code>\n      </p>\n    </li>\n  </ul>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>",
          "smithy.api#length": {

```

```

        "min": 1,
        "max": 16384
    }
}
},
"traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
    "type": "structure",
    "members": {
        "Subscriptions": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
            "traits": {
                "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "EQUAL",
                "value": "Equal",
                "documentation": "Equal operator"
            },
            {
                "name": "NOT_EQUAL",
                "value": "NotEqual",
                "documentation": "Not equal operator"
            },
            {
                "name": "CONTAINS",
                "value": "Contains",
                "documentation": "Contains operator"
            }
        ]
    }
}

```

```

    },
    "smithy.api#length": {
      "min": 1,
      "max": 20
    }
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "InProgress",
        "value": "InProgress",
        "documentation": "InProgress status"
      },
      {
        "name": "Completed",
        "value": "Completed",
        "documentation": "Completed status"
      },
      {
        "name": "Successful",

```



```

        "value": "Successful",
        "documentation": "Successful status"
    },
    {
        "name": "Failed",
        "value": "Failed",
        "documentation": "Failed status"
    }
]
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
    "type": "list",
    "member": {
        "target": "smithy.api#String",
        "traits":
{
            "smithy.api#length": {
                "min": 1,
                "max": 100
            }
        }
    },
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max": 100
        },
        "smithy.api#uniqueItems": {}
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
    "type": "map",
    "key": {
        "target": "smithy.api#String"
    },
    "value": {
        "target": "smithy.api#String"
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the subscription.</p>"
            }
        }
    }
}

```

```

    }
  },
  "Type": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
    }
  },
  "InstanceCount": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
    }
  },

```

```

"output": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/UpdateServiceSettings"
  },
  "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux
subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home
Region.</p>"
    }
    }
    },
    "com.amazonaws.licenseanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
        "type": "structure",
        "members": {
            "LinuxSubscriptionsDiscovery": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
                "traits": {
                    "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
                }
            },
            "LinuxSubscriptionsDiscoverySettings": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
                "traits": {
                    "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated
from.</p>"
                }
            },
            "Status": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#Status",
                "traits": {
                    "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
                }
            },
            "StatusMessage": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#StringMap",
                "traits": {
                    "smithy.api#documentation":
                    "<p>A message which details the Linux subscriptions service settings current status.</p>"
                }
            },
            "HomeRegions": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#StringList",
                "traits": {
                    "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n    subscriptions.</p>"
                }
            }
        }
    },

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
    "smithy.api#error": "client"
  }
}
}
}
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Removes the Grafana Enterprise license from a workspace.

```

func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata

```

```

= metadata
return out, nil
}

type DisassociateLicenseInput struct {

// The type of license to remove from the workspace.
//
// This member is required.
LicenseType types.LicenseType

// The ID of the workspace to remove the Grafana Enterprise license from.
//
// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```



```

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
&ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {

```

```

case *internalauth.AuthenticationSchemeV4:
    v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
    var signingName, signingRegion string
    if v4Scheme.SigningName == nil {
        signingName = "grafana"
    } else {
        signingName = *v4Scheme.SigningName
    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{

```

```

EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
  Region:    options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
  Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
  if params == nil {
    params = &CheckoutBorrowLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
  if err != nil {
    return nil, err
  }

  out := result.(*CheckoutBorrowLicenseOutput)
  out.ResultMetadata
  = metadata
  return out, nil
}

type CheckoutBorrowLicenseInput struct {

```

```

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Digital signature method. The possible value is JSON Web Signature (JWS)
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

```

```

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```

```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.

```



```

    // Setting this context value will cause the signer to extract it
    // and override the
value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"

```

```

"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

```

```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {

```

```

return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
}

```

```

BuiltInResolver builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError

```

```

if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "license-manager"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName ==
        nil {
            v4aScheme.SigningName = aws.String("license-manager")

```

```

    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

    // Token for the next set of results.
    NextToken *string

    noSmithyDocumentSerde
}

type ListLicensesOutput struct {

    // License details.
    Licenses []types.License

    // Token for the next set of results.
    NextToken *string

```



```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
    if
    err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID:
        ServiceID,
    SigningName: "license-manager",
    OperationName: "ListLicenses",
}
}

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint
    smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region

```

```

ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the
client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it

```

```

// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
if params == nil {

```

```

    params = &DeleteLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*DeleteLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

    // License status.
    Status types.LicenseDeletionStatus

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
}

```

```

}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}

```

```

}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "DeleteLicense",
    }
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,

```



```

) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(

```

```

    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:

```

```

    break
  }
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
  EndpointResolver:
options.EndpointResolverV2,
  BuiltInResolver: &builtInResolver{
    Region:    options.Region,
    UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
    UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
    Endpoint:  options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Checks in the specified license. Check in a license when it is no longer in use.
```

```
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
```

```
(*CheckInLicenseOutput, error) {
```

```
    if params == nil {
```

```
        params = &CheckInLicenseInput{}
```

```
    }
```

```
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
```

```
    c.addOperationCheckInLicenseMiddlewares)
```

```
    if err != nil {
```

```
        return nil, err
```

```
    }
```

```
    out := result.(*CheckInLicenseOutput)
```

```
    out.ResultMetadata = metadata
```

```
    return out, nil
```

```
}
```

```
type
```

```
CheckInLicenseInput struct {
```

```
    // License consumption token.
```

```
    //
```

```
    // This member is required.
```

```
    LicenseConsumptionToken *string
```

```
    // License beneficiary.
```

```
    Beneficiary *string
```

```
    noSmithyDocumentSerde
```

```
}
```

```

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
    err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
}

```

```

if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckInLicense",
}
}

```

```

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)

```

```

if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ :=
            authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName

```



```

== nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
```

```
    "context"
```

```
    "errors"
```

```
    "fmt"
```

```
    "github.com/aws/aws-sdk-go-v2/aws"
```

```
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
```

```
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
```

```
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
```

```
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
```

```
    smithyendpoints "github.com/aws/smithy-go/endpoints"
```

```
    "github.com/aws/smithy-go/middleware"
```

```
    smithyhttp "github.com/aws/smithy-go/transport/http"
```

```
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
```

```
..func(*Options)) (*ListReceivedLicensesOutput, error) {
```

```
    if params == nil {
```

```
        params = &ListReceivedLicensesInput{}
```

```
    }
```

```
    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
```

```
    c.addOperationListReceivedLicensesMiddlewares)
```

```
    if err != nil {
```

```
        return nil, err
```

```
    }
```

```
    out := result.(*ListReceivedLicensesOutput)
```

```
    out.ResultMetadata
```

```
    = metadata
```

```
    return out, nil
```

```
}
```

```
type ListReceivedLicensesInput struct {
```

```
    // Filters to scope the results. The following filters are supported:
```

```
    // - ProductSKU
```

```
    // - Status
```

```
    // - Fingerprint
```

```
    // - IssuerName
```

```
    // - Beneficiary
```

```
    Filters []types.Filter
```

```

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {

```

```

return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return
err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}

```



```

}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {

```

```

    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
  } else {
    signingRegion = *v4Scheme.SigningRegion
  }
  if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override
the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
  v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
  if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
  }
  if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
  EndpointResolver: options.EndpointResolverV2,
  BuiltInResolver: &builtInResolver{
    Region:    options.Region,
    UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
    UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
    Endpoint:  options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}

```

```

{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
      "type": "structure",
      "members": {
        "message": {
          "target": "smithy.api#String"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
        "smithy.api#error": "client"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
      "type": "structure",
      "members": {
        "DirectoryId": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation":
        "<p>Details about an Active Directory identity provider.</p>"
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        }
      ]
    }
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n    <p>Your estimated bill for charges on the number of users and related
costs will take 48\n    hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The identity provider of the user.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current state of the\n    resource.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
  },
  "output": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {

```



```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation":
                "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Domain": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The domain name of the user.</p>"
            }
        }
    }
}
}

```

```

    },
    "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
      "type": "structure",
      "members": {
        "InstanceUserSummary": {
          "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
          "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Attribute": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
          }
        },
        "Operation": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
          }
        },
        "Value": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>Value of the filter.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
      }
    },
  },

```

```

"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
    "type": "structure",
    "members": {
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      },
      "Settings": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
        "traits": {
          "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
          "smithy.api#required":
{}
        }
      },
      "Product": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
          "smithy.api#required": {}
        }
      },
      "Status": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The status of an identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    },
  },

```

```

    "FailureMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
    },
    "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
      }
    },
    "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
      "type": "structure",
      "members": {
        "InstanceId": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
            "smithy.api#required": {}
          }
        },
        "Status": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
            "smithy.api#required": {}
          }
        },
        "Products": {
          "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
            "smithy.api#required": {}
          }
        },
        "LastStatusCheckDate": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The date of the last status check.</p>"
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  },
  "AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
  },
  "DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
    "type": "service",

    "version": "2018-05-10",
    "operations": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
      }
    ],
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
    }
  }
],
  "traits": {
    "aws.api#service": {

```

```

    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  }
],
  "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager User Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      }
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,

```



```

        "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
    },
    "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
    },
    "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    },
    {
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            {
                                "ref": "UseFIPS"
                            }
                        ],
                        true
                    }
                ]
            }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",

```

```

        "type": "error"
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ]
    },
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "endpoint": {
        "url": {
            "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ]
},
"type": "tree",
"rules": [
    {
        "conditions": [
            {

```

```

        "fn": "aws.partition",
        "argv": [
            {
                "ref": "Region"
            }
        ],
        "assign": "PartitionResult"
    }
],
"type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    }
                                ]
                            }
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

        },
        "supportsFIPS"
    ]
}
]
},
{
    "fn": "booleanEquals",
    "argv": [
        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
                "supportsDualStack"
            ]
        }
    ]
},
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
]
},
{
    "conditions": [

```

```

        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    },
    {
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
],
    {

```

```

        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsDualStack"
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},

```

```

        "headers": {}
      },
      "type": "endpoint"
    }
  ]
},
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does
not support DualStack",
  "type": "error"
}
]
},
{
  "conditions": [],
  "endpoint": {
    "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  },
  "type": "endpoint"
}
]
}
]
},
{
  "conditions":
[],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,

```

```

        "UseDualStack": true
    }
},
{
    "documentation":
    "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {

```



```

        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},

```

```

{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
}

```

```

    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
  },

```



```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
  }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":

```

```

{
  "type": "structure",
  "members": {
    "IdentityProviderSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ]
}

```



```

],
"traits": {
  "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/instance/ListInstances"
  },
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceSummaries"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n    more sets of key-value pairs that you specify.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
  "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    }
  }
}

```

```

    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListProductSubscriptions"
    }
  }
}

```

```

    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "ProductUserSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
      "type": "structure",
      "members": {
        "ProductUserSummaries": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
          "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
          }
        },
        "NextToken": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
          "target":
"com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        },
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
        }
      ]
    }
  }
}

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
  {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceUserSummaries"
  }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {

```

```

    "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  }
},

```

```

"IdentityProvider": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a product for a user.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"SubscriptionStartDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
  }
},
"SubscriptionEndDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The end date of a subscription.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {

```



```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Settings": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n  subnets to provision VPC endpoints.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary":
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
    "traits": {
      "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
      "smithy.api#required": {}
    }
  }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 404
  }
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
    "type": "string",

    "traits": {
      "smithy.api#length": {
        "min": 5,
        "max": 200
      },
      "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Settings": {
    "type": "structure",
    "members": {
      "Subnets": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
        "traits": {
          "smithy.api#documentation":
            "<p>The subnets defined for the registered identity provider.</p>",
          "smithy.api#length": {
            "min": 1
          },
          "smithy.api#required": {}
        }
      },
      "SecurityGroupId": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
        "traits": {
          "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n    your VPC and the VPC endpoint for activation servers.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n    subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n    endpoints. The security group should permit inbound TCP port 1688
communication from resources\n    in the VPC.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity
provider.</p>\n    <note>\n    <p>Your estimated bill for charges on the number of users and related costs
will take 48\n    hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status)
in Amazon Web Services Billing.
For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n    monthly
charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
      "smithy.api#http": {
        "code": 200,

```

```

        "method": "POST",
        "uri": "/user/StartProductSubscription"
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "Domain": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The domain name of the user.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse": {
    "type": "structure",
    "members": {
        "ProductUserSummary": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StopProductSubscription"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
      "Username": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
      "smithy.api#required": {}
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required":
    {}
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#Subnet": {
  "type": "string",
  "traits": {
    "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Subnets": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnet"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/UpdateIdentityProviderSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
    "type": "structure",
    "members": {
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#required": {}
        }
      },
      "Product": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
          "smithy.api#required": {}
        }
      },
      "UpdateSettings": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
        "traits": {
          "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n  update any combination of settings in a single operation such as the:</p>\n
<ul>\n  <li>\n    <p>Subnets which you want to add to provision VPC endpoints.</p>\n    </li>\n
  <li>\n    <p>Subnets which you want to remove the VPC endpoints from.</p>\n    </li>\n
  <li>\n    <p>Security group ID which permits traffic to the VPC endpoints.</p>\n    </li>\n  </ul>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#required": {}
        }
      }
    }
  }
}

```



```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {

      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
    }
  },
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}

```

```

}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      },
      {
        "id": "Service",
        "namespace": "*"
      }
    ]
  },
  "shapes": {
    "com.amazonaws.licensemanager#AWSLicenseManager": {
      "type": "service",
      "version": "2018-08-01",
      "operations": [
        {
          "target": "com.amazonaws.licensemanager#AcceptGrant"
        },
        {
          "target": "com.amazonaws.licensemanager#CheckInLicense"
        },
        {
          "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
        },
        {

```

```

    "target": "com.amazonaws.licensemanager#CheckoutLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateGrantVersion"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateToken"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteToken"
  },
  {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
  },
},
{
  "target": "com.amazonaws.licensemanager#GetAccessToken"
},

```

```
{
  "target": "com.amazonaws.licensemanager#GetGrant"
},
{
  "target": "com.amazonaws.licensemanager#GetLicense"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
  "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
```

```

    "target": "com.amazonaws.licensemanager#ListLicenseVersions"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],

```

```

"traits": {
  "aws.api#service": {
    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",
    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software
vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
        "type": "Boolean"
      },
      "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",

```

```

        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
    }
]

```

```

    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
},
{
  "conditions": [
    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Region"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        },
        ],
      "assign": "PartitionResult"
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref":

```


"UseFIPS"

```
    },
    true
  ]
},
{
  "fn": "booleanEquals",
  "argv": [
    {
      "ref": "UseDualStack"
    },
    true
  ]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      true,
      {
        "fn": "getAttr",
        "argv": [
          {
            "ref": "PartitionResult"
          },
          "supportsDualStack"
        ]
      }
    ]
  }
]
```

"supportsDualStack"

]

```

        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
  "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
  "type": "error"
}
],
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseFIPS"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,

```

```

{
    "fn": "getAttr",
    "argv": [
        {
            "ref": "PartitionResult"
        },
        "supportsFIPS"
    ]
}
],
"type": "tree",
"rules": [

{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ]
},
"type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              }
            ],
          }
        ],
      }
    ],
    "supportsDualStack"
  ]
},
{
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
},
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does not support DualStack",
  "type": "error"
}
],
{
  "conditions": [],
  "endpoint": {
    "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  }
}

```

```

        },
        "type": "endpoint"
    }
]
}
],
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.af-south-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "af-south-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.ap-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "ap-east-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager.ap-northeast-1.amazonaws.com"
                }
            }
        }
    ]
}

```

```

    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

{
  "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-1.amazonaws.com"
    }
  }
},
{
  "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ca-central-1.amazonaws.com"
    }
  },

```

```

"params": {
  "Region": "ca-central-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-north-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region":
"eu-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```



```

{
  "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
  "expect": {

    "endpoint": {
      "url": "https://license-manager.eu-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,

    "UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },

```

```

    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.sa-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "sa-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {

```

```

"Region": "us-west-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",

```

```

        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
    "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}

```

```

    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {

```



```

        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled
but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    }
}

```

```

    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

"expect": {
    "endpoint": {
        "url": "https://example.com"
    }
},
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,

"UseDualStack": false,
        "Endpoint": "https://example.com"
    }
}

```

```

    },
    {
      "documentation": "For custom endpoint with fips enabled and dualstack disabled",
      "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "For custom endpoint with fips disabled and dualstack enabled",
      "expect": {
        "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "Missing region",
      "expect": {
        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
  },
  "errors": [
    {

```

```

        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
}
],
"traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant

```

```

ARN.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
},
"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    }
  },
  "ALL_GRANTS_PERMITTED_BY_ISSUER": {}
}

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
        }
    }
},
"com.amazonaws.licensemanager#AllowedOperation": {
    "type": "enum",
    "members": {
        "CREATE_GRANT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CreateGrant"
            }
        },
        "CHECKOUT_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckoutLicense"
            }
        },
        "CHECKOUT_BORROW_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckoutBorrowLicense"
            }
        },
        "CHECK_IN_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "CheckInLicense"
            }
        },
        "EXTEND_CONSUMPTION_LICENSE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "ExtendConsumptionLicense"
            }
        },
        "LIST_PURCHASED_LICENSES": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "ListPurchasedLicenses"
            }
        }
    }
},

```

```

    "CREATE_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateToken"
      }
    }
  },
  "com.amazonaws.licensemanager#AllowedOperationList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#AllowedOperation"
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max":
7
      }
    }
  },
  "com.amazonaws.licensemanager#Arn": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 2048
      },
      "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
    }
  },
  "com.amazonaws.licensemanager#ArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    }
  },
  "com.amazonaws.licensemanager#AuthorizationException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError":

```

```

{
    "code": "AuthorizationFailure",
    "httpResponseCode": 403
  },
  "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 403
}
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},
"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "MaxTimeToLiveInMinutes": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
      "smithy.api#required": {}
    }
  }
}

```



```

},
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  }
}

```

```

    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
        "smithy.api#required": {}
      }
    },
    },
    "DigitalSignatureMethod": {
      "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
      "traits": {
        "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a
href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
        "smithy.api#required": {}
      }
    },
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    },
    "CheckoutMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
      }
    },
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"LicenseConsumptionToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License consumption token.</p>"
  }
},
"EntitlementsAllowed":
{
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"SignedToken": {
  "target": "com.amazonaws.licensemanager#SignedToken",
  "traits": {
    "smithy.api#documentation": "<p>Signed token.</p>"
  }
},
"IssuedAt": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
  }
},
"Expiration": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
  }
},
"CheckoutMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Information about constraints.</p>"
  }
}
},

```

```

"traits": {
  "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n    <p>If the
account that created the license is the same that is performing the check out, you must\n    specify the account

```

```

as the beneficiary.<p>\n    </note>"
    }
  },
  "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
    "type": "structure",
    "members": {
      "ProductSKU": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Product
SKU.</p>",
          "smithy.api#required": {}
        }
      },
      "CheckoutType": {
        "target": "com.amazonaws.licensemanager#CheckoutType",
        "traits": {
          "smithy.api#documentation": "<p>Checkout type.</p>",
          "smithy.api#required": {}
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
          "smithy.api#required": {}
        }
      },
      "Entitlements": {
        "target": "com.amazonaws.licensemanager#EntitlementDataList",
        "traits": {
          "smithy.api#documentation": "<p>License entitlements.</p>",
          "smithy.api#required": {}
        }
      },
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
          "smithy.api#required": {}
        }
      },
      "Beneficiary": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License beneficiary.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "IssuedAt": {

```



```

    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
      "PROVISIONAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PROVISIONAL"
        }
      },
      "PERPETUAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PERPETUAL"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 36
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ClientToken": {
      "type": "string",
      "traits": {
        "smithy.api#length": {
          "min": 0,
          "max": 2048
        },
        "smithy.api#pattern": "^\\S+$"
      }
    },
    "com.amazonaws.licensemanager#ConflictException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "ConflictException",
          "httpResponseCode":
409
        },
        "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 409
      }
    },
    "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
      "type": "structure",
      "members": {
        "ResourceType": {
          "target": "com.amazonaws.licensemanager#ResourceType",
          "traits": {
            "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
          }
        },
        "ConsumedLicenses": {
          "target": "com.amazonaws.licensemanager#BoxLong",
          "traits": {
            "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
          }
        }
      }
    },
  },

```

```

"traits": {
  "smithy.api#documentation": "<p>Details about license consumption.</p>"
}
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"LicenseArn": {

```

```

    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Principals": {
    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n  <ul>\n    <li>\n      <p>An Amazon Web Services account, which includes only the account specified.</p>\n    </li>\n    <ul>\n      <li>\n        <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n      </li>\n    </ul>\n    <li>\n      <p>An organization, which will include all accounts across your organization.</p>\n    </li>\n  </ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
}

```

```

    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrantVersionRequest": {
    "type": "structure",
    "members": {
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        }
      }
    },
    "smithy.api#required": {}
  },
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>"
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  }
}

```

```

    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the grant.</p>"
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",

```



```

"input": {
  "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n      blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
      "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n      <ul>\n        <li>\n          <p>\n            <code>Cores</code> dimension: <code>allowedTenancy</code> |\n            <code>licenseAffinityToHost</code> |\n            <code>maximumCores</code> |\n            <code>minimumCores</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>Instances</code> dimension: <code>allowedTenancy</code> |\n            <code>maximumCores</code> |\n            <code>minimumCores</code> |\n            <code>maximumSockets</code> | <code>minimumSockets</code> |\n            <code>maximumVcpus</code> | <code>minimumVcpus</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n            <code>licenseAffinityToHost</code> |\n            <code>maximumSockets</code> |\n            <code>minimumSockets</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n            <code>honorVcpuOptimization</code> |\n            <code>maximumVcpus</code> |\n            <code>minimumVcpus</code>\n          </p>\n        </li>\n      </ul>\n      <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n      values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n      <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n      <code>True</code> and <code>False</code>.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is\n      uninstalled.</p>"
    }
  }
}

```

```

    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    },
    "DestinationLicenseContext": {
      "target": "com.amazonaws.licensemanager#LicenseConversionContext",
      "traits": {
        "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
      "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
    "type": "structure",
    "members": {
        "ReportGeneratorName":
    {
        "target": "com.amazonaws.licensemanager#ReportGeneratorName",
        "traits": {
            "smithy.api#documentation": "<p>Name of the report generator.</p>",
            "smithy.api#required": {}
        }
    },
    "Type": {
        "target": "com.amazonaws.licensemanager#ReportTypeList",
        "traits": {
            "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n    <ul>\n        <li>\n            <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n            <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n
</ul>",
            "smithy.api#required": {}
        }
    }
},
    "ReportContext": {
        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
            "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
            "smithy.api#required": {}
        }
    },
    "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
            "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
            "smithy.api#required": {}
        }
    },
    "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientRequestToken",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Description of the report generator.</p>"
        }
    },
    "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
            "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {
        "LicenseManagerReportGeneratorArn":
    {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
        }
    },
        "traits": {
            "smithy.api#output": {}
        }
    },
    "com.amazonaws.licensemanager#CreateLicenseRequest": {
        "type": "structure",
        "members": {
            "LicenseName": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>License name.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    }
}

```



```

    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    }
  },
}

```

```

"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target":
"com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "LicenseName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>License name.</p>",
            "smithy.api#required": {}
          }
        },
        "ProductName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Product name.</p>",
            "smithy.api#required": {}
          }
        },
        "Issuer": {
          "target": "com.amazonaws.licensemanager#Issuer",
          "traits": {
            "smithy.api#documentation": "<p>License issuer.</p>",
            "smithy.api#required": {}
          }
        },
        "HomeRegion": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Home Region of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "Validity": {
          "target": "com.amazonaws.licensemanager#DatetimeRange",
          "traits": {
            "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }

```

```

    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for workloads with offline\n    usage.</p>",
        "smithy.api#required": {}
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>",
        "smithy.api#required": {}
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>"
      }
    }
  },
  "traits": {

```

```

"smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT token used to get an access token. With an access token,\n    you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n    call License Manager to manage the specified license.</p>"
  },
  "com.amazonaws.licensemanager#CreateTokenRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n    JWT token.</p>",
            "smithy.api#required": {}
          }
        },
        "RoleArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n    License Manager does not check whether the roles are in use.</p>"
          }
        },
        "ExpirationInDays": {
          "target": "com.amazonaws.licensemanager#Integer",
          "traits": {
            "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
          }
        }
      }
    }
  }
}

```

```

    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n      to the amr claim of the JWT token.</p>"
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#CreateTokenResponse": {
      "type": "structure",
      "members": {
        "TokenId": {
          "target": "com.amazonaws.licensemanager#String",

          "traits": {
            "smithy.api#documentation": "<p>Token ID.</p>"
          }
        },
        "TokenType": {
          "target": "com.amazonaws.licensemanager#TokenType",
          "traits": {
            "smithy.api#documentation": "<p>Token type.</p>"
          }
        },
        "Token": {
          "target": "com.amazonaws.licensemanager#TokenString",
          "traits": {
            "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#DateTime": {

```



```

    "type": "timestamp"
  },
  "com.amazonaws.licensemanager#DatetimeRange": {
    "type": "structure",
    "members": {
      "Begin": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Start of the time range.</p>",
          "smithy.api#required": {}
        }
      },
      "End": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>End of the time range.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
                "smithy.api#required": {}
            }
        },
        "StatusReason": {
            "target": "com.amazonaws.licensemanager#StatusReasonMessage",
            "traits": {
                "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
            }
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Current version of the
grant.</p>",
            "smithy.api#required": {}
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        }
    }
}

```

```

    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicense": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {

```

```

        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
    },
}

"errors": [
    {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
    "type": "structure",
    "members":
{
    "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>ID of the license configuration.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action
deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It
has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the license.</p>",
      "smithy.api#required": {}
    }
  }
}

```

```

    {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
}

```



```

    }
  },
  "com.amazonaws.licensemanager#Entitlement": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
        }
      },
      "MaxCount": {
        "target": "com.amazonaws.licensemanager#Long",
        "traits": {
          "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
        }
      },
      "Overage": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
          "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
        }
      },
      "Unit": {
        "target": "com.amazonaws.licensemanager#EntitlementUnit",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement unit.</p>",
          "smithy.api#required": {}
        }
      },
      "AllowCheckIn": {
        "target":
"com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
          "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
        }
      }
    },
    "traits": {

```

```

    "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement
data value.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data unit.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

"smithy.api#enumValue": "Count"
  }
},

```

```
"NONE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "None"
  }
},
"SECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Seconds"
  }
},
"MICROSECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Microseconds"
  }
},
"MILLISECONDS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Milliseconds"
  }
},
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
```

```

"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits"
  }
}
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
}

```

```

    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },
  "KILOBITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits/Second"
    }
  },
  "MEGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue":
" Megabits/Second"
    }
  },
  "GIGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {

```

```

        "smithy.api#enumValue": "Gigabits/Second"
    }
},
"TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits/Second"
    }
},
"COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Count/Second"
    }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#Entitlement"
    }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
    }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
    "type": "enum",
    "members": {
        "COUNT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Count"
            }
        },
        "NONE": {
            "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "None"
    }
  },
  "SECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Seconds"
    }
  },
  "MICROSECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Microseconds"
    }
  },
  "MILLISECONDS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Milliseconds"
    }
  },
  "BYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  }

```



```

    },
    "KILOBYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobytes/Second"
      }
    },
    "MEGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabytes/Second"
      }
    },
    "GIGABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabytes/Second"
      }
    },
    "TERABYTES_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Terabytes/Second"
      }
    },
    "BITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bits/Second"
      }
    },
    "KILOBITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobits/Second"
      }
    },
    "MEGABITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabits/Second"
      }
    },
    "GIGABITS_PER_SECOND": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabits/Second"
      }
    }
  }

```

```

    }
  },
  "TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits/Second"
    }
  },
  "COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Count/Second"
    }
  }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementUsageList":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {

```

```

"type": "structure",
"members": {
  "LicenseConsumptionToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License consumption token.</p>",
      "smithy.api#required": {}
    }
  }
},
"DryRun": {
  "target": "com.amazonaws.licensemanager#Boolean",
  "traits": {
    "smithy.api#default": false,
    "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {

```

```

    "target": "com.amazonaws.licensemanager#Message"
  },
  "ErrorCode": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"traits": {
  "aws.protocols#awsQueryError": {
    "code": "FailedDependency",
    "httpResponseCode": 424
  },
  "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 424
}
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanager#FilterValues",
      "traits": {
        "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used
to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```

```

    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n      are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {

```

```

"AccessToken": {
  "target": "com.amazonaws.licensemanager#TokenString",
  "traits": {
    "smithy.api#documentation": "<p>Temporary access token.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {

```



```

"type": "structure",
"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
},
{
    "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
        }
      },
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
        }
      },
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>"
        }
      },
      "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Description of the license configuration.</p>"
        }
      },
      "LicenseCountingType": {
        "target": "com.amazonaws.licensemanager#LicenseCountingType",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License configuration status.</p>"
    }
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},

```

```

"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
      "traits": {
        "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
      }
    }
  }
}

```

```

    }
  },
  "SourceLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
    }
  },
  "DestinationLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
}

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {

```



```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
            "smithy.api#required":
        }
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {
        "ReportGenerator": {
            "target": "com.amazonaws.licensemanager#ReportGenerator",
            "traits": {
                "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>License version.</p>"
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#GetLicenseResponse": {
      "type": "structure",
      "members": {
        "License": {
          "target": "com.amazonaws.licensemanager#License",
          "traits": {
            "smithy.api#documentation": "<p>License details.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#GetLicenseUsage": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "target": "com.amazonaws.licensemanager#ValidationException"
    },
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
    }
  }
}

```

```

},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
  "type": "structure",
  "members": {
    "LicenseUsage": {
      "target":
"com.amazonaws.licensemanager#LicenseUsage",
      "traits": {
        "smithy.api#documentation": "<p>License usage details.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n      and so on.</p>"
      }
    }
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
    }
  }
}

```

```

    },
    "LicenseManagerResourceShareArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    },
    "ParentArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Parent ARN.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>",
        "smithy.api#required": {}
      }
    },
    "GranteePrincipalArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {

```

```

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
  "smithy.api#required": {}
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>",
    "smithy.api#required": {}
  }
},
"GrantedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Granted operations.</p>",
    "smithy.api#required": {}
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
},
"traits": {
  "smithy.api#documentation":

```

```

"<p>Describes a grant.</p>"
  }
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  }
},
"ACTIVE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "ACTIVE"
  }
},
"FAILED_WORKFLOW": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "FAILED_WORKFLOW"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
}

```

```

    },
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    }
  }
},
"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>"
  }
},
"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product SKU.</p>"
  }
}

```



```

    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Granted license metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
},
"com.amazonaws.licensemanager#ISO8601DateTime":
{
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|1-2)[0-9]T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[+-](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
  }
},
"com.amazonaws.licensemanager#Integer": {
  "type": "integer"
}

```

```

    },
    "com.amazonaws.licensemanager#InvalidParameterValueException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "InvalidParameterValueProvided",
          "httpResponseCode": 400
        },
        "smithy.api#documentation":
        "<p>One or more parameter values are not valid.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#InvalidResourceStateException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "InvalidResourceState",
          "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state.</p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#InventoryFilter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Name of the filter.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }

```

```

    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
  }
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    },
    "BEGINS_WITH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "BEGINS_WITH"
      }
    },
    "CONTAINS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CONTAINS"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#InventoryFilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#InventoryFilter"
      }
    },
    "com.amazonaws.licensemanager#Issuer": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Issuer name.</p>",
            "smithy.api#required": {}
          }
        },
        "SignKey": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
      }
    },
    "com.amazonaws.licensemanager#IssuerDetails": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Issuer name.</p>"
          }
        },
        "SignKey": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
          }
        },
        "KeyFingerprint": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>"
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#IssuerDetails",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>"
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

"smithy.api#documentation": "<p>Home Region of the license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>License status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>License metadata.</p>"
  }
},
"CreateTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>License
creation time.</p>"
  }
},

```

```

"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules.</p>"
      }
    }
  }
}

```



```

    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },
  "OwnerAccountId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
    }
  },
  "ConsumedLicenseSummaryList": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
    "traits": {
      "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
    }
  },
  "ManagedResourceSummaryList": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "AutomatedDiscoveryInformation": {
    "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
    "traits": {
      "smithy.api#documentation": "<p>Automated discovery information.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n    must be associated with a host), and the number of licenses purchased and used.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn":
    {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    },
    "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
      "type": "enum",
      "members": {
        "AVAILABLE": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "AVAILABLE"
          }
        },
        "DISABLED": {
          "target": "smithy.api#Unit",
          "traits": {
            "smithy.api#enumValue": "DISABLED"
          }
        }
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
      "type": "structure",
      "members": {
        "ResourceArn": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
  },
  "ResourceType": {
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
      "smithy.api#documentation": "<p>Type of resource.</p>"
    }
  },
  "ResourceStatus": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the resource.</p>"
    }
  },
  "ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },
  "AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
    }
  },

  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfiguration"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionContext": {
    "type": "structure",
    "members": {
      "UsageOperation": {
        "target": "com.amazonaws.licensemanager#UsageOperation",
        "traits": {
          "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
      }
    },
    "com.amazonaws.licensemanager#LicenseConversionTask": {
      "type": "structure",
      "members": {
        "LicenseConversionTaskId": {
          "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
          "traits": {
            "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
          }
        },
        "ResourceArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n  conversion task.</p>"
          }
        },
        "SourceLicenseContext": {
          "target": "com.amazonaws.licensemanager#LicenseConversionContext",
          "traits": {
            "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "DestinationLicenseContext": {
    "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
    "traits": {
      "smithy.api#documentation": "<p>The status of the conversion task.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
    }
  },
  "StartTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {

```

```

    "type": "string",
    "traits": {

    "smithy.api#length": {
        "min": 0,
        "max": 50
    },
    "smithy.api#pattern": "^lct-[a-zA-Z0-9]*$"
    }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
    "type": "enum",
    "members": {
        "IN_PROGRESS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "IN_PROGRESS"
            }
        },
        "SUCCEEDED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "SUCCEEDED"
            }
        },
        "FAILED": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "FAILED"
            }
        }
    }
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
        "VCPU": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "vCPU"
            }
        }
    }
}

```

```

    },
    "INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Instance"
      }
    },
    "CORE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Core"
      }
    },
    "SOCKET": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Socket"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
  "type": "enum",
  "members": {
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {

```



```

"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Resource type.</p>"
  }
},
"ErrorMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Error message.</p>"
  }
},
"FailureTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Failure time.</p>"
  }
},
"OperationName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the operation.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {

```

```

        "smithy.api#documentation": "<p>Reserved.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
    }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "AmiAssociationScope": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
},
"com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
        "AVAILABLE": {

```

```

    "target": "smithy.api#Unit",

    "traits": {
        "smithy.api#enumValue": "AVAILABLE"
    }
},
"PENDING_AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "PENDING_AVAILABLE"
    }
},
"DEACTIVATED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DEACTIVATED"
    }
},
"SUSPENDED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SUSPENDED"
    }
},
"EXPIRED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EXPIRED"
    }
},

"PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
    }
},
"DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DELETED"
    }
}
},
"com.amazonaws.licensemanager#LicenseUsage": {
    "type": "structure",
    "members": {

```

```

    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseUsageException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "LicenseUsageFailure",
        "httpResponseCode": 412
      },
      "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 412
    }
  },
  "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",

```

```

"members": {
  "LicenseConfigurationAssociations": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
    "traits": {
      "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
    "type": "structure",
    "members": {
        "GrantArns": {
            "target": "com.amazonaws.licensemanager#ArnList",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
                <ul>\n
                <li>\n
                <p>\n
                <code>LicenseArn</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>GrantStatus</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>GranteePrincipalARN</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>ProductSKU</code>\n
                </p>\n
                </li>\n
                <li>\n
                <p>\n
                <code>LicenseIssuerName</code>\n
                </p>\n
                </li>\n
                </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
    "type": "structure",

```

```

"members": {
  "Grants": {
    "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
  "smithy.api#documentation": "<p>Distributed grant details.</p>"
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
"target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
  }
}

```



```

    },
    "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
            "smithy.api#required": {}
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#BoxInteger",
          "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
  {
    "type": "structure",
    "members": {
      "LicenseOperationFailureList": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
        "traits": {
          "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  }

```

```

    },
    "com.amazonaws.licensemanager#ListLicenseConfigurations": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists the license configurations for your account.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArns": {
          "target": "com.amazonaws.licensemanager#StringList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license configurations.</p>"
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#BoxInteger",
          "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#Filters",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    }
  }

```

```

    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n    </p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTasks": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":

```

```

"com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </li>\n    </ul>\n"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
  "type": "structure",
  "members": {
    "ReportGenerators": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorList",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {
        "LicenseSpecifications": {
            "target": "com.amazonaws.licensemanager#LicenseSpecifications",
            "traits": {
                "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
            }
        }
    },
}

```



```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#ListLicenseVersions": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }

```

```

    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  }
},

"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
    <ul>\n
    <li>\n
    <p>\n
    <code>Beneficiary</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>ProductSKU</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>Fingerprint</code>\n
    </p>\n
    </li>\n
    <li>\n
    <p>\n
    <code>Status</code>\n
    </p>\n
    </li>\n
    </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ParentArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranteePrincipalArn</code>\n
          </p>\n
        </li>\n
      </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n  </ul>\n    <code>GranterAccountId</code>\n  </p>\n  </li>\n  </ul>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
}

```

```

    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
    "type": "structure",
    "members": {
      "Grants": {
        "target": "com.amazonaws.licensemanager#GrantList",
        "traits": {
          "smithy.api#documentation": "<p>Received grant details.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists received licenses.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanager#FilterList",
            "traits": {
                "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n    <ul>\n        <li>\n            <p>\n                <code>Beneficiary</code>\n            </li>\n            <li>\n                <p>\n                    <code>ProductSKU</code>\n                </p>\n            </li>\n        </ul>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#MaxSize100",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
    "type": "structure",
    "members": {
        "Licenses": {
            "target": "com.amazonaws.licensemanager#GrantedLicenseList",
            "traits": {
                "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </li>\n    <li>\n      <p>\n        <code>IssuerName</code>\n      </li>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",

```

```

"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#GrantedLicenseList",
    "traits": {
      "smithy.api#documentation": "<p>Received license details.</p>"
    }
  },

  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators\n are supported:</p>\n <ul>\n <li>\n <p>\n <code>account_id</code>\n - The ID of the Amazon Web Services account that owns the resource.\n Logical operators are\n <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n <p>\n <code>application_name</code> - The name of the application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n </li>\n <li>\n <p>\n <code>license_included</code> - The type of license included. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n </li>\n <li>\n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n </li>\n <li>\n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n <p>\n <code>tag:key</code> - The key/value combination of a tag assigned \n to the resource. Logical operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> | <code>NOT_EQUALS</code> (cross account).</p>\n </li>\n </ul>"
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},

```

```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
    "type": "structure",
    "members": {
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the tags.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTokens": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTokensRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListTokensResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists your tokens.</p>"
  }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {

```



```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current
license consumption for any license inventory and configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>resourceArn</code> - The ARN of the license configuration resource.\n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>).\n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resourceAccount</code> - The ID of the account that owns the resource. \n          Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Location": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Long": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
      "ResourceType":
    {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
      "AssociationCount": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
  },
  "com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
      "smithy.api#range": {
        "min": 1,
        "max": 100
      }
    }
  },
  "com.amazonaws.licensemanager#MaxSize3StringList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#String"
    },
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 3
      }
    }
  },
  "com.amazonaws.licensemanager#Message": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Metadata": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The key name.</p>"
        }
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n    Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n    <ul>\n      <li>\n        <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
      </li>\n      <li>\n        <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n      </li>\n      <li>\n        <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n      </li>\n    </ul>\n    <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a

```

```

grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n          </dd>\n          </dl>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n          override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
    "smithy.api#required": {}
  }
},
"ProductInformationFilterList": {
  "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
  "traits": {
    "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n    <li>\n    <p>\n    <code>Application Name</code> - The name of the
application.\n    Logical operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Publisher</code> - The publisher of the application.\n    Logical
operator is <code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Application Version</code> - The version of the application.\n    Logical operator is
<code>EQUALS</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>Platform
Name</code> - The name of the platform.\n    Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n
    </li>\n    <li>\n    <p>\n    <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n    </p>\n    </li>\n    <li>\n    <p>\n    <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n    Logical operator is <code>NOT_EQUALS</code>.</p>\n    </li>\n
    <li>\n    <p>\n    <code>License Included</code> - The type of license included.\n    Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n    Possible values are:
<code>sql-server-enterprise</code> | \n    <code>sql-server-standard</code> | \n    <code>sql-server-
web</code> | \n    <code>windows-server-datacenter</code>.</p>\n    </li>\n    </ul>\n
    <p>The following filters and logical operators are supported when the resource type\n    is
<code>RDS</code>:</p>\n    <ul>\n    <li>\n    <p>\n    <code>Engine Edition</code> -
The edition of the database engine.\n    Logical operator is <code>EQUALS</code>.\n    Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n    </li>\n    <li>\n    <p>\n    <code>License Pack</code> - The license
pack.\n    Logical operator is <code>EQUALS</code>.\n    Possible values are: <code>data
guard</code> | \n    <code>diagnostic pack sqlt</code> | \n
    <code>tuning pack sqlt</code> | \n    <code>ols</code> | \n    <code>olap</code>.</p>\n
    </li>\n    </ul>",
    "smithy.api#required": {}
  }
}
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ProductInformationFilter": {
    "type": "structure",
    "members": {
      "ProductInformationFilterName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Filter name.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterValue": {
        "target": "com.amazonaws.licensemanager#StringList",

        "traits": {
          "smithy.api#documentation": "<p>Filter value.</p>"
        }
      },
      "ProductInformationFilterComparator": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Logical operator.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
  }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {

```



```

"MaxTimeToLiveInMinutes": {
  "target": "com.amazonaws.licensemanager#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "RateLimitExceeded",
      "httpResponseCode": 429
    },
    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Allowed operations.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  }
}

```

```

    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    },
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    }
  },
  "Status": {

```

```

    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "WEEKLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Weekly"
      }
    },
    "MONTHLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Monthly"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    },
    "period": {
      "target": "com.amazonaws.licensemanager#ReportFrequencyType",

      "traits": {
        "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    }
  },
}

```

```

    "MONTH": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "MONTH"
    }
  },
  "com.amazonaws.licensemanager#ReportGenerator": {
    "type": "structure",
    "members": {
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the report generator.</p>"
        }
      },
      "ReportType": {
        "target": "com.amazonaws.licensemanager#ReportTypeList",
        "traits": {
          "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
        }
      },
      "ReportContext": {
        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
          "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
      },
      "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
          "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
      },
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
      },
      "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
      }
    }
  }
}

```

```

    },
    "LastRunFailureReason":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
  },
  "LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
  },
  "ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}

```



```

}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
      }
    }
  }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "LicenseConfigurationUsageReport"
  }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {

```

```

"ResourceId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of resource.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"Platform": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform of the resource.</p>"
  }
},
"PlatformVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
  }
},
"ResourceOwningAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a resource.</p>"
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ResourceInventory"
  }
}

```

```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ResourceLimitExceeded",

      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "EC2_HOST"
    }
},
"EC2_AMI": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "EC2_AMI"
    }
},
"RDS": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "RDS"
    }
},
"SYSTEMS_MANAGER_MANAGED_INSTANCE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {

```

```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits":
{
    "smithy.api#length": {
        "min": 0,
        "max": 400
    },
    "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
    "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#String"
    }
},
"com.amazonaws.licensemanager#Tag": {
    "type": "structure",
    "members": {
        "Key": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Tag key.</p>"
            }
        }
    }
}
}

```

```

    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Tag value.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
},
"com.amazonaws.licensemanager#TagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#TagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#TagResourceResponse"
  },
  "errors": [
    {
      "target":
"com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ]
}

```

```

    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits":
    {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    }
  },
},

```

```

"TokenType": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"ExpirationTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
  }
},
"TokenProperties": {
  "target": "com.amazonaws.licensemanager#MaxSize3StringList",
  "traits": {
    "smithy.api#documentation": "<p>Data specified by the caller.</p>"
  }
},
"RoleArns": {
  "target": "com.amazonaws.licensemanager#ArnList",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",

```



```

    "member": {
      "target": "com.amazonaws.licensemanager#TokenData"
    }
  },
  "com.amazonaws.licensemanager#TokenString": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 4096
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#TokenType": {
    "type": "enum",
    "members": {
      "REFRESH_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "REFRESH_TOKEN"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
  {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#UntagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UntagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UntagResourceResponse"
    }
  },

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "TagKeys": {
      "target": "com.amazonaws.licensemanager#TagKeyList",
      "traits": {
        "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
    },
  },

```

```

"LicenseConfigurationStatus": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
  "traits": {
    "smithy.api#documentation": "<p>New status of the license configuration.</p>"
  }
},
"LicenseRules": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
  }
},
"Name": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>New description of the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>New product information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    },
    "traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n    </li>\n      <li>\n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n    </li>\n    </ul>",
        "smithy.api#required": {}
      }
    },
    "ReportContext": {
      "target": "com.amazonaws.licensemanager#ReportContext",
      "traits": {
        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
      }
    },
    "ReportFrequency": {
      "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

        "traits":
    {
        "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
        "smithy.api#required": {}
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },

    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  }
}

```



```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
  }
},
"SnsTopicArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
  }
},
"OrganizationConfiguration": {
  "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
  }
},
"EnableCrossAccountsDiscovery": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
  }
}
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {

```



```

    return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {

```

```

return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}
}

```

```

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("grafana")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return next.HandleSerialize(ctx, in)
}

```



```

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Creates a license.

```

```

func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

```

```

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.Entitlement

    // Home Region for the license.
    //
    // This member is required.
    HomeRegion *string

    // License issuer.
    //
    // This member is required.
    Issuer *types.Issuer

    // License name.
    //
    // This member is required.
    LicenseName *string

    // Product name.
    //
    // This member is required.
    ProductName *string

    // Product SKU.
    //

```

```

// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err
!= nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName:
"license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

```

```

}

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint,
err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)

```

```

var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{

```

```
Region: options.Region,  
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,  
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,  
Endpoint: options.BaseEndpoint,  
},  
}, "ResolveEndpoint", middleware.After)  
}
```

1.87 aws-aws-sdk-go-v2-service-ssooidc

1.17.3

1.87.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.88 aws-aws-sdk-go-v2 1.15.2

1.88.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.89 gettext 0.22.3-r0

1.89.1 Available under license :

@c The GNU Lesser General Public License.

@center Version 2.1, February 1999

@c This file is intended to be included within another document,

@c hence no sectioning command or @node.

@display

Copyright @copyright{ } 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

@end display

@subheading Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software---to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software---typically

libraries---of the Free

Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge

for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative

of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the @dfn{Lesser} General Public License because it does @emph{Less} to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a ``work based on the library" and a ``work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

@subheading TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

@enumerate 0

@item

This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other

authorized party saying it may be distributed under the terms of this Lesser General Public License (also called ``this License"). Each licensee is addressed as ``you".

A ``library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The ``Library", below, refers to any such software library or work which has been distributed under these terms. A ``work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it,

either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term ``modification".)

``Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

@item

You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

@item

You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

@enumerate a

@item

The modified work must itself be a software library.

@item

You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

@item

You must

cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

@item

If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

@end enumerate

These requirements apply to the modified work as a whole. If identifiable sections

of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

@item

You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

@item

You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

@item

A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a ``work that uses the Library''. Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a ``work that uses the Library'' with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a ``work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a ``work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

@item

As an exception to the Sections above, you may also combine or link a ``work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

@enumerate a

@item

Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable ``work that uses the Library'', as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

@item

Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

@item

Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

@item

If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

@item

Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

@end enumerate

For an executable, the required form of the ``work that uses the Library'' must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot

use both them and the Library together in an executable that you distribute.

@item

You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

@enumerate a

@item

Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

@item

Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

@end enumerate

@item

You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

@item

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

@item

Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the

original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

@item

If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

@item

If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

@item

The Free Software Foundation
may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
``any later version'', you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

@item

If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for
this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

@center @b{NO WARRANTY}

@item

BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY ``AS IS'' WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

@item

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE,
BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

@end enumerate

@subheading END OF TERMS AND CONDITIONS

@page

@subheading How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the ``copyright" line and a pointer to where the full notice is found.

@smallexample

@var{one line to give the library's name and an idea of what it does.}

Copyright (C) @var{year} @var{name of author}

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

@end

smallexample

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a ``copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

```
@smallexample
```

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the library  
'Frob' (a library for tweaking knobs) written by James Random Hacker.
```

```
@var{signature of Ty Coon}, 1 April 1990
```

```
Ty Coon, President of Vice
```

```
@end smallexample
```

That's all there is to it!

This subpackage is under the GPL, see file COPYING in the toplevel directory.

The libasprintf package is under the LGPL, see file COPYING.LIB.

```
@c The GNU General Public License.
```

```
@center Version 2, June 1991
```

```
@c This file is intended to be included within another document,
```

```
@c hence no sectioning command or @node.
```

```
@display
```

```
Copyright @copyright{ } 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
```

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

```
@end display
```

```
@heading Preamble
```

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software---to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it
to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect

your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

@heading TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

@enumerate 0

@item

This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The ``Program'', below, refers to any such program or work, and a ``work based on the Program'' means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term ``modification''.) Each licensee is addressed as ``you''.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

@item

You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

@item

You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

@enumerate a

@item

You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

@item

You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

@item

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

@end enumerate

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

@item

You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

@enumerate a

@item

Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

@item

Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

@item

Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

@end enumerate

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

@item

You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

@item

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

@item

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

@item

If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute

the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system;

it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

@item

If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

@item

The Free Software Foundation may publish revised and/or new versions

of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each

version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and ``any later version'', you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

@item

If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

@iftex

@heading NO WARRANTY

@end iftex

@ifinfo

@center

NO WARRANTY

@end ifinfo

@item

BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM ``AS IS'' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

@item

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO

LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

@end enumerate

@iftex

@heading END OF TERMS AND CONDITIONS

@end iftex

@ifinfo

@center END OF TERMS AND CONDITIONS

@end ifinfo

@page

@heading Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the ``copyright" line and a pointer to where the full notice is found.

@smallexample

@var{one line to give the program's name
and a brief idea of what it does.}

Copyright (C) @var{yyyy} @var{name of author}

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

@end smallexample

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
@smallexample
Gnomovision version
69, Copyright (C) @var{year} @var{name of author}
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
@end smallexample
```

The hypothetical commands @samp{show w} and @samp{show c} should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than @samp{show w} and @samp{show c}; they could even be mouse-clicks or menu items---whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a ``copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
@example
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

@var{signature of Ty Coon}, 1 April 1989
Ty Coon, President of Vice
@end example
```

This General

Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Except where otherwise noted in the source code (e.g. the files hash.c, list.c and the trio files, which are covered by a similar licence but with different Copyright notices) all the files are:

Copyright (C) 1998-2012 Daniel Veillard. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The gettext-runtime package is partially under the LGPL and partially under the GPL.

The following parts are under the LGPL, see file intl/COPYING.LIB:

- the libintl and libasprintf libraries and their header files,
- the libintl.jar Java library,
- the GNU.Gettext.dll C# library,
- the gettext.sh shells script function library.

The following parts are under the GPL, see file COPYING in the toplevel directory:

- the _programs_ gettext, ngettext, envsubst,
- the documentation.

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors

who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The

former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the

Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it

contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding

Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not

used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is

available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates

for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or

authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is

reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for

sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a

covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License,

section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/philosophy/why-not-lgpl.html>.

1.90 packaging 23.2

1.90.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.91 aws-sdk-go 1.46.7

1.91.1 Available under license :

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.92 nghttp2 1.58.0-r0

1.92.1 Available under license :

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

See COPYING

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This software is licensed under the MIT License.

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

If not otherwise noted, the extensions in this package are licensed under the following license.

Copyright (c) 2010 by the contributors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.93 xz 5.4.5-r0

1.93.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the

Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR
THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU  
General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
```

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy,

is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation

(including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

XZ Utils Licensing

=====

Different licenses apply to different files in this package. Here is a rough summary of which licenses apply to which parts of this package (but check the individual files to be sure!):

- liblzma is in the public domain.
- xz, xzdec, and lzmadec command line tools are in the public domain unless GNU getopt_long had to be compiled and linked in from the lib directory. The getopt_long code is under GNU LGPLv2.1+.
- The scripts to grep, diff, and view compressed files have been adapted from gzip. These scripts and their documentation are under GNU GPLv2+.
- All the documentation in the doc directory and most of the XZ Utils specific documentation files in other directories are in the public domain.

Note: The JavaScript files (under the MIT license) have been removed from the Doxygen-generated HTML version of the liblzma API documentation.

Doxygen itself is under the GNU GPL

but the remaining files generated by Doxygen are not affected by the licenses used in Doxygen because Doxygen licensing has the following exception:

"Documents produced by doxygen are derivative works derived from the input used in their production; they are not affected by this license."

- Translated messages are in the public domain.
- The build system contains public domain files, and files that are under GNU GPLv2+ or GNU GPLv3+. None of these files end up in the binaries being built.
- Test files and test code in the tests directory, and debugging utilities in the debug directory are in the public domain.
- The extra directory may contain public domain files, and files that are under various free software licenses.

You can do whatever you want with the files that have been put into the public domain. If you find public domain legally problematic, take the previous sentence as a license grant. If you still find the lack of copyright legally problematic, you have too many lawyers.

As usual, this software is provided "as is", without any warranty.

If you copy significant amounts of public domain code from XZ Utils into your project, acknowledging this somewhere in your software is polite (especially if it is proprietary, non-free software), but naturally it is not legally required. Here is an example of a good notice to put into "about box" or into documentation:

This software includes code from XZ Utils <<https://tukaani.org/xz/>>.

The following license texts are included in the following files:

- COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
- COPYING.GPLv2: GNU General Public License version 2
- COPYING.GPLv3: GNU General Public License version 3

Note that the toolchain (compiler, linker etc.) may add

some code

pieces that are copyrighted. Thus, it is possible that e.g. liblzma binary wouldn't actually be in the public domain in its entirety even though it contains no copyrighted code from the XZ Utils source package.

If you have questions, don't hesitate to ask the author(s) for more information.

1.94 utmps 0.1.2.2-r0

1.94.1 Available under license :

Copyright (c) 2018-2023 Laurent Bercot <ska-skaware@skarnet.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.95 brotli 1.1.0-r1

1.95.1 Available under license :

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF
OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.96 musl 1.2.4_git20230717-r4

1.96.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2019 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox
Alex Dowad
Alex Suykov
Alexander Monakov
Andre McCurdy
Andrew Kelley
Anthony G. Basile
Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham

Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehtens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Josiah Worcester
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka
Perkov
M Farkas-Dyck (Strake)
Mahesh Bodapati
Markus Wichmann
Masanori Ogino
Michael Clark
Michael Forney
Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc

Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or Copyright 2003-2009 Steven G. Kargl or Copyright 2003-2009 Bruce D. Evans or Copyright 2008 Stephen L. Moshier or Copyright 2017-2018 Arm Limited and labelled as such in comments in the individual source files. All have been licensed under extremely permissive terms.

The ARM memcpy code (`src/string/arm/memcpy_el.S`) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (src/crypt/crypt_des.c) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under the standard MIT terms.

The mips and microblaze ports were originally written by Richard Pennington for use in the ellcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contributors listed above. Details on authorship of individual files can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

In addition, permission is hereby granted for all public header files (include/* and arch/*/bits/*) and crt files intended to be linked into applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington

Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

1.97 wwidth 0.2.10

1.97.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jeff Quast <contact@jeffquast.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author disclaims all warranties with regard to this software.

1.98 prompt-toolkit 3.0.41

1.98.1 Available under license :

Copyright (c) 2014, Jonathan Slenders
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.99 zstd 1.5.5-r8

1.99.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is

allowed only for noncommercial distribution
and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.
BSD License

For Zstandard software

Copyright (c) Meta Platforms, Inc. and affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook, nor Meta, nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.100 pkgconf 2.1.0-r0

1.100.1 Available under license :

Copyright (c) 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018
pkgconf authors (see AUTHORS file in source directory).

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

This software is provided 'as is' and without any warranty, express or implied. In no event shall the authors be liable for any damages arising from the use of this software.

1.101 skalibs 2.14.0.1-r0

1.101.1 Available under license :

Copyright (c) 2011-2023 Laurent Bercot <ska-skaware@skarnet.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.102 cryptography 41.0.7

1.102.1 Available under license :

Copyright (c) Individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of PyCA Cryptography nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of *both* these licenses.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.103 alpine-baselayout 3.4.3-r2

1.103.1 Available under license :

```
# Automatically generated by apkbuild-cpan, template 3
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
pkgname=perl-bsd-resource
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgver=1.2911
pkgrel=9
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
```



```

depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL INSTALLDIRS=vendor
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"
# Contributor: Dhruvin Gandhi <contact@dhruvin.dev>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license-expression
pkgver=30.2.0
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
    --wheel-dir .dist \
    --output-fd 3 3>&1 >&2

```

```

}

check() {
python3 -m venv --clear --without-pip --system-site-packages .testenv
.testenv/bin/python3 -m installer .dist/*.whl
.testenv/bin/python3 -m pytest
}

package() {
python3 -m installer -d "$pkgdir" \
.dist/*.whl
}

sha512sums="
7be7ebab1d980063ab846a228c5247570d0e23ed52f4362ef7d88eb7a59274e6f74653b4e9cff8225597693087d750c5
bf7fcf604440d8d3d2976ebcd7442c24
license-expression-30.2.0.tar.gz
"
Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

```

# Maintainer: Jakub Panek <me@panekj.dev>
pkgname=cargo-license
pkgver=0.5.1
pkgrel=4
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all !s390x !riscv64" # rust
license="MIT"
makedepends="cargo cargo-auditable"
source="$_pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
4d8d430df91c6aac53d2305d3125eae492324e85c4db29d33d452b3848f33a55088e71247c6c72c6a62f4e924a374a
115bf14b4f398e7950b9eb52415f2244 cargo-license-0.5.1.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=1
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz"
options="!check" # no tests

```

```

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--localstatedir=/var/lib # it really shouldn't be in /var
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  bsd-games-3.3.tar.gz
"

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.22
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
mkdir -p "$pkgdir"
}

_subpkg() {

```

```
local type=${subpkgname/$pkgname-/  
pkgdesc="$pkgdesc ($type)"  
install_if="$pkgname"  
mkdir -p "$subpkgdir"/usr/share/spdx  
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/  
}
```

```
list() {  
  pkgdesc="$pkgdesc (licence list)"  
  mkdir -p "$subpkgdir"/usr/share/spdx  
  local i; for i in "$builddir"/text/*.txt; do  
    local license=${i##*/}  
    echo  
    ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst  
  done  
}
```

```
sha512sums="  
b213fe66699770d75a4c994a01a5c08325751423516c2fb871088a47e7e7ce605736064f5ce3a63dc1d3c462271832db  
7bc464ac968df1888f9823787964c786 license-list-data-3.22.tar.gz  
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Vintage Dreams Waves v 2.0. for Creative Labs' AWE Soundcards
(EMU Soundfont 2 Format)

Copyright (c) Ian Wilson, 1996 (Updated January 1998)

This soundfont is freeware. You may freely use and/or redistribute it subject to the following terms:

1. It is not altered, edited, modified, ripped, or converted to other formats, except for private use only.
2. It is distributed with this copyright notice.

This soundfont is distributed WITHOUT WARRANTY, and without the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. No liability or damages can be inferred upon the said copyright owner, Ian Wilson.

Any feedback, contact Ian Wilson.

vintagedreamworks@hotmail.com

<http://www.geocities.com/SiliconValley/Campus/8645/index.html>

<http://members.nbc.com/silicon39/>

<http://www.mp3.com/silicon39>

<https://analoguesque.x10host.com/>

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py3-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.4

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

options="!check" # No testsuite

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="py3-flake8 py3-setuptools"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}

replaces="py-flake8-copyright" # Backwards compatibility

provides="py-flake8-copyright=\${pkgver}-r\${pkgrel}" # Backwards compatibility

build() {

python3 setup.py build

}

package() {

python3 setup.py install --skip-build --root="\$pkgdir"

}

sha512sums="

a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237

b316bd503ae7dceed6ca284ccd5a74d flake8-copyright-0.2.4.tar.gz

"

```
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-igpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"
options="!check" # No test suite.
license="LGPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart_igpl/2.3/libart_igpl-$pkgver.tar.bz2"
"
```

```
builddir="$srcdir"/libart_igpl-$pkgver
```

```
prepare() {
  update_config_sub
  default_prepare
}
```

```
build() {
  ./configure \
  --build=$CBUILD \
  --host=$CHOST \
  --prefix=/usr
  make
}
```

```
package() {
  make DESTDIR="$pkgdir" install
}
```

```
sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_igpl-2.3.21.tar.bz2"
```

```
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.104 libmd 1.1.0-r0

1.104.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2009, 2011, 2016 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/sha2.h

src/sha2.c

Copyright:

Copyright 2000-2001, Aaron D. Gifford

All rights reserved.

License: BSD-3-clause-Aaron-D-Gifford

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTOR(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/rmd160.h

src/rmd160.c

Copyright:

Copyright 2001 Markus Friedl. All rights reserved.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

src/md2.c

Copyright:

Copyright (c) 2001 The NetBSD Foundation, Inc.

All rights reserved.

.

This code is derived from software contributed to The NetBSD Foundation by Andrew Brown.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/rmd160.3

man/sha1.3

man/sha2.3

Copyright:

Copyright 1997, 2003, 2004 Todd C. Miller <Todd.Miller@courtesan.com>

License: ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

man/mdX.3

src/helper.c

Copyright:

Poul-Henning Kamp <phk@login.dkuug.dk>

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you

can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

Files:

include/md4.h

src/md4.c

Copyright:

Colin Plumb

Todd C. Miller

License: public-domain-md4

This code implements the MD4 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Todd C. Miller modified the MD5 code to do MD4 based on RFC 1186.

Files:

include/md5.h

src/md5.c

Copyright:

Colin Plumb

License: public-domain-md5

This code implements the MD5 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Files:

include/sha1.h

src/sha1.c

Copyright:

Steve Reid <steve@edmweb.com>

License: public-domain-sha1

100% Public

Domain

1.105 bash 5.2.21-r0

1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1864350957_1704985109.2910182/0/bash-5-2-21-r0-tar-gz/bin/bash: binary file matches

Found in path(s):

* /bin/grep

1.106 oniguruma 6.9.9-r0

1.106.1 Available under license :

Oniguruma LICENSE

Copyright (c) 2002-2021 K.Kosako <kkosako0@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.107 libbsd 0.11.7-r3

1.107.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2004-2006, 2008-2022 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Files:

man/arc4random.3bsd

Copyright:

Copyright 1997 Niels Provos <provos@physnet.uni-hamburg.de>

All rights reserved.

License: BSD-4-clause-Niels-Provos

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed
by Niels Provos.
4. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/bsd/err.h
include/bsd/stdlib.h
include/bsd/sys/param.h
include/bsd/unistd.h
src/bsd_getopt.c
src/err.c
src/fgetln.c
src/progname.c

Copyright:

Copyright 2005, 2008-2012, 2019 Guillem Jover <guillem@hadrons.org>

Copyright 2005 Hector Garcia Alvarez

Copyright 2005 Aurelien Jarno

Copyright 2006 Robert Millan

Copyright 2018 Facebook, Inc.

License: BSD-3-clause

Files:

include/bsd/netinet/ip_icmp.h
include/bsd/sys/bitstring.h
include/bsd/sys/queue.h
include/bsd/sys/time.h
include/bsd/timeconv.h
include/bsd/vis.h
man/bitstring.3bsd
man/errc.3bsd
man/explicit_bzero.3bsd
man/fgetln.3bsd
man/fgetwln.3bsd
man/fpurge.3bsd
man/funopen.3bsd
man/getbsize.3bsd
man/heapsort.3bsd
man/nlist.3bsd
man/pwcache.3bsd
man/queue.3bsd
man/radixsort.3bsd
man/reallocarray.3bsd
man/reallocf.3bsd
man/setmode.3bsd
man/strmode.3bsd
man/strnstr.3bsd
man/strtoi.3bsd
man/strtou.3bsd
man/unvis.3bsd

man/vis.3bsd
man/wcsncpy.3bsd
src/getbsize.c
src/heapsort.c
src/merge.c
src/nlist.c
src/pwcache.c
src/radixsort.c
src/setmode.c
src/strmode.c
src/strnstr.c
src/strtoi.c
src/strtou.c
src/unvis.c

Copyright:

Copyright 1980, 1982, 1986, 1989-1994

The Regents of the University of California. All rights reserved.

Copyright 1992 Keith Muller.

Copyright 2001 Mike Barcroft <mike@FreeBSD.org>

.

Some code is derived from software contributed to Berkeley by the American National Standards Committee X3, on Information Processing Systems.

.

Some code is derived from software contributed to Berkeley by Peter McIlroy.

.

Some code is derived from software contributed to Berkeley by Ronnie Kon at Mindcraft Inc., Kevin Lew and Elmer Yglesias.

.

Some code is derived from software contributed to Berkeley by Dave Borman at Cray Research, Inc.

.

Some code is derived from software contributed to Berkeley by Paul Vixie.

.

Some code is derived from software contributed to Berkeley by Chris Torek.

.

Copyright UNIX System Laboratories, Inc.

All or some portions of this file are derived from material licensed to the University of California

by American Telephone and Telegraph

Co. or Unix System Laboratories, Inc. and are reproduced herein with the permission of UNIX System Laboratories, Inc.

License: BSD-3-clause-Regents

Files:

src/vis.c

Copyright:

Copyright 1989, 1993

The Regents of the University of California. All rights reserved.

.

Copyright 1999, 2005 The NetBSD Foundation, Inc.

All rights reserved.

License: BSD-3-clause-Regents and BSD-2-clause-NetBSD

Files:

include/bsd/libutil.h

Copyright:

Copyright 1996 Peter Wemm <peter@FreeBSD.org>.

All rights reserved.

Copyright 2002 Networks Associates Technology, Inc.

All rights reserved.

License: BSD-3-clause-author

Files:

man/timeradd.3bsd

Copyright:

Copyright 2009 Jukka Ruohonen <jruohonen@iki.fi>

Copyright 1999 Kelly Yancey <kbyanc@posi.net>

All rights reserved.

License: BSD-3-clause-John-Birrell

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of any co-contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY JOHN BIRRELL AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/setproctitle.3bsd

Copyright:

Copyright 1995 Peter Wemm <peter@FreeBSD.org>

All rights reserved.

License: BSD-5-clause-Peter-Wemm

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice immediately at the beginning of the file, without modification, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. This work was done expressly for inclusion into FreeBSD. Other use is permitted provided this notation is included.
4. Absolutely no warranty of function or purpose is made by the author Peter Wemm.
5. Modifications may be freely made to this file providing the above conditions are met.

Files:

include/bsd/stringlist.h

man/fmtcheck.3bsd

man/humanize_number.3bsd

man/stringlist.3bsd

man/timeval.3bsd

src/fmtcheck.c

src/humanize_number.c

src/stringlist.c

src/strtonum.c

Copyright:

Copyright 1994, 1997-2000, 2002, 2008, 2010, 2014

The NetBSD Foundation, Inc.

Copyright 2013 John-Mark Gurney <jmg@FreeBSD.org>

All rights reserved.

.

Some code was contributed to The NetBSD Foundation by Allen Briggs.

.

Some code was contributed to The NetBSD Foundation by Luke Mewburn.

.

Some code is derived from software contributed to The NetBSD Foundation by Jason R. Thorpe of the Numerical Aerospace Simulation Facility, NASA Ames Research Center, by Luke

Mewburn and by Tomas Svensson.

.
Some code is derived from software contributed to The NetBSD Foundation by Julio M. Merino Vidal, developed as part of Google's Summer of Code 2005 program.

.
Some code is derived from software contributed to The NetBSD Foundation by Christos Zoulas.

.
Some code is derived from software contributed to The NetBSD Foundation by Jukka Ruohonen.

License: BSD-2-clause-NetBSD

Files:

include/bsd/sys/endian.h

man/byteorder.3bsd

man/closefrom.3bsd

man/expand_number.3bsd

man/flopen.3bsd

man/getpeereid.3bsd

man/pidfile.3bsd

src/expand_number.c

src/pidfile.c

src/reallocf.c

src/timeconv.c

Copyright:

Copyright 1998, M. Warner Losh <imp@freebsd.org>

All rights reserved.

.
Copyright 2001 Dima Dorfman.

All rights reserved.

.
Copyright 2001 FreeBSD Inc.

All rights reserved.

.
Copyright 2002 Thomas Moestl <tmm@FreeBSD.org>

All rights reserved.

.
Copyright 2002 Mike Barcroft <mike@FreeBSD.org>

All rights reserved.

.
Copyright 2005

Pawel Jakub Dawidek <pjd@FreeBSD.org>

All rights reserved.

.
Copyright 2005 Colin Percival

All rights reserved.

Copyright 2007 Eric Anderson <anderson@FreeBSD.org>
Copyright 2007 Pawel Jakub Dawidek <pjd@FreeBSD.org>
All rights reserved.

.
Copyright 2007 Dag-Erling Codan Smrgrav
All rights reserved.

.
Copyright 2009 Advanced Computing Technologies LLC
Written by: John H. Baldwin <jhb@FreeBSD.org>
All rights reserved.

.
Copyright 2011 Guillem Jover <guillem@hadrons.org>
License: BSD-2-clause

Files:

src/flopen.c

Copyright:

Copyright 2007-2009 Dag-Erling Codan Smrgrav

All rights reserved.

License: BSD-2-clause-verbatim

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer
in this position and unchanged.
2. Redistributions in binary
form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files:

include/bsd/sys/tree.h

man/fparsefn.3bsd

man/tree.3bsd

src/fparsefn.c

Copyright:

Copyright 1997 Christos Zoulas.

All rights reserved.

.

Copyright 2002 Niels Provos <provos@citi.umich.edu>

All rights reserved.

License: BSD-2-clause-author

Files:

include/bsd/readpassphrase.h

man/readpassphrase.3bsd

man/strncpy.3bsd

man/strtonum.3bsd

src/arc4random.c

src/arc4random_linux.h

src/arc4random_uniform.c

src/arc4random_unix.h

src/arc4random_win.h

src/closefrom.c

src/freezero.c

src/getentropy_aix.c

src/getentropy_bsd.c

src/getentropy_hpux.c

src/getentropy_hurd.c

src/getentropy_linux.c

src/getentropy_osx.c

src/getentropy_solaris.c

src/getentropy_win.c

src/readpassphrase.c

src/reallocarray.c

src/reallocarray.c

src/strcat.c

src/strncpy.c

test/explicit_bzero.c

test/strtonum.c

Copyright:

Copyright 2004 Ted Unangst and Todd Miller

All rights reserved.

.

Copyright 1996 David Mazieres <dm@uun.org>

Copyright 1998, 2000-2002, 2004-2005, 2007, 2010, 2012-2015

Todd C. Miller <Todd.Miller@courtesan.com>

Copyright

2004 Ted Unangst

Copyright 2004 Otto Moerbeek <otto@drijf.net>

Copyright 2008 Damien Miller <djm@openbsd.org>

Copyright 2008, 2010-2011, 2016-2017 Otto Moerbeek <otto@drijf.net>

Copyright 2013 Markus Friedl <markus@openbsd.org>
Copyright 2014 Bob Beck <beck@obtuse.com>
Copyright 2014 Brent Cook <bcook@openbsd.org>
Copyright 2014 Pawel Jakub Dawidek <pjd@FreeBSD.org>
Copyright 2014 Theo de Raadt <deraadt@openbsd.org>
Copyright 2014 Google Inc.
Copyright 2015 Michael Felt <aixtools@gmail.com>
Copyright 2015, 2022 Guillem Jover <guillem@hadrons.org>

License: ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.
THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/inet_net_pton.c

Copyright:

Copyright 1996 by Internet Software Consortium.

License: ISC-Original

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.
THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/setproctitle.c

Copyright:

Copyright 2010 William Ahern

Copyright 2012 Guillem Jover <guillem@hadrons.org>

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files:

src/explicit_bzero.c

src/chacha_private.h

Copyright:

None

License: public-domain

Public domain.

Files:

man/mdX.3bsd

Copyright:

None

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

License: BSD-3-clause-Regents

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software

without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause-author

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary

form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-author

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.108 pcre 10.42-r2

1.108.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End

PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD" licence, as specified below, with one exemption for certain binary redistributions. The documentation for PCRE2, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a just-in-time compiler that can be used to optimize pattern matching. This is an optional feature that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: Philip.Hazel
Email domain: gmail.com

Retired from University of Cambridge Computing Service,
Cambridge,
England.

Copyright (c) 1997-2022 University of Cambridge
All rights reserved.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2010-2022 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2009-2022 Zoltan Herczeg

All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notices, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notices, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of the University of Cambridge nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

EXEMPTION FOR BINARY LIBRARY-LIKE PACKAGES

The second condition in the BSD licence (covering binary redistributions) does not apply all the way down a chain of software. If binary package A includes PCRE2, it must respect the condition, but if package B is software that includes package A, the condition is not imposed on package B unless it uses PCRE2 independently.

End

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.109 sqlite 3.44.2-r0

1.109.1 Available under license :

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

May you do good and not evil.

May you find forgiveness for yourself and forgive others.

May you share freely, never taking more than you give.

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

* May you do good and not evil.

* May you find forgiveness for yourself and forgive others.

* May you share freely, never taking more than you give.

1.110 distlib 0.3.8

1.110.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes

2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation

("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee

agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO

THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====
Distutils2 Contributors
=====

The Distutils2 project was started by Tarek Ziad and is currently maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order, and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad DeLong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower

- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in

supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-licensed.

1.111 libsodium 1.0.19-r0

1.111.1 Available under license :

```
/*
 * ISC License
 *
 * Copyright (c) 2013-2023
 * Frank Denis <j at pureftpd dot org>
 *
 * Permission to use, copy, modify, and/or distribute this software for any
 * purpose with or without fee is hereby granted, provided that the above
 * copyright notice and this permission notice appear in all copies.
 *
 * THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
 * WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
 * MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
 * ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
 * ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
 * OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 */
```

1.112 shadow 4.14.2-r0

1.112.1 Available under license :

SPDX-License-Identifier: BSD-3-Clause

All files under this project either

1. fall under the BSD 3 clause license (by default).
2. carry an SPDX header declaring what license applies.

or

3. list a full custom license

This software is originally

* Copyright (c) 1989 - 1994, Julianne Frances Haugh

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the copyright holders or contributors may not be used to

* endorse or promote products derived from this software without

* specific

prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

* HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License

All new source code committed to the shadow project is assumed to be made available under the [BSD-3-Clause](../COPYING) license unless the submitter specifies another license at that time. The shadow maintainers reserve the right to refuse a submission if the license is deemed incompatible with the goals of the project.

Note: old code may be made available under another license, check the license tag for each file to get additional information.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

675 Mass Ave, Cambridge, MA 02139, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.113 s2n 1.3.56-r0

1.113.1 Available under license :

s2n

Copyright 2014-2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

S2N SUBCOMPONENTS:

The s2n Project contains subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

Third party MIT licenses

The following components are provided under the MIT License. See project link for details.

SIKE

-> s2n/pq-crypto/sike_r1/LICENSE.txt

License for HMAC_spec.v only, all other files fall under the LICENSE in the root directory:

Copyright (c) 2012-2015

by Adam Petcher, and open-source licensed as follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR THE CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.114 aws-c-compression 0.2.17-r1

1.114.1 Available under license :

AWS C Compression

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.115 py3-cparser 2.21-r4

1.115.1 Available under license :

PLY (Python Lex-Yacc) Version 3.10

Copyright (C) 2001-2017
David M. Beazley (Dabeaz LLC)
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * Neither the name of the David Beazley or Dabeaz LLC may be used to
endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

More information about PLY can be obtained on the PLY webpage at:

<http://www.dabeaz.com/ply>

This is a list of people who have contributed to pycparser by supplying patches,
opening issues, or generally helping out, before the project moved to Github.

For more recent contributions, check out the "Contributors" page of the
pycparser Github project.

The list is sorted in increasing alphabetic order by first name.

- * Andreas Klckner
- * Andrew de los Reyes
- * Benoit Pradelle
- * Dov Feldstern
- * Even Wiik Thomassen
- * Greg Smith
- * Jaroslav Franek
- * Li Xuan Ji
- * Mateusz Czaplinski
- * Paolo Di Maio
- * Rory Yorke
- * Rubin
- * Scott Tsai
- * Sye van der Veen
- * Thomas W. Barr
- * Tomer Segal
- * Weyllor

pyparser -- A C parser in Python

Copyright (c) 2008-2020, Eli Bendersky

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Eli Bendersky nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.116 s2n-tls 1.3.56-r0

1.116.1 Available under license :

s2n

Copyright 2014-2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====

S2N SUBCOMPONENTS:

The s2n Project contains subcomponents with separate copyright notices and license terms. Your use of the source code for these subcomponents is subject to the terms and conditions of the following licenses.

=====

Third party MIT licenses

=====

The following components are provided under the MIT License. See project link for details.

SIKE

-> s2n/pq-crypto/sike_r1/LICENSE.txt

License for HMAC_spec.v only, all other files fall under the LICENSE in the root directory:

Copyright (c) 2012-2015

by Adam Petcher, and open-source licensed as follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR THE CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES

(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.117 py3-cffi 1.16.0-r0

1.117.1 Available under license :

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except when otherwise stated (look for LICENSE files in directories or information at the beginning of each file) all software and documentation is licensed as follows:

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL

THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.118 py3-cryptography 41.0.7-r0

1.118.1 Available under license :

Copyright (c) Individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of PyCA Cryptography nor the names of its contributors may be used to endorse or promote products derived from this software

without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of *both* these licenses.

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.119 py3-prompt_toolkit 3.0.41-r0

1.119.1 Available under license :

Copyright (c) 2014, Jonathan Slenders
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.120 aws-checksums 0.1.17-r1

1.120.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.121 icu 74.1-r0

1.121.1 Available under license :

```
## *-makefile*-
## Copyright (C) 2016 and later: Unicode, Inc. and others.
## License & terms of use: http://www.unicode.org/copyright.html
## BSD-specific setup (FreeBSD, OpenBSD, NetBSD, *BSD)
## Copyright (c) 1999-2013, International Business Machines Corporation and
## others. All Rights Reserved.

## Commands to generate dependency files
GEN_DEPS.c= $(CC) -E -MM $(DEFS) $(CPPFLAGS)
GEN_DEPS.cc= $(CXX) -E -MM $(DEFS) $(CPPFLAGS)

## Flags for position independent code
SHAREDLIBCFLAGS = -fPIC
SHAREDLIBCXXFLAGS = -fPIC
SHAREDLIBCPPFLAGS = -DPIC

## Additional flags when building libraries and with threads
THREADSCPPFLAGS = -D_REENTRANT
LIBCPPFLAGS =

## Compiler switch to embed a runtime search path
LD_RPATH=
LD_RPATH_PRE= -Wl,-rpath,

## Compiler switch to embed a library name
LD_SONAME = -Wl,-soname -Wl,$(notdir $(MIDDLE_SO_TARGET))

## Shared library options
LD_SOOPTIONS= -Wl,-Bsymbolic

## Shared object suffix
SO = so

## Non-shared intermediate object suffix
STATIC_O = ao

## Compilation
rules
%. $(STATIC_O): $(srcdir)/%.c
$(COMPILE.c) $(STATICCPPFLAGS) $(STATICCFLAGS) -o $@ $<
%.o: $(srcdir)/%.c
$(COMPILE.c) $(DYNAMICCPPFLAGS) $(DYNAMICCFLAGS) -o $@ $<

%. $(STATIC_O): $(srcdir)/%.cpp
$(COMPILE.cc) $(STATICCPPFLAGS) $(STATICCXXFLAGS) -o $@ $<
%.o: $(srcdir)/%.cpp
$(COMPILE.cc) $(DYNAMICCPPFLAGS) $(DYNAMICCXXFLAGS) -o $@ $<
```

```

## Dependency rules
%.d: $(srcdir)/%.c
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.c) $< \
| sed "s^\($*\)\.o[ :]*^1.o $@ : /g\" > $@; \
[ -s $@ ] || rm -f $@'

%.d: $(srcdir)/%.cpp
@echo "generating dependency information for $<"
@$(SHELL) -ec '$(GEN_DEPS.cc) $< \
| sed "s^\($*\)\.o[ :]*^1.o $@ : /g\" > $@; \
[ -s $@ ] || rm -f $@'

## Versioned libraries rules

%.${SO}.${SO_TARGET_VERSION_MAJOR}: %.${SO}.${SO_TARGET_VERSION}
$(RM) $@ && ln -s ${<F} $@
%.${SO}: %.${SO}.${SO_TARGET_VERSION_MAJOR}
$(RM) $@ && ln -s ${*F}.${SO}.${SO_TARGET_VERSION} $@

## Bind internal references

# LDflags that pkgdata will use
BIR_LDFLAGS= -Wl,-Bsymbolic

# Dependencies [i.e. map files] for the final library
BIR_DEPS=

## Remove shared library 's'
STATIC_PREFIX_WHEN_USED =
STATIC_PREFIX =

## End BSD-specific setup

```

1.122 golang-protobuf-extensions 1.0.4

1.122.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2012 Matt T. Proud (matt.proud@gmail.com)

1.123 hiredis 1.2.0-r0

1.123.1 Available under license :

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.124 util-linux 2.39.3-r0

1.124.1 Available under license :

```
NR START  END SECTORS SIZE NAME UUID
1  32 7679  7648 3.7M  8f8378c0-01
2 7680 16383  8704 4.3M  8f8378c0-02
5 7936 12799  4864 2.4M
6 12544 16127  3584 1.8M
```

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component

(kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under

the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the

Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization

keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically

receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to

sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

/*

- * Copyright (c) 1989 The Regents of the University of California.
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions

- * are met:
- * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
- * This product includes software developed by the University of California, Berkeley and its contributors.
- * 4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software
- *
- without specific prior written permission.

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that

uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our

decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law:

that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For

example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```

#!/usr/bin/env bash
# MIT licenses will each have a unique MD5 sum since they contain a unique copyright.
# This script will read the license file into memory, strip out the copyright, and then
# generate an MD5 that is not unique and can be matched against a known MIT MD5 sum.
set -e

calculate_md5_sum() {
    local FILE="$1"

    # Read the contents of the file into a variable
    local raw_license_text=$(<"$FILE")

    # Convert to lowercase
    local lowercase_license_text="{raw_license_text,,}"

    # Remove anything before the beginning of the license
    local stripped_license_text=$(awk '/permission is hereby granted/{p=1} p' <<< "$lowercase_license_text")

    # Replace line breaks (Windows or Linux) with a single space
    local replaced_linebreaks=$(tr '\r\n' ' ' <<< "$stripped_license_text")

    # Replace multiple spaces with a single space
    local normalized_license_text=$(tr -s ' ' <<< "$replaced_linebreaks")

    # Strip away any non-printable, non-whitespace characters
    local clean_unprintable_license_text=$(tr
    -cd '[:print:][:space:]' <<< "$normalized_license_text")

    # Remove punctuation and special characters
    local clean_license_text=$(echo "$clean_unprintable_license_text" | sed 's/[^a-zA-Z ]//g')

    # Calculate the MD5 sum of the cleaned license text
    local MD5SUM=$(echo -n "$clean_license_text" | md5sum | awk '{print $1}')

    # Output the MD5 sum
    echo "$MD5SUM"
}

# Check if the FILE argument is provided
if [ -z "$1" ]; then
    echo "Please provide a FILE as an argument."
    exit 1
fi

# Invoke the function with the provided FILE argument
calculate_md5_sum "$1"
WEV @@ WEV[B "1

```

x ?"U@,5 @mISmIN<GimCN7g1u|E
43mI,5WEV @@ WEV @mImImIAmImImI0mImImI*mImI
A0mImImI...
lost+found...

;9GimCN7g

!"#\$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#\$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#\$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#\$%&'()*+,-
./0123456789;:<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~WEV @@
WEV[B "1

This library is free software; you can redistribute it and/or
modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later
version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later

1.125 ncurses 6.4_p20231125-r0

1.125.1 Available under license :

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2003-2019,2020 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-

TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent `make` implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Upstream source <https://invisible-island.net/ncurses/ncurses.html>
This package is used for testing builds of ncurses.

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 2017-2020,2021 by Thomas E. Dickey
Copyright: 1998-2016,2017 Free Software Foundation, Inc.
Licence: X11

Files: alocal.m4 package
Copyright: 1996-2020,2021 by Thomas E. Dickey
Licence: X11

Files: doc/html/NCURSES-Programming-HOWTO.html
Copyright: 2001 by Pradeep Padala
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files:

install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Files: progs/tset.c ncurses/tinfo/read_termcap.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list

of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-- vile: txtmode file-encoding=utf-8

Copyright 2018-2020,2021 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the
sale, use or other dealings in this Software without prior written
authorization.

-- vile:txtmode fc=72
-- \$Id: COPYING,v 1.10 2021/01/01 09:54:30 tom Exp \$
Upstream source <https://invisible-island.net/ncurses/Ada95.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 2017-2020,2021 by Thomas E. Dickey
Copyright: 1998-2016,2017 Free Software Foundation, Inc.
Licence: X11

Files: alocal.m4 package
Copyright: 2010-2020,2021 by Thomas E. Dickey
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, distribute with modifications, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the

sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent `make` implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2003-2020,2021 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent `make` implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

1.126 hyperscan 5.4.0-r1

1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/1883925723_1722616032.4325755/0/secapp-utd-bld-v1715-throttle-latest-20240729-051202-1-15-0-sv3-1-81-0-xemain-x86-64-tar/artifacts-tar-gz/utd-snort.ext2: binary file matches

Found in path(s):

* /bin/grep

1.127 py3-parsing 3.1.1-r0

1.127.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.128 py3-packaging 23.2-r0

1.128.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.129 py3-pip 23.3.1-r0

1.129.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute

a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and

otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide

license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License

Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,

INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for

the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

- 1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
- 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
- 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
- 4. PSF is making Python available to Licensee on an "AS IS"

basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)

1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission

to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be

consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise

permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision

will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.130 perl 5.38.2-r0

1.130.1 Available under license :

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been

modified, or has been modified in accordance with the wishes of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as uunet.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it

differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this

Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

This software is copyright (c) 2020 by Ken Williams.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2020 by Ken Williams.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which

contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the

recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program.

It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2020 by Ken Williams.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the

computing community at large as a market that must bear the fee.)

- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
 - b) accompany the distribution with the machine-readable source of the Package with your modifications.
 - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or

equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

1.131 py3-six 1.16.0-r8

1.131.1 Available under license :

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.132 py3-dateutil 2.8.2-r4

1.132.1 Available under license :

Copyright 2017- Paul Ganssle <paul@ganssle.io>

Copyright 2017- dateutil contributors (see AUTHORS file)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The above license applies to all contributions after 2017-12-01, as well as
all contributions that have been re-licensed (see AUTHORS file for the list of
contributors who have re-licensed their code).

dateutil - Extensions to the standard Python datetime module.

Copyright

(c) 2003-2011 - Gustavo Niemeyer <gustavo@niemeyer.net>

Copyright (c) 2012-2014 - Tomi Pievilinen <tomi.pievilainen@iki.fi>

Copyright (c) 2014-2016 - Yaron de Leeuw <me@jarondl.net>

Copyright (c) 2015- - Paul Ganssle <paul@ganssle.io>

Copyright (c) 2015- - dateutil contributors (see AUTHORS file)

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above BSD License Applies to all code, even that also covered by Apache 2.0.

1.133 py3-wcwidth 0.2.10-r0

1.133.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jeff Quast <contact@jeffquast.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author disclaims all warranties with regard to this software.

1.134 py3-docutils 0.20.1-r1

1.134.1 Available under license :

2-Clause BSD license / FreeBSD license

=====

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI) in the Netherlands as a successor of a language called ABC. Guido is Python's principal author, although it includes many contributions from others. The last version released from CWI was Python 1.2. In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI) in Reston, Virginia where he released several versions of the software. Python 1.6 was the last of the versions released by CNRI. In 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. Python 2.0 was the first and only release from BeOpen.com.

Following the release of Python 1.6, and after Guido van Rossum left CNRI to work with commercial software developers, it became clear that the ability to use Python with software available under the GNU Public License (GPL) was very desirable.

CNRI and the Free Software Foundation (FSF) interacted to develop enabling wording changes to the Python license. Python 1.6.1 is essentially the same as Python 1.6, with a few minor bug fixes, and with a different license that enables later versions to be GPL-compatible. Python 2.1 is a derivative work of Python 1.6.1, as well as of Python 2.0.

After Python 2.0 was released by BeOpen.com, Guido van Rossum and the other PythonLabs developers joined Digital Creations. All intellectual property added from this point on, starting with Python 2.1 and its alpha and beta releases, is owned by the Python Software Foundation (PSF), a non-profit modeled after the Apache Software Foundation. See <https://www.python.org/psf/> for more information about the PSF.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PSF LICENSE AGREEMENT -----

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.1.1 software in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.1.1 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001 Python Software Foundation; All Rights Reserved" are retained in Python 2.1.1 alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.1.1 or any part thereof, and wants to make the derivative work

available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python 2.1.1.

4. PSF is making Python 2.1.1 available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.1.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
2.1.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.1.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency,
partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.1.1, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM TERMS AND CONDITIONS FOR PYTHON 2.0

----- BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce,
analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,

provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI OPEN SOURCE GPL-COMPATIBLE LICENSE AGREEMENT

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly,

prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement

only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI PERMISSIONS STATEMENT AND DISCLAIMER

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is

not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of

rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/philosophy/why-not-lgpl.html>.
.. include:: docs/header0.txt

```
=====  
Copying Docutils  
=====
```

```
:Author: David Goodger  
:Contact: goodger@python.org  
:Date: $Date$\br/>:Web site: https://docutils.sourceforge.io/  
:Copyright: This document has been placed in the public domain.
```

Most of the files included in this project have been placed in the public domain, and therefore have no license requirements and no restrictions on copying or usage; see the `Public Domain Dedication`_ below. There are exceptions_, listed below. Files in the Sandbox_ are not distributed with Docutils releases and may have different license terms.

```
Public Domain Dedication  
=====
```

The persons who have associated their work with this project (the "Dedicator": David Goodger and the many contributors to the Docutils project) hereby dedicate the entire copyright, less the exceptions_ listed below, in the work of authorship known as "Docutils" identified below (the "Work") to the public domain.

The primary repository for the Work is the Internet World Wide Web site <<https://docutils.sourceforge.io/>>. The Work consists of the files within the "docutils" module of the Docutils project Subversion repository (<http://svn.code.sf.net/p/docutils/code/>), whose Internet web interface is located at <<https://sourceforge.net/p/docutils/code>>. Files dedicated to the public domain may be identified by the inclusion, near the beginning of each file, of a declaration of the form::

Copyright: This document/module/DTD/styleSheet/file/etc. has been placed in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

(This dedication is derived from the text of the `Creative Commons Public Domain Dedication`. [#]_)

.. [#] Creative Commons has `retired this legal tool`__ and does not recommend that it be applied to works: This tool is based on United States law and may not be applicable outside the US. For dedicating new works to the public domain, Creative Commons recommend the replacement Public Domain Dedication CC0_ (CC zero, "No Rights Reserved"). So does the Free Software Foundation in its license-list_.

__ <http://creativecommons.org/retiredlicenses>

.. _CC0: <http://creativecommons.org/about/cc0>

Exceptions

=====

The

exceptions to the `Public Domain Dedication`_ above are:

* docutils/utils/smartquotes.py

Copyright 2011 Gnter Milde,
based on `SmartyPants`_ 2003 John Gruber
(released under a "revised" `BSD 3-Clause License`_ included in the file)
and smartypants.py 2004, 2007 Chad Miller.
Released under the terms of the `BSD 2-Clause License`_
(`local copy <licenses/BSD-2-Clause.txt>`_).

.. _SmartyPants: <http://daringfireball.net/projects/smartypan>/

* docutils/utils/math/latex2mathml.py

Copyright Jens Jrgen Mortensen, Gnter Milde.
Released under the terms of the `BSD 2-Clause License`_
(`local copy <licenses/BSD-2-Clause.txt>`_).

* | docutils/utils/math/math2html.py,
| docutils/writers/html5_polyglot/math.css

Copyright 2009,2010 Alex Fernndez; 2021 Gnter Milde

These files were part of eLyXer_, released under the `GNU
General Public License`_ version 3 or later. The author relicensed
them for Docutils under the terms of the `BSD 2-Clause
License`_
(`local copy <licenses/BSD-2-Clause.txt>`_).

.. _eLyXer: <https://github.com/alexfernandez/elyxer>

* | docutils/`__main__`.py,
| docutils/parsers/commonmark_wrapper.py,
| docutils/parsers/recommonmark_wrapper.py,
| docutils/utils/error_reporting.py,
| docutils/utils/math/`__init__`.py,
| docutils/utils/math/latex2mathml.py,
| docutils/utils/math/tex2mathml_extern.py,
| docutils/utils/punctuation_chars.py,
| docutils/utils/smartquotes.py,
| docutils/writers/html5_polyglot/`__init__`.py,
| docutils/writers/html5_polyglot/`*`.css,

| docutils/writers/latex2e/docutils.sty,
| docutils/writers/xetex/__init__.py,
| test/test_parsers/test_recommonmark/*.py,
| test/test_parsers/test_rst/test_directives/test__init__.py,
| test/test_parsers/test_rst/test_directives/test_code_parsing.py,
| test/test_parsers/test_rst/test_line_length_limit_default.py,
| test/test_parsers/test_rst/test_line_length_limit.py,
| test/test_writers/test_latex2e_misc.py,
| test/transforms/test_smartquotes.py,
| tools/docutils-cli.py,
| tools/rst2html5.py

Copyright Gnter Milde.

Released under the terms of the `BSD 2-Clause License`_
(`local copy <licenses/BSD-2-Clause.txt>`__).

* docutils/utils/roman.py

copyright by Mark Pilgrim, released under the
`Python 2.1.1 license`_ (`local copy`__).

__ licenses/python-2-1-1.txt

* tools/editors/emacs/rst.el

copyright by Free Software Foundation, Inc.,
released under the `GNU General Public License`_ version 3 or later
(`local copy`__).

__ licenses/gpl-3-0.txt

All used licenses are OSI-approved_ and GPL-compatible_.

Plaintext versions of all the linked-to licenses are provided in the
licenses_ directory.

.. _sandbox: <https://docutils.sourceforge.io/sandbox/README.html>
.. _licenses: licenses/
.. _Python 2.1.1 license: <https://docs.python.org/3/license.html>
.. _GNU General Public License: <https://www.gnu.org/copyleft/gpl.html>
.. _BSD 2-Clause License: <http://opensource.org/licenses/BSD-2-Clause>
..
.. _BSD 3-Clause License: <https://opensource.org/licenses/BSD-3-Clause>
.. _OSI-approved: <http://opensource.org/licenses/>
.. _license-list:
.. _GPL-compatible: <https://www.gnu.org/licenses/license-list.html>

1.135 golang-jwt 4.5.0

1.135.1 Available under license :

Copyright (c) 2012 Dave Grijalva

Copyright (c) 2021 golang-jwt maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.136 zlib 1.3.1-r0

1.136.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.137 mergo 0.3.16

1.137.1 Available under license :

Copyright (c) 2013 Dario Casta. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

import: ../../../../fossene/db/schema/thing.yml

fields:

site: string

author: root

1.138 busybox 1.36.1-r19

1.138.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include

anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice
like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of  
Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.139 coreutils 9.4-r2

1.139.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all

the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts,

regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and

only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of

that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an

organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone

to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY

APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

1.140 aws-aws-sdk-go-v2-service-s3 1.40.2

1.140.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

```

```

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```

```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err =
    = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
}

```

```

}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

```

```

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil
    {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme
:= range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme,

```



```

_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver:
    &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

```

steps:
  - name: Checkout target
    uses: actions/checkout@v2
    with:
      path: sdkbase
      ref: ${{ github.base_ref }}
  - name: Checkout this ref
    uses: actions/checkout@v2
    with:
      path: new-ref
      fetch-depth: 0
  - name: Get Diff
    run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
  - name: Get Target Files
    run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
  - name: Checkout scancode
    uses: actions/checkout@v2
    with:
      repository: nexB/scancode-toolkit
      path: scancode-toolkit
      fetch-depth: 1
  - name: Set up Python ${{ matrix.python-version }}
    uses: actions/setup-python@v2
    with:
      python-version: ${{ matrix.python-version }}
# ScanCode
  - name: Self-configure scancode
    working-directory: ./scancode-toolkit
    run: ./scancode --help
  - name: Run Scan code on target
    run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
  - name: Run Scan code on pr ref
    run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
  - name: License test
    run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        },
        "Values": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
          "traits": {
            "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
          }
        },
        "Operator": {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
          "traits": {
            "smithy.api#documentation": "<p>An operator for filtering results.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n    Filters can be used to match a set of resources by specific criteria.</p>"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
        }
      ]
    }
  }

```

```

        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
    "type": "structure",
    "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
        "LinuxSubscriptionsDiscovery": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
            "traits": {
                "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
            }
        },
        "LinuxSubscriptionsDiscoverySettings": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
            "traits": {
                "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
            "traits": {
                "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
            }
        },
        "StatusMessage": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
            "traits": {

```

```

        "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
    }
},
"HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n    subscriptions.</p>"
    }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
    "type": "structure",
    "members": {
        "AmiId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
            }
        },
        "InstanceID": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
            }
        },
        "InstanceType": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The instance type of the resource.</p>"
            }
        }
    },
    "AccountID": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
        }
    },
    "Status": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status of the instance.</p>"
        }
    },
    "Region": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
    }
  },
  "UsageOperation": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery updated the instance details.</p>"
    }
  },
  "SubscriptionName": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {

```

```

"type": "structure",
"members": {
  "message": {
    "target": "smithy.api#String"
  }
},
"traits": {
  "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
  "smithy.api#error": "server"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",

```

```

    "x-api-key",
    "authorization",
    "x-amz-date",

"x-amz-security-token",
    "Access-Control-Allow-Headers",
    "Access-Control-Allow-Methods",
    "Access-Control-Allow-Origin"
  ],
  "additionalExposedHeaders": [
    "x-amzn-errortype",
    "x-amzn-requestid",
    "x-amzn-trace-id"
  ]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The
AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,

```



```

        "documentation": "Override the endpoint used to send this request",
        "type": "String"
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [
                    {
                        "ref": "Endpoint"
                    }
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            {
                                "ref": "UseDualStack"
                            },
                            true
                        ]
                    }
                ]
            }
        ]
    }
]

```



```

    ],
    "assign": "PartitionResult"
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseDualStack"
      },
      true
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ]
  }
]

```

```

    }

    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      true,
      {
        "fn": "getAttr",
        "argv": [
          {
            "ref": "PartitionResult"
          },
        ],

        "supportsDualStack"
      ]
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
],
},
{
  "conditions": [],
  "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
  "type": "error"
}

```

```

    ]
  },
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              true,
              {
                "fn": "getAttr",
                "argv": [
                  {
                    "ref": "PartitionResult"
                  },
                  "supportsFIPS"
                ]
              }
            ]
          }
        ],
        "type": "tree",
        "rules": [
          {
            "conditions": [],
            "type": "tree",
            "rules": [
              {
                "conditions": [],
                "endpoint": {
                  "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}"

```



```

    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],

        "endpoint": {
          "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
],
},
{
  "conditions": [],
  "error": "DualStack is enabled but this partition does not support DualStack",
  "type": "error"
}
],
},
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
}
}

```

```

        ]
      }
    ]
  },
  {
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
  }
]
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
      }
    }
  ]
}

```



```

    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {

```

```

    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint":
        {
          "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint":
    {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    }
}

```

```

    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",

"UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
}

```

```

    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,

"Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }

```

```

    }
    ],
    "version": "1.0"
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {
    "SourceRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "OrganizationIntegration": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
      "traits": {
        "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {

```

```

    "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n  subscriptions.</p>",
    "smithy.api#http": {

"code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptionInstances"
  },
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Instances"
  }
  },
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n  match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>AmiID</code>\n      </p>\n    </li>\n  </ul>\n"
      }
    }
  }
}

```



```

</li>\n      <li>\n        <p>\n          <code>InstanceID</code>\n        </p>\n      </li>\n    </li>\n    <p>\n      <code>AccountID</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>Status</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>Region</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>UsageOperation</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>ProductCode</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>InstanceType</code>\n    </p>\n  </li>\n</ul>\n<p>The valid Operators for this filter are:</p>\n<ul>\n  <li>\n    <p>\n      <code>contains</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>equals</code>\n    </p>\n  </li>\n  <li>\n    <p>\n      <code>NotEqual</code>\n    </p>\n</ul>\n  }\n},\n  "MaxResults": {\n    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",\n    "traits": {\n      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"\n    }\n  },\n  "NextToken": {\n    "target": "smithy.api#String",\n    "traits": {\n      "smithy.api#documentation": "<p>Token for the next set of results.</p>",\n      "smithy.api#length": {\n        "min": 1,\n        "max": 16384\n      }\n    }\n  },\n  "traits": {\n    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."\n  }\n},\n  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {\n    "type": "structure",\n    "members": {\n      "Instances": {\n        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",\n        "traits": {\n          "smithy.api#documentation":\n            "<p>An array that contains instance objects.</p>"\n        }\n      },\n      "NextToken": {\n        "target": "smithy.api#String",\n        "traits": {\n
```

```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n    organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",
            "uri": "/subscription/ListLinuxSubscriptions"
        },
        "smithy.api#idempotent": {},
        "smithy.api#paginated": {
            "inputToken": "NextToken",
            "outputToken": "NextToken",
            "pageSize": "MaxResults",
            "items": "Subscriptions"
        }
    }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
    "type": "structure",
    "members": {
        "Filters": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n    partially match, or don't
match a certain subscription's name.</p>\n    <p>The valid names for this filter are:</p>\n    <ul>\n
<li>\n    <p>\n    <code>Subscription</code>\n    <p>\n    </li>\n    </ul>\n
<p>The valid Operators for this filter are:</p>\n
    <ul>\n    <li>\n    <p>\n    <code>contains</code>\n    <p>\n    </li>\n
<li>\n    <p>\n    <code>equals</code>\n    <p>\n    </li>\n    <li>\n    <p>\n
    <code>NotEqual</code>\n    <p>\n    </li>\n    </ul>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>",
      "smithy.api#length": {
        "min": 1,
        "max": 16384
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for

```

the next set of results.</p>

```
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {
        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
      },
      {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
      }
    ],
    "smithy.api#length": {
      "min": 1,
      "max": 20
    }
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
}
```

```

    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
      "type": "list",
      "member": {
        "target": "smithy.api#String"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
      "type": "string",
      "traits": {
        "smithy.api#enum": [
          {
            "name": "InProgress",
            "value": "InProgress",
            "documentation": "InProgress status"
          },
          {
            "name": "Completed",
            "value": "Completed",
            "documentation": "Completed status"
          },
          {
            "name": "Successful",
            "value": "Successful",
            "documentation": "Successful status"
          },
          {
            "name": "Failed",
            "value": "Failed",
            "documentation": "Failed status"
          }
        ]
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
      "type": "list",
      "member": {
        "target": "smithy.api#String",
        "traits":
      {
        "smithy.api#length": {
          "min": 1,
          "max": 100
        }
      }
    },
    "traits": {

```

```

    "smithy.api#length": {
      "min": 1,
      "max": 100
    },
    "smithy.api#uniqueItems": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    }
  },
  "Type": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n    Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n    Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
    }
  },
  "InstanceCount": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {

```

```

    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/UpdateServiceSettings"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":

```

```

{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {
        "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n  allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "LinuxSubscriptionsDiscovery": {
        "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
        "traits": {
          "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
        }
      }
    }
  },
  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  }
}

```



```

    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n  subscriptions.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
      "smithy.api#error": "client"
    }
  }
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"

```

```

internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

```

```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {

```

```

    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}
}

```

```

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {

```

```

var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "grafana"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err,
&ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx,
                *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {

```

```

    v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtinResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckoutBorrowLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type CheckoutBorrowLicenseInput struct {

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Digital signature method. The possible value is JSON Web Signature (JWS)
    // algorithm PS384. For more information, see RFC 7518 Digital Signature with
    // RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
    //
    // This member is required.
    DigitalSignatureMethod types.DigitalSignatureMethod

    // License entitlements. Partial checkouts are not supported.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Amazon Resource Name (ARN) of the license. The license must use the borrow
    // consumption configuration.
    //
    // This member is required.
    LicenseArn *string

    // Information about constraints.
    CheckoutMetadata []types.Metadata

```



```

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },

```

```

middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

```

```

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```

```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",

```

```

    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the
value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

```

```

}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
Endpoint:   options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
if params == nil {
params = &GetLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
if err != nil {
return nil, err
}
}

```

```

out := result.(*GetLicenseOutput)
out.ResultMetadata = metadata
return out,
nil
}

```

```

type GetLicenseInput struct {

```

```

// Amazon Resource Name (ARN) of the license.

```

```

//

```

```

// This member is required.

```

```

LicenseArn *string

```

```

// License version.

```

```

Version *string

```

```

noSmithyDocumentSerde

```

```

}

```

```

type GetLicenseOutput struct {

```

```

// License details.

```

```

License *types.License

```

```

// Metadata pertaining to the operation's result.

```

```

ResultMetadata middleware.Metadata

```

```

noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)

```

```

if err != nil {

```

```

return err

```

```

}

```

```

err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)

```

```

if err != nil {

```

```

return err

```

```

}

```

```

if err = addLegacyEndpointContextSetter(stack, options); err != nil {

```

```

return err

```

```

}

```

```

if err = addSetLoggerMiddleware(stack, options); err != nil {

```

```

return err

```

```

}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {

```

```

return err

```

```

}

```

```

if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
}

```



```

if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "GetLicense",
    }
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }
}

```

```

params := EndpointParameters{ }

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {

```

```

    signingName = "license-manager"
  } else {
    signingName = *v4Scheme.SigningName
  }
  if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
  } else {
    signingRegion = *v4Scheme.SigningRegion
  }
  if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, signingName)
  ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
  break
case *internalauth.AuthenticationSchemeV4A:
  v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
  if v4aScheme.SigningName ==
nil {
    v4aScheme.SigningName = aws.String("license-manager")
  }
  if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
  EndpointResolver: options.EndpointResolverV2,
  BuiltInResolver: &builtInResolver{
    Region:    options.Region,
    UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
    UseFIPS:

```

```

    options.EndpointOptions.UseFIPSEndpoint,
    Endpoint: options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint

```

```

// - Status
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
}

```

```

if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {

```

```

return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID:
ServiceID,
SigningName: "license-manager",
OperationName: "ListLicenses",
}
}

type opListLicensesResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
            client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
    }
}

```



```

if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

```

}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.

```

```

SourceVersion *string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```

```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for
_, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.

```

```

// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
EndpointResolver:
options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,  
    c.addOperationCheckInLicenseMiddlewares)
```



```

if err != nil {
    return nil, err
}

out := result.(*CheckInLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
}

```

```

if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckInLicense",
    }
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }
}

```

```

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ :=
        authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string

```

```

if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName
== nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,

```

```
UseFIPS:
  options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns  
...func(*Options)) (*ListReceivedLicensesOutput, error) {  
    if params == nil {  
        params = &ListReceivedLicensesInput{ }  
    }  
}
```

```

    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListReceivedLicensesOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

```

```

type ListReceivedLicensesInput struct {

```

```

    // Filters to scope the results. The following filters are supported:

```

```

    // - ProductSKU

```

```

    // - Status

```

```

    // - Fingerprint

```

```

    // - IssuerName

```

```

    // - Beneficiary

```

```

    Filters []types.Filter

```

```

    // Amazon Resource Names (ARNs) of the licenses.

```

```

    LicenseArns []string

```

```

    // Maximum number of results to return in a single call.

```

```

    MaxResults *int32

```

```

    // Token for the next set of results.

```

```

    NextToken *string

```

```

    noSmithyDocumentSerde

```

```

}

```

```

type ListReceivedLicensesOutput struct {

```

```

    // Received license details.

```

```

    Licenses []types.GrantedLicense

```

```

    // Token for the next set of results.

```

```

    NextToken *string

```

```

    // Metadata pertaining to the operation's result.

```

```

    ResultMetadata middleware.Metadata

```

```

    noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
    if
    err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return
    }
    err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}

```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
}

```

```

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override
the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
}
}

```

```

    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
{
    "smithy": "2.0",
    "shapes": {
        "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
            "type": "structure",
            "members": {
                "message": {
                    "target": "smithy.api#String"
                }
            },
            "traits": {
                "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
                "smithy.api#error": "client"
            }
        },
        "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
            "type": "structure",
            "members": {
                "DirectoryId": {
                    "target": "smithy.api#String",
                    "traits": {
                        "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
                    }
                }
            },
            "traits": {

```



```

    "smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      },
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>The identity provider of the user.</p>",
          "smithy.api#required": {}
        }
      },
      "Domain": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
      "InstanceUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {

```

```

    "type": "integer"
  },
  "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n  resource.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {

```

```

    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    }
  },
  "Operation": {
    "target": "smithy.api#String",
    "traits": {

```

```

    "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
  }
},
"Value": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Value of the filter.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n  operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n  attributes, or IDs.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Settings": {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
        "traits": {
            "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n    settings such as the subnets to provision VPC endpoints.</p>",
            "smithy.api#required":
        {}
    }
},
"Product": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
    }
},
"Status": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status of an identity provider.</p>",
        "smithy.api#required": {}
    }
},
"FailureMessage": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
    }
},
"traits": {
    "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
    "type": "structure",
    "members": {
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",

```



```

        "smithy.api#required": {}
    },
    "Status": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
            "smithy.api#required": {}
        }
    },
    "Products": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
        "traits": {
            "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
            "smithy.api#required": {}
        }
    },
    "LastStatusCheckDate": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The date of the last status check.</p>"
        }
    },
    "StatusMessage": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {

```

```

        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
    }
},
"InstanceId": {
    "target": "smithy.api#String",
    "traits":
{
    "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
    "smithy.api#required": {}
    }
},
"IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
    }
},
"Status": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
    }
},
"StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
},
"AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
},
"DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {

```

```

        "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
}

},
"traits": {
    "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
        "smithy.api#error": "server"
    }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
    "type": "service",

"version": "2018-05-10",
"operations": [
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
    },
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
    },
}

```

```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
    }
  ],
  {
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
    }
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [

```

```

        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
    ]
},
"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
        "Region": {
            "builtIn": "AWS::Region",
            "required": false,
            "documentation": "The AWS region used to dispatch the request.",
            "type": "String"
        },
        "UseDualStack": {
            "builtIn": "AWS::UseDualStack",
            "required": true,
            "default": false,
            "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
            "type": "Boolean"
        },
        "UseFIPS": {
            "builtIn": "AWS::UseFIPS",
            "required": true,
            "default": false,
            "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
            "type": "Boolean"
        },
        "Endpoint": {
            "builtIn": "SDK::Endpoint",
            "required": false,
            "documentation": "Override the endpoint used to send this request",
            "type": "String"
        }
    }
},
"rules": [
    {
        "conditions": [
            {
                "fn": "isSet",
                "argv": [

```

```

        {
            "ref": "Endpoint"
        }
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
    },
    {
        "conditions": [],
        "endpoint": {
            "url": {
                "ref": "Endpoint"
            },
            "properties": {},
            "headers": {}
        }
    }
]

```

```

    },
    "type": "endpoint"
  }
]
},
{
  "conditions": [
    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Region"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        },
        {
          "assign": "PartitionResult"
        }
      ],
      "type": "tree",
    }
  ],
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
    },
    {
      "fn": "booleanEquals",
      "argv": [

```

```

        {
            "ref": "UseDualStack"
        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
"argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ],
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
"argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsDualStack"
                        ]
                    }
                ],
            }
        ],
        "type": "tree",
        "rules": [
            {

```



```

"conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
],
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
}
],
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
{
  "conditions": [],
  "error": "FIPS is enabled but this partition does not support FIPS",
  "type": "error"
}
],
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,

```

```

        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
                "supportsDualStack"
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "DualStack is enabled but this partition does
not support DualStack",
        "type": "error"
    }
    ],
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
    ]
}

```

```

    ]
  },
  {
    "conditions":
[]
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
  }
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation":
"For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
        }
      },
    },
  ]
}

```

```

"params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},

```

```

{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
    }
  },

```

```

    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":

```

```

{
    "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
    }
},
"params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},

```



```

    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,

```

```

    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",

```

  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with fips enabled and dualstack disabled",

```

  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with fips disabled and dualstack enabled",

```

  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "Missing region",

```

  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}

```

```

    ],
    "version": "1.0"
  }
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":
  }

```

```

        "items": "IdentityProviderSummaries"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
    "type": "structure",
    "members": {
        "IdentityProviderSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
                "smithy.api#required": {}
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
    },
}

```

```

"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/instance/ListInstances"
  },
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "InstanceSummaries"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
  "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    }
  ]
}

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
      "traits": {

"smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n    more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummaries": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
        }
      }
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {

```



```

    "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "InstanceUserSummaries"
}
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
    },
    "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
            "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
            "smithy.api#required": {}
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
    },
    "Filters": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
        }
    },
    "NextToken": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
}

```

```

    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of a product for a user.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
}

```

```

    },
    "SubscriptionStartDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
      }
    },
    "SubscriptionEndDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The end date of a subscription.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>The registered identity providers product related configuration settings such as the\n  subnets to provision VPC endpoints.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
  "type": "structure",
  "members": {

```

```

    "IdentityProviderSummary":
    {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
            "smithy.api#required": {}
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 404
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 5,
                "max": 200
            },
            "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
            "smithy.api#error": "client"
        }
    },
    "com.amazonaws.licensemanagerusersubscriptions#Settings": {

```

```

"type": "structure",
"members": {
  "Subnets": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
      "smithy.api#length": {
        "min": 1
      },
      "smithy.api#required": {}
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in your VPC and the VPC endpoint for activation servers.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC endpoints. The security group should permit inbound TCP port 1688
communication from resources in the VPC.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    }
  ]
}

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing.\n      For more information, see <a href=\\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n      monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/StartProductSubscription"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",

```



```

        "smithy.api#required": {}
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
    "type": "structure",
    "members": {
        "ProductUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
        }
    ]
},

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
}

```

```

    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
  "type": "string",
  "traits": {
    "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
    "smithy.api#error": "client"
  }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "UpdateSettings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings",
      "traits": {
        "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n
<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n        </li>\n
<li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n        </li>\n
<li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n        </li>\n    </ul>",
        "smithy.api#required": {}
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
    "type": "structure",
    "members": {
      "AddSubnets": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
        "traits": {
          "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
          "smithy.api#required": {}
        }
      },
      "RemoveSubnets": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
        "traits": {
          "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID

```

that allows inbound TCP port 1688 communication between resources in your VPC and the VPC endpoints for activation servers.

```
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings such as the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpResponseCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      }
    ]
  }
}
```

```

    {
      "id": "Service",
      "namespace": "*"
    }
  ]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateToken"
      },
    ]
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#DeleteGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    }
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  }

```



```

},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
  "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListTokens"
},
{
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{

```

```

    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",
    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      }
    }
  },

```

```

    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ]
    }
  ]
}

```

```

        ]
    }
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [
    {
        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [],
"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
"type": "endpoint"
}
],
},
{
"conditions": [
    {
        "fn": "isSet",
        "argv": [
            {
                "ref": "Region"
            }
        ]
    }
],
},
"type": "tree",
"rules": [

```

```

{
  "conditions": [
    {
      "fn": "aws.partition",
      "argv": [
        {
          "ref": "Region"
        }
      ],
      "assign": "PartitionResult"
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref":
                "UseFIPS"
            },
            true
          ]
        },
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [
            {
              "fn": "booleanEquals",
              "argv": [
                true,
                {
                  "fn": "getAttr",
                  "argv": [
                    {

```

```

        "ref": "PartitionResult"
      },
      "supportsFIPS"
    ]
  }
]
},
{
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        }
      ]
    }
  ]
},
"supportsDualStack"
]
}
]
},
"rules": [
  {
    "conditions": [],
    "endpoint": {
      "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
      "properties": {},
      "headers": {}
    }
  },
  {
    "type": "endpoint"
  }
]
},
{
  "conditions": [],
  "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
  "type": "error"
}
]
},

```

```

{
  "conditions": [
    {
      "fn": "booleanEquals",

      "argv": [
        {
          "ref": "UseFIPS"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,

            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [

        {
          "conditions": [],
          "endpoint": {
            "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
          },
          "type": "endpoint"
        }
      ]
    },
  ],
}

```

```

        {
            "conditions": [],
            "error": "FIPS is enabled but this
partition does not support FIPS",
            "type": "error"
        }
    ],
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                }
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",

```



```

        "properties": {},
        "headers": {}
    },
    {
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
],
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint":
{
                    "url": "https://license-manager.af-south-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "af-south-1",
                "UseFIPS": false,

```

```

    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  }
}

```

```

    },
    "params": {
        "Region": "ap-northeast-3",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-south-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-south-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-1.amazonaws.com"
        }
    }
},
{
    "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
}

```

```

{
  "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ca-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ca-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-north-1.amazonaws.com"
    }
  }
}

```

```

    },
    "params": {
      "Region": "eu-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region":
"eu-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },

```

```

    {
      "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-west-3.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-west-3",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.me-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "me-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.sa-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "sa-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-east-1.amazonaws.com"
        }
      },
      "params": {

```

```

        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region

```

```

us-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-west-2.amazonaws.com"
    }
  },
  "params": {

```



```

    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,

    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,

```

```

        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
    "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
    }
},
"params": {
    "Region": "us-gov-west-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled
but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },

```

```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {

```

```

        "documentation": "Missing region",
        "expect": {
            "error": "Invalid Configuration: Missing Region"
        }
    },
    "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
},
"traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {

```



```

"type": "structure",
"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
}

```

```

    "traits": {
      "aws.protocols#awsQueryError": {
"code": "ServiceAccessDenied",
      "httpResponseCode": 401
    },
    "smithy.api#documentation": "<p>Access to resource denied.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 401
  }
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    }
  }
}

```

```

    }
  },
  "CHECK_IN_LICENSE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CheckInLicense"
    }
  },
  "EXTEND_CONSUMPTION_LICENSE":
{
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "ExtendConsumptionLicense"
  }
},
  "LIST_PURCHASED_LICENSES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "ListPurchasedLicenses"
    }
  },
  "CREATE_TOKEN": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CreateToken"
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max":
7
    }
  }
},
"com.amazonaws.licensemanager#Arn": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048

```

```

    },
    "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+.=,@.-]{0,1023}$"
  }
},
"com.amazonaws.licensemanager#ArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  }
},
"com.amazonaws.licensemanager#AuthorizationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError":
  {
    "code": "AuthorizationFailure",
    "httpResponseCode": 403
  },
    "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n      policy associated with this account.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 403
  }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},
"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {

```

```

    "smithy.api#default": false
  }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
}
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
    "type": "structure",
    "members": {
        "LicenseConsumptionToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License consumption token.</p>",
                "smithy.api#required": {}
            }
        },
        "Beneficiary": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License beneficiary.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
}

```

```

    },
    "com.amazonaws.licensemanager#CheckInLicenseResponse": {
      "type": "structure",
      "members": {},
      "traits": {
        "smithy.api#output": {}
      }
    },
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
      "smithy.api#required": {}
    }
  },
  "DigitalSignatureMethod": {
    "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
    "traits": {
      "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n      For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
      "smithy.api#required": {}
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  }
}

```



```

    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed":
{
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    }
  }
},

```

```

    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
      }
    },
    "CheckoutMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#CheckoutLicense": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        }
      ]
    }
  }

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n    <p>If the
account that created the license is the same that is performing the check out, you must\n    specify the account
as the beneficiary.</p>\n    </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
      "smithy.api#required": {}
    }
  }
},

```

```

    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
      }
    },
    "smithy.api#required": {}
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CheckoutLicenseResponse": {
    "type": "structure",
    "members": {
      "CheckoutType": {
        "target": "com.amazonaws.licensemanager#CheckoutType",
        "traits": {
          "smithy.api#documentation": "<p>Checkout type.</p>"
        }
      },
      "LicenseConsumptionToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License consumption token.</p>"
        }
      }
    }
  }
}

```

```

    },
    "EntitlementsAllowed": {
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    },
    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
      }
    },
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
      }
    },
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
      }
    },
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
      "PROVISIONAL": {
        "target": "smithy.api#Unit",

```

```

        "traits": {
            "smithy.api#enumValue": "PROVISIONAL"
        }
    },
    "PERPETUAL": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "PERPETUAL"
        }
    }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max": 36
        }
    }
},
"com.amazonaws.licensemanager#ClientToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,
            "max": 2048
        },
        "smithy.api#pattern": "^\\S+$"
    }
},
"com.amazonaws.licensemanager#ConflictException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "ConflictException",
            "httpResponseCode":
409
        },
        "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 409
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
        }
      },
      "ConsumedLicenses": {
        "target": "com.amazonaws.licensemanager#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
  },
  "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
    }
  },
  "com.amazonaws.licensemanager#ConsumptionConfiguration": {
    "type": "structure",
    "members": {
      "RenewType": {
        "target": "com.amazonaws.licensemanager#RenewType",
        "traits": {
          "smithy.api#documentation": "<p>Renewal frequency.</p>"
        }
      },
      "ProvisionalConfiguration": {
        "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
        "traits": {
          "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
        }
      },
      "BorrowConfiguration": {
        "target": "com.amazonaws.licensemanager#BorrowConfiguration",
        "traits": {
          "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {

```



```

"type": "structure",
"members": {
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant name.</p>",
      "smithy.api#required": {}
    }
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {
  "target": "com.amazonaws.licensemanager#PrincipalArnList",
  "traits": {
    "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>
<ul>
<li><p>An Amazon Web Services
account, which includes only the account specified.</p>
</li>
<li><p>An organizational unit (OU), which includes all accounts in the OU.</p>
</li>
<li><p>An organization, which will include all accounts across your organization.</p>
</li>
</ul>
"smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {

```

```

        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#GrantStatus",
            "traits": {
                "smithy.api#documentation": "<p>Grant status.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Grant version.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Grant name.</p>"
    }
},
"AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
    }
},
"Status": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
    }
},
"StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
},
"SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Current version of the grant.</p>"
    }
},
"Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        }
    }
},
"Status": {

```

```

        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
            "smithy.api#documentation": "<p>Grant status.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>New version of the grant.</p>"
        }
    }
},
"traits":
{
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicense": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
},

```

```

"traits": {
  "smithy.api#documentation": "<p>Creates a license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>",

```

```

    "smithy.api#required": {}
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n      blocks the launch of new instances.</p>"
    }
  },
  "LicenseRules": {
    "target":
"com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n
<ul>\n      <li>\n          <p>\n              <code>Cores</code> dimension: <code>allowedTenancy</code> |\n              <code>licenseAffinityToHost</code> |\n              <code>maximumCores</code> |\n              <code>minimumCores</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>Instances</code> dimension: <code>allowedTenancy</code> |\n              <code>maximumCores</code> |\n              <code>minimumCores</code> |\n              <code>maximumSockets</code> | <code>minimumSockets</code> |\n              <code>maximumVcpus</code> | <code>minimumVcpus</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n              <code>licenseAffinityToHost</code> |\n              <code>maximumSockets</code> |\n              <code>minimumSockets</code>\n          </p>\n          </li>\n          <li>\n          <p>\n              <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n              <code>honorVcpuOptimization</code> |\n              <code>maximumVcpus</code> |\n              <code>minimumVcpus</code>\n          </p>\n          </li>\n        </ul>\n      <p>The unit for

```

`licenseAffinityToHost` is days and the range is 1 to 180. The possible values for `allowedTenancy` are `EC2-Default`, `EC2-DedicatedHost`, and `EC2-DedicatedInstance`. The possible values for `honorVcpuOptimization` are `True` and `False`.

```
    }
  },

  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
```



```



```

the *License Manager User Guide*.

```
    "smithy.api#required": {}
  }
},
"DestinationLicenseContext":
{
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the License Manager User Guide."</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

      "traits": {
        "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
  {
    "target": "com.amazonaws.licensemanager#ReportGeneratorName",
    "traits": {
      "smithy.api#documentation": "<p>Name of the report generator.</p>",
      "smithy.api#required": {}
    }
  },
  "Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n
      <ul>\n
        <li>\n
          <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n
        </li>\n
        <li>\n
          <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n
        </li>\n
      </ul>",
      "smithy.api#required": {}
    }
  }
}
},

```

```

"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
{
  "target": "com.amazonaws.licensemanager#String",
  "traits": {

```

```

    "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
    },
    "Validity": {
      "target": "com.amazonaws.licensemanager#DatetimeRange",
      "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
        "smithy.api#required": {}
      }
    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseResponse": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseStatus",
        "traits": {
          "smithy.api#documentation": "<p>License status.</p>"
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License version.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseVersion": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#ConflictException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",

```



```

    "traits":
{
    "smithy.api#documentation": "<p>License issuer.</p>",
    "smithy.api#required": {}
}
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>",
        "smithy.api#required": {}
    }
},
"Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
        "smithy.api#required": {}
    }
},
"LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
    }
},
"Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
    }
},
"ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n    usage.</p>",
        "smithy.api#required": {}
    }
},
"Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
        "smithy.api#documentation": "<p>License status.</p>",

```

```

        "smithy.api#required": {}
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"SourceVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>"
    }
}
},
"traits": {
"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>License ARN.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>New version of the license.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseStatus",
            "traits": {
                "smithy.api#documentation": "<p>License status.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#output":

```

```

{}
  }
},
"com.amazonaws.licensemanager#CreateToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n    <p>A refresh token is a JWT token used to get an access token. With an access token,\n    you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n    call License Manager to manage the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {

```

```

        "target": "com.amazonaws.licensemanager#Arn",
        "traits":
    {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is
mapped to the aud claim of the\n      JWT token.</p>",
        "smithy.api#required": {}
    }
},
"RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n      License Manager does not check whether the roles are in use.</p>"
    }
},
"ExpirationInDays": {
    "target": "com.amazonaws.licensemanager#Integer",
    "traits": {
        "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
    }
},
"TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
        "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n      to the amr claim of the JWT token.</p>"
    }
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
        "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
    "type": "structure",
    "members": {
        "TokenId": {
            "target": "com.amazonaws.licensemanager#String",

```

```

"traits": {
  "smithy.api#documentation": "<p>Token ID.</p>"
}
},
"TokenType": {
  "target": "com.amazonaws.licensemanager#TokenType",
  "traits": {
    "smithy.api#documentation": "<p>Token type.</p>"
  }
},
"Token": {
  "target": "com.amazonaws.licensemanager#TokenString",
  "traits": {
    "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
      }
    }
  }
}

```

```

    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the
grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation":
"<p>Grant version.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ],
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```



```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {

```

```

    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {

```

```

    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceVersion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Current version of the license.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteToken": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
      }
    },
    "com.amazonaws.licensemanager#DeleteTokenRequest": {
      "type": "structure",
      "members": {
        "TokenId": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token ID.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteTokenResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DigitalSignatureMethod": {
    "type": "enum",
    "members": {
      "JWT_PS384": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "JWT_PS384"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#Entitlement": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement resource. Use only  
if the unit is None.</p>"
        }
      },
      "MaxCount": {
        "target": "com.amazonaws.licensemanager#Long",
        "traits": {
          "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
        }
      },
      "Overage": {

```

```

    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement unit.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowCheckIn": {
    "target":
"com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
  }
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement
data value.</p>"
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
      "smithy.api#documentation": "<p>Entitlement data unit.</p>",
      "smithy.api#required": {}
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementDataList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#EntitlementData"
    }
  },
  "com.amazonaws.licensemanager#EntitlementDataUnit": {
    "type": "enum",
    "members": {
      "COUNT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Count"
        }
      },
      "NONE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "None"
        }
      },
      "SECONDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Seconds"
        }
      },
      "MICROSECONDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Microseconds"
        }
      },
      "MILLISECONDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Milliseconds"
        }
      },
      "BYTES": {
        "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Bytes"
    }
  },
  "KILOBYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":
{
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {

```



```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
},
"KILOBYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes/Second"
  }
},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes/Second"
  }
},

```

```

"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",

```

```

"members": {
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },

```

```

"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    },
    "com.amazonaws.licensemanager#EntitlementUsageList":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
  },
  "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {

```



```

"LicenseConsumptionToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License consumption token.</p>"
  }
},

"Expiration": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FailedDependency",
      "httpResponseCode": 424
    },
    "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 424
  }
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
      }
    }
  },
}

```

```

    "Values": {
      "target": "com.amazonaws.licensemanager#FilterValues",
      "traits": {
        "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used
to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
    },
    "com.amazonaws.licensemanager#FilterLimitExceededException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "FilterLimitExceeded",
          "httpResponseCode": 400
        },
        "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
        "smithy.api#error": "client",
        "smithy.api#httpError": 400
      }
    },
    "com.amazonaws.licensemanager#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#Filter"
      }
    },
    "com.amazonaws.licensemanager#FilterName": {
      "type": "string"
    },
    "com.amazonaws.licensemanager#FilterValue": {
      "type": "string"
    },
    "com.amazonaws.licensemanager#FilterValues": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#FilterValue",
        "traits": {

```

```

        "smithy.api#xmlName": "item"
    }
}
},
"com.amazonaws.licensemanager#Filters": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#Filter",
        "traits": {
            "smithy.api#xmlName": "item"
        }
    }
},
"com.amazonaws.licensemanager#GetAccessToken": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n    are valid for one hour.</p>"
    }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
    "type": "structure",
    "members": {
        "Token": {

```

```

    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
      "smithy.api#required": {}
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Grant details.</p>"
    }
}
},
"traits": {

"smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicense": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    {
        "target": "com.amazonaws.licensemanager#ValidationException"
    }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
      }
    }
  }
}

```

```

    }
  },
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {

```



```

    "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License configuration status.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

        "traits": {
            "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
    }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
    "type": "structure",
    "members": {
        "LicenseConversionTaskId": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
            "traits": {
                "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
    "type": "structure",
    "members": {
        "LicenseConversionTaskId": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
            "traits": {
                "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
            }
        },
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
            }
        },
        "SourceLicenseContext": {
            "target": "com.amazonaws.licensemanager#LicenseConversionContext",
            "traits": {
                "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
            }
        },
        "DestinationLicenseContext": {
            "target": "com.amazonaws.licensemanager#LicenseConversionContext",
            "traits": {
                "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
            }
        },
        "StatusMessage": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
            "traits": {
                "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
            }
        }
    }
}

```

```

    },
    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time at which the license type conversion task was started.</p>"
      }
    },
    "LicenseConversionTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
      }
    },
    "EndTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      }
    ]
  }

```

```

    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
{}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#GetLicenseRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License version.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
      "License": {
        "target": "com.amazonaws.licensemanager#License",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {

```

```

        "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
"target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
        "LicenseUsage": {
            "target":
"com.amazonaws.licensemanager#LicenseUsage",
            "traits": {
                "smithy.api#documentation": "<p>License usage details.</p>"
            }
        }
    }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "S3BucketArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data, discovery data,\n      and so on.</p>"
        }
      }
    }
  }
}

```



```

    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    }
  },
  "LicenseManagerResourceShareArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {

```

```

"target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>",
    "smithy.api#required": {}
  }
},
"ParentArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Parent ARN.</p>",
    "smithy.api#required": {}
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>License ARN.</p>",
    "smithy.api#required": {}
  }
},
"GranteePrincipalArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},

```

```

"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant version.</p>",
    "smithy.api#required": {}
  }
},
"GrantedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Granted operations.</p>",
    "smithy.api#required": {}
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
},
"traits": {
  "smithy.api#documentation":
<p>Describes a grant.</p>
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "REJECTED"
        }
    },
    "ACTIVE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ACTIVE"
        }
    },
    "FAILED_WORKFLOW": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "FAILED_WORKFLOW"
        }
    },
    "DELETED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DELETED"
        }
    },
    "PENDING_DELETE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "PENDING_DELETE"
        }
    },
    "DISABLED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DISABLED"
        }
    },
    "WORKFLOW_COMPLETED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "WORKFLOW_COMPLETED"
        }
    }
},
"com.amazonaws.licensemanager#GrantedLicense": {
    "type": "structure",
    "members": {

```

```

"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
  }
},
"LicenseName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License name.</p>"
  }
},
"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>"
  }
},
"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product SKU.</p>"
  }
},
"Issuer": {
  "target": "com.amazonaws.licensemanager#IssuerDetails",
  "traits": {
    "smithy.api#documentation": "<p>Granted license issuer.</p>"
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
  }
},
>Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>Granted license status.</p>"
  }
},
Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in

```

ISO8601-UTC format.</p>"

```
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Granted license metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}
},
"traits": {
```

```

    "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
  }
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
},
"com.amazonaws.licensemanager#ISO8601DateTime":
{
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^(?:(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
  }
},
"com.amazonaws.licensemanager#Integer": {
  "type": "integer"
},
"com.amazonaws.licensemanager#InvalidParameterValueException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidParameterValueProvided",
      "httpResponseCode": 400
    },
    "smithy.api#documentation":
    "<p>One or more parameter values are not valid.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
}

```

```

    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InvalidResourceState",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n      <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#InventoryFilter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter.</p>",
          "smithy.api#required": {}
        }
      },
      "Condition": {
        "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
        "traits": {
          "smithy.api#documentation": "<p>Condition of the filter.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Value of the filter.</p>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
  }
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",

```



```

    "traits": {
      "smithy.api#enumValue": "EQUALS"
    }
  },
  "NOT_EQUALS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "NOT_EQUALS"
    }
  },
  "BEGINS_WITH": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "BEGINS_WITH"
    }
  },
  "CONTAINS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CONTAINS"
    }
  }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "SignKey": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#IssuerDetails": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>"
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#License": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License name.</p>"
        }
      }
    }
  }
}

```

```

    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>"
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#IssuerDetails",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>"
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Validity": {
      "target": "com.amazonaws.licensemanager#DatetimeRange",
      "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    },
    "Entitlements": {

```

```

"target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>License metadata.</p>"
  }
},
"CreateTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>License
creation time.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  }
}

```

```

    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {

```

```

    "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the license configuration.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
        }
      },
      "AssociationTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
        }
      },
      "AmiAssociationScope": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
    "type": "enum",
    "members":
  {
    "AVAILABLE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "AVAILABLE"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    }
  }
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits":
    {
      "smithy.api#documentation": "<p>Type of resource.</p>"
    }
  },
  "ResourceStatus": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the resource.</p>"
    }
  },
  "ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },

```



```

    "AssociationTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
      }
    },

    "ConsumedLicenses": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
    },
    "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
      }
    },
    "com.amazonaws.licensemanager#LicenseConfigurations": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfiguration"
      }
    },
    "com.amazonaws.licensemanager#LicenseConversionContext": {
      "type": "structure",
      "members": {
        "UsageOperation": {
          "target": "com.amazonaws.licensemanager#UsageOperation",
          "traits": {
            "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
      }
    }
  }

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTask": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {

        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
        }
      },
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n      conversion task.</p>"
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
        }
      },
      "DestinationLicenseContext": {
        "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
        "traits": {
          "smithy.api#documentation": "<p>The status of the conversion task.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
        }
      },
      "StartTime": {
        "target": "com.amazonaws.licensemanager#DateTime",

```

```

    "traits": {
      "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^\\lct-[a-zA-Z0-9]*$"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUCCEEDED"
      }
    }
  }
}

```

```

    },
    "FAILED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED"
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTasks":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
  },
  "com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
      "VCPU": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "vCPU"
        }
      },
      "INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Instance"
        }
      },
      "CORE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Core"
        }
      },
      "SOCKET": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Socket"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseDeletionStatus": {
    "type": "enum",
    "members": {

```

```

"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
}
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {

"type": "structure",
"members": {
  "ResourceArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
  },
  "ResourceType": {
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
      "smithy.api#documentation": "<p>Resource type.</p>"
    }
  },
  "ErrorMessage": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Error message.</p>"
    }
  },
  "FailureTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {

"smithy.api#documentation": "<p>Failure time.</p>"
    }
}

```

```

    },
    "OperationName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the operation.</p>"
      }
    },
    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
      }
    },
    "OperationRequestedBy": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
      }
    },
    "MetadataList": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Reserved.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
    },
    "com.amazonaws.licensemanager#LicenseOperationFailureList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
      }
    },
    "com.amazonaws.licensemanager#LicenseSpecification": {
      "type": "structure",
      "members": {
        "LicenseConfigurationArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

```

```

    "smithy.api#required": {}
  },
  "AmiAssociationScope": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
  },
  "com.amazonaws.licensemanager#LicenseSpecifications": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseSpecification"
    }
  },
  "com.amazonaws.licensemanager#LicenseStatus": {
    "type": "enum",
    "members": {
      "AVAILABLE": {
        "target": "smithy.api#Unit",

        "traits": {
          "smithy.api#enumValue": "AVAILABLE"
        }
      },
      "PENDING_AVAILABLE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_AVAILABLE"
        }
      },
      "DEACTIVATED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "DEACTIVATED"
        }
      },
      "SUSPENDED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SUSPENDED"
        }
      }
    }
  }
}

```

```

    },
    "EXPIRED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EXPIRED"
      }
    },
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseUsage": {
    "type": "structure",
    "members": {
      "EntitlementUsages": {
        "target": "com.amazonaws.licensemanager#EntitlementUsageList",
        "traits": {
          "smithy.api#documentation": "<p>License entitlement usages.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseUsageException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "LicenseUsageFailure",
        "httpResponseCode": 412
      }
    }
  }

```



```

    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationAssociations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
        <li>\n
        <p>\n
        <code>LicenseArn</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GrantStatus</code>\n
        </p>\n
        </li>\n
      }
    }
  }
}

```

```

    <li>\n      <p>\n        <code>GranteePrincipalARN</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n  </ul>\n  <p>\n    <code>LicenseIssuerName</code>\n  </p>\n  </li>\n  </ul>\n  }\n  },\n  "NextToken": {\n    "target": "com.amazonaws.licensemanager#String",\n    "traits": {\n      "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n    }\n  },\n  "MaxResults": {\n    "target": "com.amazonaws.licensemanager#MaxSize100",\n    "traits": {\n      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"\n    }\n  },\n  "traits": {\n    "smithy.api#input": {}\n  }\n},\n"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {\n  "type": "structure",\n  "members": {\n    "Grants": {\n      "target": "com.amazonaws.licensemanager#GrantList",\n\n      "traits": {\n        "smithy.api#documentation": "<p>Distributed grant details.</p>"\n      }\n    },\n    "NextToken": {\n      "target": "com.amazonaws.licensemanager#String",\n      "traits": {\n        "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n      }\n    }\n  },\n  "traits": {\n    "smithy.api#output": {}\n  }\n},\n"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {\n  "type": "operation",\n  "input": {\n    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
  {
    "type": "structure",
    "members": {
      "LicenseOperationFailureList": {
        "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
        "traits": {
          "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurations": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are

```

```

<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```



```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        },
        "MaxResults": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "Filters": {
            "target": "com.amazonaws.licensemanager#Filters",
            "traits": {
                "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n    </p>"
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
        "LicenseConversionTasks": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
            "traits": {
                "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
            }
        }
    },
}

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target":
"com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
  {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </li>\n    </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
      "type": "structure",
      "members": {
        "ReportGenerators": {
          "target": "com.amazonaws.licensemanager#ReportGeneratorList",
          "traits": {
            "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {

```

```

        "target": "com.amazonaws.licensemanager#LicenseList",
        "traits": {
            "smithy.api#documentation": "<p>License details.</p>"
        }
    },

    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},

"com.amazonaws.licensemanager#ListLicenses": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicensesRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicensesResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
    }
}

```

```

    },
    "com.amazonaws.licensemanager#ListLicensesRequest": {
      "type": "structure",
      "members": {
        "LicenseArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
          }
        }
      },

      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
          <ul>\n
            <li>\n
              <p>\n
                <code>Beneficiary</code>\n
              </li>\n
            <li>\n
              <p>\n
                <code>ProductSKU</code>\n
              </p>\n
            </li>\n
            <p>\n
              <code>Fingerprint</code>\n
            </p>\n
            <li>\n
              <p>\n
                <code>Status</code>\n
            </p>\n
          </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicensesResponse": {
    "type": "structure",
    "members": {
      "Licenses": {
        "target": "com.amazonaws.licensemanager#LicenseList",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
  },

```



```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#ListReceivedGrants": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
      }
    }
  }

```

```

    },
    "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target":
"com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
            "smithy.api#required": {}
          }
        },
        "Filters": {

```

```

        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
<ul>\n
<li>\n
<p>\n
<code>ParentArn</code>\n
</p>\n
</li>\n
<li>\n
<p>\n
<code>GranteePrincipalArn</code>\n
</p>\n
</li>\n
</ul>"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
    "type": "structure",
    "members": {
        "Grants": {
            "target": "com.amazonaws.licensemanager#GrantList",
            "traits": {
                "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
    "type": "structure",

```

```

"members": {
  "GrantArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ProductSKU</code>\n
          </li>\n
        <li>\n
          <p>\n
            <code>LicenseIssuerName</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>LicenseArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GrantStatus</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranterAccountId</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Received grant details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists received licenses.</p>"
    }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
    }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>ProductSKU</code>\n        </p>\n"
    }
  }
}

```

```

    </li>\n    <li>\n        <p>\n            <code>Status</code>\n        </p>\n    </li>\n</li>\n    <p>\n        <code>Fingerprint</code>\n    </p>\n</li>\n    <li>\n        <p>\n            <code>IssuerName</code>\n        </p>\n    </li>\n</li>\n    <p>\n        <code>Beneficiary</code>\n    </p>\n</li>\n</ul>"
    }
},
"NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
},
"MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
    "type": "structure",
    "members": {
        "Licenses": {
            "target": "com.amazonaws.licensemanager#GrantedLicenseList",
            "traits": {
                "smithy.api#documentation": "<p>Received license details.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListResourceInventory": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
    }
}

```



```

},
"output": {
  "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#FailedDependencyException"
  },
  {
    "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>application_name</code> - The name of the
application. \n          Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>license_included</code> - The type of license included. \n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n          Possible values
are <code>sql-server-enterprise</code> | \n          <code>sql-server-standard</code> | \n          <code>sql-
server-web</code> | \n          <code>windows-server-datacenter</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>platform</code> - The platform of the resource.\n          Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resource_id</code> - The ID of the resource. \n          Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>tag:<key></code> - The key/value combination of a tag assigned \n          to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n          <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n      </li>\n    </ul>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
  "type": "structure",
  "members": {
    "Tags": {

```

```

        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
            "smithy.api#documentation": "<p>Information about the tags.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListTokens": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListTokensRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListTokensResponse"
    },
    "errors":
    [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists your tokens.</p>"
    }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
    "type": "structure",
    "members": {
        "TokenIds": {
            "target": "com.amazonaws.licensemanager#StringList",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Token IDs.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n
  <li>\n
    <p>\n
      <code>LicenseArns</code>\n
    </p>\n
  </li>\n
</ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
    {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>"
        }
    },
    "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
        "type": "structure",
        "members": {
            "LicenseConfigurationArn": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    },

```

```

"MaxResults": {
  "target": "com.amazonaws.licensemanager#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#Filters",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>resourceArn</code> - The ARN of the license configuration resource.\n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n
<li>\n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>).\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n <p>\n
<code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {

"LicenseConfigurationUsageList": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license configurations.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#Location": {
    "type": "string"
  },
  "com.amazonaws.licensemanager#Long": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
      "ResourceType":
    {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
    "AssociationCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
  }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
  }
},
"com.amazonaws.licensemanager#MaxSize100": {
  "type": "integer",
  "traits": {
    "smithy.api#range": {
      "min": 1,
      "max": 100
    }
  }
},

```



```

"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  },
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 3
    }
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The key name.</p>"
      }
    },
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#Options": {
    "type": "structure",
    "members": {
      "ActivationOverrideBehavior": {
        "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
        "traits": {
          "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n        <dd>\n          <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n        </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n        <dd>\n          <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n        </dd>\n      </dl>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
  "com.amazonaws.licensemanager#OrganizationConfiguration": {
    "type": "structure",
    "members": {
      "EnableIntegration": {
        "target": "com.amazonaws.licensemanager#Boolean",
        "traits": {
          "smithy.api#default": false,
          "smithy.api#documentation":

```

```

"<p>Enables Organizations integration.</p>",
  "smithy.api#required": {}
}
},
"traits": {
  "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterList": {
      "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
      "traits": {
        "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n
<p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n
<p>The following filters and are supported when
the resource type \n
is <code>SSM_MANAGED</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Application Name</code> - The name of the
application.\n
Logical operator is <code>EQUALS</code>.</p>\n
<li>\n
<li>\n
<p>\n
<code>Application Publisher</code> - The publisher of the application.\n
Logical
operator is <code>EQUALS</code>.</p>\n
<li>\n
<p>\n
<code>Application Version</code> - The version of the application.\n
Logical operator is
<code>EQUALS</code>.</p>\n
<li>\n
<li>\n
<p>\n
<code>Platform

```

`Name` - The name of the platform. Logical operator is `EQUALS`.

`Platform Type` - The platform type. Logical operator is `EQUALS`.

`Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

`AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

`License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

    "smithy.api#required": {}
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
  },
  "com.amazonaws.licensemanager#ProductInformationFilter": {
    "type": "structure",
    "members": {
      "ProductInformationFilterName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Filter name.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterValue": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Filter value.</p>"
        }
      }
    }
  },

```

```

"ProductInformationFilterComparator": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Logical operator.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information filters.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
},
"traits": {

```

```

    "aws.protocols#awsQueryError": {
      "code": "RateLimitExceeded",
      "httpResponseCode": 429
    },
    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    }
  },
  "AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed operations.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",

```

```

        "traits": {
            "smithy.api#enumValue":
"PENDING_ACCEPT"
        }
    },
    "REJECTED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "REJECTED"
        }
    },
    "ACTIVE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ACTIVE"
        }
    },
    "FAILED_WORKFLOW": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "FAILED_WORKFLOW"
        }
    },
    "DELETED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DELETED"
        }
    },
    "DISABLED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DISABLED"
        }
    },
    "WORKFLOW_COMPLETED": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "WORKFLOW_COMPLETED"
        }
    }
},
"com.amazonaws.licensemanager#RedirectException": {
    "type": "structure",
    "members": {
        "Location": {
            "target": "com.amazonaws.licensemanager#Location",

```

```

    "traits": {
      "smithy.api#httpHeader": "Location"
    }
  },
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 308
}
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
}

```



```

    }
  },
  "com.amazonaws.licensemanager#RejectGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {

```

```

    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "WEEKLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Weekly"
      }
    },
    "MONTHLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Monthly"
      }
    }
  },
  "com.amazonaws.licensemanager#ReportContext": {
    "type": "structure",
    "members": {
      "licenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#ArnList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this generator reports on.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
    }
  },
  "com.amazonaws.licensemanager#ReportFrequency": {
    "type": "structure",
    "members": {
      "value": {
        "target": "com.amazonaws.licensemanager#Integer",
        "traits": {
          "smithy.api#documentation": "<p>Number of times within the frequency period that a report is generated. \n      The only supported value is <code>1</code>.</p>"
        }
      }
    },
    "period": {

```

```

        "target": "com.amazonaws.licensemanager#ReportFrequencyType",

        "traits": {
            "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
    }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
    "type": "enum",
    "members": {
        "DAY": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "DAY"
            }
        },
        "WEEK": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "WEEK"
            }
        },
        "MONTH": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "MONTH"
            }
        }
    }
},
"com.amazonaws.licensemanager#ReportGenerator": {
    "type": "structure",
    "members": {
        "ReportGeneratorName": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the report generator.</p>"
            }
        },
        "ReportType": {
            "target": "com.amazonaws.licensemanager#ReportTypeList",
            "traits": {

```

```

        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
    }
},
"ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
        "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
    }
},
"ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
        "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
    }
},
"LicenseManagerReportGeneratorArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
    }
},
"LastRunStatus": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
    }
},
"LastRunFailureReason":
{
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
},
"LastReportGenerationTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
    }
},
"ReportCreatorAccount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
    }
},

```

```

    "Description": {
      "target": "com.amazonaws.licensemanager#String",

"traits": {
  "smithy.api#documentation": "<p>Description of the report generator.</p>"
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {

```

```

"type": "enum",
"members": {
  "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
    }
  },
  "LICENSE_CONFIGURATION_USAGE_REPORT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "LicenseConfigurationUsageReport"
    }
  }
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {
    "ResourceId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "Platform": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Platform of the resource.</p>"
    }
},
"PlatformVersion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
    }
},
"ResourceOwningAccountId":
{
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Details about a resource.</p>"
}
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
    "type": "structure",
    "members": {

```

```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_HOST"
      }
    },
    "EC2_AMI": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_AMI"
      }
    },
    "RDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "RDS"
      }
    },
    "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
      }
    }
  }
}

```



```

    },
    "com.amazonaws.licensemanager#S3Location": {
      "type": "structure",
      "members": {
        "bucket": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
          }
        },
        "keyPrefix": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
      }
    },
    "com.amazonaws.licensemanager#ServerInternalException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "aws.protocols#awsQueryError": {
          "code": "InternalServerError",
          "httpResponseCode": 500
        },
        "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
        "smithy.api#error": "server",
        "smithy.api#httpError": 500
      }
    },
    "com.amazonaws.licensemanager#SignedToken": {
      "type": "string",
      "traits": {
        "smithy.api#length": {
          "min": 4096
        }
      }
    },
    "com.amazonaws.licensemanager#StatusReasonMessage": {

```

```

    "type": "string",
    "traits":
  {
    "smithy.api#length": {
      "min": 0,
      "max": 400
    },
    "smithy.api#pattern": "^[\\s\\S]+$"
  }
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",

```

```

    "member": {
      "target": "com.amazonaws.licensemanager#Tag"
    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "ExpirationTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
      }
    },
    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller.</p>"
    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  },
  "com.amazonaws.licensemanager#TokenList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#TokenData"
    }
  },
  "com.amazonaws.licensemanager#TokenString": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 4096
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#TokenType": {
    "type": "enum",
    "members": {
      "REFRESH_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "REFRESH_TOKEN"
        }
      }
    }
  }

```

```

    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
  {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#UntagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UntagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UntagResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
    }
  },

```

```

"com.amazonaws.licensemanager#UntagResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "TagKeys": {
      "target": "com.amazonaws.licensemanager#TagKeyList",
      "traits": {
        "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseConfigurationStatus": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
      "traits": {
        "smithy.api#documentation": "<p>New status of the license configuration.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n configuration is licenseAffinityToHost.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
      }
    },
    "LicenseCountHardLimit": {

```



```

        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
            "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
        }
    },
    "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
        }
    },
    "Description": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>New description of the license configuration.</p>"
        }
    },
    "ProductInformationList": {
        "target": "com.amazonaws.licensemanager#ProductInformationList",
        "traits": {
            "smithy.api#documentation": "<p>New product information.</p>"
        }
    },
    "DisassociateWhenNotFound": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    }
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates a report generator.</p>\n      <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
    {
      "type": "structure",
      "members": {
        "LicenseManagerReportGeneratorArn": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
            "smithy.api#required": {}
          }
        },
        "ReportGeneratorName": {

```

```

    "target": "com.amazonaws.licensemanager#ReportGeneratorName",
    "traits": {
      "smithy.api#documentation": "<p>Name of the report generator.</p>",
      "smithy.api#required": {}
    }
  },
  "Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation":
        "<p>Type of reports to generate. The following report types are supported:</p>\n
        <ul>\n
        <li>\n
        <p>License configuration report - Reports the number and details of consumed licenses for a license
        configuration.</p>\n
        </li>\n
        <li>\n
        <p>Resource report - Reports the tracked licenses and
        resource consumption for a license configuration.</p>\n
        </li>\n
        </ul>",
      "smithy.api#required": {}
    }
  },
  "ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
      "smithy.api#documentation": "<p>The report context.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
      idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  }
},
"traits": {

```

```

    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
    },
    {
      "target": "com.amazonaws.licensemanager#LicenseUsageException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
          "smithy.api#required": {}
        }
      },
      "AddLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
        }
      },
      "RemoveLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
    },
    "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {

```



```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

```



```

type AssociateLicenseOutput struct {

    // A structure containing data about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{

```

```

Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "AssociateLicense",
}
}

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(

```

```

k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "grafana"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this
context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)

```

```

    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"

```

```

"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.

```

```

//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

```

```

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {

```



```

return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName:
"license-manager",
OperationName: "CreateLicense",
}
}

```

```

}

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports
            %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
        = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:

```

```

v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return
    stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}

```

1.141 aws-aws-sdk-go-v2-service-internal-checksum 1.1.38

1.141.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
    "context"
    "errors"
    "fmt"
```

```

"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

```

```

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.

```

ResultMetadata middleware.Metadata

```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err =
    = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
}
```

```

if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
}

```



```

BuiltInResolver builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {

```

```

// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
}
}

```

```

if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver:
    &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

```

    path: sdkbase
    ref: ${{ github.base_ref }}
- name: Checkout this ref
  uses: actions/checkout@v2
  with:
    path: new-ref
    fetch-depth: 0
- name: Get Diff
  run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
  uses: actions/setup-python@v2
  with:
    python-version: ${{ matrix.python-version }}
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {

```

```

    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of name to filter by.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
      }
    },
    "Operator": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
      "traits": {
        "smithy.api#documentation": "<p>An operator for filtering results.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
      }
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
        },
        {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        },
        {
          "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
        }
      ]
    }
  }

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
      }
    }
  },
}

```

```

    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n  subscriptions.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
    "type": "structure",
    "members": {
      "AmiId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
        }
      },
      "InstanceID": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
        }
      },
      "InstanceType": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The instance type of the resource.</p>"
        }
      }
    },
    "AccountID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of the instance.</p>"
      }
    },
    "Region": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
      }
    }
  }
}

```

```

    },
    "UsageOperation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
      }
    },
    "ProductCode": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
      "traits": {
        "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
      }
    },
    "LastUpdatedTime": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
      }
    },
    "SubscriptionName": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  }
}

```



```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",

```

```

"x-amz-security-token",
  "Access-Control-Allow-Headers",
  "Access-Control-Allow-Methods",
  "Access-Control-Allow-Origin"
],
"additionalExposedHeaders": [
  "x-amzn-errortype",
  "x-amzn-requestid",
  "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The
AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
}
},

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  },
  {
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
      },
      {
        "conditions": [],
        "type": "tree",
        "rules": [
          {
            "conditions": [
              {
                "fn": "booleanEquals",
                "argv": [
                  {
                    "ref": "UseDualStack"
                  },
                  true
                ]
              }
            ],
            "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
          }
        ]
      }
    ]
  }
]

```

```

        "type": "error"
    },
    {
        "conditions": [],

        "endpoint": {
            "url": {
                "ref": "Endpoint"
            },
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "isSet",

"argv": [
                    {
                        "ref": "Region"
                    }
                ]
            }
        },
        {
            "type": "tree",
            "rules": [
                {
                    "conditions": [
                        {
                            "fn": "aws.partition",
                            "argv": [
                                {
                                    "ref": "Region"
                                }
                            ]
                        }
                    ],

"assign": "PartitionResult"
                }
            ]
        }
    ]
}

```

```

],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      },
    ],
  },
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseDualStack"
      },
      true
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
            ],
            "supportsFIPS"
          }
        ]
      }
    ],
  },
  {
    "fn": "booleanEquals",

```

```

        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                ],
                "supportsDualStack"
            ]
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ],
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
        "type": "error"
    }
],
{
    "conditions": [
        {

```

```

        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsFIPS"
                            ]
                        }
                    ]
                }
            ]
        },
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ]
}

```

```

        }
    ]
}
],
{
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsDualStack"
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [

```



```

        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],

                    "endpoint": {
                        "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ],
},

{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
]
},
{

```

```

        "conditions": [],
        "error": "Invalid Configuration: Missing Region",
        "type": "error"
    }
]
}
],
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": false,

```

```

        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {

            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    }
}

```

```

    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint":
{
      "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},

```

```

{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint":
      {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
      }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {

```

```

        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",

"UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,

"Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
}

```



```

},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {
    "SourceRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "OrganizationIntegration": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
      "traits": {
        "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
  "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },

```

```

"output": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n  subscriptions.</p>",
  "smithy.api#http": {

"code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptionInstances"
},
"smithy.api#idempotent": {},
"smithy.api#paginated": {
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "Instances"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n  match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>AmiID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>InstanceID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>AccountID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Region</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>UsageOperation</code>\n      </p>\n    </li>\n  </ul>

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n  organization, the returned results will include data aggregated across your accounts in\n  Organizations.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/ListLinuxSubscriptions"
    },
    "smithy.api#idempotent": {},
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "Subscriptions"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>Subscription</code> with an optional operator to see subscriptions that match,\n  partially match, or don't match a certain subscription's name.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n
```

```

</li>\n      <p>\n      <code>Subscription</code>\n      </p>\n    </li>\n  </ul>\n  <p>The valid Operators for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n      <code>contains</code>\n      </p>\n    </li>\n    <li>\n      <p>\n      <code>>equals</code>\n      </p>\n    </li>\n    <p>\n      <code>NotEqual</code>\n      </p>\n    </li>\n  </ul>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "EQUAL",
        "value": "Equal",
        "documentation": "Equal operator"
      },
      {
        "name": "NOT_EQUAL",
        "value": "NotEqual",
        "documentation": "Not equal operator"
      },
      {
        "name": "CONTAINS",
        "value": "Contains",
        "documentation": "Contains operator"
      }
    ],
    "smithy.api#length": {
      "min": 1,
      "max": 20
    }
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
    "type": "string",
    "traits": {
      "smithy.api#enum": [
        {
          "name": "InProgress",
          "value": "InProgress",
          "documentation": "InProgress status"
        },
        {
          "name": "Completed",
          "value": "Completed",
          "documentation": "Completed status"
        },
        {
          "name": "Successful",
          "value": "Successful",
          "documentation": "Successful status"
        },
        {
          "name": "Failed",
          "value": "Failed",
          "documentation": "Failed status"
        }
      ]
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
    "type": "list",
    "member": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#length": {
          "min": 1,
          "max": 100
        }
      }
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 100
      },
      "smithy.api#uniqueItems": {}
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
    "type": "map",
    "key": {
      "target": "smithy.api#String"
    },
    "value": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of the subscription.</p>"
        }
      }
    },
    "Type": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
      }
    },
    "InstanceCount": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
  }
},

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/UpdateServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
      "smithy.api#required": {}
    }
  },
  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>",
      "smithy.api#required": {}
    }
  },
  "AllowUpdate": {
    "target": "smithy.api#Boolean",
    "traits": {
      "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
    }
  }
},
"com.amazonaws.licenseanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    }
  }
},
"LinuxSubscriptionsDiscoverySettings": {
  "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
  "traits": {
    "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licenseanagerlinuxsubscriptions#Status",
  "traits": {
    "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
  }
}

```



```

)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.
    //
    // This member is required.
    Workspace *types.WorkspaceDescription

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if
err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
        return err
    }
}

```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "grafana",
        OperationName: "DisassociateLicense",
    }
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "grafana"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region

```

```

ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err,
&ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "grafana"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it

```



```

// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
if params == nil {

```

```

params = &CheckoutBorrowLicenseInput{
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Digital signature method. The possible value is JSON Web Signature (JWS)
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde

```

```

}

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
}

```

```

}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
}

```

```

if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

```

```

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}
}

```

```

}

if m.EndpointResolver == nil {
    return out, metadata,
    fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the
            value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

return
next.HandleSerialize(ctx, in)
}

```

```

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package licensemanager
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

```



```

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if
    err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
}

```

```

if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)

```

```

if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var
        signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region

```

```

    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName ==
nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string
}

```

```

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}

```

```

}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
}

```



```

return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID:
    ServiceID,
SigningName: "license-manager",
OperationName: "ListLicenses",
}
}

type opListLicensesResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
    }
}

```

```

if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

```

```

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

    // License status.
    Status types.LicenseDeletionStatus

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack,
options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
}
}

```

```

    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,

```

```

resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)

```



```

    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
    EndpointResolver:
options.EndpointResolverV2,
    BuiltInResolver: &builtinResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{ }  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,  
c.addOperationCheckInLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*CheckInLicenseOutput)
```

```

out.ResultMetadata = metadata
return out, nil
}

type
CheckInLicenseInput struct {

// License consumption token.
//
// This member is required.
LicenseConsumptionToken *string

// License beneficiary.
Beneficiary *string

noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {

```

```

return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
return err
}
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}

```

```

}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ :=
        authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
    }
}

```

```

if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName
== nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

}

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Lists received licenses.  
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns  
...func(*Options)) (*ListReceivedLicensesOutput, error) {  
    if params == nil {  
        params = &ListReceivedLicensesInput{ }  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,  
c.addOperationListReceivedLicensesMiddlewares)  
    if err != nil {  
        return nil, err
```

```

}

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata
= metadata
return out, nil
}

type ListReceivedLicensesInput struct {

// Filters to scope the results. The following filters are supported:
// - ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if

```

```

err != nil {
    return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return
err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {

```

```

    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {

```

```

return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",

```



```

    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override
            the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("license-manager")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
        ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
        break
    case *internalauth.AuthenticationSchemeNone:
        break
    }
}

```

```

}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
},
"com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {
"DirectoryId": {
"target": "smithy.api#String",
"traits": {
"smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
}
}
},
"traits": {
"smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
}
},
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
},
"output": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n  <note>\n    <p>Your estimated bill for charges on the number of users and related
costs will take 48\n    hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n  </note>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/AssociateUser"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
  "type": "structure",
  "members": {

```

```

"Username": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
    "smithy.api#required": {}
  }
},
"InstanceId": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>The identity provider of the user.</p>",
    "smithy.api#required": {}
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
  "type": "structure",
  "members": {

```

```

    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",

```

```

        "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#documentation":
                "<p>Metadata that describes the results of an identity provider operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
}
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    },
    "Operation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
      }
    },
    "Value": {
      "target": "smithy.api#String",

```



```

    "traits": {
      "smithy.api#documentation": "<p>Value of the filter.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Settings": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n    settings such as the subnets to provision VPC endpoints.</p>",
      "smithy.api#required":

```

```

{}
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of an identity provider.</p>",
    "smithy.api#required": {}
  }
},
"FailureMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Status": {
  "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
            "smithy.api#required": {}
        }
    },
    "Products": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
        "traits": {
            "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
            "smithy.api#required": {}
        }
    },
    "LastStatusCheckDate": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The date of the last status check.</p>"
        }
    },
    "StatusMessage": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
        }
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
    }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "InstanceId": {

```

```

    "target": "smithy.api#String",
    "traits":
  {
    "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"AssociationDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
  }
},
"DisassociationDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
  }
}
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#InternalServerError": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
    "type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions"
  },
  {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",
      "Access-Control-Allow-Origin"
    ],
    "additionalExposedHeaders": [
      "x-amzn-errortype",
      "x-amzn-requestid",
      "x-amzn-trace-id"
    ]
  }
}

```

```

]
  },
  "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
  "smithy.api#title": "AWS License Manager User Subscriptions",
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
        "type": "Boolean"
      },
      "UseFIPS": {
        "builtIn": "AWS::UseFIPS",
        "required": true,
        "default": false,
        "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
        "type": "Boolean"
      },
      "Endpoint": {
        "builtIn": "SDK::Endpoint",
        "required": false,
        "documentation": "Override the endpoint used to send this request",
        "type": "String"
      }
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ]
}

```

```

    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ]
}

```



```

    },
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [
            {
              "fn": "aws.partition",
              "argv": [
                {
                  "ref": "Region"
                }
              ]
            },
            {
              "assign": "PartitionResult"
            }
          ],
          "type": "tree",
        }
      ],
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        },
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            }
          ]
        }
      ]
    }
  ],

```

```

        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
"argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ],
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
"argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsDualStack"
                        ]
                    }
                ],
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {

```

```

        "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ]
},
    "type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    }
}

```

```

        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  },
  {
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
  }
]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {

```

```

        "fn": "getAttr",
        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsDualStack"
        ]
    }
]
},
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does
not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]
},

```

```

    {
      "conditions":
    },
    {
      "error": "Invalid Configuration: Missing Region",
      "type": "error"
    }
  ],
  "smithy.rules#endpointTests": {
    "testCases": [
      {
        "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
        "expect": {
          "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
          }
        },
        "params": {
          "Region": "us-east-1",
          "UseFIPS": true,
          "UseDualStack": true
        }
      },
      {
        "documentation":
"\"For region us-east-1 with FIPS enabled and DualStack disabled\",
        "expect": {
          "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
          }
        },
        "params": {
          "Region": "us-east-1",
          "UseFIPS": true,
          "UseDualStack": false
        }
      },
      {
        "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
        "expect": {
          "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
          }
        },
        "params": {
          "Region": "us-east-1",
          "UseFIPS": false,

```

```

        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,

```



```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    }
}

```

```

    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack":
true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
}

```

```

    },
    {
      "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "For custom endpoint with fips enabled and dualstack disabled",
      "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "For custom endpoint with fips disabled and dualstack enabled",
      "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
      }
    },
    {
      "documentation": "Missing region",
      "expect": {
        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/ListIdentityProviders"
      },
      "smithy.api#paginated":
    }
  }
}

```

```

    },
    "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
      "type": "structure",
      "members": {
        "MaxResults": {
          "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
          "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
          }
        },
        "NextToken": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
  {
    "type": "structure",
    "members": {
      "IdentityProviderSummaries": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
          "smithy.api#required": {}
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  },
    "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
      },
      "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        }
      ]
    }
  }

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    }
  },
  "Filters": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
  "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {

```



```

    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/ListProductSubscriptions"
  },
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "ProductUserSummaries"
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
    "traits": {

"smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
      }
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "InstanceUserSummaries"
}
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
      "type": "structure",
      "members": {
        "Username": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
            "smithy.api#required": {}
          }
        },
        "Product": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
            "smithy.api#required": {}
          }
        },
        "IdentityProvider": {
          "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
          "traits": {
            "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a product for a user.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    },
    "SubscriptionStartDate": {
      "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
    }
  },
  "SubscriptionEndDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The end date of a subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n    subnets to provision VPC endpoints.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
            "smithy.api#required": {}
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 404
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 5,
                "max": 200
            },
            "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
        "type": "structure",
        "members": {
            "message": {
                "target": "smithy.api#String"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
            "smithy.api#error": "client"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#Settings": {
        "type": "structure",
        "members": {
            "Subnets": {

```



```

    "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
    "traits": {
      "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
      "smithy.api#length": {
        "min": 1
      },
      "smithy.api#required": {}
    }
  },
  "SecurityGroupId": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
    "traits": {
      "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n  your VPC and the VPC endpoint for activation servers.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n  subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n  endpoints. The security group should permit inbound TCP port 1688
communication from resources\n  in the VPC.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n        hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n        monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/StartProductSubscription"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  },
}

```

```

    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      }
    ]
  },

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
}
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StringList": {
    "type": "list",
    "member": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
    "type": "string",
    "traits": {
      "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
      "smithy.api#error": "client"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
    "type": "operation",
    "input": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "UpdateSettings": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n
<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n        </li>\n
    <li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n        </li>\n
    <li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n        </li>\n    </ul>",
      "smithy.api#required": {}
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
    "type": "structure",
    "members": {
      "AddSubnets": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
        "traits": {
          "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
          "smithy.api#required": {}
        }
      },
      "RemoveSubnets": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
        "traits": {
          "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
          "smithy.api#required": {}
        }
      },
      "SecurityGroupId": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
        "traits": {
          "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      },
      {
        "id": "Service",
        "namespace": "*"
      }
    ]
  }
}

```



```

    }
  ]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateToken"
      },
      {
        "target": "com.amazonaws.licensemanager#DeleteGrant"
      },
    ],
  },
}

```

```

    {
      "target": "com.amazonaws.licensemanager#DeleteLicense"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    },
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
  }

```

```

},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
  "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListTokens"
},
{
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#RejectGrant"
},
{

```

```

    "target": "com.amazonaws.licensemanager#TagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UntagResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager",
    "arnNamespace": "license-manager",
    "cloudFormationName": "LicenseManager",
    "cloudTrailEventSource": "licensemanager.amazonaws.com",
    "endpointPrefix": "license-manager"
  },
  "aws.auth#sigv4": {
    "name": "license-manager"
  },
  "aws.protocols#awsJson1_1": {},
  "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
  "smithy.api#title": "AWS License Manager",
  "smithy.api#xmlNamespace": {
    "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
  },
  "smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
      "Region": {
        "builtIn": "AWS::Region",
        "required": false,
        "documentation": "The AWS region used to dispatch the request.",
        "type": "String"
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,

```

```

    "default": false,
    "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
    "type": "Boolean"
  },
  "UseFIPS": {
    "builtIn": "AWS::UseFIPS",
    "required": true,
    "default": false,
    "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
    "type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ]
  }
],

```

```

        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
    },
    {
"conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "endpoint": {
        "url": {
            "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ]
},
{
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {

```

```

        "fn": "aws.partition",
        "argv": [
            {
                "ref": "Region"
            }
        ],
        "assign": "PartitionResult"
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref":
"UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    },
                                ],
                                "supportsFIPS"
                            }
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

        ]
    }
    ]
},
{
    "fn": "booleanEquals",
    "argv": [
        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                }
            ],
        }
    ]
}

"supportsDualStack"

    ]
    }
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
]
},
{
    "conditions": [
        {

```



```

        "fn": "booleanEquals",

"argv": [
    {
        "ref": "UseFIPS"
    },
    true
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,

{
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                    "supportsFIPS"
                ]
            }
        ]
    }
],
"type": "tree",
"rules": [

{
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "FIPS is enabled but this

```



```

        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
],
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint":
{
                    "url": "https://license-manager.af-south-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "af-south-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        }
    ],
}

```

```

{
  "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-south-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-south-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-southeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-southeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{

```

```

"documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ca-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ca-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-north-1.amazonaws.com"
    }
  },
  "params": {

```

```

        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
    },
    "params": {
        "Region":
"eu-south-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-west-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-west-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",

```

```

    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.me-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.sa-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "sa-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,

```



```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-2",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-west-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-2",
        "UseFIPS": true,

```

```

        "UseDualStack": false
    }
},
{
    "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,

        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {

```

```

        "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
    }
},
"params": {
    "Region": "cn-northwest-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
}

```

```

    },
    {
      "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-gov-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
        }
      }
    }
  ]
}

```

```

    },
    "params": {
      "Region": "us-gov-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.api.aws"
      }
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled
but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "Region": "us-east-1",

```



```

        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,

"UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {

```

```

        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},
"traits": {
  "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {

```

```

"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
}

```

```

"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    }
  }
},

```

```

"CHECK_IN_LICENSE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "CheckInLicense"
  }
},
"EXTEND_CONSUMPTION_LICENSE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "ExtendConsumptionLicense"
  }
},
"LIST_PURCHASED_LICENSES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "ListPurchasedLicenses"
  }
},
"CREATE_TOKEN": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "CreateToken"
  }
}
},
"com.amazonaws.licensemanager#AllowedOperationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#AllowedOperation"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max":
7
    }
  }
},
"com.amazonaws.licensemanager#Arn": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-

```

```

z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:_/+=,@.-]{0,1023}$"
  }
},
"com.amazonaws.licensemanager#ArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  }
},
"com.amazonaws.licensemanager#AuthorizationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError":
  {
    "code": "AuthorizationFailure",
    "httpResponseCode": 403
  },
    "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n      policy associated with this account.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 403
  }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
  "type": "structure",
  "members": {
    "LastRunTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},
"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
}

```

```

    },
    "com.amazonaws.licensemanager#BorrowConfiguration": {
      "type": "structure",
      "members": {
        "AllowEarlyCheckIn": {
          "target": "com.amazonaws.licensemanager#BoxBoolean",
          "traits": {
            "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
            "smithy.api#required": {}
          }
        },
        "MaxTimeToLiveInMinutes": {
          "target": "com.amazonaws.licensemanager#BoxInteger",
          "traits": {
            "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#BoxBoolean": {
    "type": "boolean"
  },
  "com.amazonaws.licensemanager#BoxInteger": {
    "type": "integer"
  },
  "com.amazonaws.licensemanager#BoxLong": {
    "type": "long"
  },
  "com.amazonaws.licensemanager#CheckInLicense": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {

```



```

    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicense":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
    "type": "structure",
    "members":
    {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "Entitlements": {
            "target": "com.amazonaws.licensemanager#EntitlementDataList",
            "traits": {
                "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
                "smithy.api#required": {}
            }
        },
        "DigitalSignatureMethod": {
            "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
            "traits": {
                "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a href='\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
                "smithy.api#required": {}
            }
        },
        "NodeId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Node ID.</p>"
            }
        },
        "CheckoutMetadata": {
            "target": "com.amazonaws.licensemanager#MetadataList",
            "traits": {
                "smithy.api#documentation": "<p>Information about constraints.</p>"
            }
        },
        "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "LicenseConsumptionToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License consumption token.</p>"
            }
        },
        "EntitlementsAllowed":
{
            "target": "com.amazonaws.licensemanager#EntitlementDataList",
            "traits": {
                "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
            }
        },
        "NodeId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Node ID.</p>"
            }
        },
        "SignedToken": {
            "target": "com.amazonaws.licensemanager#SignedToken",
            "traits": {
                "smithy.api#documentation": "<p>Signed token.</p>"
            }
        },
        "IssuedAt": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n    <p>If the
account that created the license is the same that is performing the check out, you must\n    specify the account
as the beneficiary.</p>\n    </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",

"smithy.api#required": {}
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    },
    "traits": {

"smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CheckoutLicenseResponse": {
    "type": "structure",
    "members": {
      "CheckoutType": {
        "target": "com.amazonaws.licensemanager#CheckoutType",
        "traits": {
          "smithy.api#documentation": "<p>Checkout type.</p>"
        }
      },
      "LicenseConsumptionToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License consumption token.</p>"
        }
      },
      "EntitlementsAllowed": {

```

```

    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
  },
  "SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
      "smithy.api#documentation": "<p>Signed token.</p>"
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
  "type": "enum",
  "members": {
    "PROVISIONAL": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PROVISIONAL"
      }
    }
  }
}

```

```

    }
  },
  "PERPETUAL": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PERPETUAL"
    }
  }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 36
    }
  }
},
"com.amazonaws.licensemanager#ClientToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#ConflictException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ConflictException",
      "httpResponseCode":
409
    },
    "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 409
  }
},

```



```

"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
      }
    },
    "ConsumedLicenses": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {

```

```

"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>",
    "smithy.api#required": {}
  }
}
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {
  "target": "com.amazonaws.licensemanager#PrincipalArnList",
  "traits": {
    "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>
<ul>
<li><p>An Amazon Web Services
account, which includes only the account specified.</p>
</li>
<li><p>An organizational unit (OU), which includes all accounts in the OU.</p>
</li>
<li><p>An organization, which will include all accounts across your organization.</p>
</li>
</ul>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
    "smithy.api#required": {}
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
}
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    }
  }
},
"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
}

```

```

    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the grant.</p>"
      }
    },
    "Options": {
      "target": "com.amazonaws.licensemanager#Options",
      "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {

```



```

    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```



```

},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the license configuration.</p>"
  }
},
"LicenseCountingType": {
  "target": "com.amazonaws.licensemanager#LicenseCountingType",
  "traits": {
    "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
    "smithy.api#required": {}
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
  }
},
"LicenseRules": {
  "target":
"com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
<ul>\n
  <li>\n
    <p>\n
      <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
      <code>licenseAffinityToHost</code> |\n
      <code>maximumCores</code> |\n
      <code>minimumCores</code>\n
    </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>Instances</code> dimension: <code>allowedTenancy</code> |\n
        <code>maximumCores</code> |\n
        <code>minimumCores</code> |\n
        <code>maximumSockets</code> | <code>minimumSockets</code> |\n
        <code>maximumVcpus</code> | <code>minimumVcpus</code>\n
      </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n
        <code>licenseAffinityToHost</code> |\n
        <code>maximumSockets</code> |\n
        <code>minimumSockets</code>\n
      </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n
        <code>honorVcpuOptimization</code> |\n
        <code>maximumVcpus</code> |\n
        <code>minimumVcpus</code>\n
      </p>\n
    </li>\n
  </ul>\n
  <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n

```

<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"

```
    }
  },

  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "DestinationLicenseContext":
{
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
    {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n      <ul>\n        <li>\n          <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n          <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n      </ul>",
        "smithy.api#required": {}
      }
    }
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
{
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"

```

```

    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Validity": {

```

```

    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```



```

},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "SourceVersion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>"
        }
    }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>License ARN.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>New version of the license.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseStatus",
            "traits": {
                "smithy.api#documentation": "<p>License status.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output":
    }
}
},
"com.amazonaws.licensemanager#CreateToken": {
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CreateTokenRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateTokenResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n      <p>A refresh token is a JWT token used to get an access token. With an access token,\n      you can call AssumeRoleWithWebIdentity to get role credentials that you can use to\n      call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",

```

```

    "smithy.api#required": {}
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
    }
  },
  "ExpirationInDays": {
    "target": "com.amazonaws.licensemanager#Integer",
    "traits": {
      "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CreateTokenResponse": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>"
        }
      }
    }
  },
  "TokenType": {
    "target": "com.amazonaws.licensemanager#TokenType",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token type.</p>"
    }
  },
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the

```



```

grant.<p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
}
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  }
]

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteLicenseRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "SourceVersion": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseResponse": {
    "type": "structure",
    "members": {
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
        "traits": {
          "smithy.api#documentation": "<p>License status.</p>"
        }
      },
      "DeletionDate": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteToken": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
    }
  }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
},

```

```

"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#Long",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
      }
    },
    "Overage": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
      }
    }
  }
},

```

```

    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement unit.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowCheckIn": {
      "target":
"com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementData": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement data name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement
data value.</p>"
        }
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
  }
},

```



```

"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
"smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":
  {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```

```

    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},

"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",

```



```

        "smithy.api#required": {}
    },
    "MaxCount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
        }
    },
    "Unit": {
        "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
        "traits": {
            "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    },
    "com.amazonaws.licensemanager#EntitlementUsageList":
    {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licensemanager#EntitlementUsage"
        }
    },
    "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            }
        ]
    }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    }
  },

```

```

    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#FailedDependencyException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      },
      "ErrorCode": {
        "target": "com.amazonaws.licensemanager#String"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FailedDependency",
        "httpResponseCode": 424
      },
      "smithy.api#documentation":
        "<p>A dependency required to run the API is missing.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 424
    }
  },
  "com.amazonaws.licensemanager#Filter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#FilterName",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
        }
      },
      "Values": {
        "target": "com.amazonaws.licensemanager#FilterValues",
        "traits": {
          "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used
to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanager#Filter",
  "traits": {
    "smithy.api#xmlName": "item"
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with AssumeRoleWithWebIdentity. Access tokens\n    are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {

```

```

"smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
  ],

```



```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits":
{
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  }
}

```

```

    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

    "smithy.api#documentation": "<p>License configuration status.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
}
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTask": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
        }
      },
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
        }
      },
      "DestinationLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
        "traits": {
          "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
        }
      }
    },
    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
      }
    }
  }
}

```

```

    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
      "License": {
        "target": "com.amazonaws.licensemanager#License",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {

```



```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
"target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
        "LicenseUsage": {
            "target":
"com.amazonaws.licensemanager#LicenseUsage",
            "traits": {
                "smithy.api#documentation": "<p>License usage details.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetServiceSettings": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n    and so on.</p>"
      }
    }
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
    }
  }
}

```

```

    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
    }
  },
},
"LicenseManagerResourceShareArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    },
    "ParentArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Parent ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantStatus": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantedOperations": {

```

```

    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Granted operations.</p>",
      "smithy.api#required": {}
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  }
},
"ACTIVE": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License name.</p>"
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  }
}

```

```

    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>"
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
      }
    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Granted license metadata.</p>"
      }
    },
    "CreateTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
      }
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
}

```



```

    },
    "com.amazonaws.licensemanager#ISO8601DateTime":
    {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 0,
                "max": 50
            },
            "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[+-](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+$)"
        }
    },
    "com.amazonaws.licensemanager#Integer": {
        "type": "integer"
    },
    "com.amazonaws.licensemanager#InvalidParameterValueException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidParameterValueProvided",
                "httpResponseCode": 400
            },
            "smithy.api#documentation":
            "<p>One or more parameter values are not valid.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#InvalidResourceStateException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidResourceState",
                "httpResponseCode": 400
            },
            "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its state.</p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n

```

```

down.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  }
},

"traits": {
  "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},

"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    }
  }
}

```

```

    }
  },
  "BEGINS_WITH": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "BEGINS_WITH"
    }
  },
  "CONTAINS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CONTAINS"
    }
  }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#IssuerDetails": {
  "type": "structure",
  "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>"
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
      }
    },
    "KeyFingerprint": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>License issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  }
}

```

```

    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },

```

```

"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```



```

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
},
"ResourceType": {
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
        "smithy.api#documentation": "<p>Type of server resource.</p>"
    }
},
"ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
    }
},
"AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
    }
},
"AmiAssociationScope": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
    }
},
"traits": {
    "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
    }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
    "type": "enum",
    "members":
{
    "AVAILABLE": {
        "target": "smithy.api#Unit",
        "traits": {

```

```

        "smithy.api#enumValue": "AVAILABLE"
    }
},
"DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DISABLED"
    }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        },
        "ResourceStatus": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Status of the resource.</p>"
            }
        },
        "ResourceOwnerId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
            }
        },
        "AssociationTime": {
            "target": "com.amazonaws.licensemanager#DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
            }
        }
    }
},

```

```

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfiguration"
  }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you are converting your resource from. For more information about which platforms correspond to which usage operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-fields.html#billing-info\">Sample data: usage operation by platform</a>\n\n</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {

```

```

"target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
  "traits": {
    "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n      conversion task.</p>"
  }
},
"SourceLicenseContext": {
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
  }
},
"DestinationLicenseContext": {
  "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
  "traits": {
    "smithy.api#documentation": "<p>The status of the conversion task.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
  }
},
"StartTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
  }
},
"LicenseConversionTime": {
  "target": "com.amazonaws.licensemanager#DateTime",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^\\ct-[a-zA-Z0-9]*$"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUCCEEDED"
      }
    },
    "FAILED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTasks":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
  },
  "com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
      "VCPU": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "vCPU"
        }
      },
      "INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Instance"
        }
      },
      "CORE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Core"
        }
      },
      "SOCKET": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Socket"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseDeletionStatus": {
    "type": "enum",
    "members": {
      "PENDING_DELETE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_DELETE"
        }
      },
      "DELETED": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DELETED"
        }
    },
    "com.amazonaws.licensemanager#LicenseList": {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licensemanager#License"
        }
    },
    "com.amazonaws.licensemanager#LicenseOperationFailure": {
        "type": "structure",
        "members": {
            "ResourceArn": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
                }
            },
            "ResourceType": {
                "target": "com.amazonaws.licensemanager#ResourceType",
                "traits": {
                    "smithy.api#documentation": "<p>Resource type.</p>"
                }
            },
            "ErrorMessage": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Error message.</p>"
                }
            },
            "FailureTime": {
                "target": "com.amazonaws.licensemanager#DateTime",
                "traits": {
                    "smithy.api#documentation": "<p>Failure time.</p>"
                }
            },
            "OperationName": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Name of the operation.</p>"
                }
            }
        }
    },

```

```

"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

        "smithy.api#required": {}
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
      }
    }
  }
}

```



```

    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseSpecification"
  }
},
"com.amazonaws.licensemanager#LicenseStatus": {
  "type": "enum",
  "members": {
    "AVAILABLE": {
      "target": "smithy.api#Unit",

      "traits": {
        "smithy.api#enumValue": "AVAILABLE"
      }
    },
    "PENDING_AVAILABLE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_AVAILABLE"
      }
    },
    "DEACTIVATED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DEACTIVATED"
      }
    },
    "SUSPENDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUSPENDED"
      }
    },
    "EXPIRED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EXPIRED"
      }
    }
  }
},

```

```

"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
}
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {

```

```

    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the resource associations for the specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n the license rules).</p>"
    }
  },
  "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationAssociations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>LicenseArn</code>\n
            </li>\n
            <li>\n
              <p>\n
                <code>GrantStatus</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>GranteePrincipalARN</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>ProductSKU</code>\n
              </p>\n
            </li>\n
            <li>\n
              <p>\n
                <code>LicenseIssuerName</code>\n
              </p>\n
            </li>\n
          </ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
  }
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
      "smithy.api#documentation": "<p>Distributed grant details.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {

```

```

"target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":

```

```

{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```



```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTasks": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {

```

```

    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n      <ul>\n        <li>\n          <p>\n            <code>LicenseConfigurationArn</code>\n          </li>\n        </ul>\n      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
      "type": "structure",
      "members": {
        "ReportGenerators": {
          "target": "com.amazonaws.licensemanager#ReportGeneratorList",
          "traits": {
            "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },

```

```

"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {

```

```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {
        "LicenseSpecifications": {
            "target": "com.amazonaws.licensemanager#LicenseSpecifications",
            "traits": {
                "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
}

```



```

"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {

```

```

    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n"
      }
    }
  }
}

```

```

    <ul>\n      <li>\n        <p>\n          <code>ParentArn</code>\n        </p>\n      </li>\n    </ul>\n  }
},
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
      <ul>\n
        <li>\n
          <p>\n
            <code>ProductSKU</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>LicenseIssuerName</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>LicenseArn</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GrantStatus</code>\n
          </p>\n
        </li>\n
        <li>\n
          <p>\n
            <code>GranterAccountId</code>\n
          </p>\n
        </li>\n
      </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Received grant details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists received licenses.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "MaxResults": {

```



```

    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "traits": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Status</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Fingerprint</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>IssuerName</code>\n
            </li>\n
        </ul>\n
      }
    }
  }
}

```

```

<code>Beneficiary</code>\n      </p>\n    </li>\n  </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Received license details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FailedDependencyException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#InventoryFilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:\n      <ul>\n        <li>\n          <p>\n            <code>account_id</code>"

```

- The ID of the Amazon Web Services account that owns the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`application_name` - The name of the application. Logical operators are `EQUALS` | `BEGINS_WITH`.

`license_included` - The type of license included. Logical operators are `EQUALS` | `NOT_EQUALS`. Possible values are `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

`platform` - The platform of the resource. Logical operators are `EQUALS` | `BEGINS_WITH`.

`resource_id` - The ID of the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`tag:key` - The key/value combination of a tag assigned to the resource. Logical operators are `EQUALS` (single account) or `NOT_EQUALS` (cross account).

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListResourceInventoryResponse": {
    "type": "structure",
    "members": {
      "ResourceInventoryList": {
        "target": "com.amazonaws.licensemanager#ResourceInventoryList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the resources.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
    },
  },

```

```

"output": {
  "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
  "type": "structure",
  "members": {
    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the tags.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListTokens": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTokensRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTokensResponse"
  },
  "errors":
[
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {

```

```

        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n      <li>\n          <p>\n              <code>LicenseArns</code>\n          </p>\n          </li>\n        </ul>\n"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
            "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
        }
    }
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListTokensResponse": {
    "type": "structure",
    "members": {
        "Tokens": {
            "target": "com.amazonaws.licensemanager#TokenList",
            "traits": {
                "smithy.api#documentation": "<p>Received token details.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```



```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n        <li>\n            <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n
<li>\n            <p>\n                <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n            Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n        <li>\n            <p>\n                <code>resourceAccount</code> - The ID of the account that owns the resource. \n            Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n    </ul>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {

"LicenseConfigurationUsageList": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

```

```

"com.amazonaws.licensemanager#Location": {
  "type": "string"
},
"com.amazonaws.licensemanager#Long": {
  "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
  "type": "structure",
  "members": {
    "ResourceType":
{
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
      "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
    }
  },
  "AssociationCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
  }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
  }
},
"com.amazonaws.licensemanager#MaxSize100": {
  "type": "integer",
  "traits": {
    "smithy.api#range": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},

```

```

    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 3
      }
    },
    "com.amazonaws.licensemanager#Message": {
      "type": "string"
    },
    "com.amazonaws.licensemanager#Metadata": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>The key name.</p>"
          }
        },
      },
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The value.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
    },
    "com.amazonaws.licensemanager#MetadataList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#Metadata"
      }
    },
    "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      },
      "traits": {
        "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement maximum count is reached.</p>",

```

```

    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n        <dd>\n          <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n        </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n        <dd>\n          <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n        </dd>\n      </dl>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
    }
  },
  "com.amazonaws.licensemanager#PrincipalArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 1
      }
    }
  },
  "com.amazonaws.licensemanager#ProductInformation": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterList": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
        "traits": {
          "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n
<p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n
<p>The following filters and are supported when
the resource type \n
is <code>SSM_MANAGED</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Application Name</code> - The name of the
application.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Publisher</code> - The publisher of the application.\n
Logical
operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Version</code> - The version of the application.\n
Logical operator is
<code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform
Name</code> - The name of the platform.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n

```

`Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

`AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

`License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

</li>\n    </ul>",&n
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Filter value.</p>"
      }
    },
    "ProductInformationFilterComparator": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Logical operator.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilter"
    }
},
"com.amazonaws.licensemanager#ProductInformationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformation"
    }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
    "type": "structure",
    "members": {
        "MaxTimeToLiveInMinutes": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
    }
},

```

```

    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    }
  }
}

```



```

    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    }
  },

```

```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",

```

```

"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    }
  }
}

```

```

    }
  },
  "WEEKLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Weekly"
    }
  },
  "MONTHLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Monthly"
    }
  }
}
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    }
  },
  "period": {
    "target": "com.amazonaws.licensemanager#ReportFrequencyType",

    "traits": {
      "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,

```

```

or monthly.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "MONTH"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    },
    "ReportType": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
      }
    },
    "ReportContext": {

```

```

        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
            "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
    },
    "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
            "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
    },
    "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
    },
    "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
    },
    "LastRunFailureReason":
{
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
},
    "LastReportGenerationTime": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
        }
    },
    "ReportCreatorAccount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
        }
    },
    "Description": {
        "target": "com.amazonaws.licensemanager#String",

```

```

"traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
        }
    },
    "LICENSE_CONFIGURATION_USAGE_REPORT": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationUsageReport"
        }
    }
},
"com.amazonaws.licensemanager#ReportTypeList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ReportType"
    }
},
"com.amazonaws.licensemanager#ResourceInventory": {
    "type": "structure",
    "members": {
        "ResourceId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        },
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
            }
        },
        "Platform": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Platform of the resource.</p>"
            }
        }
    }
},

```



```

    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
  },
  "com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    }
  }
}

```

```

    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InvalidResource.NotFound",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>The resource cannot be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceType": {
    "type": "enum",
    "members": {
      "EC2_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_INSTANCE"
        }
      },
      "EC2_HOST": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_HOST"
        }
      },
      "EC2_AMI": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_AMI"
        }
      },
      "RDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "RDS"
        }
      },
      "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#S3Location": {
    "type": "structure",

```

```

"members": {
  "bucket": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
    }
  },
  "keyPrefix": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
  }
},
"com.amazonaws.licensemanager#ServerInternalException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InternalServerError",
      "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
  }
},
"com.amazonaws.licensemanager#SignedToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 4096
    }
  }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
  "type": "string",
  "traits":

```

```

{
  "smithy.api#length": {
    "min": 0,
    "max": 400
  },
  "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
}
}

```

```

    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>One or more tags.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#TokenData": {
    "type": "structure",
    "members": {
        "TokenId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token ID.</p>"
            }
        },
        "TokenType": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
            }
        },
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "ExpirationTime": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
            }
        },
        "TokenProperties": {
            "target": "com.amazonaws.licensemanager#MaxSize3StringList",
            "traits": {
                "smithy.api#documentation": "<p>Data specified by the caller.</p>"
            }
        }
    }
}

```

```

    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {
    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
    {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#UntagResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UntagResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UntagResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
        }
    },
    "com.amazonaws.licensemanager#UntagResourceRequest": {
        "type": "structure",

```



```

"members": {
  "ResourceArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "TagKeys": {
    "target": "com.amazonaws.licensemanager#TagKeyList",
    "traits": {
      "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseConfigurationStatus": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
      "traits": {
        "smithy.api#documentation": "<p>New status of the license configuration.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n configuration is licenseAffinityToHost.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
      }
    },
    "LicenseCountHardLimit": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {

```

```

        "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
},
"Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
},
"ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
    }
},
"DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
}
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  },
  "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
  {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
          "smithy.api#required": {}
        }
      },
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorName",
        "traits": {

```

```

    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
"Type": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n
  <ul>\n
    <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n
    </li>\n
    <li>\n
    <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n
    </li>\n
  </ul>",
    "smithy.api#required": {}
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>The report context.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits":
{
  "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
  "smithy.api#required": {}
}
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
    {
        "type": "structure",
        "members": {},
        "traits": {
            "smithy.api#output": {}
        }
    },
    "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
            },
            {
                "target": "com.amazonaws.licensemanager#LicenseUsageException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
        }
    },

```

```

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
      }
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
}

```



```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-
// Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
    c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

```

```

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
    }
}

```

```

    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

```

```

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
    }

```

```

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

```

```

    params := EndpointParameters{}

```

```

    m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

```

```

    req.URL = &resolvedEndpoint.URI

```

```

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),

```

```

)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    }
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
    }
}

```

```

    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"

```

```

"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.

```



```

Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.

```

Version *string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName:
    "license-manager",
    OperationName: "CreateLicense",
}
}

```

```

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {

```

```

var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "license-manager"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports
%v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx =
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {

```

```

    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
}

```

1.142 aws-aws-sdk-go-v2-service-internal-s3shared 1.15.6

1.142.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"

```

```

"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Key fingerprint identifying the license.

```

```

//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

```



```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {  
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)  
    if err != nil {  
        return err  
    }  
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {  
        return err  
    }  
    if err = addSetLoggerMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err =  
    = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {  
        return err  
    }  
    if err = addResolveEndpointMiddleware(stack, options); err != nil {  
        return err  
    }  
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {  
        return err  
    }  
    if err = addRetryMiddlewares(stack, options); err != nil {  
        return err  
    }  
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {  
        return err  
    }  
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {  
        return err  
    }  
    if err = addClientUserAgent(stack, options); err != nil {  
        return err  
    }  
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {  
        return err  
    }  
}
```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil
    {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"

```

```

signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.

```

```

// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver:
&builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

```

- name: Checkout this ref
  uses: actions/checkout@v2
  with:
    path: new-ref
    fetch-depth: 0
- name: Get Diff
  run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
  with:
    repository: nexB/scancode-toolkit
    path: scancode-toolkit
    fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
  uses: actions/setup-python@v2
  with:
    python-version: ${{ matrix.python-version }}
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The type of name to filter by.</p>"
    }
  },
  "Values": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
    }
  },
  "Operator": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#Operator",
    "traits": {
      "smithy.api#documentation": "<p>An operator for filtering results.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
}
},
"com.amazonaws.licenseanagerlinuxsubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#Filter"
  }
},
"com.amazonaws.licenseanagerlinuxsubscriptions#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerlinuxsubscriptions#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerlinuxsubscriptions#ValidationException"
    }
  ]
},

```

```

"traits": {
  "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/GetServiceSettings"
  },
  "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",

```



```

        "traits": {
            "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n    subscriptions.</p>"
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
    "type": "structure",
    "members": {
        "AmiId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
            }
        },
        "InstanceID": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
            }
        },
        "InstanceType": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The instance type of the resource.</p>"
            }
        }
    },
    "AccountID": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
        }
    },
    "Status": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The status of the instance.</p>"
        }
    },
    "Region": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
        }
    },
    "UsageOperation": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
    }
  },
  "SubscriptionName": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  }
},

```

```

"traits": {
  "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
  "smithy.api#error": "server"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],

"traits": {
  "aws.api#service": {
    "sdkId": "License Manager Linux Subscriptions",
    "arnNamespace": "license-manager-linux-subscriptions",
    "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-linux-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",

"x-amz-security-token",
      "Access-Control-Allow-Headers",

```

```

    "Access-Control-Allow-Methods",
    "Access-Control-Allow-Origin"
  ],
  "additionalExposedHeaders": [
    "x-amzn-errortype",
    "x-amzn-requestid",
    "x-amzn-trace-id"
  ]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The
AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {

```

```

"conditions": [
  {
    "fn": "isSet",
    "argv": [
      {
        "ref": "Endpoint"
      }
    ]
  }
],
"type": "tree",
"rules": [
  {

    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {

        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
      },

```

```

        {
            "conditions": [],

            "endpoint": {
                "url": {
                    "ref": "Endpoint"
                },
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
],
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "isSet",

"argv": [
                    {
                        "ref": "Region"
                    }
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "aws.partition",
                        "argv": [
                            {
                                "ref": "Region"
                            }
                        ]
                    }
                ],

"assign": "PartitionResult"
            }
        ],
        "type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              true,
              {
                "fn": "getAttr",
                "argv": [
                  {
                    "ref": "PartitionResult"
                  },
                  "supportsFIPS"
                ]
              }
            ]
          }
        ]
      },
      {
        "fn": "booleanEquals",
        "argv": [
          true,

```

```

        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
            ],

            "supportsDualStack"
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [

```



```

        {
            "ref": "UseFIPS"
        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    },
    {
        "fn": "getAttr",
        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsFIPS"
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
]

```

```

        }
    ]
},
{
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsDualStack"
                            ]
                        }
                    ]
                }
            ],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],

                "endpoint": {
                    "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "DualStack is enabled but this partition does not support DualStack",
        "type": "error"
    }
],
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
],
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",

```

```

        "type": "error"
      }
    ]
  }
],
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    }
  ],
}

```

```

{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {

      "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {

```

```

        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint":
            {
                "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
            }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {

```

```

    "endpoint":
{
    "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
}
},
{
"documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
"expect": {
    "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
    }
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
"documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
"expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
},
"params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
}
},
{
"documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
"expect": {
    "endpoint": {
        "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
    }
},
"params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
}
},
}

```

```

{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
}

```



```

    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",

"UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

    "expect": {
      "endpoint": {

```

```

        "url": "https://example.com"
    }
},
"params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
}
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,

"Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}
},
    ],
    "version": "1.0"
}
},
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
    "type": "string",

```

```

"traits": {
  "smithy.api#enum": [
    {
      "name": "Enabled",
      "value": "Enabled",
      "documentation": "Enabled LinuxSubscriptionsDiscovery"
    },
    {
      "name": "Disabled",
      "value": "Disabled",
      "documentation": "Disabled LinuxSubscriptionsDiscovery"
    }
  ]
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {
    "SourceRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "OrganizationIntegration": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
      "traits": {
        "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
  "type":
"operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
  },
}

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n  subscriptions.</p>",
  "smithy.api#http": {

"code": 200,
  "method": "POST",
  "uri": "/subscription/ListLinuxSubscriptionInstances"
},
  "smithy.api#idempotent": {},
  "smithy.api#paginated": {
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "Instances"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n  match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>AmiID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>InstanceID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>AccountID</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Region</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>UsageOperation</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductCode</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>InstanceType</code>\n      </p>\n    </li>\n  </ul>\n  <p>The valid Operators for this filter are:</p>\n  <ul>\n    <li>\n      <p>\n        <code>contains</code>\n      </p>\n    </li>\n  </ul>

```

```

</li>\n      <li>\n        <p>\n          <code>equals</code>\n        </p>\n      </li>\n    </li>\n  <p>\n    <code>NotEqual</code>\n  </p>\n  </ul>"
}
},
"MaxResults": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
      "traits": {
        "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n  organization, the returned results will include data aggregated across your accounts in\n  Organizations.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/ListLinuxSubscriptions"
    },
    "smithy.api#idempotent": {},
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "Subscriptions"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n  <code>Subscription</code> with an optional operator to see subscriptions that match,\n  partially match, or don't match a certain subscription's name.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n  <li>\n  <p>\n  <code>Subscription</code>\n  <p>\n  </li>\n  </ul>\n  <p>The valid Operators for this filter are:</p>\n"
      }
    }
  }
}

```

```

    <ul>\n      <li>\n        <p>\n          <code>contains</code>\n        </p>\n      </li>\n    </ul>\n    <p>\n      <code>equals</code>\n    </p>\n  </li>\n  <p>\n    <code>Notequal</code>\n  </p>\n</ul>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",

```

```

"traits": {
  "smithy.api#enum": [
    {
      "name": "EQUAL",
      "value": "Equal",
      "documentation": "Equal operator"
    },
    {
      "name": "NOT_EQUAL",
      "value": "NotEqual",
      "documentation": "Not equal operator"
    },
    {
      "name": "CONTAINS",
      "value": "Contains",
      "documentation": "Contains operator"
    }
  ],
  "smithy.api#length": {
    "min": 1,
    "max": 20
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "InProgress",
        "value": "InProgress",
        "documentation": "InProgress status"
      },
      {
        "name": "Completed",
        "value": "Completed",
        "documentation": "Completed status"
      },
      {
        "name": "Successful",
        "value": "Successful",
        "documentation": "Successful status"
      },
      {
        "name": "Failed",
        "value": "Failed",
        "documentation": "Failed status"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
  {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    },
    "smithy.api#uniqueItems": {}
  }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    },
    "Type": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
      }
    },
    "InstanceCount": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
  "type": "structure",

```

```

"members": {
  "message": {
    "target": "smithy.api#String"
  }
},
"traits": {
  "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
  "smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
  },

"output": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/UpdateServiceSettings"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",

```

```

        "smithy.api#required": {}
    },
    "LinuxSubscriptionsDiscoverySettings": {
        "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
        "traits": {
            "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>",
        }
    },
    "smithy.api#required": {}
    },
    "AllowUpdate": {
        "target": "smithy.api#Boolean",
        "traits": {
            "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
        }
    },
    },
    "com.amazonaws.licenseanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
        "type": "structure",
        "members": {
            "LinuxSubscriptionsDiscovery": {
                "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
                "traits": {
                    "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
                }
            },
        },
    },
    "LinuxSubscriptionsDiscoverySettings": {
        "target": "com.amazonaws.licenseanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
        "traits": {
            "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>"
        }
    },
    "Status": {
        "target": "com.amazonaws.licenseanagerlinuxsubscriptions#Status",
        "traits": {
            "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
        }
    },
    },

```

```

    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n  subscriptions.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
      "smithy.api#error": "client"
    }
  }
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
if params == nil {
params = &DisassociateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type DisassociateLicenseInput struct {

// The type of license to remove from the workspace.
//
// This member is required.
LicenseType types.LicenseType

// The ID of the workspace to remove the Grafana Enterprise license from.
//
// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err

```

```

error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
    if
    err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
    err != nil {
        return err
    }
    if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {

```

```

return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "DisassociateLicense",
}
}

```

```

type opDisassociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

```

```

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```



```

}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "grafana"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
}
}

```

```

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
&ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {
            v4aScheme.SigningName = aws.String("grafana")
        }
        if v4aScheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
        }
    }
}

```

```

    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }
}

```

```

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// Digital signature method. The possible value is JSON Web Signature (JWS)
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

```

```

type
CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {

```

```

return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}

```

```

}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

```

```

if m.EndpointResolver == nil {
    return out, metadata,
    fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {

```



```

case *internalauth.AuthenticationSchemeV4:
    v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
    var signingName, signingRegion string
    if v4Scheme.SigningName == nil {
        signingName = "license-manager"
    } else {
        signingName = *v4Scheme.SigningName
    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the
value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{

```

```

EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
  Region:    options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,
  Endpoint:  options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
  if params == nil {
    params = &GetLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
  if err != nil {
    return nil, err
  }

  out := result.(*GetLicenseOutput)
  out.ResultMetadata = metadata
  return out,
  nil
}

type GetLicenseInput struct {

```

```

// Amazon Resource Name (ARN) of the license.
//
// This member is required.
LicenseArn *string

// License version.
Version *string

noSmithyDocumentSerde
}

type GetLicenseOutput struct {

// License details.
License *types.License

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {

```

```

return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```

```

}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var
signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
}
}

```

```

}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName ==
nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

```



```

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}

```

```

}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID:
        ServiceID,
    SigningName: "license-manager",
    OperationName: "ListLicenses",
}
}

```

```

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

```

```

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

```

```

params := EndpointParameters{}

```

```

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

```

```

req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it

```

```

// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"

```

```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.

```

```

DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack,
options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
    return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "DeleteLicense",
}
}

```



```

}

type
opDeleteLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for
_, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case

```

```

*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
    EndpointResolver:
    options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,  
c.addOperationCheckInLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*CheckInLicenseOutput)  
    out.ResultMetadata = metadata  
    return out, nil  
}
```

```

type
  CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
  }

type CheckInLicenseOutput struct {
  // Metadata pertaining to the operation's result.
  ResultMetadata middleware.Metadata

  noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
  err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
  if err != nil {
    return err
  }
  err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
  if err != nil {
    return err
  }
  if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
  }
  if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
  }
  if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
  }
  if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
  err != nil {
    return err
  }
  if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
  }
  if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {

```

```

return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```

```

}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {

```

```

return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {

```



```

    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName
== nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Lists received licenses.  
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns  
...func(*Options)) (*ListReceivedLicensesOutput, error) {  
    if params == nil {  
        params = &ListReceivedLicensesInput{ }  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,  
c.addOperationListReceivedLicensesMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*ListReceivedLicensesOutput)
```

```

out.ResultMetadata
= metadata
return out, nil
}

type ListReceivedLicensesInput struct {

// Filters to scope the results. The following filters are supported:
// - ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
}

```

```

err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return
err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),

```



```

middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

```

```

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return
    out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override
the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return

```

```

next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {
"DirectoryId": {
"target": "smithy.api#String",
"traits": {
"smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
}
}
},
"traits": {
"smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
"type": "operation",
"input": {
"target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
}
}
}
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n      <note>\n        <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n      </note>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/AssociateUser"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
    }
},
"InstanceId": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
    }
},
"IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",
        "smithy.api#required": {}
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
    "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
      "IdentityProvider": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      }
    ]
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    },
    "Operation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
      }
    },
    "Value": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n    settings such as the subnets to provision VPC endpoints.</p>",
      "smithy.api#required":
{}
    }
  },
}

```

```

"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of an identity provider.</p>",
    "smithy.api#required": {}
  }
},
"FailureMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status

```

```

of an EC2 instance resource.</p>",
    "smithy.api#required": {}
  }
},
"Products": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
  "traits": {
    "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
    "smithy.api#required": {}
  }
},
"LastStatusCheckDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The date of the last status check.</p>"
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"InstanceId": {
  "target": "smithy.api#String",
  "traits":

```

```

{
    "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
    "smithy.api#required": {}
}
},
"IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
    }
},
"Status": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
    }
},
"StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
},
"AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
},
"DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based

```

```

subscriptions.<p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
  "type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager User Subscriptions",
      "arnNamespace": "license-manager-user-subscriptions",
      "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-user-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",
        "x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ],
      "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
      ]
    }
  }
]
},

```



```

"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with\n    a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],

```

```

"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
}

```

```

"conditions": [
  {
    "fn": "isSet",
    "argv": [
      {
        "ref": "Region"
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
  }
]
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ]
  }
]

```

```

    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        },
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "endpoint": {
            "url": "https://license-manager-user-subscriptions-
            fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},

```

```

        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ]
},
    "type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    }
],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                }
            },
            {
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                }
                            ]
                        }
                    ]
                }
            ]
        }
    ]
}

```

```

        },
        "supportsDualStack"
    ]
}
]
},
"type": "tree",
"rules": [
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does
not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions":
[],
    "error": "Invalid Configuration: Missing Region",

```

```

        "type": "error"
    }
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation":
"\"For region us-east-1 with FIPS enabled and DualStack disabled\",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": false,
                "UseDualStack": true
            }
        },
        {

```



```

    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
  },

```

```

    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {

```

```

        "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
            }
        },
        "params": {
            "Region": "us-gov-east-1",
            "UseFIPS": false,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
            }
        },
        "params": {
            "Region": "us-gov-east-1",
            "UseFIPS": false,
            "UseDualStack": false
        }
    },
    {
        "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
        "expect": {
            "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
        },
        "params": {
            "Region": "us-iso-east-1",
            "UseFIPS": true,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
        "expect":
    {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
        "params": {
            "Region": "us-iso-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
},

```

```

    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {

```

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
},
"output": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/ListIdentityProviders"
  },
  "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "IdentityProviderSummaries"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
  "type": "structure",

```

```

"members": {
  "MaxResults": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
  "type": "structure",
  "members": {
    "IdentityProviderSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    }
  ]
}

```



```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "Filters": {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#ListInstancesResponse": {
    "type":
"structure",
    "members": {
        "InstanceSummaries": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
        },
        {

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
    }
}

```

```

    },
    "Filters": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions operation.</p>"
      }
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
{
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceUserSummaries"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {

```

```

    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
  "type": "structure",

```

```

"members": {

"Username": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
    "smithy.api#required": {}
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},

"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a product for a user.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"SubscriptionStartDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The

```

```

start date of a subscription.</p>"
    }
  },
  "SubscriptionEndDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The end date of a subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {

```



```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "Settings": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
            "traits": {
                "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n    subnets to provision VPC endpoints.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider

```

```

operation.</p>",
    "smithy.api#required": {}
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 404
  }
},
"com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
  "type": "string",

"traits": {
  "smithy.api#length": {
    "min": 5,
    "max": 200
  },
  "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {

```

```

    "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
    "smithy.api#length": {
        "min": 1
    },
    "smithy.api#required": {}
}
},
"SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n    your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n    subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n    endpoints. The security group should permit inbound TCP port 1688
communication from resources\n    in the VPC.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
        }
    ]
}

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing.\n      For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n      monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StartProductSubscription"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
        "type": "structure",
        "members": {
            "ProductUserSummary": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
                "traits": {
                    "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
        },
        "output": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
            },
            {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StopProductSubscription"
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required":
            }
        }
    },
    "Product": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
            "smithy.api#required": {}
        }
    },
    "Domain": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",

```

```

"members": {
  "ProductUserSummary": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
    "traits": {
      "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Subnet": {
  "type": "string",
  "traits": {
    "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Subnets": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#Subnet"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  },

```

```

"output": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/UpdateIdentityProviderSettings"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "UpdateSettings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
      "traits": {
        "smithy.api#documentation": "<p>Updates the registered identity providers product related

```


configuration settings. You can update any combination of settings in a single operation such as the:

- Subnets which you want to add to provision VPC endpoints.
- Subnets which you want to remove the VPC endpoints from.
- Security group ID which permits traffic to the VPC endpoints.

```

    "smithy.api#required": {}
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in your VPC and the VPC endpoints for
activation servers.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A parameter is not valid.</p>",
      "smithy.api#error": "client"
    }
  }
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      },
      {
        "id": "Service",
        "namespace": "*"
      }
    ]
  }
}

```

```

},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateToken"
      },
      {
        "target": "com.amazonaws.licensemanager#DeleteGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#DeleteLicense"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    }
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
  },
  {

```

```

    "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseVersions"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },

```

```

    {
      "target": "com.amazonaws.licensemanager#UntagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager",
      "arnNamespace": "license-manager",
      "cloudFormationName": "LicenseManager",
      "cloudTrailEventSource": "licensemanager.amazonaws.com",
      "endpointPrefix": "license-manager"
    },
    "aws.auth#sigv4": {
      "name": "license-manager"
    },
    "aws.protocols#awsJson1_1": {},
    "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
    "smithy.api#title": "AWS License Manager",
    "smithy.api#xmlNamespace": {
      "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
    },
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {
        "Region": {
          "builtIn": "AWS::Region",
          "required": false,
          "documentation": "The AWS region used to dispatch the request.",
          "type": "String"
        }
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not

```

```

support dual-stack, dispatching the request MAY return an error.",
  "type": "Boolean"
},
"UseFIPS": {
  "builtIn": "AWS::UseFIPS",
  "required": true,
  "default": false,
  "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
  "type": "Boolean"
},
"Endpoint": {
  "builtIn": "SDK::Endpoint",
  "required": false,
  "documentation": "Override the endpoint used to send this request",
  "type": "String"
}
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
]
},
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ]
  }
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"

```

```

    },
    {
"conditions": [
    {
        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [],
"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
"type": "endpoint"
}
],
},
{
"conditions": [
    {
        "fn": "isSet",
        "argv": [
            {
                "ref": "Region"
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [

```



```

        {
            "ref": "Region"
        }
    ],
    "assign": "PartitionResult"
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    },
                                    "supportsFIPS"
                                ]
                            }
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

    }
    ],
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            }
          ],
        }
      ],
    },
    "supportsDualStack"
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
  {
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
  }
],
},
{
  "conditions": [
    {
      "fn": "booleanEquals",

```

```

"argv": [
  {
    "ref": "UseFIPS"
  },
  true
]
},
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  },
  {
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
  }
]

```



```

        }
    ]
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
]
},
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
}
]
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
            "expect": {
                "endpoint":
{
                    "url": "https://license-manager.af-south-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "af-south-1",
                "UseFIPS": false,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager.ap-east-1.amazonaws.com"
  }
},
"params": {
  "Region": "ap-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

    }
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-southeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-southeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {

```

```

        "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
},
"params": {
    "Region": "ap-southeast-3",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ca-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```



```

    }
  },
  {
    "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region":
"eu-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"

```

```

    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "me-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-1.amazonaws.com"
    }
  }
}

```

```

    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },

```

```

{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,

    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
    }
  },

```

```

    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  }
},

```

```

{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {

```

```

        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",

```



```

"expect": {
  "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": true
}
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled
but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,

```

```

        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,

"UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}

```

```

        }
      ],
      "version": "1.0"
    }
  },
  "com.amazonaws.licensemanager#AcceptGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  },
  "com.amazonaws.licensemanager#AcceptGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
}

```

```

"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    },
    "CHECK_IN_LICENSE": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "CheckInLicense"
        }
    },
    "EXTEND_CONSUMPTION_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ExtendConsumptionLicense"
        }
    },
    "LIST_PURCHASED_LICENSES": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ListPurchasedLicenses"
        }
    },
    "CREATE_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "CreateToken"
        }
    }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#AllowedOperation"
    },
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max":
7
        }
    }
},
"com.amazonaws.licensemanager#Arn": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,
            "max": 2048
        },
        "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    }
  },
  "com.amazonaws.licensemanager#AuthorizationException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "AuthorizationFailure",
        "httpResponseCode": 403
      },
      "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n      policy associated with this account.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 403
    }
  },
  "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
    "type": "structure",
    "members": {
      "LastRunTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes automated discovery.</p>"
    }
  },
  "com.amazonaws.licensemanager#Boolean": {
    "type": "boolean",
    "traits": {
      "smithy.api#default": false
    }
  },

```



```

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {

```

```

    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicense":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
    "type": "structure",
    "members": {
{
    "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
            "smithy.api#required": {}
        }
    },
    "Entitlements": {
        "target": "com.amazonaws.licensemanager#EntitlementDataList",
        "traits": {
            "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
            "smithy.api#required": {}
        }
    },
    "DigitalSignatureMethod": {
        "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
        "traits": {
            "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a href=\\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
            "smithy.api#required": {}
        }
    },
    "NodeId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Node ID.</p>"
        }
    },
    "CheckoutMetadata": {
        "target": "com.amazonaws.licensemanager#MetadataList",
        "traits": {
            "smithy.api#documentation": "<p>Information about constraints.</p>"
        }
    },
    "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "LicenseConsumptionToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License consumption token.</p>"
            }
        },
        "EntitlementsAllowed":
{
            "target": "com.amazonaws.licensemanager#EntitlementDataList",
            "traits": {
                "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
            }
        },
        "NodeId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Node ID.</p>"
            }
        },
        "SignedToken": {
            "target": "com.amazonaws.licensemanager#SignedToken",
            "traits": {
                "smithy.api#documentation": "<p>Signed token.</p>"
            }
        },
        "IssuedAt": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n      <note>\n      <p>If the
account that created the license is the same that is performing the check out, you must\n      specify the account
as the beneficiary.</p>\n      </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
    }
  "smithy.api#required": {}
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {

```



```

    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
  },
  "SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
      "smithy.api#documentation": "<p>Signed token.</p>"
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
  "type": "enum",
  "members": {
    "PROVISIONAL": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PROVISIONAL"
      }
    }
  }
}

```

```

    }
  },
  "PERPETUAL": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PERPETUAL"
    }
  }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 36
    }
  }
},
"com.amazonaws.licensemanager#ClientToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#ConflictException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ConflictException",
      "httpResponseCode":
409
    },
    "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 409
  }
},

```

```

"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
      }
    },
    "ConsumedLicenses": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {

```

```

"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>",
    "smithy.api#required": {}
  }
}
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {
  "target": "com.amazonaws.licensemanager#PrincipalArnList",
  "traits": {
    "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>
<ul>
<li><p>An Amazon Web Services
account, which includes only the account specified.</p>
</li>
<li><p>An organizational unit (OU), which includes all accounts in the OU.</p>
</li>
<li><p>An organization, which will include all accounts across your organization.</p>
</li>
</ul>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
    "smithy.api#required": {}
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```

```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
}
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    }
  }
},
"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
}

```

```

    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the grant.</p>"
      }
    },
    "Options": {
      "target": "com.amazonaws.licensemanager#Options",
      "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {

```



```

        "smithy.api#documentation": "<p>Grant status.</p>"
    }
},
"Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
    }
}
},
"traits":
{
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicense": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Creates a license.</p>"
    }
}
}

```

```

    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the license configuration.</p>"
  }
},
"LicenseCountingType": {
  "target": "com.amazonaws.licensemanager#LicenseCountingType",
  "traits": {
    "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
    "smithy.api#required": {}
  }
},
"LicenseCount": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
  }
},
"LicenseCountHardLimit": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
  }
},
"LicenseRules": {
  "target":
"com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
<ul>\n
  <li>\n
    <p>\n
      <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
      <code>licenseAffinityToHost</code> |\n
      <code>maximumCores</code> |
      <code>minimumCores</code>\n
    </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>Instances</code> dimension: <code>allowedTenancy</code> |\n
        <code>maximumCores</code> |
        <code>minimumCores</code> |\n
        <code>maximumSockets</code> | <code>minimumSockets</code> |\n
        <code>maximumVcpus</code> | <code>minimumVcpus</code>\n
      </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n
        <code>licenseAffinityToHost</code> |\n
        <code>maximumSockets</code> |
        <code>minimumSockets</code>\n
      </p>\n
    </li>\n
    <li>\n
      <p>\n
        <code>vCPUs</code> dimension: <code>allowedTenancy</code> | \n
        <code>honorVcpuOptimization</code> | \n
        <code>maximumVcpus</code> |
        <code>minimumVcpus</code>\n
      </p>\n
    </li>\n
  </ul>\n
  <p>The unit for
  <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for
  <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n

```

<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"

```
    }
  },

  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "DestinationLicenseContext":
{
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
    {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n      <ul>\n        <li>\n          <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n          <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n      </ul>",
        "smithy.api#required": {}
      }
    }
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
    {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"

```



```

    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Validity": {

```

```

    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
      "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}

```

```

    },
    "com.amazonaws.licensemanager#CreateLicenseResponse": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
          }
        },
        "Status": {
          "target": "com.amazonaws.licensemanager#LicenseStatus",
          "traits": {
            "smithy.api#documentation": "<p>License status.</p>"
          }
        },
        "Version": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>License version.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#CreateLicenseVersion": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#ConflictException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        }
      ]
    }
  }

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n    usage.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "SourceVersion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>"
        }
    }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>License ARN.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>New version of the license.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseStatus",
            "traits": {
                "smithy.api#documentation": "<p>License status.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output":
    }
}
},
"com.amazonaws.licensemanager#CreateToken": {
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#CreateTokenRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateTokenResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n      <p>A refresh token is a JWT token used to get an access token. With an access token,\n      you can call AssumeRoleWithWebIdentity to get role credentials that you can use to\n      call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",

```

```

    "smithy.api#required": {}
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
    }
  },
  "ExpirationInDays": {
    "target": "com.amazonaws.licensemanager#Integer",
    "traits": {
      "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CreateTokenResponse": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>"
        }
      }
    }
  },
  "TokenType": {
    "target": "com.amazonaws.licensemanager#TokenType",

```



```

    "traits": {
      "smithy.api#documentation": "<p>Token type.</p>"
    }
  },
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the

```

```

grant.<p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
}
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  }
]

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteLicenseRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "SourceVersion": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseResponse": {
    "type": "structure",
    "members": {
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
        "traits": {
          "smithy.api#documentation": "<p>License status.</p>"
        }
      },
      "DeletionDate": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteToken": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
    }
  }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
},

```



```

"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#Long",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
      }
    },
    "Overage": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
      }
    }
  }
},

```

```

    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement unit.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowCheckIn": {
      "target":
"com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementData": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement data name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement
data value.</p>"
        }
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
  }
},

```

```

"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
"smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":
{
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```

```

    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",

```



```

    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},

"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",

```

```

        "smithy.api#required": {}
    },
    "MaxCount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
        }
    },
    "Unit": {
        "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
        "traits": {
            "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
            "smithy.api#required": {}
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    }
  },

```

```

    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#FailedDependencyException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      },
      "ErrorCode": {
        "target": "com.amazonaws.licensemanager#String"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FailedDependency",
        "httpResponseCode": 424
      },
      "smithy.api#documentation":
        "<p>A dependency required to run the API is missing.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 424
    }
  },
  "com.amazonaws.licensemanager#Filter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#FilterName",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
        }
      },
      "Values": {
        "target": "com.amazonaws.licensemanager#FilterValues",
        "traits": {
          "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n    describe operation. Filters can be used
to match a set of resources by specific criteria,\n    such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanager#Filter",
  "traits": {
    "smithy.api#xmlName": "item"
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with AssumeRoleWithWebIdentity. Access tokens\n    are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
  "com.amazonaws.licensemanager#GetGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      }
    ],
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  }
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {

```

```

"smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits":
{
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  }
}

```

```

    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

    "smithy.api#documentation": "<p>License configuration status.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
}
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTask": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
        }
      },
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
        }
      },
      "DestinationLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
        "traits": {
          "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
        }
      }
    },
    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
      }
    }
  }
}

```

```

    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    }
  ]
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
      "License": {
        "target": "com.amazonaws.licensemanager#License",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {

"target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
        "LicenseUsage": {
            "target":
"com.amazonaws.licensemanager#LicenseUsage",
            "traits": {
                "smithy.api#documentation": "<p>License usage details.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetServiceSettings": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n    and so on.</p>"
      }
    }
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
    }
  }
}

```

```

    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
    }
  },
},
"LicenseManagerResourceShareArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    },
    "ParentArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Parent ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantStatus": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantedOperations": {

```

```

    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Granted operations.</p>",
      "smithy.api#required": {}
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  }
},
"ACTIVE": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",

```



```

    "traits": {
      "smithy.api#documentation": "<p>License name.</p>"
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  }
}

```

```

    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>"
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
      }
    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Granted license metadata.</p>"
      }
    },
    "CreateTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
      }
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ISO8601DateTime":
    {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 0,
                "max": 50
            },
            "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|1-2)[0-9]T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])\\.[0-9]+)?(Z|[+-](?:2[0-3]|0-3)[0-1][0-9]):[0-5][0-9])+$"
        }
    },
    "com.amazonaws.licensemanager#Integer": {
        "type": "integer"
    },
    "com.amazonaws.licensemanager#InvalidParameterValueException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidParameterValueProvided",
                "httpResponseCode": 400
            },
            "smithy.api#documentation":
            "<p>One or more parameter values are not valid.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#InvalidResourceStateException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidResourceState",
                "httpResponseCode": 400
            },
            "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its state.</p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n

```

```

down.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  }
},

"traits": {
  "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},

"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    }
  }
}

```

```

    }
  },
  "BEGINS_WITH": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "BEGINS_WITH"
    }
  },
  "CONTAINS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CONTAINS"
    }
  }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#IssuerDetails": {
  "type": "structure",
  "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>"
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
      }
    },
    "KeyFingerprint": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>License issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  }
}

```

```

    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {

```



```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },

```

```

"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
  "type": "structure",
  "members": {
    "ResourceArn":
{
  "target": "com.amazonaws.licensemanager#String",
  "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
  }
},
"ResourceType": {
  "target": "com.amazonaws.licensemanager#ResourceType",
  "traits": {
    "smithy.api#documentation": "<p>Type of server resource.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
  }
},
"AssociationTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
  }
},
"AmiAssociationScope": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
  "type": "enum",
  "members":
{
  "AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {

```

```

        "smithy.api#enumValue": "AVAILABLE"
    }
},
"DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DISABLED"
    }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        },
        "ResourceStatus": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Status of the resource.</p>"
            }
        },
        "ResourceOwnerId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
            }
        },
        "AssociationTime": {
            "target": "com.amazonaws.licensemanager#DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
            }
        }
    }
},

```

```

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfiguration"
  }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you are converting your resource from. For more information about which platforms correspond to which usage operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-fields.html#billing-info\">Sample data: usage operation by platform</a>\n\n</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {

```

```

"target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
  "traits": {
    "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n      conversion task.</p>"
  }
},
"SourceLicenseContext": {
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
  }
},
"DestinationLicenseContext": {
  "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
  "traits": {
    "smithy.api#documentation": "<p>The status of the conversion task.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
  }
},
"StartTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
  }
},
"LicenseConversionTime": {
  "target": "com.amazonaws.licensemanager#DateTime",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskId": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^\\ct-[a-zA-Z0-9]*$"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
    "type": "enum",
    "members": {
      "IN_PROGRESS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "IN_PROGRESS"
        }
      },
      "SUCCEEDED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SUCCEEDED"
        }
      },
      "FAILED": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "FAILED"
        }
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTasks":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
  },
  "com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
      "VCPU": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "vCPU"
        }
      },
      "INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Instance"
        }
      },
      "CORE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Core"
        }
      },
      "SOCKET": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Socket"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseDeletionStatus": {
    "type": "enum",
    "members": {
      "PENDING_DELETE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_DELETE"
        }
      },
      "DELETED": {

```



```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DELETED"
        }
    },
    "com.amazonaws.licensemanager#LicenseList": {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licensemanager#License"
        }
    },
    "com.amazonaws.licensemanager#LicenseOperationFailure": {
        "type": "structure",
        "members": {
            "ResourceArn": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
                }
            },
            "ResourceType": {
                "target": "com.amazonaws.licensemanager#ResourceType",
                "traits": {
                    "smithy.api#documentation": "<p>Resource type.</p>"
                }
            },
            "ErrorMessage": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Error message.</p>"
                }
            },
            "FailureTime": {
                "target": "com.amazonaws.licensemanager#DateTime",
                "traits": {
                    "smithy.api#documentation": "<p>Failure time.</p>"
                }
            },
            "OperationName": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Name of the operation.</p>"
                }
            }
        }
    },

```

```

"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

        "smithy.api#required": {}
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseSpecification"
  }
},
"com.amazonaws.licensemanager#LicenseStatus": {
  "type": "enum",
  "members": {
    "AVAILABLE": {
      "target": "smithy.api#Unit",

      "traits": {
        "smithy.api#enumValue": "AVAILABLE"
      }
    },
    "PENDING_AVAILABLE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_AVAILABLE"
      }
    },
    "DEACTIVATED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DEACTIVATED"
      }
    },
    "SUSPENDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUSPENDED"
      }
    },
    "EXPIRED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EXPIRED"
      }
    }
  }
},

```

```

"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
}
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationAssociations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
        <li>\n
        <p>\n
        <code>LicenseArn</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GrantStatus</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GranteePrincipalARN</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>ProductSKU</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>LicenseIssuerName</code>\n
        </p>\n
        </li>\n
        </ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
  }
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
  "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {

```



```

"target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":

```

```

{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTasks": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {

```

```

    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n      <ul>\n        <li>\n          <p>\n            <code>LicenseConfigurationArn</code>\n          </li>\n        </ul>\n      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
      "type": "structure",
      "members": {
        "ReportGenerators": {
          "target": "com.amazonaws.licensemanager#ReportGeneratorList",
          "traits": {
            "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },

```

```

"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {

```



```

        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {
        "LicenseSpecifications": {
            "target": "com.amazonaws.licensemanager#LicenseSpecifications",
            "traits": {
                "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },

```

```

"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {

```

```

    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n"
      }
    }
  }
}

```

```

    <ul>\n      <li>\n        <p>\n          <code>ParentArn</code>\n        </p>\n      </li>\n    </ul>\n  }
},
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GranterAccountId</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Received grant details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
}

```



```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists received licenses.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
          <ul>\n
            <li>\n
              <p>\n
                <code>Beneficiary</code>\n
              </li>\n
            <li>\n
              <p>\n
                <code>ProductSKU</code>\n
              </p>\n
            </li>\n
          </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "MaxResults": {

```

```

    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "traits": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Status</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Fingerprint</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>IssuerName</code>\n
            </li>\n
        </ul>\n
      }
    }
  }
}

```

```

<code>Beneficiary</code>\n      </p>\n    </li>\n  </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Received license details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FailedDependencyException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#InventoryFilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:\n      <ul>\n        <li>\n          <p>\n            <code>account_id</code>"

```

- The ID of the Amazon Web Services account that owns the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`application_name` - The name of the application. Logical operators are `EQUALS` | `BEGINS_WITH`.

`license_included` - The type of license included. Possible values are `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

`platform` - The platform of the resource. Logical operators are `EQUALS` | `BEGINS_WITH`.

`resource_id` - The ID of the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`tag:key` - The key/value combination of a tag assigned to the resource. Logical operators are `EQUALS` (single account) or `NOT_EQUALS` (cross account).

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListResourceInventoryResponse": {
    "type": "structure",
    "members": {
      "ResourceInventoryList": {
        "target": "com.amazonaws.licensemanager#ResourceInventoryList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the resources.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
    },
  },

```

```

"output": {
  "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
  "type": "structure",
  "members": {
    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the tags.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListTokens": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTokensRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTokensResponse"
  },
  "errors":
[
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
    "Filters": {

```



```

        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n      <li>\n          <p>\n              <code>LicenseArns</code>\n          </p>\n          </li>\n        </ul>"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
            "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
    "type": "structure",
    "members": {
        "Tokens": {
            "target": "com.amazonaws.licensemanager#TokenList",
            "traits": {
                "smithy.api#documentation": "<p>Received token details.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license consumption details by resource at a selected point in time. Use this action to audit the current license consumption for any license inventory and configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n        <li>\n            <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n
<li>\n            <p>\n                <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n            Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n        <li>\n            <p>\n                <code>resourceAccount</code> - The ID of the account that owns the resource. \n            Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n    </ul>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {

"LicenseConfigurationUsageList": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

```

```

"com.amazonaws.licensemanager#Location": {
  "type": "string"
},
"com.amazonaws.licensemanager#Long": {
  "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
  "type": "structure",
  "members": {
    "ResourceType":
{
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
      "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
    }
  },
  "AssociationCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
  }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
  }
},
"com.amazonaws.licensemanager#MaxSize100": {
  "type": "integer",
  "traits": {
    "smithy.api#range": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},

```

```

"traits": {
  "smithy.api#length": {
    "min": 0,
    "max": 3
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The key name.</p>"
      }
    },
  },
"Value": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The value.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",

```

```

    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n        <dd>\n          <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n        </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n        <dd>\n          <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n        </dd>\n      </dl>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
    }
  },
  "com.amazonaws.licensemanager#PrincipalArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 1
      }
    }
  },
  "com.amazonaws.licensemanager#ProductInformation": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterList": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
        "traits": {
          "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n
<p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n
<p>The following filters and are supported when
the resource type \n
is <code>SSM_MANAGED</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Application Name</code> - The name of the
application.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Publisher</code> - The publisher of the application.\n
Logical
operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Version</code> - The version of the application.\n
Logical operator is
<code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform
Name</code> - The name of the platform.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n

```

`Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

`AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

`License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

</li>\n    </ul>",&n
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Filter value.</p>"
      }
    },
    "ProductInformationFilterComparator": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```



```

        "smithy.api#documentation": "<p>Logical operator.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilter"
    }
},
"com.amazonaws.licensemanager#ProductInformationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformation"
    }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
    "type": "structure",
    "members": {
        "MaxTimeToLiveInMinutes": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
    }
},

```

```

    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    }
  }
}

```

```

    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    }
  },

```

```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",

```

```

"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    }
  }
}

```

```

    }
  },
  "WEEKLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Weekly"
    }
  },
  "MONTHLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Monthly"
    }
  }
}
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    }
  },
  "period": {
    "target": "com.amazonaws.licensemanager#ReportFrequencyType",

    "traits": {
      "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,

```

```

or monthly.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "MONTH"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    },
    "ReportType": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
      }
    },
    "ReportContext": {

```

```

        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
            "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
    },
    "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
            "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
    },
    "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
    },
    "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
    },
    "LastRunFailureReason":
{
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
},
    "LastReportGenerationTime": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
        }
    },
    "ReportCreatorAccount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
        }
    },
    "Description": {
        "target": "com.amazonaws.licensemanager#String",

```



```

"traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
        }
    },
    "LICENSE_CONFIGURATION_USAGE_REPORT": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationUsageReport"
        }
    }
},
"com.amazonaws.licensemanager#ReportTypeList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ReportType"
    }
},
"com.amazonaws.licensemanager#ResourceInventory": {
    "type": "structure",
    "members": {
        "ResourceId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        },
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
            }
        },
        "Platform": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Platform of the resource.</p>"
            }
        }
    }
},

```

```

    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
  },
  "com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    }
  }
}

```

```

    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InvalidResource.NotFound",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>The resource cannot be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceType": {
    "type": "enum",
    "members": {
      "EC2_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_INSTANCE"
        }
      },
      "EC2_HOST": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_HOST"
        }
      },
      "EC2_AMI": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_AMI"
        }
      },
      "RDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "RDS"
        }
      },
      "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#S3Location": {
    "type": "structure",

```

```

"members": {
  "bucket": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
    }
  },
  "keyPrefix": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
  },
  "com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InternalServerError",
        "httpResponseCode": 500
      },
      "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
      "smithy.api#error": "server",
      "smithy.api#httpError": 500
    }
  },
  "com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 4096
      }
    }
  },
  "com.amazonaws.licensemanager#StatusReasonMessage": {
    "type": "string",
    "traits":

```

```

{
  "smithy.api#length": {
    "min": 0,
    "max": 400
  },
  "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
}
}

```

```

    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>One or more tags.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#TokenData": {
    "type": "structure",
    "members": {
        "TokenId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token ID.</p>"
            }
        },
        "TokenType": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
            }
        },
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "ExpirationTime": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
            }
        },
        "TokenProperties": {
            "target": "com.amazonaws.licensemanager#MaxSize3StringList",
            "traits": {
                "smithy.api#documentation": "<p>Data specified by the caller.</p>"
            }
        }
    }
}

```



```

    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {
    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
    {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#UntagResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UntagResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UntagResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
        }
    },
    "com.amazonaws.licensemanager#UntagResourceRequest": {
        "type": "structure",

```

```

"members": {
  "ResourceArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "TagKeys": {
    "target": "com.amazonaws.licensemanager#TagKeyList",
    "traits": {
      "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "LicenseConfigurationStatus": {
            "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
            "traits": {
                "smithy.api#documentation": "<p>New status of the license configuration.</p>"
            }
        },
        "LicenseRules": {
            "target": "com.amazonaws.licensemanager#StringList",
            "traits": {
                "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n configuration is licenseAffinityToHost.</p>"
            }
        },
        "LicenseCount": {
            "target": "com.amazonaws.licensemanager#BoxLong",
            "traits": {
                "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
            }
        },
        "LicenseCountHardLimit": {
            "target": "com.amazonaws.licensemanager#BoxBoolean",
            "traits": {

```

```

        "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
},
"Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
},
"ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
    }
},
"DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
}
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  },
  "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
  {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
          "smithy.api#required": {}
        }
      },
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorName",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
    }
},
"Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
        "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n
    <ul>\n
        <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n
        </li>\n
        <li>\n
        <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n
        </li>\n
    </ul>",
        "smithy.api#required": {}
    }
},
"ReportContext": {
    "target": "com.amazonaws.licensemanager#ReportContext",
    "traits": {
        "smithy.api#documentation": "<p>The report context.</p>",
        "smithy.api#required": {}
    }
},
"ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits":
{
    "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
    "smithy.api#required": {}
}
},
"ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
        "smithy.api#required": {}
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
    {
        "type": "structure",
        "members": {},
        "traits": {
            "smithy.api#output": {}
        }
    },
    "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
            },
            {
                "target": "com.amazonaws.licensemanager#LicenseUsageException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
        }
    },

```



```

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
      }
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
}

```



```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-
// Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
    c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

```

```

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
    }
}

```

```

SigningName: "grafana",
OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

```

```

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

```

```

params := EndpointParameters{}

```

```

m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

```

```

req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),

```

```

)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    }
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
    }
}

```



```

    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"

```

```

"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.

```

```

Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.

```

Version *string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName:
    "license-manager",
    OperationName: "CreateLicense",
}
}

```

```

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {

```

```

var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "license-manager"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports
%v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {

```

```

    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
}

```

1.143 aws-aws-sdk-go-v2-internal-v4a 1.1.6

1.143.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"

```



```

"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // License entitlements.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Key fingerprint identifying the license.
    //
    // This member is required.

```

```

KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err =
    = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {

```

```

    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckoutLicense",
    }
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {

```

```

return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
}
}
}

```

```

ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
  }
  ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
  ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
  break
case *internalauth.AuthenticationSchemeNone:
  break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
  EndpointResolver: options.EndpointResolverV2,
  BuiltInResolver:
&builtInResolver{
  Region: options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
  Endpoint: options.BaseEndpoint,
  },
}, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

```

with:
  path: new-ref
  fetch-depth: 0
- name: Get Diff
  run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
  run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
  uses: actions/checkout@v2
with:
  repository: nexB/scancode-toolkit
  path: scancode-toolkit
  fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
  uses: actions/setup-python@v2
with:
  python-version: ${{ matrix.python-version }}
# ScanCode
- name: Self-configure scancode
  working-directory: ./scancode-toolkit
  run: ./scancode --help
- name: Run Scan code on target
  run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
  run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
# compare
- name: License test
  run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
{
  "smithy": "2.0",
  "shapes": {
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
      "type": "integer"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
      "type": "long"
    },
    "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "smithy.api#String",
          "traits": {
            "smithy.api#documentation": "<p>The type of name to filter by.</p>"
          }
        }
      }
    }
  }
}

```



```

    }
  },
  "Values": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
    }
  },
  "Operator": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
    "traits": {
      "smithy.api#documentation": "<p>An operator for filtering results.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",

```

```

    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/GetServiceSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
      "traits": {
        "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
      }
    },
    "StatusMessage": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
      "traits": {
        "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings current status.</p>"
      }
    },
    "HomeRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Region in which License Manager displays

```

the aggregated data for Linux\n subscriptions.</p>"

```
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
      }
    },
    "InstanceType": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance type of the resource.</p>"
      }
    }
  },
  "AccountID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status of the instance.</p>"
    }
  },
  "Region": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
    }
  },
  "UsageOperation": {
    "target": "smithy.api#String",
    "traits": {
```

```

    "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
    }
  },
  "SubscriptionName": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
    }
  },
  },
  "traits": {
    "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",

```

```

    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",
        "x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ]
    }
  }
}

```

```

    ],
    "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
    ]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
    "version": "1.0",
    "parameters": {
        "Region": {
            "builtIn": "AWS::Region",
            "required": false,
            "documentation": "The
AWS region used to dispatch the request.",
            "type": "String"
        },
        "UseDualStack": {
            "builtIn": "AWS::UseDualStack",
            "required": true,
            "default": false,
            "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
            "type": "Boolean"
        },
        "UseFIPS": {
            "builtIn": "AWS::UseFIPS",
            "required": true,
            "default": false,
            "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

            "type": "Boolean"
        },
        "Endpoint": {
            "builtIn": "SDK::Endpoint",
            "required": false,
            "documentation": "Override the endpoint used to send this request",
            "type": "String"
        }
    },
    "rules": [
        {
            "conditions": [
                {

```

```

    "fn": "isSet",
    "argv": [
      {
        "ref": "Endpoint"
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
      }
    ],
    "conditions": [],

```

```

"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
"type": "endpoint"
}
]
}
]
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "isSet",

```

"argv": [

```

        {
            "ref": "Region"
        }
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [
                    {
                        "ref": "Region"
                    }
                ]
            },

```

"assign": "PartitionResult"

```

        }
    ],
    "type": "tree",
    "rules": [
        {

```



```

"conditions": [
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseFIPS"
      },
      true
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseDualStack"
      },
      true
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,
          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ]
  },
  {
    "fn": "booleanEquals",
    "argv": [
      true,
      {
        "fn": "getAttr",

```

```

        "argv": [
            {
                "ref": "PartitionResult"
            },
            "supportsDualStack"
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ],
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
        "type": "error"
    }
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {

```

```

"ref": "UseFIPS"
    },
    true
  ]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,

{
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsFIPS"
          ]
        }
      ]
    }
  ],
  "type": "tree",

"rules": [
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  }
]
]

```

```

    },
    {
      "conditions": [],
      "error": "FIPS is enabled but this partition does not support FIPS",
      "type": "error"
    }
  ]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "type": "tree",
          "rules": [

```

```

        {
            "conditions": [],

            "endpoint": {
                "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
},

{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ]
}
]
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
}

```

```

    ]
  }
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {

      "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,

```

```

        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint":
            {
                "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
            }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint":

```



```

{
    "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
}
},
"params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
}
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
"expect": {
  "error": "DualStack is enabled but this partition does not support DualStack"
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": false,
  "UseDualStack": true
}
},
{

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
  }
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{

```

```

"documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
"expect": {
  "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
},
"params": {

```

```

  "Region": "us-isob-east-1",
  "UseFIPS": true,
  "UseDualStack": true
}
},
{

```

```

"documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
  }
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": true,
  "UseDualStack": false
}

```

```

    },
    {
        "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
        "expect": {
            "error": "DualStack is enabled but this partition does not support DualStack"
        },
        "params": {
            "Region": "us-isob-east-1",
            "UseFIPS": false,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
            }
        },
        "params": {
            "Region": "us-isob-east-1",

"UseFIPS": false,
            "UseDualStack": false
        }
    },
    {
        "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
        "expect": {
            "endpoint": {
                "url": "https://example.com"
            }
        },
        "params": {
            "Region": "us-east-1",
            "UseFIPS": false,
            "UseDualStack": false,
            "Endpoint": "https://example.com"
        }
    },
    {
        "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

        "expect": {
            "endpoint": {
                "url": "https://example.com"
            }
        }
    }

```

```

    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {

```

```

    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
    "type": "structure",
    "members": {
      "SourceRegions": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
        "traits": {
          "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "OrganizationIntegration": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
        "traits": {
          "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
    "type":
"operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
    },
    "errors": [

```



```

    <code>Notequal</code>\n          </p>\n          </li>\n        </ul>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>",
      "smithy.api#length": {
        "min": 1,
        "max": 16384
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [

```

```

    {
      "name": "EQUAL",
      "value": "Equal",
      "documentation": "Equal operator"
    },
    {
      "name": "NOT_EQUAL",
      "value": "NotEqual",
      "documentation": "Not equal operator"
    },
    {
      "name": "CONTAINS",
      "value": "Contains",
      "documentation": "Contains operator"
    }
  ],
  "smithy.api#length": {
    "min": 1,
    "max": 20
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled OrganizationIntegration"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled OrganizationIntegration"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",

```

```

"traits": {
  "smithy.api#enum": [
    {
      "name": "InProgress",
      "value": "InProgress",
      "documentation": "InProgress status"
    },
    {
      "name": "Completed",
      "value": "Completed",
      "documentation": "Completed status"
    },
    {
      "name": "Successful",
      "value": "Successful",
      "documentation": "Successful status"
    },
    {
      "name": "Failed",
      "value": "Failed",
      "documentation": "Failed status"
    }
  ]
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
  {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"traits": {
  "smithy.api#length": {
    "min": 1,
    "max": 100
  },
  "smithy.api#uniqueItems": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",

```

```

    "key": {
      "target": "smithy.api#String"
    },
    "value": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of the subscription.</p>"
        }
      },
      "Type": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
        }
      },
      "InstanceCount": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
        "traits": {
          "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {

```

```

        "target": "smithy.api#String"
    }
},
"traits": {
    "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
    "smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
        },
        {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
        "smithy.api#http": {
            "code": 200,
            "method": "POST",
            "uri": "/subscription/UpdateServiceSettings"
        },
        "smithy.api#idempotent": {}
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
    "type": "structure",
    "members": {
        "LinuxSubscriptionsDiscovery": {
            "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
            "traits": {
                "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {
        "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n    allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
    "type": "structure",
    "members": {
      "LinuxSubscriptionsDiscovery": {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
        "traits": {
          "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
        }
      }
    }
  },
  "LinuxSubscriptionsDiscoverySettings": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
    "traits": {
      "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n    integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",

```



```

..func(*Options) (*DisassociateLicenseOutput, error) {
if params == nil {
params = &DisassociateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type DisassociateLicenseInput struct {

// The type of license to remove from the workspace.
//
// This member is required.
LicenseType types.LicenseType

// The ID of the workspace to remove the Grafana Enterprise license from.
//
// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)

```



```

if err != nil {
    return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
if
err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
}

```

```

if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
    OperationName: "DisassociateLicense",
}
}

```

```

type opDisassociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "grafana"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
    }

```

```

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err,
&ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "grafana"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
}
}

```

```

    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,

```

```

c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Digital signature method. The possible value is JSON Web Signature (JWS)
    // algorithm PS384. For more information, see RFC 7518 Digital Signature with
    // RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
    //
    // This member is required.
    DigitalSignatureMethod types.DigitalSignatureMethod

    // License entitlements. Partial checkouts are not supported.
    //
    // This member is required.
    Entitlements []types.EntitlementData

    // Amazon Resource Name (ARN) of the license. The license must use the borrow
    // consumption configuration.
    //
    // This member is required.
    LicenseArn *string

    // Information about constraints.
    CheckoutMetadata []types.Metadata

    // Node ID.
    NodeId *string

    noSmithyDocumentSerde
}

type

```

```

CheckoutBorrowLicenseOutput struct {

    // Information about constraints.
    CheckoutMetadata []types.Metadata

    // Allowed license entitlements.
    EntitlementsAllowed []types.EntitlementData

    // Date and time at which the license checkout expires.
    Expiration *string

    // Date and time at which the license checkout is issued.
    IssuedAt *string

    // Amazon Resource Name (ARN) of the license.
    LicenseArn *string

    // License consumption token.
    LicenseConsumptionToken *string

    // Node ID.
    NodeId *string

    // Signed token.
    SignedToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
}

```



```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {

```

```

return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:

```

```

v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the
value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,

```

```

BuiltInResolver: &builtInResolver{
  Region: options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
  Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
  if params == nil {
    params = &GetLicenseInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
  if err != nil {
    return nil, err
  }

  out := result.(*GetLicenseOutput)
  out.ResultMetadata = metadata
  return out,
  nil
}

type GetLicenseInput struct {

  // Amazon Resource Name (ARN) of the license.

```

```

//
// This member is required.
LicenseArn *string

// License version.
Version *string

noSmithyDocumentSerde
}

type GetLicenseOutput struct {

// License details.
License *types.License

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}

```

```

}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
}

```

```

return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "GetLicense",
}
}

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var
signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
}
}

```



```

if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName ==
nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:
                options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:    options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```

```

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
    if params == nil {
        params = &ListLicensesInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*ListLicensesOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
ListLicensesInput struct {

    // Filters to scope the results. The following filters are supported:
    // - Beneficiary
    // - ProductSKU
    // - Fingerprint
    // - Status
    Filters []types.Filter

    // Amazon Resource Names (ARNs) of the licenses.
    LicenseArns []string

    // Maximum number of results to return in a single call.
    MaxResults *int32

```

```

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
}

```

```

if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {

```

```

return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID:
        ServiceID,
    SigningName: "license-manager",
    OperationName: "ListLicenses",
}
}

type opListLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint
    smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

```

```

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx,
signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"

```

```

"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // Current version of the license.
    //
    // This member is required.
    SourceVersion *string

    noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

    // Date when the license is deleted.
    DeletionDate *string

```



```

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack,
options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {

```

```

return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "DeleteLicense",
}
}

```

```

type
opDeleteLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

```

```

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for
_, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        break
    case

```

```

*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
    EndpointResolver:
    options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{}  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,  
c.addOperationCheckInLicenseMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*CheckInLicenseOutput)  
    out.ResultMetadata = metadata  
    return out, nil  
}
```

```

type
  CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
  }

type CheckInLicenseOutput struct {
  // Metadata pertaining to the operation's result.
  ResultMetadata middleware.Metadata

  noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
  err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
  if err != nil {
    return err
  }
  err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
  if err != nil {
    return err
  }
  if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
  }
  if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
  }
  if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
  }
  if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
  err != nil {
    return err
  }
  if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
  }
  if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {

```

```

return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```



```

}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckInLicense",
}
}

type opCheckInLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {

```

```

return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {

```

```

    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName
== nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}

```

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Lists received licenses.  
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns  
...func(*Options)) (*ListReceivedLicensesOutput, error) {  
    if params == nil {  
        params = &ListReceivedLicensesInput{ }  
    }  
  
    result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,  
c.addOperationListReceivedLicensesMiddlewares)  
    if err != nil {  
        return nil, err  
    }  
  
    out := result.(*ListReceivedLicensesOutput)
```



```

out.ResultMetadata
= metadata
return out, nil
}

type ListReceivedLicensesInput struct {

// Filters to scope the results. The following filters are supported:
// - ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
}

```

```

err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
    return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
    return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return
err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),

```

```

middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

```

```

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

```

```

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}
}

```

```

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
    return
    out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if
    errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

```

```

}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override
the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return

```

```

next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
Endpoint:   options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {
"DirectoryId": {
"target": "smithy.api#String",
"traits": {
"smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
}
}
},
"traits": {
"smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
"type": "operation",
"input": {
"target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
}
}
}
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n      <note>\n        <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n      </note>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/AssociateUser"
      },
      "smithy.api#idempotent": {}
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
    }
},
"InstanceId": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
        "smithy.api#required": {}
    }
},
"IdentityProvider": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>The identity provider of the user.</p>",
        "smithy.api#required": {}
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
    "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
        "message": {
            "target": "smithy.api#String"
        }
    }
}

```



```

    },
    "traits": {
      "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/DeregisterIdentityProvider"
      },
      "smithy.api#idempotent": {}
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
      "IdentityProvider": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
        "traits": {
          "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    },
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    },
    "Operation": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
      }
    },
    "Value": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n    operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n    attributes, or IDs.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n    settings such as the subnets to provision VPC endpoints.</p>",
      "smithy.api#required":
{}
    }
  },
}

```

```

"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of an identity provider.</p>",
    "smithy.api#required": {}
  }
},
"FailureMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status

```

```

of an EC2 instance resource.</p>",
    "smithy.api#required": {}
  }
},
"Products": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
  "traits": {
    "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
    "smithy.api#required": {}
  }
},
"LastStatusCheckDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The date of the last status check.</p>"
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "InstanceId": {
    "target": "smithy.api#String",
    "traits":

```

```

{
    "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
    "smithy.api#required": {}
}
},
"IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
    }
},
"Status": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
        "smithy.api#required": {}
    }
},
"StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
    }
},
"Domain": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
},
"AssociationDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    }
},
"DisassociationDate": {
    "target": "smithy.api#String",
    "traits": {
        "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based

```



```

subscriptions.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
  "type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager User Subscriptions",
      "arnNamespace": "license-manager-user-subscriptions",
      "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-user-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",
        "x-amz-content-sha256",
        "x-amz-user-agent",
        "x-amzn-platform-id",
        "x-amzn-trace-id",
        "content-length",
        "x-api-key",
        "authorization",
        "x-amz-date",
        "x-amz-security-token",
        "Access-Control-Allow-Headers",
        "Access-Control-Allow-Methods",
        "Access-Control-Allow-Origin"
      ],
      "additionalExposedHeaders": [
        "x-amzn-errortype",
        "x-amzn-requestid",
        "x-amzn-trace-id"
      ]
    }
  ]
},

```

```

"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with\n    a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],

```

```

"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
],
},
{

```

```

"conditions": [
  {
    "fn": "isSet",
    "argv": [
      {
        "ref": "Region"
      }
    ]
  }
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
  }
]
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ],
      },
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ],
      }
    ]
  }
]

```

```

    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        },
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [],
          "endpoint": {
            "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},

```

```

        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ]
},
    "type": "tree",

"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            }
        ]
    }
],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
                    "properties": {},
                    "headers": {}
                }
            },
            {
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ]
},
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            }
                        ]
                    }
                ]
            }
        ]
    }
]
}

```



```

        },
        "supportsDualStack"
    ]
}
]
},
"type": "tree",
"rules": [
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does
not support DualStack",
    "type": "error"
}
],
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions":
[]
    "error": "Invalid Configuration: Missing Region",

```

```

        "type": "error"
    }
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation":
"\"For region us-east-1 with FIPS enabled and DualStack disabled\",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": false,
                "UseDualStack": true
            }
        }
    ]
}

```

```

    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
  },

```

```

    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {

```

```

        "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
            }
        },
        "params": {
            "Region": "us-gov-east-1",
            "UseFIPS": false,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
            }
        },
        "params": {
            "Region": "us-gov-east-1",
            "UseFIPS": false,
            "UseDualStack": false
        }
    },
    {
        "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
        "expect": {
            "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
        },
        "params": {
            "Region": "us-iso-east-1",
            "UseFIPS": true,
            "UseDualStack": true
        }
    },
    {
        "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
        "expect": {
            "endpoint": {
                "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
            }
        },
        "params": {
            "Region": "us-iso-east-1",

```

```

        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
},

```

```

    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {

```

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {

```



```

"type": "operation",
"input": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
},
"output": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/ListIdentityProviders"
  },
  "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "IdentityProviderSummaries"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
  "type": "structure",

```

```

"members": {
  "MaxResults": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
  "type": "structure",
  "members": {
    "IdentityProviderSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/instance/ListInstances"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "InstanceSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "Filters": {

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
    "type":
"structure",
    "members": {
        "InstanceSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
    },
    "output": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
        },
        {

```

```

        "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "ProductUserSummaries"
    }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
    "type": "structure",
    "members": {
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
    }
}

```

```

    },
    "Filters": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
      }
    }
  },

  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target":
"com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListUserAssociations"
    },
    "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "InstanceUserSummaries"
}
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
            "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
            "smithy.api#required": {}
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
        "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
    },
    "Filters": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
        }
    },
    "NextToken": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummaries": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
    "type": "structure",

```



```

"members": {

"Username": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
    "smithy.api#required": {}
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},

"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a product for a user.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"SubscriptionStartDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The

```

```

start date of a subscription.</p>"
    }
  },
  "SubscriptionEndDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The end date of a subscription.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
    "type": "structure",
    "members": {
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
                "smithy.api#required": {}
            }
        },
        "Product": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
                "smithy.api#required": {}
            }
        },
        "Settings": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
            "traits": {
                "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n    subnets to provision VPC endpoints.</p>"
            }
        }
    }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
        "IdentityProviderSummary": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider

```

```

operation.</p>",
    "smithy.api#required": {}
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 404
  }
},
"com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
  "type": "string",

"traits": {
  "smithy.api#length": {
    "min": 5,
    "max": 200
  },
  "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {

```

```

    "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
    "smithy.api#length": {
        "min": 1
    },
    "smithy.api#required": {}
}
},
"SecurityGroupId": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
    "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n    your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n    subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n    endpoints. The security group should permit inbound TCP port 1688
communication from resources\n    in the VPC.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
        },
        {
            "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
        }
    ]
}

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing.\n      For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n      monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StartProductSubscription"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    },
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",

```

```

        "traits": {
            "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
        "type": "structure",
        "members": {
            "ProductUserSummary": {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
                "traits": {
                    "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
                    "smithy.api#required": {}
                }
            }
        }
    },
    "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
        },
        "output": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
            },
            {
                "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
            },
            {

```

```

        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
    "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/user/StopProductSubscription"
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
                "smithy.api#required":
            }
        }
    },
    "Product": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
            "smithy.api#required": {}
        }
    },
    "Domain": {
        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>The domain name of the user.</p>"
        }
    }
}
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",

```



```

"members": {
  "ProductUserSummary": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
    "traits": {
      "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
  "type": "string",
  "traits": {
    "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  }
},

```

```

"output": {
  "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/identity-provider/UpdateIdentityProviderSettings"
  },
  "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "UpdateSettings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
      "traits": {
        "smithy.api#documentation": "<p>Updates the registered identity providers product related

```

configuration settings. You can update any combination of settings in a single operation such as the:

- Subnets which you want to add to provision VPC endpoints.
- Subnets which you want to remove the VPC endpoints from.
- Security group ID which permits traffic to the VPC endpoints.

```

    "smithy.api#required": {}
  }
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in your VPC and the VPC endpoints for
activation servers.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>A parameter is not valid.</p>",
      "smithy.api#error": "client"
    }
  }
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      },
      {
        "id": "HttpUriConflict",
        "namespace": "*"
      },
      {
        "id": "Service",
        "namespace": "*"
      }
    ]
  }
}

```

```

},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateToken"
      },
      {
        "target": "com.amazonaws.licensemanager#DeleteGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#DeleteLicense"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#DeleteToken"
    },
    {
      "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
    }
  },
  {
    "target": "com.amazonaws.licensemanager#GetAccessToken"
  },
  {
    "target": "com.amazonaws.licensemanager#GetGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#GetLicenseUsage"
  },
  {
    "target": "com.amazonaws.licensemanager#GetServiceSettings"
  },
  {
    "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#ListDistributedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
  },
  {

```

```

    "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListLicenseVersions"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrants"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
  },
  {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
  },
  {
    "target": "com.amazonaws.licensemanager#ListResourceInventory"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTagsForResource"
  },
  {
    "target": "com.amazonaws.licensemanager#ListTokens"
  },
  {
    "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#RejectGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#TagResource"
  },
}

```

```

    {
      "target": "com.amazonaws.licensemanager#UntagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager",
      "arnNamespace": "license-manager",
      "cloudFormationName": "LicenseManager",
      "cloudTrailEventSource": "licensemanager.amazonaws.com",
      "endpointPrefix": "license-manager"
    },
    "aws.auth#sigv4": {
      "name": "license-manager"
    },
    "aws.protocols#awsJson1_1": {},
    "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
    "smithy.api#title": "AWS License Manager",
    "smithy.api#xmlNamespace": {
      "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
    },
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {
        "Region": {
          "builtIn": "AWS::Region",
          "required": false,
          "documentation": "The AWS region used to dispatch the request.",
          "type": "String"
        }
      },
      "UseDualStack": {
        "builtIn": "AWS::UseDualStack",
        "required": true,
        "default": false,
        "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not

```


support dual-stack, dispatching the request MAY return an error.",

```
    "type": "Boolean"
```

```
  },
```

```
  "UseFIPS": {
```

```
    "builtIn": "AWS::UseFIPS",
```

```
    "required": true,
```

```
    "default": false,
```

```
    "documentation": "When true, send
```

this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

```
    "type": "Boolean"
```

```
  },
```

```
  "Endpoint": {
```

```
    "builtIn": "SDK::Endpoint",
```

```
    "required": false,
```

```
    "documentation": "Override the endpoint used to send this request",
```

```
    "type": "String"
```

```
  }
```

```
},
```

```
"rules": [
```

```
{
```

```
  "conditions": [
```

```
{
```

```
  "fn": "isSet",
```

```
  "argv": [
```

```
{
```

```
  "ref": "Endpoint"
```

```
}
```

```
]
```

```
}
```

```
],
```

```
"type": "tree",
```

```
"rules": [
```

```
{
```

```
  "conditions": [
```

```
{
```

```
  "fn": "booleanEquals",
```

```
  "argv": [
```

```
{
```

```
  "ref": "UseFIPS"
```

```
},
```

```
true
```

```
]
```

```
}
```

```
],
```

```
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
```

```
"type": "error"
```

```

    },
    {
"conditions": [
    {
        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [],
"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
"type": "endpoint"
}
],
},
{
"conditions": [
    {
        "fn": "isSet",
        "argv": [
            {
                "ref": "Region"
            }
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "aws.partition",
                "argv": [

```

```

        {
            "ref": "Region"
        }
    ],
    "assign": "PartitionResult"
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [
                    {
                        "fn": "booleanEquals",
                        "argv": [
                            true,
                            {
                                "fn": "getAttr",
                                "argv": [
                                    {
                                        "ref": "PartitionResult"
                                    },
                                    "supportsFIPS"
                                ]
                            }
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

    }
    ],
    },
    {
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            }
          ],
        }
      ],
    },
    "supportsDualStack"
  ],
  ],
  },
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
    },
    {
      "type": "endpoint"
    }
  ],
  },
  {
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
    "type": "error"
  }
],
},
{
  "conditions": [
    {
      "fn": "booleanEquals",

```

```

"argv": [
  {
    "ref": "UseFIPS"
  },
  true
]
},
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          true,

          {
            "fn": "getAttr",
            "argv": [
              {
                "ref": "PartitionResult"
              },
              "supportsFIPS"
            ]
          }
        ]
      }
    ],
    "type": "tree",
    "rules": [

      {
        "conditions": [],
        "endpoint": {
          "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
          "properties": {},
          "headers": {}
        },
        "type": "endpoint"
      }
    ]
  },
  {
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
  }
]

```

```

    }
  ]
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                ],
            }
          ]
        }
      ],
      "supportsDualStack"
    }
  ]
},
{
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      }
    }
  ],
  "type": "endpoint"
}

```

```

        }
      ]
    },
    {
      "conditions": [],
      "error": "DualStack is enabled but this partition does not support DualStack",
      "type": "error"
    }
  ]
},
{
  "conditions": [],
  "endpoint": {
    "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  },
  "type": "endpoint"
}
]
}
]
},
{
  "conditions": [],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint":
{
          "url": "https://license-manager.af-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "af-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager.ap-east-1.amazonaws.com"
  }
},
"params": {
  "Region": "ap-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```



```

    }
  },
  {
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-1.amazonaws.com"
      }
    }
  },
  {
    "params": {
      "Region": "ap-southeast-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {

```

```

        "url": "https://license-manager.ap-southeast-3.amazonaws.com"
    }
},
"params": {
    "Region": "ap-southeast-3",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ca-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ca-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-central-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-central-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region":
"eu-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"

```

```

    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,

"UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "me-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-1.amazonaws.com"
    }
  }
}

```

```

    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-west-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-west-2",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },

```

```

{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,

    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
    }
  },
},

```

```

    "params": {
      "Region": "cn-northwest-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  }
},

```



```

{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {

```

```

        "Region": "us-gov-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",

```

```

"expect": {
  "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": true
}
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled
but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,

```

```

        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,

"UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}

```

```

        }
      ],
      "version": "1.0"
    }
  },
  "com.amazonaws.licensemanager#AcceptGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  },
  "com.amazonaws.licensemanager#AcceptGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {}
  }
}

```

```

"code": "ServiceAccessDenied",
  "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutLicense"
      }
    },
    "CHECKOUT_BORROW_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
      }
    },
    "CHECK_IN_LICENSE": {

```



```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "CheckInLicense"
        }
    },
    "EXTEND_CONSUMPTION_LICENSE": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ExtendConsumptionLicense"
        }
    },
    "LIST_PURCHASED_LICENSES": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "ListPurchasedLicenses"
        }
    },
    "CREATE_TOKEN": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "CreateToken"
        }
    }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#AllowedOperation"
    },
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max":
7
        }
    }
},
"com.amazonaws.licensemanager#Arn": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 0,
            "max": 2048
        },
        "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    }
  },
  "com.amazonaws.licensemanager#AuthorizationException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "AuthorizationFailure",
        "httpResponseCode": 403
      },
      "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n      policy associated with this account.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 403
    }
  },
  "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
    "type": "structure",
    "members": {
      "LastRunTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes automated discovery.</p>"
    }
  },
  "com.amazonaws.licensemanager#Boolean": {
    "type": "boolean",
    "traits": {
      "smithy.api#default": false
    }
  },

```

```

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},
"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
  }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {

```

```

    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#CheckoutBorrowLicense":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
    "type": "structure",
    "members":
    {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "Entitlements": {
            "target": "com.amazonaws.licensemanager#EntitlementDataList",
            "traits": {
                "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
                "smithy.api#required": {}
            }
        },
        "DigitalSignatureMethod": {
            "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
            "traits": {
                "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a href='\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
                "smithy.api#required": {}
            }
        },
        "NodeId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Node ID.</p>"
            }
        },
        "CheckoutMetadata": {
            "target": "com.amazonaws.licensemanager#MetadataList",
            "traits": {
                "smithy.api#documentation": "<p>Information about constraints.</p>"
            }
        },
        "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "LicenseConsumptionToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License consumption token.</p>"
            }
        },
        "EntitlementsAllowed":
{
            "target": "com.amazonaws.licensemanager#EntitlementDataList",
            "traits": {
                "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
            }
        },
        "NodeId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Node ID.</p>"
            }
        },
        "SignedToken": {
            "target": "com.amazonaws.licensemanager#SignedToken",
            "traits": {
                "smithy.api#documentation": "<p>Signed token.</p>"
            }
        },
        "IssuedAt": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CheckoutLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n      <note>\n      <p>If the
account that created the license is the same that is performing the check out, you must\n      specify the account
as the beneficiary.</p>\n      </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "KeyFingerprint": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
    }
  "smithy.api#required": {}
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed": {

```

```

    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
  },
  "SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
      "smithy.api#documentation": "<p>Signed token.</p>"
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
  "type": "enum",
  "members": {
    "PROVISIONAL": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PROVISIONAL"
      }
    }
  }
}

```

```

    }
  },
  "PERPETUAL": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PERPETUAL"
    }
  }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 36
    }
  }
},
"com.amazonaws.licensemanager#ClientToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 2048
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#ConflictException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ConflictException",
      "httpResponseCode":
409
    },
    "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 409
  }
},

```

```

"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
      }
    },
    "ConsumedLicenses": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
      }
    },
    "BorrowConfiguration": {
      "target": "com.amazonaws.licensemanager#BorrowConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateGrantResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ]
  },
  "traits": {
    "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
  "type": "structure",
  "members": {

```

```

"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>",
    "smithy.api#required": {}
  }
}
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
    "smithy.api#required": {}
  }
},
"Principals": {
  "target": "com.amazonaws.licensemanager#PrincipalArnList",
  "traits": {
    "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>
<ul>
<li><p>An Amazon Web Services
account, which includes only the account specified.</p>
</li>
<li><p>An organizational unit (OU), which includes all accounts in the OU.</p>
</li>
<li><p>An organization, which will include all accounts across your organization.</p>
</li>
</ul>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
    "smithy.api#required": {}
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

"com.amazonaws.licensemanager#CreateGrantVersion":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {

```



```

    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
}
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
  "type": "structure",
  "members": {
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      }
    }
  }
},
"GrantArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
}

```

```

    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Grant status reason.</p>"
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the grant.</p>"
      }
    },
    "Options": {
      "target": "com.amazonaws.licensemanager#Options",
      "traits": {
        "smithy.api#documentation": "<p>The options specified for the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {

```



```

    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Name of the license configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    },
    "Description": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Description of the license configuration.</p>"
      }
    },
    "LicenseCountingType": {
      "target": "com.amazonaws.licensemanager#LicenseCountingType",
      "traits": {
        "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
      }
    },
    "LicenseCountHardLimit": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n      blocks the launch of new instances.</p>"
      }
    },
    "LicenseRules": {
      "target":
"com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n
<ul>\n      <li>\n      <p>\n      <code>Cores</code> dimension: <code>allowedTenancy</code> |\n      <code>licenseAffinityToHost</code> |\n      <code>maximumCores</code> |\n      <code>minimumCores</code>\n      </p>\n      </li>\n      <li>\n      <p>\n      <code>Instances</code> dimension: <code>allowedTenancy</code> |\n      <code>maximumCores</code> |\n      <code>minimumCores</code> |\n      <code>maximumSockets</code> | <code>minimumSockets</code> |\n      <code>maximumVcpus</code> | <code>minimumVcpus</code>\n      </p>\n      </li>\n      <li>\n      <p>\n      <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n      <code>licenseAffinityToHost</code> |\n      <code>maximumSockets</code> |\n      <code>minimumSockets</code>\n      </p>\n      </li>\n      <li>\n      <p>\n      <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n      <code>honorVcpuOptimization</code> |\n      <code>maximumVcpus</code> |\n      <code>minimumVcpus</code>\n      </p>\n      </li>\n      </ul>\n      <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n      values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n

```

<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"

```
    }
  },

  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
      "smithy.api#documentation": "<p>Product information.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
          "smithy.api#required": {}
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User Guide</i>.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "DestinationLicenseContext":
{
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
  "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
  ],

```



```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a report generator.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
    {
      "target": "com.amazonaws.licensemanager#ReportGeneratorName",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>",
        "smithy.api#required": {}
      }
    },
    "Type": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n      <ul>\n        <li>\n          <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n        </li>\n        <li>\n          <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n        </li>\n      </ul>",
        "smithy.api#required": {}
      }
    }
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
      "smithy.api#required": {}
    }
  },
  "ReportFrequency": {
    "target": "com.amazonaws.licensemanager#ReportFrequency",
    "traits": {
      "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientRequestToken",
    "traits": {
      "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn":
{
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"Validity": {

```

```

    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
      "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}

```

```

},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
      }
    },
    "Issuer": {
      "target": "com.amazonaws.licensemanager#Issuer",
      "traits": {
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>",
      "smithy.api#required": {}
    }
  },
  "ClientToken": {

```

```

        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
            "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "SourceVersion": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>"
        }
    }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>License ARN.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>New version of the license.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseStatus",
            "traits": {
                "smithy.api#documentation": "<p>License status.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output":
    }
}
},
"com.amazonaws.licensemanager#CreateToken": {
    "type": "operation",

```



```

"input": {
  "target": "com.amazonaws.licensemanager#CreateTokenRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#CreateTokenResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n      <p>A refresh token is a JWT token used to get an access token. With an access token,\n      you can call AssumeRoleWithWebIdentity to get role credentials that you can use to\n      call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",

```

```

    "smithy.api#required": {}
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
    }
  },
  "ExpirationInDays": {
    "target": "com.amazonaws.licensemanager#Integer",
    "traits": {
      "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#CreateTokenResponse": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>"
        }
      }
    }
  },
  "TokenType": {
    "target": "com.amazonaws.licensemanager#TokenType",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token type.</p>"
    }
  },
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
      }
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Current version of the

```

```

grant.<p>",
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
}
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  }
]

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
  "type": "structure",
  "members":
{
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the license configuration.</p>",
      "smithy.api#required": {}
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
}

```



```

    },
    "com.amazonaws.licensemanager#DeleteLicenseRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
            "smithy.api#required": {}
          }
        },
        "SourceVersion": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Current version of the license.</p>",
            "smithy.api#required": {}
          }
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteLicenseResponse": {
    "type": "structure",
    "members": {
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
        "traits": {
          "smithy.api#documentation": "<p>License status.</p>"
        }
      },
      "DeletionDate": {
        "target": "com.amazonaws.licensemanager#ISO8601DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteToken": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
    }
  }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token ID.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
},

```

```

"com.amazonaws.licensemanager#DeleteTokenResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
  "type": "enum",
  "members": {
    "JWT_PS384": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "JWT_PS384"
      }
    }
  }
},
"com.amazonaws.licensemanager#Entitlement": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
      }
    },
    "MaxCount": {
      "target": "com.amazonaws.licensemanager#Long",
      "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
      }
    },
    "Overage": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
      }
    }
  }
},

```

```

    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement unit.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowCheckIn": {
      "target":
"com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#EntitlementData": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement data name.</p>",
          "smithy.api#required": {}
        }
      },
      "Value": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Entitlement
data value.</p>"
        }
      }
    },
    "Unit": {
      "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
  }
},

```

```

"com.amazonaws.licensemanager#EntitlementDataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#EntitlementData"
  }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Kilobytes"
    }
  },
  "MEGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes"
    }
  },
  "GIGABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes"
    }
  },
  "TERABYTES": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes"
    }
  },
  "BITS":
{
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
  "KILOBITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobits"
    }
  },
  "MEGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabits"
    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {

```

```

    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue":
"Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},
"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Entitlement"
  }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {

```



```

    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  },
  "PERCENT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Percent"
    }
  },
  "BYTES_PER_SECOND": {
    "target":
"smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bytes/Second"
    }
  },
  "KILOBYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Kilobytes/Second"
    }
  },
  "MEGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Megabytes/Second"
    }
  },
  "GIGABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabytes/Second"
    }
  },
  "TERABYTES_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabytes/Second"
    }
  },
  "BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits/Second"
    }
  },

```

```

"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},

"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
      }
    },
    "ConsumedValue": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",

```

```

        "smithy.api#required": {}
    },
    "MaxCount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
        }
    },
    "Unit": {
        "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
        "traits": {
            "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
    },
    "com.amazonaws.licensemanager#EntitlementUsageList":
    {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licensemanager#EntitlementUsage"
        }
    },
    "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            }
        ]
    }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "DryRun": {
    "target": "com.amazonaws.licensemanager#Boolean",
    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    }
  },

```

```

    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#FailedDependencyException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      },
      "ErrorCode": {
        "target": "com.amazonaws.licensemanager#String"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "FailedDependency",
        "httpResponseCode": 424
      },
      "smithy.api#documentation":
        "<p>A dependency required to run the API is missing.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 424
    }
  },
  "com.amazonaws.licensemanager#Filter": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#FilterName",
        "traits": {
          "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
        }
      },
      "Values": {
        "target": "com.amazonaws.licensemanager#FilterValues",
        "traits": {
          "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n    describe operation. Filters can be used
to match a set of resources by specific criteria,\n    such as tags, attributes, or IDs.</p>"
  }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#FilterValue",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",

```



```

"member": {
  "target": "com.amazonaws.licensemanager#Filter",
  "traits": {
    "smithy.api#xmlName": "item"
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with AssumeRoleWithWebIdentity. Access tokens\n    are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
  "type": "structure",
  "members": {
    "Token": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
        "smithy.api#required": {}
      }
    }
  },

```

```

    "TokenProperties": {
      "target": "com.amazonaws.licensemanager#MaxSize3StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {
    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    }
  },
  "traits": {

```

```

"smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits":
{
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  }
}

```

```

    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

    "smithy.api#documentation": "<p>License configuration status.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"DisassociateWhenNotFound": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
  }
}
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTask": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```



```

    }
  },
  "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
        }
      },
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
        }
      },
      "DestinationLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
        "traits": {
          "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
        }
      }
    },
    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
      }
    }
  }
}

```

```

    }
  },
  "LicenseConversionTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
  "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License version.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
      "License": {
        "target": "com.amazonaws.licensemanager#License",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {

```

```

        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {

"target": "com.amazonaws.licensemanager#ValidationException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
                "smithy.api#required": {}
            }
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
        "LicenseUsage": {
            "target":
"com.amazonaws.licensemanager#LicenseUsage",
            "traits": {
                "smithy.api#documentation": "<p>License usage details.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetServiceSettings": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n    and so on.</p>"
      }
    }
  },
  "SnsTopicArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
    }
  }
}

```

```

    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n      cross-account discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
    }
  },
},
"LicenseManagerResourceShareArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n      provides member accounts with access to this share.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "GrantName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant name.</p>",
        "smithy.api#required": {}
      }
    },
    "ParentArn": {
      "target": "com.amazonaws.licensemanager#Arn",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Parent ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>License ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "GranteePrincipalArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the grant.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantStatus": {
    "target": "com.amazonaws.licensemanager#GrantStatus",
    "traits": {
      "smithy.api#documentation": "<p>Grant status.</p>",
      "smithy.api#required": {}
    }
  },
  "StatusReason": {
    "target": "com.amazonaws.licensemanager#StatusReasonMessage",
    "traits": {
      "smithy.api#documentation": "<p>Grant status reason.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantedOperations": {

```



```

    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Granted operations.</p>",
      "smithy.api#required": {}
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Grant"
  }
},
"com.amazonaws.licensemanager#GrantStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    }
  }
},
"ACTIVE": {
  "target": "smithy.api#Unit",

```

```

    "traits": {
      "smithy.api#enumValue": "ACTIVE"
    }
  },
  "FAILED_WORKFLOW": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "FAILED_WORKFLOW"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  },
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  },
  "WORKFLOW_COMPLETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "WORKFLOW_COMPLETED"
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>License name.</p>"
    }
  },
  "ProductName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product name.</p>"
    }
  },
  "ProductSKU": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>Granted license issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>Granted license status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  }
}

```

```

    },
    "Entitlements": {
      "target": "com.amazonaws.licensemanager#EntitlementList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>"
      }
    },
    "ConsumptionConfiguration": {
      "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
      }
    },
    "LicenseMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Granted license metadata.</p>"
      }
    },
    "CreateTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
      }
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#GrantedLicense"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ISO8601DateTime":
    {
        "type": "string",
        "traits": {
            "smithy.api#length": {
                "min": 0,
                "max": 50
            },
            "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[ 0-3]|[0-1][0-9]):[0-5][0-9])+)?"
        }
    },
    "com.amazonaws.licensemanager#Integer": {
        "type": "integer"
    },
    "com.amazonaws.licensemanager#InvalidParameterValueException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidParameterValueProvided",
                "httpResponseCode": 400
            },
            "smithy.api#documentation":
            "<p>One or more parameter values are not valid.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#InvalidResourceStateException": {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "aws.protocols#awsQueryError": {
                "code": "InvalidResourceState",
                "httpResponseCode": 400
            },
            "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its state.</p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n

```

```

down.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Condition": {
      "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
      "traits": {
        "smithy.api#documentation": "<p>Condition of the filter.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Value of the filter.</p>"
      }
    }
  }
},

"traits": {
  "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},

"com.amazonaws.licensemanager#InventoryFilterCondition": {
  "type": "enum",
  "members": {
    "EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EQUALS"
      }
    },
    "NOT_EQUALS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "NOT_EQUALS"
      }
    }
  }
}

```

```

    }
  },
  "BEGINS_WITH": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "BEGINS_WITH"
    }
  },
  "CONTAINS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "CONTAINS"
    }
  }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#IssuerDetails": {
  "type": "structure",
  "members": {

```

```

    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>"
      }
    },
    "SignKey": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
      }
    },
    "KeyFingerprint": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
  }
},
"com.amazonaws.licensemanager#License": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>"
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product name.</p>"
      }
    },
    "ProductSKU": {

```



```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Product SKU.</p>"
    }
  },
  "Issuer": {
    "target": "com.amazonaws.licensemanager#IssuerDetails",
    "traits": {
      "smithy.api#documentation": "<p>License issuer.</p>"
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Home Region of the license.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  }
}

```

```

    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>License metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>License
creation time.</p>"
    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License version.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    },
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the license configuration.</p>"
      }
    },
    "Description": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },

```

```

"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
},
"ResourceType": {
    "target": "com.amazonaws.licensemanager#ResourceType",
    "traits": {
        "smithy.api#documentation": "<p>Type of server resource.</p>"
    }
},
"ResourceOwnerId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
    }
},
"AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
        "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
    }
},
"AmiAssociationScope": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
    }
},
"traits": {
    "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
    }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
    "type": "enum",
    "members":
{
    "AVAILABLE": {
        "target": "smithy.api#Unit",
        "traits": {

```

```

        "smithy.api#enumValue": "AVAILABLE"
    }
},
"DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "DISABLED"
    }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        },
        "ResourceStatus": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Status of the resource.</p>"
            }
        },
        "ResourceOwnerId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
            }
        },
        "AssociationTime": {
            "target": "com.amazonaws.licensemanager#DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
            }
        }
    }
},

```

```

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
  }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseConfiguration"
  }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "target": "com.amazonaws.licensemanager#UsageOperation",
      "traits": {
        "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you are converting your resource from. For more information about which platforms correspond to which usage operation values see <a href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-fields.html#billing-info\">Sample data: usage operation by platform</a>\n\n</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {

```

```

"target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
  "traits": {
    "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
  }
},
"ResourceArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n      conversion task.</p>"
  }
},
"SourceLicenseContext": {
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
  }
},
"DestinationLicenseContext": {
  "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
  "traits": {
    "smithy.api#documentation": "<p>The status of the conversion task.</p>"
  }
},
"StatusMessage": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
  }
},
"StartTime": {
  "target": "com.amazonaws.licensemanager#DateTime",
  "traits": {
    "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
  }
},
"LicenseConversionTime": {
  "target": "com.amazonaws.licensemanager#DateTime",

```



```

    "traits": {
      "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
    }
  },
  "EndTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
  "type": "string",
  "traits": {

    "smithy.api#length": {
      "min": 0,
      "max": 50
    },
    "smithy.api#pattern": "^\\ct-[a-zA-Z0-9]*$"
  }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
  "type": "enum",
  "members": {
    "IN_PROGRESS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "IN_PROGRESS"
      }
    },
    "SUCCEEDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUCCEEDED"
      }
    },
    "FAILED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTasks":
  {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
  },
  "com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
      "VCPU": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "vCPU"
        }
      },
      "INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Instance"
        }
      },
      "CORE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Core"
        }
      },
      "SOCKET": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "Socket"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#LicenseDeletionStatus": {
    "type": "enum",
    "members": {
      "PENDING_DELETE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_DELETE"
        }
      },
      "DELETED": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "DELETED"
        }
    },
    "com.amazonaws.licensemanager#LicenseList": {
        "type": "list",
        "member": {
            "target": "com.amazonaws.licensemanager#License"
        }
    },
    "com.amazonaws.licensemanager#LicenseOperationFailure": {
        "type": "structure",
        "members": {
            "ResourceArn": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
                }
            },
            "ResourceType": {
                "target": "com.amazonaws.licensemanager#ResourceType",
                "traits": {
                    "smithy.api#documentation": "<p>Resource type.</p>"
                }
            },
            "ErrorMessage": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Error message.</p>"
                }
            },
            "FailureTime": {
                "target": "com.amazonaws.licensemanager#DateTime",
                "traits": {
                    "smithy.api#documentation": "<p>Failure time.</p>"
                }
            },
            "OperationName": {
                "target": "com.amazonaws.licensemanager#String",
                "traits": {
                    "smithy.api#documentation": "<p>Name of the operation.</p>"
                }
            }
        }
    },

```

```

"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

        "smithy.api#required": {}
      }
    },
    "AmiAssociationScope": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseSpecification"
  }
},
"com.amazonaws.licensemanager#LicenseStatus": {
  "type": "enum",
  "members": {
    "AVAILABLE": {
      "target": "smithy.api#Unit",

      "traits": {
        "smithy.api#enumValue": "AVAILABLE"
      }
    },
    "PENDING_AVAILABLE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_AVAILABLE"
      }
    },
    "DEACTIVATED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DEACTIVATED"
      }
    },
    "SUSPENDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUSPENDED"
      }
    },
    "EXPIRED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EXPIRED"
      }
    }
  }
},

```

```

"PENDING_DELETE": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "PENDING_DELETE"
  }
},
"DELETED": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "DELETED"
  }
}
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",
      "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {

```

```

    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the resource associations for the specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n the license rules).</p>"
    }
  },
  "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
        <li>\n
        <p>\n
        <code>LicenseArn</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GrantStatus</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>GranteePrincipalARN</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>ProductSKU</code>\n
        </p>\n
        </li>\n
        <li>\n
        <p>\n
        <code>LicenseIssuerName</code>\n
        </p>\n
        </li>\n
        </ul>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
  }
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
      "smithy.api#documentation": "<p>Distributed grant details.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {

```

```

"target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":

```

```

{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArns": {
        "target": "com.amazonaws.licensemanager#StringList",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n
</li>\n <li>\n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n </ul>"
        }
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurations": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurations",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",

        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
  },

```

```

    "traits": {
      "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
    "type": "structure",
    "members": {
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#Filters",
        "traits": {
          "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
    "type": "structure",
    "members": {
      "LicenseConversionTasks": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target":
"com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
  "type": "structure",
  "members": {

```



```

    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n      <ul>\n        <li>\n          <p>\n            <code>LicenseConfigurationArn</code>\n          </li>\n        </ul>\n      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "traits": {
      "smithy.api#input": {}
    },
    "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
      "type": "structure",
      "members": {
        "ReportGenerators": {
          "target": "com.amazonaws.licensemanager#ReportGeneratorList",
          "traits": {
            "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },

```

```

"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },

```

```

"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"traits": {
  "smithy.api#output": {}
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {

```

```

    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {
        "smithy.api#documentation": "<p>License details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

```

```

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n    recipient as this Amazon Web Services account, your organization, or an organizational unit\n    (OU) to which this member account belongs.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
        "smithy.api#required": {}
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n"
      }
    }
  }
}

```



```

    <ul>\n      <li>\n        <p>\n          <code>ParentArn</code>\n        </p>\n      </li>\n    </ul>\n  }
},
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseIssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>LicenseArn</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>GrantStatus</code>\n      </p>\n    </li>\n  </ul>\n    <code>GranterAccountId</code>\n  </p>\n  </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Received grant details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicenses": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists received licenses.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "MaxResults": {

```

```

    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },
  "traits": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
        <ul>\n
          <li>\n
            <p>\n
              <code>ProductSKU</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Status</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>Fingerprint</code>\n
            </li>\n
          <li>\n
            <p>\n
              <code>IssuerName</code>\n
            </li>\n
        </ul>\n
      }
    }
  }
}

```

```

<code>Beneficiary</code>\n      </p>\n    </li>\n  </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Received license details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FailedDependencyException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licensemanager#InventoryFilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:\n      <ul>\n        <li>\n          <p>\n            <code>account_id</code>"

```

- The ID of the Amazon Web Services account that owns the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`application_name` - The name of the application. Logical operators are `EQUALS` | `BEGINS_WITH`.

`license_included` - The type of license included. Possible values are `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

`platform` - The platform of the resource. Logical operators are `EQUALS` | `BEGINS_WITH`.

`resource_id` - The ID of the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.

`tag:key` - The key/value combination of a tag assigned to the resource. Logical operators are `EQUALS` (single account) or `NOT_EQUALS` (cross account).

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListResourceInventoryResponse": {
    "type": "structure",
    "members": {
      "ResourceInventoryList": {
        "target": "com.amazonaws.licensemanager#ResourceInventoryList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the resources.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListTagsForResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
    },

```



```

"output": {
  "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
  "type": "structure",
  "members": {
    "Tags": {
      "target": "com.amazonaws.licensemanager#TagList",
      "traits": {
        "smithy.api#documentation": "<p>Information about the tags.</p>"
      }
    }
  }
}

```

```

    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListTokens": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTokensRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTokensResponse"
  },
  "errors":
[
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
  "type": "structure",
  "members": {
    "TokenIds": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Token IDs.</p>"
      }
    },
  },
  "Filters": {

```

```

        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n      <li>\n        <p>\n          <code>LicenseArns</code>\n        </p>\n      </li>\n    </ul>"
        }
    },
    "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
    },
    "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits": {
            "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
    "type": "structure",
    "members": {
        "Tokens": {
            "target": "com.amazonaws.licensemanager#TokenList",
            "traits": {
                "smithy.api#documentation": "<p>Received token details.</p>"
            }
        },
        "NextToken": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
    "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current
license consumption for any license inventory and configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  }
}

```

```

    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n        <li>\n            <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n
<li>\n            <p>\n                <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n            Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n        <li>\n            <p>\n                <code>resourceAccount</code> - The ID of the account that owns the resource. \n            Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n        </li>\n    </ul>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {

"LicenseConfigurationUsageList": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
  "traits": {
    "smithy.api#documentation": "<p>Information about the license configurations.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},

```

```

"com.amazonaws.licensemanager#Location": {
  "type": "string"
},
"com.amazonaws.licensemanager#Long": {
  "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
  "type": "structure",
  "members": {
    "ResourceType":
{
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
      }
    },
    "AssociationCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
  }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
  }
},
"com.amazonaws.licensemanager#MaxSize100": {
  "type": "integer",
  "traits": {
    "smithy.api#range": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},

```

```

"traits": {
  "smithy.api#length": {
    "min": 0,
    "max": 3
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The key name.</p>"
      }
    },
  },
"Value": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The value.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",

```

```

    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n        <dd>\n          <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n        </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n        <dd>\n          <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n        </dd>\n      </dl>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",
      "traits": {
        "smithy.api#default": false,
        "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```



```

    },
    "traits": {
      "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
    }
  },
  "com.amazonaws.licensemanager#PrincipalArnList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Arn"
    },
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 1
      }
    }
  },
  "com.amazonaws.licensemanager#ProductInformation": {
    "type": "structure",
    "members": {
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
          "smithy.api#required": {}
        }
      },
      "ProductInformationFilterList": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
        "traits": {
          "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n
<p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n
<p>The following filters and are supported when
the resource type \n
is <code>SSM_MANAGED</code>:</p>\n
<ul>\n
<li>\n
<p>\n
<code>Application Name</code> - The name of the
application.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Publisher</code> - The publisher of the application.\n
Logical
operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Application Version</code> - The version of the application.\n
Logical operator is
<code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform
Name</code> - The name of the platform.\n
Logical operator is <code>EQUALS</code>.</p>\n
</li>\n
<li>\n
<p>\n
<code>Platform Type</code> - The platform type.\n
Logical operator is <code>EQUALS</code>.</p>\n

```

`Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

`AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

`License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

</li>\n    </ul>",&n
    "smithy.api#required": {}
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Filter value.</p>"
      }
    },
    "ProductInformationFilterComparator": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Logical operator.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformationFilter"
    }
},
"com.amazonaws.licensemanager#ProductInformationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ProductInformation"
    }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
    "type": "structure",
    "members": {
        "MaxTimeToLiveInMinutes": {
            "target": "com.amazonaws.licensemanager#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
                "smithy.api#required": {}
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "RateLimitExceeded",
        "httpResponseCode": 429
    }
},

```

```

    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    }
  }
}

```

```

    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",
  "members": {
    "Location": {
      "target": "com.amazonaws.licensemanager#Location",
      "traits": {
        "smithy.api#httpHeader": "Location"
      }
    }
  },

```

```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 308
  }
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
  "type": "structure",

```

```

"members": {
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#RenewType":
{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    }
  }
}

```

```

    }
  },
  "WEEKLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Weekly"
    }
  },
  "MONTHLY": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Monthly"
    }
  }
}
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n    The only supported value is <code>1</code>.</p>"
      }
    }
  },
  "period": {
    "target": "com.amazonaws.licensemanager#ReportFrequencyType",

    "traits": {
      "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,

```



```

or monthly.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "MONTH"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    },
    "ReportType": {
      "target": "com.amazonaws.licensemanager#ReportTypeList",
      "traits": {
        "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
      }
    },
    "ReportContext": {

```

```

        "target": "com.amazonaws.licensemanager#ReportContext",
        "traits": {
            "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
        }
    },
    "ReportFrequency": {
        "target": "com.amazonaws.licensemanager#ReportFrequency",
        "traits": {
            "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
        }
    },
    "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
        }
    },
    "LastRunStatus": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
        }
    },
    "LastRunFailureReason":
{
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
    }
},
    "LastReportGenerationTime": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
        }
    },
    "ReportCreatorAccount": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
        }
    },
    "Description": {
        "target": "com.amazonaws.licensemanager#String",

```

```

"traits": {
  "smithy.api#documentation": "<p>Description of the report generator.</p>"
},
"S3Location": {
  "target": "com.amazonaws.licensemanager#S3Location",
  "traits": {
    "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
  }
},
"CreateTime": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Time the report was created.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
},
"com.amazonaws.licensemanager#ReportType": {
  "type": "enum",
  "members": {
    "LICENSE_CONFIGURATION_SUMMARY_REPORT": {

```

```

        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
        }
    },
    "LICENSE_CONFIGURATION_USAGE_REPORT": {
        "target": "smithy.api#Unit",
        "traits": {
            "smithy.api#enumValue": "LicenseConfigurationUsageReport"
        }
    }
},
"com.amazonaws.licensemanager#ReportTypeList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ReportType"
    }
},
"com.amazonaws.licensemanager#ResourceInventory": {
    "type": "structure",
    "members": {
        "ResourceId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>ID of the resource.</p>"
            }
        },
        "ResourceType": {
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource.</p>"
            }
        }
    },
    "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
    },
    "Platform": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Platform of the resource.</p>"
        }
    }
},

```

```

    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details about a resource.</p>"
    }
  },
  "com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
  },
  "com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    }
  }
}

```

```

    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "InvalidResource.NotFound",
        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>The resource cannot be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
  "com.amazonaws.licensemanager#ResourceType": {
    "type": "enum",
    "members": {
      "EC2_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_INSTANCE"
        }
      },
      "EC2_HOST": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_HOST"
        }
      },
      "EC2_AMI": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "EC2_AMI"
        }
      },
      "RDS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "RDS"
        }
      },
      "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#S3Location": {
    "type": "structure",

```

```

"members": {
  "bucket": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
    }
  },
  "keyPrefix": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
  }
},
"com.amazonaws.licensemanager#ServerInternalException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InternalServerError",
      "httpResponseCode": 500
    },
    "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
    "smithy.api#error": "server",
    "smithy.api#httpError": 500
  }
},
"com.amazonaws.licensemanager#SignedToken": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 4096
    }
  }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
  "type": "string",
  "traits":

```

```

{
  "smithy.api#length": {
    "min": 0,
    "max": 400
  },
  "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#TagList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Tag"
  }
}
}

```



```

    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "Tags": {
        "target": "com.amazonaws.licensemanager#TagList",
        "traits": {
          "smithy.api#documentation": "<p>One or more tags.</p>",

```

```

        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#TokenData": {
    "type": "structure",
    "members": {
        "TokenId": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Token ID.</p>"
            }
        },
        "TokenType": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
            }
        },
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "ExpirationTime": {
            "target": "com.amazonaws.licensemanager#ISO8601DateTime",
            "traits": {
                "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
            }
        },
        "TokenProperties": {
            "target": "com.amazonaws.licensemanager#MaxSize3StringList",
            "traits": {
                "smithy.api#documentation": "<p>Data specified by the caller.</p>"
            }
        }
    }
}

```

```

    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {
    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
    {
        "type": "structure",
        "members": {
            "Message": {
                "target": "com.amazonaws.licensemanager#Message"
            }
        },
        "traits": {
            "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
            "smithy.api#error": "client",
            "smithy.api#httpError": 400
        }
    },
    "com.amazonaws.licensemanager#UntagResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UntagResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UntagResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
        }
    },
    "com.amazonaws.licensemanager#UntagResourceRequest": {
        "type": "structure",

```

```

"members": {
  "ResourceArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "TagKeys": {
    "target": "com.amazonaws.licensemanager#TagKeyList",
    "traits": {
      "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {

```

```

        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
],
"traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
                "smithy.api#required": {}
            }
        },
        "LicenseConfigurationStatus": {
            "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
            "traits": {
                "smithy.api#documentation": "<p>New status of the license configuration.</p>"
            }
        },
        "LicenseRules": {
            "target": "com.amazonaws.licensemanager#StringList",
            "traits": {
                "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n configuration is licenseAffinityToHost.</p>"
            }
        },
        "LicenseCount": {
            "target": "com.amazonaws.licensemanager#BoxLong",
            "traits": {
                "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
            }
        },
        "LicenseCountHardLimit": {
            "target": "com.amazonaws.licensemanager#BoxBoolean",
            "traits": {

```

```

        "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
},
"Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
},
"ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
    }
},
"DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
}
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
    },
    "output": {

```

```

    "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
  },
  "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
  {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
          "smithy.api#required": {}
        }
      },
      "ReportGeneratorName": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorName",
        "traits": {

```



```

    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
"Type": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation":
"<p>Type of reports to generate. The following report types are supported:</p>\n
  <ul>\n
    <li>\n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n
    </li>\n
    <li>\n
    <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n
    </li>\n
  </ul>",
    "smithy.api#required": {}
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>The report context.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits":
{
  "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
  "smithy.api#required": {}
}
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
}

```

```

    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
    {
        "type": "structure",
        "members": {},
        "traits": {
            "smithy.api#output": {}
        }
    },
    "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
        "type": "operation",
        "input": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
        },
        "output": {
            "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
        },
        "errors": [
            {
                "target": "com.amazonaws.licensemanager#AccessDeniedException"
            },
            {
                "target": "com.amazonaws.licensemanager#AuthorizationException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
            },
            {
                "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
            },
            {
                "target": "com.amazonaws.licensemanager#LicenseUsageException"
            },
            {
                "target": "com.amazonaws.licensemanager#RateLimitExceededException"
            },
            {
                "target": "com.amazonaws.licensemanager#ServerInternalException"
            }
        ],
        "traits": {
            "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n    <p>You can update the license specifications of AMIs, instances, and hosts.\n    You cannot update the license specifications for launch templates and CloudFormation templates, \n    as they send license configurations to the operation that creates the resource.</p>"
        }
    },

```

```

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
        "smithy.api#required": {}
      }
    },
    "AddLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
      }
    },
    "RemoveLicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
  "type": "structure",
  "members": {
    "S3BucketArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
      }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
      }
    }
  },
  "OrganizationConfiguration": {
    "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
}

```



```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-
// Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

```

```

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
        middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
    return err
}
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
    }
}

```



```

    SigningName: "grafana",
    OperationName: "AssociateLicense",
}
}

```

```

type opAssociateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

```

```

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
    }

```

```

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

```

```

    params := EndpointParameters{}

```

```

    m.BuiltInResolver.ResolveBuiltIns(&params)

```

```

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

```

```

    req.URL = &resolvedEndpoint.URI

```

```

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),

```

```

)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    }
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports %v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this
            context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
    }
}

```

```

    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"

```

```

"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.
    //
    // This member is required.
    ConsumptionConfiguration *types.ConsumptionConfiguration

    // License entitlements.
    //
    // This member is required.

```

```

Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.

```

Version *string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName:
        "license-manager",
    OperationName: "CreateLicense",
}
}

```

```

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {

```



```

var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
    // if no auth scheme is found, default to sigv4
    signingName := "license-manager"
    signingRegion := m.BuiltInResolver.(*builtInResolver).Region
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}

var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
    return out, metadata, fmt.Errorf(
        "This operation requests signer version(s) %v but the client only supports
%v",
        ue.UnsupportedSchemes,
        internalauth.SupportedSchemes,
    )
}
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
    case *internalauth.AuthenticationSchemeV4A:
        v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
        if v4aScheme.SigningName == nil {

```

```

    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return
stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
}

```

1.144 python-certifi 2024.2.2

1.144.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

1.145 python-pip 24.0

1.145.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no

1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>
It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v
\$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for

you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General

Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the

terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN THE SOFTWARE.

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.146 fmt 10.1.1-r0

1.146.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of
of
the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes

3.1.2	3.1.1	2010	PSF	yes
3.1.3	3.1.2	2010	PSF	yes
3.1.4	3.1.3	2011	PSF	yes
3.2	3.1	2011	PSF	yes
3.2.1	3.2	2011		
	PSF	yes		
3.2.2	3.2.1	2011	PSF	yes
3.2.3	3.2.2	2012	PSF	yes
3.3.0	3.2	2012	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

**PYTHON
SOFTWARE FOUNDATION LICENSE VERSION 2**

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7.
Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen

hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1.

This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was

previously distributed under the GNU General Public License (GPL),
the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software
and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.147 ca-certificates 20240226-r0

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/
```

Found in path(s):

```
*/opt/cola/permits/1919538345_1710807720.5754924/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c
```

No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl
# *****
# *
# * Project      _ _ _ _ _ _ _ _
# *             / _ | | | | _ \ | |
# *             | ( _ | | | | _ < | | _ _
# *             \ _ _ \ / _ | \ \ _ _ _ |
# *
# * Copyright (C) 1998 - 2020, Daniel Stenberg, <daniel@haxx.se>, et al.
# *
# * This software is licensed as described in the file COPYING, which
# * you should have received as part of this distribution. The terms
# * are also available at https://curl.haxx.se/docs/copyright.html.
# *
# * You may opt to use, copy, modify, merge, publish, distribute and/or sell
# * copies of the Software, and permit persons to whom the Software is
# * furnished to do so, under the terms of the COPYING file.
# *
# * This software is distributed on an "AS IS" basis, WITHOUT
# * WARRANTY OF ANY
# * KIND, either express or implied.
# *
# *****
# This Perl script creates a fresh ca-bundle.crt file for use with libcurl.
# It downloads certdata.txt from Mozilla's source tree (see URL below),
# then parses certdata.txt and extracts CA Root Certificates into PEM format.
# These are then processed with the OpenSSL commandline tool to produce the
# final ca-bundle.crt file.
# The script is based on the parse-certs script written by Roland Krikava.
# This Perl script works on almost any platform since its only external
```



```

# dependency is the OpenSSL commandline tool for optional text listing.
# Hacked by Guenter Knauf.
#
use Encode;
use Getopt::Std;
use MIME::Base64;
use strict;
use warnings;
use vars qw($opt_b $opt_d $opt_f $opt_h $opt_i $opt_k $opt_l $opt_m $opt_n $opt_p $opt_q $opt_s $opt_t $opt_u
$opt_v $opt_w);
use List::Util;
use Text::Wrap;
use Time::Local;
my $MOD_SHA = "Digest::SHA";
eval "require
$MOD_SHA";
if ($@) {
$MOD_SHA = "Digest::SHA::PurePerl";
eval "require $MOD_SHA";
}
eval "require LWP::UserAgent";

my %urls = (
'nss' =>
'https://hg.mozilla.org/projects/nss/raw-file/default/lib/ckfw/builtins/certdata.txt',
'central' =>
'https://hg.mozilla.org/mozilla-central/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'beta' =>
'https://hg.mozilla.org/releases/mozilla-beta/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'release' =>
'https://hg.mozilla.org/releases/mozilla-release/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
);

$opt_d = 'release';

# If the OpenSSL commandline is not in search path you can configure it here!
my $openssl = 'openssl';

my $version = '1.27';

$opt_w = 76; # default base64 encoded lines length

# default cert types to include in the output (default is to include CAs which may issue SSL server certs)
my $default_mozilla_trust_purposes = "SERVER_AUTH";
my $default_mozilla_trust_levels
= "TRUSTED_DELEGATOR";
$opt_p = $default_mozilla_trust_purposes . " ." . $default_mozilla_trust_levels;

```

```

my @valid_mozilla_trust_purposes = (
    "DIGITAL_SIGNATURE",
    "NON_REPUDIATION",
    "KEY_ENCIPHERMENT",
    "DATA_ENCIPHERMENT",
    "KEY_AGREEMENT",
    "KEY_CERT_SIGN",
    "CRL_SIGN",
    "SERVER_AUTH",
    "CLIENT_AUTH",
    "CODE_SIGNING",
    "EMAIL_PROTECTION",
    "IPSEC_END_SYSTEM",
    "IPSEC_TUNNEL",
    "IPSEC_USER",
    "TIME_STAMPING",
    "STEP_UP_APPROVED"
);

my @valid_mozilla_trust_levels = (
    "TRUSTED_DELEGATOR", # CAs
    "NOT_TRUSTED",      # Don't trust these certs.
    "MUST_VERIFY_TRUST", # This explicitly tells us that it ISN'T a CA but is otherwise ok. In other words, this
                        # should tell the app to ignore any other sources that claim this is a CA.
    "TRUSTED"          # This cert is trusted, but only for itself and not for delegates (i.e. it is not a CA).
);

my $default_signature_algorithms = $opt_s = "MD5";

my @valid_signature_algorithms = (
    "MD5",
    "SHA1",
    "SHA256",
    "SHA384",
    "SHA512"
);

$0 =~ s@.*(\/\)\@ @;
$Getopt::Std::STANDARD_HELP_VERSION = 1;
getopts('bd:fhiklmnp:qs:tuvw:');

if(!defined($opt_d)) {
    # to make plain "-d" use not cause warnings, and actually still work
    $opt_d = 'release';
}

# Use predefined URL or else custom URL specified on command line.
my $url;

```

```

if(defined($urls{$opt_d})) {
    $url = $urls{$opt_d};
    if(!$opt_k && $url !~ /^https:\//i) {
        die "The URL for '$opt_d' is not HTTPS. Use -k to override (insecure).\n";
    }
}
else {
    $url = $opt_d;
}

my $curl = `curl -V`;

if ($opt_i) {
    print ("=" x 78 . "\n");
    print "Script Version      : $version\n";
    print "Perl Version           : $]\n";
    print "Operating System Name    : $^O\n";
    print "Getopt::Std.pm Version    : ${Getopt::Std::VERSION}\n";
    print "Encode::Encoding.pm Version : ${Encode::Encoding::VERSION}\n";
    print "MIME::Base64.pm Version   : ${MIME::Base64::VERSION}\n";
    print "LWP::UserAgent.pm
Version      : ${LWP::UserAgent::VERSION}\n" if($LWP::UserAgent::VERSION);
    print "LWP.pm Version      : ${LWP::VERSION}\n" if($LWP::VERSION);
    print "Digest::SHA.pm Version      : ${Digest::SHA::VERSION}\n" if ($Digest::SHA::VERSION);
    print "Digest::SHA::PurePerl.pm Version : ${Digest::SHA::PurePerl::VERSION}\n" if
($Digest::SHA::PurePerl::VERSION);
    print ("=" x 78 . "\n");
}

sub warning_message() {
    if ( $opt_d =~ m/^risk$/i ) { # Long Form Warning and Exit
        print "Warning: Use of this script may pose some risk:\n";
        print "\n";
        print " 1) If you use HTTP URLs they are subject to a man in the middle attack\n";
        print " 2) Default to 'release', but more recent updates may be found in other trees\n";
        print " 3) certdata.txt file format may change, lag time to update this script\n";
        print " 4) Generally unwise to blindly trust CAs without manual review & verification\n";
        print " 5) Mozilla apps use additional security
checks aren't represented in certdata\n";
        print " 6) Use of this script will make a security engineer grind his teeth and\n";
        print "    swear at you. ;)\n";
        exit;
    } else { # Short Form Warning
        print "Warning: Use of this script may pose some risk, -d risk for more details.\n";
    }
}

sub HELP_MESSAGE() {

```

```

print "Usage:\t${0} [-b] [-d<certdata>] [-f] [-i] [-k] [-l] [-n] [-p<purposes:levels>] [-q] [-s<algorithms>] [-t] [-u] [-v] [-w<l>] [<outputfile>]\n";
print "\t-b\tbackup an existing version of ca-bundle.crt\n";
print "\t-d\tspecify Mozilla tree to pull certdata.txt or custom URL\n";
print "\t\t Valid names are:\n";
print "\t\t ", join( ", ", map { ( $_ =~ m/$opt_d/ ) ? "$_ (default)" : "$_" } sort keys %urls ), "\n";
print "\t-f\tforce rebuild even if certdata.txt is current\n";
print "\t-i\tprint version info about used modules\n";
print "\t-k\tallow URLs other than HTTPS, enable HTTP fallback (insecure)\n";
print "\t-l\tprint license info
about certdata.txt\n";
print "\t-m\tinclude meta data in output\n";
print "\t-n\tno download of certdata.txt (to use existing)\n";
print wrap("\t\t", "\t\t", "-p\tlist of Mozilla trust purposes and levels for certificates to include in output. Takes the
form of a comma separated list of purposes, a colon, and a comma separated list of levels. (default:
$default_mozilla_trust_purposes:$default_mozilla_trust_levels)", "\n");
print "\t\t Valid purposes are:\n";
print wrap("\t\t ", "\t\t ", join( ", ", "ALL", @valid_mozilla_trust_purposes ) ), "\n";
print "\t\t Valid levels are:\n";
print wrap("\t\t ", "\t\t ", join( ", ", "ALL", @valid_mozilla_trust_levels ) ), "\n";
print "\t-q\tbe really quiet (no progress output at all)\n";
print wrap("\t\t", "\t\t", "-s\tcomma separated list of certificate signatures/hashes to output in plain text mode. (default:
$default_signature_algorithms)\n");
print "\t\t Valid signature algorithms are:\n";
print wrap("\t\t ", "\t\t ", join( ", ", "ALL", @valid_signature_algorithms ) ), "\n";
print "\t-t\tinclude plain text listing of certificates\n";
print "\t-u\tunlink (remove) certdata.txt after processing\n";
print "\t-v\tbe verbose and print out processed CAs\n";
print "\t-w <l>\twrap base64 output lines after <l> chars (default: ${opt_w})\n";
exit;
}

sub VERSION_MESSAGE() {
print "${0} version ${version} running Perl ${} on ${^O}\n";
}

warning_message() unless ($opt_q || $url =~ m/^(ht|f)tps:/i);
HELP_MESSAGE() if ($opt_h);

sub report($@) {
my $output = shift;

print STDERR $output . "\n" unless $opt_q;
}

sub is_in_list($@) {
my $target = shift;

```

```

return defined(List::Util::first { $target eq $_ } @_);
}

# Parses $param_string as a case insensitive comma separated list with optional whitespace
# validates that only allowed parameters are supplied
sub parse_csv_param($$@) {
    my $description = shift;
    my $param_string = shift;
    my @valid_values = @_;

    my @values = map {
        s/^\s+//; # strip leading spaces
        s/\s+$//; # strip trailing spaces
        uc $_ # return the modified string as upper case
    } split( ',', $param_string );

    # Find all values which are not in the list of valid values or "ALL"
    my @invalid = grep { !is_in_list($_, "ALL", @valid_values) } @values;

    if ( scalar(@invalid) > 0 ) {
        # Tell the user which parameters were invalid and print the standard help message which will exit
        print "Error: Invalid ", $description, scalar(@invalid) == 1 ? " : " : "s: ", join( ", ", map { "\"$_\""} @invalid ),
        "\n";
        HELP_MESSAGE();
    }

    @values = @valid_values if ( is_in_list("ALL", @values) );

    return @values;
}

sub sha256 {
    my $result;
    if ($Digest::SHA::VERSION || $Digest::SHA::PurePerl::VERSION) {
        open(FILE, $_[0]) or die "Can't open '$_[0]': $!";
        binmode(FILE);
        $result = $MOD_SHA->new(256)->addfile(*FILE)->hexdigest;
        close(FILE);
    } else {
        # Use OpenSSL command if Perl Digest::SHA modules not available
        $result = `"$openssl" dgst -r -sha256 "$_[0]"`;
        $result =~ s/^[0-9a-f]{64}) .+$/1/is;
    }
    return $result;
}

```

```

sub oldhash {
    my $hash = "";
    open(C, "<$_[0]>" || return 0;
    while(<C>) {
        chomp;
        if($_ =~ /^#\# SHA256: (.*)/) {
            $hash = $1;
            last;
        }
    }
    close(C);
    return $hash;
}

if ( $opt_p !~ m:/ / ) {
    print "Error: Mozilla trust identifier list must include both purposes and levels\n";
    HELP_MESSAGE();
}

(my $included_mozilla_trust_purposes_string, my $included_mozilla_trust_levels_string) = split( ':', $opt_p );
my @included_mozilla_trust_purposes = parse_csv_param( "trust purpose",
$included_mozilla_trust_purposes_string, @valid_mozilla_trust_purposes );
my @included_mozilla_trust_levels = parse_csv_param( "trust level", $included_mozilla_trust_levels_string,
@valid_mozilla_trust_levels );

my @included_signature_algorithms = parse_csv_param( "signature algorithm", $opt_s,
@valid_signature_algorithms );

sub should_output_cert(%) {
    my
    %trust_purposes_by_level = @_;

    foreach my $level (@included_mozilla_trust_levels) {
        # for each level we want to output, see if any of our desired purposes are included
        return 1 if ( defined( List::Util::first { is_in_list( $_, @included_mozilla_trust_purposes ) }
@{ $trust_purposes_by_level{ $level } } ) );
    }

    return 0;
}

my $crt = $ARGV[0] || 'ca-bundle.crt';
(my $txt = $url) =~ s@(.*\/\?.*)@@g;

my $stdout = $crt eq '-';
my $resp;
my $fetched;

```

```

my $oldhash = oldhash($crt);

report "SHA256 of old file: $oldhash";

if(!$opt_n) {
    report "Downloading $txt ...";

    # If we have an HTTPS URL then use curl
    if($url =~ /^https:\//i) {
        if($curl) {
            if($curl =~ /^Protocols:.* https(|$)/m) {
                report "Get certdata with curl!";
                my $proto = !$opt_k ? "--proto =https" : "";
                my $quiet = $opt_q ? "-s" : "";
                my @out = `curl -w % {response_code} $proto $quiet -o "$txt" "$url"`;
                if(! $? && @out && $out[0] == 200) {
                    $fetched = 1;
                    report "Downloaded $txt";
                }
            }
            else {
                report "Failed downloading via HTTPS with curl";
                if(-e $txt && !unlink($txt)) {
                    report "Failed to remove '$txt': $!";
                }
            }
        }
        else {
            report "curl lacks https support";
        }
    }
    else {
        report "curl not found";
    }
}

# If nothing was fetched then use LWP
if(!$fetched) {
    if($url =~ /^https:\//i) {
        report "Falling back to HTTP";
        $url =~ s/^https:\//http:\//i;
    }
    if(!$opt_k) {
        report "URLs other than HTTPS are disabled by default, to enable use -k";
        exit 1;
    }
    report "Get certdata with LWP!";
    if(!defined($ {LWP::UserAgent::VERSION})) {
        report "LWP is not available (LWP::UserAgent not found)";
    }
}

```

```

    exit 1;
}
my $sua = new LWP::UserAgent(agent => "$0/$version");
$sua->env_proxy();
$resp = $sua->mirror($url, $txt);
if($resp && $resp->code eq '304') {
    report "Not modified";
    exit 0 if -e $crt && !$opt_f;
}
else {
    $fetched = 1;
    report "Downloaded $txt";
}
if(!$resp || $resp->code !~ /^(?:200|304)$/) {
    report "Unable to download latest data: "
        . ($resp? $resp->code . ' - ' . $resp->message : "LWP failed");
    exit 1 if -e $crt || !-r $txt;
}
}
}

my $filedate = $resp ? $resp->last_modified : (stat($txt))[9];
my $datesrc = "as of";
if(!$filedate) {
    # mxr.mozilla.org gave us a time, hg.mozilla.org does not!
    $filedate = time();
    $datesrc="downloaded on";
}

# get the hash from the download file
my $newhash= sha256($txt);

if(!$opt_f && $oldhash eq $newhash) {
    report "Downloaded file identical to previous run's source file. Exiting";
    if($opt_u && -e $txt && !unlink($txt)) {
        report "Failed to remove $txt: $!\n";
    }
    exit;
}

report "SHA256 of new file: $newhash";

my $currentdate = scalar gmtime($filedate);

my $format = $opt_t ? "plain text and " : "";
if( $stdout
) {
    open(CRT, '> -') or die "Couldn't open STDOUT: $!\n";
}

```



```

} else {
    open(CRT,">$cert.~") or die "Couldn't open $cert.~: $!\n";
}
print CRT <<EOT;
##
## Bundle of CA Root Certificates
##
## Certificate data from Mozilla ${datesrc}: ${currentdate} GMT
##
## This is a bundle of X.509 certificates of public Certificate Authorities
## (CA). These were automatically extracted from Mozilla's root certificates
## file (certdata.txt). This file can be found in the mozilla source tree:
## ${url}
##
## It contains the certificates in ${format}PEM format and therefore
## can be directly used with curl / libcurl / php_curl, or with
## an Apache+mod_ssl webserver for SSL client authentication.
## Just configure this file as the SSLCACertificateFile.
##
## Conversion done with mk-ca-bundle.pl version $version.
## SHA256: $newhash
##

EOT

report "Processing '$txt' ...";
my $cname;
my $certnum = 0;
my $skipnum = 0;
my $start_of_cert = 0;
my @precert;
my $cka_value;
my $valid = 1;

open(TXT,"$txt")
or die "Couldn't open $txt: $!\n";
while (<TXT>) {
    if (/^*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*/) {
        print CRT;
        print if ($opt_1);
        while (<TXT>) {
            print CRT;
            print if ($opt_1);
            last if (/^*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*);
        }
    }
}
elsif(/^# (Issuer|Serial Number|Subject|Not Valid Before|Not Valid After |Fingerprint \((MD5\)|Fingerprint
\((SHA1\))):/) {

```

```

push @precert, $_;
$valid = 1;
next;
}
elsif(/^#\^\s*$/) {
    undef @precert;
    next;
}
chomp;

# Example:
# CKA_NSS_SERVER_DISTRICT_AFTER MULTILINE_OCTAL
# \062\060\060\066\061\067\060\060\060\060\060\132
# END

if (/^CKA_NSS_SERVER_DISTRICT_AFTER (CK_BBOOL CK_FALSE|MULTILINE_OCTAL)/) {
    if($1 eq "MULTILINE_OCTAL") {
        my @timestamp;
        while (<TXT>) {
            last if (/^END/);
            chomp;
            my @octets = split(\\);
            shift @octets;
            for (@octets) {
                push
@timestamp, chr(oct);
            }
        }
        # A trailing Z in the timestamp signifies UTC
        if($timestamp[12] ne "Z") {
            report "distrust date stamp is not using UTC";
        }
        # Example date: 200617000000Z
        # Means 2020-06-17 00:00:00 UTC
        my $distrustat =
            timegm($timestamp[10] . $timestamp[11], # second
                $timestamp[8] . $timestamp[9], # minute
                $timestamp[6] . $timestamp[7], # hour
                $timestamp[4] . $timestamp[5], # day
                ($timestamp[2] . $timestamp[3]) - 1, # month
                "20" . $timestamp[0] . $timestamp[1]); # year
        if(time >= $distrustat) {
            # not trusted anymore
            $skipnum++;
            report "Skipping: $scaname is not trusted anymore" if ($opt_v);
            $valid = 0;
        }
    }
    else {

```

```

        # still trusted
    }
}
next;
}

# this
is a match for the start of a certificate
if (/^CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE/) {
    $start_of_cert = 1
}
if ($start_of_cert && /^CKA_LABEL UTF8 \"(.*)\"/) {
    $scaname = $1;
}
my %trust_purposes_by_level;
if ($start_of_cert && /^CKA_VALUE MULTILINE_OCTAL/) {
    $ska_value="";
    while (<TXT>) {
        last if (/^END/);
        chomp;
        my @octets = split(/\//);
        shift @octets;
        for (@octets) {
            $ska_value .= chr(oct);
        }
    }
}
if (/^CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST/ && $valid) {
    # now scan the trust part to determine how we should trust this cert
    while (<TXT>) {
        last if (/^#/);
        if (/^CKA_TRUST_([A-Z_]+)\s+CK_TRUST\s+CKT_NSS_([A-Z_]+)\s*$/) {
            if ( !is_in_list($1,@valid_mozilla_trust_purposes) ) {
                report "Warning: Unrecognized trust purpose for cert: $scaname. Trust purpose: $1. Trust Level: $2";
            } elsif ( !is_in_list($2,@valid_mozilla_trust_levels) ) {
                report "Warning:
Unrecognized trust level for cert: $scaname. Trust purpose: $1. Trust Level: $2";
            } else {
                push @{$trust_purposes_by_level{$2}}, $1;
            }
        }
    }
}

if ( !should_output_cert(%trust_purposes_by_level) ) {
    $skipnum ++;
    report "Skipping: $scaname" if ($opt_v);
} else {
    my $data = $ska_value;
}

```

```

$cka_value = "";
my $encoded = MIME::Base64::encode_base64($data, "");
$encoded =~ s/(.{1,$opt_w})/$1\n/g;
my $pem = "-----BEGIN CERTIFICATE-----\n"
    . $encoded
    . "-----END CERTIFICATE-----\n";
print CRT "\n$scaname\n";
print CRT @precert if($opt_m);
my $maxLength = length(decode('UTF-8', $scaname, Encode::FB_CROAK | Encode::LEAVE_SRC));
if ($opt_t) {
    foreach my $key (keys %trust_purposes_by_level) {
        my $string = $key . ": " . join(" ", @{$trust_purposes_by_level{$key}});
        $maxLength = List::Util::max( length($string), $maxLength );
    };
    print CRT $string . "\n";
}
}
print CRT ("=" x $maxLength . "\n");
if (!$opt_t) {
    print CRT $pem;
} else {
    my $pipe = "";
    foreach my $hash (@included_signature_algorithms) {
        $pipe = "|$openssl x509 -" . $hash . " -fingerprint -noout -inform PEM";
        if (!$stdout) {
            $pipe .= " >> $crt.~";
            close(CRT) or die "Couldn't close $crt.~: $!";
        }
        open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
        print TMP $pem;
        close(TMP) or die "Couldn't close openssl pipe: $!";
        if (!$stdout) {
            open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
        }
    }
    $pipe = "|$openssl x509 -text -inform PEM";
    if (!$stdout) {
        $pipe .= " >> $crt.~";
        close(CRT) or die "Couldn't close $crt.~: $!";
    }
    open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
    print TMP
    $pem;
    close(TMP) or die "Couldn't close openssl pipe: $!";
    if (!$stdout) {
        open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
    }
}
}

```

```

    report "Parsing: $cname" if ($opt_v);
    $certnum ++;
    $start_of_cert = 0;
}
undef @precert;
}

}
close(TXT) or die "Couldn't close $txt: $!\n";
close(CRT) or die "Couldn't close $crt.~: $!\n";
unless( $stdout ) {
    if ($opt_b && -e $crt) {
        my $bk = 1;
        while (-e "$crt.~${bk}~") {
            $bk++;
        }
        rename $crt, "$crt.~${bk}~" or die "Failed to create backup $crt.~$bk}~: $!\n";
    } elsif (-e $crt) {
        unlink( $crt ) or die "Failed to remove $crt: $!\n";
    }
    rename "$crt.~", $crt or die "Failed to rename $crt.~ to $crt: $!\n";
}
if($opt_u && -e $txt && !unlink($txt)) {
    report "Failed to remove $txt: $!\n";
}
report "Done ($certnum CA certs processed, $skipnum skipped).";

```

Found in path(s):

```

* /opt/cola/permits/1919538345_1710807720.5754924/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl

```

1.148 jq 1.7.1-r0

1.148.1 Available under license :

Oniguruma LICENSE

Copyright (c) 2002-2021 K.Kosako <kkosako0@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

jq is copyright (C) 2012 Stephen Dolan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

jq's documentation (everything found under the docs/ subdirectory in the source tree) is licensed under the Creative Commons CC BY 3.0 license, which can be found at:

<https://creativecommons.org/licenses/by/3.0/>

The documentation website includes a copy of Twitter's Bootstrap and relies on Bonsai, Liquid templates and various other projects, look them up for detailed licensing conditions.

jq incorporates David M. Gay's `dtoa.c` and `g_fmt.c`, which bear the following notices:

`dtoa.c`:

The author of this software is David M. Gay.

Copyright (c) 1991, 2000, 2001 by Lucent Technologies.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

`g_fmt.c`:

The author of this software is David M. Gay.

Copyright (c) 1991, 1996 by Lucent Technologies.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

jq uses parts of the open source C library "decNumber", which is distributed under the following license:

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2005 International Business Machines Corporation and others
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

Portions Copyright (c) 2016 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.149 redis 7.2.4-r0

1.149.1 Available under license :

Lua License

Lua is licensed under the terms of the MIT license reproduced below. This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html> .

=====

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(end of COPYRIGHT)

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2006-2020, Salvatore Sanfilippo

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Unless otherwise specified, files in the jemalloc source distribution are
subject to the following license:

Copyright (C) 2002-present Jason Evans <jasone@canonware.com>.

All rights reserved.

Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.

Copyright (C) 2009-present Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s),
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s),
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The code in this repository code was Written by Gil Tene, Michael Barker,
and Matt Warren, and released to the public domain, as explained at
<http://creativecommons.org/publicdomain/zero/1.0/>

For users of this code who wish to consume it under the "BSD" license
rather than under the public domain or CC0 contribution text mentioned
above, the code found under this directory is *also* provided under the
following license (commonly referred to as the BSD 2-Clause License). This
license does not detract from the above stated release of the code into
the public domain, and simply represents an additional license granted by
the Author.

** Beginning of "BSD 2-Clause License" text. **

Copyright (c) 2012, 2013, 2014 Gil Tene
Copyright (c) 2014 Michael Barker
Copyright (c) 2014 Matt Warren
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal

effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the

extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

1.150 protobuf 1.33.0

1.150.1 Available under license :

Copyright (c) 2018 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.151 aws-c-event-stream 0.4.1-r0

1.151.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AWS C Event Stream

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

1.152 aws-c-auth 0.7.14-r0

1.152.1 Available under license :

AWS C Auth

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.153 aws-cli 2.15.14

1.153.1 Available under license :

```
{
  "version": "2.0",
  "metadata": {
    "apiVersion": "2018-08-01",
    "endpointPrefix": "license-manager",
    "jsonVersion": "1.1",
    "protocol": "json",
    "serviceFullName": "AWS License Manager",
    "serviceId": "License Manager",
```

```

"signatureVersion":"v4",
"targetPrefix":"AWSLicenseManager",
"uid":"license-manager-2018-08-01"
},
"operations":{
  "AcceptGrant":{
    "name":"AcceptGrant",
    "http":{
      "method":"POST",
      "requestUri":"/"
    },
    "input":{"shape":"AcceptGrantRequest"},
    "output":{"shape":"AcceptGrantResponse"},
    "errors":[
      {"shape":"ValidationException"},
      {"shape":"InvalidParameterValueException"},
      {"shape":"AuthorizationException"},
      {"shape":"AccessDeniedException"},
      {"shape":"RateLimitExceededException"},
      {"shape":"ResourceLimitExceededException"},
      {"shape":"ServerInternalException"}
    ],
    "documentation":"<p>Accepts the specified grant.</p>"
  },
  "CheckInLicense":{
    "name":"CheckInLicense",
    "http":{
      "method":"POST",
      "requestUri":"/"
    },
    "input":{"shape":"CheckInLicenseRequest"},
    "output":{"shape":"CheckInLicenseResponse"},
    "errors":[
      {"shape":"ValidationException"},
      {"shape":"InvalidParameterValueException"},
      {"shape":"ResourceNotFoundException"},
      {"shape":"ConflictException"},
      {"shape":"AuthorizationException"},
      {"shape":"AccessDeniedException"},
      {"shape":"RateLimitExceededException"},
      {"shape":"ServerInternalException"}
    ],
    "documentation":"<p>Checks in the specified license. Check in a license when it is no longer in use.</p>"
  },
  "CheckoutBorrowLicense":{
    "name":"CheckoutBorrowLicense",
    "http":{

```

```

    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"CheckoutBorrowLicenseRequest"},
  "output":{"shape":"CheckoutBorrowLicenseResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"NoEntitlementsAllowedException"},
    {"shape":"EntitlementNotAllowedException"},
    {"shape":"UnsupportedDigitalSignatureMethodException"},
    {"shape":"RedirectException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Checks out the specified license for offline use.</p>"
},
"CheckoutLicense":{
  "name":"CheckoutLicense",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"CheckoutLicenseRequest"},
  "output":{"shape":"CheckoutLicenseResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"NoEntitlementsAllowedException"},
    {"shape":"UnsupportedDigitalSignatureMethodException"},
    {"shape":"RedirectException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Checks out the specified license.</p> <note> <p>If the account that created the license is
the same that is performing the check out, you must specify the account as the beneficiary.</p> </note>"
},
"CreateGrant":{
  "name":"CreateGrant",
  "http":{
    "method":"POST",
    "requestUri":"/"
  }
}

```

```

    },
    "input": {"shape": "CreateGrantRequest"},
    "output": {"shape": "CreateGrantResponse"},
    "errors": [
      {"shape": "ValidationException"},
      {"shape": "InvalidParameterValueException"},
      {"shape": "ResourceLimitExceededException"},
      {"shape": "ServerInternalException"},
      {"shape": "AuthorizationException"},
      {"shape": "RateLimitExceededException"},
      {"shape": "AccessDeniedException"}
    ],
    "documentation": "<p>Creates a grant for the specified license. A grant shares the use of license entitlements with a specific Amazon Web Services account, an organization, or an organizational unit (OU). For more information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  },
  "CreateGrantVersion": {
    "name": "CreateGrantVersion",
    "http": {
      "method": "POST",
      "requestUri": "/"
    },
    "input": {"shape": "CreateGrantVersionRequest"},
    "output": {"shape": "CreateGrantVersionResponse"},
    "errors": [
      {"shape": "ValidationException"},
      {"shape": "InvalidParameterValueException"},
      {"shape": "ResourceLimitExceededException"},
      {"shape": "ServerInternalException"},
      {"shape": "AuthorizationException"},
      {"shape": "AccessDeniedException"},
      {"shape": "RateLimitExceededException"}
    ],
    "documentation": "<p>Creates a new version of the specified grant. For more information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  },
  "CreateLicense": {
    "name": "CreateLicense",
    "http": {
      "method": "POST",
      "requestUri": "/"
    },
    "input": {"shape": "CreateLicenseRequest"},
    "output": {"shape": "CreateLicenseResponse"},
    "errors": [
      {"shape": "ValidationException"},

```

```

    {"shape":"InvalidParameterValueException"},
    {"shape":"RedirectException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Creates a license.</p>"
},
"CreateLicenseConfiguration":{
  "name":"CreateLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"CreateLicenseConfigurationRequest"},
  "output":{"shape":"CreateLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Creates a license configuration.</p> <p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a license must be associated with a host), and the number of licenses purchased and used.</p>"
},
"CreateLicenseConversionTaskForResource":{
  "name":"CreateLicenseConversionTaskForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"CreateLicenseConversionTaskForResourceRequest"},
  "output":{"shape":"CreateLicenseConversionTaskForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ValidationException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],

```

```

"documentation": "<p>Creates a new license conversion task.</p>"
},
"CreateLicenseManagerReportGenerator": {
  "name": "CreateLicenseManagerReportGenerator",
  "http": {
    "method": "POST",
    "requestUri": "/"
  },
},
"input": { "shape": "CreateLicenseManagerReportGeneratorRequest" },
"output": { "shape": "CreateLicenseManagerReportGeneratorResponse" },
"errors": [
  { "shape": "ValidationException" },
  { "shape": "InvalidParameterValueException" },
  { "shape": "ResourceLimitExceededException" },
  { "shape": "ServerInternalException" },
  { "shape": "AuthorizationException" },
  { "shape": "RateLimitExceededException" },
  { "shape": "AccessDeniedException" },
  { "shape": "ResourceNotFoundException" }
],
"documentation": "<p>Creates a report generator.</p>"
},
"CreateLicenseVersion": {
  "name": "CreateLicenseVersion",
  "http": {
    "method": "POST",
    "requestUri": "/"
  },
},
"input": { "shape": "CreateLicenseVersionRequest" },
"output": { "shape": "CreateLicenseVersionResponse" },
"errors": [
  { "shape": "ValidationException" },
  { "shape": "AccessDeniedException" },
  { "shape": "ResourceNotFoundException" },
  { "shape": "RedirectException" },
  { "shape": "ConflictException" },
  { "shape": "ServerInternalException" },
  { "shape": "AuthorizationException" },
  { "shape": "RateLimitExceededException" }
],
"documentation": "<p>Creates a new version of the specified license.</p>"
},
"CreateToken": {
  "name": "CreateToken",
  "http": {
    "method": "POST",
    "requestUri": "/"
  },
},

```

```

"input":{"shape":"CreateTokenRequest"},
"output":{"shape":"CreateTokenResponse"},
"errors":[
  {"shape":"ValidationException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"},
  {"shape":"ResourceLimitExceededException"},
  {"shape":"ServerInternalException"},
  {"shape":"ResourceNotFoundException"},
  {"shape":"RedirectException"}
],
"documentation":"<p>Creates a long-lived
token.</p> <p>A refresh token is a JWT token used to get an access token. With an access token, you can call
AssumeRoleWithWebIdentity to get role credentials that you can use to call License Manager to manage the
specified license.</p>"
},
"DeleteGrant":{
  "name":"DeleteGrant",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteGrantRequest"},
  "output":{"shape":"DeleteGrantResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Deletes the specified grant.</p>"
},
"DeleteLicense":{
  "name":"DeleteLicense",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteLicenseRequest"},
  "output":{"shape":"DeleteLicenseResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"RedirectException"},

```

```

    {"shape":"ConflictException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Deletes the specified license.</p>"
},
"DeleteLicenseConfiguration":{
  "name":"DeleteLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteLicenseConfigurationRequest"},
  "output":{"shape":"DeleteLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Deletes the specified license configuration.</p> <p>You cannot delete a license configuration that is in use.</p>"
},
"DeleteLicenseManagerReportGenerator":{
  "name":"DeleteLicenseManagerReportGenerator",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteLicenseManagerReportGeneratorRequest"},
  "output":{"shape":"DeleteLicenseManagerReportGeneratorResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"AccessDeniedException"},
    {"shape":"ResourceNotFoundException"}
  ],
  "documentation":"<p>Deletes the specified report generator.</p> <p>This action deletes the report generator, which stops it from generating future reports. The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
},

```



```

"DeleteToken":{
  "name":"DeleteToken",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"DeleteTokenRequest"},
  "output":{"shape":"DeleteTokenResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"RedirectException"}
  ],
  "documentation":"<p>Deletes the specified token. Must be called in the license home Region.</p>"
},
"ExtendLicenseConsumption":{
  "name":"ExtendLicenseConsumption",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ExtendLicenseConsumptionRequest"},
  "output":{"shape":"ExtendLicenseConsumptionResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"ResourceNotFoundException"}
  ],
  "documentation":"<p>Extends the expiration date for license consumption.</p>"
},
"GetAccessToken":{
  "name":"GetAccessToken",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetAccessTokenRequest"},
  "output":{"shape":"GetAccessTokenResponse"},
  "errors":[
    {"shape":"ValidationException"},

```

```

    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},

    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Gets a temporary access token to use with AssumeRoleWithWebIdentity. Access tokens
are valid for one hour.</p>"
},
"GetGrant":{
  "name":"GetGrant",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetGrantRequest"},
  "output":{"shape":"GetGrantResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Gets detailed information about the specified grant.</p>"
},
"GetLicense":{
  "name":"GetLicense",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetLicenseRequest"},
  "output":{"shape":"GetLicenseResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Gets detailed information about the specified license.</p>"
},
"GetLicenseConfiguration":{
  "name":"GetLicenseConfiguration",

```

```

"http":{
  "method":"POST",
  "requestUri":"/"
},
"input":{"shape":"GetLicenseConfigurationRequest"},
"output":{"shape":"GetLicenseConfigurationResponse"},
"errors":[
  {"shape":"InvalidParameterValueException"},
  {"shape":"ServerInternalException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"}
],
"documentation":"<p>Gets detailed
information about the specified license configuration.</p>"
},
"GetLicenseConversionTask":{
  "name":"GetLicenseConversionTask",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetLicenseConversionTaskRequest"},
  "output":{"shape":"GetLicenseConversionTaskResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Gets information about the specified license type conversion task.</p>"
},
"GetLicenseManagerReportGenerator":{
  "name":"GetLicenseManagerReportGenerator",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetLicenseManagerReportGeneratorRequest"},
  "output":{"shape":"GetLicenseManagerReportGeneratorResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"RateLimitExceededException"},

```

```

    {"shape":"AccessDeniedException"},
    {"shape":"ResourceNotFoundException"}
  ],
  "documentation":"<p>Gets information about the specified report generator.</p>"
},
"GetLicenseUsage":{
  "name":"GetLicenseUsage",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetLicenseUsageRequest"},
  "output":{"shape":"GetLicenseUsageResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Gets detailed information about the usage of the specified license.</p>"
},
"GetServiceSettings":{
  "name":"GetServiceSettings",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"GetServiceSettingsRequest"},
  "output":{"shape":"GetServiceSettingsResponse"},
  "errors":[
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Gets the License Manager settings for the current Region.</p>"
},
"ListAssociationsForLicenseConfiguration":{
  "name":"ListAssociationsForLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListAssociationsForLicenseConfigurationRequest"},
  "output":{"shape":"ListAssociationsForLicenseConfigurationResponse"},

```

```

"errors":[
  {"shape":"InvalidParameterValueException"},
  {"shape":"FilterLimitExceededException"},
  {"shape":"ServerInternalException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"}
],
"documentation":"<p>Lists the resource associations for the specified license configuration.</p> <p>Resource
associations need not consume licenses from a license configuration. For example, an AMI or a stopped instance
might not consume a license (depending on the license rules).</p>"
},
"ListDistributedGrants":{
  "name":"ListDistributedGrants",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListDistributedGrantsRequest"},
  "output":{"shape":"ListDistributedGrantsResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists the grants distributed for the specified license.</p>"
},
"ListFailuresForLicenseConfigurationOperations":{
  "name":"ListFailuresForLicenseConfigurationOperations",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListFailuresForLicenseConfigurationOperationsRequest"},
  "output":{"shape":"ListFailuresForLicenseConfigurationOperationsResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists the license configuration operations that failed.</p>"
}

```

```

    },
    "ListLicenseConfigurations":{
      "name":"ListLicenseConfigurations",
      "http":{
        "method":"POST",
        "requestUri":"/"
      },
      },
      "input":{"shape":"ListLicenseConfigurationsRequest"},
      "output":{"shape":"ListLicenseConfigurationsResponse"},
      "errors":[
        {"shape":"InvalidParameterValueException"},
        {"shape":"ServerInternalException"},
        {"shape":"FilterLimitExceededException"},
        {"shape":"AuthorizationException"},
        {"shape":"AccessDeniedException"},
        {"shape":"RateLimitExceededException"}
      ],
      "documentation":"<p>Lists the license configurations for your account.</p>"
    },
    "ListLicenseConversionTasks":{
      "name":"ListLicenseConversionTasks",
      "http":{
        "method":"POST",
        "requestUri":"/"
      },
      },
      "input":{"shape":"ListLicenseConversionTasksRequest"},
      "output":{"shape":"ListLicenseConversionTasksResponse"},
      "errors":[
        {"shape":"InvalidParameterValueException"},
        {"shape":"ServerInternalException"},
        {"shape":"AuthorizationException"},
        {"shape":"AccessDeniedException"},
        {"shape":"RateLimitExceededException"}
      ],
      "documentation":"<p>Lists the license type conversion tasks for your account.</p>"
    },
    "ListLicenseManagerReportGenerators":{
      "name":"ListLicenseManagerReportGenerators",
      "http":{
        "method":"POST",
        "requestUri":"/"
      },
      },
      "input":{"shape":"ListLicenseManagerReportGeneratorsRequest"},
      "output":{"shape":"ListLicenseManagerReportGeneratorsResponse"},
      "errors":[
        {"shape":"ValidationException"},
        {"shape":"InvalidParameterValueException"},
        {"shape":"ResourceLimitExceededException"},

```

```

    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"AccessDeniedException"},
    {"shape":"ResourceNotFoundException"}
  ],
  "documentation":"<p>Lists the report generators for your account.</p>"
},
"ListLicenseSpecificationsForResource":{
  "name":"ListLicenseSpecificationsForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListLicenseSpecificationsForResourceRequest"},
  "output":{"shape":"ListLicenseSpecificationsForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Describes the license configurations for the specified resource.</p>"
},
"ListLicenseVersions":{
  "name":"ListLicenseVersions",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListLicenseVersionsRequest"},
  "output":{"shape":"ListLicenseVersionsResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Lists all versions of the specified license.</p>"
},
"ListLicenses":{
  "name":"ListLicenses",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },

```

```

"input":{"shape":"ListLicensesRequest"},
"output":{"shape":"ListLicensesResponse"},
"errors":[
  {"shape":"ValidationException"},
  {"shape":"InvalidParameterValueException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"},
  {"shape":"ServerInternalException"}
],
"documentation":"<p>Lists the licenses for your account.</p>"
},
"ListReceivedGrants":{"
  "name":"ListReceivedGrants",
  "http":{"
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListReceivedGrantsRequest"},
  "output":{"shape":"ListReceivedGrantsResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists grants that are received. Received grants are grants created while specifying the recipient as this Amazon Web Services account, your organization, or an organizational unit (OU) to which this member account belongs.</p>"
},
"ListReceivedGrantsForOrganization":{"
  "name":"ListReceivedGrantsForOrganization",
  "http":{"
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListReceivedGrantsForOrganizationRequest"},
  "output":{"shape":"ListReceivedGrantsForOrganizationResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},

```



```

    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists the grants received for all accounts in the organization.</p>"
},
"ListReceivedLicenses":{
  "name":"ListReceivedLicenses",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListReceivedLicensesRequest"},
  "output":{"shape":"ListReceivedLicensesResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists received licenses.</p>"
},
"ListReceivedLicensesForOrganization":{
  "name":"ListReceivedLicensesForOrganization",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListReceivedLicensesForOrganizationRequest"},
  "output":{"shape":"ListReceivedLicensesForOrganizationResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists the licenses received for all accounts in the organization.</p>"
},
"ListResourceInventory":{
  "name":"ListResourceInventory",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },

```

```

"input":{"shape":"ListResourceInventoryRequest"},
"output":{"shape":"ListResourceInventoryResponse"},
"errors":[
  {"shape":"InvalidParameterValueException"},
  {"shape":"ServerInternalException"},
  {"shape":"FilterLimitExceededException"},
  {"shape":"FailedDependencyException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"}
],
"documentation":"<p>Lists resources managed using Systems Manager inventory.</p>"
},
"ListTagsForResource":{
  "name":"ListTagsForResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListTagsForResourceRequest"},
  "output":{"shape":"ListTagsForResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Lists the tags for the specified license configuration.</p>"
},
"ListTokens":{
  "name":"ListTokens",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"ListTokensRequest"},
  "output":{"shape":"ListTokensResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Lists your tokens.</p>"
},
"ListUsageForLicenseConfiguration":{

```

```

"name":"ListUsageForLicenseConfiguration",
"http":{"
  "method":"POST",
  "requestUri":"/"
},
"input":{"shape":"ListUsageForLicenseConfigurationRequest"},
"output":{"shape":"ListUsageForLicenseConfigurationResponse"},
"errors":[
  {"shape":"InvalidParameterValueException"},
  {"shape":"FilterLimitExceededException"},
  {"shape":"ServerInternalException"},
  {"shape":"AuthorizationException"},
  {"shape":"AccessDeniedException"},
  {"shape":"RateLimitExceededException"}
],
"documentation":"<p>Lists all license usage records for a license configuration, displaying license consumption
details by resource at a selected point in time. Use this action to audit the current license consumption for any
license inventory and configuration.</p>"
},
"RejectGrant":{"
  "name":"RejectGrant",
  "http":{"
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"RejectGrantRequest"},
  "output":{"shape":"RejectGrantResponse"},
  "errors":[
    {"shape":"ValidationException"},
    {"shape":"InvalidParameterValueException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ResourceLimitExceededException"},
    {"shape":"ServerInternalException"}
  ],
  "documentation":"<p>Rejects the specified grant.</p>"
},
"TagResource":{"
  "name":"TagResource",
  "http":{"
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"TagResourceRequest"},
  "output":{"shape":"TagResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},

```

```

    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Adds the specified tags to the specified license configuration.</p>"
},
"UntagResource":{
  "name":"UntagResource",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UntagResourceRequest"},
  "output":{"shape":"UntagResourceResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Removes the specified tags from the specified license configuration.</p>"
},
"UpdateLicenseConfiguration":{
  "name":"UpdateLicenseConfiguration",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "input":{"shape":"UpdateLicenseConfigurationRequest"},
  "output":{"shape":"UpdateLicenseConfigurationResponse"},
  "errors":[
    {"shape":"InvalidParameterValueException"},
    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"},
    {"shape":"ResourceLimitExceededException"}
  ],
  "documentation":"<p>Modifies the attributes of an existing license configuration.</p>"
},
"UpdateLicenseManagerReportGenerator":{
  "name":"UpdateLicenseManagerReportGenerator",
  "http":{
    "method":"POST",
    "requestUri":"/"
  },
  "documentation":"<p>Modifies the attributes of an existing license configuration.</p>"
},

```

```



```

```

    {"shape":"ServerInternalException"},
    {"shape":"AuthorizationException"},
    {"shape":"AccessDeniedException"},
    {"shape":"RateLimitExceededException"}
  ],
  "documentation":"<p>Updates License Manager settings for the current Region.</p>"
}
},
"shapes":{
  "AcceptGrantRequest":{
    "type":"structure",
    "required":["GrantArn"],
    "members":{
      "GrantArn":{
        "shape":"Arn",
        "documentation":"<p>Amazon Resource Name (ARN) of the grant.</p>"
      }
    }
  },
  "AcceptGrantResponse":{
    "type":"structure",
    "members":{
      "GrantArn":{
        "shape":"Arn",
        "documentation":"<p>Grant ARN.</p>"
      },
      "Status":{
        "shape":"GrantStatus",
        "documentation":"<p>Grant status.</p>"
      },
      "Version":{
        "shape":"String",
        "documentation":"<p>Grant version.</p>"
      }
    }
  },
  "AccessDeniedException":{
    "type":"structure",
    "members":{
      "Message":{"shape":"Message"}
    },
    "documentation":"<p>Access to resource denied.</p>",
    "exception":true
  },
  "ActivationOverrideBehavior":{
    "type":"string",
    "enum":[
      "DISTRIBUTED_GRANTS_ONLY",

```

```

    "ALL_GRANTS_PERMITTED_BY_ISSUER"
  ]
},
"AllowedOperation":{
  "type":"string",
  "enum":[
    "CreateGrant",
    "CheckoutLicense",
    "CheckoutBorrowLicense",
    "CheckInLicense",
    "ExtendConsumptionLicense",
    "ListPurchasedLicenses",
    "CreateToken"
  ]
},
"AllowedOperationList":{
  "type":"list",
  "member":{"shape":"AllowedOperation"},
  "max":7,
  "min":1
},
"Arn":{
  "type":"string",
  "max":2048,
  "pattern":"^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:_/+=#,@.-]{0,1023}$"
},
"ArnList":{
  "type":"list",
  "member":{"shape":"Arn"}
},
"AuthorizationException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  }
},
"documentation":"<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM policy associated with this account.</p>",
"exception":true
},
"AutomatedDiscoveryInformation":{
  "type":"structure",
  "members":{
    "LastRunTime":{
      "shape":"DateTime",
      "documentation":"<p>Time that automated discovery last ran.</p>"
    }
  }
}

```

```

    },
    "documentation": "<p>Describes automated discovery.</p>"
  },
  "Boolean": { "type": "boolean" },
  "BorrowConfiguration": {
    "type": "structure",
    "required": [
      "AllowEarlyCheckIn",
      "MaxTimeToLiveInMinutes"
    ],
    "members": {
      "AllowEarlyCheckIn": {
        "shape": "BoxBoolean",
        "documentation": "<p>Indicates whether early check-ins are allowed.</p>"
      },
      "MaxTimeToLiveInMinutes": {
        "shape": "BoxInteger",
        "documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>"
      }
    },
    "documentation": "<p>Details about a borrow configuration.</p>"
  },
  "BoxBoolean": { "type": "boolean" },
  "BoxInteger": { "type": "integer" },
  "BoxLong": { "type": "long" },
  "CheckInLicenseRequest": {
    "type": "structure",
    "required": ["LicenseConsumptionToken"],
    "members": {
      "LicenseConsumptionToken": {
        "shape": "String",
        "documentation": "<p>License consumption token.</p>"
      },
      "Beneficiary": {
        "shape": "String",
        "documentation": "<p>License beneficiary.</p>"
      }
    }
  },
  "CheckInLicenseResponse": {
    "type": "structure",
    "members": {
    }
  },
  "CheckoutBorrowLicenseRequest": {
    "type": "structure",
    "required": [
      "LicenseArn",

```



```

    "Entitlements",
    "DigitalSignatureMethod",
    "ClientToken"
  ],
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license. The license must use the borrow
consumption configuration.</p>"
    },
    "Entitlements":{
      "shape":"EntitlementDataList",
      "documentation":"<p>License entitlements. Partial checkouts are not supported.</p>"
    },
    "DigitalSignatureMethod":{
      "shape":"DigitalSignatureMethod",

      "documentation":"<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm
PS384. For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital
Signature with RSASSA-PSS</a>.</p>"
    },
    "NodeId":{
      "shape":"String",
      "documentation":"<p>Node ID.</p>"
    },
    "CheckoutMetadata":{
      "shape":"MetadataList",
      "documentation":"<p>Information about constraints.</p>"
    },
    "ClientToken":{
      "shape":"ClientToken",
      "documentation":"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the
request.</p>"
    }
  }
},
"CheckoutBorrowLicenseResponse":{
  "type":"structure",
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "LicenseConsumptionToken":{
      "shape":"String",
      "documentation":"<p>License consumption token.</p>"
    },
    "EntitlementsAllowed":{

```

```

    "shape": "EntitlementDataList",
    "documentation": "<p>Allowed license entitlements.</p>"
  },
  "NodeId": {
    "shape": "String",
    "documentation": "<p>Node ID.</p>"
  },
  "SignedToken": {
    "shape": "SignedToken",
    "documentation": "<p>Signed token.</p>"
  },
  "IssuedAt": {
    "shape": "ISO8601DateTime",
    "documentation": "<p>Date and time at which the license checkout is issued.</p>"
  },
  "Expiration": {
    "shape": "ISO8601DateTime",
    "documentation": "<p>Date and time at which the license checkout expires.</p>"
  },
  "CheckoutMetadata": {
    "shape": "MetadataList",
    "documentation": "<p>Information about constraints.</p>"
  }
}
},
"CheckoutLicenseRequest": {
  "type": "structure",
  "required": [
    "ProductSKU",
    "CheckoutType",
    "KeyFingerprint",
    "Entitlements",
    "ClientToken"
  ],
  "members": {
    "ProductSKU": {
      "shape": "String",
      "documentation": "<p>Product SKU.</p>"
    },
    "CheckoutType": {
      "shape": "CheckoutType",
      "documentation": "<p>Checkout type.</p>"
    },
    "KeyFingerprint": {
      "shape": "String",
      "documentation": "<p>Key fingerprint identifying the license.</p>"
    },
    "Entitlements": {

```

```

    "shape": "EntitlementDataList",
    "documentation": "<p>License entitlements.</p>"
  },
  "ClientToken": {
    "shape": "ClientToken",
    "documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>"
  },
  "Beneficiary": {
    "shape": "String",
    "documentation": "<p>License beneficiary.</p>"
  },
  "NodeId": {
    "shape": "String",
    "documentation": "<p>Node ID.</p>"
  }
}
},
"CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "shape": "CheckoutType",
      "documentation": "<p>Checkout type.</p>"
    },
    "LicenseConsumptionToken": {
      "shape": "String",
      "documentation": "<p>License consumption token.</p>"
    },
    "EntitlementsAllowed": {
      "shape": "EntitlementDataList",
      "documentation": "<p>Allowed license entitlements.</p>"
    },
    "SignedToken": {
      "shape": "SignedToken",
      "documentation": "<p>Signed token.</p>"
    },
    "NodeId": {
      "shape": "String",
      "documentation": "<p>Node ID.</p>"
    },
    "IssuedAt": {
      "shape": "ISO8601DateTime",
      "documentation": "<p>Date and time at which the license checkout is issued.</p>"
    },
    "Expiration": {
      "shape": "ISO8601DateTime",

```

```

"documentation": "<p>Date and time at which the license checkout expires.</p>"
  },
  "LicenseArn": {
    "shape": "String",
    "documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
  }
},
"CheckoutType": {
  "type": "string",
  "enum": [
    "PROVISIONAL",
    "PERPETUAL"
  ]
},
"ClientRequestToken": {
  "type": "string",
  "max": 36,
  "min": 1
},
"ClientToken": {
  "type": "string",
  "max": 2048,
  "pattern": "\\S+"
},
"ConflictException": {
  "type": "structure",
  "members": {
    "Message": { "shape": "Message" }
  },
  "documentation": "<p>There was a conflict processing the request. Try your request again.</p>",
  "exception": true
},
"ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "shape": "ResourceType",
      "documentation": "<p>Resource type of the resource consuming a
license.</p>"
    }
  },
  "ConsumedLicenses": {
    "shape": "BoxLong",
    "documentation": "<p>Number of licenses consumed by the resource.</p>"
  }
},
"documentation": "<p>Details about license consumption.</p>"
},

```

```

"ConsumedLicenseSummaryList":{
  "type":"list",
  "member":{"shape":"ConsumedLicenseSummary"}
},
"ConsumptionConfiguration":{
  "type":"structure",
  "members":{
    "RenewType":{
      "shape":"RenewType",
      "documentation":"<p>Renewal frequency.</p>"
    },
    "ProvisionalConfiguration":{
      "shape":"ProvisionalConfiguration",
      "documentation":"<p>Details about a provisional configuration.</p>"
    },
    "BorrowConfiguration":{
      "shape":"BorrowConfiguration",
      "documentation":"<p>Details about a borrow configuration.</p>"
    }
  },
  "documentation":"<p>Details about a consumption configuration.</p>"
},
"CreateGrantRequest":{
  "type":"structure",
  "required":[
    "ClientToken",
    "GrantName",
    "LicenseArn",
    "Principals",
    "HomeRegion",
    "AllowedOperations"
  ],
  "members":{
    "ClientToken":{
      "shape":"ClientToken",
      "documentation":"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>"
    },
    "GrantName":{
      "shape":"String",
      "documentation":"<p>Grant name.</p>"
    },
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "Principals":{
      "shape":"PrincipalArnList",

```

"documentation":<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p><p>An Amazon Web Services account, which includes only the account specified.</p><p>An organizational unit (OU), which includes all accounts in the OU.</p><p>An organization, which will include all accounts across your organization.</p>"

```
  },
  "HomeRegion":{
    "shape":"String",
    "documentation":<p>Home Region of the grant.</p>
  },
  "AllowedOperations":{
    "shape":"AllowedOperationList",
    "documentation":<p>Allowed operations for the grant.</p>
  }
}
},
"CreateGrantResponse":{
  "type":"structure",
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":<p>Grant ARN.</p>
    },
    "Status":{
      "shape":"GrantStatus",
      "documentation":<p>Grant status.</p>
    },
    "Version":{
      "shape":"String",
      "documentation":<p>Grant version.</p>
    }
  }
},
"CreateGrantVersionRequest":{
  "type":"structure",
  "required":[
    "ClientToken",
    "GrantArn"
  ],
  "members":{
    "ClientToken":{
      "shape":"ClientToken",
      "documentation":<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>
    },
    "GrantArn":{
      "shape":"Arn",
```

```

    "documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>"
  },
  "GrantName": {
    "shape": "String",
    "documentation": "<p>Grant name.</p>"
  },
  "AllowedOperations": {
    "shape": "AllowedOperationList",
    "documentation": "<p>Allowed operations for the grant.</p>"
  },
  "Status": {
    "shape": "GrantStatus",
    "documentation": "<p>Grant status.</p>"
  },
  "StatusReason": {
    "shape": "StatusReasonMessage",
    "documentation": "<p>Grant status reason.</p>"
  },
  "SourceVersion": {
    "shape": "String",
    "documentation": "<p>Current version of the grant.</p>"
  },
  "Options": {
    "shape": "Options",
    "documentation": "<p>The options specified for the grant.</p>"
  }
},
"CreateGrantVersionResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "shape": "Arn",
      "documentation": "<p>Grant ARN.</p>"
    },
    "Status": {
      "shape": "GrantStatus",
      "documentation": "<p>Grant status.</p>"
    },
    "Version": {
      "shape": "String",
      "documentation": "<p>New version of the grant.</p>"
    }
  }
},
"CreateLicenseConfigurationRequest": {
  "type": "structure",

```

```

"required":[
  "Name",
  "LicenseCountingType"
],
"members":{
  "Name":{
    "shape":"String",
    "documentation":"<p>Name of the license configuration.</p>"
  },
  "Description":{
    "shape":"String",
    "documentation":"<p>Description of the license configuration.</p>"
  },
  "LicenseCountingType":{
    "shape":"LicenseCountingType",
    "documentation":"<p>Dimension used to track the license inventory.</p>"
  },
  "LicenseCount":{
    "shape":"BoxLong",
    "documentation":"<p>Number of licenses managed by the license configuration.</p>"
  },
  "LicenseCountHardLimit":{
    "shape":"BoxBoolean",
    "documentation":"<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit
blocks the launch of new instances.</p>"
  },
  "LicenseRules":{
    "shape":"StringList",
    "documentation":"<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-
DedicatedHost). The available rules vary by dimension, as follows.</p> <ul> <li> <p> <code>Cores</code>
dimension: <code>allowedTenancy</code> | <code>licenseAffinityToHost</code> |
<code>maximumCores</code> | <code>minimumCores</code> </p> </li> <li> <p> <code>Instances</code>
dimension: <code>allowedTenancy</code>
| <code>maximumCores</code> | <code>minimumCores</code> | <code>maximumSockets</code> |
<code>minimumSockets</code> | <code>maximumVcpus</code> | <code>minimumVcpus</code> </p> </li> <li>
<p> <code>Sockets</code> dimension: <code>allowedTenancy</code> | <code>licenseAffinityToHost</code> |
<code>maximumSockets</code> | <code>minimumSockets</code> </p> </li> <li> <p> <code>vCPUs</code>
dimension: <code>allowedTenancy</code> | <code>honorVcpuOptimization</code> |
<code>maximumVcpus</code> | <code>minimumVcpus</code> </p> </li> </ul> <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are
<code>True</code> and <code>False</code>.</p>"
  },
  "Tags":{
    "shape":"TagList",
    "documentation":"<p>Tags to add to the

```



```

license configuration.</p>"
  },
  "DisassociateWhenNotFound":{
    "shape":"BoxBoolean",
    "documentation":"<p>When true, disassociates a resource when software is uninstalled.</p>"
  },
  "ProductInformationList":{
    "shape":"ProductInformationList",
    "documentation":"<p>Product information.</p>"
  }
}
},
"CreateLicenseConfigurationResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  }
},
"CreateLicenseConversionTaskForResourceRequest":{
  "type":"structure",
  "required":[
    "ResourceArn",
    "SourceLicenseContext",
    "DestinationLicenseContext"
  ],
  "members":{
    "ResourceArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>"
    },
    "SourceLicenseContext":{
      "shape":"LicenseConversionContext",
      "documentation":"<p>Information that identifies the license type you are converting from. For the structure of
the source license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-
procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User
Guide</i>.</p>"
    },
    "DestinationLicenseContext":{
      "shape":"LicenseConversionContext",
      "documentation":"<p>Information that identifies the license type you are converting to. For the structure of the
destination license, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/conversion-
procedures.html#conversion-cli\">Convert a license type using the CLI </a> in the <i>License Manager User
Guide</i>.</p>"
    }
  }
}

```

```

    }
  },
  "CreateLicenseConversionTaskForResourceResponse":{
    "type":"structure",
    "members":{
      "LicenseConversionTaskId":{
        "shape":"LicenseConversionTaskId",
        "documentation":"<p>The ID of the created license type conversion task.</p>"
      }
    }
  },
  "CreateLicenseManagerReportGeneratorRequest":{
    "type":"structure",
    "required":[
      "ReportGeneratorName",
      "Type",
      "ReportContext",
      "ReportFrequency",
      "ClientToken"
    ],
    "members":{
      "ReportGeneratorName":{
        "shape":"ReportGeneratorName",
        "documentation":"<p>Name of the report generator.</p>"
      },
      "Type":{
        "shape":"ReportTypeList",
        "documentation":"<p>Type of reports to generate. The following report types an be generated:</p> <ul> <li>
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p> </li> <li> <p>Resource report - Reports the tracked licenses and resource consumption
for a license configuration.</p> </li> </ul>"
      },
      "ReportContext":{
        "shape":"ReportContext",
        "documentation":"<p>Defines the type of license configuration the report generator tracks.</p>"
      },
      "ReportFrequency":{
        "shape":"ReportFrequency",
        "documentation":"<p>Frequency by which reports are generated. Reports can be generated daily, monthly, or
weekly.</p>"
      },
      "ClientToken":{
        "shape":"ClientRequestToken",
        "documentation":"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the
request.</p>"
      },
      "Description":{
        "shape":"String",

```

```

    "documentation": "<p>Description of the report generator.</p>"
  },
  "Tags": {
    "shape": "TagList",
    "documentation": "<p>Tags to add to the report generator.</p>"
  }
}
},
"CreateLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "shape": "String",
      "documentation": "<p>The Amazon Resource Name (ARN) of the new report generator.</p>"
    }
  }
},
"CreateLicenseRequest": {
  "type": "structure",
  "required": [
    "LicenseName",
    "ProductName",
    "ProductSKU",
    "Issuer",
    "HomeRegion",
    "Validity",
    "Entitlements",
    "Beneficiary",
    "ConsumptionConfiguration",
    "ClientToken"
  ],
  "members": {
    "LicenseName": {
      "shape": "String",
      "documentation": "<p>License name.</p>"
    },
    "ProductName": {
      "shape": "String",
      "documentation": "<p>Product name.</p>"
    },
    "ProductSKU": {
      "shape": "String",
      "documentation": "<p>Product SKU.</p>"
    },
    "Issuer": {
      "shape": "Issuer",
      "documentation": "<p>License issuer.</p>"
    }
  }
},

```

```

"HomeRegion":{
  "shape":"String",
  "documentation":"<p>Home Region for the license.</p>"
},
"Validity":{
  "shape":"DatetimeRange",
  "documentation":"<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>"
},
"Entitlements":{
  "shape":"EntitlementList",
  "documentation":"<p>License entitlements.</p>"
},
"Beneficiary":{
  "shape":"String",
  "documentation":"<p>License beneficiary.</p>"
},
"ConsumptionConfiguration":{
  "shape":"ConsumptionConfiguration",
  "documentation":"<p>Configuration for consumption of the license. Choose a provisional configuration for workloads running with continuous connectivity. Choose a borrow configuration for workloads with offline usage.</p>"
},
"LicenseMetadata":{
  "shape":"MetadataList",
  "documentation":"<p>Information about the license.</p>"
},
"ClientToken":{
  "shape":"ClientToken",
  "documentation":"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>"
}
},
"CreateLicenseResponse":{
  "type":"structure",
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "Status":{
      "shape":"LicenseStatus",
      "documentation":"<p>License status.</p>"
    },
    "Version":{
      "shape":"String",
      "documentation":"<p>License version.</p>"
    }
  }
}

```

```

    }
  }
},
"CreateLicenseVersionRequest":{
  "type":"structure",
  "required":[
    "LicenseArn",
    "LicenseName",
    "ProductName",
    "Issuer",
    "HomeRegion",
    "Validity",
    "Entitlements",
    "ConsumptionConfiguration",
    "Status",
    "ClientToken"
  ],

"members":{
  "LicenseArn":{
    "shape":"Arn",
    "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
  },
  "LicenseName":{
    "shape":"String",
    "documentation":"<p>License name.</p>"
  },
  "ProductName":{
    "shape":"String",
    "documentation":"<p>Product name.</p>"
  },
  "Issuer":{
    "shape":"Issuer",
    "documentation":"<p>License issuer.</p>"
  },
  "HomeRegion":{
    "shape":"String",
    "documentation":"<p>Home Region of the license.</p>"
  },
  "Validity":{
    "shape":"DatetimeRange",
    "documentation":"<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>"
  },
  "LicenseMetadata":{
    "shape":"MetadataList",
    "documentation":"<p>Information about the license.</p>"
  },
  "Entitlements":{

```

```

    "shape": "EntitlementList",
    "documentation": "<p>License
entitlements.</p>"
  },
  "ConsumptionConfiguration": {
    "shape": "ConsumptionConfiguration",
    "documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for
workloads running with continuous connectivity. Choose a borrow configuration for workloads with offline
usage.</p>"
  },
  "Status": {
    "shape": "LicenseStatus",
    "documentation": "<p>License status.</p>"
  },
  "ClientToken": {
    "shape": "ClientToken",
    "documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the
request.</p>"
  },
  "SourceVersion": {
    "shape": "String",
    "documentation": "<p>Current version of the license.</p>"
  }
}
},
"CreateLicenseVersionResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "shape": "Arn",
      "documentation": "<p>License
ARN.</p>"
    },
    "Version": {
      "shape": "String",
      "documentation": "<p>New version of the license.</p>"
    },
    "Status": {
      "shape": "LicenseStatus",
      "documentation": "<p>License status.</p>"
    }
  }
}
},
"CreateTokenRequest": {
  "type": "structure",
  "required": [
    "LicenseArn",
    "ClientToken"
  ]
}

```

```

    ],
    "members":{
      "LicenseArn":{
        "shape":"Arn",
        "documentation":"<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of
the JWT token.</p>"
      },
      "RoleArns":{
        "shape":"ArnList",
        "documentation":"<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. License
Manager does not check whether the roles are in use.</p>"
      },
      "ExpirationInDays":{
        "shape":"Integer",
        "documentation":"<p>Token expiration, in days, counted from token creation. The default is 365
days.</p>"
      },
      "TokenProperties":{
        "shape":"MaxSize3StringList",
        "documentation":"<p>Data specified by the caller to be included in the JWT token. The data is mapped to the
amr claim of the JWT token.</p>"
      },
      "ClientToken":{
        "shape":"ClientToken",
        "documentation":"<p>Idempotency token, valid for 10 minutes.</p>"
      }
    }
  },
  "CreateTokenResponse":{
    "type":"structure",
    "members":{
      "TokenId":{
        "shape":"String",
        "documentation":"<p>Token ID.</p>"
      },
      "TokenType":{
        "shape":"TokenType",
        "documentation":"<p>Token type.</p>"
      },
      "Token":{
        "shape":"TokenString",
        "documentation":"<p>Refresh token, encoded as a JWT token.</p>"
      }
    }
  },
  "DateTime":{"type":"timestamp"},
  "DatetimeRange":{
    "type":"structure",

```

```

"required":["Begin"],
"members":{
  "Begin":{
    "shape":"ISO8601DateTime",
    "documentation":"<p>Start of the time range.</p>"
  },
  "End":{
    "shape":"ISO8601DateTime",
    "documentation":"<p>End of the time range.</p>"
  }
},
"documentation":"<p>Describes a time range, in ISO8601-UTC format.</p>"
},
"DeleteGrantRequest":{
  "type":"structure",
  "required":[
    "GrantArn",
    "Version"
  ],
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the grant.</p>"
    },
    "StatusReason":{
      "shape":"StatusReasonMessage",
      "documentation":"<p>The Status reason for the delete request.</p>"
    },
    "Version":{
      "shape":"String",
      "documentation":"<p>Current version of the grant.</p>"
    }
  }
},
"DeleteGrantResponse":{
  "type":"structure",
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":"<p>Grant ARN.</p>"
    },
    "Status":{
      "shape":"GrantStatus",
      "documentation":"<p>Grant status.</p>"
    },
    "Version":{
      "shape":"String",

```



```

        "documentation": "<p>Grant version.</p>"
    }
}
},
"DeleteLicenseConfigurationRequest": {
    "type": "structure",
    "required": ["LicenseConfigurationArn"],
    "members": {
        "LicenseConfigurationArn": {
            "shape": "String",
            "documentation": "<p>ID of the license configuration.</p>"
        }
    }
},
"DeleteLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
    }
},
"DeleteLicenseManagerReportGeneratorRequest": {
    "type": "structure",
    "required": ["LicenseManagerReportGeneratorArn"],
    "members": {
        "LicenseManagerReportGeneratorArn": {
            "shape": "String",
            "documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>"
        }
    }
},
"DeleteLicenseManagerReportGeneratorResponse": {
    "type": "structure",
    "members": {
    }
},
"DeleteLicenseRequest": {
    "type": "structure",
    "required": [
        "LicenseArn",
        "SourceVersion"
    ],
    "members": {
        "LicenseArn": {
            "shape": "Arn",
            "documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        },
        "SourceVersion": {
            "shape": "String",
            "documentation": "<p>Current version of the license.</p>"
        }
    }
}

```

```

    }
  }
},
"DeleteLicenseResponse":{
  "type":"structure",
  "members":{
    "Status":{
      "shape":"LicenseDeletionStatus",
      "documentation":"<p>License status.</p>"
    },
    "DeletionDate":{
      "shape":"ISO8601DateTime",
      "documentation":"<p>Date when the license is deleted.</p>"
    }
  }
},
"DeleteTokenRequest":{
  "type":"structure",
  "required":["TokenId"],
  "members":{
    "TokenId":{
      "shape":"String",
      "documentation":"<p>Token ID.</p>"
    }
  }
},
"DeleteTokenResponse":{
  "type":"structure",
  "members":{
  }
},
"DigitalSignatureMethod":{
  "type":"string",
  "enum":["JWT_PS384"]
},
"Entitlement":{
  "type":"structure",
  "required":[
    "Name",
    "Unit"
  ],
  "members":{
    "Name":{
      "shape":"String",
      "documentation":"<p>Entitlement name.</p>"
    },
    "Value":{
      "shape":"String",

```

```

    "documentation": "<p>Entitlement resource. Use only if the unit is None.</p>"
  },
  "MaxCount": {
    "shape": "Long",
    "documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
  },
  "Overage": {
    "shape": "BoxBoolean",
    "documentation": "<p>Indicates whether overages are allowed.</p>"
  },
  "Unit": {
    "shape": "EntitlementUnit",
    "documentation": "<p>Entitlement unit.</p>"
  },
  "AllowCheckIn": {
    "shape": "BoxBoolean",
    "documentation": "<p>Indicates whether check-ins are allowed.</p>"
  }
},
"documentation": "<p>Describes a resource entitled for use with a license.</p>"
},
"EntitlementData": {
  "type": "structure",
  "required": [
    "Name",
    "Unit"
  ],
  "members": {
    "Name": {
      "shape": "String",
      "documentation": "<p>Entitlement data name.</p>"
    },
    "Value": {
      "shape": "String",
      "documentation": "<p>Entitlement data value.</p>"
    },
    "Unit": {
      "shape": "EntitlementDataUnit",
      "documentation": "<p>Entitlement data unit.</p>"
    }
  },
  "documentation": "<p>Data associated with an entitlement resource.</p>"
},
"EntitlementDataList": {
  "type": "list",
  "member": { "shape": "EntitlementData" }
},
"EntitlementDataUnit": {

```

```

"type":"string",
"enum":[
  "Count",
  "None",
  "Seconds",
  "Microseconds",
  "Milliseconds",
  "Bytes",
  "Kilobytes",
  "Megabytes",
  "Gigabytes",
  "Terabytes",
  "Bits",
  "Kilobits",
  "Megabits",
  "Gigabits",
  "Terabits",
  "Percent",
  "Bytes/Second",
  "Kilobytes/Second",
  "Megabytes/Second",
  "Gigabytes/Second",
  "Terabytes/Second",
  "Bits/Second",
  "Kilobits/Second",
  "Megabits/Second",
  "Gigabits/Second",
  "Terabits/Second",
  "Count/Second"
]
},
"EntitlementList":{
  "type":"list",
  "member":{"shape":"Entitlement"}
},
"EntitlementNotAllowedException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The entitlement is not allowed.</p>",
  "exception":true
},
"EntitlementUnit":{
  "type":"string",
  "enum":[
    "Count",
    "None",

```

```

"Seconds",
"Microseconds",
"Milliseconds",
"Bytes",
"Kilobytes",
"Megabytes",
"Gigabytes",
"Terabytes",
"Bits",
"Kilobits",
"Megabits",
"Gigabits",
"Terabits",
"Percent",
"Bytes/Second",
"Kilobytes/Second",
"Megabytes/Second",
"Gigabytes/Second",
"Terabytes/Second",
"Bits/Second",
"Kilobits/Second",
"Megabits/Second",
"Gigabits/Second",
"Terabits/Second",
"Count/Second"
]
},
"EntitlementUsage":{
  "type":"structure",
  "required":[
    "Name",
    "ConsumedValue",
    "Unit"
  ],
  "members":{
    "Name":{
      "shape":"String",
      "documentation":"<p>Entitlement usage name.</p>"
    },
    "ConsumedValue":{
      "shape":"String",
      "documentation":"<p>Resource usage consumed.</p>"
    },
    "MaxCount":{
      "shape":"String",
      "documentation":"<p>Maximum entitlement usage count.</p>"
    },
    "Unit":{

```

```

    "shape":"EntitlementDataUnit",
    "documentation":"<p>Entitlement usage unit.</p>"
  }
},
"documentation":"<p>Usage associated with an entitlement resource.</p>"
},
"EntitlementUsageList":{
  "type":"list",
  "member":{"shape":"EntitlementUsage"}
},
"ExtendLicenseConsumptionRequest":{
  "type":"structure",
  "required":["LicenseConsumptionToken"],
  "members":{
    "LicenseConsumptionToken":{
      "shape":"String",
      "documentation":"<p>License consumption token.</p>"
    },
    "DryRun":{
      "shape":"Boolean",
      "documentation":"<p>Checks whether you have the required permissions for the action, without actually
making the request. Provides
an error response if you do not have the required permissions.</p>"
    }
  }
},
"ExtendLicenseConsumptionResponse":{
  "type":"structure",
  "members":{
    "LicenseConsumptionToken":{
      "shape":"String",
      "documentation":"<p>License consumption token.</p>"
    },
    "Expiration":{
      "shape":"ISO8601DateTime",
      "documentation":"<p>Date and time at which the license consumption expires.</p>"
    }
  }
},
"FailedDependencyException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"},
    "ErrorCode":{"shape":"String"}
  },
  "documentation":"<p>A dependency required to run the API is missing.</p>",
  "exception":true
},

```

```

"Filter":{
  "type":"structure",
  "members":{
    "Name":{
      "shape":"FilterName",
      "documentation":"<p>Name of the filter. Filter names are case-sensitive.</p>"
    },
    "Values":{

      "shape":"FilterValues",
      "documentation":"<p>The value of the filter, which is case-sensitive. You can only specify one value for the
filter.</p>"
    }
  },
  "documentation":"<p>A filter name and value pair that is used to return more specific results from a describe
operation. Filters can be used to match a set of resources by specific criteria, such as tags, attributes, or IDs.</p>"
},
"FilterLimitExceededException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The request uses too many filters or too many filter values.</p>",
  "exception":true
},
"FilterList":{
  "type":"list",
  "member":{"shape":"Filter"}
},
"FilterName":{"type":"string"},
"FilterValue":{"type":"string"},
"FilterValues":{
  "type":"list",
  "member":{"shape":"FilterValue"}
},
"Filters":{
  "type":"list",
  "member":{"shape":"Filter"}
},
"GetAccessTokenRequest":{
  "type":"structure",
  "required":["Token"],
  "members":{
    "Token":{
      "shape":"TokenString",
      "documentation":"<p>Refresh token, encoded as a JWT token.</p>"
    },
  },

```

```

    "TokenProperties":{
      "shape":"MaxSize3StringList",
      "documentation":"<p>Token properties to validate against those present in the JWT token.</p>"
    }
  },
  "GetAccessTokenResponse":{
    "type":"structure",
    "members":{
      "AccessToken":{
        "shape":"TokenString",
        "documentation":"<p>Temporary access token.</p>"
      }
    }
  },
  "GetGrantRequest":{
    "type":"structure",
    "required":["GrantArn"],
    "members":{
      "GrantArn":{
        "shape":"Arn",
        "documentation":"<p>Amazon Resource Name (ARN) of the grant.</p>"
      },
      "Version":{
        "shape":"String",
        "documentation":"<p>Grant version.</p>"
      }
    }
  },
  "GetGrantResponse":{
    "type":"structure",
    "members":{
      "Grant":{
        "shape":"Grant",
        "documentation":"<p>Grant details.</p>"
      }
    }
  },
  "GetLicenseConfigurationRequest":{
    "type":"structure",
    "required":["LicenseConfigurationArn"],
    "members":{
      "LicenseConfigurationArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      }
    }
  },

```



```

"GetLicenseConfigurationResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurationId":{
      "shape":"String",
      "documentation":"<p>Unique ID for the license configuration.</p>"
    },
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "Name":{
      "shape":"String",
      "documentation":"<p>Name of the license configuration.</p>"
    },
    "Description":{
      "shape":"String",
      "documentation":"<p>Description of the license configuration.</p>"
    },
    "LicenseCountingType":{
      "shape":"LicenseCountingType",
      "documentation":"<p>Dimension for which the licenses are counted.</p>"
    },
    "LicenseRules":{
      "shape":"StringList",
      "documentation":"<p>License rules.</p>"
    },
    "LicenseCount":{
      "shape":"BoxLong",
      "documentation":"<p>Number of available licenses.</p>"
    },
    "LicenseCountHardLimit":{
      "shape":"BoxBoolean",
      "documentation":"<p>Sets the number of available licenses as a hard limit.</p>"
    },
    "ConsumedLicenses":{
      "shape":"BoxLong",
      "documentation":"<p>Number of licenses assigned to resources.</p>"
    },
    "Status":{
      "shape":"String",
      "documentation":"<p>License configuration status.</p>"
    },
    "OwnerAccountId":{
      "shape":"String",
      "documentation":"<p>Account ID of the owner of the license configuration.</p>"
    },
    "ConsumedLicenseSummaryList":{

```

```

    "shape": "ConsumedLicenseSummaryList",
    "documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  },
  "ManagedResourceSummaryList": {
    "shape": "ManagedResourceSummaryList",
    "documentation": "<p>Summaries of the managed resources.</p>"
  },
  "Tags": {
    "shape": "TagList",
    "documentation": "<p>Tags for the license configuration.</p>"
  },
  "ProductInformationList": {
    "shape": "ProductInformationList",
    "documentation": "<p>Product information.</p>"
  },
  "AutomatedDiscoveryInformation": {
    "shape": "AutomatedDiscoveryInformation",
    "documentation": "<p>Automated discovery information.</p>"
  },
  "DisassociateWhenNotFound": {
    "shape": "BoxBoolean",
    "documentation": "<p>When true, disassociates a resource when software is uninstalled.</p>"
  }
}
},
"GetLicenseConversionTaskRequest": {
  "type": "structure",
  "required": ["LicenseConversionTaskId"],
  "members": {
    "LicenseConversionTaskId": {
      "shape": "LicenseConversionTaskId",
      "documentation": "<p>ID of the license type conversion task to retrieve information on.</p>"
    }
  }
},
"GetLicenseConversionTaskResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "shape": "LicenseConversionTaskId",
      "documentation": "<p>ID of the license type conversion task.</p>"
    },
    "ResourceArn": {
      "shape": "String",
      "documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
    }
  },
  "SourceLicenseContext": {

```

```

    "shape": "LicenseConversionContext",
    "documentation": "<p>Information about the license type converted from.</p>"
  },
  "DestinationLicenseContext": {
    "shape": "LicenseConversionContext",
    "documentation": "<p>Information about the license type converted to.</p>"
  },
  "StatusMessage": {
    "shape": "String",
    "documentation": "<p>The status message for the conversion task.</p>"
  },
  "Status": {
    "shape": "LicenseConversionTaskStatus",
    "documentation": "<p>Status of the license type conversion task.</p>"
  },
  "StartTime": {
    "shape": "DateTime",
    "documentation": "<p>Time at which the license type conversion task was started .</p>"
  },
  "LicenseConversionTime": {
    "shape": "DateTime",
    "documentation": "<p>Amount of time to complete the license type conversion.</p>"
  },
  "EndTime": {
    "shape": "DateTime",
    "documentation": "<p>Time
at which the license type conversion task was completed.</p>"
  }
}
},
"GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "required": ["LicenseManagerReportGeneratorArn"],
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "shape": "String",
      "documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
    }
  }
},
"GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "shape": "ReportGenerator",
      "documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
    }
  }
}

```

```

},
"GetLicenseRequest":{
  "type":"structure",
  "required":["LicenseArn"],
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "Version":{
      "shape":"String",
      "documentation":"<p>License version.</p>"
    }
  }
},
"GetLicenseResponse":{
  "type":"structure",
  "members":{
    "License":{
      "shape":"License",
      "documentation":"<p>License details.</p>"
    }
  }
},
"GetLicenseUsageRequest":{
  "type":"structure",
  "required":["LicenseArn"],
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    }
  }
},
"GetLicenseUsageResponse":{
  "type":"structure",
  "members":{
    "LicenseUsage":{
      "shape":"LicenseUsage",
      "documentation":"<p>License usage details.</p>"
    }
  }
},
"GetServiceSettingsRequest":{
  "type":"structure",
  "members":{

```

```

},
"GetServiceSettingsResponse":{
  "type":"structure",
  "members":{
    "S3BucketArn":{
      "shape":"String",

      "documentation":"<p>Regional S3 bucket path for storing reports, license trail event data, discovery data, and
so on.</p>"
    },
    "SnsTopicArn":{
      "shape":"String",
      "documentation":"<p>SNS topic configured to receive notifications from License Manager.</p>"
    },
    "OrganizationConfiguration":{
      "shape":"OrganizationConfiguration",
      "documentation":"<p>Indicates whether Organizations is integrated with License Manager for cross-account
discovery.</p>"
    },
    "EnableCrossAccountsDiscovery":{
      "shape":"BoxBoolean",
      "documentation":"<p>Indicates whether cross-account discovery is enabled.</p>"
    },
    "LicenseManagerResourceShareArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the resource share. The License Manager
management account provides member accounts with access to this share.</p>"
    }
  }
},
"Grant":{
  "type":"structure",
  "required":[
    "GrantArn",
    "GrantName",
    "ParentArn",
    "LicenseArn",
    "GranteePrincipalArn",
    "HomeRegion",
    "GrantStatus",
    "Version",
    "GrantedOperations"
  ],
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the grant.</p>"
    },
  },

```

```

"GrantName":{
  "shape":"String",
  "documentation":"<p>Grant name.</p>"
},
"ParentArn":{
  "shape":"Arn",
  "documentation":"<p>Parent ARN.</p>"
},
"LicenseArn":{
  "shape":"Arn",
  "documentation":"<p>License ARN.</p>"
},
"GranteePrincipalArn":{
  "shape":"Arn",
  "documentation":"<p>The grantee principal ARN.</p>"
},
"HomeRegion":{
  "shape":"String",
  "documentation":"<p>Home Region of the grant.</p>"
},
"GrantStatus":{
  "shape":"GrantStatus",
  "documentation":"<p>Grant status.</p>"
},
"StatusReason":{
  "shape":"StatusReasonMessage",
  "documentation":"<p>Grant status reason.</p>"
},
"Version":{
  "shape":"String",
  "documentation":"<p>Grant version.</p>"
},
"GrantedOperations":{
  "shape":"AllowedOperationList",
  "documentation":"<p>Granted operations.</p>"
},
"Options":{
  "shape":"Options",
  "documentation":"<p>The options specified for the grant.</p>"
}
},
"documentation":"<p>Describes a grant.</p>"
},
"GrantList":{
  "type":"list",
  "member":{"shape":"Grant"}
},
"GrantStatus":{

```

```

"type":"string",
"enum":[
  "PENDING_WORKFLOW",
  "PENDING_ACCEPT",
  "REJECTED",
  "ACTIVE",
  "FAILED_WORKFLOW",
  "DELETED",
  "PENDING_DELETE",
  "DISABLED",

"WORKFLOW_COMPLETED"
]
},
"GrantedLicense":{
  "type":"structure",
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "LicenseName":{
      "shape":"String",
      "documentation":"<p>License name.</p>"
    },
    "ProductName":{
      "shape":"String",
      "documentation":"<p>Product name.</p>"
    },
    "ProductSKU":{
      "shape":"String",
      "documentation":"<p>Product SKU.</p>"
    },
    "Issuer":{
      "shape":"IssuerDetails",
      "documentation":"<p>Granted license issuer.</p>"
    },
    "HomeRegion":{
      "shape":"String",
      "documentation":"<p>Home Region of the granted license.</p>"
    },
    "Status":{
      "shape":"LicenseStatus",
      "documentation":"<p>Granted license status.</p>"
    },
    "Validity":{
      "shape":"DatetimeRange",

```

```

    "documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC
format.</p>"
  },
  "Beneficiary": {
    "shape": "String",
    "documentation": "<p>Granted license beneficiary.</p>"
  },
  "Entitlements": {
    "shape": "EntitlementList",
    "documentation": "<p>License entitlements.</p>"
  },
  "ConsumptionConfiguration": {
    "shape": "ConsumptionConfiguration",
    "documentation": "<p>Configuration for consumption of the license.</p>"
  },
  "LicenseMetadata": {
    "shape": "MetadataList",
    "documentation": "<p>Granted license metadata.</p>"
  },
  "CreateTime": {
    "shape": "ISO8601DateTime",
    "documentation": "<p>Creation time of the granted license.</p>"
  },
  "Version": {
    "shape": "String",
    "documentation": "<p>Version of the granted license.</p>"
  },
  "ReceivedMetadata": {
    "shape": "ReceivedMetadata",
    "documentation": "<p>Granted license received metadata.</p>"
  }
},
"documentation": "<p>Describes a license that is granted to a grantee.</p>"
},
"GrantedLicenseList": {
  "type": "list",
  "member": { "shape": "GrantedLicense" }
},
"ISO8601DateTime": {
  "type": "string",
  "max": 50,
  "pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]||1-2)[0-9]T(2[0-3]||0-1)[0-9]:([0-5][0-9]):([0-5][0-9])(\\.[0-9]+)?(Z|[+](?:2[ 0-3]||0-1)[0-9]):[0-5][0-9])+$"
},
"Integer": { "type": "integer" },
"InvalidParameterValueException": {
  "type": "structure",
  "members": {

```



```

    "Message":{"shape":"Message"}
  },
  "documentation":"<p>One or more parameter values are not valid.</p>",
  "exception":true,
  "synthetic":true
},
"InvalidResourceStateException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}

  },
  "documentation":"<p>License Manager cannot allocate a license to a resource because of its state. </p> <p>For
example, you cannot allocate a license to an instance in the process of shutting down.</p>",
  "exception":true
},
"InventoryFilter":{
  "type":"structure",
  "required":[
    "Name",
    "Condition"
  ],
  "members":{
    "Name":{
      "shape":"String",
      "documentation":"<p>Name of the filter.</p>"
    },
    "Condition":{
      "shape":"InventoryFilterCondition",
      "documentation":"<p>Condition of the filter.</p>"
    },
    "Value":{
      "shape":"String",
      "documentation":"<p>Value of the filter.</p>"
    }
  },
  "documentation":"<p>An inventory filter.</p>"
},
"InventoryFilterCondition":{
  "type":"string",
  "enum":[
    "EQUALS",
    "NOT_EQUALS",
    "BEGINS_WITH",
    "CONTAINS"
  ]
},
"InventoryFilterList":{

```

```

    "type": "list",
    "member": { "shape": "InventoryFilter" }
  },
  "Issuer": {
    "type": "structure",
    "required": [ "Name" ],
    "members": {
      "Name": {
        "shape": "String",
        "documentation": "<p>Issuer name.</p>"
      },
      "SignKey": {
        "shape": "String",
        "documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS key must have a key
usage of sign and verify, and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
      }
    },
    "documentation": "<p>Details about the issuer of a license.</p>"
  },
  "IssuerDetails": {
    "type": "structure",
    "members": {
      "Name": {
        "shape": "String",
        "documentation": "<p>Issuer name.</p>"
      },
      "SignKey": {
        "shape": "String",
        "documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS key must have a key
usage of sign and verify, and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
      },
      "KeyFingerprint": {
        "shape": "String",
        "documentation": "<p>Issuer key fingerprint.</p>"
      }
    },
    "documentation": "<p>Details associated with the issuer of a license.</p>"
  },
  "License": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "shape": "Arn",
        "documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      },
      "LicenseName": {
        "shape": "String",
        "documentation": "<p>License name.</p>"
      }
    }
  }
}

```

```

},
"ProductName":{
  "shape":"String",
  "documentation":"<p>Product name.</p>"
},
"ProductSKU":{
  "shape":"String",
  "documentation":"<p>Product SKU.</p>"
},
"Issuer":{
  "shape":"IssuerDetails",
  "documentation":"<p>License issuer.</p>"
},
"HomeRegion":{
  "shape":"String",
  "documentation":"<p>Home Region of the license.</p>"
},
"Status":{
  "shape":"LicenseStatus",
  "documentation":"<p>License status.</p>"
},
"Validity":{
  "shape":"DatetimeRange",
  "documentation":"<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>"
},
"Beneficiary":{
  "shape":"String",
  "documentation":"<p>License beneficiary.</p>"
},
"Entitlements":{
  "shape":"EntitlementList",
  "documentation":"<p>License entitlements.</p>"
},
"ConsumptionConfiguration":{
  "shape":"ConsumptionConfiguration",
  "documentation":"<p>Configuration for consumption of the license.</p>"
},
"LicenseMetadata":{
  "shape":"MetadataList",
  "documentation":"<p>License metadata.</p>"
},
"CreateTime":{
  "shape":"ISO8601DateTime",
  "documentation":"<p>License creation time.</p>"
},
"Version":{
  "shape":"String",
  "documentation":"<p>License version.</p>"
}

```

```

    }
  },
  "documentation": "<p>Software license that is managed in License Manager.</p>"
},
"LicenseConfiguration":{
  "type":"structure",
  "members":{
    "LicenseConfigurationId":{
      "shape":"String",
      "documentation":"<p>Unique ID of the license configuration.</p>"
    },
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "Name":{
      "shape":"String",
      "documentation":"<p>Name of the license configuration.</p>"
    },
    "Description":{
      "shape":"String",
      "documentation":"<p>Description of the license configuration.</p>"
    },
    "LicenseCountingType":{
      "shape":"LicenseCountingType",
      "documentation":"<p>Dimension to use to track the license inventory.</p>"
    },
    "LicenseRules":{
      "shape":"StringList",
      "documentation":"<p>License rules.</p>"
    },
    "LicenseCount":{
      "shape":"BoxLong",
      "documentation":"<p>Number of licenses managed by the license configuration.</p>"
    },
    "LicenseCountHardLimit":{
      "shape":"BoxBoolean",
      "documentation":"<p>Number of available licenses as a hard limit.</p>"
    },
    "DisassociateWhenNotFound":{
      "shape":"BoxBoolean",
      "documentation":"<p>When true, disassociates a resource when software is uninstalled.</p>"
    },
    "ConsumedLicenses":{
      "shape":"BoxLong",
      "documentation":"<p>Number of licenses consumed. </p>"
    },
    "Status":{

```

```

    "shape":"String",
    "documentation":"<p>Status of the license configuration.</p>"
  },
  "OwnerAccountId":{
    "shape":"String",
    "documentation":"<p>Account ID of the license
configuration's owner.</p>"
  },
  "ConsumedLicenseSummaryList":{
    "shape":"ConsumedLicenseSummaryList",
    "documentation":"<p>Summaries for licenses consumed by various resources.</p>"
  },
  "ManagedResourceSummaryList":{
    "shape":"ManagedResourceSummaryList",
    "documentation":"<p>Summaries for managed resources.</p>"
  },
  "ProductInformationList":{
    "shape":"ProductInformationList",
    "documentation":"<p>Product information.</p>"
  },
  "AutomatedDiscoveryInformation":{
    "shape":"AutomatedDiscoveryInformation",
    "documentation":"<p>Automated discovery information.</p>"
  }
},
"documentation":"<p>A license configuration is an abstraction of a customer license agreement that can be
consumed and enforced by License Manager. Components include specifications for the license type (licensing by
instance, socket, CPU, or vCPU), allowed tenancy (shared
tenancy, Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with
a host), and the number of licenses purchased and used.</p>"
},
"LicenseConfigurationAssociation":{
  "type":"structure",
  "members":{
    "ResourceArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the resource.</p>"
    },
    "ResourceType":{
      "shape":"ResourceType",
      "documentation":"<p>Type of server resource.</p>"
    },
    "ResourceOwnerId":{
      "shape":"String",
      "documentation":"<p>ID of the Amazon Web Services account that owns the resource consuming
licenses.</p>"
    },
    "AssociationTime":{

```

```

    "shape": "DateTime",
    "documentation": "<p>Time when the license configuration was associated with the resource.</p>"
  },
  "AmiAssociationScope": {
    "shape": "String",
    "documentation": "<p>Scope of
AMI associations. The possible value is <code>cross-account</code>.</p>"
  }
},
"documentation": "<p>Describes an association with a license configuration.</p>"
},
"LicenseConfigurationAssociations": {
  "type": "list",
  "member": { "shape": "LicenseConfigurationAssociation" }
},
"LicenseConfigurationStatus": {
  "type": "string",
  "enum": [
    "AVAILABLE",
    "DISABLED"
  ]
},
"LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "shape": "String",
      "documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
    },
    "ResourceType": {
      "shape": "ResourceType",
      "documentation": "<p>Type of resource.</p>"
    },
    "ResourceStatus": {
      "shape": "String",
      "documentation": "<p>Status of the resource.</p>"
    },
    "ResourceOwnerId": {
      "shape": "String",
      "documentation": "<p>ID of
the account that owns the resource.</p>"
    }
  },
  "AssociationTime": {
    "shape": "DateTime",
    "documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
  },
  "ConsumedLicenses": {
    "shape": "BoxLong",

```

```

    "documentation": "<p>Number of licenses consumed by the resource.</p>"
  },
  "documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
},
"LicenseConfigurationUsageList": {
  "type": "list",
  "member": { "shape": "LicenseConfigurationUsage" }
},
"LicenseConfigurations": {
  "type": "list",
  "member": { "shape": "LicenseConfiguration" }
},
"LicenseConversionContext": {
  "type": "structure",
  "members": {
    "UsageOperation": {
      "shape": "UsageOperation",
      "documentation": "<p>The Usage operation value that corresponds to the license type you are converting your
resource
from. For more information about which platforms correspond to which usage operation values see <a
href=\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-fields.html#billing-info\">Sample
data: usage operation by platform </a> </p>"
    }
  }
},
"documentation": "<p>Information about a license type conversion task.</p>"
},
"LicenseConversionTask": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "shape": "LicenseConversionTaskId",
      "documentation": "<p>The ID of the license type conversion task.</p>"
    },
    "ResourceArn": {
      "shape": "String",
      "documentation": "<p>The Amazon Resource Name (ARN) of the resource associated with the license type
conversion task.</p>"
    },
    "SourceLicenseContext": {
      "shape": "LicenseConversionContext",
      "documentation": "<p>Information about the license type this conversion task converted from.</p>"
    },
    "DestinationLicenseContext": {
      "shape": "LicenseConversionContext",
      "documentation": "<p>Information about the license type this conversion task converted to.</p>"
    }
  }
},

```

```

"Status":{
  "shape":"LicenseConversionTaskStatus",
  "documentation":"<p>The status of the conversion task.</p>"
},
"StatusMessage":{
  "shape":"String",
  "documentation":"<p>The status message for the conversion task.</p>"
},
"StartTime":{
  "shape":"DateTime",
  "documentation":"<p>The time the conversion task was started at.</p>"
},
"LicenseConversionTime":{
  "shape":"DateTime",
  "documentation":"<p>The time the usage operation value of the resource was changed.</p>"
},
"EndTime":{
  "shape":"DateTime",
  "documentation":"<p>The time the conversion task was completed.</p>"
}
},
"documentation":"<p>Information about a
license type conversion task.</p>"
},
"LicenseConversionTaskId":{
  "type":"string",
  "max":50,
  "pattern":"^lct-[a-zA-Z0-9]*"
},
"LicenseConversionTaskStatus":{
  "type":"string",
  "enum":[
    "IN_PROGRESS",
    "SUCCEEDED",
    "FAILED"
  ]
},
"LicenseConversionTasks":{
  "type":"list",
  "member":{"shape":"LicenseConversionTask"}
},
"LicenseCountingType":{
  "type":"string",
  "enum":[
    "vCPU",
    "Instance",
    "Core",
    "Socket"
  ]
}

```



```

]
},
"LicenseDeletionStatus":{
  "type":"string",
  "enum":[
    "PENDING_DELETE",
    "DELETED"
  ]
},
"LicenseList":{
  "type":"list",
  "member":{"shape":"License"}
},
"LicenseOperationFailure":{
  "type":"structure",
  "members":{
    "ResourceArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the resource.</p>"
    }
  },
}

"ResourceType":{
  "shape":"ResourceType",
  "documentation":"<p>Resource type.</p>"
},
"ErrorMessage":{
  "shape":"String",
  "documentation":"<p>Error message.</p>"
},
"FailureTime":{
  "shape":"DateTime",
  "documentation":"<p>Failure time.</p>"
},
"OperationName":{
  "shape":"String",
  "documentation":"<p>Name of the operation.</p>"
},
"ResourceOwnerId":{
  "shape":"String",
  "documentation":"<p>ID of the Amazon Web Services account that owns the resource.</p>"
},
"OperationRequestedBy":{
  "shape":"String",
  "documentation":"<p>The requester is \"License Manager Automated Discovery\".</p>"
},
"MetadataList":{
  "shape":"MetadataList",
  "documentation":"<p>Reserved.</p>"
}

```

```

    }
  },
  "documentation": "<p>Describes the failure of a license operation.</p>"
},
"LicenseOperationFailureList":{
  "type":"list",
  "member":{"shape":"LicenseOperationFailure"}
},
"LicenseSpecification":{
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "AmiAssociationScope":{
      "shape":"String",
      "documentation":"<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
    }
  }
},
"documentation":"<p>Details for associating a license configuration with a resource.</p>"
},
"LicenseSpecifications":{
  "type":"list",
  "member":{"shape":"LicenseSpecification"}
},
"LicenseStatus":{
  "type":"string",
  "enum":[
    "AVAILABLE",
    "PENDING_AVAILABLE",
    "DEACTIVATED",
    "SUSPENDED",
    "EXPIRED",
    "PENDING_DELETE",
    "DELETED"
  ]
},
"LicenseUsage":{
  "type":"structure",
  "members":{
    "EntitlementUsages":{
      "shape":"EntitlementUsageList",
      "documentation":"<p>License entitlement usages.</p>"
    }
  }
},
"documentation":"<p>Describes the entitlement usage associated with a license.</p>"

```

```

},
"LicenseUsageException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>You do not have enough licenses available to support a new resource launch.</p>",
  "exception":true
},
"ListAssociationsForLicenseConfigurationRequest":{
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of a license configuration.</p>"
    },
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum
number of results to return in a single call.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListAssociationsForLicenseConfigurationResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurationAssociations":{
      "shape":"LicenseConfigurationAssociations",
      "documentation":"<p>Information about the associations for the license configuration.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListDistributedGrantsRequest":{
  "type":"structure",
  "members":{
    "GrantArns":{
      "shape":"ArnList",
      "documentation":"<p>Amazon Resource Names (ARNs) of the grants.</p>"
    }
  },

```

```

"Filters":{
  "shape":"FilterList",
  "documentation":"<p>Filters to scope the results.
The following filters are supported:</p> <ul> <li> <p> <code>LicenseArn</code> </p> </li> <li> <p>
<code>GrantStatus</code> </p> </li> <li> <p> <code>GranteePrincipalARN</code> </p> </li> <li> <p>
<code>ProductSKU</code> </p> </li> <li> <p> <code>LicenseIssuerName</code> </p> </li> </ul>"
},
"NextToken":{
  "shape":"String",
  "documentation":"<p>Token for the next set of results.</p>"
},
"MaxResults":{
  "shape":"MaxSize100",
  "documentation":"<p>Maximum number of results to return in a single call.</p>"
}
},
"ListDistributedGrantsResponse":{
  "type":"structure",
  "members":{
    "Grants":{
      "shape":"GrantList",
      "documentation":"<p>Distributed grant details.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListFailuresForLicenseConfigurationOperationsRequest":{
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name of the license configuration.</p>"
    },
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},

```

```

"ListFailuresForLicenseConfigurationOperationsResponse":{
  "type":"structure",
  "members":{
    "LicenseOperationFailureList":{
      "shape":"LicenseOperationFailureList",
      "documentation":"<p>License configuration operations that failed.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListLicenseConfigurationsRequest":{
  "type":"structure",
  "members":{
    "LicenseConfigurationArns":{
      "shape":"StringList",
      "documentation":"<p>Amazon Resource Names (ARN) of the license configurations.</p>"
    },
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    },
    "Filters":{
      "shape":"Filters",
      "documentation":"<p>Filters to scope the results. The following filters and logical operators are supported:</p>
<ul>
<li><p><code>licenseCountingType</code> - The dimension for which licenses are counted. Possible values are <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p></li>
<li><p><code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license enforcement is used. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p></li>
<li><p><code>usagelimitExceeded</code> - A Boolean value that indicates whether the available licenses have been exceeded. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p></li>
</ul>"
    }
  }
},
"ListLicenseConfigurationsResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurations":{
      "shape":"LicenseConfigurations",
      "documentation":"<p>Information about the license configurations.</p>"
    }
  }
}

```

```

    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListLicenseConversionTasksRequest":{
  "type":"structure",
  "members":{
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token
for the next set of results.</p>"
    },
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    },
    "Filters":{
      "shape":"Filters",
      "documentation":"<p>Filters to scope the results. Valid filters are <code>ResourceArns</code> and
<code>Status</code>. </p>"
    }
  }
},
"ListLicenseConversionTasksResponse":{
  "type":"structure",
  "members":{
    "LicenseConversionTasks":{
      "shape":"LicenseConversionTasks",
      "documentation":"<p>Information about the license configuration tasks for your account.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListLicenseManagerReportGeneratorsRequest":{
  "type":"structure",
  "members":{
    "Filters":{
      "shape":"FilterList",
      "documentation":"<p>Filters
to scope the results. The following filters are supported: </p> <ul> <li> <p>
<code>LicenseConfigurationArn</code> </p> </li> </ul>"
    }
  }
},

```

```

    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    },
    "MaxResults":{
      "shape":"MaxSize100",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "ListLicenseManagerReportGeneratorsResponse":{
    "type":"structure",
    "members":{
      "ReportGenerators":{
        "shape":"ReportGeneratorList",
        "documentation":"<p>A report generator that creates periodic reports about your license configurations.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      }
    }
  },
  "ListLicenseSpecificationsForResourceRequest":{
    "type":"structure",
    "required":["ResourceArn"],
    "members":{
      "ResourceArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of a resource that has an associated license
configuration.</p>"
      },
      "MaxResults":{
        "shape":"BoxInteger",
        "documentation":"<p>Maximum number of results to return in a single call.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      }
    }
  },
  "ListLicenseSpecificationsForResourceResponse":{
    "type":"structure",
    "members":{
      "LicenseSpecifications":{
        "shape":"LicenseSpecifications",
        "documentation":"<p>License configurations associated with a resource.</p>"
      }
    }
  }
}

```

```

    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListLicenseVersionsRequest":{
  "type":"structure",

  "required":["LicenseArn"],
  "members":{
    "LicenseArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the license.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    },
    "MaxResults":{
      "shape":"MaxSize100",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"ListLicenseVersionsResponse":{
  "type":"structure",
  "members":{
    "Licenses":{
      "shape":"LicenseList",
      "documentation":"<p>License details.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListLicensesRequest":{
  "type":"structure",
  "members":{
    "LicenseArns":{
      "shape":"ArnList",
      "documentation":"<p>Amazon Resource Names
(ARNs) of the licenses.</p>"
    },
    "Filters":{

```



```

    "shape": "FilterList",
    "documentation": "<p>Filters to scope the results. The following filters are supported:</p> <ul> <li> <p>
<code>Beneficiary</code> </p> </li> <li> <p> <code>ProductSKU</code> </p> </li> <li> <p>
<code>Fingerprint</code> </p> </li> <li> <p> <code>Status</code> </p> </li> </ul>"
  },
  "NextToken": {
    "shape": "String",
    "documentation": "<p>Token for the next set of results.</p>"
  },
  "MaxResults": {
    "shape": "MaxSize100",
    "documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "shape": "LicenseList",
      "documentation": "<p>License details.</p>"
    },
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"ListReceivedGrantsForOrganizationRequest": {
  "type": "structure",
  "required": ["LicenseArn"],
  "members": {
    "LicenseArn": {
      "shape": "Arn",
      "documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>"
    },
    "Filters": {
      "shape": "FilterList",
      "documentation": "<p>Filters to scope the results. The following filters are supported:</p> <ul> <li> <p>
<code>ParentArn</code> </p> </li> <li> <p> <code>GranteePrincipalArn</code> </p> </li> </ul>"
    },
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token for the next set of results.</p>"
    },
    "MaxResults": {
      "shape": "MaxSize100",
      "documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
}

```

```

    }
  }
},
"ListReceivedGrantsForOrganizationResponse":{
  "type":"structure",
  "members":{
    "Grants":{
      "shape":"GrantList",
      "documentation":"<p>Lists the grants the organization has received.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListReceivedGrantsRequest":{
  "type":"structure",
  "members":{
    "GrantArns":{
      "shape":"ArnList",
      "documentation":"<p>Amazon Resource Names (ARNs) of the grants.</p>"
    },
    "Filters":{
      "shape":"FilterList",
      "documentation":"<p>Filters to scope the results. The following filters are supported:</p> <ul> <li> <p>
<code>ProductSKU</code> </p> </li> <li> <p> <code>LicenseIssuerName</code> </p> </li> <li> <p>
<code>LicenseArn</code> </p> </li> <li> <p> <code>GrantStatus</code> </p> </li> <li> <p>
<code>GranterAccountId</code> </p> </li> </ul>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    },
    "MaxResults":{
      "shape":"MaxSize100",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"ListReceivedGrantsResponse":{
  "type":"structure",
  "members":{
    "Grants":{
      "shape":"GrantList",
      "documentation":"<p>Received grant details.</p>"
    },
  }
},

```

```

    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  },
  "ListReceivedLicensesForOrganizationRequest":{
    "type":"structure",
    "members":{
      "Filters":{
        "shape":"FilterList",
        "documentation":"<p>Filters to scope the results. The following filters are supported:</p> <ul> <li> <p>
<code>Beneficiary</code> </p> </li> <li> <p> <code>ProductSKU</code> </p> </li> </ul>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of
results.</p>"
      },
      "MaxResults":{
        "shape":"MaxSize100",
        "documentation":"<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "ListReceivedLicensesForOrganizationResponse":{
    "type":"structure",
    "members":{
      "Licenses":{
        "shape":"GrantedLicenseList",
        "documentation":"<p>Lists the licenses the organization has received.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      }
    }
  },
  "ListReceivedLicensesRequest":{
    "type":"structure",
    "members":{
      "LicenseArns":{
        "shape":"ArnList",
        "documentation":"<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      },
      "Filters":{
        "shape":"FilterList",
        "documentation":"<p>Filters to scope the results. The following filters are supported:</p> <ul> <li> <p>

```

```

<code>ProductSKU</code>
</p> </li> <li> <p> <code>Status</code> </p> </li> <li> <p> <code>Fingerprint</code> </p> </li> <li> <p>
<code>IssuerName</code> </p> </li> <li> <p> <code>Beneficiary</code> </p> </li> </ul>"
  },
  "NextToken":{
    "shape":"String",
    "documentation":"<p>Token for the next set of results.</p>"
  },
  "MaxResults":{
    "shape":"MaxSize100",
    "documentation":"<p>Maximum number of results to return in a single call.</p>"
  }
}
},
"ListReceivedLicensesResponse":{
  "type":"structure",
  "members":{
    "Licenses":{
      "shape":"GrantedLicenseList",
      "documentation":"<p>Received license details.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListResourceInventoryRequest":{
  "type":"structure",
  "members":{
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    },
    "Filters":{
      "shape":"InventoryFilterList",
      "documentation":"<p>Filters to scope the results. The following filters and logical operators are
supported:</p> <ul> <li> <p> <code>account_id</code> - The ID of the Amazon Web Services account that owns
the resource. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p> </li> <li> <p>
<code>application_name</code> - The name of the application. Logical operators are <code>EQUALS</code> |
<code>BEGINS_WITH</code>.</p> </li> <li> <p> <code>license_included</code> - The type of license
included. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>. Possible values are
<code>sql-server-enterprise</code> | <code>sql-server-standard</code> | <code>sql-server-web</code>

```

| `windows-server-datacenter`.

- `platform` - The platform of the resource. Logical operators are `EQUALS` | `BEGINS_WITH`.
- `resource_id` - The ID of the resource. Logical operators are `EQUALS` | `NOT_EQUALS`.
- `tag:<key>` - The key/value combination of a tag assigned to the resource. Logical operators are `EQUALS` (single account) or `EQUALS` | `NOT_EQUALS` (cross account).

```

    }
  }
},
"ListResourceInventoryResponse":{
  "type":"structure",
  "members":{
    "ResourceInventoryList":{
      "shape":"ResourceInventoryList",
      "documentation":"<p>Information about the resources.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListTagsForResourceRequest":{
  "type":"structure",
  "required":["ResourceArn"],
  "members":{
    "ResourceArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  }
},
"ListTagsForResourceResponse":{
  "type":"structure",
  "members":{
    "Tags":{
      "shape":"TagList",
      "documentation":"<p>Information about the tags.</p>"
    }
  }
},
"ListTokensRequest":{
  "type":"structure",
  "members":{
    "TokenIds":{
      "shape":"StringList",
      "documentation":"<p>Token IDs.</p>"
    }
  },

```

```

"Filters":{
  "shape":"FilterList",
  "documentation":"<p>Filters to scope the results. The following filter is supported:</p> <ul> <li> <p>
<code>LicenseArns</code> </p> </li> </ul>"
},
"NextToken":{
  "shape":"String",
  "documentation":"<p>Token for the next set of
results.</p>"
},
"MaxResults":{
  "shape":"MaxSize100",
  "documentation":"<p>Maximum number of results to return in a single call.</p>"
}
},
"ListTokensResponse":{
  "type":"structure",
  "members":{
    "Tokens":{
      "shape":"TokenList",
      "documentation":"<p>Received token details.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ListUsageForLicenseConfigurationRequest":{
  "type":"structure",
  "required":["LicenseConfigurationArn"],
  "members":{
    "LicenseConfigurationArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "MaxResults":{
      "shape":"BoxInteger",
      "documentation":"<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"NextToken":{
  "shape":"String",
  "documentation":"<p>Token for the next set of results.</p>"
},
"Filters":{
  "shape":"Filters",

```

"documentation": "<p>Filters to scope the results. The following filters and logical operators are supported:</p> <p> <code>resourceArn</code> - The ARN of the license configuration resource. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p> <p> <code>resourceType</code> - The resource type (<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> | <code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p> <p> <code>resourceAccount</code> - The ID of the account that owns the resource. Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p> "

```

    }
  }
},
"ListUsageForLicenseConfigurationResponse":{
  "type":"structure",
  "members":{
    "LicenseConfigurationUsageList":{
      "shape":"LicenseConfigurationUsageList",
      "documentation":"<p>Information about the license configurations.</p>"
    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"Location":{"type":"string"},
"Long":{"type":"long"},
"ManagedResourceSummary":{
  "type":"structure",
  "members":{
    "ResourceType":{
      "shape":"ResourceType",
      "documentation":"<p>Type of resource associated with a license.</p>"
    },
    "AssociationCount":{
      "shape":"BoxLong",
      "documentation":"<p>Number of resources associated with licenses.</p>"
    }
  }
},
"documentation":"<p>Summary information about a managed resource.</p>"
},
"ManagedResourceSummaryList":{
  "type":"list",
  "member":{"shape":"ManagedResourceSummary"}
},
"MaxSize100":{
  "type":"integer",
  "max":100,
  "min":1
}

```

```

},
"MaxSize3StringList":{
  "type":"list",
  "member":{"shape":"String"},
  "max":3
},
"Message":{"type":"string"},
"Metadata":{
  "type":"structure",
  "members":{
    "Name":{
      "shape":"String",
      "documentation":"<p>The key name.</p>"
    },
    "Value":{
      "shape":"String",
      "documentation":"<p>The value.</p>"
    }
  },
  "documentation":"<p>Describes key/value pairs.</p>"
},
"MetadataList":{
  "type":"list",
  "member":{"shape":"Metadata"}
},
"NoEntitlementsAllowedException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>There are no entitlements found for this license, or the entitlement maximum count is
reached.</p>",
  "exception":true
},
"Options":{
  "type":"structure",
  "members":{
    "ActivationOverrideBehavior":{
      "shape":"ActivationOverrideBehavior",
      "documentation":"<p>An activation option for your grant that determines the behavior of activating a grant.
Activation options can only be used with granted licenses sourced from the Amazon Web Services Marketplace.
Additionally, the operation must specify the value of <code>ACTIVE</code> for the <code>Status</code>
parameter.</p> <ul> <li> <p>As a license administrator, you can optionally specify an
<code>ActivationOverrideBehavior</code> when activating a grant.</p> </li> <li> <p>As a grantor, you can
optionally specify an <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee account in
your organization.</p> </li> <li> <p>As a grantee, if the grantor creating the distributed grant doesnt specify an
<code>ActivationOverrideBehavior</code>, you can optionally specify one when you are activating the grant.</p>
</li> </ul> <dl> <dt>DISTRIBUTED_GRANTS_ONLY</dt> <dd> <p>Use this value to activate

```


a grant without replacing any member accounts active grants for the same product.</p> </dd>
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt> <dd> <p>Use this value to activate a grant and disable other active grants in any member accounts for the same product. This action will also replace their previously activated grants with this activated grant.</p> </dd> </dl>"

```
  }  
},
```

"documentation": "<p>The options you can specify when you create a new version of a grant, such as activation override behavior. For more information, see Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"

```
},
```

```
"OrganizationConfiguration": {  
  "type": "structure",  
  "required": ["EnableIntegration"],  
  "members": {  
    "EnableIntegration": {  
      "shape": "Boolean",  
      "documentation": "<p>Enables Organizations integration.</p>"
```

```
  }  
},
```

"documentation": "<p>Configuration information for Organizations.</p>"

```
},
```

```
"PrincipalArnList": {  
  "type": "list",  
  "member": {"shape": "Arn"},  
  "max": 1,  
  "min": 1
```

```
},
```

```
"ProductInformation": {  
  "type": "structure",  
  "required": [  
    "ResourceType",  
    "ProductInformationFilterList"
```

```
  ],
```

```
  "members": {  
    "ResourceType": {  
      "shape": "String",  
      "documentation": "<p>Resource type. The possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>"
```

```
  },
```

```
  "ProductInformationFilterList": {  
    "shape": "ProductInformationFilterList",
```

"documentation": "<p>A Product information filter consists of a <code>ProductInformationFilterComparator</code> which is a logical operator, a <code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a <code>ProductInformationFilterValue</code> that specifies the value to filter on. </p> <p>Accepted values for <code>ProductInformationFilterName</code>

are listed here along with descriptions and valid options for `ProductInformationFilterComparator`.

The following filters and are supported when the resource type is `SSM_MANAGED`:

- `Application Name` - The name of the application. Logical operator is `EQUALS`.
- `Application Publisher` - The publisher of the application. Logical operator is `EQUALS`.
- `Application Version` - The version of the application. Logical operator is `EQUALS`.
- `Platform Name` - The name of the platform. Logical operator is `EQUALS`.
- `Platform Type` - The platform type. Logical operator is `EQUALS`.
- `Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.
- `AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.
- `License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

    }
  },
  "documentation": "<p>Describes product information for a license configuration.</p>"
},
"ProductInformationFilter":{
  "type":"structure",
  "required":[
    "ProductInformationFilterName",
    "ProductInformationFilterComparator"
  ],
  "members":{
    "ProductInformationFilterName":{
      "shape":"String",
      "documentation":"<p>Filter name.</p>"
    },
    "ProductInformationFilterValue":{
      "shape":"StringList",
      "documentation":"<p>Filter value.</p>"
    },
    "ProductInformationFilterComparator":{
      "shape":"String",
      "documentation":"<p>Logical operator.</p>"
    }
  },
},

```

```

"documentation": "<p>Describes product information filters.</p>"
},
"ProductInformationFilterList": {
  "type": "list",
  "member": { "shape": "ProductInformationFilter" }
},
"ProductInformationList": {
  "type": "list",
  "member": { "shape": "ProductInformation" }
},
"ProvisionalConfiguration": {
  "type": "structure",
  "required": ["MaxTimeToLiveInMinutes"],
  "members": {
    "MaxTimeToLiveInMinutes": {
      "shape": "BoxInteger",
      "documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>"
    }
  }
},
"documentation": "<p>Details about a provisional configuration.</p>"
},
"RateLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": { "shape": "Message" }
  }
},
"documentation": "<p>Too many requests have been submitted. Try again after
a brief wait.</p>",
"exception": true
},
"ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "shape": "ReceivedStatus",
      "documentation": "<p>Received status.</p>"
    },
    "ReceivedStatusReason": {
      "shape": "StatusReasonMessage",
      "documentation": "<p>Received status reason.</p>"
    }
  }
},
"AllowedOperations": {
  "shape": "AllowedOperationList",
  "documentation": "<p>Allowed operations.</p>"
}
},
"documentation": "<p>Metadata associated with received licenses and grants.</p>"
},

```

```

"ReceivedStatus":{
  "type":"string",
  "enum":[
    "PENDING_WORKFLOW",
    "PENDING_ACCEPT",
    "REJECTED",
    "ACTIVE",
    "FAILED_WORKFLOW",
    "DELETED",
    "DISABLED",
    "WORKFLOW_COMPLETED"
  ]
},
"RedirectException":{
  "type":"structure",
  "members":{
    "Location":{"shape":"Location"},
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>This is not the correct Region for the resource. Try again.</p>",
  "exception":true
},
"RejectGrantRequest":{
  "type":"structure",
  "required":["GrantArn"],
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":"<p>Amazon Resource Name (ARN) of the grant.</p>"
    }
  }
},
"RejectGrantResponse":{
  "type":"structure",
  "members":{
    "GrantArn":{
      "shape":"Arn",
      "documentation":"<p>Grant ARN.</p>"
    },
    "Status":{
      "shape":"GrantStatus",
      "documentation":"<p>Grant status.</p>"
    },
    "Version":{
      "shape":"String",
      "documentation":"<p>Grant version.</p>"
    }
  }
}

```

```

},
"RenewType":{
  "type":"string",
  "enum":[
    "None",
    "Weekly",
    "Monthly"
  ]
},
"ReportContext":{
  "type":"structure",
  "required":["licenseConfigurationArns"],
  "members":{
    "licenseConfigurationArns":{
      "shape":"ArnList",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration that this generator reports
on.</p>"
    }
  },
  "documentation":"<p>Details of the license configuration that this generator reports on.</p>"
},
"ReportFrequency":{
  "type":"structure",
  "members":{
    "value":{
      "shape":"Integer",
      "documentation":"<p>Number of times within the frequency period that a report is generated. The only
supported value is <code>1</code>.</p>"
    }
  },
  "period":{
    "shape":"ReportFrequencyType",
    "documentation":"<p>Time period between each report. The period can be daily, weekly, or monthly.</p>"
  }
},
"documentation":"<p>Details about how frequently reports are generated.</p>"
},
"ReportFrequencyType":{
  "type":"string",
  "enum":[
    "DAY",
    "WEEK",
    "MONTH"
  ]
},
"ReportGenerator":{
  "type":"structure",
  "members":{
    "ReportGeneratorName":{

```

```

    "shape": "String",
    "documentation": "<p>Name of the report generator.</p>"
  },
  "ReportType": {
    "shape": "ReportTypeList",
    "documentation": "<p>Type of reports that are generated.</p>"
  },
  "ReportContext": {
    "shape": "ReportContext",
    "documentation": "<p>License configuration type for this generator.</p>"
  },
  "ReportFrequency": {
    "shape": "ReportFrequency",
    "documentation": "<p>Details about how frequently reports are generated.</p>"
  },
  "LicenseManagerReportGeneratorArn": {
    "shape": "String",
    "documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
  },
  "LastRunStatus": {
    "shape": "String",
    "documentation": "<p>Status of the
last report generation attempt.</p>"
  },
  "LastRunFailureReason": {
    "shape": "String",
    "documentation": "<p>Failure message for the last report generation attempt.</p>"
  },
  "LastReportGenerationTime": {
    "shape": "String",
    "documentation": "<p>Time the last report was generated at.</p>"
  },
  "ReportCreatorAccount": {
    "shape": "String",
    "documentation": "<p>The Amazon Web Services account ID used to create the report generator.</p>"
  },
  "Description": {
    "shape": "String",
    "documentation": "<p>Description of the report generator.</p>"
  },
  "S3Location": {
    "shape": "S3Location",
    "documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
  },
  "CreateTime": {
    "shape": "String",
    "documentation": "<p>Time the report was created.</p>"
  },

```

```

"Tags":{

"shape":"TagList",
  "documentation":"<p>Tags associated with the report generator.</p>"
  }
},
"documentation":"<p>Describe the details of a report generator.</p>"
},
"ReportGeneratorList":{
  "type":"list",
  "member":{"shape":"ReportGenerator"}
},
"ReportGeneratorName":{
  "type":"string",
  "max":100,
  "min":1
},
"ReportType":{
  "type":"string",
  "enum":[
    "LicenseConfigurationSummaryReport",
    "LicenseConfigurationUsageReport"
  ]
},
"ReportTypeList":{
  "type":"list",
  "member":{"shape":"ReportType"}
},
"ResourceInventory":{
  "type":"structure",
  "members":{
    "ResourceId":{
      "shape":"String",
      "documentation":"<p>ID of the resource.</p>"
    },
    "ResourceType":{
      "shape":"ResourceType",
      "documentation":"<p>Type of resource.</p>"
    },
    "ResourceArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the resource.</p>"
    },
    "Platform":{
      "shape":"String",
      "documentation":"<p>Platform of the resource.</p>"
    },
    "PlatformVersion":{

```

```

    "shape":"String",
    "documentation":"<p>Platform version of the resource in the inventory.</p>"
  },
  "ResourceOwningAccountId":{
    "shape":"String",
    "documentation":"<p>ID of the account that owns the resource.</p>"
  }
},
"documentation":"<p>Details about a resource.</p>"
},
"ResourceInventoryList":{
  "type":"list",
  "member":{"shape":"ResourceInventory"}
},
"ResourceLimitExceededException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>Your resource limits have been exceeded.</p>",
  "exception":true
},
"ResourceNotFoundException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The resource cannot be found.</p>",
  "exception":true
},
"ResourceType":{
  "type":"string",
  "enum":[
    "EC2_INSTANCE",
    "EC2_HOST",
    "EC2_AMI",
    "RDS",
    "SYSTEMS_MANAGER_MANAGED_INSTANCE"
  ]
},
"S3Location":{
  "type":"structure",
  "members":{
    "bucket":{
      "shape":"String",
      "documentation":"<p>Name of the S3 bucket reports are published to.</p>"
    },
    "keyPrefix":{

```



```

    "shape":"String",
    "documentation":"<p>Prefix of the S3 bucket reports are published to.</p>"
  }
},
"documentation":"<p>Details of the S3 bucket that report generator reports are published to.</p>"
},
"ServerInternalException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The server experienced an internal error. Try again.</p>",
  "exception":true,
  "fault":true
},
"SignedToken":{
  "type":"string",
  "min":4096
},
"StatusReasonMessage":{
  "type":"string",
  "max":400,
  "pattern":"[\\s\\S]+"
},
"String":{"type":"string"},
"StringList":{
  "type":"list",
  "member":{"shape":"String"}
},
"Tag":{
  "type":"structure",
  "members":{
    "Key":{
      "shape":"String",
      "documentation":"<p>Tag key.</p>"
    },
    "Value":{
      "shape":"String",
      "documentation":"<p>Tag value.</p>"
    }
  },
  "documentation":"<p>Details about a tag for a license configuration.</p>"
},
"TagKeyList":{
  "type":"list",
  "member":{"shape":"String"}
},
"TagList":{

```

```

    "type": "list",
    "member": { "shape": "Tag" }
  },
  "TagResourceRequest": {
    "type": "structure",
    "required": [
      "ResourceArn",
      "Tags"
    ],
    "members": {
      "ResourceArn": {
        "shape": "String",
        "documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
      },
      "Tags": {
        "shape": "TagList",
        "documentation": "<p>One or more tags.</p>"
      }
    }
  },
  "TagResourceResponse": {
    "type": "structure",
    "members": {
    }
  },
  "TokenData": {
    "type": "structure",
    "members": {
      "TokenId": {
        "shape": "String",
        "documentation": "<p>Token ID.</p>"
      },
      "TokenType": {
        "shape": "String",
        "documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
      },
      "LicenseArn": {
        "shape": "String",
        "documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      },
      "ExpirationTime": {
        "shape": "ISO8601DateTime",
        "documentation": "<p>Token expiration time, in ISO8601-UTC format.</p>"
      },
      "TokenProperties": {
        "shape": "MaxSize3StringList",
        "documentation": "<p>Data specified by the caller.</p>"
      }
    }
  }
}

```

```

    },
    "RoleArns":{
      "shape":"ArnList",
      "documentation":"<p>Amazon Resource Names (ARN) of the roles included in the token.</p>"
    },
    "Status":{
      "shape":"String",
      "documentation":"<p>Token status. The possible values are <code>AVAILABLE</code> and
<code>DELETED</code>.</p>"
    }
  },
  "documentation":"<p>Describes a token.</p>"
},
"TokenList":{
  "type":"list",
  "member":{"shape":"TokenData"}
},
"TokenString":{
  "type":"string",
  "max":4096,
  "pattern":"\\S+"
},
"TokenType":{
  "type":"string",
  "enum":["REFRESH_TOKEN"]
},
"UnsupportedDigitalSignatureMethodException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The digital signature method is unsupported.
Try your request again.</p>",
  "exception":true
},
"UntagResourceRequest":{
  "type":"structure",
  "required":[
    "ResourceArn",
    "TagKeys"
  ],
  "members":{
    "ResourceArn":{
      "shape":"String",
      "documentation":"<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "TagKeys":{
      "shape":"TagKeyList",

```

```

    "documentation": "<p>Keys identifying the tags to remove.</p>"
  }
}
},
"UntagResourceResponse": {
  "type": "structure",
  "members": {
  }
},
"UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "required": ["LicenseConfigurationArn"],
  "members": {
    "LicenseConfigurationArn": {
      "shape": "String",
      "documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    },
    "LicenseConfigurationStatus": {
      "shape": "LicenseConfigurationStatus",
      "documentation": "<p>New
status of the license configuration.</p>"
    },
    "LicenseRules": {
      "shape": "StringList",
      "documentation": "<p>New license rule. The only rule that you can add after you create a license configuration
is licenseAffinityToHost.</p>"
    },
    "LicenseCount": {
      "shape": "BoxLong",
      "documentation": "<p>New number of licenses managed by the license configuration.</p>"
    },
    "LicenseCountHardLimit": {
      "shape": "BoxBoolean",
      "documentation": "<p>New hard limit of the number of available licenses.</p>"
    },
    "Name": {
      "shape": "String",
      "documentation": "<p>New name of the license configuration.</p>"
    },
    "Description": {
      "shape": "String",
      "documentation": "<p>New description of the license configuration.</p>"
    },
    "ProductInformationList": {
      "shape": "ProductInformationList",
      "documentation": "<p>New
product information.</p>"
    }
  }
},

```

```

    "DisassociateWhenNotFound":{
      "shape":"BoxBoolean",
      "documentation":"<p>When true, disassociates a resource when software is uninstalled.</p>"
    }
  },
  "UpdateLicenseConfigurationResponse":{
    "type":"structure",
    "members":{
    }
  },
  "UpdateLicenseManagerReportGeneratorRequest":{
    "type":"structure",
    "required":[
      "LicenseManagerReportGeneratorArn",
      "ReportGeneratorName",
      "Type",
      "ReportContext",
      "ReportFrequency",
      "ClientToken"
    ],
    "members":{
      "LicenseManagerReportGeneratorArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of the report generator to update.</p>"
      },
      "ReportGeneratorName":{
        "shape":"ReportGeneratorName",
        "documentation":"<p>Name of the report generator.</p>"
      },
      "Type":{
        "shape":"ReportTypeList",
        "documentation":"<p>Type of reports to generate. The following report types are supported:</p> <ul> <li>
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p> </li> <li> <p>Resource report - Reports the tracked licenses and resource consumption for a
license configuration.</p> </li> </ul>"
      },
      "ReportContext":{
        "shape":"ReportContext",
        "documentation":"<p>The report context.</p>"
      },
      "ReportFrequency":{
        "shape":"ReportFrequency",
        "documentation":"<p>Frequency by which reports are generated.</p>"
      },
      "ClientToken":{
        "shape":"ClientRequestToken",
        "documentation":"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the

```

```

request.</p>"
  },
  "Description":{
    "shape":"String",
    "documentation":"<p>Description of the report generator.</p>"

  }
  },
  "UpdateLicenseManagerReportGeneratorResponse":{
    "type":"structure",
    "members":{
    }
  },
  "UpdateLicenseSpecificationsForResourceRequest":{
    "type":"structure",
    "required":["ResourceArn"],
    "members":{
      "ResourceArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>"
      },
      "AddLicenseSpecifications":{
        "shape":"LicenseSpecifications",
        "documentation":"<p>ARNs of the license configurations to add.</p>"
      },
      "RemoveLicenseSpecifications":{
        "shape":"LicenseSpecifications",
        "documentation":"<p>ARNs of the license configurations to remove.</p>"
      }
    }
  },
  "UpdateLicenseSpecificationsForResourceResponse":{
    "type":"structure",
    "members":{
    }
  },
  "UpdateServiceSettingsRequest":{
    "type":"structure",
    "members":{
      "S3BucketArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where the License Manager
information is stored.</p>"
      },
      "SnsTopicArn":{
        "shape":"String",
        "documentation":"<p>Amazon Resource Name (ARN) of the Amazon SNS topic used for License Manager

```

```

alerts.</p>"
  },
  "OrganizationConfiguration":{
    "shape":"OrganizationConfiguration",
    "documentation":"<p>Enables integration with Organizations for cross-account discovery.</p>"
  },
  "EnableCrossAccountsDiscovery":{
    "shape":"BoxBoolean",
    "documentation":"<p>Activates cross-account discovery.</p>"
  }
}
},
"UpdateServiceSettingsResponse":{
  "type":"structure",
  "members":{
  }
},
"UsageOperation":{
  "type":"string",
  "max":50
},
"ValidationException":{
  "type":"structure",
  "members":{
    "Message":{"shape":"Message"}
  },
  "documentation":"<p>The provided input is not valid. Try your request again.</p>",
  "exception":true
}
},
"documentation":"<p>License Manager makes it easier to manage licenses from software vendors across multiple Amazon Web Services accounts and on-premises servers.</p>"
}
{
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
  ],

```

```

{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack
enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {

```



```

    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {

```

```

    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
}
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",

    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
      }
    },
    "params": {
      "Region": "us-iso-east-1",
      "UseFIPS": false,

```

```

    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",

    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation":
    "For custom endpoint with region set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
    "expect": {
        "endpoint": {
            "url": "https://example.com"
        }
    },
    "params": {
        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {

```

```

    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "Missing region",
  "expect": {
    "error": "Invalid Configuration: Missing Region"
  }
}
],
"version": "1.0"
}
{
  "pagination": {
    "ListLinuxSubscriptionInstances": {
      "input_token": "NextToken",
      "output_token": "NextToken",
      "limit_key": "MaxResults",
      "result_key": "Instances"
    },
    "ListLinuxSubscriptions": {
      "input_token": "NextToken",
      "output_token": "NextToken",
      "limit_key": "MaxResults",
      "result_key": "Subscriptions"
    }
  }
}
{
  "version": "2.0",
  "metadata": {
    "apiVersion": "2018-05-10",
    "endpointPrefix": "license-manager-user-subscriptions",
    "jsonVersion": "1.1",
    "protocol": "rest-json",
    "serviceFullName": "AWS License Manager User Subscriptions",
    "serviceId": "License Manager User Subscriptions",
    "signatureVersion": "v4",
    "signingName": "license-manager-user-subscriptions",
    "uid": "license-manager-user-subscriptions-2018-05-10"
  },
  "operations": {

```

```

"AssociateUser":{
  "name":"AssociateUser",
  "http":{
    "method":"POST",
    "requestUri":"/user/AssociateUser",
    "responseCode":200
  },
  "input":{"shape":"AssociateUserRequest"},
  "output":{"shape":"AssociateUserResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Associates the user to an EC2 instance to utilize user-based subscriptions.</p> <note>
<p>Your estimated bill for charges on the number of users and related costs will take 48 hours to appear for billing
periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more
information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing
your monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p> </note>",
  "idempotent":true
},
"DeregisterIdentityProvider":{
  "name":"DeregisterIdentityProvider",
  "http":{
    "method":"POST",
    "requestUri":"/identity-provider/DeregisterIdentityProvider",
    "responseCode":200
  },
  "input":{"shape":"DeregisterIdentityProviderRequest"},
  "output":{"shape":"DeregisterIdentityProviderResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Deregisters the identity provider from providing user-based subscriptions.</p>",
  "idempotent":true
},
"DisassociateUser":{
  "name":"DisassociateUser",

```

```

"http":{
  "method":"POST",
  "requestUri":"/user/DisassociateUser",
  "responseCode":200
},
"input":{"shape":"DisassociateUserRequest"},
"output":{"shape":"DisassociateUserResponse"},
"errors":[
  {"shape":"ServiceQuotaExceededException"},
  {"shape":"ConflictException"},
  {"shape":"ValidationException"},
  {"shape":"ThrottlingException"},
  {"shape":"InternalServerError"},
  {"shape":"ResourceNotFoundException"},
  {"shape":"AccessDeniedException"}
],
"documentation":"<p>Disassociates the user from an EC2 instance providing user-based subscriptions.</p>",
"idempotent":true
},
"ListIdentityProviders":{
  "name":"ListIdentityProviders",
  "http":{
    "method":"POST",
    "requestUri":"/identity-provider/ListIdentityProviders",
    "responseCode":200
  },
  "input":{"shape":"ListIdentityProvidersRequest"},
  "output":{"shape":"ListIdentityProvidersResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Lists the identity providers for user-based subscriptions.</p>"
},
"ListInstances":{
  "name":"ListInstances",
  "http":{
    "method":"POST",
    "requestUri":"/instance/ListInstances",
    "responseCode":200
  },
  "input":{"shape":"ListInstancesRequest"},
  "output":{"shape":"ListInstancesResponse"},

```



```

"errors":[
  {"shape":"ServiceQuotaExceededException"},
  {"shape":"ConflictException"},
  {"shape":"ValidationException"},
  {"shape":"ThrottlingException"},
  {"shape":"InternalServerError"},
  {"shape":"ResourceNotFoundException"},
  {"shape":"AccessDeniedException"}
],
"documentation":"<p>Lists the EC2 instances providing user-based subscriptions.</p>"
},
"ListProductSubscriptions":{
  "name":"ListProductSubscriptions",
  "http":{
    "method":"POST",
    "requestUri":"/user/ListProductSubscriptions",
    "responseCode":200
  },
  "input":{"shape":"ListProductSubscriptionsRequest"},
  "output":{"shape":"ListProductSubscriptionsResponse"},

  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Lists the user-based subscription products available from an identity provider.</p>"
},
"ListUserAssociations":{
  "name":"ListUserAssociations",
  "http":{
    "method":"POST",
    "requestUri":"/user/ListUserAssociations",
    "responseCode":200
  },
  "input":{"shape":"ListUserAssociationsRequest"},
  "output":{"shape":"ListUserAssociationsResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},

```

```

    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Lists user associations for an identity provider.</p>"
},
"RegisterIdentityProvider":{
  "name":"RegisterIdentityProvider",
  "http":{
    "method":"POST",
    "requestUri":"/identity-provider/RegisterIdentityProvider",
    "responseCode":200
  },
  "input":{"shape":"RegisterIdentityProviderRequest"},
  "output":{"shape":"RegisterIdentityProviderResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Registers an identity provider for user-based subscriptions.</p>",
  "idempotent":true
},
"StartProductSubscription":{
  "name":"StartProductSubscription",
  "http":{
    "method":"POST",
    "requestUri":"/user/StartProductSubscription",
    "responseCode":200
  },
  "input":{"shape":"StartProductSubscriptionRequest"},
  "output":{"shape":"StartProductSubscriptionResponse"},
  "errors":[
    {"shape":"ServiceQuotaExceededException"},
    {"shape":"ConflictException"},
    {"shape":"ValidationException"},
    {"shape":"ThrottlingException"},
    {"shape":"InternalServerError"},
    {"shape":"ResourceNotFoundException"},
    {"shape":"AccessDeniedException"}
  ],
  "documentation":"<p>Starts a product subscription for a user with the specified identity provider.</p> <note>
<p>Your estimated bill for charges on the number of users and related costs will take 48 hours to appear for billing
periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more
information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing

```

your monthly charges

```
    },
    "StopProductSubscription":{
      "name":"StopProductSubscription",
      "http":{
        "method":"POST",
        "requestUri":"/user/StopProductSubscription",
        "responseCode":200
      },
      "input":{"shape":"StopProductSubscriptionRequest"},
      "output":{"shape":"StopProductSubscriptionResponse"},
      "errors":[
        {"shape":"ServiceQuotaExceededException"},
        {"shape":"ConflictException"},
        {"shape":"ValidationException"},
        {"shape":"ThrottlingException"},
        {"shape":"InternalServerError"},
        {"shape":"ResourceNotFoundException"},
        {"shape":"AccessDeniedException"}
      ],
      "documentation":"<p>Stops a product subscription for a user with the specified identity provider.</p>"
    },
    "UpdateIdentityProviderSettings":{
      "name":"UpdateIdentityProviderSettings",
      "http":{
        "method":"POST",
        "requestUri":"/identity-provider/UpdateIdentityProviderSettings",
        "responseCode":200
      },
      "input":{"shape":"UpdateIdentityProviderSettingsRequest"},
      "output":{"shape":"UpdateIdentityProviderSettingsResponse"},
      "errors":[
        {"shape":"ValidationException"},
        {"shape":"ThrottlingException"},
        {"shape":"InternalServerError"},
        {"shape":"AccessDeniedException"}
      ],
      "documentation":"<p>Updates additional product configuration settings for the registered identity
provider.</p>",
      "idempotent":true
    }
  },
  "shapes":{
    "AccessDeniedException":{
      "type":"structure",
      "members":{
        "message":{"shape":"String"}
      }
    },

```

```

"documentation": "<p>You don't have sufficient access to perform this action.</p>",
"exception": true
},
"ActiveDirectoryIdentityProvider": {
  "type": "structure",
  "members": {
    "DirectoryId": {
      "shape": "String",
      "documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
    }
  },
  "documentation": "<p>Details about an Active Directory identity provider.</p>"
},
"AssociateUserRequest": {
  "type": "structure",
  "required": [
    "IdentityProvider",
    "InstanceId",
    "Username"
  ],
  "members": {
    "Domain": {
      "shape": "String",
      "documentation": "<p>The domain name of the user.</p>"
    },
    "IdentityProvider": {
      "shape": "IdentityProvider",
      "documentation": "<p>The identity provider of the user.</p>"
    },
    "InstanceId": {
      "shape": "String",
      "documentation": "<p>The ID of the EC2 instance, which provides user-based subscriptions.</p>"
    },
    "Username": {
      "shape": "String",
      "documentation": "<p>The user name from the identity provider for the user.</p>"
    }
  }
},
"AssociateUserResponse": {
  "type": "structure",
  "required": ["InstanceUserSummary"],
  "members": {
    "InstanceUserSummary": {
      "shape": "InstanceUserSummary",
      "documentation": "<p>Metadata that describes the associate user operation.</p>"
    }
  }
}

```

```

},
"BoxInteger":{
  "type":"integer",
  "box":true
},
"ConflictException":{
  "type":"structure",
  "members":{
    "message":{"shape":"String"}
  },
  "documentation":"<p>The request couldn't be completed because it conflicted with the current state of the
resource.</p>",
  "exception":true,
  "fault":true
},
"DeregisterIdentityProviderRequest":{
  "type":"structure",
  "required":[
    "IdentityProvider",
    "Product"
  ],
  "members":{
    "IdentityProvider":{
      "shape":"IdentityProvider",
      "documentation":"<p>An object that specifies details for the identity provider.</p>"
    },
    "Product":{
      "shape":"String",
      "documentation":"<p>The name of the user-based subscription product.</p>"
    }
  }
},
"DeregisterIdentityProviderResponse":{
  "type":"structure",
  "required":["IdentityProviderSummary"],
  "members":{
    "IdentityProviderSummary":{
      "shape":"IdentityProviderSummary",
      "documentation":"<p>Metadata that describes the results of an identity provider operation.</p>"
    }
  }
},
"DisassociateUserRequest":{
  "type":"structure",
  "required":[
    "IdentityProvider",
    "InstanceId",
    "Username"
  ]
}

```

```

],
"members":{
  "Domain":{
    "shape":"String",
    "documentation":"<p>The domain name of the user.</p>"
  },
  "IdentityProvider":{
    "shape":"IdentityProvider",
    "documentation":"<p>An object that specifies details for the identity provider.</p>"
  },
  "InstanceId":{
    "shape":"String",
    "documentation":"<p>The ID of the EC2 instance, which provides user-based subscriptions.</p>"
  },
  "Username":{
    "shape":"String",
    "documentation":"<p>The user name from the identity provider for the user.</p>"
  }
},
"DisassociateUserResponse":{
  "type":"structure",
  "required":["InstanceUserSummary"],
  "members":{
    "InstanceUserSummary":{
      "shape":"InstanceUserSummary",
      "documentation":"<p>Metadata that describes the associate user operation.</p>"
    }
  }
},
"Filter":{
  "type":"structure",
  "members":{
    "Attribute":{
      "shape":"String",
      "documentation":"<p>The name of an attribute to use as a filter.</p>"
    },
    "Operation":{
      "shape":"String",
      "documentation":"<p>The type of search (For example, eq, geq, leq)</p>"
    },
    "Value":{
      "shape":"String",
      "documentation":"<p>Value of the filter.</p>"
    }
  },

```

```

"documentation": "<p>A filter name and value pair that is used to return more specific results from a describe
operation. Filters can be used to match a set of resources by specific criteria, such as tags, attributes, or IDs.</p>"
},
"FilterList": {
  "type": "list",
  "member": { "shape": "Filter" }
},
"IdentityProvider": {
  "type": "structure",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "shape": "ActiveDirectoryIdentityProvider",
      "documentation": "<p>An object that details an Active Directory identity provider.</p>"
    }
  },
  "documentation": "<p>Details about an identity provider.</p>",
  "union": true
},
"IdentityProviderSummary": {
  "type": "structure",
  "required": [
    "IdentityProvider",
    "Product",
    "Settings",
    "Status"
  ],
  "members": {
    "FailureMessage": {
      "shape": "String",
      "documentation": "<p>The failure message associated with an identity provider.</p>"
    },
    "IdentityProvider": {
      "shape": "IdentityProvider",
      "documentation": "<p>An object that specifies details for the identity provider.</p>"
    },
    "Product": {
      "shape": "String",
      "documentation": "<p>The name of the user-based subscription product.</p>"
    },
    "Settings": {
      "shape": "Settings",
      "documentation": "<p>An object that details the registered identity providers product related configuration
settings such as the subnets to provision VPC endpoints.</p>"
    },
    "Status": {
      "shape": "String",
      "documentation": "<p>The status of an identity provider.</p>"
    }
  }
}

```

```

    },
    "documentation": "<p>Describes an identity provider.</p>"
  },
  "IdentityProviderSummaryList": {
    "type": "list",
    "member": { "shape": "IdentityProviderSummary" }
  },
  "InstanceSummary": {
    "type": "structure",
    "required": [
      "InstanceId",
      "Products",
      "Status"
    ],
    "members": {
      "InstanceId": {
        "shape": "String",
        "documentation": "<p>The ID of the EC2 instance, which provides user-based subscriptions.</p>"
      },
      "LastStatusCheckDate": {
        "shape": "String",
        "documentation": "<p>The date of the last status check.</p>"
      },
      "Products": {
        "shape": "StringList",
        "documentation": "<p>A list of provided user-based subscription products.</p>"
      },
      "Status": {
        "shape": "String",
        "documentation": "<p>The status of an EC2 instance resource.</p>"
      },
      "StatusMessage": {
        "shape": "String",
        "documentation": "<p>The status message for an EC2 instance.</p>"
      }
    }
  },
  "documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
},
"InstanceSummaryList": {
  "type": "list",
  "member": { "shape": "InstanceSummary" }
},
"InstanceUserSummary": {
  "type": "structure",
  "required": [
    "IdentityProvider",
    "InstanceId",
    "Status",

```



```

    "Username"
  ],
  "members": {
    "AssociationDate": {
      "shape": "String",
      "documentation": "<p>The date a user was associated with an EC2 instance.</p>"
    },
    "DisassociationDate": {
      "shape": "String",
      "documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
    },
    "Domain": {
      "shape": "String",
      "documentation": "<p>The domain name of the user.</p>"
    },
    "IdentityProvider": {
      "shape": "IdentityProvider",
      "documentation": "<p>An object that specifies details for the identity provider.</p>"
    },
    "InstanceId": {
      "shape": "String",
      "documentation": "<p>The ID
of the EC2 instance, which provides user-based subscriptions.</p>"
    },
    "Status": {
      "shape": "String",
      "documentation": "<p>The status of a user associated with an EC2 instance.</p>"
    },
    "StatusMessage": {
      "shape": "String",
      "documentation": "<p>The status message for users of an EC2 instance.</p>"
    },
    "Username": {
      "shape": "String",
      "documentation": "<p>The user name from the identity provider for the user.</p>"
    }
  },
  "documentation": "<p>Describes users of an EC2 instance providing user-based subscriptions.</p>"
},
"InstanceUserSummaryList": {
  "type": "list",
  "member": { "shape": "InstanceUserSummary" }
},
"InternalServerError": {
  "type": "structure",
  "members": {
    "message": { "shape": "String" }
  }
},

```

```

"documentation": "<p>An exception occurred with the service.</p>",
"exception": true,
"fault": true
},
"ListIdentityProvidersRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "shape": "BoxInteger",
      "documentation": "<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"ListIdentityProvidersResponse": {
  "type": "structure",
  "required": ["IdentityProviderSummaries"],
  "members": {
    "IdentityProviderSummaries": {
      "shape": "IdentityProviderSummaryList",
      "documentation": "<p>Metadata that describes the list identity providers operation.</p>"
    },
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"ListInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "shape": "FilterList",
      "documentation": "<p>An
array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that
you specify.</p>"
    },
    "MaxResults": {
      "shape": "BoxInteger",
      "documentation": "<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  }
}

```

```

    }
  },
  "ListInstancesResponse":{
    "type":"structure",
    "members":{
      "InstanceSummaries":{
        "shape":"InstanceSummaryList",
        "documentation":"<p>Metadata that describes the list instances operation.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      }
    }
  },
  "ListProductSubscriptionsRequest":{
    "type":"structure",
    "required":[
      "IdentityProvider",
      "Product"
    ],
    "members":{
      "Filters":{
        "shape":"FilterList",
        "documentation":"<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify.</p>"
      },
      "IdentityProvider":{
        "shape":"IdentityProvider",
        "documentation":"<p>An object that specifies details for the identity provider.</p>"
      },
      "MaxResults":{
        "shape":"BoxInteger",
        "documentation":"<p>Maximum number of results to return in a single call.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      },
      "Product":{
        "shape":"String",
        "documentation":"<p>The name of the user-based subscription product.</p>"
      }
    }
  },
  "ListProductSubscriptionsResponse":{
    "type":"structure",
    "members":{

```

```

    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token
for the next set of results.</p>"
    },
    "ProductUserSummaries":{
      "shape":"ProductUserSummaryList",
      "documentation":"<p>Metadata that describes the list product subscriptions operation.</p>"
    }
  },
  "ListUserAssociationsRequest":{
    "type":"structure",
    "required":[
      "IdentityProvider",
      "InstanceId"
    ],
    "members":{
      "Filters":{
        "shape":"FilterList",
        "documentation":"<p>An array of structures that you can use to filter the results to those that match one or
more sets of key-value pairs that you specify.</p>"
      },
      "IdentityProvider":{
        "shape":"IdentityProvider",
        "documentation":"<p>An object that specifies details for the identity provider.</p>"
      },
      "InstanceId":{
        "shape":"String",
        "documentation":"<p>The ID of the EC2 instance, which provides user-based subscriptions.</p>"
      },
      "MaxResults":{
        "shape":"BoxInteger",
        "documentation":"<p>Maximum number of results to return in a single call.</p>"
      },
      "NextToken":{
        "shape":"String",
        "documentation":"<p>Token for the next set of results.</p>"
      }
    }
  },
  "ListUserAssociationsResponse":{
    "type":"structure",
    "members":{
      "InstanceUserSummaries":{
        "shape":"InstanceUserSummaryList",
        "documentation":"<p>Metadata that describes the list user association operation.</p>"
      }
    }
  }
}

```

```

    },
    "NextToken":{
      "shape":"String",
      "documentation":"<p>Token for the next set of results.</p>"
    }
  }
},
"ProductUserSummary":{
  "type":"structure",
  "required":[
    "IdentityProvider",
    "Product",
    "Status",
    "Username"
  ],
  "members":{
    "Domain":{
      "shape":"String",
      "documentation":"<p>The domain name of the user.</p>"
    },
    "IdentityProvider":{
      "shape":"IdentityProvider",
      "documentation":"<p>An object that specifies details for the identity provider.</p>"
    },
    "Product":{
      "shape":"String",
      "documentation":"<p>The name of the user-based subscription product.</p>"
    },
    "Status":{
      "shape":"String",
      "documentation":"<p>The status of a product for a user.</p>"
    },
    "StatusMessage":{
      "shape":"String",
      "documentation":"<p>The status message for a product for a user.</p>"
    },
    "SubscriptionEndDate":{
      "shape":"String",
      "documentation":"<p>The end date of a subscription.</p>"
    },
    "SubscriptionStartDate":{
      "shape":"String",
      "documentation":"<p>The start date of a subscription.</p>"
    },
    "Username":{
      "shape":"String",
      "documentation":"<p>The user name from the identity provider

```

of the user.</p>"

```
    }
  },
  "documentation": "<p>The summary of the user-based subscription products for a user.</p>"
},
"ProductUserSummaryList": {
  "type": "list",
  "member": { "shape": "ProductUserSummary" }
},
"RegisterIdentityProviderRequest": {
  "type": "structure",
  "required": [
    "IdentityProvider",
    "Product"
  ],
  "members": {
    "IdentityProvider": {
      "shape": "IdentityProvider",
      "documentation": "<p>An object that specifies details for the identity provider.</p>"
    },
    "Product": {
      "shape": "String",
      "documentation": "<p>The name of the user-based subscription product.</p>"
    },
    "Settings": {
      "shape": "Settings",
      "documentation": "<p>The registered identity providers product related configuration settings such as the subnets to provision VPC endpoints.</p>"
    }
  }
},
"RegisterIdentityProviderResponse": {
  "type": "structure",
  "required": ["IdentityProviderSummary"],
  "members": {
    "IdentityProviderSummary": {
      "shape": "IdentityProviderSummary",
      "documentation": "<p>Metadata that describes the results of an identity provider operation.</p>"
    }
  }
},
"ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "message": { "shape": "String" }
  },
  "documentation": "<p>The resource couldn't be found.</p>",
```

```

"error":{
  "statusCode":404,
  "senderFault":true
},
"exception":true
},
"SecurityGroup":{
  "type":"string",
  "max":200,
  "min":5,
  "pattern":"^sg-([0-9a-z]{8})([0-9a-z]{17})$"
},
"ServiceQuotaExceededException":{
  "type":"structure",
  "members":{
    "message":{"shape":"String"}
  },
  "documentation":"<p>The request failed because a service quota is exceeded.</p>",
  "exception":true
},
"Settings":{
  "type":"structure",
  "required":[
    "SecurityGroupId",
    "Subnets"
  ],
  "members":{
    "SecurityGroupId":{
      "shape":"SecurityGroup",
      "documentation":"<p>A security group ID that allows inbound TCP port 1688 communication between
resources in your VPC and the VPC endpoint for activation servers.</p>"
    },
    "Subnets":{
      "shape":"SettingsSubnetsList",
      "documentation":"<p>The subnets defined for the registered identity provider.</p>"
    }
  },
  "documentation":"<p>The registered identity providers product related configuration settings such as the subnets
to provision VPC endpoints, and the security group ID that is associated with the VPC endpoints. The security group
should permit inbound TCP port 1688 communication from resources in the VPC.</p>"
},
"SettingsSubnetsList":{
  "type":"list",
  "member":{"shape":"Subnet"},
  "min":1
},
"StartProductSubscriptionRequest":{

```

```

"type":"structure",
"required":[
  "IdentityProvider",
  "Product",
  "Username"
],
"members":{
  "Domain":{
    "shape":"String",
    "documentation":"<p>The domain name of the user.</p>"
  },
  "IdentityProvider":{
    "shape":"IdentityProvider",
    "documentation":"<p>An object that specifies details for the identity provider.</p>"
  },
  "Product":{
    "shape":"String",
    "documentation":"<p>The name of the user-based subscription product.</p>"
  },
  "Username":{
    "shape":"String",
    "documentation":"<p>The user name from the identity provider of the user.</p>"
  }
}
},
"StartProductSubscriptionResponse":{
"type":"structure",
"required":["ProductUserSummary"],
"members":{
  "ProductUserSummary":{
    "shape":"ProductUserSummary",
    "documentation":"<p>Metadata that describes
the start product subscription operation.</p>"
  }
}
},
"StopProductSubscriptionRequest":{
"type":"structure",
"required":[
  "IdentityProvider",
  "Product",
  "Username"
],
"members":{
  "Domain":{
    "shape":"String",
    "documentation":"<p>The domain name of the user.</p>"
  },

```



```

"IdentityProvider":{
  "shape":"IdentityProvider",
  "documentation":"<p>An object that specifies details for the identity provider.</p>"
},
"Product":{
  "shape":"String",
  "documentation":"<p>The name of the user-based subscription product.</p>"
},
"Username":{
  "shape":"String",
  "documentation":"<p>The user name from the identity provider for the user.</p>"
}
},
"StopProductSubscriptionResponse":{
  "type":"structure",
  "required":["ProductUserSummary"],
  "members":{
    "ProductUserSummary":{
      "shape":"ProductUserSummary",
      "documentation":"<p>Metadata that describes the start product subscription operation.</p>"
    }
  }
},
"String":{"type":"string"},
"StringList":{
  "type":"list",
  "member":{"shape":"String"}
},
"Subnet":{
  "type":"string",
  "pattern":"subnet-[a-z0-9]{8,17}"
},
"Subnets":{
  "type":"list",
  "member":{"shape":"Subnet"}
},
"ThrottlingException":{
  "type":"structure",
  "members":{
    "message":{"shape":"String"}
  },
  "documentation":"<p>The request was denied because of request throttling. Retry the request.</p>",
  "exception":true
},
"UpdateIdentityProviderSettingsRequest":{
  "type":"structure",
  "required":[

```

```

    "IdentityProvider",
    "Product",
    "UpdateSettings"
  ],
  "members": {
    "IdentityProvider": { "shape": "IdentityProvider" },
    "Product": {
      "shape": "String",

      "documentation": "<p>The name of the user-based subscription product.</p>"
    },
    "UpdateSettings": {
      "shape": "UpdateSettings",
      "documentation": "<p>Updates the registered identity providers product related configuration settings. You can update any combination of settings in a single operation such as the:</p> <ul> <li> <p>Subnets which you want to add to provision VPC endpoints.</p> </li> <li> <p>Subnets which you want to remove the VPC endpoints from.</p> </li> <li> <p>Security group ID which permits traffic to the VPC endpoints.</p> </li> </ul>"
    }
  }
},
"UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "required": ["IdentityProviderSummary"],
  "members": {
    "IdentityProviderSummary": { "shape": "IdentityProviderSummary" }
  }
},
"UpdateSettings": {
  "type": "structure",
  "required": [
    "AddSubnets",
    "RemoveSubnets"
  ],
  "members": {
    "AddSubnets": {
      "shape": "Subnets",
      "documentation": "<p>The ID of one or more subnets in which License Manager will create a VPC endpoint for products that require connectivity to activation servers.</p>"
    },
    "RemoveSubnets": {
      "shape": "Subnets",
      "documentation": "<p>The ID of one or more subnets to remove.</p>"
    },
    "SecurityGroupId": {
      "shape": "SecurityGroup",
      "documentation": "<p>A security group ID that allows inbound TCP port 1688 communication between resources in your VPC and the VPC endpoints for activation servers.</p>"
    }
  }
}

```

```

    },
    "documentation": "<p>Updates the registered identity providers product related configuration settings such as the
subnets to provision VPC endpoints.</p>"
  },
  "ValidationException": {
    "type": "structure",
    "members": {
      "message": { "shape": "String" }
    },
    "documentation": "<p>A parameter is not valid.</p>",
    "exception": true
  }
},
"documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software
with a per user subscription fee on Amazon EC2 instances.</p>"
}
{
  "testCases": [
    {
      "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.af-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "af-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager.ap-northeast-1.amazonaws.com"
  }
},
"params": {
  "Region": "ap-northeast-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-northeast-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-northeast-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.ap-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "ap-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
}

```

```

    }
  },
  {
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-1",

      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation":
    "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ca-central-1.amazonaws.com"

```

```

    }
  },
  "params": {
    "Region": "ca-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-central-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-central-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-north-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-south-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-south-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},

```

```

{
  "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-1.amazonaws.com"
    }
  },
  "params":
{
  "Region": "eu-west-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.eu-west-3.amazonaws.com"
    }
  },
  "params": {
    "Region": "eu-west-3",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.me-south-1.amazonaws.com"
    }
  },

```

```

"params": {
  "Region": "me-south-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.sa-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "sa-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",

```



```

"expect": {
  "endpoint": {
    "url": "https://license-manager.us-east-2.amazonaws.com"
  }
},

"params": {
  "Region": "us-east-2",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
"documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-fips.us-east-2.amazonaws.com"
  }
},
"params": {
  "Region": "us-east-2",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
"documentation": "For region us-west-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager.us-west-1.amazonaws.com"
  }
},
"params": {
  "Region": "us-west-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
"documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-fips.us-west-1.amazonaws.com"
  }
},
"params": {
  "Region": "us-west-1",

```

```

    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-west-2.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-west-2",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
  "expect":
{
  "endpoint": {
    "url": "https://license-manager-fips.us-west-2.amazonaws.com"
  }
},
  "params": {
    "Region": "us-west-2",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {

```

```

        "url": "https://license-manager.us-east-1.api.aws"
    }
},
"params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
}
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-northwest-1",
        "UseFIPS": false,
        "UseDualStack":
false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
}
}
}

```

```

    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled
and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
      }
    }
  }
}

```

```

    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-west-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
    }
  },
  "params": {

    "Region": "us-gov-west-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},

```

```

{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",

```

```

    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params":
{
  "Region": "us-isob-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {

```

```

    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
},

```



```

    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
],
"version": "1.0"
}

```

Copyright (c) 2013 Michael Dowling <mtdowling@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

{
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-
stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured
endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {

```

```

"conditions": [
  {
    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseFIPS"
      },
      true
    ]
  }
],
"error": "Invalid Configuration: FIPS and custom
endpoint are not supported",
"type": "error"
},
{
  "conditions": [
    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
  "type": "error"
},
{
  "conditions": [],
  "endpoint": {
    "url": {
      "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
  },
  "type": "endpoint"
}
],
},
{
  "conditions": [
    {
      "fn": "isSet",

```

```

    "argv": [
      {
        "ref": "Region"
      }
    ]
  },
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ],
          "assign": "PartitionResult"
        }
      ],
      "type": "tree",
      "rules": [
        {
          "conditions": [
            {
              "fn":
"booleanEquals",
              "argv": [
                {
                  "ref": "UseFIPS"
                },
                true
              ]
            },
            {
              "fn": "booleanEquals",
              "argv": [
                {
                  "ref": "UseDualStack"
                },
                true
              ]
            }
          ],
          "type": "tree",
          "rules": [
            {

```

```

        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsFIPS"
                        ]
                    }
                ]
            },
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsDualStack"
                        ]
                    }
                ]
            }
        ],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },

```

```

    {
      "conditions": [],
      "error": "FIPS and DualStack are enabled, but this partition does not support one or both",
      "type": "error"
    }
  ],
},
{
  "conditions": [
    {
      "fn": "booleanEquals",

      "argv": [
        {
          "ref": "UseFIPS"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {

"ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",

```

```

        "properties": {},
        "headers": {}
    },

    "type": "endpoint"
    }
    ],
    },
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
    ]
    },
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseDualStack"
                    },
                    true
                ]
            }
        ]
    }
    ],

    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                ],
                            "supportsDualStack"
                        }
                    ]
                }
            ]
        }
    ]
    },
    ],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ],
        {
            "conditions": [],
            "error": "DualStack is enabled but
this partition does not support DualStack",
            "type": "error"
        }
    ],
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
}

```

AWS Signature Version 4 Test Suite

Copyright 2019 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2012-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with the License. A copy of

the License is located at

<http://aws.amazon.com/apache2.0/>

or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

** cryptography 3.3.2; version 3.3.2 --

<https://github.com/pyca/cryptography/tree/3.3.2>

Copyright (c) Individual contributors.

All rights reserved.

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made under the terms of *both* these licenses.

The code used in the OpenSSL locking callback and OS random engine is derived from CPython, and is licensed under the terms of the PSF License Agreement.

* For cryptography 3.3.2 see also this required NOTICE:

Copyright (c) Individual contributors.

All rights reserved.

** botocore; version 2 -- <https://github.com/boto/botocore/tree/v2>

Botocore

Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Botocore includes a vendorized copy of the requests python library to ease installation.

Requests License

=====

Copyright 2013 Kenneth Reitz

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The requests library also includes some vendorized python libraries to ease
installation.

Urllib3 License

=====

This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright 2008-2011 Andrey Petrov and contributors (see CONTRIBUTORS.txt),
Modifications copyright 2012 Kenneth Reitz.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this
software and associated documentation files (the "Software"), to deal in the
Software
without
restriction, including without limitation the rights to use, copy,
modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software, and to
permit persons
to whom the Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be included in all
copies or
substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER
DEALINGS IN THE SOFTWARE.

Chardet License

=====

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Bundle of CA Root Certificates

=====

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301

** s3transfer; version 0 -- <https://github.com/boto/s3transfer>
s3transfer

Copyright 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/> TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and

distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic

mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain

to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether

in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability. END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain
a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

* For boto core see also this required NOTICE:

Boto core

Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Boto core includes a vendored copy of the requests python library to ease installation.

Requests License

=====

Copyright 2013 Kenneth Reitz

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or
agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The requests library also includes some vendored python libraries to ease installation.

Urllib3 License

=====

This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright 2008-2011 Andrey Petrov and contributors (see CONTRIBUTORS.txt),
Modifications copyright 2012 Kenneth Reitz.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this

software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Chardet License

=====

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Bundle of CA Root Certificates

=====

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301

* For s3transfer see also this required NOTICE:

s3transfer

Copyright 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

** colorama; version 0.4.2 -- <https://pypi.org/project/colorama/>

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR

SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

** prompt-toolkit; version 2.0.10 --
<https://github.com/prompt-toolkit/python-prompt-toolkit/tree/2.0.10>
Copyright (c) 2014, Jonathan Slenders
All rights reserved.

Copyright (c) 2014, Jonathan Slenders
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

** dateutil; version 2.8.0 -- <https://github.com/dateutil/dateutil/tree/2.8.0>

Copyright 2017- Paul Ganssle <paul@ganssle.io>
Copyright 2017- dateutil contributors (see AUTHORS file)

Copyright
2017- Paul Ganssle <paul@ganssle.io>
Copyright 2017- dateutil contributors (see AUTHORS file)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The above license applies to all contributions after 2017-12-01, as well as
all contributions that have been re-licensed (see AUTHORS file for the list of
contributors who have re-licensed their code).

dateutil - Extensions to the standard Python datetime module.

Copyright
(c) 2003-2011 - Gustavo Niemeyer <gustavo@niemeyer.net>
Copyright (c) 2012-2014 - Tomi Pievilinen <tomi.pievilainen@iki.fi>
Copyright (c) 2014-2016 - Yaron de Leeuw <me@jarondl.net>
Copyright (c) 2015- - Paul Ganssle <paul@ganssle.io>
Copyright (c) 2015- - dateutil contributors (see AUTHORS file)

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its
contributors may be used to endorse or promote products derived from
this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above BSD License Applies to all code, even that also covered by Apache 2.0.

** Pyinstaller 3.5; version 3.5 --

<https://github.com/pyinstaller/pyinstaller/tree/v3.5>

Copyright (c) 2010-2020,

PyInstaller Development Team

Copyright (c) 2005-2009, Giovanni Bajo

Based on previous work under copyright (c) 2002 McMillan Enterprises, Inc.

* Package Pyinstaller 3.5's source code may be found at:

<https://files.pythonhosted.org/packages/e2/c9/0b44b2ea87ba36395483a672fddd07e6a9cb2b8d3c4a28d7ae76c7e7e1e5/PyInstaller-3.5.tar.gz>

=====

The PyInstaller licensing terms

=====

Copyright (c) 2010-2020, PyInstaller Development Team

Copyright (c) 2005-2009, Giovanni Bajo

Based on previous work under copyright (c) 2002 McMillan Enterprises, Inc.

PyInstaller is licensed under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

Bootloader Exception

In addition to the permissions in the GNU General Public License, the authors give you unlimited permission to link or embed compiled bootloader and related

files into combinations with other programs, and to distribute those combinations without any restriction coming from the use of those files. (The General Public License restrictions do apply in other respects; for example, they cover modification of the files, and distribution when not linked into a combined executable.)

Bootloader and Related Files

Bootloader and related files are files which are embedded within the final executable. This includes files in directories:

./bootloader/
./PyInstaller/loader

About the PyInstaller Development Team

The PyInstaller Development Team is the set of contributors to the PyInstaller project. A full list with details is kept in the documentation directory, in the file `doc/CREDITS.rst`.

The core team that coordinates development on GitHub can be found here: <https://github.com/pyinstaller/pyinstaller>. As of 2015, it consists of:

- * Hartmut Goebel
- * Martin Zibricky
- *
- David Vierra
- * David Cortesi

Our Copyright Policy

PyInstaller uses a shared copyright model. Each contributor maintains copyright over their contributions to PyInstaller. But, it is important to note that these contributions are typically only changes to the repositories. Thus, the PyInstaller source code, in its entirety is not the copyright of any single person or institution. Instead, it is the collective copyright of the entire PyInstaller Development Team. If individual contributors want to maintain a record of what changes/contributions they have specific copyright on, they should indicate their copyright in the commit message of the change, when they commit the change to the PyInstaller repository.

With this in mind, the following banner should be used in any source code file to indicate the copyright and license terms:

```
#-----  
# Copyright (c) 2005-2020, PyInstaller Development  
  Team.  
#  
# Distributed under the terms of the GNU General Public License (version 2  
# or later) with exception for distributing the bootloader.  
#  
# The full license is in the file COPYING.txt, distributed with this software.  
#  
# SPDX-License-Identifier: (GPL-2.0-or-later WITH Bootloader-exception)  
#-----
```

GNU General Public License

<https://gnu.org/licenses/gpl-2.0.html>

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".)

Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty)

and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include

anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author

to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

** six; version 1.14.0 -- <https://github.com/benjaminp/six/tree/1.14.0>
Copyright (c) 2010-2020 Benjamin Peterson

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** urllib3; version 1.25.8 -- <https://github.com/urllib3/urllib3/tree/1.25.8>
Copyright (c) 2008-2019 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

MIT License

Copyright (c) 2008-2019 Andrey Petrov
and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** setuptools; version 45.2.0 --
<https://github.com/pypa/setuptools/tree/v45.2.0>
Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** wewidth; version 0.1.8 -- <https://github.com/jquast/wewidth/tree/0.1.8>
Copyright (c) 2014 Jeff Quast <contact@jeffquast.com>

The MIT License (MIT)

Copyright (c) 2014 Jeff Quast <contact@jeffquast.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** cffi; version 1.14.0 --

<https://foss.heptapod.net/pypy/cffi/tree/branch/release-1.14>

Copyright 2012-2018, Armin Rigo, Maciej Fijalkowski

Except when otherwise stated (look for LICENSE files in directories or information at the beginning of each file) all software and documentation is licensed as follows:

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** jmespath; version 0.9.4 --

<https://github.com/jmespath/jmespath.py/tree/0.9.4>

Copyright

(c) 2013 Amazon.com, Inc. or its affiliates. All Rights Reserved

Copyright (c) 2013 Amazon.com, Inc. or its affiliates. All Rights Reserved

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** ruamel.yaml; version 0.15.100 --
<https://sourceforge.net/p/ruamel-yaml/code/ci/default/tree/>
Copyright (c) 2014-2019 Anthon van der Neut, Ruamel bvba

The MIT License (MIT)

Copyright (c) 2014-2020 Anthon van der Neut, Ruamel bvba

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

** OpenSSL; version 1.0.2s --
https://github.com/openssl/openssl/tree/OpenSSL_1_0_1s
Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a double license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts.

OpenSSL License

```
-----  
/* =====  
*  
* Copyright (c) 1998-2017 The OpenSSL Project. All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
*  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in  
* the documentation and/or other materials provided with the  
* distribution.  
*  
* 3. All advertising materials mentioning features or use of this  
* software must display the following acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"  
*  
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to  
* endorse or promote products derived from this software without  
* prior written permission. For written permission, please contact  
* openssl-core@openssl.org.  
*  
* 5. Products derived from this software may not be called "OpenSSL"  
* nor may "OpenSSL" appear in their names without prior written  
* permission of the OpenSSL Project.  
*  
* 6. Redistributions of any form whatsoever must retain the following  
* acknowledgment:  
* "This product includes software developed by the OpenSSL Project  
* for use in the OpenSSL Toolkit (http://www.openssl.org/)"  
*  
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY  
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR  
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*

* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).

*

*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

* All rights reserved.

*

* This package is an SSL implementation written

* by Eric Young (eay@cryptsoft.com).

* The implementation was written so as to conform with Netscapes SSL.

*

* This library is free for commercial and non-commercial use as long as

* the following conditions are aheared to. The following conditions

* apply to all code found in this distribution, be it the RC4, RSA,

* lhash, DES, etc., code; not just the SSL code. The SSL documentation

* included with this distribution is covered by the same copyright terms

* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*

* Copyright remains Eric Young's, and as such any Copyright notices in

* the code are not to be removed.

* If this package is used in a product, Eric Young should be given attribution

* as the author of the parts of the library used.

* This can be in the form of a textual message at program startup or

* in documentation (online or textual) provided with the package.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above

copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * "This product includes cryptographic software written by
- * Eric Young (eay@cryptsoft.com)"
- * The word 'cryptographic' can be left out if the routines from the library
- * being used are not cryptographic related :-).
- * 4. If you include any Windows specific code (or a derivative thereof) from
- * the apps directory (application code) you must include an acknowledgement:
- * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- *
- * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL
- * THE AUTHOR OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * The licence and distribution terms for any publically available version or
- * derivative of this code cannot be changed. i.e. this code cannot simply be
- * copied and put under another distribution licence
- * [including the GNU Public Licence.]
- */

** Python 3.9.11; version 3.9.11 -- <https://github.com/python/cpython/tree/v3.9.11>
 Copyright 2001-2020 Python Software Foundation. All rights reserved.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1.

This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright,

i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

** docutils; version 0.15.2 --

<https://sourceforge.net/p/docutils/code/HEAD/tree/trunk/docutils/>

:Author: David Goodger

:Contact: goodger@python.org

:Date: \$Date: 2015-05-08 15:56:32 +0000 (Fri, 08 May 2015) \$\n:Web site: <http://docutils.sourceforge.net/>\n:Copyright: This document has been placed in the public domain.

=====\nCopying Docutils\n=====

:Author: David Goodger\n:Contact: goodger@python.org\n:Date: \$Date: 2015-05-08 15:56:32 +0000 (Fri, 08 May 2015) \$\n:Web site: <http://docutils.sourceforge.net/>\n:Copyright: This document has been placed in the\npublic domain.

Most of the files included in this project have been placed in the public domain, and therefore have no license requirements and no restrictions on copying or usage; see the `Public Domain Dedication`_ below. There are a few exceptions_, listed below. Files in the Sandbox_ are not distributed with Docutils releases and may have different license terms.

Public Domain Dedication\n=====

The persons who have associated their work with this project (the "Dedicator": David Goodger and the many contributors to the Docutils project) hereby dedicate the entire copyright, less the exceptions_ listed below, in the work of authorship known as "Docutils" identified below (the "Work") to the public domain.

The primary repository for the Work is the Internet World Wide Web site <<http://docutils.sourceforge.net/>>. The Work consists of the files within the "docutils" module of the Docutils project Subversion repository (Internet host docutils.svn.sourceforge.net, filesystem path /svnroot/docutils), whose Internet web interface is located at <<http://docutils.svn.sourceforge.net/viewvc/docutils/>>. Files dedicated to the public domain may be identified by the inclusion, near the beginning of each file, of a declaration of the form::

Copyright: This document/module/DTD/stylessheet/file/etc. has been placed in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in

perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

(This dedication is derived from the text of the `Creative Commons Public Domain Dedication`. [#]_)

.. [#] Creative Commons has `retired this legal tool`__ and does not recommend that it be applied to works: This tool is based on United States law and may not be applicable outside the US. For dedicating new works to the public domain, Creative Commons recommend the replacement Public Domain Dedication CC0_ (CC zero, "No Rights Reserved"). So does the Free Software Foundation in its license-list_.

__ <http://creativecommons.org/retiredlicenses>

.. _CC0: <http://creativecommons.org/about/cc0>

Exceptions

=====

The exceptions to the `Public Domain Dedication`_ above are:

* docutils/writers/s5_html/themes/default/iepngfix.htc:

IE5.5+ PNG Alpha Fix v1.0 by Angus Turnbull

<<http://www.twinhelix.com>>. Free usage permitted as long as this notice remains intact.

* docutils/utils/math/__init__.py,
docutils/utils/math/latex2mathml.py,
docutils/writers/xetex/__init__.py,
docutils/writers/latex2e/docutils-05-compat.sty,
docs/user/docutils-05-compat.sty.txt,
docutils/utils/error_reporting.py,
docutils/test/transforms/test_smartquotes.py:

Copyright Gnter Milde.

Released under the terms of the `2-Clause BSD license`_

(local copy <licenses/BSD-2-Clause.txt>`_).

* docutils/utils/smartquotes.py

Copyright 2011 Gnter Milde,
based on `SmartyPants`_ 2003 John Gruber
(released under a 3-Clause BSD license included in the file)
and smartypants.py 2004, 2007 Chad Miller.
Released under the terms of the `2-Clause BSD license`_
(local copy <licenses/BSD-2-Clause.txt>`_).

.. _SmartyPants: <http://daringfireball.net/projects/smartypants/>

* docutils/utils/math/math2html.py,
docutils/writers/html4css1/math.css

Copyright
Alex Fernndez
These files are part of eLyXer_, released under the `GNU
General Public License`_ version 3 or later. The author relicensed
them for Docutils under the terms of the `2-Clause BSD license`_
(local copy <licenses/BSD-2-Clause.txt>`_).

.. _eLyXer: <http://www.nongnu.org/elyxer/>

* docutils/utils/roman.py, copyright by Mark Pilgrim, released under the
`Python 2.1.1 license`_ (local copy`_).

__ licenses/python-2-1-1.txt

* tools/editors/emacs/rst.el, copyright by Free Software Foundation,
Inc., released under the `GNU General Public License`_ version 3 or
later (local copy`_).

__ licenses/gpl-3-0.txt

The `2-Clause BSD license`_ and the Python licenses are OSI-approved_
and GPL-compatible_.

Plaintext versions of all the linked-to licenses are provided in the
licenses_ directory.

.. _sandbox: <http://docutils.sourceforge.net/sandbox/README.html>

.. _licenses: licenses/

.. _Python 2.1.1 license: <http://www.python.org/2.1.1/license.html>

.. _GNU General
Public License: <http://www.gnu.org/copyleft/gpl.html>

.. _2-Clause BSD license: <http://www.spdx.org/licenses/BSD-2-Clause>

.. _OSI-approved: <http://opensource.org/licenses/>


```

.. _license-list:
.. _GPL-compatible: http://www.gnu.org/licenses/license-list.html
{
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-
stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured
endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Endpoint"
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",

```

```

"rules": [
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseFIPS"
          },
          true
        ]
      }
    ],
    "error": "Invalid Configuration: FIPS and custom
endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
        "type": "error"
      }
    ],
    "conditions": [],
  }
]
"endpoint": {
  "url": {
    "ref": "Endpoint"
  },
  "properties": {},
  "headers": {}
},
"type": "endpoint"
}

```

```

    ]
  }
]
},
{
  "conditions": [],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "isSet",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "aws.partition",
          "argv": [
            {
              "ref": "Region"
            }
          ]
        }
      ],
      "assign": "PartitionResult"
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            }
          ],
        }
      ]
    }
  ]
}
true
]
},
{

```

```

    "fn": "booleanEquals",
    "argv": [
      {
        "ref": "UseDualStack"
      },
      true
    ]
  },
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        }
      ],
      "fn": "booleanEquals",
      "argv": [
        true,
        {
          "fn": "getAttr",
          "argv": [
            {
              "ref": "PartitionResult"
            },
            "supportsDualStack"
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {

```

```

        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    },
    {
        "conditions": [],
        "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
        "type": "error"
    }
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,

```

```

        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                }
            ],
            "supportsFIPS"
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
                    "conditions": [],
                    "endpoint": {
                        "url": "https://license-manager-linux-subscriptions-fips.{Region}.{PartitionResult#dnsSuffix}",
                        "properties": {},
                        "headers": {}
                    },
                    "type": "endpoint"
                }
            ]
        }
    ],
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                }
            ]
        }
    ]
}

```

```

        },
        true
    ]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",

                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            "supportsDualStack"
                        ]
                    }
                ]
            }
        ]
    }
],
"type": "tree",

"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
],
},

```



```

    "result_key": "LicenseConfigurations"
  },
  "ListLicenseSpecificationsForResource": {
    "input_token": "NextToken",
    "limit_key": "MaxResults",
    "output_token": "NextToken",
    "result_key": "LicenseSpecifications"
  },
  "ListResourceInventory": {
    "input_token": "NextToken",
    "limit_key": "MaxResults",
    "output_token": "NextToken",
    "result_key": "ResourceInventoryList"
  },
  "ListUsageForLicenseConfiguration": {
    "input_token": "NextToken",
    "limit_key": "MaxResults",
    "output_token": "NextToken",
    "result_key": "LicenseConfigurationUsageList"
  }
}
{
  "ResponseMetadata": {
    "RequestId": "9a285199-c8d6-47c2-bdb2-314cb47d599d"
  }
}
{
  "pagination": {
    "ListIdentityProviders": {
      "input_token": "NextToken",
      "output_token": "NextToken",
      "limit_key": "MaxResults",
      "result_key": "IdentityProviderSummaries"
    },
    "ListInstances": {
      "input_token": "NextToken",
      "output_token": "NextToken",
      "limit_key": "MaxResults",
      "result_key": "InstanceSummaries"
    },
    "ListProductSubscriptions": {
      "input_token": "NextToken",
      "output_token": "NextToken",
      "limit_key": "MaxResults",
      "result_key": "ProductUserSummaries"
    },
    "ListUserAssociations": {

```

```

    "input_token": "NextToken",
    "output_token": "NextToken",
    "limit_key": "MaxResults",
    "result_key": "InstanceUserSummaries"
  }
}
}
{
  "version": "2.0",
  "metadata": {
    "apiVersion": "2018-05-10",
    "endpointPrefix": "license-manager-linux-subscriptions",
    "jsonVersion": "1.1",
    "protocol": "rest-json",
    "serviceFullName": "AWS License Manager Linux Subscriptions",
    "serviceId": "License Manager Linux Subscriptions",
    "signatureVersion": "v4",
    "signingName": "license-manager-linux-subscriptions",
    "uid": "license-manager-linux-subscriptions-2018-05-10"
  },
  "operations": {
    "GetServiceSettings": {
      "name": "GetServiceSettings",
      "http": {
        "method": "POST",
        "requestUri": "/subscription/GetServiceSettings",
        "responseCode": 200
      },
      "input": { "shape": "GetServiceSettingsRequest" },
      "output": { "shape": "GetServiceSettingsResponse" },
      "errors": [
        { "shape": "InternalServerError" },
        { "shape": "ThrottlingException" },
        { "shape": "ValidationException" }
      ],
      "documentation": "<p>Lists the Linux subscriptions service settings.</p>",
      "idempotent": true
    },
    "ListLinuxSubscriptionInstances": {
      "name": "ListLinuxSubscriptionInstances",
      "http": {
        "method": "POST",
        "requestUri": "/subscription/ListLinuxSubscriptionInstances",
        "responseCode": 200
      },
      "input": { "shape": "ListLinuxSubscriptionInstancesRequest" },
      "output": { "shape": "ListLinuxSubscriptionInstancesResponse" },
      "errors": [

```

```

    {"shape":"InternalServerError"},
    {"shape":"ThrottlingException"},
    {"shape":"ValidationException"}
  ],
  "documentation":"<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux
subscriptions.</p>",
  "idempotent":true
},
"ListLinuxSubscriptions":{
  "name":"ListLinuxSubscriptions",
  "http":{
    "method":"POST",
    "requestUri":"/subscription/ListLinuxSubscriptions",
    "responseCode":200
  },
  "input":{"shape":"ListLinuxSubscriptionsRequest"},
  "output":{"shape":"ListLinuxSubscriptionsResponse"},
  "errors":[
    {"shape":"InternalServerError"},
    {"shape":"ThrottlingException"},
    {"shape":"ValidationException"}
  ],
  "documentation":"<p>Lists the Linux subscriptions that have been discovered. If you have linked your
organization, the returned results will include data aggregated across your accounts in Organizations.</p>",
  "idempotent":true
},
"UpdateServiceSettings":{
  "name":"UpdateServiceSettings",
  "http":{
    "method":"POST",
    "requestUri":"/subscription/UpdateServiceSettings",
    "responseCode":200
  },
  "input":{"shape":"UpdateServiceSettingsRequest"},
  "output":{"shape":"UpdateServiceSettingsResponse"},
  "errors":[
    {"shape":"InternalServerError"},
    {"shape":"ThrottlingException"},
    {"shape":"ValidationException"}
  ],
  "documentation":"<p>Updates the service settings for Linux subscriptions.</p>",
  "idempotent":true
}
},
"shapes":{
  "Boolean":{
    "type":"boolean",
    "box":true

```

```

},
"BoxInteger":{
  "type":"integer",
  "box":true
},
"BoxLong":{
  "type":"long",
  "box":true
},
"Filter":{
  "type":"structure",
  "members":{
    "Name":{
      "shape":"String",
      "documentation":"<p>The type of name to filter by.</p>"
    },
    "Operator":{
      "shape":"Operator",
      "documentation":"<p>An operator for filtering results.</p>"
    },
    "Values":{
      "shape":"StringList",
      "documentation":"<p>One or more values for the name to filter by.</p>"
    }
  },
  "documentation":"<p>A filter object that is used to return more specific results from a describe operation. Filters can be used to match a set of resources by specific criteria.</p>"
},
"FilterList":{
  "type":"list",
  "member":{"shape":"Filter"}
},
"GetServiceSettingsRequest":{
  "type":"structure",
  "members":{
  }
},
"GetServiceSettingsResponse":{
  "type":"structure",
  "members":{
    "HomeRegions":{
      "shape":"StringList",
      "documentation":"<p>The Region in which License Manager displays the aggregated data for Linux subscriptions.</p>"
    },
    "LinuxSubscriptionsDiscovery":{
      "shape":"LinuxSubscriptionsDiscovery",
      "documentation":"<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    }
  }
}

```

```

    },
    "LinuxSubscriptionsDiscoverySettings":{
      "shape":"LinuxSubscriptionsDiscoverySettings",
      "documentation":"<p>Lists the settings defined for Linux subscriptions discovery. The settings include if Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
    },
    "Status":{
      "shape":"Status",
      "documentation":"<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    },
    "StatusMessage":{
      "shape":"StringMap",
      "documentation":"<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  }
},
"Instance":{
  "type":"structure",
  "members":{
    "AccountID":{
      "shape":"String",
      "documentation":"<p>The account ID which owns the instance.</p>"
    },
    "AmiId":{
      "shape":"String",
      "documentation":"<p>The AMI ID used to launch the instance.</p>"
    },
    "InstanceID":{
      "shape":"String",
      "documentation":"<p>The instance ID of the resource.</p>"
    },
    "InstanceType":{
      "shape":"String",
      "documentation":"<p>The instance type of the resource.</p>"
    },
    "LastUpdatedTime":{
      "shape":"String",
      "documentation":"<p>The time in which the last discovery updated the instance details.</p>"
    },
    "ProductCode":{
      "shape":"ProductCodeList",
      "documentation":"<p>The product code for the instance. For more information, see <a href=\\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-operation.html\\">Usage operation values</a> in the <i>License Manager User Guide</i> .</p>"
    },
    "Region":{
      "shape":"String",
      "documentation":"<p>The Region the instance is running in.</p>"
    }
  }
}

```

```

    },
    "Status":{
      "shape":"String",
      "documentation":"<p>The status of the instance.</p>"
    },
    "SubscriptionName":{
      "shape":"String",
      "documentation":"<p>The name of the subscription being used by the instance.</p>"
    },
    "UsageOperation":{
      "shape":"String",
      "documentation":"<p>The usage operation of the instance. For more information, see For more information,
see <a href=\\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\\">Usage
operation values</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "documentation":"<p>Details discovered information about a running instance using Linux subscriptions.</p>"
},
"InstanceList":{
  "type":"list",
  "member":{"shape":"Instance"}
},
"InternalServerError":{
  "type":"structure",
  "members":{
    "message":{"shape":"String"}
  },
  "documentation":"<p>An exception occurred with the service.</p>",
  "exception":true,
  "fault":true
},
"LinuxSubscriptionsDiscovery":{
  "type":"string",
  "enum":[
    "Enabled",
    "Disabled"
  ]
},
"LinuxSubscriptionsDiscoverySettings":{
  "type":"structure",
  "required":[
    "OrganizationIntegration",
    "SourceRegions"
  ],
  "members":{
    "OrganizationIntegration":{
      "shape":"OrganizationIntegration",

```

```

    "documentation": "<p>Details if you
have enabled resource discovery across your accounts in Organizations.</p>"
  },
  "SourceRegions": {
    "shape": "StringList",
    "documentation": "<p>The Regions in which to discover data for Linux subscriptions.</p>"
  }
},
"documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
},
"ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "shape": "FilterList",
      "documentation": "<p>An array of structures that you can use to filter the results to those that match one or
more sets of key-value pairs that you specify. For example, you can filter by the name of <code>AmiID</code>
with an optional operator to see subscriptions that match, partially match, or don't match a certain Amazon Machine
Image (AMI) ID.</p> <p>The valid names for this filter are:</p> <ul> <li> <p> <code>AmiID</code> </p> </li>
<li> <p> <code>InstanceID</code> </p> </li>
<li> <p> <code>AccountID</code> </p> </li> <li> <p> <code>Status</code> </p> </li> <li> <p>
<code>Region</code> </p> </li> <li> <p> <code>UsageOperation</code> </p> </li> <li> <p>
<code>ProductCode</code> </p> </li> <li> <p> <code>InstanceType</code> </p> </li> </ul> <p>The valid
Operators for this filter are:</p> <ul> <li> <p> <code>contains</code> </p> </li> <li> <p> <code>equals</code>
</p> </li> <li> <p> <code>Notequal</code> </p> </li> </ul>"
    },
    "MaxResults": {
      "shape": "BoxInteger",
      "documentation": "<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken": {
      "shape": "ListLinuxSubscriptionInstancesRequestNextTokenString",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "documentation": "<p>NextToken length limit is half of ddb accepted limit. Increase this limit if parameters in
request increases.</p>"
},
"ListLinuxSubscriptionInstancesRequestNextTokenString": {
  "type": "string",
  "max": 16384,
  "min": 1
},
"ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "shape": "InstanceList",

```

```

    "documentation": "<p>An array that contains instance objects.</p>"
  },
  "NextToken": {
    "shape": "String",
    "documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"ListLinuxSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "shape": "FilterList",
      "documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of <code>Subscription</code> with an optional operator to see subscriptions that match, partially match, or don't match a certain subscription's name.</p> <p>The valid names for this filter are:</p> <ul> <li> <p> <code>Subscription</code> </p> </li> </ul> <p>The valid Operators for this filter are:</p> <ul> <li> <p> <code>contains</code> </p> </li> <li> <p> <code>equals</code> </p> </li> <li> <p> <code>Notequal</code> </p> </li> </ul>"
    },
    "MaxResults": {
      "shape": "BoxInteger",
      "documentation": "<p>Maximum number of results to return in a single call.</p>"
    },
    "NextToken": {
      "shape": "ListLinuxSubscriptionsRequestNextTokenString",
      "documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "documentation": "<p>NextToken length limit is half of ddb accepted limit. Increase this limit if parameters in request increases.</p>"
},
"ListLinuxSubscriptionsRequestNextTokenString": {
  "type": "string",
  "max": 16384,
  "min": 1
},
"ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "NextToken": {
      "shape": "String",
      "documentation": "<p>Token
for the next set of results.</p>"
    },
    "Subscriptions": {
      "shape": "SubscriptionList",

```



```

    "documentation": "<p>An array that contains subscription objects.</p>"
  }
}
},
"Operator": {
  "type": "string",
  "enum": [
    "Equal",
    "NotEqual",
    "Contains"
  ],
  "max": 20,
  "min": 1
},
"OrganizationIntegration": {
  "type": "string",
  "enum": [
    "Enabled",
    "Disabled"
  ]
},
"ProductCodeList": {
  "type": "list",
  "member": { "shape": "String" }
},
"Status": {
  "type": "string",
  "enum": [
    "InProgress",
    "Completed",
    "Successful",
    "Failed"
  ]
},
"String": { "type": "string" },
"StringList": {
  "type": "list",
  "member": { "shape": "StringListMemberString" },
  "max": 100,
  "min": 1
},
"StringListMemberString": {
  "type": "string",
  "max": 100,
  "min": 1
},
"StringMap": {

```

```

    "type":"map",
    "key":{"shape":"String"},
    "value":{"shape":"String"}
  },
  "Subscription":{
    "type":"structure",
    "members":{
      "InstanceCount":{
        "shape":"BoxLong",
        "documentation":"<p>The total amount of running instances using this subscription.</p>"
      },
      "Name":{
        "shape":"String",
        "documentation":"<p>The name of the subscription.</p>"
      },
      "Type":{
        "shape":"String",
        "documentation":"<p>The type of subscription. The type can be subscription-included with Amazon EC2,
Bring Your Own Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain
subscriptions may use licensing from the Amazon Web Services Marketplace as well as OS licensing from Amazon
EC2 or BYOS.</p>"
      }
    },
    "documentation":"<p>An object which details a discovered Linux subscription.</p>"
  },
  "SubscriptionList":{
    "type":"list",
    "member":{"shape":"Subscription"}
  },
  "ThrottlingException":{
    "type":"structure",
    "members":{
      "message":{"shape":"String"}
    },
    "documentation":"<p>The request was denied due to request throttling.</p>",
    "exception":true
  },
  "UpdateServiceSettingsRequest":{
    "type":"structure",
    "required":[
      "LinuxSubscriptionsDiscovery",
      "LinuxSubscriptionsDiscoverySettings"
    ],
    "members":{
      "AllowUpdate":{
        "shape":"Boolean",
        "documentation":"<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you
allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  }

```

```

    },
    "LinuxSubscriptionsDiscovery":{
      "shape":"LinuxSubscriptionsDiscovery",
      "documentation":"<p>Describes if the discovery of Linux subscriptions is enabled.</p>"
    },
    "LinuxSubscriptionsDiscoverySettings":{
      "shape":"LinuxSubscriptionsDiscoverySettings",
      "documentation":"<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
    }
  }
},
"UpdateServiceSettingsResponse":{
  "type":"structure",
  "members":{
    "HomeRegions":{
      "shape":"StringList",
      "documentation":"<p>The Region in which License Manager displays the aggregated data for Linux subscriptions.</p>"
    },
    "LinuxSubscriptionsDiscovery":{
      "shape":"LinuxSubscriptionsDiscovery",
      "documentation":"<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
    },
    "LinuxSubscriptionsDiscoverySettings":{
      "shape":"LinuxSubscriptionsDiscoverySettings",
      "documentation":"<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations integration has been enabled, and which Regions data will be aggregated from.</p>"
    },
    "Status":{
      "shape":"Status",
      "documentation":"<p>Indicates the status of Linux subscriptions settings being applied.</p>"
    },
    "StatusMessage":{
      "shape":"StringMap",
      "documentation":"<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  }
},
"ValidationException":{
  "type":"structure",
  "members":{
    "message":{"shape":"String"}
  },
  "documentation":"<p>The provided input is not valid. Try your request again.</p>",
  "exception":true
}

```

```
},  
"documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on  
running Amazon EC2 instances.</p>"  
}
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
{
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
```



```

"builtIn": "SDK::Endpoint",
  "required": false,
  "documentation": "Override the endpoint used to send this request",
  "type": "String"
}
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  },
  {
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ]
      },
      {
        "error": "Invalid Configuration: FIPS and custom
endpoint are not supported",
        "type": "error"
      }
    ]
  },
  {
    "conditions": [
      {
        "fn": "booleanEquals",
        "argv": [
          {
            "ref": "UseDualStack"
          },
          true
        ]
      }
    ]
  }
}

```

```

    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
  },
  {
    "conditions": [],
    "endpoint": {
      "url": {
        "ref": "Endpoint"
      },
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
]
},
{
  "conditions": [
    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Region"
        }
      ]
    }
  ]
},
"tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ]
      },
    ],
    "assign": "PartitionResult"
  }
],
"tree",
"rules": [
  {
    "conditions": [
      {

```

```

        "fn":
"booleanEquals",
        "argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    },
    {
        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            },
                            },
                        "supportsFIPS"
                    ]
                ]
            }
        ],
        "fn": "booleanEquals",
        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {

```

```

        "ref": "PartitionResult"
    },
    "supportsDualStack"
]
}
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "arg": {
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",

```

```

        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
"ref": "PartitionResult"
                    },
                    "supportsFIPS"
                ]
            }
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "FIPS is enabled but this partition does not support FIPS",
        "type": "error"
    }
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ]
},
"type":

```

```

"tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [],
      "endpoint": {
        "url": "https://license-manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
        "properties": {},
        "headers": {}
      },
      "type": "endpoint"
    }
  ],
  {
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
  }
],
{
  "conditions": [],
  "endpoint": {
    "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
    "properties": {},
    "headers": {}
  }
}

```

```

        },
        "type": "endpoint"
    }
]
}
},
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
}
{
    "ResponseMetadata": {
        "RequestId": "6a213e4e-33a8-11df-9540-99d0768312d3"
    }
}
{
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        },
    ]
}

```

```

    "documentation": "For region us-east-1 with FIPS disabled and
DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",

```



```

    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
    }
  }
}

```

```

    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
  }
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
  }
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
"documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
"expect": {
  "error": "DualStack is enabled but this partition does not support DualStack"
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": false,
  "UseDualStack": true
}
},
{
"documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
  }
},
"params": {
  "Region": "us-isob-east-1",
  "UseFIPS": false,
  "UseDualStack": false
}
},
{
"documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
}

```

```

    }
  },
  {
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
    "expect": {
      "endpoint": {
        "url": "https://example.com"
      }
    },
    "params": {
      "UseFIPS": false,
      "UseDualStack": false,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect":
  {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
  },
  {
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": true,
      "Endpoint": "https://example.com"
    }
  },
  {
    "documentation": "Missing region",
    "expect": {
      "error": "Invalid Configuration: Missing Region"
    }
  }
  ],
  "version": "1.0"

```

}

1.154 aws-c-common 0.9.12-r0

1.154.1 Available under license :

AWS C Common

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

** ittapi itnotify.h; version v3.24.2 -- <https://github.com/intel/ittapi/blob/master/include/itnotify.h>
Copyright (C) 2005-2019 Intel Corporation
SPDX-License-Identifier: GPL-2.0-only OR BSD-3-Clause

Amazon.com has chosen to use this file under the terms of the BSD-3-Clause license.

Copyright (c) 2019 Intel Corporation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

** cJSON; version 1.7.16 -- <https://github.com/DaveGamble/cJSON>
Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.155 awscrt 0.20.2

1.155.1 Available under license :

AWS C Compression

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

AWS C Http

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS C Event Stream

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

The MIT License (MIT)

Copyright (c) 2015-2020 the fiat-crypto authors (see
<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

AWS C Mqtt

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Lib Crypto is a fork of BoringSSL, which is itself a fork of OpenSSL. New
files from AWS-LC are made available under the Apache-2.0 license OR the ISC

license. These licenses are reproduced at the bottom of this file.

BoringSSL licensing

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Files in third_party/ have their own licenses, as described therein. The MIT license, for third_party/flatbuffers, which, unlike other third_party directories, is compiled into non-test libraries, is included below.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

263291445

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. All advertising materials mentioning

features or use of this

- * software must display the following acknowledgment:
- * "This product includes software developed by the OpenSSL Project
- * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
- *
- * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
- * endorse or promote products derived from this software without
- * prior written permission. For written permission, please contact
- * openssl-core@openssl.org.
- *
- * 5. Products derived from this software may not be called "OpenSSL"
- * nor may "OpenSSL" appear in their names without prior written
- * permission of the OpenSSL Project.
- *
- * 6. Redistributions of any form whatsoever must retain the following
- * acknowledgment:
- * "This product includes software developed by the OpenSSL Project
- * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
- *
- * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
- * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING,
- * BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
- * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
- * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
- * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
- * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
- * OF THE POSSIBILITY OF SUCH DAMAGE.
- * =====
- *
- * This product includes cryptographic software written by Eric Young
- * (ey@cryptsoft.com). This product includes software written by Tim
- * Hudson (tjh@cryptsoft.com).
- *
- * /

Original SSLeay License

- /* Copyright (C) 1995-1998
- Eric Young (ey@cryptsoft.com)
- * All rights reserved.
- *
- * This package is an SSL implementation written

* by Eric Young (eay@cryptsoft.com).

* The implementation was written so as to conform with Netscapes SSL.

*

* This library is free for commercial and non-commercial use as long as

* the following conditions are aheared to. The following conditions

* apply to all code found in this distribution, be it the RC4, RSA,

* lhash, DES, etc., code; not just the SSL code. The SSL documentation

* included with this distribution is covered by the same copyright terms

* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*

* Copyright remains Eric Young's, and as such any Copyright notices in

* the code are not to be removed.

* If this package is used in a product, Eric Young should be given attribution

* as the author of the parts of the library used.

* This can be in the form of a textual message at program startup or

* in documentation (online or textual) provided

with the package.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. All advertising materials mentioning features or use of this software

* must display the following acknowledgement:

* "This product includes cryptographic software written by

* Eric Young (eay@cryptsoft.com)"

* The word 'cryptographic' can be left out if the rouines from the library

* being used are not cryptographic related :-).

* 4. If you include any Windows specific code (or a derivative thereof) from

* the apps directory (application

code) you must include an acknowledgement:

* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

*

* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*
* The licence and distribution terms for any publically available version or
* derivative of this code
cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

ISC license used for completely new code in BoringSSL:

```
/* Copyright (c) 2015, Google Inc.  
*  
* Permission to use, copy, modify, and/or distribute this software for any  
* purpose with or without fee is hereby granted, provided that the above  
* copyright notice and this permission notice appear in all copies.  
*  
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY  
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION  
* OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN  
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */
```

The code in third_party/ fiat
carries the MIT license:

Copyright (c) 2015-2016 the fiat-crypto authors (see
<https://github.com/mit-plv/fiat-crypto/blob/master/AUTHORS>).

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The code in `third_party/jitterentropy` is distributed under the 3-Clause BSD License. Amazon expressly elects to distribute the package under the 3-Clause BSD License and NOT under GNU General Public License Version 2:

Copyright (C) 2017 - 2021, Stephan Mueller <smueller@chronox.de>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

The code in `crypto/kyber/pqcrystals-kyber_kyber512_ref` carries the Public Domain license:

Public Domain (<https://creativecommons.org/share-your-work/public-domain/cc0/>)

For Keccak and AES we are using public-domain code from sources and by authors listed in comments on top of the respective files.

Licenses for support code

Parts of the TLS test suite are under the Go license (BSD-3-Clause). This code is not included in BoringSSL (i.e. `libcrypto` and `libssl`) when compiled, however, so distributing code linked against BoringSSL does not trigger this license:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BoringSSL uses the Chromium test infrastructure to run a continuous build, trybots etc. The scripts which manage this, and the script for generating build metadata, are under the Chromium license (BSD-3-Clause). Distributing code linked against BoringSSL does not trigger this license.

Copyright 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache 2.0 license for AWS-LC content

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include

a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement

to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as

required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent

acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

ISC license for AWS-LC content

Copyright Amazon.com, Inc. or its affiliates.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

AWS C Common

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

s2n

Copyright 2014-2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS C Auth

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

AWS Crt Python

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

** PKCS#11 Headers; version 2.40 -- <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/>

Copyright (c) OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website:

[<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

AWS C Cal

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

AWS-LC

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

AWS C Io

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

** ittapi itnotify.h; version v3.24.2 -- <https://github.com/intel/ittapi/blob/master/include/itnotify.h>

Copyright (C) 2005-2019 Intel Corporation

SPDX-License-Identifier: GPL-2.0-only OR BSD-3-Clause

Amazon.com has chosen to use this file under the terms of the BSD-3-Clause license.

Copyright (c) 2019 Intel Corporation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

** cJSON; version 1.7.16 -- <https://github.com/DaveGamble/cJSON>
Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.156 aws-cli 2.15.14-r0

1.156.1 Available under license :

Copyright (c) 2013 Michael Dowling <mtdowling@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with the License. A copy of the License is located at

<http://aws.amazon.com/apache2.0/>

or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.157 py3-awscrt 0.20.2-r0

1.157.1 Available under license :

AWS Crt Python

Copyright 2018 Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.158 aws-c-mqtt 0.10.1-r0

1.158.1 Available under license :

Copyright (c) 2013 Michael Dowling <mtdowling@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2020 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with the License. A copy of the License is located at

<http://aws.amazon.com/apache2.0/>

or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.159 aws-c-http 0.8.0-r0

1.159.1 Available under license :

AWS C Http

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.160 aws-c-s3 0.4.10-r0

1.160.1 Available under license :

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.161 aws-c-sdktls 0.1.14-r0

1.161.1 Available under license :

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.162 aws-c-cal 0.6.9-r0

1.162.1 Available under license :

AWS C Cal

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.163 aws-c-io 0.14.2-r0

1.163.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AWS C Io

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

SPDX-License-Identifier: Apache-2.0.

The source/pkcs11/v2.40/pkcs11.h header file is based on Public Domain content from <https://github.com/latchset/pkcs11-headers>

1.164 py3-certifi 2024.2.2-r0

1.164.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

1.165 c-ares 1.27.0-r0

1.165.1 Available under license :

c-ares license

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology
Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS
file.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.166 py3-redis 5.0.1-r0

1.166.1 Available under license :

MIT License

Copyright (c) 2022-2023, Redis, inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.167 luajit 2.1_p20230410-r3

1.167.1 Available under license :

=====

LuaJIT -- a Just-In-Time Compiler for Lua. <https://luajit.org/>

Copyright (C) 2005-2023 Mike Pall. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT license: <https://www.opensource.org/licenses/mit-license.php>]

=====

[LuaJIT includes code from Lua 5.1/5.2, which has this license statement:]

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[LuaJIT includes code from dlmalloc, which has this license statement:]

This is a version (aka dlmalloc) of malloc/free/realloc written by Doug Lea and released to the public domain, as explained at <https://creativecommons.org/licenses/publicdomain>

1.168 rspamd 3.6-r1

1.168.1 Available under license :

MIT License

Copyright (c) 2022 Martin Leitner-Ankerl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2018-2019 Dana-Farber Cancer Institute
2016-2018 Broad Institute

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

xxHash Library

Copyright (c) 2012-2014, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2014 cforler

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2007-2015 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

=====

Version 2.0, January 2004

<<http://www.apache.org/licenses/>>

Terms and Conditions for use, reproduction, and distribution

1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this

License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and

* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and

* **(c)** You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or

distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to

offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree

to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The MIT License

Copyright (c) 2015-2018 Mitchell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016-2021 Viktor Kirilov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 - 2018 Peter Melnichenko

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: rspamd

Source: <https://github.com/rspamd/rspamd>

Files: *

Copyright: 2008-2023 Vsevolod Stakhov <vsevolod@rspamd.com>

License: Apache-2.0

Files: contrib/lgpl/*

Copyright: 1999 - 2000 Tom Tromej

2000, 2005 Red Hat, Inc.

2007 Emmanuele Bassi <ebassi@gnome.org>

License: LGPL-2+

Files: contrib/lgpl/gregex.*

Copyright: 1999 - 2000 Scott Wimer

2004 Matthias Clasen <mclasen@redhat.com>,

2005 - 2007 Marco Barisione <marco@barisione.org>

License: LGPL-2.1+

Files: contrib/uthash/*

Copyright: 2003-2013 Troy D. Hanson <http://troydhanson.github.com/uthash/>

License: BSD-1-Clause

Files: rules/regexp/*

Copyright: 2000-2012 The Apache Software Foundation

License: Apache-2.0

Files: contrib/http-parser/*

Copyright: 2002-2015 Igor Sysoev

Joyent, Inc. and other Node contributors

License: Expat

Files: contrib/libottery/*

Copyright: Nick Mathewson

License:

CC0

Files: contrib/libottery/chacha_merged.c

Copyright: Ted Krovetz <ted@krovetz.net>

D. J. Bernstein

License: public-domain

Files: contrib/lua-fun/*

Copyright: 2013 Roman Tsisyk <roman@tsisyk.com>

License: MIT

Files: contrib/publicsuffix/*

Copyright: 2007-2011, Mozilla Foundation.

License: MPL-2

Files: contrib/aho-corasick/*

Copyright: 2009-2014 Mischa Sandberg <mischasan@gmail.com>

License: LGPL-3+

Files: contrib/xxhash/xxhash.*

Copyright: 2012-2013, Yann Collet.

License: BSD-2-Clause

Files: contrib/snowball/*

Copyright: 2001-2015 Dr Martin Porter

2002-2015 Richard Boulton

License: BSD-2-Clause

Files: contrib/hiredis/*

Copyright: 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

License: BSD-3-Clause-Redis

Files: src/libutil/printf.c
Copyright: 2002-2015 Igor Sysoev
2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: BSD-2-Clause

Files: src/libserver/url.c
Copyright:
2002-2015 Igor Sysoev
2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: BSD-2-Clause

Files: src/plugins/lua/rbl.lua
Copyright: 2011-2015, Vsevolod Stakhov <vsevolod@rspamd.com>
2013-2015, Andrew Lewis <nerf@judo.za.org>
License: Apache-2.0

Files: doc/doxydown/*
Copyright: 2014, Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: interface/*
Copyright: 2012-2013 Anton Simonov <untone@gmail.com>
2014-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: contrib/cdb*
Copyright: Michael Tokarev <mjt@corpit.ru>
License: public-domain
Comment:
The exact meaning of "Public domain" mentioned in the file headers was taken from:
<http://www.corpit.ru/mjt/tinycdb.html>

Files: src/libcryptobox/curve25519/curve25519-donna*
Copyright: 2008, Google Inc.
License: BSD-3-Clause-Google

Files: src/libcryptobox/siphash/*
Copyright: 2015, Vsevolod Stakhov
2012-2014 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>
2012-2014 Daniel J. Bernstein <djb@cr.yp.to>
License: BSD-2-Clause

Files: src/libcryptobox/poly1305/*
Copyright: 2015, Andrew Moon
2015, Vsevolod Stakhov
License: MIT

Files: src/libcryptobox/chacha20/*

Copyright: 2015, Andrew Moon

2015, Vsevolod Stakhov

License: MIT

Files: debian/*

Copyright: 2011-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

2014-2015 Mikhail Gusarov <dottedmag@dottedmag.net>

License: BSD-2-Clause

License: public-domain

Public domain.

License: BSD-1-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Google

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.
Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Redis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.
Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS

PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: LGPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR

PURPOSE. See the GNU Library General Public License for more details.

.
You should have received a copy of the GNU Library General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file
`/usr/share/common-licenses/LGPL-2'.

License: LGPL-2.1+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file
`/usr/share/common-licenses/LGPL-2.1'.

License: LGPL-3+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the full text of the GNU Library General Public License version 3 can be found in the file `~/usr/share/common-licenses/LGPL-3'`.

License: Apache-2.0

On Debian GNU/Linux system you can find the complete text of the Apache-2.0 license in `~/usr/share/common-licenses/Apache-2.0'`

License: CC0

This software has been dedicated to the public domain under the CC0 public domain dedication.

.

To the extent possible under law, the person who associated CC0 with libottery has waived all copyright and related or neighboring rights to libottery.

.

You should have received a copy of the CC0 legalcode along with this work in `doc/cc0.txt`. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

License:

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: MPL-2

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

MIT License

Copyright (c) 2019 Yibo Cai

Copyright (c) 2019 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*-

* Copyright 2016-2017 Vsevolod Stakhov

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

The MIT License (MIT)

Copyright (c) 2014 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017-2018, Marcin Konarski (amok at codestation.org)

Copyright (c) 2010, Salvatore Sanfilippo (antirez at gmail dot com)

Copyright (c) 2010, Pieter Noordhuis (pcnoordhuis at gmail dot com)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

wcwidth.cpp

=====

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author

disclaims all warranties with regard to this software.

ConvertUTF.cpp

=====

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source

code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Copying

=====

****Lua Fun**** source codes, logo and documentation are distributed under the
****[MIT/X11 License]**** - same as Lua and LuaJIT.

Copyright (c) 2013 Roman Tsisyk <roman@tsisyk.com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT/X11 License]: <http://www.opensource.org/licenses/mit-license.php>
Copyright (C) 2018 by Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer

exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the

Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or

warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

All files in libev are

Copyright (c)2007,2008,2009,2010,2011,2012,2013 Marc Alexander Lehmann.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only

under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,

data structure

layouts and accessors, or small macros, inline functions and templates

(ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide

whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

http_parser.c is based on src/http/nginx_http_parse.c from NGINX copyright Igor Sysoev.

Additional changes are licensed under the same terms as NGINX and copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016-2018 Positive Technologies, <https://www.ptsecurity.com>,
Fast Positive Hash.

Portions Copyright (c) 2010-2013 Leonid Yuriev <leo@yuriev.ru>,
The 1Hippeus project (t1h).

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgement in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

1.169 hiredis 2.3.0

1.169.1 Available under license :

Note: This license has also been called the "New BSD License" or "Modified BSD License". See also the 2-clause BSD License.

Copyright 2011 Pieter Noordhuis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.170 py3-hiredis 2.3.0-r0

1.170.1 Available under license :

Note: This license has also been called the "New BSD License" or "Modified BSD License". See also the 2-clause BSD License.

Copyright 2011 Pieter Noordhuis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.171 distro 1.8.0

1.171.1 Available under license :

Thanks!

- * <https://github.com/andy-maier>
- * <https://github.com/SethMichaelLarson>
- * <https://github.com/asottile>

- * <https://github.com/MartijnBraam>
- * <https://github.com/funkyfuture>
- * <https://github.com/adamjstewart>
- * <https://github.com/xavfernandez>
- * <https://github.com/xsuchy>
- * <https://github.com/marcoceppi>
- * <https://github.com/tgamblin>
- * <https://github.com/sebix>
- * <https://github.com/jdufresne>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution

of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.172 docutils 0.20.1

1.172.1 Available under license :

2-Clause BSD license / FreeBSD license

=====

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.. include:: docs/header0.txt

=====
Copying Docutils
=====

:Author: David Goodger
:Contact: goodger@python.org
:Date: \$Date: 2022-11-29 00:55:25 +0100 (Di, 29. Nov 2022) \$\br/>:Web site: <https://docutils.sourceforge.io/>
:Copyright: This document has been placed in the public domain.

Most of the files included in this project have been placed in the public domain, and therefore have no license requirements and no restrictions on copying or usage; see the `Public Domain Dedication`_ below. There are exceptions_, listed below.
Files in the Sandbox_ are not distributed with Docutils releases and may have different license terms.

Public Domain Dedication
=====

The persons who have associated their work with this project (the "Dedicator": David Goodger and the many contributors to the Docutils project) hereby dedicate the entire copyright, less the exceptions_ listed below, in the work of authorship known as "Docutils" identified below (the "Work")
to the public domain.

The primary repository for the Work is the Internet World Wide Web site <<https://docutils.sourceforge.io/>>. The Work consists of the files within the "docutils" module of the Docutils project Subversion repository (<http://svn.code.sf.net/p/docutils/code/>), whose Internet web interface is located at <<https://sourceforge.net/p/docutils/code>>. Files dedicated to the

public domain may be identified by the inclusion, near the beginning of each file, of a declaration of the form::

Copyright: This document/module/DTD/stylesheet/file/etc. has been placed in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

(This dedication is derived from the text of the `Creative Commons Public Domain Dedication`. [#]_)

.. [#] Creative Commons has `retired this legal tool`__ and does not recommend that it be applied to works: This tool is based on United States law and may not be applicable outside the US. For dedicating new works to the public domain, Creative Commons recommend the replacement Public Domain Dedication CC0_ (CC zero, "No Rights Reserved"). So does the Free Software Foundation in its license-list_.

__ <http://creativecommons.org/retiredlicenses>

.. _CC0:

<http://creativecommons.org/about/cc0>

Exceptions

=====

The exceptions to the `Public Domain Dedication`_ above are:

* docutils/utils/smartquotes.py

Copyright 2011 Gnter Milde,
based on `SmartyPants`_ 2003 John Gruber
(released under a "revised" `BSD 3-Clause License`_ included in the file)
and smartypants.py 2004, 2007 Chad Miller.
Released under the terms of the `BSD 2-Clause License`_

(local copy <licenses/BSD-2-Clause.txt>`_).

.. _SmartyPants: http://daringfireball.net/projects/smarty_pants/

* docutils/utils/math/latex2mathml.py

Copyright Jens Jrgen Mortensen, Gnter Milde.

Released under the terms of the `BSD 2-Clause License`_

(local copy <licenses/BSD-2-Clause.txt>`_).

* | docutils/utils/math/math2html.py,

| docutils/writers/html5_polyglot/math.css

Copyright 2009,2010 Alex Fernndez; 2021 Gnter Milde

These files were part of eLyXer_, released under the `GNU
General Public License`_ version 3 or later. The author relicensed
them

for Docutils under the terms of the `BSD 2-Clause License`_

(local copy <licenses/BSD-2-Clause.txt>`_).

.. _eLyXer: <https://github.com/alexfernandez/elyxer>

* | docutils/__main__.py,

| docutils/parsers/commonmark_wrapper.py,

| docutils/parsers/recommonmark_wrapper.py,

| docutils/utils/error_reporting.py,

| docutils/utils/math/__init__.py,

| docutils/utils/math/latex2mathml.py,

| docutils/utils/math/tex2mathml_extern.py,

| docutils/utils/punctuation_chars.py,

| docutils/utils/smartquotes.py,

| docutils/writers/html5_polyglot/__init__.py,

| docutils/writers/html5_polyglot/*.css,

| docutils/writers/latex2e/docutils.sty,

| docutils/writers/xetex/__init__.py,

| test/test_parsers/test_recommonmark/*.py,

| test/test_parsers/test_rst/test_directives/test__init__.py,

| test/test_parsers/test_rst/test_directives/test_code_parsing.py,

| test/test_parsers/test_rst/test_line_length_limit_default.py,

| test/test_parsers/test_rst/test_line_length_limit.py,

| test/test_writers/test_latex2e_misc.py,

| test/transforms/test_smartquotes.py,

| tools/docutils-cli.py,

| tools/rst2html5.py

Copyright Gnter Milde.

Released under the terms of the `BSD 2-Clause License`_

(local copy <licenses/BSD-2-Clause.txt>`__).

* docutils/utils/roman.py

copyright by Mark Pilgrim, released under the
`Python 2.1.1 license`_ (local copy`__).

__ licenses/python-2-1-1.txt

* tools/editors/emacs/rst.el

copyright by Free Software Foundation, Inc.,
released under the `GNU General Public License`_ version 3 or later
(local copy`__).

__ licenses/gpl-3-0.txt

All used licenses are OSI-approved_ and GPL-compatible_.

Plaintext versions of all the linked-to licenses are provided in the
licenses_ directory.

.. _sandbox: <https://docutils.sourceforge.io/sandbox/README.html>

.. _licenses: licenses/

.. _Python 2.1.1 license: <https://docs.python.org/3/license.html>

.. _GNU General Public License: <https://www.gnu.org/copyleft/gpl.html>

.. _BSD 2-Clause

License: <http://opensource.org/licenses/BSD-2-Clause>

.. _BSD 3-Clause License: <https://opensource.org/licenses/BSD-3-Clause>

.. _OSI-approved: <http://opensource.org/licenses/>

.. _license-list:

.. _GPL-compatible: <https://www.gnu.org/licenses/license-list.html>

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI) in the Netherlands as a successor of a language called ABC. Guido is Python's principal author, although it includes many contributions from others. The last version released from CWI was Python 1.2. In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI) in Reston, Virginia where he released several versions of the software. Python 1.6 was the last of the versions released by CNRI. In 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. Python 2.0 was the first and only release from BeOpen.com.

Following the release of Python 1.6, and after Guido van Rossum left

CNRI to work with commercial software developers, it became clear that the ability to use Python with software available under the GNU Public License (GPL) was very desirable.

CNRI and the Free Software Foundation (FSF) interacted to develop enabling wording changes to the Python license. Python 1.6.1 is essentially the same as Python 1.6, with a few minor bug fixes, and with a different license that enables later versions to be GPL-compatible. Python 2.1 is a derivative work of Python 1.6.1, as well as of Python 2.0.

After Python 2.0 was released by BeOpen.com, Guido van Rossum and the other PythonLabs developers joined Digital Creations. All intellectual property added from this point on, starting with Python 2.1 and its alpha and beta releases, is owned by the Python Software Foundation (PSF), a non-profit modeled after the Apache Software Foundation. See <https://www.python.org/psf/> for more information about the PSF.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PSF LICENSE AGREEMENT

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.1.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.1.1 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001 Python Software Foundation; All Rights Reserved" are retained in Python 2.1.1 alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.1.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of

the changes made to Python 2.1.1.

4. PSF is making Python 2.1.1 available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.1.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.1.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.1.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.1.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM TERMS AND CONDITIONS FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI OPEN SOURCE GPL-COMPATIBLE LICENSE AGREEMENT

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's

License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of

agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI PERMISSIONS STATEMENT AND DISCLAIMER

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed

to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"

to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users

beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for

the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the

violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for

sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a

covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the

combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF

DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short

notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <https://www.gnu.org/philosophy/why-not-lgpl.html>.

1.173 colorama 0.4.6

1.173.1 Available under license :

Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.174 idna 3.4

1.174.1 Available under license :

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.175 apk-tools 2.14.4-r0

1.175.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom

to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for

each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If

the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.

But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all

the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions.

You may

not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of

this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted

in certain

countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion

of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General Public License instead of this License.

1.176 go-autorest-logging 0.2.1

1.176.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.177 libpwquality 1.4.5-r1

1.177.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this libpwquality release
may be distributed:

Redistribution and use in source and binary forms of libpwquality, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
notice, and this entire permission notice in its entirety,
including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current
copyright notices, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
3. The name of any author may not be used to endorse or promote
products derived from this software without their specific prior
written permission.

ALTERNATIVELY, this product may be distributed
under the terms of the
GNU General Public License version 2 or later, in which case the provisions
of the GNU GPL are required INSTEAD OF the above restrictions.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The full text of the GNU GENERAL PUBLIC LICENSE Version 2 is included below.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled

to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.178 cracklib 2.9.11-r6

1.178.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal

permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting

the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control

compilation
and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the

application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the

complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse

engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything

that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the

Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.

It is safest to attach them to the start of each source

file to most

effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James

Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

EFFECTIVE OCT 2008, LICENSE IS BEING CHANGED TO LGPL-2.1 (though not reflected
in released code until Nov 2009 - slow release cycle...)

Discussion thread from mailing list archive, with approval from everyone actively
involved or holding original licensing rights included.

[Cracklib-devel] cracklib license
From: Mike Frysinger <vapier@ge...> - 2007-10-02 01:16

Attachments: Message as HTML
looks like 2.8.11 is out and marked as "GPL-2" ... releasing libraries unde=
r=20
GPL-2 is not desirable at all ... this is why the LGPL-2.1 exists
=2Dmike

Re: [Cracklib-devel] cracklib license
From: Neulinger, Nathan <nneul@um...> - 2007-10-02 01:18
I understand that, and you're welcome to bring it up with Alec directly
and see if he wants to relicense his code as LGPL... but at this point,
it was enough to just get it consistent and documented as to what it was
released under. This wasn't actually a license change, just a
clarification of the licensing that was already in place.=20

-- Nathan
=20

Nathan Neulinger EMail: nneul@um...
University of Missouri - Rolla Phone: (573) 341-6679
UMR Information Technology Fax: (573) 341-4216

> -----Original Message-----
> From: cracklib-devel-bounces@li...
> [mailto:cracklib-devel-bounces@li...] On Behalf Of
> Mike Frysinger
> Sent: Monday, October 01, 2007 8:15 PM
> To: cracklib-devel@li...
> Subject: [Cracklib-devel] cracklib license

>=20
> looks like 2.8.11 is out and marked as "GPL-2" ... releasing
> libraries under
> GPL-2 is not desirable at all ... this is why the LGPL-2.1 exists
> -mike

Re: [Cracklib-devel] cracklib license
From: Mike Frysinger <vapier@ge...> - 2007-10-02 01:33

Attachments: Message as HTML
On Monday 01 October 2007, Neulinger, Nathan

wrote:
> I understand that, and you're welcome to bring it up with Alec directly
> and see if he wants to relicense his code as LGPL... but at this point,
> it was enough to just get it consistent and documented as to what it was
> released under. This wasn't actually a license change, just a
> clarification of the licensing that was already in place.

the original license (before moving to sourceforge -- aka, 2.7) was not=20
GPL-2 ... it was a modified artistic license ... i didnt notice the license=
=20
change until it was mentioned in the latest notes.

unlike the old license, GPL-2 prevents people from using cracklib unless th=
eir=20
applications are also GPL-2 which imo is just wrong. it isnt the place of =
a=20
library to dictact to application writes what license they should be using.=
=20
thus LGPL-2.1 enters to fill this void.
=2Dmike

Re: [Cracklib-devel]
cracklib license
From: Neulinger, Nathan <nneul@um...> - 2007-10-02 01:46

Seems like the ideal thing here would be for you and the other distro
maintainers to get together with Alec in a conversation and come to a
decision as to what licensing scheme y'all want. I haven't really done
much other than cleaning up the packaging and patches and a small bit of
additional code, so whatever licensing y'all come up with is fine by me.

-- Nathan
=20

Nathan Neulinger EMail: nneul@um...
University of Missouri - Rolla Phone: (573) 341-6679

> -----Original Message-----

> From: cracklib-devel-bounces@li...

> [mailto:cracklib-devel-bounces@li...] On Behalf Of

> Mike Frysinger

> Sent: Monday, October 01, 2007 8:33 PM

> To: Neulinger, Nathan

> Cc: cracklib-devel@li...; Alec Muffett

> Subject: Re: [Cracklib-devel] cracklib license

>=20

> On Monday 01 October 2007, Neulinger, Nathan wrote:

>> I understand that, and you're welcome to bring it up with Alec

> directly

>> and see if he wants to relicense his code as LGPL... but at this

> point,

>> it was enough to just get it consistent and documented as to what

> it was

>> released under. This wasn't actually a license change, just a

>> clarification of the licensing that was already in place.

>=20

> the original license (before moving to sourceforge -- aka, 2.7) was

> not

> GPL-2 ... it was a modified artistic license ... i didnt notice the

> license

> change until it was mentioned in the latest notes.

>=20

> unlike the old license, GPL-2 prevents people from using cracklib

> unless their

> applications are also GPL-2 which imo is just wrong. it isnt the

> place of a

> library

to dictact to application writes what license they should

> be using.

> thus LGPL-2.1 enters to fill this void.

> -mike

Re: [Cracklib-devel] cracklib license

From: Alec Muffett <alecm@cr...> - 2007-10-02 08:57

> Seems like the ideal thing here would be for you and the other distro

> maintainers to get together with Alec in a conversation and come to a

> decision as to what licensing scheme y'all want. I haven't really done

> much other than cleaning up the packaging and patches and a small

> bit of

> additional code, so whatever licensing y'all come up with is fine

> by me.

I am sympathetic. Guys, what do you reckon?

What I am hearing so far is that LGPL makes sense, since it can be linked with any code, not just GPL...

-a

Re: [Cracklib-devel] cracklib license

From: Devin Reade <gdr@gn...> - 2007-10-02 15:04

I would like to see it under LGPL as well. I

think it is in everyone's

best interests to have as secure systems as possible, and I think tainting it via GPL will just make it less likely that the library gets used, and will not usually cause companies/developers to GPL the dependent code (where it is not already GPL).

I like GPL, I use it when I can, but I don't think that it's the correct license in this situation.

Devin

--

If it's sinful, it's more fun.

Re: [Cracklib-devel] cracklib license

From: Nalin Dahyabhai <nalin@re...> - 2008-01-28 16:32

On Tue, Oct 02, 2007 at 09:57:31AM +0100, Alec Muffett wrote:

>> Seems like the ideal thing here would be for you and the other distro
>> maintainers to get together with Alec in a conversation and come to a
>> decision as to what licensing scheme y'all want. I haven't really done
>> much other than cleaning up the packaging and patches and a small
>> bit of
>> additional

code, so whatever licensing y'all come up with is fine

>> by me.

>

> I am sympathetic. Guys, what do you reckon?

>

> What I am hearing so far is that LGPL makes sense, since it can be
> linked with any code, not just GPL...

My apologies for not chiming in in anything resembling a reasonable timeframe.

I'd also suggest the LGPL, for the reason you noted above. Alternately, GPLv2 with the option of using the library under a later version of the GPL would permit applications which were released under version 3 of the

GPL to use the library, too, which would be sufficient for the packages which are included in Fedora. FWIW, I'd personally lean toward LGPL.

In any case, I thank you both for working on sorting this out.

Cheers,

Nalin

Re: [Cracklib-devel] cracklib license

From: Mike Frysinger <vapier@ge...> - 2008-10-05 21:27

Attachments: Message as HTML

On Monday 28 January 2008, Nalin Dahyabhai wrote:

> On Tue, Oct 02, 2007 at 09:57:31AM +0100, Alec Muffett wrote:
>>> Seems like the ideal thing here would be for you and the other distro
>>> maintainers to get together with Alec in a conversation and come to a
>>> decision as to what licensing scheme y'all want. I haven't really done
>>> much other than cleaning up the packaging and patches and a small
>>> bit of
>>> additional code, so whatever licensing y'all come up with is fine
>>> by me.
>>
>> I am sympathetic. Guys, what do you reckon?
>>
>> What I am hearing so far is that LGPL makes sense, since it can be
>> linked with any code, not just GPL...
>
> My apologies for not chiming in in anything resembling a reasonable
> timeframe.
>
> I'd also suggest the LGPL, for the reason you noted above. Alternately,
> GPLv2 with the option of using
the library under a later version of the
> GPL would permit applications which were released under version 3 of the
> GPL to use the library, too, which would be sufficient for the packages
> which are included in Fedora. FWIW, I'd personally lean toward LGPL.
>
> In any case, I thank you both for working on sorting this out.

looks like everyone is OK with LGPL-2.1 (GNU Lesser license), so can we make the change now ?

-mike

Re: [Cracklib-devel] cracklib license

From: Alec Muffett <alecm@cr...> - 2008-10-05 23:18

>> In any case, I thank you both for working on sorting this out.

>

> looks like everyone is OK with LGPL-2.1 (GNU Lesser license), so can we make
> the change now ?

yes. go for it. thanks++

-a

Re: [Cracklib-devel] cracklib license

From: Mike Frysinger <vapier@ge...> - 2008-10-25 22:34

Attachments: Message as HTML

On Sunday 05 October

2008, Alec Muffett wrote:

> >> In any case, I thank you both for working on sorting this out.

> >

> > looks like everyone is OK with LGPL-2.1 (GNU Lesser license), so can we
> > make the change now ?

>

> yes. go for it. thanks++

Nathan Neulinger is the only one who can actually make said change ...

-mike

BELOW IS ORIGINAL LICENSING DISCUSSION RE CHANGING TO GPL from Artistic.

CrackLib was originally licensed with a variant of the Artistic license. In the interests of wider acceptance and more modern licensing, it was switched with the original author's blessing to GPL v2.

This approval was carried out in email discussions in 2005, and has been reconfirmed as of 2007-10-01 with the following email from Alec Muffett.

The below email references nneul@umr.edu address, as that is the address that was used at the time. For any future emails regarding this, please use nneul@neulinger.org.

From
alecm@crypticide.com Mon Oct 1 12:26:03 2007
Received: from umr-exproto2.cc.umr.edu ([131.151.0.192]) by UMR-CMAIL1.umr.edu with Microsoft SMTPSVC(6.0.3790.3959);
Mon, 1 Oct 2007 12:26:03 -0500
Received: from scansrv2.srv.mst.edu ([131.151.1.114]) by umr-exproto2.cc.umr.edu with Microsoft SMTPSVC(6.0.3790.3959);
Mon, 1 Oct 2007 12:26:02 -0500
Received: (qmail 8022 invoked from network); 1 Oct 2007 16:59:55 -0000
Received: from smtp1.srv.mst.edu (131.151.1.43)
by scanin-ipvs.cc.umr.edu with SMTP; 1 Oct 2007 16:59:55 -0000
Received: from spunkymail-mx8.g.dreamhost.com (mx1.spunky.mail.dreamhost.com [208.97.132.47])
by smtp1.srv.mst.edu (8.13.1/8.13.1) with ESMTP id I91Gxtpr020623
for <nneul@umr.edu>; Mon, 1 Oct 2007 11:59:55 -0500
Received: from rutherford.zen.co.uk (rutherford.zen.co.uk [212.23.3.142])
by spunkymail-mx8.g.dreamhost.com (Postfix) with ESMTP id 2C7734D311
for <nneul@neulinger.org>; Mon, 1 Oct 2007 09:59:50 -0700 (PDT)
Received: from
[82.68.43.14] (helo=[192.168.1.3])
by rutherford.zen.co.uk with esmtp (Exim 4.50)
id 1IcOcX-0004Qt-6L
for nneul@neulinger.org; Mon, 01 Oct 2007 16:59:49 +0000
Mime-Version: 1.0 (Apple Message framework v752.2)
In-Reply-To: <1b1b3fd80710010908k11dac0afp1f2dd471059ff9a4@mail.gmail.com>
References: <1190922867.3457.147.camel@localhost.localdomain>
<EC90713277D2BE41B7110CCD74E235CEF44F38@UMR-CMAIL1.umr.edu>
<1b1b3fd80710010908k11dac0afp1f2dd471059ff9a4@mail.gmail.com>
Content-Type: text/plain; charset=US-ASCII; delsp=yes; format=flowed
Message-Id: <117A1264-F6DC-4E25-B0DD-56FBFE6E9F@crypticide.com>
Content-Transfer-Encoding: 7bit
From: Alec Muffett <alecm@crypticide.com>
Subject: Re: cracklib license
Date: Mon, 1 Oct 2007 17:59:46 +0100
To: Nathan Neulinger <nneul@neulinger.org>
X-Mailer: Apple Mail (2.752.2)
X-Originating-Rutherford-IP: [82.68.43.14]
Return-Path: alecm@crypticide.com
X-OriginalArrivalTime: 01 Oct 2007 17:26:03.0008 (UTC) FILETIME=[2420C000:01C80450]
Status: RO
Content-Length:
585
Lines: 21

>
> ----- Forwarded message -----
> From: Neulinger, Nathan <nneul@umr.edu>
> Date: Sep 27, 2007 2:58 PM
> Subject: RE: cracklib license

> To: alecm@crypto.dircon.co.uk
>
> Any chance you could write me a self-contained email stating clearly
> that the license is being changed to GPL, so I could include that
> email
> in the repository and clean up the repository/tarballs? I have all the
> original discussion, but something succinct and self contained
> would be
> ideal.

The license for my code in the Cracklib distribution is henceforth GPL.

Happy now? :-)

-a

1.179 toml 2.0.1

1.179.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

MIT License

Copyright (c) 2020 Bob Fang (bob.fang.london@gmail.com)

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2021 Pradyun Gedam and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software include code copyright (c) Rebecca Turner.

1.180 six 1.16.0

1.180.1 Available under license :

The primary author and maintainer of six is Benjamin Peterson. He would like to acknowledge the following people who submitted bug reports, pull requests, and otherwise worked to improve six:

Marc Abramowitz
immerrr again
Alexander Artemenko
Aymeric Augustin
Lee Ball
Ben Bariteau
Ned Batchelder
Wouter Bolsterlee
Brett Cannon
Jason R. Coombs
Julien Danjou
Ben Darnell
Ben Davis
Jon Dufresne
Tim Graham
Thomas Grainger
Max Grender-Jones
Pierre Grimaud
Joshua Harlow
Toshiki Kataoka
Hugo van Kemenade
Anselm Kruis

Ivan Levkivskyi
Alexander Lukanin
James Mills
Jordan Moldow
Berker Peksag
Sridhar Ratnakumar
Erik Rose
Mirko Rossini
Peter Ruibal
Miroslav Shubernetskiy
Eli Schwartz
Anthony Sottile
Victor Stinner
Jonathan Vanasco
Lucas Wiman
Jingxin Zhu

If you think you belong on this list, please let me know! --Benjamin
Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.181 pycparser 2.21

1.181.1 Available under license :

pycparser -- A C parser in Python

Copyright (c) 2008-2020, Eli Bendersky
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Eli Bendersky nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.182 platformdirs 2.6.2

1.182.1 Available under license :

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.183 spew 1.1.1

1.183.1 Available under license :

ISC License

Copyright (c) 2012-2016 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.184 kubernetes-klog 2.80.1

1.184.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such

Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide

additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.185 golang 1.21.10

1.185.1 Notifications :

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit
(<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).

This product includes software written by Tim Hudson (tjh@cryptsoft.com).

1.185.2 Available under license :

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Go source code and supporting files in this directory are covered by the usual Go license (see ../../../../LICENSE).

When building with GOEXPERIMENT=borningcrypto, the following applies.

The goboringcrypto_linux_amd64.syso object file is built from BoringSSL source code by build/build.sh and is covered by the BoringSSL license reproduced below and also at <https://boringssl.googlesource.com/boringssl/+fips-20190808/LICENSE>.

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Contributors to BoringSSL are required to follow the CLA rules for Chromium: <https://cla.developers.google.com/cla>

Some files from Intel are under yet another license, which is also included underneath.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit.

See below

for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following

disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. All advertising materials mentioning features or use of this

* software must display the following acknowledgment:

* "This product includes software developed by the OpenSSL Project

* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

*

* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to

* endorse or promote products derived from this software without

* prior written permission. For written permission, please contact

* openssl-core@openssl.org.

*

* 5. Products derived from this software may not be called "OpenSSL"

* nor may "OpenSSL" appear in their names without prior written

* permission of the OpenSSL Project.

*

* 6. Redistributions of any form whatsoever must retain the following

* acknowledgment:

* "This product includes software developed by the OpenSSL Project

* for use in the OpenSSL Toolkit

(<http://www.openssl.org/>)"

*

* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR

* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*

* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product
includes software written by Tim
* Hudson (tjh@cryptsoft.com).

*

*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

* All rights reserved.

*

* This package is an SSL implementation written

* by Eric Young (eay@cryptsoft.com).

* The implementation was written so as to conform with Netscapes SSL.

*

* This library is free for commercial and non-commercial use as long as

* the following conditions are aheared to. The following conditions

* apply to all code found in this distribution, be it the RC4, RSA,

* lhash, DES, etc., code; not just the SSL code. The SSL documentation

* included with this distribution is covered by the same copyright terms

* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*

* Copyright remains Eric Young's, and as such any Copyright notices in

* the code are not to be removed.

* If this package is used in a product, Eric Young should be given attribution

* as the author of

the parts of the library used.

* This can be in the form of a textual message at program startup or

* in documentation (online or textual) provided with the package.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

```

* 3. All advertising materials mentioning features or use of this software
* must display the following acknowledgement:
* "This product includes cryptographic software written by
* Eric Young (eay@cryptsoft.com)"
* The word 'cryptographic' can be left out if the routines from the library
* being used are
not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
* the apps directory (application code) you must include an acknowledgement:
* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

```

ISC license used for completely new code in BoringSSL:

```

/* Copyright (c) 2015, Google Inc.
*
* Permission to use, copy, modify, and/or distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
* OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */

```


Some files from Intel carry the following license:

```
# Copyright (c) 2012, Intel Corporation
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are
# met:
#
# * Redistributions of source code must retain the above copyright
#   notice, this list of conditions and the following disclaimer.
#
# * Redistributions in binary form must reproduce the above copyright
#   notice, this list of conditions and the following disclaimer in the
#   documentation and/or other materials provided with the
#   distribution.
#
# * Neither the name of the Intel Corporation nor the names of its
#   contributors may be used to endorse or promote products derived from
#   this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION
# ""AS IS"" AND ANY
# EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
# IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
# PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
# CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
# PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
# PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache License 2.0
Copyright 2010-2021 Mike Bostock
```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS

OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

People who have agreed to one of the CLAs and can contribute patches.

The AUTHORS file lists the copyright holders; this file

lists people. For example, Google employees are listed here

but not in AUTHORS, because Google holds the copyright.

#

<https://developers.google.com/open-source/cla/individual>

<https://developers.google.com/open-source/cla/corporate>

#

Names should be added to this file as:

Name <email address>

Raul Silvera <rsilvera@google.com>

Tipp Moseley <tipp@google.com>

Hyoun Kyu Cho <netforce@google.com>

Martin Spier <spiermar@gmail.com>

Taco de Wolff <tacodewolff@gmail.com>

Andrew Hunter <andrewhhunter@gmail.com>

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2015 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Andrea Leofreddi.

1.186 x-sys 0.20.0

1.186.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.187 x-text 0.15.0

1.187.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.188 x-net 0.25.0

1.188.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.189 x-crypto 0.23.0

1.189.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.190 x-term 0.20.0

1.190.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.191 futures 3.4.0

1.191.1 Available under license :

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-
1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
 4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
 5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
 6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

1.192 glib 2.78.6-r0

1.192.1 Available under license :

This work may be reproduced and distributed in whole or in part, in any medium, physical or electronic, so as long as this copyright notice remains intact and unchanged on all copies. Commercial redistribution is permitted and encouraged, but you may not redistribute, in whole or in part, under terms more restrictive than those under which you received it. If you redistribute a modified or translated version of this work, you must also make the source code to the modified or translated version available in electronic form without charge. However, mere aggregation as part of a larger work shall not count as a modification for this purpose.

All code examples in this work are placed into the public domain, and may be used, modified and redistributed without restriction.

BECAUSE THIS WORK IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE WORK, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE WORK "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. SHOULD THE WORK PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE WORK AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE WORK, EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual

or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any

additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To

prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License,

and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work,

complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense

or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program),

you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use

of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the

Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does. Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989 Ty Coon, President of Vice
GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully

about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you.

You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software

library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work

based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License.

(If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering

equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from

the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS"

WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply

These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the library's name and an idea of what it does.

Copyright (C) year name of author

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in

the library `Frob' (a library for tweaking knobs) written
by James Random Hacker.

signature of Ty Coon, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

This work is provided "as is"; redistribution and modification
in whole or in part, in any medium, physical or electronic is
permitted without restriction.

This work is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

In no event shall the authors or contributors be liable for any
direct, indirect, incidental, special, exemplary, or consequential
damages (including, but not limited to, procurement of substitute
goods or services; loss of use, data, or profits; or business
interruption) however caused and on any theory of liability, whether
in contract, strict liability, or tort (including negligence or
otherwise) arising in any way out of the use of this software, even
if advised of the possibility of such damage.

MIT License

Copyright (c) <year> <copyright holders>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions
of this Software are embedded into an Object form of such source code, you
may redistribute such embedded portions in such Object form without complying
with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with

software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the

Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive,

irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

1.193 go-autorest-adal 0.9.24

1.193.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.194 python-setuptools 70.3.0

1.194.1 Available under license :

Copyright Jason R. Coombs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The code contained in this directory was automatically generated using the following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuptools/config/_validate_pyproject --enable-plugins  
setuptools.distutils --very-verbose
```

Please avoid changing it manually.

You can report issues or suggest changes directly to `validate-pyproject` (or to the relevant plugin repository)

- <https://github.com/abravalheri/validate-pyproject/issues>

The following files include code from opensource projects (either as direct copies or modified versions):

- `fastjsonschema_exceptions.py`:
- project: `fastjsonschema` - licensed under BSD-3-Clause

(<https://github.com/horejsek/python-fastjsonschema>)
- `extra_validations.py` and `format.py`, `error_reporting.py`:
- project: `validate-pyproject` - licensed under MPL-2.0
(<https://github.com/abralvalheri/validate-pyproject>)

Additionally the following files are automatically generated by tools provided by the same projects:

-
- `__init__.py`
- `fastjsonschema_validations.py`

The relevant copyright notes and licenses are included below.

`fastjsonschema`
=====

Copyright (c) 2018, Michal Horejsek
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this

License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of

its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are

reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6.

Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free

of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Copyright (c) 2018 Luminoso Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.195 go-ieproxy 0.0.12

1.195.1 Available under license :

MIT License

Copyright (c) 2014 mattn

Copyright (c) 2017 oliverpool

Copyright (c) 2019 Adele Reed

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.196 goprotobuf 1.5.4

1.196.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at <http://tip.golang.org/CONTRIBUTORS>.
Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.197 py3-setuptools 70.3.0-r0

1.197.1 Available under license :

Copyright Jason R. Coombs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or

sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The code contained in this directory was automatically generated using the
following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuputils/config/_validate_pyproject --enable-plugins  
setuputils.distutils --very-verbose
```

Please avoid changing it manually.

You can report issues or suggest changes directly to ``validate-pyproject``
(or to the relevant plugin repository)

- <https://github.com/abralvalheri/validate-pyproject/issues>

The following files include code from opensource projects
(either as direct copies or modified versions):

- ``fastjsonschema_exceptions.py``:
 - project: ``fastjsonschema`` - licensed under BSD-3-Clause
(<https://github.com/horejsek/python-fastjsonschema>)
- ``extra_validations.py`` and ``format.py``, ``error_reporting.py``:
 - project: ``validate-pyproject`` - licensed under MPL-2.0
(<https://github.com/abralvalheri/validate-pyproject>)

Additionally the following files are automatically generated by tools provided
by the same projects:

- - ``__init__.py``
 - ``fastjsonschema_validations.py``

The relevant copyright notes and licenses are included below.

`fastjonschema`

=====

Copyright (c) 2018, Michal Horejsek
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

Neither the name of the {organization} nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether

at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are

reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6.

Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be

liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
Copyright (c) 2018 Luminoso Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.198 simple launcher 1.1.0.14

1.198.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)

2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,

because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 82b32a7a0e773c8801056f80aaae2a44
UNRECOGNIZED LICENSE; MD5 sum: 25e3201901e018ec6d4724df0a74d278

=====
Distutils2 Contributors
=====

The Distutils2 project was started by Tarek Ziad and is currently
maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order,
and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau

- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad DeLong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider

- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Metadata-Version: 1.0

Name: setuptools

Version: 0.6c9

Summary: Download, build, install, upgrade, and uninstall Python packages -- easily!

Home-page: <http://pypi.org/pypi/setuptools>

Author: Phillip J. Eby

Author-email: distutils-sig@python.org

License: PSF or ZPL

Description: =====

Installing and Using Setuptools

=====

.. contents:: **Table of Contents**

 Installation Instructions

Windows
 =====

Install setuptools using the provided ``.exe`` installer. If you've previously installed older versions of setuptools, please delete all ``setuptools*.egg`` and ``setuptools.pth`` files from your system's ``site-packages`` directory (and any other ``sys.path`` directories) **FIRST**.

If you are upgrading a previous version of setuptools that was installed using an ``.exe`` installer, please be sure to also **uninstall that older version** via your system's "Add/Remove Programs" feature, **BEFORE** installing the newer version.

Once installation is complete, you will find an ``easy_install.exe`` program in your Python ``Scripts`` subdirectory. Be sure to add this directory to your ``PATH`` environment variable, if you haven't already done so.

RPM-Based Systems

=====

Install setuptools using the provided source RPM. The included `.spec` file assumes you are installing using the default `python` executable, and is not specific to a particular Python version. The `easy_install` executable will be installed to a system `bin` directory such as `/usr/bin`.

If you wish to install to a location other than the default Python installation's default `site-packages` directory (and `$prefix/bin` for scripts), please use the `.egg`-based installation approach described in the following section.

Cygwin, Mac OS X, Linux, Other

=====

1. Download the appropriate egg for your version of Python (e.g. `setuptools-0.6c9-py2.4.egg`). Do NOT rename it.
2. Run it as if it were a shell script, e.g. `sh setuptools-0.6c9-py2.4.egg`. Setuptools will install itself using the matching version of Python (e.g. `python2.4`), and will place the `easy_install` executable in the default location for installing Python scripts (as determined by the standard distutils configuration files, or by the Python installation).

If you want to install setuptools to somewhere other than `site-packages` or your default distutils installation locations for libraries and scripts, you may include EasyInstall command-line options such as `--prefix`, `--install-dir`, and so on, following the `.egg` filename on the same command line. For example::

```
sh setuptools-0.6c9-py2.4.egg --prefix=~
```

You can use `--help` to get a full options list, but we recommend consulting the `EasyInstall manual` for detailed instructions, especially the section on custom installation locations.

.. `EasyInstall manual`: <http://peak.telecommunity.com/DevCenter/EasyInstall>
.. the section on custom installation locations: <http://peak.telecommunity.com/DevCenter/EasyInstall#custom-installation-locations>

Cygwin Note

If you are trying to install setuptools for the **Windows** version of Python (as opposed to the Cygwin version that lives in `usr/bin`), you must make sure that an appropriate executable (`python2.3`, `python2.4`, or `python2.5`) is on your **Cygwin** `PATH` when invoking the egg. For example, doing the following at a Cygwin bash prompt will install setuptools for the **Windows** Python found at `C:\Python24`:

```
In -s /cygdrive/c/Python24/python.exe python2.4
PATH=.:$PATH sh setuptools-0.6c9-py2.4.egg
rm python2.4
```

Downloads

=====

All setuptools downloads can be found at the project's home page in the Python Package Index. Scroll to the very bottom of the page to find the links.

.. the project's home page in the Python Package Index: <http://pypi.org/pypi/setuptools>

In addition to the PyPI downloads, the development version of `setuptools` is available from the `Python SVN sandbox`, and in-development versions of the `0.6 branch` are available as well.

.. `0.6 branch`: <http://svn.python.org/projects/sandbox/branches/setuptools-0.6/#egg=setuptools-dev06>

.. `Python SVN sandbox`: <http://svn.python.org/projects/sandbox/trunk/setuptools/#egg=setuptools-dev>

Using

Setuptools and EasyInstall

Here are some of the available manuals, tutorials, and other resources for learning about Setuptools, Python Eggs, and EasyInstall:

- * `The EasyInstall user's guide and reference manual`
- * `The setuptools Developer's Guide`
- * `The pkg_resources API reference`
- * `Package Compatibility Notes` (user-maintained)
- * `The Internal Structure of Python Eggs`

Questions, comments, and bug reports should be directed to the `distutils-sig` mailing list. If you have written (or know of) any tutorials, documentation, plug-ins, or other resources for setuptools users, please let us know about them there, so this reference list can be updated. If you have working, *tested* patches to correct problems or add features, you may submit them to

the `setuptools bug tracker`_.

.. _setuptools bug tracker: <http://bugs.python.org/setuptools/>
.. _Package Compatibility Notes: <http://peak.telecommunity.com/DevCenter/PackageNotes>
.. _The Internal Structure of Python Eggs: <http://peak.telecommunity.com/DevCenter/EggFormats>
.. _The setuptools Developer's Guide: <http://peak.telecommunity.com/DevCenter/setuptools>
.. _The pkg_resources API reference: <http://peak.telecommunity.com/DevCenter/PkgResources>
.. _The EasyInstall user's guide and reference manual: <http://peak.telecommunity.com/DevCenter/EasyInstall>
.. _distutils-sig mailing list: <http://mail.python.org/pipermail/distutils-sig/>

Credits

* The original design for the ``.egg`` format and the ``pkg_resources`` API was co-created by Phillip Eby and Bob Ippolito. Bob also implemented the first version of ``pkg_resources``, and supplied the OS X operating system version compatibility algorithm.

* Ian Bicking implemented many early "creature comfort" features of `easy_install`, including support for downloading via Sourceforge and Subversion repositories. Ian's comments on the Web-SIG about WSGI application deployment also inspired the concept of "entry points" in eggs, and he has given talks at PyCon and elsewhere to inform and educate the community about eggs and setuptools.

* Jim Fulton contributed time and effort to build automated tests of various aspects of ``easy_install``, and supplied the doctests for the command-line ``.exe`` wrappers on Windows.

* Phillip J. Eby is the principal author and maintainer of setuptools, and first proposed the idea of an importable binary distribution format for Python application plug-ins.

* Significant parts of the implementation of setuptools were funded by the Open Source Applications Foundation, to provide a plug-in infrastructure for the Chandler PIM application.

In addition, many OSAF staffers (such as Mike "Code Bear" Taylor) contributed their time and stress as guinea pigs for the use of eggs and setuptools, even before eggs were "cool". (Thanks, guys!)

Keywords: CPAN PyPI distutils eggs package management

Platform: UNKNOWN

Classifier: Development Status :: 3 - Alpha

Classifier: Intended Audience :: Developers

Classifier: License :: OSI Approved :: Python Software Foundation License

Classifier: License :: OSI Approved :: Zope Public License

Classifier: Operating System :: OS Independent

Classifier: Programming Language :: Python

Classifier: Topic :: Software Development :: Libraries :: Python Modules

Classifier: Topic :: System :: Archiving :: Packaging

Classifier: Topic :: System :: Systems Administration

Classifier: Topic :: Utilities

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-style without advertising clause

UNRECOGNIZED LICENSE; MD5 sum: e2ceb64456e606a09824fbf3dd9a158e

UNRECOGNIZED LICENSE; MD5 sum: 39cf6a4b85f545a48318dca445f2d0e6

BSD-licensed.

UNRECOGNIZED LICENSE; MD5 sum: dc4075889a5c2ece34c05148a2401013

UNRECOGNIZED LICENSE; MD5 sum: ee664a1e97eefe77d34ef50e74b7326d

1.199 etcd 3.5.15

1.199.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.200 curl 8.9.1-r0

1.200.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2024, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

1.201 importlib-metadata 4.11.1

1.201.1 Available under license :

Copyright 2017-2019 Jason R. Coombs, Barry Warsaw

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.202 python-dateutil 2.8.2

1.202.1 Available under license :

Copyright 2017- Paul Ganssle <paul@ganssle.io>
Copyright 2017- dateutil contributors (see AUTHORS file)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The above license applies to all contributions after 2017-12-01, as well as
all contributions that have been re-licensed (see AUTHORS file for the list of
contributors who have re-licensed their code).

dateutil - Extensions to the standard Python datetime module.

Copyright
(c) 2003-2011 - Gustavo Niemeyer <gustavo@niemeyer.net>
Copyright (c) 2012-2014 - Tomi Pievilinen <tomi.pievilainen@iki.fi>
Copyright (c) 2014-2016 - Yaron de Leeuw <me@jarondl.net>
Copyright (c) 2015- - Paul Ganssle <paul@ganssle.io>
Copyright (c) 2015- - dateutil contributors (see AUTHORS file)

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of its
contributors may be used to endorse or promote products derived from

this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above BSD License Applies to all code, even that also covered by Apache 2.0.

1.203 ruamel-yaml-clib 0.2.7

1.203.1 Available under license :

The MIT License (MIT)

Copyright (c) 2019-2021 Anthon van der Neut, Ruamel bvba

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.204 ruamel-yaml 0.17.28

1.204.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2023 Anthon van der Neut, Ruamel bvba

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.205 pyyaml 6.0.2

1.205.1 Available under license :

Copyright (c) 2017-2021 Ingy dt Net

Copyright (c) 2006-2016 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.206 xxhash 2.1.2

1.206.1 Available under license :

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.207 gopkg.in-inf 0.9.1

1.207.1 Available under license :

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.208 gofuzz 1.1.0

1.208.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.209 fuzzyhash 1.0.0-r3

1.209.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Maintainer: Steven Sturges <ststurge@cisco.com>
```

```
pkgname=fuzzyhash
```

```
pkgver=1.0.0
```

```

pkgver_tag=v1.0.0
pkgrel=3
pkgdesc="FuzzyHash is a Cisco Talos authored library means of generating locally sensitive hashes from an email
message."
url="https://talos-gitlab.sv4.ironport.com/shared/fuzzy_hash.git"
arch="all !s390x"
license="Proprietary"
pkgusers="talos"
pkggroups="talos"
makedepends=""
"

source="$pkgname-$pkgver-r$pkgrel.tar.gz"
giturl="https://talos-gitlab.sv4.ironport.com/shared/fuzzy_hash.git"
gittag="HEAD"

build() {
    ### Massage Makefile to remove full path (hard-coded /usr/local/bin) of flex
    mv Makefile Makefile.orig
    sed -e "s/\usr/local/bin/flex/flex/" Makefile.orig > Makefile
    ### Now build
    echo "building static library (.a)"
    make lib
    echo "building static library with lua (.a)"
    make libwithlua
    echo "creating shared library from lsh static library"
    cc -shared -o libfuzzyhash.so -Wl,--whole-archive liblsh.a
    -Wl,--no-whole-archive -lstc++
    echo "creating shared library with lua from lshlua static library"
    cc -shared -o libfuzzyhashlua.so -Wl,--whole-archive liblshlua.a -Wl,--no-whole-archive -lstc++
}

check() {
    echo "no test implemented"
}

package() {
    mkdir -p "$pkgdir"
    cd "$pkgdir"
    mkdir -p ./usr/lib
    cp $srcdir/fuzzyhash-$pkgver/libfuzzyhash.so ./usr/lib/libfuzzyhash.so.$pkgver
    cp $srcdir/fuzzyhash-$pkgver/libfuzzyhashlua.so ./usr/lib/libfuzzyhashlua.so.$pkgver
    cd ./usr/lib
    ln -s libfuzzyhash.so.$pkgver libfuzzyhash.so
    ln -s libfuzzyhashlua.so.$pkgver libfuzzyhashlua.so
}

_mv() {

```

```
local dest; for dest; do true; done # get last argument
mkdir -p "$dest"
mv "$@"
}
```

```
sha512sums="
48ba61ec0d4a9a2d43dc8ea1f943f43405ca74c40b3242125a4e5b7258702bc1d75735962542a2b2af29367e259fc013
389c25a4bc4a18ee5b13d32ed871164e fuzzyhash-$pkgver.tar.gz
"
```

Found in path(s):

```
* /opt/cola/permits/2165197710_1730909049.0304778/0/fuzzyhash-tar-gz/talos-tide-fuzzyhash-build-
legacy/fuzzyhash_package/APKBUILD
```

1.210 httpparser 3.6-r1

1.210.1 Available under license :

MIT License

Copyright (c) 2022 Martin Leitner-Ankerl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2018-2019 Dana-Farber Cancer Institute
2016-2018 Broad Institute

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

xxHash Library
Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2014 cforler

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2007-2015 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

=====

Version 2.0, January 2004

<<<http://www.apache.org/licenses/>>>>

Terms and Conditions for use, reproduction, and distribution

1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have

made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and

* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and

* **(c)** You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License

does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree

to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The MIT License

Copyright (c) 2015-2018 Mitchell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016-2021 Viktor Kirilov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 - 2018 Peter Melnichenko

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: rspamd

Source: <https://github.com/rspamd/rspamd>

Files: *

Copyright: 2008-2023 Vsevolod Stakhov <vsevolod@rspamd.com>

License: Apache-2.0

Files: contrib/lgpl/*

Copyright: 1999 - 2000 Tom Tromeey

2000, 2005 Red Hat, Inc.

2007 Emmanuele Bassi <ebassi@gnome.org>

License: LGPL-2+

Files: contrib/lgpl/gregex.*

Copyright: 1999 - 2000 Scott Wimer

2004 Matthias Clasen <mclasen@redhat.com>,

2005 - 2007 Marco Barisione <marco@barisione.org>

License: LGPL-2.1+

Files: contrib/uthash/*

Copyright: 2003-2013 Troy D. Hanson <http://troydhanson.github.com/uthash/>

License: BSD-1-Clause

Files: rules/regexp/*

Copyright: 2000-2012 The Apache Software Foundation

License: Apache-2.0

Files: contrib/http-parser/*

Copyright: 2002-2015 Igor Sysoev

Joyent, Inc. and other Node contributors

License: Expat

Files: contrib/libottery/*

Copyright: Nick Mathewson

License:

CC0

Files: contrib/libottery/chacha_merged.c

Copyright: Ted Krovetz <ted@krovetz.net>

D. J. Bernstein

License: public-domain

Files: contrib/lua-fun/*

Copyright: 2013 Roman Tsisyk <roman@tsisyk.com>

License: MIT

Files: contrib/publicsuffix/*

Copyright: 2007-2011, Mozilla Foundation.

License: MPL-2

Files: contrib/aho-corasick/*

Copyright: 2009-2014 Mischa Sandberg <mischasan@gmail.com>

License: LGPL-3+

Files: contrib/xxhash/xxhash.*

Copyright: 2012-2013, Yann Collet.

License: BSD-2-Clause

Files: contrib/snowball/*

Copyright: 2001-2015 Dr Martin Porter

2002-2015 Richard Boulton

License: BSD-2-Clause

Files: contrib/hiredis/*

Copyright: 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

License: BSD-3-Clause-Redis

Files: src/libutil/printf.c

Copyright: 2002-2015 Igor Sysoev

2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

License: BSD-2-Clause

Files: src/libserver/url.c
Copyright:
2002-2015 Igor Sysoev
2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: BSD-2-Clause

Files: src/plugins/lua/rbl.lua
Copyright: 2011-2015, Vsevolod Stakhov <vsevolod@rspamd.com>
2013-2015, Andrew Lewis <nerf@judo.za.org>
License: Apache-2.0

Files: doc/doxydown/*
Copyright: 2014, Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: interface/*
Copyright: 2012-2013 Anton Simonov <untone@gmail.com>
2014-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: contrib/cdb*
Copyright: Michael Tokarev <mjt@corpit.ru>
License: public-domain
Comment:
The exact meaning of "Public domain" mentioned in the file headers was taken from:
<http://www.corpit.ru/mjt/tinycdb.html>

Files: src/libcryptobox/curve25519/curve25519-donna*
Copyright: 2008, Google Inc.
License: BSD-3-Clause-Google

Files: src/libcryptobox/siphash/*
Copyright: 2015, Vsevolod Stakhov
2012-2014 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>
2012-2014 Daniel J. Bernstein <djb@cr.yp.to>
License: BSD-2-Clause

Files: src/libcryptobox/poly1305/*
Copyright: 2015, Andrew Moon
2015, Vsevolod Stakhov
License: MIT

Files: src/libcryptobox/chacha20/*
Copyright: 2015, Andrew Moon
2015, Vsevolod Stakhov
License: MIT

Files: debian/*

Copyright: 2011-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

2014-2015 Mikhail Gusarov <dottedmag@dottedmag.net>

License: BSD-2-Clause

License: public-domain

Public domain.

License: BSD-1-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Google

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions

of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Redis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific

prior written permission.

.
THIS SOFTWARE IS

PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: LGPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.
This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

.
You should have received a copy of the GNU Library General Public

License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file `~/usr/share/common-licenses/LGPL-2'`.

License: LGPL-2.1+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file `~/usr/share/common-licenses/LGPL-2.1'`.

License: LGPL-3+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 3 can be found in the file `~/usr/share/common-licenses/LGPL-3'`.

License: Apache-2.0

On Debian GNU/Linux system you can find the complete text of the Apache-2.0 license in ``/usr/share/common-licenses/Apache-2.0'`

License: CC0

This software has been dedicated to the public domain under the CC0 public domain dedication.

.

To the extent possible under law, the person who associated CC0 with libottery has waived all copyright and related or neighboring rights to libottery.

.

You should have received a copy of the CC0 legalcode along with this work in `doc/cc0.txt`. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

License:

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: MPL-2

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

MIT License

Copyright (c) 2019 Yibo Cai

Copyright (c) 2019 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017-2018, Marcin Konarski (amok at codestation.org)

Copyright (c) 2010, Salvatore Sanfilippo (antirez at gmail dot com)

Copyright (c) 2010, Pieter Noordhuis (pcnoordhuis at gmail dot com)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

wcwidth.cpp

=====

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author disclaims all warranties with regard to this software.

ConvertUTF.cpp

=====

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer,

must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copying

=====

****Lua Fun**** source codes, logo and documentation are distributed under the ****[MIT/X11 License]**** - same as Lua and LuaJIT.

Copyright (c) 2013 Roman Tsisyk <roman@tsisyk.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT/X11 License]: <http://www.opensource.org/licenses/mit-license.php>
Copyright (C) 2018 by Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes.

These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she

is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

All files in libev are

Copyright (c)2007,2008,2009,2010,2011,2012,2013 Marc Alexander Lehmann.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that

the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined

library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

http_parser.c is based on src/http/nginx_http_parse.c from NGINX copyright Igor Sysoev.

Additional changes are licensed under the same terms as NGINX and copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016-2018 Positive Technologies, <https://www.ptsecurity.com>,
Fast Positive Hash.

Portions Copyright (c) 2010-2013 Leonid Yuriev <leo@yuriev.ru>,
The IHippeus project (t1h).

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgement in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be

misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

1.211 snowball-stemmer 3.6-r1

1.211.1 Available under license :

MIT License

Copyright (c) 2022 Martin Leitner-Ankerl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific

prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2018-2019 Dana-Farber Cancer Institute
2016-2018 Broad Institute

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 cforler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

xxHash Library

Copyright (c) 2012-2014, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2007-2015 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

=====

Version 2.0, January 2004

<<http://www.apache.org/licenses/>>

Terms and Conditions for use, reproduction, and distribution

1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that

is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and

* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and

* **(c)** You must retain, in the Source form of any Derivative Works that You distribute,

all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

* **(d)** If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute,

alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License

does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The MIT License

Copyright (c) 2015-2018 Mitchell

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016-2021 Viktor Kirilov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 - 2018 Peter Melnichenko

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,

subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: rspamd

Source: <https://github.com/rspamd/rspamd>

Files: *

Copyright: 2008-2023 Vsevolod Stakhov <vsevolod@rspamd.com>

License: Apache-2.0

Files: contrib/lgpl/*

Copyright: 1999 - 2000 Tom Tromej

2000, 2005 Red Hat, Inc.

2007 Emmanuele Bassi <ebassi@gnome.org>

License: LGPL-2+

Files: contrib/lgpl/gregex.*

Copyright: 1999 - 2000 Scott Wimer

2004 Matthias Clasen <mclasen@redhat.com>,

2005 - 2007 Marco Barisione <marco@barisione.org>

License: LGPL-2.1+

Files: contrib/uthash/*

Copyright: 2003-2013 Troy D. Hanson <http://troydhanson.github.com/uthash/>

License: BSD-1-Clause

Files: rules/regexp/*

Copyright: 2000-2012 The Apache Software Foundation

License: Apache-2.0

Files: contrib/http-parser/*

Copyright: 2002-2015 Igor Sysoev

Joyent, Inc. and other Node contributors

License: Expat

Files: contrib/libottery/*

Copyright: Nick Mathewson

License:

CC0

Files: contrib/libottery/chacha_merged.c

Copyright: Ted Krovetz <ted@krovetz.net>

D. J. Bernstein

License: public-domain

Files: contrib/lua-fun/*

Copyright: 2013 Roman Tsisyk <roman@tsisyk.com>

License: MIT

Files: contrib/publicsuffix/*

Copyright: 2007-2011, Mozilla Foundation.

License: MPL-2

Files: contrib/aho-corasick/*

Copyright: 2009-2014 Mischa Sandberg <mischasan@gmail.com>

License: LGPL-3+

Files: contrib/xxhash/xxhash.*

Copyright: 2012-2013, Yann Collet.

License: BSD-2-Clause

Files: contrib/snowball/*

Copyright: 2001-2015 Dr Martin Porter

2002-2015 Richard Boulton

License: BSD-2-Clause

Files: contrib/hiredis/*

Copyright: 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

License: BSD-3-Clause-Redis

Files: src/libutil/printf.c

Copyright: 2002-2015 Igor Sysoev

2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

License: BSD-2-Clause

Files: src/libserver/url.c

Copyright:

2002-2015 Igor Sysoev

2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

License: BSD-2-Clause

Files: src/plugins/lua/rbl.lua

Copyright: 2011-2015, Vsevolod Stakhov <vsevolod@rspamd.com>

2013-2015, Andrew Lewis <nerf@judo.za.org>

License: Apache-2.0

Files: doc/doxydown/*
Copyright: 2014, Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: interface/*
Copyright: 2012-2013 Anton Simonov <untone@gmail.com>
2014-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: contrib/cdb*
Copyright: Michael Tokarev <mjt@corpit.ru>
License: public-domain
Comment:
The exact meaning of "Public domain" mentioned in the file headers was taken from:
<http://www.corpit.ru/mjt/tinycdb.html>

Files: src/libcryptobox/curve25519/curve25519-donna*
Copyright: 2008, Google Inc.
License: BSD-3-Clause-Google

Files: src/libcryptobox/siphash/*
Copyright: 2015, Vsevolod Stakhov
2012-2014 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>
2012-2014 Daniel J. Bernstein <djb@cr.yp.to>
License: BSD-2-Clause

Files: src/libcryptobox/poly1305/*
Copyright: 2015, Andrew Moon
2015, Vsevolod Stakhov
License: MIT

Files: src/libcryptobox/chacha20/*
Copyright: 2015, Andrew Moon
2015, Vsevolod Stakhov
License: MIT

Files: debian/*
Copyright: 2011-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
2014-2015 Mikhail Gusarov <dottedmag@dottedmag.net>
License: BSD-2-Clause

License: public-domain
Public domain.

License: BSD-1-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Google

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions

of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Redis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON

ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: LGPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

.

You should have received a copy of the GNU Library General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file `~/usr/share/common-licenses/LGPL-2'`.

License: LGPL-2.1+

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file `~/usr/share/common-licenses/LGPL-2.1'`.

License: LGPL-3+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.
This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU Library General Public License version 3 can be found in the file `~/usr/share/common-licenses/LGPL-3'`.

License: Apache-2.0

On Debian GNU/Linux system you can find the complete text of the Apache-2.0 license in `~/usr/share/common-licenses/Apache-2.0'`

License: CC0

This software has been dedicated to the public domain under the CC0 public domain dedication.

.
To the extent possible under law, the person who associated CC0 with libottery has waived all copyright and related or neighboring rights

to libottery.

.
You should have received a copy of the CC0 legalcode along with this work in doc/cc0.txt. If not, see
<<http://creativecommons.org/publicdomain/zero/1.0/>>.

License:

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: MPL-2

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

MIT License

Copyright (c) 2019 Yibo Cai

Copyright (c) 2019 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017-2018, Marcin Konarski (amok at codestation.org)

Copyright (c) 2010, Salvatore Sanfilippo (antirez at gmail dot com)

Copyright (c) 2010, Pieter Noordhuis (pcnoordhuis at gmail dot com)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

wcwidth.cpp

=====

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author disclaims all warranties with regard to this software.

ConvertUTF.cpp

=====

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source

code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE

FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copying

=====

****Lua Fun**** source codes, logo and documentation are distributed under the ****[MIT/X11 License]**** - same as Lua and LuaJIT.

Copyright (c) 2013 Roman Tsisyk <roman@tsisyk.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT/X11 License]: <http://www.opensource.org/licenses/mit-license.php>
Copyright (C) 2018 by Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable

law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

All files in libev are

Copyright (c)2007,2008,2009,2010,2011,2012,2013 Marc Alexander Lehmann.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application

that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the

copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

http_parser.c is based on src/http/nginx_http_parse.c from NGINX copyright Igor Sysoev.

Additional changes are licensed under the same terms as NGINX and copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016-2018 Positive Technologies, <https://www.ptsecurity.com>,
Fast Positive Hash.

Portions Copyright (c) 2010-2013 Leonid Yuriev <leo@yuriev.ru>,
The 1Hippeus project (t1h).

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgement in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

1.212 libev 4.25

1.212.1 Available under license :

All files in libev are

Copyright (c)2007,2008,2009,2010,2011,2012,2013 Marc Alexander Lehmann.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

1.213 openssl 3.1.7-r0

1.213.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the

source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all

third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program `Gnomovision' (a program to direct compilers to make passes  
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice
```

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified

Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.214 expat 2.6.3-r0

1.214.1 Available under license :

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.215 tre 0.7.6

1.215.1 Available under license :

Font Awesome Free License

Font Awesome Free is free, open source, and GPL friendly. You can use it for commercial projects, open source projects, or really almost whatever you want.

Full Font Awesome Free license: <https://fontawesome.com/license/free>.

Icons: CC BY 4.0 License (<https://creativecommons.org/licenses/by/4.0/>)

In the Font Awesome Free download, the CC BY 4.0 license applies to all icons packaged as SVG and JS file types.

Fonts: SIL OFL 1.1 License (<https://scripts.sil.org/OFL>)

In the Font Awesome Free download, the SIL OFL license applies to all icons packaged as web and desktop font files.

Code: MIT License (<https://opensource.org/licenses/MIT>)

In the Font Awesome Free download, the MIT license applies to all non-font and

non-icon files.

Attribution

Attribution is required by MIT, SIL OFL, and CC BY licenses. Downloaded Font Awesome Free files already contain embedded comments with sufficient attribution, so you shouldn't need to do anything additional when using these files normally.

We've kept attribution comments terse, so we ask that you do not actively work to remove them from files, especially code. They're a great way for folks to learn about Font Awesome.

Brand Icons

All brand icons are trademarks of their respective owners. The use of these trademarks does not indicate endorsement of the trademark holder by Font Awesome, nor vice versa. ****Please do not use brand logos for any purpose except to represent the company, product, or service to which they refer.****
The MIT License (MIT)

Copyright (c) 2013

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the `node_modules` and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

MIT

MIT License

Copyright (c) 2017-2022 InvenTree

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.216 python 3.11.10-r0

1.216.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other

than Microsoft operating systems, run-time technologies or application platforms; or

- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Markku-Juhani O. Saarinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		

PSF yes

Footnotes:

- (1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.
- (2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated

documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive,

Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply,

by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution

notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.217 redis 5.0.1

1.217.1 Available under license :

Lua License

Lua is licensed under the terms of the MIT license reproduced below.
This means that Lua is free software and can be used for both academic and commercial purposes at absolutely no cost.

For details and rationale, see <http://www.lua.org/license.html> .

=====

Copyright (C) 1994-2012 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

(end of COPYRIGHT)

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2006-2015, Salvatore Sanfilippo

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise specified, files in the jemalloc source distribution are subject to the following license:

Copyright (C) 2002-2018 Jason Evans <jasone@canonware.com>.

All rights reserved.

Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.

Copyright (C) 2009-2018 Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s), this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.218 ucl 3.6-r1

1.218.1 Available under license :

MIT License

Copyright (c) 2022 Martin Leitner-Ankerl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2018-2019 Dana-Farber Cancer Institute

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 cforler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

xxHash Library

Copyright (c) 2012-2014, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2007-2015 Lua.org, PUC-Rio.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

=====

Version 2.0, January 2004

<<http://www.apache.org/licenses/>>

Terms and Conditions for use, reproduction, and distribution

1. Definitions

License shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

Licensor shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

Legal Entity shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, control means **(i)** the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or **(ii)** ownership of fifty percent (50%) or more of the outstanding shares, or **(iii)** beneficial ownership of such entity.

You (or Your) shall mean an individual or Legal Entity exercising permissions granted by this License.

Source form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

Object form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

Work shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

Derivative Works shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

Contribution shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, submitted means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for

the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as Not a Contribution.

Contributor shall mean Licensor
and any individual or Legal Entity on behalf
of whom a Contribution has been received by Licensor and subsequently
incorporated within the Work.

2. Grant of Copyright License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

* **(a)** You must give any other recipients of the Work or Derivative Works a copy of this License; and

* **(b)** You must cause any modified files to carry prominent notices stating that You changed the files; and

* **(c)** You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

* **(d)** * If the Work includes a NOTICE text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree

to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The MIT License

Copyright (c) 2015-2018 Mitchell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016-2021 Viktor Kirilov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 - 2018 Peter Melnichenko

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: rspamd

Source: <https://github.com/rspamd/rspamd>

Files: *
Copyright: 2008-2023 Vsevolod Stakhov <vsevolod@rspamd.com>
License: Apache-2.0

Files: contrib/lvgl/*
Copyright: 1999 - 2000 Tom Tromeey
2000, 2005 Red Hat, Inc.
2007 Emmanuele Bassi <ebassi@gnome.org>
License: LGPL-2+

Files: contrib/lvgl/gregex.*
Copyright: 1999 - 2000 Scott Wimer
2004 Matthias Clasen <mclasen@redhat.com>,
2005 - 2007 Marco Barisione <marco@barisione.org>
License: LGPL-2.1+

Files: contrib/uthash/*
Copyright: 2003-2013 Troy D. Hanson <http://troydhanson.github.com/uthash/>
License: BSD-1-Clause

Files: rules/regexp/*
Copyright: 2000-2012 The Apache Software Foundation
License: Apache-2.0

Files: contrib/http-parser/*
Copyright: 2002-2015 Igor Sysoev
Joyent, Inc. and other Node contributors
License: Expat

Files: contrib/libottery/*
Copyright: Nick Mathewson
License:
CC0

Files: contrib/libottery/chacha_merged.c
Copyright: Ted Krovetz <ted@krovetz.net>
D. J. Bernstein
License: public-domain

Files: contrib/lua-fun/*
Copyright: 2013 Roman Tsisyk <roman@tsisyk.com>
License: MIT

Files: contrib/publicsuffix/*
Copyright: 2007-2011, Mozilla Foundation.
License: MPL-2

Files: contrib/aho-corasick/*
Copyright: 2009-2014 Mischa Sandberg <mischasan@gmail.com>
License: LGPL-3+

Files: contrib/xxhash/xxhash.*
Copyright: 2012-2013, Yann Collet.
License: BSD-2-Clause

Files: contrib/snowball/*
Copyright: 2001-2015 Dr Martin Porter
2002-2015 Richard Boulton
License: BSD-2-Clause

Files: contrib/hiredis/*
Copyright: 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>
2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>
License: BSD-3-Clause-Redis

Files: src/libutil/printf.c
Copyright: 2002-2015 Igor Sysoev
2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: BSD-2-Clause

Files: src/libserver/url.c
Copyright:
2002-2015 Igor Sysoev
2010-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: BSD-2-Clause

Files: src/plugins/lua/rbl.lua
Copyright: 2011-2015, Vsevolod Stakhov <vsevolod@rspamd.com>
2013-2015, Andrew Lewis <nerf@judo.za.org>
License: Apache-2.0

Files: doc/doxydown/*
Copyright: 2014, Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: interface/*
Copyright: 2012-2013 Anton Simonov <untone@gmail.com>
2014-2015 Vsevolod Stakhov <vsevolod@rspamd.com>
License: MIT

Files: contrib/cdb*
Copyright: Michael Tokarev <mjt@corpit.ru>
License: public-domain
Comment:

The exact meaning of "Public domain" mentioned in the file headers was taken from:

<http://www.corpit.ru/mjt/tinycdb.html>

Files: src/libcryptobox/curve25519/curve25519-donna*

Copyright: 2008, Google Inc.

License: BSD-3-Clause-Google

Files: src/libcryptobox/siphash/*

Copyright: 2015, Vsevolod Stakhov

2012-2014 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

2012-2014 Daniel J. Bernstein <djb@cr.yp.to>

License: BSD-2-Clause

Files: src/libcryptobox/poly1305/*

Copyright: 2015, Andrew Moon

2015, Vsevolod Stakhov

License: MIT

Files: src/libcryptobox/chacha20/*

Copyright: 2015, Andrew Moon

2015, Vsevolod Stakhov

License: MIT

Files: debian/*

Copyright: 2011-2015 Vsevolod Stakhov <vsevolod@rspamd.com>

2014-2015 Mikhail Gusarov <dottedmag@dottedmag.net>

License: BSD-2-Clause

License: public-domain

Public domain.

License: BSD-1-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Google

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause-Redis

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.
Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.
Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.
THIS SOFTWARE IS

PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: LGPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file `~/usr/share/common-licenses/LGPL-2'`.

License: LGPL-2.1+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the full text of the GNU Library General Public License version 2 can be found in the file

`/usr/share/common-licenses/LGPL-2.1'.

License: LGPL-3+

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU Library General Public License version 3 can be found in the file
`/usr/share/common-licenses/LGPL-3'.

License: Apache-2.0

On Debian GNU/Linux system you can find the complete text of the Apache-2.0 license in `/usr/share/common-licenses/Apache-2.0'

License: CC0

This software has been dedicated to the public domain under the CC0 public domain dedication.

.

To the extent possible under law, the person who associated CC0 with libottery has waived all copyright and related or neighboring rights to libottery.

.

You should have received a copy of the CC0 legalcode along with this work in doc/cc0.txt. If not, see
<<http://creativecommons.org/publicdomain/zero/1.0/>>.

License:

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: MPL-2

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

MIT License

Copyright (c) 2019 Yibo Cai

Copyright (c) 2019 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Vsevolod Stakhov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017-2018, Marcin Konarski (amok at codestation.org)

Copyright (c) 2010, Salvatore Sanfilippo (antirez at gmail dot com)

Copyright (c) 2010, Pieter Noordhuis (pcnoordhuis at gmail dot com)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

wcwidth.cpp

=====

Markus Kuhn -- 2007-05-26 (Unicode 5.0)

Permission to use, copy, modify, and distribute this software for any purpose and without fee is hereby granted. The author disclaims all warranties with regard to this software.

ConvertUTF.cpp

=====

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source

code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Copyright (c) 2009-2011, Salvatore Sanfilippo <antirez at gmail dot com>

Copyright (c) 2010-2011, Pieter Noordhuis <pcnoordhuis at gmail dot com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Redis nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copying

=====

****Lua Fun**** source codes, logo and documentation are distributed under the ****[MIT/X11 License]**** - same as Lua and LuaJIT.

Copyright (c) 2013 Roman Tsisyk <roman@tsisyk.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[MIT/X11 License]: <http://www.opensource.org/licenses/mit-license.php>
Copyright (C) 2018 by Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons")

that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned,

- surrendered, licensed or otherwise affected
by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
 - c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
 - d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

All files in libev are

Copyright (c)2007,2008,2009,2010,2011,2012,2013 Marc Alexander Lehmann.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms

of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Quarkslab

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License,

other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object

code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version

of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser

General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

http_parser.c is based on src/http/nginx_http_parse.c from NGINX copyright Igor Sysoev.

Additional changes are licensed under the same terms as NGINX and copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016-2018 Positive Technologies, <https://www.ptsecurity.com>,
Fast Positive Hash.

Portions Copyright (c) 2010-2013 Leonid Yuriev <leo@yuriev.ru>,
The 1Hippeus project (t1h).

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgement in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

1.219 utils 0.0.0-20240902221715-702e33fdd3c3

1.219.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.220 azure-amqp-common-go 3.1.2

1.220.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.221 azure-go-amqp 0.13.13

1.221.1 Available under license :

MIT License

Copyright (C) 2017 Kale Blankenship
Portions Copyright (C) Microsoft Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

1.222 kubernetes-apimachinery 0.22.17

1.222.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.223 kubernetes-api 0.22.17

1.223.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.224 aws-aws-sdk-go-v2-feature-s3-manager

1.11.92

1.224.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license. If the account that created the license is
// the same that is performing the check out, you must specify the account as the
// beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
    if params == nil {
        params = &CheckoutLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
    if
    err != nil {
        return nil, err
    }

    out := result.(*CheckoutLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CheckoutLicenseInput struct {

    // Checkout type.
    //
    // This member is required.
    CheckoutType types.CheckoutType

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
```

```

// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time
at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn *string

// License consumption token.

```

```

LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutLicenseResolveEndpointMiddleware(stack, options);
err != nil {
    return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,

```

```

ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "CheckoutLicense",
}
}

type opCheckoutLicenseResolveEndpointMiddleware
struct {
EndpointResolver EndpointResolverV2
BuiltInResolver builtInParameterResolver
}

func (*opCheckoutLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil
{
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(

```

```

k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme
:= range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
}
}

```

```

    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme,
_ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

```

```

func addCheckoutLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return stack.Serialize.Insert(&opCheckoutLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver:
        &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}

```

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

name: License Scan

on: [pull_request]

jobs:

licensescan:

name: License Scan


```

runs-on: ubuntu-latest
strategy:
  matrix:
    python-version: [3.9]

steps:
  - name: Checkout target
    uses: actions/checkout@v2
    with:
      path: sdkbase
      ref: ${ github.base_ref }
  - name: Checkout this ref
    uses: actions/checkout@v2
    with:
      path: new-ref
      fetch-depth: 0
  - name: Get Diff
    run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }
    ${{ github.sha }} > refDiffFiles.txt
  - name: Get Target Files
    run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
  - name: Checkout scancode
    uses: actions/checkout@v2
    with:
      repository: nexB/scancode-toolkit
      path: scancode-toolkit
      fetch-depth: 1
  - name: Set up Python ${ matrix.python-version }
    uses: actions/setup-python@v2
    with:
      python-version: ${ matrix.python-version }
  # ScanCode
  - name: Self-configure scancode
    working-directory: ./scancode-toolkit
    run: ./scancode --help
  - name: Run Scan code on target
    run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
    toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
  - name: Run Scan code on pr ref
    run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
    toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
  # compare
  - name: License test
    run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
    are the same. Success."; exit 0; fi
  {
    "smithy": "2.0",
    "shapes": {

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
  "type": "integer"
},
"com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
  "type": "long"
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of name to filter by.</p>"
      }
    },
    "Values": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
      }
    },
    "Operator": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
      "traits": {
        "smithy.api#documentation": "<p>An operator for filtering results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n  Filters can be used to match a set of resources by specific criteria.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
  }
},

```

```

"errors": [
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/subscription/GetServiceSettings"
  },
  "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
  "type": "structure",
  "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
      }
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
    }
  }
}

```

```

    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n  subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
  "type": "structure",
  "members": {
    "AmiId": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
      }
    },
    "InstanceID": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
      }
    },
    "InstanceType": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The instance type of the resource.</p>"
      }
    }
  },
  "AccountID": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
    }
  },
  "Status": {
    "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The status of the instance.</p>"
    }
  },
  "Region": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
    }
  },
  "UsageOperation": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n    <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n    operation values</a> in the <i>License Manager User
Guide</i>.</p>"
    }
  },
  "ProductCode": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
    "traits": {
      "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n    operation values</a> in the <i>License Manager User Guide</i> .</p>"
    }
  },
  "LastUpdatedTime": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
    }
  },
  "SubscriptionName": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
},
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
    "smithy.api#error": "server"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
  "type": "service",
  "version": "2018-05-10",
  "operations": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager Linux Subscriptions",
      "arnNamespace": "license-manager-linux-subscriptions",
      "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
    },
    "aws.auth#sigv4": {
      "name": "license-manager-linux-subscriptions"
    },
    "aws.protocols#restJson1": {},
    "smithy.api#cors": {
      "additionalAllowedHeaders": [
        "*",
        "content-type",

```

```

    "x-amz-content-sha256",
    "x-amz-user-agent",
    "x-amzn-platform-id",
    "x-amzn-trace-id",
    "content-length",
    "x-api-key",
    "authorization",
    "x-amz-date",

    "x-amz-security-token",
    "Access-Control-Allow-Headers",
    "Access-Control-Allow-Methods",
    "Access-Control-Allow-Origin"
  ],
  "additionalExposedHeaders": [
    "x-amzn-errortype",
    "x-amzn-requestid",
    "x-amzn-trace-id"
  ]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The
AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

```

```

"type": "Boolean"
  },
  "Endpoint": {
    "builtIn": "SDK::Endpoint",
    "required": false,
    "documentation": "Override the endpoint used to send this request",
    "type": "String"
  }
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  },
  {
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseFIPS"
              },
              true
            ]
          }
        ],
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
        "type": "error"
      },
      {
        "conditions": [],
        "type": "tree",
        "rules": [
          {
            "conditions": [
              {
                "fn": "booleanEquals",

```



```

        "argv": [
            {
                "ref": "UseDualStack"
            },
            true
        ]
    },
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],

"endpoint": {
    "url": {
        "ref": "Endpoint"
    },
    "properties": {},
    "headers": {}
},
    "type": "endpoint"
}
]
}
],
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "isSet",

"argv": [
            {
                "ref": "Region"
            }
        ]
    }
],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {

```

```

        "fn": "aws.partition",
        "argv": [
            {
                "ref": "Region"
            }
        ],
"assign": "PartitionResult"
    }
],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ],
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
"type": "tree",
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {
                                "ref": "PartitionResult"
                            }
                        ]
                    }
                ]
            }
        ]
    }
]

```

```

        },
        "supportsFIPS"
    ]
}

    ]
},
{
    "fn": "booleanEquals",
    "argv": [
        true,
        {
            "fn": "getAttr",
            "argv": [
                {
                    "ref": "PartitionResult"
                },
            ],
        },
    ],
    "supportsDualStack"
    ]
}
]
},
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
]
},
{
    "conditions": [],

```

one or both",

```
        "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
        "type": "error"
    }
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseFIPS"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                "supportsFIPS"
                            ]
                        }
                    ]
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "type": "tree",
            "rules": [
                {
```

```

        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
]
}
]
},
{
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
}
]

```

},

```

{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                }
                            ]
                        }
                    ]
                }
            ]
        }
    ]
}

```

```

        },
        "supportsDualStack"
    ]
}
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "type": "tree",
        "rules": [
            {
                "conditions": [],

                "endpoint": {
                    "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ]
    }
],
},
{
    "conditions": [],
    "error": "DualStack is enabled but this partition does not support DualStack",
    "type": "error"
}
],
},
{
    "conditions": [],
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
                "properties": {},
                "headers": {}
            },
        },
    ],
}

```

```

                "type": "endpoint"
            }
        ]
    }
}
],
{
    "conditions": [],
    "error": "Invalid Configuration: Missing Region",
    "type": "error"
}
]
}
]
},
"smithy.rules#endpointTests": {
    "testCases": [
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": true
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
            "expect": {
                "endpoint": {
                    "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
                }
            },
            "params": {
                "Region": "us-east-1",
                "UseFIPS": true,
                "UseDualStack": false
            }
        },
        {
            "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": true
}
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {

"url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {
    "Region": "cn-north-1",
    "UseFIPS": true,

```



```

        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint":
            {
                "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
            }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
        }
    }
}

```

```

    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint":
{
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
  }
},
"params": {
  "Region": "us-iso-east-1",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
}

```

```

"documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
    }
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
}

```

```

    {
      "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
      "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
      }
    },
    {
      "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
        }
      },
      "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
      "expect": {
        "endpoint": {
          "url": "https://example.com"
        }
      },
      "params": {
        "Region": "us-east-1",

```

```

        "UseFIPS": false,
        "UseDualStack": false,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

```

```

"expect": {
    "endpoint": {
        "url": "https://example.com"
    }
},
"params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
}
},
{
    "documentation": "For custom endpoint with fips enabled and dualstack disabled",
    "expect": {
        "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false,

"Endpoint": "https://example.com"
    }
},
{
    "documentation": "For custom endpoint with fips disabled and dualstack enabled",
    "expect": {
        "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {

```

```

        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
      {
        "name": "Enabled",
        "value": "Enabled",
        "documentation": "Enabled LinuxSubscriptionsDiscovery"
      },
      {
        "name": "Disabled",
        "value": "Disabled",
        "documentation": "Disabled LinuxSubscriptionsDiscovery"
      }
    ]
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
  "type": "structure",
  "members": {
    "SourceRegions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
      "traits": {
        "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
        "smithy.api#required": {}
      }
    },
    "OrganizationIntegration": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
      "traits": {
        "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
}

```

```

    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
    "type":
"operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n  subscriptions.</p>",
      "smithy.api#http": {

"code": 200,
      "method": "POST",
      "uri": "/subscription/ListLinuxSubscriptionInstances"
    },
    "smithy.api#idempotent": {},
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "Instances"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by

```

```

the name of AmiID with an optional operator to see subscriptions that match, partially
match, or don't match a certain Amazon Machine Image (AMI) ID.
The valid names for this filter
are:


- AmiID
- InstanceID
- AccountID
- Status
- Region
- UsageOperation
- ProductCode
- InstanceType


The valid Operators for this
filter are:


- contains
- equals
- Notequal


}
},
"MaxResults": {
  "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
  "traits": {
    "smithy.api#documentation": "Maximum number of results to return in a single call."
  }
},
"NextToken": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "Token for the next set of results.",
    "smithy.api#length": {
      "min": 1,
      "max": 16384
    }
  }
},
"traits": {
  "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.
Increase this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
  "type": "structure",
  "members": {
    "Instances": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
      "traits": {
        "smithy.api#documentation":
"An array that contains instance objects."
      }
    }
  }
},

```



```

    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n  organization, the returned results will include data aggregated across your accounts in\n  Organizations.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/subscription/ListLinuxSubscriptions"
      },
      "smithy.api#idempotent": {},
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "Subscriptions"
      }
    }
  },
  "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
    "type": "structure",

```

```

"members": {
  "Filters": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n  more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n  partially match, or don't
match a certain subscription's name.</p>\n  <p>The valid names for this filter are:</p>\n  <ul>\n
<li>\n    <p>\n      <code>Subscription</code>\n    </p>\n  </li>\n  </ul>\n
<p>The valid Operators for this filter are:</p>\n
  <ul>\n
  <li>\n    <p>\n      <code>contains</code>\n    </p>\n  </li>\n
  <li>\n    <p>\n      <code>equals</code>\n    </p>\n  </li>\n
  <li>\n    <p>\n      <code>Notequal</code>\n    </p>\n  </li>\n  </ul>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>",
      "smithy.api#length": {
        "min": 1,
        "max": 16384
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "Subscriptions": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
      "traits": {
        "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
      }
    },
    "NextToken": {

```

```

        "target": "smithy.api#String",
        "traits": {
            "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
    }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "EQUAL",
                "value": "Equal",
                "documentation": "Equal operator"
            },
            {
                "name": "NOT_EQUAL",
                "value": "NotEqual",
                "documentation": "Not equal operator"
            },
            {
                "name": "CONTAINS",
                "value": "Contains",
                "documentation": "Contains operator"
            }
        ],
        "smithy.api#length": {
            "min": 1,
            "max": 20
        }
    }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
    "type": "string",
    "traits": {
        "smithy.api#enum": [
            {
                "name": "Enabled",
                "value": "Enabled",
                "documentation": "Enabled OrganizationIntegration"
            },
            {
                "name": "Disabled",
                "value": "Disabled",
                "documentation": "Disabled OrganizationIntegration"
            }
        ]
    }
}

```

```

    }
  ]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
  "type": "string",
  "traits": {
    "smithy.api#enum": [
{
    "name": "InProgress",
    "value": "InProgress",
    "documentation": "InProgress status"
  },
  {
    "name": "Completed",
    "value": "Completed",
    "documentation": "Completed status"
  },
  {
    "name": "Successful",
    "value": "Successful",
    "documentation": "Successful status"
  },
  {
    "name": "Failed",
    "value": "Failed",
    "documentation": "Failed status"
  }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
  "type": "list",
  "member": {
    "target": "smithy.api#String",
    "traits":
{
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
}
}

```

```

    }
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    },
    "smithy.api#uniqueItems": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
  "type": "map",
  "key": {
    "target": "smithy.api#String"
  },
  "value": {
    "target": "smithy.api#String"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the subscription.</p>"
      }
    },
    "Type": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n  Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n  Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
      }
    },
    "InstanceCount": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>An object which details a discovered Linux

```

```

subscription.</p>"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/subscription/UpdateServiceSettings"
    }
  },

```

```

    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
        "smithy.api#required": {}
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n  integration has been enabled, and which Regions data will be aggregated from.</p>",
        "smithy.api#required": {}
      }
    },
    "AllowUpdate": {
      "target": "smithy.api#Boolean",
      "traits": {
        "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n  allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {
    "LinuxSubscriptionsDiscovery": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
      "traits": {
        "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
      }
    },
    "LinuxSubscriptionsDiscoverySettings": {
      "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
      "traits": {
        "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The

```

settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"

```
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
    "traits": {
      "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
    }
  },
  "StatusMessage": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
    "traits": {
      "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
    }
  },
  "HomeRegions": {
    "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
    }
  }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
    "smithy.api#error": "client"
  }
}
}
```

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```
import (
  "context"
  "errors"
```



```

"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
    if params == nil {
        params = &DisassociateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DisassociateLicenseOutput)
    out.ResultMetadata
    = metadata
    return out, nil
}

type DisassociateLicenseInput struct {

    // The type of license to remove from the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to remove the Grafana Enterprise license from.
    //
    // This member is required.
    WorkspaceId *string

    noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

    // A structure containing information about the workspace.

```

```

//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addDisassociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "grafana",
}
}

```

```

    OperationName: "DisassociateLicense",
  }
}

type opDisassociateLicenseResolveEndpointMiddleware struct {
  EndpointResolver EndpointResolverV2
  BuiltInResolver  builtInParameterResolver
}

func (*opDisassociateLicenseResolveEndpointMiddleware) ID() string {
  return "ResolveEndpointV2"
}

func (m *opDisassociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
  out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
  if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
    return next.HandleSerialize(ctx, in)
  }

  req, ok := in.Request.(*smithyhttp.Request)
  if !ok {
    return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
  }

  if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to
not be nil")
  }

  params := EndpointParameters{}

  m.BuiltInResolver.ResolveBuiltIns(&params)

  var resolvedEndpoint smithyendpoints.Endpoint
  resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
  if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
  }

  req.URL = &resolvedEndpoint.URI

  for k := range resolvedEndpoint.Headers {
    req.Header.Set(
      k,
      resolvedEndpoint.Headers.Get(k),
    )
  }
}

```

```

}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }

    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err,
&ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {
            // The signer sets an equivalent value at client initialization time.
            // Setting this context value will cause the signer to extract it
            // and override the value set at client initialization time.
            ctx = internalauth.SetDisableDoubleEncoding(ctx,
*v4Scheme.DisableDoubleEncoding)
        }
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
}

```

```

break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("grafana")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func
addDisassociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDisassociateLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"

```

```

smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
    if params == nil {
        params = &GetLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*GetLicenseOutput)
    out.ResultMetadata = metadata
    return out,
    nil
}

type GetLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

    // License version.
    Version *string

    noSmithyDocumentSerde
}

type GetLicenseOutput struct {

    // License details.
    License *types.License

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if
    err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
        return err
    }
    if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
        return err
    }
    if err = addClientUserAgent(stack, options); err != nil {
        return err
    }
    if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
        return err
    }
}

```



```

}
if err = addGetLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err !=
nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "GetLicense",
    }
}

```

```

type opGetLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

```

```

func
(*opGetLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

```

```

func (m *opGetLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for
    k := range resolvedEndpoint.Headers {
        req.Header.Set(
            k,
            resolvedEndpoint.Headers.Get(k),
        )
    }

    authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
    if err != nil {
        var nfe *internalauth.NoAuthenticationSchemesFoundError
        if errors.As(err, &nfe) {
            // if no auth scheme is found, default to sigv4
            signingName := "license-manager"
            signingRegion := m.BuiltInResolver.(*builtInResolver).Region
            ctx = awsmiddleware.SetSigningName(ctx, signingName)
            ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
        }
    }

```

```

}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var
signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName ==
nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
}
}

```

```

    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addGetLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opGetLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:
            options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:  options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
    if params == nil {
        params = &CheckoutBorrowLicenseInput{}
    }
}

```

```
result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
    return nil, err
}
```

```
out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata
= metadata
return out, nil
}
```

```
type CheckoutBorrowLicenseInput struct {
```

```
// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
```

```
//
```

```
// This member is required.
```

```
ClientToken *string
```

```
// Digital signature method. The possible value is JSON Web Signature (JWS)
```

```
// algorithm PS384. For more information, see RFC 7518 Digital Signature with
```

```
// RSASSA-PSS (https://tools.ietf.org/html/rfc7518#section-3.5) .
```

```
//
```

```
// This member is required.
```

```
DigitalSignatureMethod types.DigitalSignatureMethod
```

```
// License entitlements. Partial checkouts are not supported.
```

```
//
```

```
// This member is required.
```

```
Entitlements []types.EntitlementData
```

```
// Amazon Resource Name (ARN) of the license. The license must use the borrow
```

```
// consumption configuration.
```

```
//
```

```
// This member is required.
```

```
LicenseArn *string
```

```
// Information about constraints.
```

```
CheckoutMetadata []types.Metadata
```

```
// Node ID.
```

```
NodeId *string
```

```
noSmithyDocumentSerde
```

```
}
```

```
type
```

```

CheckoutBorrowLicenseOutput struct {

    // Information about constraints.
    CheckoutMetadata []types.Metadata

    // Allowed license entitlements.
    EntitlementsAllowed []types.EntitlementData

    // Date and time at which the license checkout expires.
    Expiration *string

    // Date and time at which the license checkout is issued.
    IssuedAt *string

    // Amazon Resource Name (ARN) of the license.
    LicenseArn *string

    // License consumption token.
    LicenseConsumptionToken *string

    // Node ID.
    NodeId *string

    // Signed token.
    SignedToken *string

    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{ },
middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckoutBorrowLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "CheckoutBorrowLicense",
}
}

type opCheckoutBorrowLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckoutBorrowLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opCheckoutBorrowLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {

```



```

return out, metadata,
fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:

```

```

v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the
value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addCheckoutBorrowLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckoutBorrowLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,

```

```

BuiltInResolver: &builtInResolver{
  Region:  options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:  options.EndpointOptions.UseFIPSEndpoint,
  Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
  "context"
  "errors"
  "fmt"
  "github.com/aws/aws-sdk-go-v2/aws"
  awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
  "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
  internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
  "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
  smithyendpoints "github.com/aws/smithy-go/endpoints"
  "github.com/aws/smithy-go/middleware"
  smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
  if params == nil {
    params = &ListLicensesInput{}
  }

  result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
  if err != nil {
    return nil, err
  }

  out := result.(*ListLicensesOutput)
  out.ResultMetadata = metadata
  return out, nil
}

type
ListLicensesInput struct {

// Filters to scope the results. The following filters are supported:

```

```

// - Beneficiary
// - ProductSKU
// - Fingerprint
// - Status
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{ }, middleware.After)
if
err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {

```

```

return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID:
ServiceID,
SigningName: "license-manager",
OperationName: "ListLicenses",
}
}

type opListLicensesResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opListLicensesResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opListLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

```

```

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint
smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the
            client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "license-manager"

```

```

    } else {
        signingName = *v4Scheme.SigningName
    }
    if v4Scheme.SigningRegion == nil {
        signingRegion = m.BuiltInResolver.(*builtInResolver).Region
    } else {
        signingRegion = *v4Scheme.SigningRegion
    }
    if v4Scheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx,
signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

```

```

func addListLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options)
error {
return stack.Serialize.Insert(&opListLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:   options.EndpointOptions.UseFIPSEndpoint,

```



```

    Endpoint: options.BaseEndpoint,
  },
  }, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
    if params == nil {
        params = &DeleteLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*DeleteLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
DeleteLicenseInput struct {

    // Amazon Resource Name (ARN) of the license.
    //
    // This member is required.
    LicenseArn *string

```

```

// Current version of the license.
//
// This member is required.
SourceVersion *string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {

```

```

return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addDeleteLicenseResolveEndpointMiddleware(stack,
options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```

```

}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "license-manager",
OperationName: "DeleteLicense",
}
}

type
opDeleteLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opDeleteLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opDeleteLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx,
params)
if err != nil {

```

```

return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
}
var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
"This operation requests signer version(s) %v but the client only supports %v",
ue.UnsupportedSchemes,
internalauth.SupportedSchemes,
)
}
}

for
_, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
}
}

```

```

}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case
*internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addDeleteLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opDeleteLicenseResolveEndpointMiddleware{
EndpointResolver:
options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region: options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS: options.EndpointOptions.UseFIPSEndpoint,
Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)  
  
// Checks in the specified license. Check in a license when it is no longer in use.  
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))  
(*CheckInLicenseOutput, error) {  
    if params == nil {  
        params = &CheckInLicenseInput{}  
    }  
}
```

```

    result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CheckInLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type
CheckInLicenseInput struct {

    // License consumption token.
    //
    // This member is required.
    LicenseConsumptionToken *string

    // License beneficiary.
    Beneficiary *string

    noSmithyDocumentSerde
}

type CheckInLicenseOutput struct {
    // Metadata pertaining to the operation's result.
    ResultMetadata middleware.Metadata

    noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
}

```



```

if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack);
err != nil {
    return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
    return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
    return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
    return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addCheckInLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
    return err
}
if
err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addEndpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
    return &awsmiddleware.RegisterServiceMetadata{
        Region:    region,
        ServiceID: ServiceID,
        SigningName: "license-manager",
        OperationName: "CheckInLicense",
    }
}

type opCheckInLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCheckInLicenseResolveEndpointMiddleware)
ID() string {
    return "ResolveEndpointV2"
}

func (m *opCheckInLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }
}

```

```

if m.EndpointResolver == nil {
    return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
    return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for
k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "license-manager"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:

```

```

v4Scheme, _ :=
authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
    signingName = "license-manager"
} else {
    signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
    signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
    signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName
== nil {
    v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
    // The signer sets an equivalent value at client initialization time.
    // Setting this context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return next.HandleSerialize(ctx, in)
}

func addCheckInLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opCheckInLicenseResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,

```

```
BuiltInResolver: &builtInResolver{
  Region: options.Region,
  UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
  UseFIPS:
    options.EndpointOptions.UseFIPSEndpoint,
  Endpoint: options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (  
    "context"  
    "errors"  
    "fmt"  
    "github.com/aws/aws-sdk-go-v2/aws"  
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"  
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"  
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"  
    "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"  
    smithyendpoints "github.com/aws/smithy-go/endpoints"  
    "github.com/aws/smithy-go/middleware"  
    smithyhttp "github.com/aws/smithy-go/transport/http"  
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns ...func(*Options)) (*ListReceivedLicensesOutput, error) {
```

```

if params == nil {
    params = &ListReceivedLicensesInput{}
}

result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
if err != nil {
    return nil, err
}

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata
= metadata
return out, nil
}

type ListReceivedLicensesInput struct {

// Filters to scope the results. The following filters are supported:
// - ProductSKU
// - Status
// - Fingerprint
// - IssuerName
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

```

```

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{ }, middleware.After)
if
err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {
return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
return
err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}

```

```

}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = addListReceivedLicensesResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region
string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,
    ServiceID: ServiceID,
    SigningName: "license-manager",
    OperationName: "ListReceivedLicenses",
}
}

type opListReceivedLicensesResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opListReceivedLicensesResolveEndpointMiddleware) ID() string {

```

```

return "ResolveEndpointV2"
}

func (m *opListReceivedLicensesResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return
out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
req.Header.Set(
k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
}
}
}

```

```

ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if
errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override
the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
break
case *internalauth.AuthenticationSchemeV4A:
v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
if v4aScheme.SigningName == nil {
v4aScheme.SigningName = aws.String("license-manager")
}
if v4aScheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.

```

```

    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
}
ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
break
case *internalauth.AuthenticationSchemeNone:
break
}
}

return
next.HandleSerialize(ctx, in)
}

func addListReceivedLicensesResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opListReceivedLicensesResolveEndpointMiddleware{
EndpointResolver: options.EndpointResolverV2,
BuiltInResolver: &builtInResolver{
Region:    options.Region,
UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
Endpoint:   options.BaseEndpoint,
},
}, "ResolveEndpoint", middleware.After)
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {
"DirectoryId": {
"target": "smithy.api#String",
"traits": {
"smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
}
}
}
}
}
}

```

```

    }
  },
  "traits": {
    "smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related
costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing
status) in Amazon Web Services Billing. For more information, see <a
href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n
monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",

```



```

        "uri": "/user/AssociateUser"
    },
    "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
    "type": "structure",
    "members": {
        "Username": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
                "smithy.api#required": {}
            }
        },
        "InstanceId": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
                "smithy.api#required": {}
            }
        },
        "IdentityProvider": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
            "traits": {
                "smithy.api#documentation": "<p>The identity provider of the user.</p>",
                "smithy.api#required": {}
            }
        },
        "Domain": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>The domain name of the user.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
    "type": "structure",
    "members": {
        "InstanceUserSummary": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#BoxInteger": {
    "type": "integer"
  },
  "com.amazonaws.licensemanagerusersubscriptions#ConflictException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n    resource.</p>",
      "smithy.api#error": "server"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider":
{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/DeregisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/DisassociateUser"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "InstanceId": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "Domain": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The domain name of the user.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
  "type": "structure",
  "members": {
    "InstanceUserSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
  "type": "structure",
  "members": {
    "Attribute": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
      }
    }
  },

```

```

"Operation": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
  }
},
"Value": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>Value of the filter.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n attributes, or IDs.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
  "type": "union",
  "members": {
    "ActiveDirectoryIdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    }
  },
  "Settings": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
    "traits": {
      "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
      "smithy.api#required":
    }
  }
},
"Product": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of an identity provider.</p>",
    "smithy.api#required": {}
  }
},
"FailureMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
  "type": "structure",
  "members": {
    "InstanceId": {
      "target": "smithy.api#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
      "smithy.api#required": {}
    }
  },
  "Status": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
      "smithy.api#required": {}
    }
  },
  "Products": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
    "traits": {
      "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
      "smithy.api#required": {}
    }
  },
  "LastStatusCheckDate": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The date of the last status check.</p>"
    }
  },
  "StatusMessage": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
  "type": "structure",
  "members": {

```



```

"Username": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
    "smithy.api#required": {}
  }
},
"InstanceId": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
    "smithy.api#required": {}
  }
},
"IdentityProvider": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
  "traits": {
    "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
    "smithy.api#required": {}
  }
},
"Status": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
    "smithy.api#required": {}
  }
},
"StatusMessage": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
  }
},
"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"AssociationDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
  }
},

```

```

    "DisassociationDate": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#InternalServerError": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
  "smithy.api#error": "server"
}
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
  "type": "service",

"version": "2018-05-10",
"operations": [
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
  },
  {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
  },
]
}

```

```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
    }
  ],
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
  }
],
"traits": {
  "aws.api#service": {
    "sdkId": "License Manager User Subscriptions",
    "arnNamespace": "license-manager-user-subscriptions",
    "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
  },
  "aws.auth#sigv4": {
    "name": "license-manager-user-subscriptions"
  },
  "aws.protocols#restJson1": {},
  "smithy.api#cors": {
    "additionalAllowedHeaders": [
      "*",
      "content-type",
      "x-amz-content-sha256",
      "x-amz-user-agent",
      "x-amzn-platform-id",
      "x-amzn-trace-id",
      "content-length",
      "x-api-key",
      "authorization",
      "x-amz-date",
      "x-amz-security-token",
      "Access-Control-Allow-Headers",
      "Access-Control-Allow-Methods",

```

```

    "Access-Control-Allow-Origin"
  ],
  "additionalExposedHeaders": [
    "x-amzn-errortype",
    "x-amzn-requestid",
    "x-amzn-trace-id"
  ]
},
"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
  "version": "1.0",
  "parameters": {
    "Region": {
      "builtIn": "AWS::Region",
      "required": false,
      "documentation": "The AWS region used to dispatch the request.",
      "type": "String"
    },
    "UseDualStack": {
      "builtIn": "AWS::UseDualStack",
      "required": true,
      "default": false,
      "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
      "type": "Boolean"
    },
    "UseFIPS": {
      "builtIn": "AWS::UseFIPS",
      "required": true,
      "default": false,
      "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
      "type": "Boolean"
    },
    "Endpoint": {
      "builtIn": "SDK::Endpoint",
      "required": false,
      "documentation": "Override the endpoint used to send this request",
      "type": "String"
    }
  },
  "rules": [
    {
      "conditions": [

```

```

    {
      "fn": "isSet",
      "argv": [
        {
          "ref": "Endpoint"
        }
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseFIPS"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            {
              "ref": "UseDualStack"
            },
            true
          ]
        }
      ],
      "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
      "type": "error"
    },
    {
      "conditions": [],
      "endpoint": {
        "url": {
          "ref": "Endpoint"
        }
      }
    }
  ]
}

```

```

        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "aws.partition",
                    "argv": [
                        {
                            "ref": "Region"
                        }
                    ],
                    "assign": "PartitionResult"
                }
            ],
            "type": "tree",
        }
    ],
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        {
                            "ref": "UseFIPS"
                        },
                        true
                    ]
                }
            ],
        }
    ],
}

```

```

    {
      "fn": "booleanEquals",
      "argv": [
        {
          "ref": "UseDualStack"
        },
        true
      ]
    }
  ],
  "type": "tree",
  "rules": [
    {
      "conditions": [
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsFIPS"
              ]
            }
          ]
        },
        {
          "fn": "booleanEquals",
          "argv": [
            true,
            {
              "fn": "getAttr",
              "argv": [
                {
                  "ref": "PartitionResult"
                },
                "supportsDualStack"
              ]
            }
          ]
        }
      ]
    }
  ],

```

```

        "type": "tree",
        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            }
        ],
        {
            "conditions": [],
            "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
            "type": "error"
        }
    ],
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    {
                        "ref": "UseFIPS"
                    },
                    true
                ]
            }
        ],
        "type": "tree",
    }
]
"rules": [
    {
        "conditions": [
            {
                "fn": "booleanEquals",
                "argv": [
                    true,
                    {
                        "fn": "getAttr",
                        "argv": [
                            {

```



```

        "ref": "PartitionResult"
    },
    "supportsFIPS"

]
}
]
}
],
"type": "tree",
"rules": [
    {
        "conditions": [],
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
            "properties": {},
            "headers": {}
        },
        "type": "endpoint"
    }
],
{
    "conditions": [],
    "error": "FIPS is enabled but this partition does not support FIPS",
    "type": "error"
}
],
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {

```

```

        "fn": "booleanEquals",
        "argv": [
            true,
            {
                "fn": "getAttr",
                "argv": [
                    {
                        "ref": "PartitionResult"
                    },
                    "supportsDualStack"
                ]
            }
        ]
    },
    "type": "tree",
    "rules": [
        {
            "conditions": [],
            "endpoint": {
                "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
                "properties": {},
                "headers": {}
            },
            "type": "endpoint"
        }
    ],
    {
        "conditions": [],
        "error": "DualStack is enabled but this partition does
not support DualStack",
        "type": "error"
    }
],
{
    "conditions": [],
    "endpoint": {
        "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}

```

```

        }
      ]
    }
  ]
},
{
  "conditions":
[],
  "error": "Invalid Configuration: Missing Region",
  "type": "error"
}
]
},
"smithy.rules#endpointTests": {
  "testCases": [
    {
      "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": true
      }
    },
    {
      "documentation":
"For region us-east-1 with FIPS enabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "us-east-1",
        "UseFIPS": true,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
        }
      }
    }
  ]
}

```

```

    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
      }
    },
    "params": {
      "Region": "cn-north-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"

```

```

    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": true,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
    }
  },
  "params": {
    "Region": "us-gov-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
  },
  "params": {
    "Region": "us-iso-east-1",
    "UseFIPS": true,
    "UseDualStack": true
  }
},
{

```

```

    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect":
{
    "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
    }
},
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack":
true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
}

```

```

    }
  },
  {
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
      }
    },
    "params": {
      "Region": "us-isob-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "error": "DualStack is enabled but this partition does not support DualStack"
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
    }
  },
  "params": {
    "Region": "us-isob-east-1",
    "UseFIPS": false,
    "UseDualStack": false
  }
},
{
  "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {

```



```

    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",

```

  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with fips enabled and dualstack disabled",

```

  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "For custom endpoint with fips disabled and dualstack enabled",

```

  "expect": {
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true,
    "Endpoint": "https://example.com"
  }
},
{

```

"documentation": "Missing region",

```

  "expect": {

```

```

        "error": "Invalid Configuration: Missing Region"
      }
    }
  ],
  "version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/ListIdentityProviders"
    },
    "smithy.api#paginated":

```

```

{
    "inputToken": "NextToken",
    "outputToken": "NextToken",
    "pageSize": "MaxResults",
    "items": "IdentityProviderSummaries"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
    "type": "structure",
    "members": {
        "MaxResults": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
            "traits": {
                "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
    "type": "structure",
    "members": {
        "IdentityProviderSummaries": {
            "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
            "traits": {
                "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
                "smithy.api#required": {}
            }
        },
        "NextToken": {
            "target": "smithy.api#String",
            "traits": {
                "smithy.api#documentation": "<p>Token for the next set of results.</p>"
            }
        }
    }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
    }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstancesResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
      },
      {
        "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
      "smithy.api#http": {
        "code": 200,
        "method": "POST",
        "uri": "/instance/ListInstances"
      },
      "smithy.api#paginated": {
        "inputToken": "NextToken",
        "outputToken": "NextToken",
        "pageSize": "MaxResults",
        "items": "InstanceSummaries"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ListInstancesRequest": {
    "type": "structure",
    "members": {
      "MaxResults": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListInstancesResponse": {
  "type":
"structure",
  "members": {
    "InstanceSummaries": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
      }
    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/ListProductSubscriptions"
    },
    "smithy.api#paginated": {
      "inputToken": "NextToken",
      "outputToken": "NextToken",
      "pageSize": "MaxResults",
      "items": "ProductUserSummaries"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
  "type": "structure",
  "members": {
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "IdentityProvider": {

```

```

    "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n  more sets of key-value pairs that you specify.</p>"
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
  "type": "structure",
  "members": {
    "ProductUserSummaries": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions operation.</p>"
      }
    }
  },
  "NextToken": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {

```

```

"type": "operation",
"input": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
  },
  {
    "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
  },
  {
    "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
  "smithy.api#http": {
    "code": 200,
    "method": "POST",
    "uri": "/user/ListUserAssociations"
  },
  "smithy.api#paginated":
{
  "inputToken": "NextToken",
  "outputToken": "NextToken",
  "pageSize": "MaxResults",
  "items": "InstanceUserSummaries"
}
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest": {

```



```

    "type": "structure",
    "members": {
      "InstanceId": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
          "smithy.api#required": {}
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
        "traits": {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "Filters": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n    more sets of key-value pairs that you specify.</p>"
        }
      },
      "NextToken": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
    "type": "structure",
    "members": {
      "InstanceUserSummaries": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
        }
      }
    }
  }
}

```

```

    },
    "NextToken": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
    "type": "structure",
    "members": {

      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
          "smithy.api#required": {}
        }
      },
      "Product": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "Status": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status of a product for a user.</p>",
        "smithy.api#required": {}
      }
    },
    "StatusMessage": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
      }
    }
  },

```

```

"Domain": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The domain name of the user.</p>"
  }
},
"SubscriptionStartDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
  }
},
"SubscriptionEndDate": {
  "target": "smithy.api#String",
  "traits": {
    "smithy.api#documentation": "<p>The end date of a subscription.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/RegisterIdentityProvider"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
        "smithy.api#required": {}
      }
    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Settings": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
      "traits": {
        "smithy.api#documentation": "<p>The registered identity providers product related configuration settings such as the\n    subnets to provision VPC endpoints.</p>"
      }
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
    "type": "structure",
    "members": {
      "IdentityProviderSummary":
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 404
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 5,
        "max": 200
      },
      "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    },
    "traits": {

```

```

    "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
  "type": "structure",
  "members": {
    "Subnets": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
        "smithy.api#length": {
          "min": 1
        },
        "smithy.api#required": {}
      }
    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n  your VPC and the VPC endpoint for activation servers.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n  subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n  endpoints. The security group should permit inbound TCP port 1688
communication from resources\n  in the VPC.</p>"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n    <note>\n      <p>Your estimated bill for charges on the number of users and related costs will take 48\n      hours to appear for billing periods that haven't closed (marked as <b>Pending</b> billing status) in Amazon Web Services Billing. For more information, see <a href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n      monthly charges</a> in the <i>Amazon Web Services Billing User Guide</i>.</p>\n    </note>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StartProductSubscription"
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
  "type": "structure",
  "members": {
    "Username": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "IdentityProvider": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
    "traits": {
      "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
      "smithy.api#required": {}
    }
  }
}

```

```

    },
    "Product": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
        "smithy.api#required": {}
      }
    },
    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
        "traits": {
          "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
    },
    "output": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
      },
      {
        "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
      }
    ]
  },

```



```

    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/user/StopProductSubscription"
    }
  },
  "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
    "type": "structure",
    "members": {
      "Username": {
        "target": "smithy.api#String",
        "traits": {
          "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
          "smithy.api#required": {}
        }
      },
      "IdentityProvider": {
        "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
        "traits": {
          "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "Product": {
    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },

```

```

    "Domain": {
      "target": "smithy.api#String",
      "traits": {
        "smithy.api#documentation": "<p>The domain name of the user.</p>"
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
    "type": "structure",
    "members": {
      "ProductUserSummary": {
        "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
        "traits": {
          "smithy.api#documentation":
            "<p>Metadata that describes the start product subscription operation.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#StringList": {
    "type": "list",
    "member": {
      "target": "smithy.api#String"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
    "type": "string",
    "traits": {
      "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
    }
  },
  "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
    "type": "structure",
    "members": {
      "message": {
        "target": "smithy.api#String"
      }
    }
  },
  "traits": {

```

```

    "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
    "smithy.api#error": "client"
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
  },
  "output": {
    "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
    },
    {
      "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n  provider.</p>",
    "smithy.api#http": {
      "code": 200,
      "method": "POST",
      "uri": "/identity-provider/UpdateIdentityProviderSettings"
    },
    "smithy.api#idempotent": {}
  }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
  "type": "structure",
  "members": {
    "IdentityProvider": {
      "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
      "traits": {
        "smithy.api#required": {}
      }
    },
    "Product": {

```

```

    "target": "smithy.api#String",
    "traits": {
      "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
      "smithy.api#required": {}
    }
  },
  "UpdateSettings": {
    "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateSettings",
    "traits": {
      "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n    update any combination of settings in a single operation such as the:</p>\n
<ul>\n    <li>\n        <p>Subnets which you want to add to provision VPC endpoints.</p>\n        </li>\n
<li>\n        <p>Subnets which you want to remove the VPC endpoints from.</p>\n        </li>\n
<li>\n        <p>Security group ID which permits traffic to the VPC endpoints.</p>\n        </li>\n    </ul>",
      "smithy.api#required": {}
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
  "type": "structure",
  "members": {
    "IdentityProviderSummary": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
      "traits": {
        "smithy.api#required": {}
      }
    }
  }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
  "type": "structure",
  "members": {
    "AddSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n    require connectivity to activation servers.</p>",
        "smithy.api#required": {}
      }
    },
    "RemoveSubnets": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
      "traits": {
        "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```

```

    },
    "SecurityGroupId": {
      "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
      "traits": {
        "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n    your VPC and the VPC endpoints for
activation servers.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n    the subnets to provision VPC endpoints.</p>"
  }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
  "type": "structure",
  "members": {
    "message": {
      "target": "smithy.api#String"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>A parameter is not valid.</p>",
    "smithy.api#error": "client"
  }
}
}
}
{
  "smithy": "2.0",
  "metadata": {
    "suppressions": [
      {
        "id": "HttpMethodSemantics",
        "namespace": "*"
      },
      {
        "id": "HttpStatusCodeSemantics",
        "namespace": "*"
      },
      {
        "id": "PaginatedTrait",
        "namespace": "*"
      },
      {
        "id": "HttpHeaderTrait",
        "namespace": "*"
      }
    ]
  }
}

```

```

    },
    {
      "id": "HttpUriConflict",
      "namespace": "*"
    },
    {
      "id": "Service",
      "namespace": "*"
    }
  ]
},
"shapes": {
  "com.amazonaws.licensemanager#AWSLicenseManager": {
    "type": "service",
    "version": "2018-08-01",
    "operations": [
      {
        "target": "com.amazonaws.licensemanager#AcceptGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckInLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CheckoutLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrant"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateGrantVersion"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicense"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
      },
      {
        "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
      },
      {

```

```

    "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
  },
  {
    "target": "com.amazonaws.licensemanager#CreateToken"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteGrant"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicense"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
  },
  {
    "target": "com.amazonaws.licensemanager#DeleteToken"
  },
  {
    "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
  },
},
{
  "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
  "target": "com.amazonaws.licensemanager#GetGrant"
},
{
  "target": "com.amazonaws.licensemanager#GetLicense"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
  "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
  "target": "com.amazonaws.licensemanager#GetServiceSettings"
},

```

```

{
  "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
  "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
  "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
  "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
  "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
  "target": "com.amazonaws.licensemanager#ListTokens"
}

```



```

    },
    {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#RejectGrant"
    },
    {
      "target": "com.amazonaws.licensemanager#TagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UntagResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
    },
    {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
    }
  ],
  "traits": {
    "aws.api#service": {
      "sdkId": "License Manager",
      "arnNamespace": "license-manager",
      "cloudFormationName": "LicenseManager",
      "cloudTrailEventSource": "licensemanager.amazonaws.com",
      "endpointPrefix": "license-manager"
    },
    "aws.auth#sigv4": {
      "name": "license-manager"
    },
    "aws.protocols#awsJson1_1": {},
    "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n      Amazon Web Services accounts and on-premises servers.</p>",
    "smithy.api#title": "AWS License Manager",
    "smithy.api#xmlNamespace": {
      "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
    },
    "smithy.rules#endpointRuleSet": {
      "version": "1.0",
      "parameters": {

```

```

"Region": {
  "builtIn": "AWS::Region",
  "required": false,
  "documentation": "The AWS region used to dispatch the request.",
  "type": "String"
},
"UseDualStack": {
  "builtIn": "AWS::UseDualStack",
  "required": true,
  "default": false,
  "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
  "type": "Boolean"
},
"UseFIPS": {
  "builtIn": "AWS::UseFIPS",
  "required": true,
  "default": false,
  "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
  "type": "Boolean"
},
"Endpoint": {
  "builtIn": "SDK::Endpoint",
  "required": false,
  "documentation": "Override the endpoint used to send this request",
  "type": "String"
}
},
"rules": [
  {
    "conditions": [
      {
        "fn": "isSet",
        "argv": [
          {
            "ref": "Endpoint"
          }
        ]
      }
    ]
  }
]
},
"type": "tree",
"rules": [
  {
    "conditions": [
      {

```

```

        "fn": "booleanEquals",
        "argv": [
            {
                "ref": "UseFIPS"
            },
            true
        ]
    },
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
    "type": "error"
},
{
    "conditions": [],
    "endpoint": {
        "url": {
            "ref": "Endpoint"
        },
        "properties": {},
        "headers": {}
    },
    "type": "endpoint"
}
],
},
{
    "conditions": [
        {
            "fn": "isSet",
            "argv": [
                {
                    "ref": "Region"
                }
            ]
        }
    ]
}

```

```

    }
  ]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [
      {
        "fn": "aws.partition",
        "argv": [
          {
            "ref": "Region"
          }
        ],
        "assign": "PartitionResult"
      }
    ],
    "type": "tree",
    "rules": [
      {
        "conditions": [
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref":
"UseFIPS"
              },
              true
            ]
          },
          {
            "fn": "booleanEquals",
            "argv": [
              {
                "ref": "UseDualStack"
              },
              true
            ]
          }
        ],
        "type": "tree",
        "rules": [
          {
            "conditions": [
              {
                "fn": "booleanEquals",

```

```

"argv": [
  true,
  {
    "fn": "getAttr",
    "argv": [
      {
        "ref": "PartitionResult"
      },
      "supportsFIPS"
    ]
  }
]
},
{
  "fn": "booleanEquals",
  "argv": [
    true,
    {
      "fn": "getAttr",
      "argv": [
        {
          "ref": "PartitionResult"
        },
        "supportsDualStack"
      ]
    }
  ]
}
],
"type": "tree",
"rules": [
  {
    "conditions": [],
    "endpoint": {
      "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
      "properties": {},
      "headers": {}
    },
    "type": "endpoint"
  }
]
},
{
  "conditions": [],

```

both",

```
        "error": "FIPS and DualStack are enabled, but this partition does not support one or  
both",  
        "type": "error"  
    }  
  ],  
},  
{  
  "conditions": [  
    {  
      "fn": "booleanEquals",  
  
      "argv": [  
        {  
          "ref": "UseFIPS"  
        },  
        true  
      ]  
    }  
  ],  
  "type": "tree",  
  "rules": [  
    {  
      "conditions": [  
        {  
          "fn": "booleanEquals",  
          "argv": [  
            true,  
  
            {  
              "fn": "getAttr",  
              "argv": [  
                {  
                  "ref": "PartitionResult"  
                },  
                "supportsFIPS"  
              ]  
            }  
          ]  
        }  
      ]  
    }  
  ],  
  "type": "tree",  
  "rules": [  
  
    {  
      "conditions": [],  
      "endpoint": {  
        "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",  
        "properties": {},  
      }  
    }  
  ]  
}
```

```

        "headers": {}
    },
    "type": "endpoint"
}
]
},
{
    "conditions": [],
    "error": "FIPS is enabled but this
partition does not support FIPS",
    "type": "error"
}
]
},
{
    "conditions": [
        {
            "fn": "booleanEquals",
            "argv": [
                {
                    "ref": "UseDualStack"
                },
                true
            ]
        }
    ],
    "type": "tree",
    "rules": [
        {
            "conditions": [
                {
                    "fn": "booleanEquals",
                    "argv": [
                        true,
                        {
                            "fn": "getAttr",
                            "argv": [
                                {
                                    "ref": "PartitionResult"
                                },
                                ],
                            }
                ],
            }
        }
    ],
    "supportsDualStack"
}
]
}
]
},
    "type": "tree",

```

```

        "rules": [
            {
                "conditions": [],
                "endpoint": {
                    "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
                    "properties": {},
                    "headers": {}
                },
                "type": "endpoint"
            },
            {
                "conditions": [],
                "error": "DualStack is enabled but this partition does not support DualStack",
                "type": "error"
            }
        ],
        "smithy.rules#endpointTests": {
            "testCases": [
                {
                    "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
                    "expect": {
                        "endpoint":

```



```

{
    "url": "https://license-manager.af-south-1.amazonaws.com"
}
},
"params": {
    "Region": "af-south-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.ap-northeast-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "ap-northeast-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    },
    {
      "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.ap-northeast-3.amazonaws.com"
        }
      },
      "params": {
        "Region": "ap-northeast-3",
        "UseFIPS": false,
        "UseDualStack": false
      }
    }
  ],
  {
    "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-1.amazonaws.com"
      }
    }
  }
],
  {
    "params": {
      "Region": "ap-southeast-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  }
],
  {
    "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-2.amazonaws.com"
      }
    }
  }

```

```

    },
    "params": {
      "Region": "ap-southeast-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ap-southeast-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "ap-southeast-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.ca-central-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "ca-central-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-central-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-central-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
}

```

```

    {
      "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-north-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-north-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-south-1.amazonaws.com"
        }
      },
      "params": {
        "Region":
"eu-south-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-west-1.amazonaws.com"
        }
      },
      "params": {
        "Region": "eu-west-1",
        "UseFIPS": false,
        "UseDualStack": false
      }
    },
    {
      "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
      "expect": {
        "endpoint": {
          "url": "https://license-manager.eu-west-2.amazonaws.com"
        }
      }
    }
  }

```

```

    },
    "params": {
      "Region": "eu-west-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.eu-west-3.amazonaws.com"
      }
    },
    "params": {
      "Region": "eu-west-3",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.me-south-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "me-south-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.sa-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "sa-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {

```

```

    "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-east-2.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-east-2",
      "UseFIPS": false,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-east-2.amazonaws.com"
      }
    },
    "params": {

```

```

        "Region": "us-east-2",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-west-1.amazonaws.com"
        }
    },
    "params": {
"Region": "us-west-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-west-2.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-west-2",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",

```

```

"expect": {
  "endpoint": {
    "url": "https://license-manager-fips.us-west-2.amazonaws.com"
  }
},
"params": {
  "Region": "us-west-2",
  "UseFIPS": true,
  "UseDualStack": false
}
},
{
  "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager-fips.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,

    "UseDualStack": true
  }
},
{
  "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
  "expect": {
    "endpoint": {
      "url": "https://license-manager.us-east-1.api.aws"
    }
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": false,
    "UseDualStack": true
  }
},
{
  "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
  "expect": {
    "endpoint": {
      "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
    }
  },
  "params": {

```



```

        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-northwest-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
        }
    },
    "params": {
        "Region": "cn-north-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager.us-gov-west-1.amazonaws.com"
        }
    },
    "params": {
        "Region": "us-gov-west-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
}

```

```

    }
  },
  {
    "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
      }
    },
    "params": {
      "Region": "us-gov-west-1",
      "UseFIPS": true,
      "UseDualStack": false
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager-fips.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": true,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
      "endpoint": {
        "url": "https://license-manager.us-gov-east-1.api.aws"
      }
    },
    "params": {
      "Region": "us-gov-east-1",
      "UseFIPS": false,
      "UseDualStack": true
    }
  },
  {
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
    "expect": {
      "endpoint": {

```

```

        "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
    }
},
"params": {
    "Region": "us-iso-east-1",
    "UseFIPS": false,
    "UseDualStack": false
}
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
        }
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled
but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-iso-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
    "expect": {

```

```

        "endpoint": {
            "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
    "expect": {
        "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": true
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
    "expect": {
        "endpoint": {
            "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
        }
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": true,
        "UseDualStack": false
    }
},
{
    "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
    "expect": {
        "error": "DualStack is enabled but this partition does not support DualStack"
    },
    "params": {
        "Region": "us-isob-east-1",
        "UseFIPS": false,
        "UseDualStack": true
    }
},
{

```

```

"documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

"expect": {
  "endpoint": {
    "url": "https://example.com"
  }
},
"params": {
  "Region": "us-east-1",
  "UseFIPS": false,
  "UseDualStack": false,
  "Endpoint": "https://example.com"
}
},
{
  "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
  "expect": {
    "endpoint": {
      "url": "https://example.com"
    }
  },
  "params": {
    "UseFIPS": false,

"UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips enabled and dualstack disabled",
  "expect": {
    "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
  },
  "params": {
    "Region": "us-east-1",
    "UseFIPS": true,
    "UseDualStack": false,
    "Endpoint": "https://example.com"
  }
},
{
  "documentation": "For custom endpoint with fips disabled and dualstack enabled",
  "expect": {
    "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
  },
  "params": {

```

```

        "Region": "us-east-1",
        "UseFIPS": false,
        "UseDualStack": true,
        "Endpoint": "https://example.com"
    }
},
{
    "documentation": "Missing region",
    "expect": {
        "error": "Invalid Configuration: Missing Region"
    }
}
],
"version": "1.0"
}
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ]
}

```

```

    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant
ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},

```



```

"com.amazonaws.licensemanager#AccessDeniedException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ServiceAccessDenied",
      "httpResponseCode": 401
    },
    "smithy.api#documentation": "<p>Access to resource denied.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 401
  }
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
  "type": "enum",
  "members": {
    "DISTRIBUTED_GRANTS_ONLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
      }
    },
    "ALL_GRANTS_PERMITTED_BY_ISSUER": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
      }
    }
  }
},
"com.amazonaws.licensemanager#AllowedOperation": {
  "type": "enum",
  "members": {
    "CREATE_GRANT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "CreateGrant"
      }
    },
    "CHECKOUT_LICENSE": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "CheckoutLicense"
    }
},
"CHECKOUT_BORROW_LICENSE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "CheckoutBorrowLicense"
    }
},
"CHECK_IN_LICENSE": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "CheckInLicense"
    }
},
"EXTEND_CONSUMPTION_LICENSE":
{
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "ExtendConsumptionLicense"
    }
},
"LIST_PURCHASED_LICENSES": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "ListPurchasedLicenses"
    }
},
"CREATE_TOKEN": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "CreateToken"
    }
}
},
"com.amazonaws.licensemanager#AllowedOperationList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#AllowedOperation"
    },
    "traits": {
        "smithy.api#length": {
            "min": 1,
            "max":
7
        }
    }
}

```

```

    },
    "com.amazonaws.licensemanager#Arn": {
      "type": "string",
      "traits": {
        "smithy.api#length": {
          "min": 0,
          "max": 2048
        },
        "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d)?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}):[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/_+=,@.-]{0,1023}$"
      }
    },
    "com.amazonaws.licensemanager#ArnList": {
      "type": "list",
      "member": {
        "target": "com.amazonaws.licensemanager#Arn"
      }
    },
    "com.amazonaws.licensemanager#AuthorizationException": {
      "type": "structure",
      "members": {
        "Message": {
          "target": "com.amazonaws.licensemanager#Message"
        }
      }
    },
    "traits": {
      "aws.protocols#awsQueryError":
    {
      "code": "AuthorizationFailure",
      "httpResponseCode": 403
    },
      "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n      policy associated with this account.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 403
    }
  },
  "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
    "type": "structure",
    "members": {
      "LastRunTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
        }
      }
    }
  },
  "traits": {

```

```

    "smithy.api#documentation": "<p>Describes automated discovery.</p>"
  }
},

"com.amazonaws.licensemanager#Boolean": {
  "type": "boolean",
  "traits": {
    "smithy.api#default": false
  }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
  "type": "structure",
  "members": {
    "AllowEarlyCheckIn": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
  }
},

"com.amazonaws.licensemanager#BoxBoolean": {
  "type": "boolean"
},

"com.amazonaws.licensemanager#BoxInteger": {
  "type": "integer"
},

"com.amazonaws.licensemanager#BoxLong": {
  "type": "long"
},

"com.amazonaws.licensemanager#CheckInLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
  },
  "output": {

```

```

    "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ConflictException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    },
    "Beneficiary": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>License beneficiary.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
        },
        {
            "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#RedirectException"
        },
        {

```

```

    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
  "type": "structure",
  "members":
{
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
      "smithy.api#required": {}
    }
  },
  "DigitalSignatureMethod": {
    "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
    "traits": {
      "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n    For more information, see <a href=\"https://tools.ietf.org/html/rfc7518#section-3.5\">RFC 7518 Digital Signature with RSASSA-PSS</a>.</p>",
      "smithy.api#required": {}
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  }
}
}

```

```

    }
  },
  "CheckoutMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about constraints.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",
    "traits": {
      "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "EntitlementsAllowed":
{
      "target": "com.amazonaws.licensemanager#EntitlementDataList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
      }
    },
    "NodeId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Node ID.</p>"
      }
    }
  }
}

```



```

    },
    "SignedToken": {
      "target": "com.amazonaws.licensemanager#SignedToken",
      "traits": {
        "smithy.api#documentation": "<p>Signed token.</p>"
      }
    },
    "IssuedAt": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
      }
    },
    "CheckoutMetadata": {
      "target": "com.amazonaws.licensemanager#MetadataList",
      "traits": {
        "smithy.api#documentation": "<p>Information about constraints.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
  },
  "com.amazonaws.licensemanager#CheckoutLicense": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      }
    ]
  }
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Checks out the specified license.</p>\n    <note>\n      <p>If the
account that created the license is the same that is performing the check out, you must\n      specify the account
as the beneficiary.</p>\n    </note>"
  }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
  "type": "structure",
  "members": {
    "ProductSKU": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Product
SKU.</p>",
        "smithy.api#required": {}
      }
    },
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>",
        "smithy.api#required": {}
      }
    }
  }
},

```

```

"KeyFingerprint": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
    "smithy.api#required": {}
  }
},
"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementDataList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>",

"smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},
"NodeId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Node ID.</p>"
  }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
  "type": "structure",
  "members": {
    "CheckoutType": {
      "target": "com.amazonaws.licensemanager#CheckoutType",
      "traits": {
        "smithy.api#documentation": "<p>Checkout type.</p>"

```

```

    }
  },
  "LicenseConsumptionToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License consumption token.</p>"
    }
  },
  "EntitlementsAllowed": {
    "target": "com.amazonaws.licensemanager#EntitlementDataList",
    "traits": {
      "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
    }
  },
  "SignedToken": {
    "target": "com.amazonaws.licensemanager#SignedToken",
    "traits": {
      "smithy.api#documentation": "<p>Signed token.</p>"
    }
  },
  "NodeId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Node ID.</p>"
    }
  },
  "IssuedAt": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
    }
  },
  "Expiration": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}

```

```

    }
  },
  "com.amazonaws.licensemanager#CheckoutType": {
    "type": "enum",
    "members": {
      "PROVISIONAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PROVISIONAL"
        }
      },
      "PERPETUAL": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PERPETUAL"
        }
      }
    }
  },
  "com.amazonaws.licensemanager#ClientRequestToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 1,
        "max": 36
      }
    }
  },
  "com.amazonaws.licensemanager#ClientToken": {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 2048
      },
      "smithy.api#pattern": "^\\S+$"
    }
  },
  "com.amazonaws.licensemanager#ConflictException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "ConflictException",

```

```

        "httpResponseCode":
409
    },
    "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 409
  }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
      }
    },
    "ConsumedLicenses": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {
        "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
      }
    }
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details about license consumption.</p>"
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
  }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
  "type": "structure",
  "members": {
    "RenewType": {
      "target": "com.amazonaws.licensemanager#RenewType",
      "traits": {
        "smithy.api#documentation": "<p>Renewal frequency.</p>"
      }
    },
    "ProvisionalConfiguration": {
      "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
    }
},
"BorrowConfiguration": {
    "target": "com.amazonaws.licensemanager#BorrowConfiguration",
    "traits": {
        "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
    }
},
"traits": {
    "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
},
"com.amazonaws.licensemanager#CreateGrant": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateGrantResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target":
"com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of

```

license entitlements with a specific Amazon Web Services account, an organization, or an organizational unit (OU). For more information, see [Granted licenses in License Manager](https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html) in the *License Manager User Guide*.

```
    }
  },
  "com.amazonaws.licensemanager#CreateGrantRequest": {
    "type": "structure",
    "members": {
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
          "smithy.api#required": {}
        }
      },
      "GrantName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Grant name.</p>",
          "smithy.api#required": {}
        }
      }
    }
  },
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
      "smithy.api#required": {}
    }
  },
  "Principals": {
    "target": "com.amazonaws.licensemanager#PrincipalArnList",
    "traits": {
      "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p><ul><li><p>An Amazon Web Services account, which includes only the account specified.</p></li><li><p>An organizational unit (OU), which includes all accounts in the OU.</p></li><li><p>An organization, which will include all accounts across your organization.</p></li></ul>",
      "smithy.api#required": {}
    }
  },
  "HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
```



```

        "smithy.api#documentation": "<p>Home Region of the grant.</p>",
        "smithy.api#required": {}
    }
},
"AllowedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
        "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#GrantStatus",
            "traits": {
                "smithy.api#documentation": "<p>Grant status.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Grant version.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
    }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n      <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in License Manager</a> in the <i>License Manager User Guide</i>.</p>"
    }
  },
  "com.amazonaws.licensemanager#CreateGrantVersionRequest": {
    "type": "structure",
    "members": {
      "ClientToken": {
        "target": "com.amazonaws.licensemanager#ClientToken",
        "traits": {
          "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        }
      }
    },
    "smithy.api#required": {}
  },
  "GrantArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {

```

```

    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>"
  }
},
"AllowedOperations": {
  "target": "com.amazonaws.licensemanager#AllowedOperationList",
  "traits": {
    "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>"
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
},
"SourceVersion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Current version of the grant.</p>"
  }
},
"Options": {
  "target": "com.amazonaws.licensemanager#Options",
  "traits": {
    "smithy.api#documentation": "<p>The options specified for the grant.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
  "type": "structure",
  "members": {

```

```

    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Grant ARN.</p>"
      }
    },
    "Status": {
      "target": "com.amazonaws.licensemanager#GrantStatus",
      "traits": {
        "smithy.api#documentation": "<p>Grant status.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the grant.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a license configuration.</p>\n    <p>A license configuration is an abstraction of a customer license agreement that can be\n    consumed and enforced by License Manager. Components include specifications for the license\n    type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n    Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n    license must be associated with a host), and the number of licenses purchased and used.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
      "type": "structure",
      "members": {
        "Name": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Name of the license configuration.</p>",
            "smithy.api#required": {}
          }
        },
        "Description": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Description of the license configuration.</p>"
          }
        },
        "LicenseCountingType": {
          "target": "com.amazonaws.licensemanager#LicenseCountingType",
          "traits": {
            "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
            "smithy.api#required": {}
          }
        },
        "LicenseCount": {
          "target": "com.amazonaws.licensemanager#BoxLong",
          "traits": {
            "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
          }
        },
        "LicenseCountHardLimit": {
          "target": "com.amazonaws.licensemanager#BoxBoolean",
          "traits": {
            "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n      blocks the launch of new instances.</p>"
          }
        },
        "LicenseRules": {
          "target": "com.amazonaws.licensemanager#StringList",
          "traits": {
            "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n      vary by dimension, as follows.</p>\n      <ul>\n        <li>\n          <p>\n            <code>Cores</code> dimension: <code>allowedTenancy</code> |\n            <code>licenseAffinityToHost</code> |\n            <code>maximumCores</code> |\n            <code>minimumCores</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>Instances</code> dimension: <code>allowedTenancy</code> |\n            <code>maximumCores</code> |\n            <code>minimumCores</code> |\n            <code>maximumSockets</code> | <code>minimumSockets</code> \n          </p>\n        </li>\n      </ul>"
          }
        }
      }
    }
  }

```

```

        <code>maximumVcpus</code> | <code>minimumVcpus</code>\n        </p>\n    </li>\n    <p>\n        <code>Sockets</code> dimension: <code>allowedTenancy</code> | \n
<code>licenseAffinityToHost</code> | \n        <code>maximumSockets</code> |
<code>minimumSockets</code>\n        </p>\n    </li>\n    <li>\n        <p>\n            <code>vCPUs</code> dimension: <code>allowedTenancy</code> | \n
<code>honorVcpuOptimization</code> | \n        <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n        </p>\n    </li>\n</ul>\n    <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n    values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
    }
},

"Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
        "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
    }
},
    "DisassociateWhenNotFound": {
        "target": "com.amazonaws.licensemanager#BoxBoolean",
        "traits": {
            "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
        }
    },
    "ProductInformationList": {
        "target": "com.amazonaws.licensemanager#ProductInformationList",
        "traits": {
            "smithy.api#documentation": "<p>Product information.</p>"
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
    "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
            }
        }
    }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
        "smithy.api#required": {}
      }
    }
  }
}

```



```

    }
  },
  "SourceLicenseContext": {
    "target": "com.amazonaws.licensemanager#LicenseConversionContext",
    "traits": {
      "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
      "smithy.api#required": {}
    }
  },
  "DestinationLicenseContext":
{
  "target": "com.amazonaws.licensemanager#LicenseConversionContext",
  "traits": {
    "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI </a> in
the <i>License Manager User Guide</i>.</p>",
    "smithy.api#required": {}
  }
},
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

      "traits": {
        "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
  },

```

```

"output": {
  "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "ReportGeneratorName":
{
  "target": "com.amazonaws.licensemanager#ReportGeneratorName",
  "traits": {
    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
  "Type": {
    "target": "com.amazonaws.licensemanager#ReportTypeList",
    "traits": {
      "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be

```

generated:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n ",

```
    "smithy.api#required": {}

}

},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>Defines the type of license configuration the report generator tracks.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be generated daily, monthly, or weekly.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Description of the report generator.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
```

```

    },
    "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
      "type": "structure",
      "members": {
        "LicenseManagerReportGeneratorArn":
        {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
          }
        },
        "traits": {
          "smithy.api#output": {}
        }
      },
    },
    "com.amazonaws.licensemanager#CreateLicenseRequest": {
      "type": "structure",
      "members": {
        "LicenseName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>License name.</p>",
            "smithy.api#required": {}
          }
        },
        "ProductName": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Product
name.</p>",
            "smithy.api#required": {}
          }
        },
        "ProductSKU": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Product SKU.</p>",
            "smithy.api#required": {}
          }
        },
        "Issuer": {
          "target": "com.amazonaws.licensemanager#Issuer",
          "traits": {
            "smithy.api#documentation": "<p>License issuer.</p>",
            "smithy.api#required": {}
          }
        }
      }
    }
  }
}

```

```

    },
    "HomeRegion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Home Region for the license.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
      "smithy.api#required": {}
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>",
      "smithy.api#required": {}
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License beneficiary.</p>",
      "smithy.api#required": {}
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n      running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n      usage.</p>",
      "smithy.api#required": {}
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Information about the license.</p>"
    }
  },
  "ClientToken": {
    "target": "com.amazonaws.licensemanager#ClientToken",

```

```

        "traits": {
            "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
    "type": "structure",
    "members": {
        "LicenseArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseStatus",
            "traits": {
                "smithy.api#documentation": "<p>License status.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>License version.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#RedirectException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target":
"com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Product name.</p>",
        "smithy.api#required": {}
    }
},
"Issuer": {
    "target": "com.amazonaws.licensemanager#Issuer",
    "traits":
{
        "smithy.api#documentation": "<p>License issuer.</p>",
        "smithy.api#required": {}
    }
},
"HomeRegion": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Home Region of the license.</p>",
        "smithy.api#required": {}
    }
},
"Validity": {
    "target": "com.amazonaws.licensemanager#DatetimeRange",
    "traits": {
        "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
        "smithy.api#required": {}
    }
},
"LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
        "smithy.api#documentation": "<p>Information about the license.</p>"
    }
},
"Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
        "smithy.api#documentation": "<p>License entitlements.</p>",
        "smithy.api#required": {}
    }
},
"ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
        "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n    running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n    usage.</p>",
        "smithy.api#required": {}
    }
}

```



```

    },
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>",
        "smithy.api#required": {}
      }
    },
    "ClientToken": {
      "target": "com.amazonaws.licensemanager#ClientToken",
      "traits": {
        "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>License ARN.</p>"
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>New version of the license.</p>"
      }
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#LicenseStatus",
    "traits": {
      "smithy.api#documentation": "<p>License status.</p>"
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#output":
  {}
  },
  "com.amazonaws.licensemanager#CreateToken": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#CreateTokenRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#CreateTokenResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n      <p>A refresh token is a JWT token used to get an access token. With an access token,\n      you can call AssumeRoleWithWebIdentity to get role credentials that you can use to\n      call License Manager to manage the specified license.</p>"
    }
  }
}

```

```

    },
    "com.amazonaws.licensemanager#CreateTokenRequest": {
      "type": "structure",
      "members": {
        "LicenseArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            {
              "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n      JWT token.</p>",
              "smithy.api#required": {}
            }
          },
        "RoleArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n      License Manager does not check whether the roles are in use.</p>"
          }
        },
        "ExpirationInDays": {
          "target": "com.amazonaws.licensemanager#Integer",
          "traits": {
            "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
          }
        },
        "TokenProperties": {
          "target": "com.amazonaws.licensemanager#MaxSize3StringList",
          "traits": {
            "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n      to the amr claim of the JWT token.</p>"
          }
        },
        "ClientToken": {
          "target": "com.amazonaws.licensemanager#ClientToken",
          "traits": {
            "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
            "smithy.api#required": {}
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#CreateTokenResponse": {
      "type": "structure",

```

```

"members": {
  "TokenId": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Token ID.</p>"
    }
  },
  "TokenType": {
    "target": "com.amazonaws.licensemanager#TokenType",
    "traits": {
      "smithy.api#documentation": "<p>Token type.</p>"
    }
  },
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
  "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
  "type": "structure",
  "members": {
    "Begin": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Start of the time range.</p>",
        "smithy.api#required": {}
      }
    },
    "End": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>End of the time range.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
  }
}

```

```

    },
    "com.amazonaws.licensemanager#DeleteGrant": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
      }
    },
    "com.amazonaws.licensemanager#DeleteGrantRequest": {
      "type": "structure",
      "members": {
        "GrantArn": {
          "target": "com.amazonaws.licensemanager#Arn",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
            "smithy.api#required": {}
          }
        },
        "StatusReason": {

```

```

        "target": "com.amazonaws.licensemanager#StatusReasonMessage",
        "traits": {
            "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
        }
    },
    "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
            "smithy.api#documentation": "<p>Current version of the
grant.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
    "type": "structure",
    "members": {
        "GrantArn": {
            "target": "com.amazonaws.licensemanager#Arn",
            "traits": {
                "smithy.api#documentation": "<p>Grant ARN.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#GrantStatus",
            "traits": {
                "smithy.api#documentation": "<p>Grant status.</p>"
            }
        },
        "Version": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation":
"<p>Grant version.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#DeleteLicense": {
    "type": "operation",
    "input": {

```

```

    "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#ConflictException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#RedirectException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n    <p>You cannot delete a license configuration that is in use.</p>"
  },
  "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the license configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
      "type": "structure",
      "members": {},
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
      },
      "output": {

```



```

    "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n    <p>This action deletes the report generator, which stops it from generating future reports.\n    The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"traits": {

```

```

"smithy.api#input": {
  }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "SourceVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Current version of the license.</p>",
        "smithy.api#required":
      }
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
  "type": "structure",
  "members": {
    "Status": {
      "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
      "traits": {
        "smithy.api#documentation": "<p>License status.</p>"
      }
    },
    "DeletionDate": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#DeleteToken": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#RedirectException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#DeleteTokenRequest": {
    "type": "structure",
    "members": {
      "TokenId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Token ID.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
    "type": "enum",
    "members": {
        "JWT_PS384": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "JWT_PS384"
            }
        }
    }
}
},
"com.amazonaws.licensemanager#Entitlement": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Entitlement name.</p>",
                "smithy.api#required": {}
            }
        },
        "Value": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
            }
        },
        "MaxCount": {
            "target": "com.amazonaws.licensemanager#Long",
            "traits": {

```

```

    "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
  }
},
"Overage": {
  "target": "com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
  }
},
"Unit": {
  "target": "com.amazonaws.licensemanager#EntitlementUnit",
  "traits": {
    "smithy.api#documentation": "<p>Entitlement unit.</p>",
    "smithy.api#required": {}
  }
},
"AllowCheckIn": {
  "target":
"com.amazonaws.licensemanager#BoxBoolean",
  "traits": {
    "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
},
"com.amazonaws.licensemanager#EntitlementData": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement data name.</p>",
        "smithy.api#required": {}
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Entitlement
data value.</p>"
      }
    }
  },
  "Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {

```

```

        "smithy.api#documentation": "<p>Entitlement data unit.</p>",
        "smithy.api#required": {}
    }
}
},
"traits": {
    "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#EntitlementData"
    }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
    "type": "enum",
    "members": {
        "COUNT": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Count"
            }
        },
        "NONE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "None"
            }
        },
        "SECONDS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Seconds"
            }
        },
        "MICROSECONDS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Microseconds"
            }
        },
        "MILLISECONDS": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Milliseconds"
            }
        }
    }
}

```

```

    },
    "BYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Bytes"
      }
    },
    "KILOBYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobytes"
      }
    },
    "MEGABYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabytes"
      }
    },
    "GIGABYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Gigabytes"
      }
    },
    "TERABYTES": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Terabytes"
      }
    },
    "BITS":
  {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Bits"
    }
  },
    "KILOBITS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Kilobits"
      }
    },
    "MEGABITS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Megabits"
      }
    }
  }

```

```

    }
  },
  "GIGABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Gigabits"
    }
  },
  "TERABITS": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "Terabits"
    }
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
},
"KILOBYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes/Second"
  }
},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {

```



```

        "smithy.api#enumValue": "Terabytes/Second"
    }
},
"BITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Bits/Second"
    }
},
"KILOBITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Kilobits/Second"
    }
},
"MEGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue":
"Megabits/Second"
    }
},
"GIGABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Gigabits/Second"
    }
},
"TERABITS_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Terabits/Second"
    }
},
"COUNT_PER_SECOND": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "Count/Second"
    }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#Entitlement"
    }
},

```

```

"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
  "type": "enum",
  "members": {
    "COUNT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Count"
      }
    },
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "SECONDS":
    {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Seconds"
      }
    },
    "MICROSECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Microseconds"
      }
    },
    "MILLISECONDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Milliseconds"
      }
    }
  },
}

```

```
"BYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes"
  }
},
"KILOBYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes"
  }
},
"MEGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes"
  }
},
"GIGABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes"
  }
},
"TERABYTES": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabytes"
  }
},
"BITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits"
  }
},
"KILOBITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits"
  }
},
"MEGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits"
  }
}
```

```

},
"GIGABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits"
  }
},
"TERABITS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits"
  }
},
"PERCENT": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Percent"
  }
},
"BYTES_PER_SECOND": {
  "target":
"smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bytes/Second"
  }
},
"KILOBYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobytes/Second"
  }
},
"MEGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabytes/Second"
  }
},
"GIGABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabytes/Second"
  }
},
"TERABYTES_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {

```

```

"smithy.api#enumValue": "Terabytes/Second"
  }
},
"BITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Bits/Second"
  }
},
"KILOBITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Kilobits/Second"
  }
},
"MEGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Megabits/Second"
  }
},
"GIGABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Gigabits/Second"
  }
},

"TERABITS_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Terabits/Second"
  }
},
"COUNT_PER_SECOND": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "Count/Second"
  }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```

```

        "smithy.api#documentation": "<p>Entitlement usage name.</p>",
        "smithy.api#required": {}
    }
},
"ConsumedValue": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
        "smithy.api#documentation": "<p>Resource usage consumed.</p>",
        "smithy.api#required": {}
    }
},
"MaxCount": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
    }
},
"Unit": {
    "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
    "traits": {
        "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
        "smithy.api#required": {}
    }
},
"traits": {
    "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#EntitlementUsage"
    }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        }
    ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
  }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#default": false,
    "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},

```

```

"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
  "type": "structure",
  "members": {
    "LicenseConsumptionToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>License consumption token.</p>"
      }
    },
    "Expiration": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    },
    "ErrorCode": {
      "target": "com.amazonaws.licensemanager#String"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FailedDependency",
      "httpResponseCode": 424
    },
    "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 424
  }
},
"com.amazonaws.licensemanager#Filter": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#FilterName",
      "traits": {

```



```

    "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
  }
},
"Values": {
  "target": "com.amazonaws.licensemanager#FilterValues",
  "traits": {
    "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n      describe operation. Filters can be used
to match a set of resources by specific criteria,\n      such as tags, attributes, or IDs.</p>"
}
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "FilterLimitExceeded",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#FilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter"
  }
},
"com.amazonaws.licensemanager#FilterName": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
  "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
  "type": "list",

```

```

"member": {
  "target": "com.amazonaws.licensemanager#FilterValue",
  "traits": {
    "smithy.api#xmlName": "item"
  }
},
"com.amazonaws.licensemanager#Filters": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Filter",
    "traits": {
      "smithy.api#xmlName": "item"
    }
  }
},
"com.amazonaws.licensemanager#GetAccessToken": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n    are valid for one hour.</p>"
  }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {

```

```

"type": "structure",
"members": {
  "Token": {
    "target": "com.amazonaws.licensemanager#TokenString",
    "traits": {
      "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
      "smithy.api#required": {}
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
  "type": "structure",
  "members": {
    "AccessToken": {
      "target": "com.amazonaws.licensemanager#TokenString",
      "traits": {
        "smithy.api#documentation": "<p>Temporary access token.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    }
  ],

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
  }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
    "Version": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Grant version.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
  "type": "structure",
  "members": {

```

```

    "Grant": {
      "target": "com.amazonaws.licensemanager#Grant",
      "traits": {
        "smithy.api#documentation": "<p>Grant details.</p>"
      }
    },
    "traits": {

"smithy.api#output": {}
  },
"com.amazonaws.licensemanager#GetLicense": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
  "type": "operation",
  "input": {

```

```

    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {

```

```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
    }
  },
  "LicenseConfigurationArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",

    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
    }
  },

```

```

"ConsumedLicenses": {
  "target": "com.amazonaws.licensemanager#BoxLong",
  "traits": {
    "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License configuration status.</p>"
  }
},
"OwnerAccountId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
  }
},
"Tags": {
  "target": "com.amazonaws.licensemanager#TagList",
  "traits": {
    "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
}

```



```

    },
    "DisassociateWhenNotFound": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
  "type": "structure",
  "members": {
    "LicenseConversionTaskId": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

```

```

        "traits": {
            "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",
            "smithy.api#required": {}
        }
    },
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
    "type": "structure",
    "members": {
        "LicenseConversionTaskId": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
            "traits": {
                "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
            }
        },
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
            }
        },
        "SourceLicenseContext": {
            "target": "com.amazonaws.licensemanager#LicenseConversionContext",
            "traits": {
                "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
            }
        },
        "DestinationLicenseContext": {
            "target": "com.amazonaws.licensemanager#LicenseConversionContext",
            "traits": {
                "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
            }
        },
        "StatusMessage": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
            }
        },
        "Status": {
            "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",

```

```

        "traits": {
            "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
        }
    },

    "StartTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
        }
    },
    "LicenseConversionTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
        }
    },
    "EndTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
            "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
        }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
    ],
}

```

```

    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
  "type": "structure",
  "members": {
    "LicenseManagerReportGeneratorArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
        "smithy.api#required":
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
  "type": "structure",
  "members": {
    "ReportGenerator": {
      "target": "com.amazonaws.licensemanager#ReportGenerator",
      "traits": {
        "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
      }
    }
  }
},

```

```

    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>License version.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseResponse": {
    "type": "structure",
    "members": {
      "License": {
        "target": "com.amazonaws.licensemanager#License",
        "traits": {
          "smithy.api#documentation": "<p>License details.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsage": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
    }
  }
}

```

```

    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
    "type": "structure",
    "members": {
      "LicenseUsage": {
        "target":
"com.amazonaws.licensemanager#LicenseUsage",
        "traits": {

```

```

        "smithy.api#documentation": "<p>License usage details.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetServiceSettings": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
    }
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#input": {}
    }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
    "type": "structure",
    "members": {
        "S3BucketArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,"
            }
        }
    }
}

```

discovery data,\n and so on.</p>"

```
    }
    },
    "SnsTopicArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
      }
    },
    "OrganizationConfiguration": {
      "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
      }
    },
    "EnableCrossAccountsDiscovery": {
      "target": "com.amazonaws.licensemanager#BoxBoolean",
      "traits": {
        "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
      }
    },
  },
  "LicenseManagerResourceShareArn": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  },
},
"com.amazonaws.licensemanager#Grant": {
  "type": "structure",
  "members": {
    "GrantArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
        "smithy.api#required": {}
      }
    },
  },
  "GrantName": {
```



```

"target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Grant name.</p>",
    "smithy.api#required": {}
  }
},
"ParentArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>Parent ARN.</p>",
    "smithy.api#required": {}
  }
},
"LicenseArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>License ARN.</p>",
    "smithy.api#required": {}
  }
},
"GranteePrincipalArn": {
  "target": "com.amazonaws.licensemanager#Arn",
  "traits": {
    "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
    "smithy.api#required": {}
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the grant.</p>",
    "smithy.api#required": {}
  }
},
"GrantStatus": {
  "target": "com.amazonaws.licensemanager#GrantStatus",
  "traits": {
    "smithy.api#documentation": "<p>Grant status.</p>",
    "smithy.api#required": {}
  }
},
"StatusReason": {
  "target": "com.amazonaws.licensemanager#StatusReasonMessage",
  "traits": {
    "smithy.api#documentation": "<p>Grant status reason.</p>"
  }
}

```

```

    }
  },
  "Version": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Grant version.</p>",
      "smithy.api#required": {}
    }
  },
  "GrantedOperations": {
    "target": "com.amazonaws.licensemanager#AllowedOperationList",
    "traits": {
      "smithy.api#documentation": "<p>Granted operations.</p>",
      "smithy.api#required": {}
    }
  },
  "Options": {
    "target": "com.amazonaws.licensemanager#Options",
    "traits": {
      "smithy.api#documentation": "<p>The options specified for the grant.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation":
    "<p>Describes a grant.</p>"
  },
  "com.amazonaws.licensemanager#GrantList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Grant"
    }
  },
  "com.amazonaws.licensemanager#GrantStatus": {
    "type": "enum",
    "members": {
      "PENDING_WORKFLOW": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_WORKFLOW"
        }
      },
      "PENDING_ACCEPT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "PENDING_ACCEPT"
        }
      }
    }
  }
}

```

```

    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "PENDING_DELETE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_DELETE"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits":
    {
      "smithy.api#enumValue": "DISABLED"
    }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#GrantedLicense": {

```

```

"type": "structure",
"members": {
  "LicenseArn": {
    "target": "com.amazonaws.licensemanager#Arn",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
    }
  },
  "LicenseName": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>License name.</p>"
    }
  }
},
"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>"
  }
},
"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product SKU.</p>"
  }
},
"Issuer": {
  "target": "com.amazonaws.licensemanager#IssuerDetails",
  "traits": {
    "smithy.api#documentation": "<p>Granted license issuer.</p>"
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>Granted license status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in
ISO8601-UTC format.</p>"
    }
  },
  "Beneficiary": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
    }
  },
  "Entitlements": {
    "target": "com.amazonaws.licensemanager#EntitlementList",
    "traits": {
      "smithy.api#documentation": "<p>License entitlements.</p>"
    }
  },
  "ConsumptionConfiguration": {
    "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
    "traits": {
      "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
    }
  },
  "LicenseMetadata": {
    "target": "com.amazonaws.licensemanager#MetadataList",
    "traits": {
      "smithy.api#documentation": "<p>Granted license metadata.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#ISO8601DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
    }
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Version of the granted license.</p>"
  }
},
"ReceivedMetadata": {
  "target": "com.amazonaws.licensemanager#ReceivedMetadata",
  "traits": {
    "smithy.api#documentation": "<p>Granted license received metadata.</p>"
  }
}

```

```

    },
    "traits": {
      "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
    }
  },
  "com.amazonaws.licensemanager#GrantedLicenseList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#GrantedLicense"
    }
  },
  "com.amazonaws.licensemanager#ISO8601DateTime":
  {
    "type": "string",
    "traits": {
      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^(?:(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(Z|[+-](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$"
    }
  },
  "com.amazonaws.licensemanager#Integer": {
    "type": "integer"
  },
  "com.amazonaws.licensemanager#InvalidParameterValueException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidParameterValueProvided",
      "httpResponseCode": 400
    },
    "smithy.api#documentation":
    "<p>One or more parameter values are not valid.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
  },
  "com.amazonaws.licensemanager#InvalidResourceStateException": {
    "type": "structure",
    "members": {
      "Message": {

```

```

        "target": "com.amazonaws.licensemanager#Message"
    }
},
"traits": {
    "aws.protocols#awsQueryError": {
        "code": "InvalidResourceState",
        "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n    <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
    "type": "structure",
    "members": {
        "Name": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the filter.</p>",
                "smithy.api#required": {}
            }
        },
        "Condition": {
            "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
            "traits": {
                "smithy.api#documentation": "<p>Condition of the filter.</p>",
                "smithy.api#required": {}
            }
        },
        "Value": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Value of the filter.</p>"
            }
        }
    }
},
"traits": {
    "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
    "type": "enum",
    "members": {

```

```

"EQUALS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "EQUALS"
  }
},
"NOT_EQUALS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "NOT_EQUALS"
  }
},
"BEGINS_WITH": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "BEGINS_WITH"
  }
},
"CONTAINS": {
  "target": "smithy.api#Unit",
  "traits": {
    "smithy.api#enumValue": "CONTAINS"
  }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#InventoryFilter"
  }
},
"com.amazonaws.licensemanager#Issuer": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Issuer name.</p>",
        "smithy.api#required": {}
      }
    }
  }
},
"SignKey": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage

```



```

of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
  },
  "com.amazonaws.licensemanager#IssuerDetails": {
    "type": "structure",
    "members": {
      "Name": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer name.</p>"
        }
      },
      "SignKey": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n      and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
        }
      },
      "KeyFingerprint": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
    }
  },
  "com.amazonaws.licensemanager#License": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
        }
      },
      "LicenseName": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

"smithy.api#documentation": "<p>License name.</p>"
  }
},
"ProductName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product name.</p>"
  }
},
"ProductSKU": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Product SKU.</p>"
  }
},
"Issuer": {
  "target": "com.amazonaws.licensemanager#IssuerDetails",
  "traits": {
    "smithy.api#documentation": "<p>License issuer.</p>"
  }
},
"HomeRegion": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Home Region of the license.</p>"
  }
},
"Status": {
  "target": "com.amazonaws.licensemanager#LicenseStatus",
  "traits": {
    "smithy.api#documentation": "<p>License status.</p>"
  }
},
"Validity": {
  "target": "com.amazonaws.licensemanager#DatetimeRange",
  "traits": {
    "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
  }
},
"Beneficiary": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License beneficiary.</p>"
  }
},

```

```

"Entitlements": {
  "target": "com.amazonaws.licensemanager#EntitlementList",
  "traits": {
    "smithy.api#documentation": "<p>License entitlements.</p>"
  }
},
"ConsumptionConfiguration": {
  "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
  "traits": {
    "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
  }
},
"LicenseMetadata": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>License metadata.</p>"
  }
},
"CreateTime": {
  "target": "com.amazonaws.licensemanager#ISO8601DateTime",
  "traits": {
    "smithy.api#documentation": "<p>License
creation time.</p>"
  }
},
"Version": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>License version.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
  "type": "structure",
  "members": {
    "LicenseConfigurationId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
      }
    },
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",

```

```

    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
    }
  },
  "Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Name of the license configuration.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Description of the license configuration.</p>"
    }
  },
  "LicenseCountingType": {
    "target": "com.amazonaws.licensemanager#LicenseCountingType",
    "traits": {
      "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
    }
  },
  "LicenseRules": {
    "target": "com.amazonaws.licensemanager#StringList",
    "traits": {
      "smithy.api#documentation": "<p>License rules.</p>"
    }
  },
  "LicenseCount": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
    }
  },
  "LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
    }
  },
  "DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
  },
  "ConsumedLicenses": {

```

```

    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Status of the license configuration.</p>"
    }
  },
  "OwnerAccountId": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
    }
  }
},
"ConsumedLicenseSummaryList": {
  "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
  }
},
"ManagedResourceSummaryList": {
  "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
  "traits": {
    "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
  }
},
"ProductInformationList": {
  "target": "com.amazonaws.licensemanager#ProductInformationList",
  "traits": {
    "smithy.api#documentation": "<p>Product information.</p>"
  }
},
"AutomatedDiscoveryInformation": {
  "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
  "traits": {
    "smithy.api#documentation": "<p>Automated discovery information.</p>"
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n

```

Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM must be associated with a host), and the number of licenses purchased and used.

```
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
        }
      },
      "ResourceType": {
        "target": "com.amazonaws.licensemanager#ResourceType",
        "traits": {
          "smithy.api#documentation": "<p>Type of server resource.</p>"
        }
      },
      "ResourceOwnerId": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
        }
      },
      "AssociationTime": {
        "target": "com.amazonaws.licensemanager#DateTime",
        "traits": {
          "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
        }
      },
      "AmiAssociationScope": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
    "type": "list",
```

```

"member": {
  "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
  "type": "enum",
  "members":
{
  "AVAILABLE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "AVAILABLE"
    }
  },
  "DISABLED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DISABLED"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits":
{
  "smithy.api#documentation": "<p>Type of resource.</p>"
}
    },
    "ResourceStatus": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Status of the resource.</p>"
      }
    },
    "ResourceOwnerId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
      }
    }
  }
}

```

```

    }
  },
  "AssociationTime": {
    "target": "com.amazonaws.licensemanager#DateTime",
    "traits": {
      "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
    }
  },

  "ConsumedLicenses": {
    "target": "com.amazonaws.licensemanager#BoxLong",
    "traits": {
      "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
  },
  "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
    }
  },
  "com.amazonaws.licensemanager#LicenseConfigurations": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#LicenseConfiguration"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionContext": {
    "type": "structure",
    "members": {
      "UsageOperation": {
        "target": "com.amazonaws.licensemanager#UsageOperation",
        "traits": {
          "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\n  </a>\n  </p>"
        }
      }
    }
  },

```



```

    "traits": {
      "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTask": {
    "type": "structure",
    "members": {
      "LicenseConversionTaskId": {

        "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
        "traits": {
          "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
        }
      },
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n      conversion task.</p>"
        }
      },
      "SourceLicenseContext": {
        "target": "com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
        }
      },
      "DestinationLicenseContext": {
        "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
        "traits": {
          "smithy.api#documentation": "<p>The status of the conversion task.</p>"
        }
      },
      "StatusMessage": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
        }
      }
    }
  },

```

```

    "StartTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
      }
    },
    "LicenseConversionTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
      }
    },
    "EndTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {
        "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskId": {
    "type": "string",
    "traits": {

      "smithy.api#length": {
        "min": 0,
        "max": 50
      },
      "smithy.api#pattern": "^lct-[a-zA-Z0-9]*$"
    }
  },
  "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
    "type": "enum",
    "members": {
      "IN_PROGRESS": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "IN_PROGRESS"
        }
      },
      "SUCCEEDED": {
        "target": "smithy.api#Unit",
        "traits": {

```

```

        "smithy.api#enumValue": "SUCCEEDED"
    }
},
"FAILED": {
    "target": "smithy.api#Unit",
    "traits": {
        "smithy.api#enumValue": "FAILED"
    }
}
},
"com.amazonaws.licensemanager#LicenseConversionTasks":
{
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#LicenseConversionTask"
    }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
    "type": "enum",
    "members": {
        "VCPU": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "vCPU"
            }
        },
        "INSTANCE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Instance"
            }
        },
        "CORE": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Core"
            }
        },
        "SOCKET": {
            "target": "smithy.api#Unit",
            "traits": {
                "smithy.api#enumValue": "Socket"
            }
        }
    }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {

```

```

"type": "enum",
"members": {
  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  }
}
},
"com.amazonaws.licensemanager#LicenseList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#License"
  }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Resource type.</p>"
      }
    },
    "ErrorMessage": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Error message.</p>"
      }
    },
    "FailureTime": {
      "target": "com.amazonaws.licensemanager#DateTime",
      "traits": {

```

```

"smithy.api#documentation": "<p>Failure time.</p>"
  }
},
"OperationName": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Name of the operation.</p>"
  }
},
"ResourceOwnerId": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
  }
},
"OperationRequestedBy": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
  }
},
"MetadataList": {
  "target": "com.amazonaws.licensemanager#MetadataList",
  "traits": {
    "smithy.api#documentation": "<p>Reserved.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
}
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
  }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

```

```

    "smithy.api#required": {}
  }
},
"AmiAssociationScope": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
  }
},
"traits": {
  "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#LicenseSpecification"
  }
},
"com.amazonaws.licensemanager#LicenseStatus": {
  "type": "enum",
  "members": {
    "AVAILABLE": {
      "target": "smithy.api#Unit",

      "traits": {
        "smithy.api#enumValue": "AVAILABLE"
      }
    },
    "PENDING_AVAILABLE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_AVAILABLE"
      }
    },
    "DEACTIVATED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DEACTIVATED"
      }
    },
    "SUSPENDED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "SUSPENDED"
      }
    }
  }
}

```

```

    }
  },
  "EXPIRED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "EXPIRED"
    }
  },

  "PENDING_DELETE": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "PENDING_DELETE"
    }
  },
  "DELETED": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "DELETED"
    }
  }
},
"com.amazonaws.licensemanager#LicenseUsage": {
  "type": "structure",
  "members": {
    "EntitlementUsages": {
      "target": "com.amazonaws.licensemanager#EntitlementUsageList",
      "traits": {
        "smithy.api#documentation": "<p>License entitlement usages.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
  }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "LicenseUsageFailure",

```

```

        "httpResponseCode": 412
    },
    "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 412
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
    },
    "output": {
"target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n    <p>Resource associations need not consume licenses from a license
configuration. \n    For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
    }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
        "LicenseConfigurationArn": {

```



```

    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
      "smithy.api#required": {}
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurationAssociations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
  "type": "operation",

```

```

"input": {
  "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
},
"output": {
  "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
},
"errors": [
  {
    "target": "com.amazonaws.licensemanager#AccessDeniedException"
  },
  {
    "target": "com.amazonaws.licensemanager#AuthorizationException"
  },
  {
    "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
  },
  {
    "target": "com.amazonaws.licensemanager#RateLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
  },
  {
    "target": "com.amazonaws.licensemanager#ServerInternalException"
  },
  {
    "target": "com.amazonaws.licensemanager#ValidationException"
  }
],
"traits": {
  "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
  "type": "structure",
  "members": {
    "GrantArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>LicenseArn</code>\n          </p>\n"
      }
    }
  }
}

```

```

    </li>\n    <li>\n        <p>\n            <code>GrantStatus</code>\n        </p>\n    </li>\n    <li>\n        <p>\n            <code>GranteePrincipalARN</code>\n        </p>\n    </li>\n    <li>\n        <p>\n            <code>ProductSKU</code>\n        </p>\n    </li>\n    <li>\n        <p>\n            <code>LicenseIssuerName</code>\n        </p>\n    </li>\n    </ul>\n    }\n    },\n    "NextToken": {\n        "target": "com.amazonaws.licensemanager#String",\n        "traits": {\n            "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n        }\n    },\n    "MaxResults": {\n        "target": "com.amazonaws.licensemanager#MaxSize100",\n        "traits": {\n            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"\n        }\n    }\n    },\n    "traits": {\n        "smithy.api#input": {}\n    }\n    },\n    "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {\n        "type": "structure",\n        "members": {\n            "Grants": {\n                "target": "com.amazonaws.licensemanager#GrantList",\n\n                "traits": {\n                    "smithy.api#documentation": "<p>Distributed grant details.</p>"\n                }\n            },\n            "NextToken": {\n                "target": "com.amazonaws.licensemanager#String",\n                "traits": {\n                    "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n                }\n            }\n        }\n    },\n    "traits": {\n        "smithy.api#output": {}\n    }\n    },\n    "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {\n        "type": "operation",\n        "input": {\n
```

```

    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
  "type": "structure",
  "members": {
    "LicenseOperationFailureList": {
      "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
      "traits": {
        "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
      }
    },
    "Filters": {
      "target": "com.amazonaws.licensemanager#Filters",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n <ul>\n <li>\n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n </li>\n <li>\n
<p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n

```

`usagelimitExceeded` - A Boolean value that indicates whether the available licenses have been exceeded.

Logical operators are `EQUALS` | `NOT_EQUALS`.

```

    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
  "type": "structure",
  "members": {
    "LicenseConfigurations": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurations",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configurations.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",

      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    }
  ]
}

```

```

    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
  "type": "structure",
  "members": {
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>\n    Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n  </p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
  "type": "structure",
  "members": {
    "LicenseConversionTasks": {
      "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
      "traits": {
        "smithy.api#documentation": "<p>Information about the license configuration tasks for your

```



```

account.</p>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
}
},
"traits": {
  "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target":
"com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
  {
    "type": "structure",
    "members": {
      "Filters": {
        "target": "com.amazonaws.licensemanager#FilterList",
        "traits": {
          "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n  <ul>\n    <li>\n      <p>\n        <code>LicenseConfigurationArn</code>\n      </p>\n    </li>\n  </ul>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Token for the next set of results.</p>"
        }
      },
      "MaxResults": {
        "target": "com.amazonaws.licensemanager#MaxSize100",
        "traits":
        {
          "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    }
  },
  "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
    "type": "structure",
    "members": {
      "ReportGenerators": {
        "target": "com.amazonaws.licensemanager#ReportGeneratorList",
        "traits": {
          "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }

}

},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
    }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
        "ResourceArn": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
                "smithy.api#required": {}
            }
        }
    }
}

```

```

    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
  "type": "structure",
  "members": {
    "LicenseSpecifications": {
      "target": "com.amazonaws.licensemanager#LicenseSpecifications",
      "traits": {
        "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
  },
  "errors": [

```

```

    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
  "type": "structure",
  "members": {
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#Arn",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
        "smithy.api#required": {}
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {

```

```

"type": "structure",
"members": {
  "Licenses": {
    "target": "com.amazonaws.licensemanager#LicenseList",
    "traits": {
      "smithy.api#documentation": "<p>License details.</p>"
    }
  },

  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListLicenses": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListLicensesRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListLicensesResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
},

```

```

"traits": {
  "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n  </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#LicenseList",
      "traits": {

```

```

        "smithy.api#documentation": "<p>License details.</p>"
    }
},
"NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
    },
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
            "target": "com.amazonaws.licensemanager#ValidationException"
        }
    ],
    "traits": {
        "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while

```


specifying the recipient as this Amazon Web Services account, your organization, or an organizational unit (OU) to which this member account belongs.</p>"

```
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target":
"com.amazonaws.licensemanager#ValidationException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
    "type": "structure",
    "members": {
      "LicenseArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}
```

```

    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#FilterList",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
    <ul>\n      <li>\n        <p>\n          <code>ParentArn</code>\n        </p>\n      </li>\n
</li>\n      <p>\n        <code>GranteePrincipalArn</code>\n      </p>\n    </ul>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#MaxSize100",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
  "type": "structure",
  "members": {
    "Grants": {
      "target": "com.amazonaws.licensemanager#GrantList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
}

```

```

    },
    "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
      "type": "structure",
      "members": {
        "GrantArns": {
          "target": "com.amazonaws.licensemanager#ArnList",
          "traits": {
            "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
          }
        },
        "Filters": {
          "target": "com.amazonaws.licensemanager#FilterList",
          "traits": {
            "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>LicenseIssuerName</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>LicenseArn</code>\n          </p>\n        </li>\n        <li>\n          <p>\n            <code>GrantStatus</code>\n          </p>\n        </li>\n      </ul>\n      <code>GranterAccountId</code>\n    </p>\n          }
        },
        "NextToken": {
          "target": "com.amazonaws.licensemanager#String",
          "traits": {
            "smithy.api#documentation": "<p>Token for the next set of results.</p>"
          }
        },
        "MaxResults": {
          "target": "com.amazonaws.licensemanager#MaxSize100",
          "traits": {
            "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#input": {}
      }
    },
    "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
      "type": "structure",
      "members": {
        "Grants": {
          "target": "com.amazonaws.licensemanager#GrantList",
          "traits": {
            "smithy.api#documentation": "<p>Received grant details.</p>"
          }
        }
      },
    },

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "traits": {
      "smithy.api#output": {}
    },
    "com.amazonaws.licensemanager#ListReceivedLicenses": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Lists received licenses.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":

```

```

{
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
  "type": "structure",
  "members": {
    "Filters": {
      "target": "com.amazonaws.licensemanager#FilterList",
      "traits": {
        "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n      <ul>\n        <li>\n          <p>\n            <code>Beneficiary</code>\n          </li>\n        <li>\n          <p>\n            <code>ProductSKU</code>\n          </p>\n        </li>\n      </ul>"
      }
    }
  },
}

```

```

    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    },
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#MaxSize100",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#input": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
  "type": "structure",
  "members": {
    "LicenseArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
      }
    }
  },

```

```

"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n  <ul>\n    <li>\n      <p>\n        <code>ProductSKU</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Status</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Fingerprint</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>IssuerName</code>\n      </p>\n    </li>\n    <li>\n      <p>\n        <code>Beneficiary</code>\n      </p>\n    </li>\n  </ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
},
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
  "type": "structure",
  "members": {
    "Licenses": {
      "target": "com.amazonaws.licensemanager#GrantedLicenseList",
      "traits": {
        "smithy.api#documentation": "<p>Received license details.</p>"
      }
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  }
},
"traits": {
  "smithy.api#output": {}
}

```

```

},
"com.amazonaws.licensemanager#ListResourceInventory": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#FailedDependencyException"
    },
    {
      "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
  }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
  "type": "structure",
  "members": {
    "MaxResults": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {

```



```

    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#InventoryFilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n          <code>account_id</code>\n        - The ID of the Amazon Web Services account that owns the resource.\n          Logical operators are\n        <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>application_name</code> - The name of the\n        application. \n          Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>license_included</code> - The type of license included. \n          Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n          Possible values\n        are <code>sql-server-enterprise</code> | \n          <code>sql-server-standard</code> | \n          <code>sql-server-web</code> | \n          <code>windows-server-datacenter</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>platform</code> - The platform of the resource.\n          Logical operators are\n        <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>resource_id</code> - The ID of the resource. \n          Logical operators are\n        <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>tag:<key></code> - The key/value combination of a tag assigned \n          to the resource. Logical\n        operators are <code>EQUALS</code> (single account) or\n          <code>EQUALS</code> |\n        <code>NOT_EQUALS</code> (cross account).</p>\n      </li>\n    </ul>"
  }
}
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
  "type": "structure",
  "members": {
    "ResourceInventoryList": {
      "target": "com.amazonaws.licensemanager#ResourceInventoryList",
      "traits": {
        "smithy.api#documentation": "<p>Information
about the resources.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
},
"traits": {

```

```

    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
  "type": "structure",
  "members": {
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

```

```

    },
    "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
      "type": "structure",
      "members": {
        "Tags": {
          "target": "com.amazonaws.licensemanager#TagList",
          "traits": {
            "smithy.api#documentation": "<p>Information about the tags.</p>"
          }
        }
      },
      "traits": {
        "smithy.api#output": {}
      }
    },
    "com.amazonaws.licensemanager#ListTokens": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#ListTokensRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#ListTokensResponse"
      },
      "errors":
    [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      },
      {
        "target": "com.amazonaws.licensemanager#ValidationException"
      }
    ],
      "traits": {
        "smithy.api#documentation": "<p>Lists your tokens.</p>"
      }
    },
    "com.amazonaws.licensemanager#ListTokensRequest": {
      "type": "structure",
      "members": {

```

```

"TokenIds": {
  "target": "com.amazonaws.licensemanager#StringList",
  "traits": {
    "smithy.api#documentation": "<p>Token IDs.</p>"
  }
},
"Filters": {
  "target": "com.amazonaws.licensemanager#FilterList",
  "traits": {
    "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
<ul>\n  <li>\n    <p>\n      <code>LicenseArns</code>\n    </p>\n  </li>\n</ul>"
  }
},
"NextToken": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Token for the next set of results.</p>"
  }
},
"MaxResults": {
  "target": "com.amazonaws.licensemanager#MaxSize100",
  "traits": {
    "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListTokensResponse": {
  "type": "structure",
  "members": {
    "Tokens": {
      "target": "com.amazonaws.licensemanager#TokenList",
      "traits": {
        "smithy.api#documentation": "<p>Received token details.</p>"
      }
    },
    "NextToken": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
      }
    }
  }
}

```

```

    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
  {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying license\n    consumption details by resource at a selected point in time. Use this action to audit the\n    current license consumption for any license inventory and configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
    "type": "structure",
    "members": {
      "LicenseConfigurationArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

```

```

    "smithy.api#required": {}
  },
  "MaxResults": {
    "target": "com.amazonaws.licensemanager#BoxInteger",
    "traits": {
      "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
    }
  },
  "NextToken": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
  },
  "Filters": {
    "target": "com.amazonaws.licensemanager#Filters",
    "traits": {
      "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n    are supported:</p>\n    <ul>\n      <li>\n        <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n      Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n<code>resourceType</code> - The resource type\n      (<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> | \n      <code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n      Logical operators are\n      <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n<code>resourceAccount</code> - The ID of the account that owns the resource. \n      Logical operators\n      are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n      </li>\n    </ul>"
    }
  },
  "traits": {
    "smithy.api#input": {}
  },
  "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
    "type": "structure",
    "members": {
      "LicenseConfigurationUsageList": {
        "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
        "traits": {
          "smithy.api#documentation": "<p>Information about the license configurations.</p>"
        }
      },
      "NextToken": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {

```

```

        "smithy.api#documentation": "<p>Token for the next set of results.</p>"
    }
}
},
"traits": {
    "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#Location": {
    "type": "string"
},
"com.amazonaws.licensemanager#Long": {
    "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
    "type": "structure",
    "members": {
        "ResourceType":
{
            "target": "com.amazonaws.licensemanager#ResourceType",
            "traits": {
                "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
            }
        },
        "AssociationCount": {
            "target": "com.amazonaws.licensemanager#BoxLong",
            "traits": {
                "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
    }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
    "type": "list",
    "member": {
        "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
    }
},
"com.amazonaws.licensemanager#MaxSize100": {
    "type": "integer",
    "traits": {
        "smithy.api#range": {
            "min": 1,
            "max": 100
        }
    }
}
}

```

```

    }
  }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  },
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 3
    }
  }
},
"com.amazonaws.licensemanager#Message": {
  "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
  "type": "structure",
  "members": {
    "Name": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>The key name.</p>"
      }
    }
  },
  "Value": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>The value.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
  }
},
"com.amazonaws.licensemanager#MetadataList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Metadata"
  }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
  "type": "structure",
  "members": {

```



```

    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#Options": {
  "type": "structure",
  "members": {
    "ActivationOverrideBehavior": {
      "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
      "traits": {
        "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n      Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n      <ul>\n        <li>\n          <p>As a license administrator, you can
optionally specify an\n          <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
</li>\n        <li>\n          <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n          account in your
organization.</p>\n        </li>\n        <li>\n          <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n          <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n          are activating the grant.</p>\n        </li>\n      </ul>\n      <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n      <dd>\n        <p>Use this value to activate a grant
without replacing any member accounts\n          active grants for the same product.</p>\n      </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n      <dd>\n        <p>Use this value to activate a
grant and disable other active grants in any\n          member accounts
for the same product. This action will also replace their\n          previously activated grants with this activated
grant.</p>\n      </dd>\n      </dl>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n      override behavior. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\">Granted licenses in
License Manager</a> in the <i>License Manager User Guide</i>.</p>"
  }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
  "type": "structure",
  "members": {
    "EnableIntegration": {
      "target": "com.amazonaws.licensemanager#Boolean",

```

```

    "traits": {
      "smithy.api#default": false,
      "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
      "smithy.api#required": {}
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
  }
},
"com.amazonaws.licensemanager#PrincipalArnList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#Arn"
  },
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 1
    }
  }
},
"com.amazonaws.licensemanager#ProductInformation": {
  "type": "structure",
  "members": {
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
        "smithy.api#required": {}
      }
    }
  },
  "ProductInformationFilterList": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
    "traits": {
      "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n    <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n    <p>The following filters and are supported when
the resource type \n    is <code>SSM_MANAGED</code>:</p>\n
    <ul>\n      <li>\n        <p>\n          <code>Application Name</code> - The name of the
application.\n          Logical operator is <code>EQUALS</code>.</p>\n      </li>\n      <li>\n        <p>\n          <code>Application Publisher</code> - The publisher of the application.\n          Logical

```

operator is `EQUALS`.

- `Application Version` - The version of the application. Logical operator is `EQUALS`.
- `Platform Name` - The name of the platform. Logical operator is `EQUALS`.
- `Platform Type` - The platform type. Logical operator is `EQUALS`.
- `Tag:key` - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.
- `AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.
- `License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are:
 - `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

"smithy.api#required": {}
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
  "type": "structure",
  "members": {
    "ProductInformationFilterName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Filter name.</p>",
        "smithy.api#required": {}
      }
    },
    "ProductInformationFilterValue": {
      "target": "com.amazonaws.licensemanager#StringList",

```

```

"traits": {
  "smithy.api#documentation": "<p>Filter value.</p>"
}
},
"ProductInformationFilterComparator": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Logical operator.</p>",
    "smithy.api#required": {}
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformationFilter"
  }
}
},
"com.amazonaws.licensemanager#ProductInformationList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ProductInformation"
  }
}
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
  "type": "structure",
  "members": {
    "MaxTimeToLiveInMinutes": {
      "target": "com.amazonaws.licensemanager#BoxInteger",
      "traits": {
        "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
        "smithy.api#required": {}
      }
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  }
}

```

```

    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "RateLimitExceeded",
      "httpResponseCode": 429
    },
    "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 429
  }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
  "type": "structure",
  "members": {
    "ReceivedStatus": {
      "target": "com.amazonaws.licensemanager#ReceivedStatus",
      "traits": {
        "smithy.api#documentation": "<p>Received status.</p>"
      }
    },
    "ReceivedStatusReason": {
      "target": "com.amazonaws.licensemanager#StatusReasonMessage",
      "traits": {
        "smithy.api#documentation": "<p>Received
status reason.</p>"
      }
    },
    "AllowedOperations": {
      "target": "com.amazonaws.licensemanager#AllowedOperationList",
      "traits": {
        "smithy.api#documentation": "<p>Allowed operations.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
  }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
  "type": "enum",
  "members": {
    "PENDING_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "PENDING_WORKFLOW"
      }
    }
  }
}

```

```

    },
    "PENDING_ACCEPT": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue":
"PENDING_ACCEPT"
      }
    },
    "REJECTED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REJECTED"
      }
    },
    "ACTIVE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "ACTIVE"
      }
    },
    "FAILED_WORKFLOW": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "FAILED_WORKFLOW"
      }
    },
    "DELETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DELETED"
      }
    },
    "DISABLED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DISABLED"
      }
    },
    "WORKFLOW_COMPLETED": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WORKFLOW_COMPLETED"
      }
    }
  }
},
"com.amazonaws.licensemanager#RedirectException": {
  "type": "structure",

```

```

"members": {
  "Location": {
    "target": "com.amazonaws.licensemanager#Location",
    "traits": {
      "smithy.api#httpHeader": "Location"
    }
  },
  "Message": {
    "target": "com.amazonaws.licensemanager#Message"
  }
},
"traits": {
  "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
  "smithy.api#error": "client",
  "smithy.api#httpError": 308
}
},
"com.amazonaws.licensemanager#RejectGrant": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#RejectGrantRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#RejectGrantResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    },
    {
      "target": "com.amazonaws.licensemanager#ValidationException"
    }
  ]
}

```

```

    ],
    "traits": {
      "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
    }
  },
  "com.amazonaws.licensemanager#RejectGrantRequest": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#RejectGrantResponse": {
    "type": "structure",
    "members": {
      "GrantArn": {
        "target": "com.amazonaws.licensemanager#Arn",
        "traits": {
          "smithy.api#documentation": "<p>Grant ARN.</p>"
        }
      },
      "Status": {
        "target": "com.amazonaws.licensemanager#GrantStatus",
        "traits": {
          "smithy.api#documentation": "<p>Grant status.</p>"
        }
      },
      "Version": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Grant version.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#RenewType":

```



```

{
  "type": "enum",
  "members": {
    "NONE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "None"
      }
    },
    "WEEKLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Weekly"
      }
    },
    "MONTHLY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "Monthly"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportContext": {
  "type": "structure",
  "members": {
    "licenseConfigurationArns": {
      "target": "com.amazonaws.licensemanager#ArnList",
      "traits": {

        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
        "smithy.api#required": {}
      }
    },
    "traits": {
      "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
    }
  },
"com.amazonaws.licensemanager#ReportFrequency": {
  "type": "structure",
  "members": {
    "value": {
      "target": "com.amazonaws.licensemanager#Integer",
      "traits": {
        "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n      The only supported value is <code>1</code>.</p>"
      }
    }
  }
}

```

```

    }
  },
  "period": {
    "target": "com.amazonaws.licensemanager#ReportFrequencyType",

    "traits": {
      "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
  "type": "enum",
  "members": {
    "DAY": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "DAY"
      }
    },
    "WEEK": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "WEEK"
      }
    },
    "MONTH": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "MONTH"
      }
    }
  }
},
"com.amazonaws.licensemanager#ReportGenerator": {
  "type": "structure",
  "members": {
    "ReportGeneratorName": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Name of the report generator.</p>"
      }
    }
  },

```

```

"ReportType": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
  }
},
"LicenseManagerReportGeneratorArn": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
  }
},
"LastRunStatus": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
  }
},
"LastRunFailureReason":
{
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
  }
},
"LastReportGenerationTime": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
  }
},
"ReportCreatorAccount": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {
    "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report

```

```

generator.</p>"
    }
  },
  "Description": {
    "target": "com.amazonaws.licensemanager#String",

    "traits": {
      "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
  },
  "S3Location": {
    "target": "com.amazonaws.licensemanager#S3Location",
    "traits": {
      "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
    }
  },
  "CreateTime": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Time the report was created.</p>"
    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
    }
  }
}
},
"traits": {
  "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
}
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportGenerator"
  }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 1,
      "max": 100
    }
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#ReportType": {
    "type": "enum",
    "members": {
      "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
        "target": "smithy.api#Unit",
        "traits": {
          "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
        }
      }
    }
  },
  "LICENSE_CONFIGURATION_USAGE_REPORT": {
    "target": "smithy.api#Unit",
    "traits": {
      "smithy.api#enumValue": "LicenseConfigurationUsageReport"
    }
  }
},
"com.amazonaws.licensemanager#ReportTypeList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#ReportType"
  }
},
"com.amazonaws.licensemanager#ResourceInventory": {
  "type": "structure",
  "members": {
    "ResourceId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>ID of the resource.</p>"
      }
    },
    "ResourceType": {
      "target": "com.amazonaws.licensemanager#ResourceType",
      "traits": {
        "smithy.api#documentation": "<p>Type of resource.</p>"
      }
    },
    "ResourceArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
      }
    }
  }
},

```

```

    "Platform": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform of the resource.</p>"
      }
    },
    "PlatformVersion": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
      }
    },
    "ResourceOwningAccountId":
  {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a resource.</p>"
  },
  "com.amazonaws.licensemanager#ResourceInventoryList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#ResourceInventory"
    }
  },
  "com.amazonaws.licensemanager#ResourceLimitExceededException": {
    "type": "structure",
    "members": {
      "Message": {
        "target": "com.amazonaws.licensemanager#Message"
      }
    },
    "traits": {
      "aws.protocols#awsQueryError": {
        "code": "ResourceLimitExceeded",

        "httpResponseCode": 400
      },
      "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
      "smithy.api#error": "client",
      "smithy.api#httpError": 400
    }
  },
},

```

```

"com.amazonaws.licensemanager#ResourceNotFoundException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "aws.protocols#awsQueryError": {
      "code": "InvalidResource.NotFound",
      "httpResponseCode": 400
    },
    "smithy.api#documentation": "<p>The resource cannot be found.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#ResourceType": {
  "type": "enum",
  "members": {
    "EC2_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_INSTANCE"
      }
    },
    "EC2_HOST": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_HOST"
      }
    },
    "EC2_AMI": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "EC2_AMI"
      }
    },
    "RDS": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "RDS"
      }
    },
    "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
      "target": "smithy.api#Unit",
      "traits": {

```

```

        "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
    }
}
},
"com.amazonaws.licensemanager#S3Location": {
    "type": "structure",
    "members": {
        "bucket": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
            }
        },
        "keyPrefix": {
            "target": "com.amazonaws.licensemanager#String",
            "traits": {
                "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
            }
        }
    },
    "traits": {
        "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
    }
},
"com.amazonaws.licensemanager#ServerInternalException": {
    "type": "structure",
    "members": {
        "Message": {
            "target": "com.amazonaws.licensemanager#Message"
        }
    },
    "traits": {
        "aws.protocols#awsQueryError": {
            "code": "InternalServerError",
            "httpResponseCode": 500
        },
        "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
        "smithy.api#error": "server",
        "smithy.api#httpError": 500
    }
},
"com.amazonaws.licensemanager#SignedToken": {
    "type": "string",
    "traits": {
        "smithy.api#length": {
            "min": 4096
        }
    }
}

```



```

    }
  }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
  "type": "string",
  "traits":
{
  "smithy.api#length": {
    "min": 0,
    "max": 400
  },
  "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
  "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
},
"com.amazonaws.licensemanager#Tag": {
  "type": "structure",
  "members": {
    "Key": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Tag key.</p>"
      }
    },
    "Value": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation":
"<p>Tag value.</p>"
      }
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#TagKeyList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#String"
  }
}

```

```

    }
  },
  "com.amazonaws.licensemanager#TagList": {
    "type": "list",
    "member": {
      "target": "com.amazonaws.licensemanager#Tag"
    }
  },
  "com.amazonaws.licensemanager#TagResource": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#TagResourceRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#TagResourceResponse"
    },
    "errors": [
      {
        "target":
"com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#TagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits":
{
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      }
    }
  }
}

```

```

    }
  },
  "Tags": {
    "target": "com.amazonaws.licensemanager#TagList",
    "traits": {
      "smithy.api#documentation": "<p>One or more tags.</p>",
      "smithy.api#required": {}
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#TokenData": {
  "type": "structure",
  "members": {
    "TokenId": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Token ID.</p>"
      }
    },
    "TokenType": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
      }
    },
    "LicenseArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
      }
    },
    "ExpirationTime": {
      "target": "com.amazonaws.licensemanager#ISO8601DateTime",
      "traits": {
        "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC

```

```

format.</p>"
    }
  },
  "TokenProperties": {
    "target": "com.amazonaws.licensemanager#MaxSize3StringList",
    "traits": {
      "smithy.api#documentation": "<p>Data specified by the caller.</p>"
    }
  },
  "RoleArns": {
    "target": "com.amazonaws.licensemanager#ArnList",
    "traits": {
      "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
    }
  },
  "Status": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
      "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>Describes a token.</p>"
  }
},
"com.amazonaws.licensemanager#TokenList": {
  "type": "list",
  "member": {
    "target": "com.amazonaws.licensemanager#TokenData"
  }
},
"com.amazonaws.licensemanager#TokenString": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 4096
    },
    "smithy.api#pattern": "^\\S+$"
  }
},
"com.amazonaws.licensemanager#TokenType": {
  "type": "enum",
  "members": {

```

```

    "REFRESH_TOKEN": {
      "target": "smithy.api#Unit",
      "traits": {
        "smithy.api#enumValue": "REFRESH_TOKEN"
      }
    }
  },
  "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
},
"com.amazonaws.licensemanager#UntagResource": {
  "type": "operation",
  "input": {
    "target": "com.amazonaws.licensemanager#UntagResourceRequest"
  },
  "output": {
    "target": "com.amazonaws.licensemanager#UntagResourceResponse"
  },
  "errors": [
    {
      "target": "com.amazonaws.licensemanager#AccessDeniedException"
    },
    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],

```

```

    "traits": {
      "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
    }
  },
  "com.amazonaws.licensemanager#UntagResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
          "smithy.api#required": {}
        }
      },
      "TagKeys": {
        "target": "com.amazonaws.licensemanager#TagKeyList",
        "traits": {
          "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
          "smithy.api#required": {}
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },
  "com.amazonaws.licensemanager#UntagResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },
  "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      }
    ]
  }
}

```

```

    {
      "target": "com.amazonaws.licensemanager#AuthorizationException"
    },
    {
      "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
    },
    {
      "target": "com.amazonaws.licensemanager#RateLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
    },
    {
      "target": "com.amazonaws.licensemanager#ServerInternalException"
    }
  ],
  "traits": {
    "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
  }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
  "type": "structure",
  "members": {
    "LicenseConfigurationArn": {
      "target": "com.amazonaws.licensemanager#String",
      "traits": {
        "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
        "smithy.api#required": {}
      }
    },
    "LicenseConfigurationStatus": {
      "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
      "traits": {
        "smithy.api#documentation": "<p>New status of the license configuration.</p>"
      }
    },
    "LicenseRules": {
      "target": "com.amazonaws.licensemanager#StringList",
      "traits": {
        "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\nconfiguration is licenseAffinityToHost.</p>"
      }
    },
    "LicenseCount": {
      "target": "com.amazonaws.licensemanager#BoxLong",
      "traits": {

```

```

        "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
    }
},
"LicenseCountHardLimit": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
    }
},
"Name": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
    }
},
"Description": {
    "target": "com.amazonaws.licensemanager#String",
    "traits": {
        "smithy.api#documentation": "<p>New description of the license configuration.</p>"
    }
},
"ProductInformationList": {
    "target": "com.amazonaws.licensemanager#ProductInformationList",
    "traits": {
        "smithy.api#documentation": "<p>New product information.</p>"
    }
},
"DisassociateWhenNotFound": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
        "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
    }
}
},
"traits":
{
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
}

```



```

    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
      "type": "operation",
      "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
      },
      "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
      },
      "errors": [
        {
          "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
          "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
          "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
          "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
        },
        {
          "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
        },
        {
          "target": "com.amazonaws.licensemanager#ServerInternalException"
        },
        {
          "target": "com.amazonaws.licensemanager#ValidationException"
        }
      ],
      "traits": {
        "smithy.api#documentation": "<p>Updates a report generator.</p>\n    <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
      }
    },
    "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
  {
    "type": "structure",
    "members": {
      "LicenseManagerReportGeneratorArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to

```

```

update.</p>",
    "smithy.api#required": {}
  }
},
"ReportGeneratorName": {
  "target": "com.amazonaws.licensemanager#ReportGeneratorName",
  "traits": {
    "smithy.api#documentation": "<p>Name of the report generator.</p>",
    "smithy.api#required": {}
  }
},
"Type": {
  "target": "com.amazonaws.licensemanager#ReportTypeList",
  "traits": {
    "smithy.api#documentation":
    "<p>Type of reports to generate. The following report types are supported:</p>\n    <ul>\n      <li>\n
    <p>License configuration report - Reports the number and details of consumed licenses for a license
    configuration.</p>\n      </li>\n      <li>\n      <p>Resource report - Reports the tracked licenses and
    resource consumption for a license configuration.</p>\n      </li>\n    </ul>",
    "smithy.api#required": {}
  }
},
"ReportContext": {
  "target": "com.amazonaws.licensemanager#ReportContext",
  "traits": {
    "smithy.api#documentation": "<p>The report context.</p>",
    "smithy.api#required": {}
  }
},
"ReportFrequency": {
  "target": "com.amazonaws.licensemanager#ReportFrequency",
  "traits": {
    "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
    "smithy.api#required": {}
  }
},
"ClientToken": {
  "target": "com.amazonaws.licensemanager#ClientRequestToken",
  "traits": {
    "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
    idempotency of the request.</p>",
    "smithy.api#required": {}
  }
},
"Description": {
  "target": "com.amazonaws.licensemanager#String",
  "traits": {

```

```

        "smithy.api#documentation": "<p>Description of the report generator.</p>"
    }
}
},
"traits": {
    "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
    "type": "structure",
    "members": {},
    "traits": {
        "smithy.api#output": {}
    }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
    "type": "operation",
    "input": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
    },
    "output": {
        "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
    },
    "errors": [
        {
            "target": "com.amazonaws.licensemanager#AccessDeniedException"
        },
        {
            "target": "com.amazonaws.licensemanager#AuthorizationException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
        },
        {
            "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
        },
        {
            "target": "com.amazonaws.licensemanager#LicenseUsageException"
        },
        {
            "target": "com.amazonaws.licensemanager#RateLimitExceededException"
        },
        {
            "target": "com.amazonaws.licensemanager#ServerInternalException"
        }
    ],
}

```

```

    "traits": {
      "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n      <p>You can update the license specifications of AMIs, instances, and hosts.\n      You cannot update the license specifications for launch templates and CloudFormation templates, \n      as they send license configurations to the operation that creates the resource.</p>"
    }
  },

  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
    "type": "structure",
    "members": {
      "ResourceArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
          "smithy.api#required": {}
        }
      },
      "AddLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
        }
      },
      "RemoveLicenseSpecifications": {
        "target": "com.amazonaws.licensemanager#LicenseSpecifications",
        "traits": {
          "smithy.api#documentation":
            "<p>ARNs of the license configurations to remove.</p>"
        }
      }
    },
    "traits": {
      "smithy.api#input": {}
    }
  },

  "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
    "type": "structure",
    "members": {},
    "traits": {
      "smithy.api#output": {}
    }
  },

  "com.amazonaws.licensemanager#UpdateServiceSettings": {
    "type": "operation",
    "input": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
    }
  }
}

```

```

    },
    "output": {
      "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
    },
    "errors": [
      {
        "target": "com.amazonaws.licensemanager#AccessDeniedException"
      },
      {
        "target": "com.amazonaws.licensemanager#AuthorizationException"
      },
      {
        "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
      },
      {
        "target": "com.amazonaws.licensemanager#RateLimitExceededException"
      },
      {
        "target": "com.amazonaws.licensemanager#ServerInternalException"
      }
    ],
    "traits": {
      "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
    }
  },
  "com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
    "type": "structure",
    "members": {
      "S3BucketArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
        }
      },
      "SnsTopicArn": {
        "target": "com.amazonaws.licensemanager#String",
        "traits": {
          "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
        }
      },
      "OrganizationConfiguration": {
        "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
        "traits": {
          "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
        }
      }
    }
  }
}

```

```

    }
  },
  "EnableCrossAccountsDiscovery": {
    "target": "com.amazonaws.licensemanager#BoxBoolean",
    "traits": {
      "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
    }
  }
},
"traits": {
  "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
  "type": "structure",
  "members": {},
  "traits": {
    "smithy.api#output": {}
  }
},
"com.amazonaws.licensemanager#UsageOperation": {
  "type": "string",
  "traits": {
    "smithy.api#length": {
      "min": 0,
      "max": 50
    }
  }
},
"com.amazonaws.licensemanager#ValidationException": {
  "type": "structure",
  "members": {
    "Message": {
      "target": "com.amazonaws.licensemanager#Message"
    }
  },
  "traits": {
    "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
    "smithy.api#error": "client",
    "smithy.api#httpError": 400
  }
}
}
}
}

```

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```

package grafana

import (
    "context"
    "errors"
    "fmt"
    "github.com/aws/aws-sdk-go-v2/aws"
    awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
    "github.com/aws/aws-sdk-go-v2/aws/signer/v4"
    internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
    "github.com/aws/aws-sdk-go-v2/service/grafana/types"
    smithyendpoints "github.com/aws/smithy-go/endpoints"
    "github.com/aws/smithy-go/middleware"
    smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. Upgrading to Grafana
// Enterprise incurs additional fees. For more information, see Upgrade a
// workspace to Grafana Enterprise (https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html)
// .
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
    if params == nil {
        params = &AssociateLicenseInput{}
    }

    result,
    metadata, err := c.invokeOperation(ctx, "AssociateLicense", params, optFns,
    c.addOperationAssociateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*AssociateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type AssociateLicenseInput struct {

    // The type of license to associate with the workspace.
    //
    // This member is required.
    LicenseType types.LicenseType

    // The ID of the workspace to associate the license with.
    //

```

```

// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{ },
middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{ }, middleware.After)
if err != nil {
return err
}
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
return err
}
if err = addRetryMiddlewares(stack, options); err != nil {

```



```

return err
}
if err = addHTTPSignerV4Middleware(stack, options); err != nil {
return err
}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack);
err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addAssociateLicenseResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addendpointDisableHTTPSMiddleware(stack,
options); err != nil {
return err
}
return nil

```

```

}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region:    region,
ServiceID: ServiceID,
SigningName: "grafana",
OperationName: "AssociateLicense",
}
}

type opAssociateLicenseResolveEndpointMiddleware struct {
EndpointResolver EndpointResolverV2
BuiltInResolver  builtInParameterResolver
}

func (*opAssociateLicenseResolveEndpointMiddleware) ID() string {
return "ResolveEndpointV2"
}

func (m *opAssociateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
return next.HandleSerialize(ctx, in)
}

req, ok := in.Request.(*smithyhttp.Request)
if !ok {
return out, metadata, fmt.Errorf("unknown
transport type %T", in.Request)
}

if m.EndpointResolver == nil {
return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
}

params := EndpointParameters{}

m.BuiltInResolver.ResolveBuiltIns(&params)

var resolvedEndpoint smithyendpoints.Endpoint
resolvedEndpoint, err = m.EndpointResolver.ResolveEndpoint(ctx, params)
if err != nil {
return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
}
}

```

```

req.URL = &resolvedEndpoint.URI

for k := range resolvedEndpoint.Headers {
    req.Header.Set(
        k,
        resolvedEndpoint.Headers.Get(k),
    )
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
    var nfe *internalauth.NoAuthenticationSchemesFoundError
    if errors.As(err, &nfe) {
        // if no auth scheme is found, default to sigv4
        signingName := "grafana"
        signingRegion := m.BuiltInResolver.(*builtInResolver).Region
        ctx = awsmiddleware.SetSigningName(ctx, signingName)
        ctx
    }
    = awsmiddleware.SetSigningRegion(ctx, signingRegion)

    }
    var ue *internalauth.UnSupportedAuthenticationSchemeSpecifiedError
    if errors.As(err, &ue) {
        return out, metadata, fmt.Errorf(
            "This operation requests signer version(s) %v but the client only supports %v",
            ue.UnsupportedSchemes,
            internalauth.SupportedSchemes,
        )
    }
}

for _, authScheme := range authSchemes {
    switch authScheme.(type) {
    case *internalauth.AuthenticationSchemeV4:
        v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
        var signingName, signingRegion string
        if v4Scheme.SigningName == nil {
            signingName = "grafana"
        } else {
            signingName = *v4Scheme.SigningName
        }
        if v4Scheme.SigningRegion == nil {
            signingRegion = m.BuiltInResolver.(*builtInResolver).Region
        } else {
            signingRegion = *v4Scheme.SigningRegion
        }
        if v4Scheme.DisableDoubleEncoding != nil {

```

```

    // The signer sets an equivalent value at client initialization time.
    // Setting this
context value will cause the signer to extract it
    // and override the value set at client initialization time.
    ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("grafana")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx,
v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addAssociateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
return stack.Serialize.Insert(&opAssociateLicenseResolveEndpointMiddleware{
    EndpointResolver: options.EndpointResolverV2,
    BuiltInResolver: &builtInResolver{
        Region:    options.Region,
        UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
        UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
        Endpoint:   options.BaseEndpoint,
    },
}, "ResolveEndpoint", middleware.After)
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (

```

```

"context"
"errors"
"fmt"
"github.com/aws/aws-sdk-go-v2/aws"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/aws/signer/v4"
internalauth "github.com/aws/aws-sdk-go-v2/internal/auth"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
smithyendpoints "github.com/aws/smithy-go/endpoints"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
    if params == nil {
        params = &CreateLicenseInput{}
    }

    result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
    if err != nil {
        return nil, err
    }

    out := result.(*CreateLicenseOutput)
    out.ResultMetadata = metadata
    return out, nil
}

type CreateLicenseInput
struct {

    // License beneficiary.
    //
    // This member is required.
    Beneficiary *string

    // Unique, case-sensitive identifier that you provide to ensure the idempotency of
    // the request.
    //
    // This member is required.
    ClientToken *string

    // Configuration for consumption of the license. Choose a provisional
    // configuration for workloads running with continuous connectivity. Choose a
    // borrow configuration for workloads with offline usage.

```

```

//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member
is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

```

```

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
    err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{ }, middleware.After)
    if err != nil {
        return err
    }
    if err = addLegacyEndpointContextSetter(stack, options); err
    != nil {
        return err
    }
    if err = addSetLoggerMiddleware(stack, options); err != nil {
        return err
    }
    if err = awsmiddleware.AddClientRequestIDMiddleware(stack); err != nil {
        return err
    }
    if err = smithyhttp.AddComputeContentLengthMiddleware(stack); err != nil {
        return err
    }
    if err = addResolveEndpointMiddleware(stack, options); err != nil {
        return err
    }
    if err = v4.AddComputePayloadSHA256Middleware(stack); err != nil {
        return err
    }
    if err = addRetryMiddlewares(stack, options); err != nil {
        return err
    }
    if err = addHTTPSignerV4Middleware(stack, options); err != nil {
        return err
    }
}

```

```

}
if err = awsmiddleware.AddRawResponseToMetadata(stack); err != nil {
    return err
}
if err = awsmiddleware.AddRecordResponseTiming(stack); err != nil {
    return err
}
if err = addClientUserAgent(stack, options); err != nil {
    return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
    return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
    return err
}
if err = addCreateLicenseResolveEndpointMiddleware(stack, options); err != nil {
    return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
    return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
    return err
}
if err = awsmiddleware.AddRecursionDetection(stack); err != nil {
    return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
    return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
    return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
    return err
}
if err = addendpointDisableHTTPSMiddleware(stack, options); err != nil {
    return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
    Region:    region,

```



```

ServiceID: ServiceID,
SigningName:
    "license-manager",
OperationName: "CreateLicense",
}
}

type opCreateLicenseResolveEndpointMiddleware struct {
    EndpointResolver EndpointResolverV2
    BuiltInResolver  builtInParameterResolver
}

func (*opCreateLicenseResolveEndpointMiddleware) ID() string {
    return "ResolveEndpointV2"
}

func (m *opCreateLicenseResolveEndpointMiddleware) HandleSerialize(ctx context.Context, in
middleware.SerializeInput, next middleware.SerializeHandler) (
    out middleware.SerializeOutput, metadata middleware.Metadata, err error,
) {
    if awsmiddleware.GetRequiresLegacyEndpoints(ctx) {
        return next.HandleSerialize(ctx, in)
    }

    req, ok := in.Request.(*smithyhttp.Request)
    if !ok {
        return out, metadata, fmt.Errorf("unknown transport type %T", in.Request)
    }

    if m.EndpointResolver == nil {
        return out, metadata, fmt.Errorf("expected endpoint resolver to not be nil")
    }

    params := EndpointParameters{}

    m.BuiltInResolver.ResolveBuiltIns(&params)

    var resolvedEndpoint smithyendpoints.Endpoint
    resolvedEndpoint,
    err = m.EndpointResolver.ResolveEndpoint(ctx, params)
    if err != nil {
        return out, metadata, fmt.Errorf("failed to resolve service endpoint, %w", err)
    }

    req.URL = &resolvedEndpoint.URI

    for k := range resolvedEndpoint.Headers {
        req.Header.Set(

```

```

k,
resolvedEndpoint.Headers.Get(k),
)
}

authSchemes, err := internalauth.GetAuthenticationSchemes(&resolvedEndpoint.Properties)
if err != nil {
var nfe *internalauth.NoAuthenticationSchemesFoundError
if errors.As(err, &nfe) {
// if no auth scheme is found, default to sigv4
signingName := "license-manager"
signingRegion := m.BuiltInResolver.(*builtInResolver).Region
ctx = awsmiddleware.SetSigningName(ctx, signingName)
ctx = awsmiddleware.SetSigningRegion(ctx, signingRegion)

}
var ue *internalauth.UnsupportedAuthenticationSchemeSpecifiedError
if errors.As(err, &ue) {
return out, metadata, fmt.Errorf(
    "This operation requests signer version(s) %v but the client only supports
    %v",
    ue.UnsupportedSchemes,
    internalauth.SupportedSchemes,
)
}
}

for _, authScheme := range authSchemes {
switch authScheme.(type) {
case *internalauth.AuthenticationSchemeV4:
v4Scheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4)
var signingName, signingRegion string
if v4Scheme.SigningName == nil {
signingName = "license-manager"
} else {
signingName = *v4Scheme.SigningName
}
if v4Scheme.SigningRegion == nil {
signingRegion = m.BuiltInResolver.(*builtInResolver).Region
} else {
signingRegion = *v4Scheme.SigningRegion
}
if v4Scheme.DisableDoubleEncoding != nil {
// The signer sets an equivalent value at client initialization time.
// Setting this context value will cause the signer to extract it
// and override the value set at client initialization time.
ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4Scheme.DisableDoubleEncoding)
}
}
}

```

```

    ctx = awsmiddleware.SetSigningName(ctx, signingName)
    ctx
= awsmiddleware.SetSigningRegion(ctx, signingRegion)
    break
case *internalauth.AuthenticationSchemeV4A:
    v4aScheme, _ := authScheme.(*internalauth.AuthenticationSchemeV4A)
    if v4aScheme.SigningName == nil {
        v4aScheme.SigningName = aws.String("license-manager")
    }
    if v4aScheme.DisableDoubleEncoding != nil {
        // The signer sets an equivalent value at client initialization time.
        // Setting this context value will cause the signer to extract it
        // and override the value set at client initialization time.
        ctx = internalauth.SetDisableDoubleEncoding(ctx, *v4aScheme.DisableDoubleEncoding)
    }
    ctx = awsmiddleware.SetSigningName(ctx, *v4aScheme.SigningName)
    ctx = awsmiddleware.SetSigningRegion(ctx, v4aScheme.SigningRegionSet[0])
    break
case *internalauth.AuthenticationSchemeNone:
    break
}
}

return next.HandleSerialize(ctx, in)
}

func addCreateLicenseResolveEndpointMiddleware(stack *middleware.Stack, options Options) error {
    return
    stack.Serialize.Insert(&opCreateLicenseResolveEndpointMiddleware{
        EndpointResolver: options.EndpointResolverV2,
        BuiltInResolver: &builtInResolver{
            Region:    options.Region,
            UseDualStack: options.EndpointOptions.UseDualStackEndpoint,
            UseFIPS:    options.EndpointOptions.UseFIPSEndpoint,
            Endpoint:  options.BaseEndpoint,
        },
    }, "ResolveEndpoint", middleware.After)
}

```

1.225 logrus 1.8.3

1.225.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.226 kubernetes-client 0.22.17

1.226.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.227 nhooyr-io-websocket 1.8.17

1.227.1 Available under license :

Copyright (c) 2023 Anmol Sethi <hi@nhooyr.io>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.228 jmespath 1.0.1

1.228.1 Available under license :

MIT

1.229 gopkg.in-yaml 2.4.0

1.229.1 Available under license :

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.230 structured-merge-diff 4.2.3

1.230.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.231 visual-studio-runtime 2014

1.231.1 Available under license :

Copyright (c) 2007 Ian Bicking and Contributors

Copyright (c) 2009 Ian Bicking, The Open Planning Project

Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v

\$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====
Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version

prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License

Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based

on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of the copyright holders, nor those of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * The names of the contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named

"Contributors" and submitting the resulting modified document to the canonical shared repository location for this software project (whether directly, as a user with "direct commit access", or via a "pull request"), he or she is signing a contract electronically. The submitter becomes a Contributor after a) he or she signs this document by adding their name beneath the "Contributors" section below, and b) the resulting document is accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or her username or source repository login to submit code to a Pylons Project source repository. Should Contributor become aware of any such use, Contributor will immediately by notifying Agendaless Consulting. Notification must be performed by sending an email to webmaster@agendaless.com. Until such notice is received, Contributor will be presumed to have taken all actions made through Contributor's account. If the Contributor has direct commit access, Agendaless Consulting will have complete control and discretion over capabilities assigned to Contributor's account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation, the right to license the Contribution to others under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka

"the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features
- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any Committed Code.

Licensing Exceptions

=====

None.

List of Contributors

=====

The below-signed are contributors to a code repository that is part of the

project named "Translationstring". Each below-signed contributor has read, understands and agrees to the terms above in the section within this document entitled "Pylons Project Contributor Agreement" as of the date beside his or her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with

other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR

ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE

SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License

Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This

Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL

DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see <http://www.zope.com>). In 2001, the Python Software
Foundation (PSF, see <http://www.python.org/psf/>) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member
of
the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes

3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's

License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This

License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License

A copyright notice accompanies this license document that identifies the copyright holders.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN
THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it

does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the

terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.