

End-of-Sale and End-of-Life Announcement for the Cisco UCS Rack and Blade Server Accessories and Bundles

Contents

Product migration options	10
For more information	10

EOL9010 - Amended

Cisco announces the end-of-sale and end-of-life dates for the Cisco UCS Rack and Blade Server Accessories and Bundles. The last day to order the affected product(s) is March 22, 2013. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

Table 1. End-of-life milestones and dates for the Cisco UCS rack and blade server accessories and bundles

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	December 21, 2012
End-of-Sale Date: HW	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	March 22, 2013
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	June 20, 2013
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	March 22, 2014
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	March 22, 2014
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	June 17, 2017
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	March 31, 2018

HW = Hardware

OS SW = Operating System Software

App. SW = Application Software

Table 2. Product part numbers affected by this announcement

End-of-sale product part number	Product description	Additional information
B440M1-BUN1	<<<B440, 4xX7550, 4x16GB	-
B440M1-BUN2	DISTlonly: UCS B440 M1, 4xX7520, 4x16GB Kit, no HDD, no mez	-
N20-FW007	UCS 5108 Blade Server Chassis FW package	-
N20-FW008	UCS 5108 Blade Server Chassis FW package	-
N20-FW009	UCS 5108 Blade Server Chassis FW package	-
N2XX-AQPCI02	QLogic QLE2460 Single Port 4Gb Fibre Channel HBA	-
N2XX-AQPCI02=	Qlogic QLE2460, 4Gb sngl port FC - Single Channel HBA	-
R200-BASE-DIST	UCS C200 M2 Svr for Dist w/ 1 PS	-
R200-PSU2-450W	450W power supply unit for UCS C200 M1 or C210 M1 Rack Svr	-
R200-PSU2-450W=	450W power supply unit for UCS C200 M1 or C210 M1 Rack Svr	-
R210-BASE-DIST	UCS C210 M2 Svr for Dist w/ 1 PS	-
R210-CRONLY=	LSI MegaRAID 9261-8i PCIe Card, Must choose SAS cable option	-
R210-PCIBLKF1	PCIe Full Height blanking panel for UCS 210 M1 Rack Server	-
R210-PCIBLKF1=	PCIe Full Height blanking panel for UCS 210 M1 Rack Server	-
R210-PCIBLKL1	PCIe Low Profile blanking panel for UCS 210 M1 Rack Server	-
R210-PCIBLKL1=	PCIe Low Profile blanking panel for UCS 210 M1 Rack Server	-
R210-SLDRAIL2	Rail Kit for the C210 M1 Rack Server	-
R210-SLDRAIL2=	Rail Kit for the C210 M1 Rack Server	-
R250-AIRBAFF130	C250 M2 Air Baffle designed for 130W CPUs	-
R250-AIRBAFF130=	C250 M2 Air Baffle designed for 130W CPUs	-
R250-ENTRY-BUNDLE	UCS C250 Rack Svr, 2x E5540,4x4 GB ddr3 1333,1 PS, LSI308	-
R250-G21032RAIL	Strengthened Rail Kit for the UCS 250 Rack Servers	-
R250-G21032RAIL=	Strengthened Rail Kit for the UCS 250 Rack Servers	-
R250-PCIBLKF1	PCIe Full Height blanking panel for UCS 250 M1 Rack Server	-
R250-PCIBLKF1=	PCIe Full Height blanking panel for UCS 250 M1 Rack Server	-
R250-PCIBLKL1	PCIe Low Profile blanking panel for UCS 250 M1 Rack Server	-

End-of-sale product part number	Product description	Additional information
R250-PCIBLKL1=	PCIe Low Profile blanking panel for UCS 250 M1 Rack Server	-
R2XX-LBBU	Battery Back-up	-
R2XX-LBBU=	Battery Back-up	-
UCS-CSK-NS-BUN	Cloud Starter Kit - newScale Bundle	-
UCS-DBUN-R200-1	UCS C200 M2 Rack Svr, 1x E5649, 1x4GB, 1PS	-
UCS-SB-B200P-14	UCS SB BNDL2FIx1xChassis-4xB200, 2x5675, 48GB, 2x146GHD, 1xPalo	For EOL milestones of this PID, please see EOL12939
UCS-SB-B200VB-14	UCS YES BNDL2FIx1xChassis, 4xB200, 2x5640, 48GB, 2x146GHD, 1xBMez	For EOL milestones of this PID, please see EOL12939
UCS-SB-B200VE-14	UCS YES BNDL2FIx1xChassis, 4xB200, 2x5640, 48GB, 2x146GHD, 1xEMez	For EOL milestones of this PID, please see EOL12939
UCS-SB-B200VI-14	UCS YES BNDL2FIx1xChassis, 4xB200, 2x5640, 48GB, 2x146GHD, 1xIMez	For EOL milestones of this PID, please see EOL12939
UCS-SB-B200VP-14	UCS YES BNDL2FIx1xChassis-4xB200, 2x5649, 48GB, 2x146GHD, 1xPalo	For EOL milestones of this PID, please see EOL12939
UCS-SB-B200VQ-14	UCS YES BNDL2FIx1xChassis, 4xB200, 2x5640, 48GB, 2x146GHD, 1xQMez	For EOL milestones of this PID, please see EOL12939
UCS-SB-C210E	UCS SB BNDL C210-2x5620, 6x4GB, 2x146GSASHD, 1xRAID, 2xPS	-
UCS-SB-C250P	UCS SB BNDL C250-2x5670, 12x8GB, 1xPS, 1xRAID	-
UCS-SP-A03-D073G	73GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	-
UCS-SP-ENT-C200UCS	UCS SP BNDL 2xFI,2xFEX,7C200-2x5650, 6x8GB, 2x146GSATAHD, 2xPS	-
UCS-SP-ENTP-B200	UCS SP BNDL2FIx1xChassis-4xB200, 2x5675, 48GB, 2x146GHD, 1xPalo	-
UCS-SP-ENTV-B200	UCS SP BNDL2FIx1xChassis-4xB200, 2x5649, 48GB, 2x146GHD, 1xPalo	-
UCS-SP-ENTV-B230	UCS SP BNDL2FIx1xChassis-4xB230, 2x6550, 128GB, 2x146GHD, 1xPalo	-
UCS-SP-ENTV-B250	UCS YES BNDL2FIx1xChassis-2xB250, 2x5675, 192GB, 2x146GHD, 2xPal	-
UCS-SP-EXPV-B200	UCS SP BNDL 1xChassis-4xB200, 2x5650, 48GB, 2x146GHD, 1xPalo	-
UCS-SP2-B200VP-14	UCS SP2 BNDL2FIx1xChassis-4xB200, 2x5649, 48GB, 2x146GHD,	For EOL milestones of

End-of-sale product part number	Product description	Additional information
	1xVNIC	this PID, please see EOL12939
UCS-SP2-B230-14	UCS SP2 BNDL2Flx1xChass-4xB230M2, 2x2850, 128GB, 2x146GHD, VNIC	For EOL milestones of this PID, please see EOL12939
UCS-SP2-B2X0P	UCS SP2 1xChassis-2xB250, 2x5675, 192GB, 2x146GHD, 1xPalo, 2xB200	For EOL milestones of this PID, please see EOL12939
UCS-SP2-C200E	UCS SP2 BNDL C200-1x5506, 1x4GB, 1x500GSATAHD, 1xPS	-
UCS-SP2-C460V	UCS SP2 BNDL C460-4x0200, 8x16GB, 2x300GBHDD, 1xRAID, 4xPS	-
UCS-SP2-ENTUC-14	UCS YES BNDL2Flx1xChassis, 4xB200, 2x5640, 48GB, 2x146GHD, 1xEMez	For EOL milestones of this PID, please see EOL12939
UCS-SP2-ENTUC-B200	UConUCS SP2 BNDL 2Flx1xChas-4xB200 with E-MEZusing E5640 CPU	-
UCS-SP2-ENTV-B200	UCS SP2 BNDL 2Flx1xChas-4xB200 with VNIC using E5649 CPU	-
UCS-SP2-EXPV-B200	UCS SP2 BNDL 1xChassis-4xB200, 2x5675, 96GB, 2x146GHD, 1xPalo	For EOL milestones of this PID, please see EOL12939
UCS-SP2-VDIE-B200	UCS SP2 BNDL 2Flx1xChas-2xB200, 2xB250 with VNIC	-
UCS-SP3-146GB-HDD	UCS-SP3 146GB HDD	-
UCS-SP3-146GB-HDD=	UCS-SP3 146GB HDD (4-Pack)	-
UCS-SP3-300GB-HDD	UCS-SP3 300GB HDD	-
UCS-SP3-300GB-HDD=	UCS-SP3 300GB HDD (4-Pack)	-
UCS-SP3-B200-12	UCS SP3 BNDL 1xChas, 2x(B200, 2x5650, 96G, 2x146HD, 1xVIC)	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B200-12U	UCS SP3 BNDL 1xChas, 2x(B200, 2x5650, 96G, 2x300HD, 1xVIC)	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B200P	UCS SP3 BNDL 1xChassis-4xB200, 8x5675, 384G DDR3, 8x146GHD, 4x	-
UCS-SP3-B200PU	UCS SP3 BNDL 1xChassis-4x(B200, 2x5675, 96G, 2x300GHD, 1xVIC)	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B200VP-14	UCS SP3 BNDL w/Chassis-4xB200, 2x5649, 192GB RAM/ 48GB ea,	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B200VP-14U	UCS SP3 BNDL w/Chas-4x(B200, 2x5649, 48GB RAM, 1xVIC)	For EOL milestones of

End-of-sale product part number	Product description	Additional information
		this PID, please see EOL12939
UCS-SP3-B230-12	UCS SP3 BNDL 1xChas, 2xB230, 4x2850, 128G Mem, 2x64GHD, 2xvic	-
UCS-SP3-B230-12U	UCS SP3 BNDL1xChassis, 2x(B230, 2x2850, 128G, 1x100GHD, 1xVIC)	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B230-14	UCS SP3 BNDL2FI, 1xChassis-4xB230, 2x2830, 512G DDR3, 8x64GHD	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B230-14U	UCS SP3 BNDL 1xChas-4x(B230, 2x2830, 128G, 2x100G, 1xVIC)	For EOL milestones of this PID, please see EOL12939
UCS-SP3-B2X0P	UCS SP3 1xChassis-2xB250, 2x5675, 192GB, 2x146GHD, 1xPalo, 2xB200	For EOL milestones of this PID, please see EOL12939
UCS-SP3-C200E	UCS SP3 BNDL C200-1x5506, 1x4GB, 1x500GSATAHD, 1xPS	-
UCS-SP3-C460V	UCS SP3 BNDL	-
UCS-SP3-ENTS-B200	UCS SP3 BNDL 6FI, 3xChassis-6xB200, 2x5650, 72x8GB DDR3, 12x64G	-
UCS-SP3-ENTS-B200U	UCS SP3 BNDL 2xFI-U, 3xChas, 6x(B200, 2x5650, 96G, 2x300HD,1xVIC)	-
UCS-SP3-ENTS-B230	UCS SP3BNDL 2FI, 3xChassis-6xB230, 12x2850, 3x128GB DDR3, 3x12	-
UCS-SP3-ENTS-B230U	UCS SP3 BNDL 2FI-U, 3xChas-6x(B230, 2x2850, 1x100G, 1xVIC)	-
UCS-SP3-ENTV-B200	UCS SP3 BNDL 2FI, 1xChassis-4xB200, 2xE5649, 48GMem/B200, 12x14	-
UCS-SP3-ENTV-B200U	UCS SP3 BNDL 2FI-U,1xChas-4x(B200, 2xE5649, 1xVIC, 48G, 2x300G)	-
UCS-SP3-ENTV-B230	UCS SP3 BNDL 2FI, 1xChassis-4xB230, 2x2830, 16x32GB DDR3, 8x64G	-
UCS-SP3-ENTV-B230U	UCS SP3 BNDL 2FI-U, 1xChas-4x(B230, 2x2830, 128G, 2x100G, 1xVIC)	-
UCS-SP3-ENTX-B200	UCS SP3 BNDL w/B200, 2x5650,96G DDR3, 2x146GHD, 1xVNIC	-
UCS-SP3-ENTX-B230	UCS BNDL w/B230, 2x2850, 128G DDR3, 2x64GHD, VNIC	-
UCS-SP3-PERF-B200	UCS SP3 BNDL 2FI, 1xChassis-4xB200, 2x5675, 48x8GB DDR3, 8x146G	-
UCS-SP3-PERF-B200U	UCS SP3 BNDL 2FI-U, 1xChas-4x(B200, 2x5675, 96G, 2x300G, 1xVIC)	-
UCS-SP3-S6200	UCS 40-Port FI w/ FC Expn Card, Cables Bundle, UCSM	-

End-of-sale product part number	Product description	Additional information
UCS-SP3-SFP-S6100	UCS FC Module and Cables	-
UCS-SP4-ENTS-B230	UCS SP4 BNDL w/B230,2x2860,4x32GB DDR3,1xVNIC	-
UCS-VELO-BASE-B200	UCS FI+Chassis+5-B200 (2x5650, 48GB Mem, 2 HDD, 1 Palo)	-
UCS-VELO-BASE-B250	UCS Chassis with 2-B200, 2-B250 (2x 5670, 48GB, 2 HDD, 2Palo)	-
UCS-VELO-EXP-B250	UCS Chassis 2-B200, 2-B250(2x5670, 192Gb, 2 HDD, 2 Palo)	-
UCS-VXI-B200-18	Blades for UCS VXI SCALE 002, 8 B200M2 w/48Gb	For EOL milestones of this PID, please see EOL12939
UCS-VXI-B200-B250	Blades for UCS VXI BASE 001, 3 B250 and 2 B200	For EOL milestones of this PID, please see EOL12939
UCS-VXI-BASE-001	Base UCS Bundle for VXI	-
UCS-YES-B200-14	UCS YES BNDL Chass+B200, 2x5650, 48Gb, Palo, 2146GB HDD	For EOL milestones of this PID, please see EOL12939
UCS-YES-B200-VBLK0	UCS YES BDL 1xChas, 2xB200-2x5680, 96GB, 2x146GHD, 1xPalo	For EOL milestones of this PID, please see EOL12939
UCS-YES-B230-14	UCS YES BNDL 1xChassis, 4xB230, 2x6550, 128GB, 2x64GBSSD, PALO	For EOL milestones of this PID, please see EOL12939
UCS-YES-B250-12	UCS YES BNDL 1xChassis,2xB250,2x5675,192GB,2x146GBHDD,2xPalo	For EOL milestones of this PID, please see EOL12939
UCS-YES-B250-13	UCS YES BNDL 1xChassis, 3xB250, 2x5670, 192GB, 2x146GBHDD, 2xPalo	For EOL milestones of this PID, please see EOL12939
UCS-YES-ENTP-B200	UCS YES BNDL2FIx2xChassis, 8xB200-2x5650, 48GB, 2x146GHD, 1xPalo	-
UCS-YES-ENTV-B200	UCS YES BNDL2FIx1xChassis, 4xB200, 2x5650, 48GB, 2x146GHD, 1xPalo	-
UCS-YES-ENTV-B250	UCS YES BNDL2FIx1xChassis, 2xB250-2x5670, 196G, 2x146GHD, 2xPalo	-
UCS-YES-S610-BLK0	UCS YES BDL 2xFI -no exp. card	-
UCS-YES-S6100	UCS 20-port FI with FC expansion card and cables bundle	-
UCS-YES-VBLOK0	UCS YES BNDL2FIx2xChassis, 4xB200-2x5650, 48GB, 2x146GHD, 1xPalo	-
UCS-YES-VDIE-B230	UCS YES BNDL2FIx1xChassis,4xB230-2x6550, 128GB, 2x64SSD, 1xPalo	-

End-of-sale product part number	Product description	Additional information
UCS-YES-VDIP-B250	UCS YES BNDL2Flx2xChassis,6xB250-2x5670, 196G, 2x146GHD, 2xPalo	-
UCSB-DBUN-B230-109	Disti: UCS B230 M2 Blade, 2x7555, 2x8GB, no HDD, no mez	-
UCSB-DBUN-B230-110	Disti: UCS B230 M2 Blade, 2x7560, 2x8GB, no HDD, no mez	-
UCSC-BUN3-XXX-C250	UCS C250 M1 Rack Svr, 2x X5650 CPU, 96GB, PSU, DVD, Rail Kit	-
UCSC-DBUN-C200-1	UCS C200 M2 Rack Svr, 1x E5649, 1x4GB, 1PS	
UCSC-EZ-C220-111	UCS C220, 1xE5-2630,1x8GB,1x650WPSU,RailKit	-
UCSC-EZ-C220-112	UCS C220, 1xE5-2609,1x8GB,1x650WPSU,RailKit	-
UCSC-GPU-N01-C240	GPU for C240 Server	-
UCSC-GPU-N01-C240=	GPU for C240 Server	-
UCSC-PCIE-S01	SOLARFLARE SFN5122F 10Gb SFP+	-
UCSC-PCIE-S01=	SOLARFLARE SFN5122F 10Gb SFP+	-
UCSC-SLM-KIT-C250	Slam latch upgrade kit for C250 server	-
UCSC-SLM-KIT-C250=	Slam latch upgrade kit for C250 server	-
UCSC-SP-C220V	UCS C220 SMART PLAY BUNDLE 1	-
UCSC-SP-C240V	UCS C240 SMART PLAY BUNDLE 1	-
VCE-UCS-B200-192	VCE UCS B200,2xX5690,192GB DDR3,1xVNIC	-
VCE-UCS-B230-128	VCE UCS B230,2xE72830,128GB DDR3,1xVNIC	-
VCE-UCS-B230-256	VCE UCS B230,2xE72870,256GB DDR3,1xVNIC	-

Product migration options

There is no replacement available for the Cisco UCS Rack and Blade Server Accessories and Bundles at this time.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For more information

For more information about the Cisco End-of-Life Policy, go to:

https://www.cisco.com/en/US/products/products_end-of-life_policy.html.

For more information about the Cisco Product Warranties, go to:

https://www.cisco.com/en/US/products/prod_warranties_listing.html.

To subscribe to receive end-of-life/end-of-sale information, go to:

<https://www.cisco.com/cisco/support/notifications.html>.

Subscribe for RSS notifications for end-of-life and end-of-sale notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

https://www.cisco.com/web/feeds/products/end_of_life_rss.xml.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters

Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters

Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters

Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)