

End-of-Sale and End-of-Life Announcement for the Mavenir Hardware

EOL10344

Cisco announces the end-of-sale and end-of life dates for the Mavenir Hardware. The last day to order the affected product(s) is October 30, 2015. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

Table 1. End-of-Life Milestones and Dates for the Mavenir Hardware

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	May 1, 2015
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	October 30, 2015
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	January 28, 2016
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	October 29, 2016
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	October 29, 2016
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	January 25, 2020
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	October 31, 2020

HW = Hardware OS SW = Operating System Software App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
MIXS-00-CS1CAC34=	Acme Net-Net 4500 SBC 4K Sessions Expansion Module
MIXS-00-CS1CAC416=	Acme Net-Net 4500 SBC 16K Session Module
MIXS-00-CS1CMPC4=	Radisy MPC-IV card
MIXS-00-CS1CMS9KK=	Radisy CMS 9000 Starter Kit (Incl. 400 G.711 RTU Licenses)
MIXS-00-CS1CN32AM=	Nehalem 32G DIMM 32G Flash
MIXS-00-CS1CN8AM=	Nehalem 8G DIMM 32G Flash
MIXS-00-CS1CRM=	Resource Manager Card
MIXS-00-CS1CS325=	SAS Controller ST2500
MIXS-00-CS1CSCC3=	Radisy SCC-III Card
MIXS-00-CS1CSE=	Switch Engine (SE)
MIXS-00-CS1CSER=	Switch Engine (SE) RTM
MIXS-00-CS1CSI=	Signaling Interface Card
MIXS-00-CS1DHP36=	HP DL360 G6 146G HD
MIXS-00-CS1DHP37=	HP DL370 G6 1TB Seagate HD
MIXS-00-CS1DS325=	SAS 1TB Hitachi HD SN-2500
MIXS-00-CS1DSAS6G=	600GB 10 RPM SAS HDD
MIXS-00-CS1DSAS9G=	900 GB 10K RPM SAS HDD
MIXS-00-CS1FA13=	ATCA Chassis Fan Tray Module
MIXS-00-CS1FFAWB=	FAWB (Front Air Management)
MIXS-00-CS1FHP37=	HP DL370 G6 System Fan Kit
MIXS-00-CS1FP=	Fuse Panel
MIXS-00-CS1FRAWB=	RAWB (Rear Air Management)
MIXS-00-CS1HP20SA=	HP P2000 G3 MSA FC Dual Control LFF Modular-Smart Array Sys
MIXS-00-CS1HPDL8A=	HP DL 380 G8p Dual 8core E5-2665 2.4GHz 80GB 16TB HD dual AC
MIXS-00-CS1HR42DA=	Deep ATCA Frame Assembly
MIXS-00-CS1HR42DK=	Deep ATCA Frame
MIXS-00-CS1HR42UA=	Standard ATCA Frame Assembly
MIXS-00-CS1HR42UK=	Standard ATCA Frame
MIXS-00-CS1HRSF=	Standard Server Frame
MIXS-00-CS1HRSFAC=	Standard Server Frame Assembly, AC
MIXS-00-CS1HSA13=	ATCA Shelf Manager
MIXS-00-CS1MNRT=	Application Card RTM (no HD)
MIXS-00-CS1MNRTD=	Application Card RTM (w/ HD)
MIXS-00-CS1MTS48=	Terminal Server
MIXS-00-CS1PA13DC=	ATCA Chassis DC Power Entry Module
MIXS-00-CS1PAN38=	Acme Net-Net 3820 Power Supply
MIXS-00-CS1PD21X4=	DC PDU NEI
MIXS-00-CS1PDTAC=	AC PDU Tripp Lite
MIXS-00-CS1PDUDC=	DC PDU Unipower
MIXS-00-CS1PHP367=	HP DL360 G7 DC Power Supply-1200 Watts
MIXS-00-CS1PHP368=	DL360 G8 DC power supply 750 watts
MIXS-00-CS1PHP36=	HP DL360 G6/G7 AC Power Supply-460 watts

End-of-Sale Product Part Number	Product Description
MIXS-00-CS1PHP37=	HP DL370 G6 AC Power Supply-750 watts
MIXS-00-CS1PHP387=	DL380 G7 HP 460W Common Slot Gold Hot Plug Power Supply Kit
MIXS-00-CS1PHP58=	DL580 Power supply 1200 watts Hot Plug Power Supply Kit
MIXS-00-CS1PRS2DC=	Radisys RMS-220 DC Power Module
MIXS-00-CS1PS325=	SAS DC Power Supply ST2500
MIXS-00-CS1RA325=	SAS Storage Array
MIXS-00-CS1RSMP24=	RM-PE card Radisys ATCA-7240
MIXS-00-CS1SB6=	Sandy Bridge 6 core 64 DIMM Memory 64 SSD
MIXS-00-CS1SB8=	Sandy Bridge 8 core 64 DIMM Memory 64 SSD
MIXS-00-CS1SFC1G=	SFP Copper 1000Mps
MIXS-00-CS1SFP10G=	SFP Plus 10G
MIXS-00-CS1SN3=	SAN storage 3 TB HD 3.5 LFF
MIXS-00-CS1X110G=	Single port 10G LC
MIXS-00-CS1X210G=	Dual port 10Gig
MIXS-00-CS1X41G=	Quad port 1Gig NIC-LC
MIXS-00-CS1X4GET2=	Intel Gigabit ET2 Quad Port Server Adapter
MIXS-00-CS1XA13=	ATCA Chassis
MIXS-00-CS1XASHD=	Shannon ATCA Blade with DSP card
MIXS-00-CS1XG38AC=	HP DL380 G7 dual 6core 128 GB 2.4 TB AC
MIXS-00-CS1XG58AC=	HP DL580 G7 8 core 128GB 7.2 TB AC
MIXS-00-CS1XG70AC=	HP DL360 G7 12G RAM AC
MIXS-00-CS1XG71AC=	HP DL360 G7 64G RAM AC Power
MIXS-00-CS1XG72AC=	HP DL360 G7 192G RAM AC Power
MIXS-00-CS1XG72DC=	HP DL360 G7 192G RAM DC Power
MIXS-00-CS1XG81DC=	HP DL360p db server G8 192GB RAM 2.4 TB HD DC
MIXS-00-CS1XG82AC=	HP DL380p G8 dual 8 core E5-2665 2.4GHz 128GB 5.4TB dual AC
MIXS-00-CS1XG84AC=	HP DL380 G8p dual 8 core E5-2665 2.4GHz 128GB 48TB dual AC
MIXS-00-CS1XG85AC=	DL 380 G8p dual 8core E5-2665 2.4GHz 128GB RAM 5.4TB HD AC
MIXS-00-CS1XG86AC=	HP DL360p srvr G8 dual 6 core E5-2630 2.3GHz 12GB 2x146GB AC
MIXS-00-CS1XG87AC=	DL580 G7 4x Xeon E7-4830 2.13GHz 8 core 256GB 5.4TB HD AC
MIXS-00-CS1XG88AC=	HP DL360p server G8 dual 8 core E5-2665 2.4GHz 64GB 2.4TB AC
MIXS-00-CS1XG89AC=	HP DL360p G8 dual 8 core E5-2665 2.4GHz 192GB 2.4TB HD AC
MIXS-00-CS1XG8PAC=	HP DL380 G8p dual 8core E5-2665 2.4GHz 128GB RAM 2.4TB HD AC
MIXS-00-CS1XHB4=	Dual port HBA 4G-LC
MIXS-00-CS1XHB8=	Dual port HBA 8G-LC
MIXS-00-CS1XHP37=	HP DL370 G6 14TB
MIXS-00-CS1XN32=	Westmere 32G DIMM 60W
MIXS-00-CS1XN8=	Westmere 8G DIMM 60W
MIXS-00-CS1XRM22A=	RadiSys RMS-220 dual CPU dual AC power
MIXS-00-CS1XRM22D=	Radisys RMS-220 Dual CPU Dual DC Power
MIXS-00-CS1XRS30=	Radisys CMS 3000 G.711/SIP Lab System
MIXS-00-CS1XSAN38=	Acme Net-Net 3820 Lab System (Up to 250 Licenses)
MIXS-00-CS1XSPS=	HP DL360 G6

Product Migration Options

There is no replacement available for the Mavenir Hardware at this time.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at

http://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase Mavenir Hardware the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <http://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For More Information

For more information about the Cisco End-of-Life Policy, go to:

http://www.cisco.com/en/US/products/products_end-of-life_policy.html

For more information about the Cisco Product Warranties, go to:

http://www.cisco.com/en/US/products/prod_warranties_listing.html

To subscribe to receive end-of-life/end-of-sale information, go to:

<http://www.cisco.com/cisco/support/notifications.html>

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

http://www.cisco.com/web/feeds/products/end_of_life_rss.xml

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)