



# Cisco WAE Coordinated Maintenance 1.2.1 Release Notes

---

**First Published: 2016-09-27**

The Cisco WAE Coordinated Maintenance application simplifies and automates the process of managing controlled network outages by helping you determine optimal times for performing maintenance events. The application leverages Cisco WAE optimization and prediction capabilities to minimize or eliminate the impact of network changes.

For detailed information, including prerequisites, configurations, and use, see the [Cisco WAE Coordinated Maintenance 1.2 User and Administration Guide](#).

For installation instructions, see the [Cisco WAE 6.3 System Administration Guide](#), and the same guide for releases later than 6.3.

## Contents

This document includes the following sections:

- [New Features, page 1](#)
- [Known Limitations, page 2](#)
- [Using the Cisco Bug Search Tool, page 2](#)
- [Accessibility Features, page 3](#)
- [Related Information, page 3](#)

## New Features

The only change in this release is that the application is supported on the Cisco WAE 6.3.2 and later platforms.



**Note**

Cisco WAE Coordinated Maintenance 1.1 is required for the 6.2.4 and later platforms where the first decimal is a “2.”

## Known Limitations

This section describes the limitations and restrictions for the Cisco WAE Coordinated Maintenance application. Note that platform-related issues could also impact the application. For information on open bugs and limitations on the Cisco WAE platform and other Cisco WAE applications, see the related [Cisco WAE Release Notes](#) on Cisco.com.

- All users have equal privileges. Therefore, it is important to be considerate and cautious when making changes to any Settings page.
- The only type of event represented is the planned outage event. For example, representations of permanent moves, additions, and deletions of network objects are not supported.
- Internally time is stored in UTC, and users can set the standard local time zone. However, the application does not support automatic Daylight Saving Time adjustments.
- Events and blackout windows are limited to 24 hours. The workaround is to create multiple sequential events and blackout windows.
- If you set the test operator to a value that does not support the test objective, the results are misleading. The workaround is to understand the test objective and set the operator accordingly.
- You cannot stop custom tests that are running. If you click Stop on an evaluation that contains custom tests, those tests continue to run in the background.

## Using the Cisco Bug Search Tool

You can use the Cisco Bug Search Tool to search for a specific bug or to search for all bugs in a release.

**Step 1** Go to the [Cisco Bug Search Tool](#).

**Step 2** Enter your registered Cisco.com username and password, and then click **Log In**. The Bug Search page opens.



**Note** If you do not have a Cisco.com username and password, you can [register for them](#).

**Step 3** Use any of these options to search for bugs, and then press Enter (Return) to initiate the search:

- To search for a specific bug, enter the bug ID in the Search For field.
- To search for bugs based on specific criteria, enter search criteria in the Search For field, such as a problem description, a feature, or a product name.
- To search for bugs based on products, enter or select the product from the Product list. For example, if you enter “WAE,” you have several options from which to choose.
- To search for bugs based on releases, in the Releases list select whether to search for bugs affecting a specific release, bugs that were fixed in a specific release, or both. Then enter one or more release numbers.

**Step 4** When the search results are displayed, use the filter tools to narrow the results. You can filter the bugs by status, severity, and so on.

To export the results to a spreadsheet, click **Export Results to Excel**.

## Accessibility Features

All product documents are accessible except for images, graphics, and some charts. If you would like to receive the product documentation in audio format, braille, or large print, contact [accessibility@cisco.com](mailto:accessibility@cisco.com).

## Related Information

Topic	Resource
Cisco software download portal	<a href="#">Download Software portal</a>
Open source software used in Cisco WAE	<a href="#">Licensing Information page</a>
Cisco WAE documentation for all products	<a href="#">Cisco WAE Documentation page</a>
Cisco WAE release notes for all products	<a href="#">Cisco WAE Release Notes page</a>
Cisco WAE product information	<a href="#">Cisco WAE Product page</a>

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2016 Cisco Systems, Inc. All rights reserved.

