



---

## A

- Access Control Policy Name data block [3-77](#)
- Access Control Policy Name record [3-31](#)
- Access Control Policy Rule ID Mapping data block [3-63](#)
- Access Control Policy Rule ID Metadata Block [3-63](#)
- Access Control Policy Rule Reason data block [B-303](#)
- Access Control Policy Rule Reason Data Block for 6.0+ [3-75](#)
- Access Control Rule Action record [4-23](#)
- Access Control Rule data block [4-195, 4-199](#)
- Access Control Rule ID record [3-32](#)
- Access Control Rule Reason data block 5.1+ [4-196, 4-200](#)
- Access Control Rule Reason record [4-25, 4-27, 4-29, 4-30](#)
- Add Client Application message [4-58](#)
- Add Host Attribute message [4-56](#)
- Additional MAC Detected for Host message [4-51](#)
- Add Protocol message [4-58](#)
- Address Specification data block [4-99](#)
- Add Scan Result message [4-59](#)
- Attribute Address data block [4-79](#)
- Attribute Definition data block
  - 4.7+ [4-87](#)
- Attribute List Item data block [4-81](#)
- Attribute record [4-13](#)
- Attribute Specification data block [4-96](#)
- Attribute Value data block [4-82](#)

---

## B

- BLOB data block
  - series 1 [4-72](#)
  - series 2 [3-58](#)

---

## C

- Change NetBIOS Name message [4-52](#)
- Classification record
  - 4.6.1+ [3-21](#)
- Client Application messages [4-47](#)
- Client Application record [4-9](#)
- Collective Security Intelligence Cloud Name record [3-35](#)
- Connection Chunk data block for 5.0-5.1 [B-141](#)
- Connection Chunk data block for 5.1.1+ [4-100, B-142](#)
- Connection Chunk message [4-54](#)
- Connection Event message format [2-21](#)
- Connection Statistics data block
  - 5.0-5.0.2 [B-125](#)
  - 5.1.1.x [B-144](#)
  - 5.1+ [B-129](#)
  - 5.2.x [B-135](#)
  - 5.3 [B-150](#)
  - 5.3.1 [B-156](#)
  - 5.4 [B-163](#)
  - 5.4.1 [B-176](#)
  - 6.0+ [4-118, B-189, B-204](#)
- Connection Statistics Data message [4-53](#)
- Correlation Event message format [2-21](#)
- Correlation Event record
  - 5.0 - 5.0.2 [B-252](#)
  - 5.1-5.3.x [B-260](#)
  - 5.4+ [3-41](#)
- Correlation Policy record [3-22](#)
- Correlation record header format [2-21](#)
- Correlation Rule record [3-24](#)
- Criticality record data structure [4-12](#)

**D**

Data Block header format [2-24](#)  
 Delete Client Application message [4-58](#)  
 Delete Host Attribute message [4-56](#)  
 Delete Protocol message [4-58](#)  
 Discovery Event header 5.0-5.1.1.x [B-87](#)  
 Discovery Event header 5.2+ [4-40](#)  
 Discovery Event message format [2-19](#)  
 Discovery Event message header [2-20](#)

**E**

Endpoint Profile data block [3-68](#)  
 Error message format [2-8](#)  
 eStreamer message header format [2-7](#)  
 Event Data message format [2-17](#)  
 Event Extra Data message format [2-23](#)  
 Event Stream Request message format [2-10](#)  
 example  
   Classification record [A-9](#)  
   Error message format [2-9](#)  
   Intrusion Event record 5.4+ [A-1, A-14](#)  
   Intrusion Impact Alert record [A-6](#)  
   New Network Protocol message [A-30](#)  
   New TCP Server message [A-31](#)  
   Null message format [2-8](#)  
   Packet record [A-8](#)  
   Priority record [A-11](#)  
   Rule Message record [A-12](#)  
   Streaming Information message format [2-38](#)  
   Streaming Service Request message [2-38](#)  
   User Event record 5.1+ [A-27](#)

**F**

File Event for 5.3 [B-229](#)  
 Fingerprint record [4-7](#)  
 Fix List data block [4-102](#)

Full Host Client Application data block  
   5.0+ [4-152](#)  
 Full Host Client Application data block 5.0+ [4-152](#)  
 Full Host Profile data block  
   5.0 - 5.0.2 [B-268](#)  
   5.1.1 [B-277](#)  
   5.2.x [B-285](#)  
   5.3+ [5-1](#)  
 Full Host Server data block 4.10.0+ [4-138](#)  
 Full Server Information data block [4-144](#)  
 Full Sub-Server data block [4-84](#)

**G**

Generic List data block  
   series 1 [4-73](#)  
   series 2 [3-60](#)  
 Generic Scan Results data block  
   4.10.0+ [4-147](#)

**H**

Hops Change message [4-50](#)  
 Host Attribute messages [4-56](#)  
 Host Attribute Value messages [4-57](#)  
 Host Client Application data block  
   5.0+ [4-153](#)  
 Host Data message format [2-30](#)  
 Host Deleted: Host Limit Reached message [4-49](#)  
 Host Dropped: Host Limit Reached message [4-50](#)  
 Host Identified as a Bridge/Router message [4-51](#)  
 Host IP Address Changed message [4-48](#)  
 Host IP Address data block [4-97](#)  
 Host IP Address Reused message [4-49](#)  
 Host Last Seen message [4-45](#)  
 Host MAC Address data block 4.9+ [4-115](#)  
 Host Profile data block 5.2+ [4-160](#)  
 Host Profile data block for 5.1.x [B-297](#)

Host Request message format [2-25](#)  
 Host Server data block  
   4.10.0+ [4-136](#)  
 Host Timeout message [4-49](#)  
 Host Vulnerability data block  
   4.9.0+ [4-112](#)

---

## I

ICMP Code data block [3-65](#)  
 ICMP Type data block [3-64](#)  
 Identity Conflict message [4-60](#)  
 Identity data block [4-113](#)  
 Identity Timeout message [4-60](#)  
 Integer (INT32) data block [4-76](#)  
 Interface Name record [3-30](#)  
 Intrusion Event Extra Data Metadata record [3-27](#)  
 Intrusion Event Extra Data record [3-25](#)  
 Intrusion Event Message Format [2-18](#)  
 Intrusion Event record  
   5.0.w.x [B-12](#)  
   5.0.x - 5.1 (IPv6) [B-6](#)  
   5.0x-5.1 (IPv4) [B-2](#)  
   5.1.1.x [B-23](#)  
   5.3 [B-17](#)  
   5.3.1 [B-29](#)  
   5.4.x [B-36](#)  
 Intrusion Event Record 5.2.x [B-12](#)  
 Intrusion Event Record 5.3 [B-17](#)  
 Intrusion Event Record 5.3.1 [B-29](#)  
 Intrusion Event Record 6.0+ [3-7](#)  
 Intrusion Impact Alert record [B-44](#)  
 Intrusion Impact Alert record 5.3+ [3-16](#)  
 Intrusion Policy Name record [4-22](#)  
 IP Address Change message [4-48](#)  
 IP Range Specification data block for 5.0-5.1.1.x [B-303](#)  
 IP Range Specification data block for 5.2+ [4-95](#)  
 IP Reputation Category data block [3-78](#)

---

## L

List data block  
   series 1 [4-72](#)  
   series 2 [3-59](#)

---

## M

MAC Address messages [4-51](#)  
 MAC Address Specification data block [4-98](#)  
 MAC Information Change message [4-51](#)  
 Malware Event data block 5.1 [B-46](#)  
 Malware Event data block 5.1.1.x [B-50](#)  
 Malware Event data block 5.2.x [B-56](#)  
 Malware Event data block 5.3 [B-63](#)  
 Malware Event data block 5.3.1 [B-70](#)  
 Malware Event data block 5.4.x [B-77](#)  
 Malware Event Data Block 6.0+ [3-89](#)  
 Malware Event Record 5.1.1+ [3-34](#)  
 Managed Device Record Metadata [3-34](#)  
 Message bundle format [2-39](#)  
 Metadata message format [2-18](#)  
 Mobile Device Information data block 5.1+ [4-159](#)  
 Multiple Host Data message format [2-30](#)

---

## N

Name Description Mapping data block [3-61](#)  
 Network Protocol record [4-12](#)  
 New Host message [4-45](#)  
 New IP to IP Traffic message [4-48](#)  
 New Network Protocol message [4-47](#)  
 New TCP Server message [4-46](#)  
 New UDP Server message [4-46](#)  
 Null message format [2-7](#)

**O**

Operating System data block 3.5+ [4-86](#)  
 Operating System Fingerprint data block  
   5.0-5.0.2 [B-123](#)  
   5.1+ [4-157](#)  
 Operating System Fingerprint data block 5.1+ [4-157](#)  
 OS Confidence Update message [4-49](#)  
 OS Information Update message [4-49](#)

**P**

Packet record data structure  
   4.8.0.2+ [3-5](#)  
 Policy Control message [4-53](#)  
 Policy Engine Control Message data block [4-86](#)  
 Priority record [3-6](#)  
 Protocol data block [4-75](#)

**R**

Request Flags format [2-11](#)  
 Rule Documentation Data Block for 5.2+ [3-102](#)  
 Rule Message record data structure 4.6.1+ [3-20](#)

**S**

Scan Result data block  
   5.0-5.1.1.x [B-92](#)  
   5.2+ [4-134](#)  
 Scan Type record [4-14](#)  
 Scan Vulnerability data block  
   4.10.0+ [4-149](#)  
 Secondary Host Update data block [4-116](#)  
 Security Intelligence Category data block 5.1+ [4-198](#)  
 Security Intelligence Category record [4-32](#)  
 Security Intelligence Source/Destination Record [4-33](#)  
 Security Zone Name record [3-28](#)

Server Banner data block [4-77](#)  
 Server Information data block  
   4.10.x,5.0 - 5.0.2 [4-142](#)  
 Server messages [4-46](#)  
 Server record [4-15](#)  
 Source Application record [4-16](#)  
 Source Detector record [4-17](#)  
 Source Type record [4-16](#)  
 Streaming Event Type [2-35](#)  
 Streaming Information message format [2-31](#)  
 Streaming Request message format [2-32](#)  
 Streaming Service Request [2-33](#)  
 Streaming Service Request data structure [2-33](#)  
 String data block  
   series 1 [4-71](#)  
   series 2 [3-57](#)  
 String Information data block [4-78](#)  
 Sub-Server data block [4-74](#)

**T**

TCP Port Closed message [4-50](#)  
 TCP Port Timeout message [4-50](#)  
 TCP Server Confidence Update message [4-46](#)  
 TCP Server Information Update message [4-46](#)  
 Third Party Scanner Vulnerability record [4-18](#)

**U**

UDP Port Closed message [4-50](#)  
 UDP Port Timeout message [4-50](#)  
 UDP Server Confidence Update message [4-46](#)  
 UDP Server Information Update message [4-46](#)  
 Update Banner message [4-53](#)  
 Update Host Attribute message [4-56](#)  
 URL Category record [4-24](#)  
 URL Reputation record [4-24](#)  
 User Account Update message data block [4-176](#)

User Add Hosts message [4-55](#)

User Attribute Value data block 4.7+ [4-109](#)

User Client Application data block for 5.0-5.1 [B-90](#)

User Client Application data block for 5.1.1+ [4-92](#)

User Client Application List data block [4-93](#)

User Criticality Change data block 4.7+ [4-108](#)

User data blocks [4-174](#)

User Delete Address message [4-55](#)

User Delete Server message [4-55](#)

User Hosts data block 4.7+ [4-105](#)

User Information data block for 5.x [B-114](#)

User Information data block for 6.0+ [4-185](#)

User Information Update message [4-62](#)

User Login Information data block

- 5.0-5.0.2 [B-100](#)
- 5.1-5.4.x [B-102](#)
- 6.0+ [4-190, B-104, B-107, B-110](#)

User Modification message [4-61](#)

User Product data block

- 5.0.x [B-94](#)
- 5.1+ [4-168](#)

User Protocol data block [4-90](#)

User Protocol List data block 4.7+ [4-111](#)

User record [3-19, 4-19](#)

User Server data block [4-102](#)

User Server List data block [4-104](#)

User Set Host Criticality message [4-56](#)

User Set Invalid Vulnerabilities message 4.6.1+ [4-54](#)

User Set Valid Vulnerabilities message 4.6.1+ [4-54](#)

User Vulnerability Change data block 4.7+ [4-106](#)

User Vulnerability data block

- 5.0+ [4-155](#)

User Vulnerability Qualification message 4.6.1+ [4-54](#)

UUID String Mapping data block [3-60](#)

---

## V

VLAN data block [4-76](#)

VLAN Tag Information Update message [4-52](#)

Vulnerability record [4-9](#)

---

## W

Web Application data block

- 5.0+ [4-117](#)

Web Application record [4-21](#)

