



Cisco Connected Mobile Experiences REST API Guide, Release 10.4

First Published: 2017-04-02

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2017 Cisco Systems, Inc. All rights reserved.



CONTENTS

CHAPTER 1

Preface 1

Audience 2

Conventions 3

Related Documentation 4

Communications, Services, and Additional Information 5

CHAPTER 2

Analytics 7

Overview API 8

POST: Overview Data for Target Areas for Brochure View 8

Path API 13

POST: Paths for a Given Period and Areas 13

Device Count API 18

POST: Device Count for a Given Period and Areas 18

Analytics Summary Metrics API 22

GET: All summary KPI 22

GET: Specific set of Summary KPIs or a list of available ones 27

Network State API 29

POST: Breakdown of Connected and Detected Devices for a Given Period and Areas 29

Now API 34

GET: Retrieve the count of active clients on a floor or multiple floors right now. 34

POST: Retrieve the count of active clients on a floor or multiple floors right now 35

GET: Get Count of Clients in Area 37

GET: Get Associated, Probing Count of Clients in Area 38

POST: Retrieve the breakdown of connected and detected devices for a floor right now. 40

GET: Retrieve the breakdown of connected and detected devices for a floor right now 41

GET: Retrieve the count of active clients on a single or on multiple campuses/buildings/floors right now	42
POST: Retrieve the count of active clients on a single or on multiple campuses/buildings/floors right now	43
POST: Retrieve the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now	45
GET: Retrieve the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now	47
Dwell Breakdown API	49
POST: Breakdown of Dwell Times Spent by Devices for a Given Period and Areas	49
Dwelltime API	54
POST: Dwell Time for a Given Period and Areas	54
Repeat Devices API	59
GET: Is Repeat Device in All Areas	59
GET: Is Repeat Device in One Area	59
GET: Repeat Device Statistics in All Areas (Detailed)	60
GET: Repeat Device Statistics in One Area (Detailed)	61
GET: Repeat Device Information in One Area (Compact)	62
GET: Repeat Device information in All Top-Level Areas (Compact)	63
<hr/>	
CHAPTER 3	Configuration 65
Hierarchy API	66
GET: List of Children Superzone IDs of a Hierarchy Element	66
GET: Children Superzone IDs of Hierarchy Element	67
Sites API	69
GET: All Sites	69
GET: Site Details by ID or Name	69
Map resources API	71
GET: Count of All Map Elements	71
GET: List of all Building Names.	72
GET: List of all Building Names	73
GET: List of all Floor Names	74
GET: List of all Floor Names	75
GET: All Maps	76
GET: Campus by Name	80

GET: Building by Name Inside Specific Campus	81
GET: Floor Inside Specific Building and Specific Campus	82
GET: Floor Image	82
GET: Image by Name	83
History alerts API	84
GET: Unique Alerts by Time Interval	84
Version API	85
GET: Current CMX Image Version	85
Northbound notification types and attributes API	86
GET: Get Supported Northbound Notifications	86
Zone Count Register API	88
DELETE: Removes all registered zones	88
GET: Returns All Registered Zones	88
POST: Add New Zone	90
PUT: Add (Overwrite) New Zone	91
System preferences API	94
GET: Type of Device	94
GET: System Settings Preferences	94
PUT: System Settings	95
GET: Gets the System Time	96
Users API	97
GET: User by Username	97
DELETE: User by Username	98
GET: All Roles	98
Alerts API	100
GET: Count of Active Alerts	100
GET: All Alerts	100
Notification subscription API	102
GET: All Notification Subscriptions	102
GET: Notifications by Name	109
GET: Notification Subscription Availability	110
PUT: Add Notification Subscription	110
PUT: List of Notification Subscriptions	113
DELETE: Notification Subscription by Notification Name	114

GET: System Alert Subscription 114

GET: Notifications by Name 116

PUT: System Alert Subscription 117

DELETE: Notification Alert Subscription 119

POST: Change status of notification by name 119

POST: Change Status of Notification by Name 120

CHAPTER 4

Connect 123

Operations to query visitor user session data 124

GET: Query User Sessions 124

CHAPTER 5

Location 127

Rogue APs API 128

GET: Rogue AP by MAC Address 128

GET: Active Rogue AP count 130

GET: All Active Rogue APs 131

GET: History of Rogue APs by MAC Address 135

Rogue Clients API 162

GET: Rogue client by Macaddress 162

GET: Active Rogue Clients Count 163

GET: All Rogue Clients 164

GET: History of Rogue clients by MAC Address 167

RFID Tags Information API 188

GET: RFID Tag by MAC Address 188

GET: Active RFID Tags Count 190

GET: All Tags 190

GET: Returns Minimal Tag Information 194

Active Clients V3 API 196

GET: Active Clients Count 196

GET: Active Clients 198

Zone Count Poll API 201

GET: Zone Count with Mac Addresses 201

GET: Active Clients Count for all Registered Zones 202

Interferers API 203

GET: Get interferer by macaddress	203
GET: Get total number of interferers	203
GET: Get all interferers	204
Northbound notification types and attributes API	205
GET: Supported Northbound Notifications	205
Clients History API	208
GET: All Client History	208
GET: Unique MAC Address Seen on a Given Day on a Floor or Zone	211
GET: Compact History of Client By Date and IPv4 Address	212
GET: Compact History of Client by Date, Username	213
GET: Compact History of Client by MAC Address	215
GET: Active Client Counts	219
<hr/>	
CHAPTER 6	Presence 221
Connected Visitors API	222
GET: Count of Connected Visitors for a Date	222
GET: Count of Connected Visitors Seen today Until Now	222
GET: Count of Connected Visitors Seen Yesterday	223
GET: Average Count of Connected Visitors Seen in Last 3 Days	224
GET: Average Count of Connected Visitors Seen in Last 7 Days	225
GET: Average Count of Connected Visitors seen in last 30 Days	225
GET: Sum of Connected Visitor Counts in Last 3 days	226
GET: Sum of Connected Visitor Counts in Last 7 days	227
GET: Sum of Connected Visitor Counts in Last 30 days	227
GET: Sum of Connected Visitor Counts in the Specified Date Range	228
GET: Hourly Count of Connected Visitors Today	229
GET: Hourly Count of Connected Visitors Yesterday	230
GET: Hourly Count of Connected Visitors in Last 3 Days	231
GET: Hourly Count of Connected Visitors for the Specified Day	231
GET: Daily Count of Connected Visitors for the Specified Date Range	232
GET: Daily Count of Connected Visitors for Last 7 days	233
GET: Daily Count of Connected Visitors for last 30 Days	234
GET: Daily Count of Connected Visitors by Hour for the Specified Date Range	234
Repeat Visitors API	237

GET: Average Count of Repeat Visitors for Last 7 Days	237
GET: Average Count of Repeat Visitors for Last 30 days	237
GET: Sum of Repeat Visitor Counts for Last 3 days	238
GET: Sum of Repeat Visitor Counts for Last 7 days	238
GET: Sum of Repeat Visitor Counts for Last 30 days	239
GET: Hourly Count of Repeat Visitors for a Day	240
GET: Hourly Count of Repeat Visitors Today	240
GET: Hourly Count of Repeat Visitors Yesterday	241
GET: Count of Repeat Visitors for a Date or Date Range	241
GET: Count of Repeat Visitors for Today	242
GET: Count of Repeat Visitors for Yesterday	243
GET: Average Count of Repeat Visitors for Last 3 days	243
GET: Average Count of Repeat Visitors for Specified Date Range	244
GET: Hourly Count of Repeat Visitors for Last 3 Days	245
GET: Repeat Visitor Summary for a Day	245
GET: Repeat Visitor Summary for a Week	246
GET: Repeat Visitor Summary for a Month	247
GET: Daily Count of Repeat Visitors for Specified Date Range	247
GET: Daily Count of Repeat Visitors for Last 7 Days	248
GET: Daily Count of Repeat Visitors for Last 30 days	249
Dwell API	250
GET: Count of Visitors by Dwell Level for a Date or Date Range	250
GET: Count of Visitors by Dwell Level for Today	251
GET: Count of Visitors by Dwell Level for Yesterday	251
GET: Count of Visitors by Dwell Level for Last 3 Days	252
GET: Count of Visitors by Dwell Level for Last 7 Days	252
GET: Count of Visitors by Dwell Level for Last 30 Days	253
GET: Average Count of Visitors by Dwell Level for Last 7 Days	254
GET: Average Count of Visitors by Dwell Level for Last 30 Days	254
GET: Hourly Count of Visitors by Dwell Level for a Specific Day	255
GET: Hourly Count of Visitors by Dwell Level for Today	255
GET: Average Visitor Dwell Time by Dwell Level for Last 7 Days	256
GET: Average Visitor Dwell Time by Dwell Level for Last 30 Days	257
GET: Daily Average Visitor Dwell Time by Dwell Level for a Specific Date Range	257

GET: Daily Average Visitor Dwell Time by Dwell Level for Last 7 Days	258
GET: Daily Average Visitor Dwell Time by Dwell Level for Last 30 Days	259
GET: Hourly Count of Visitors by Dwell level for Yesterday	260
GET: Hourly Count of Visitors by Dwell Level for Last 3 Days	260
GET: Daily Count of Visitors by Dwell Level for a Specific Date Range	261
GET: Daily Count of Visitors by Dwell Level for Last 7 Days	263
GET: Daily Count of Visitors by Dwell Level for Last 30 Days	263
GET: Average Visitor Dwell Time for the Specific Date or Date Range	264
GET: Average Visitor Dwell Time for Today	265
GET: Average Visitor Dwell Time for Yesterday	265
GET: Average Visitor Dwell Time for Last 3 Days	266
GET: Average Visitor Dwell Time for Last 7 Days	267
GET: Average Visitor Dwell Time for Last 30 Days	267
GET: Average Visitor Dwell Time by Dwell Level for a Specific Date or Date Range	268
GET: Average Visitor Dwell Time by Dwell Level for Today	269
GET: Average Visitor Dwell Time by Dwell Level for Yesterday	269
GET: Average Visitor Dwell Time by Dwell Level for Last 3 days	270
Visitors API	271
GET: Peak Hour of Visitors Today	271
GET: Count of Visitors Today	271
GET: Count of Visitors Yesterday	272
GET: Count of Unique Visitors for Last 3 Days	272
GET: Count of Unique Visitors for Last Week	273
GET: Count of Unique Visitors for Last Month	274
GET: Count of Unique Visitors for a Date/Date Range	274
GET: Sum of Visitor Counts for a Date Range	275
GET: Sum of Visitor Counts for the Last 3 Days	276
GET: Sum of Visitor Counts for the Last Week	276
GET: Sum of Visitor Counts for the Last Month	277
GET: Hourly Count of Visitors Today	278
GET: Hourly Count of Visitors Yesterday	278
GET: Hourly Count of Visitors for Last 3 Days	279
GET: Hourly Count of Visitors for a Day	279
GET: Daily Count of Visitors for a Date Range	280

GET: Daily Count of Visitors for Last Week	281
GET: Daily Count of Visitors for Last Month	282
GET: Daily Count of Visitors by Hour Category for a Date Range	282
GET: Visitor Summary for a Day	284
GET: Visitor Summary for Week	284
GET: Visitor Summary for Month	285
Summary API	287
GET: Site KPI Summary for Specified Date or Date Range	287
GET: Site KPI Summary for Today	289
GET: Site KPI Summary for Yesterday	290
GET: Site KPI Summary for Last 3 Days	290
GET: Site KPI Summary for last 7 days	291
GET: Site KPI Summary for Last 30 Days	292
GET: Site Insights for Specified Date or Date Range	292
Clients API	296
GET: Excluded Client Counts	296
GET: Active Clients	296
GET: Client Detail	300
GET: Active Client Counts	305
Passersby API	307
GET: Count of Passersby Today	307
GET: Count of Passersby Yesterday	307
GET: Average Count of Passersby in Last 3 Days	308
GET: Average Count of Passersby in the Last 7 days	309
GET: Average Count of Passersby in the Last 30 Days	309
GET: Sum of Passerby Counts in the Specified Date Range	310
GET: Sum of Passerby Counts in the Last 3 Days	311
GET: Sum of Passerby Counts in the Last 7 Days	312
GET: Count of Passersby on a Given Date	312
GET: Sum of Passerby Counts in the Last 30 days	313
GET: Hourly Count of Passersby Today	314
GET: Hourly Count of Passersby Yesterday	315
GET: Hourly Count of Passersby for Last 3 days	316
GET: Hourly Count of Passersby for a Day	317

GET: Daily Count of Passersby for a Specified Date Range	318
GET: Daily Count of Passersby for the Last 7 days	320
GET: Daily count of passersby for the last 30 days	321
GET: Daily Count of Passersby by hour for the Specified Date Range	322



Preface

- [Audience, on page 2](#)
- [Conventions, on page 3](#)
- [Related Documentation, on page 4](#)
- [Communications, Services, and Additional Information, on page 5](#)

Audience

This document is for network administrators who configure Cisco Connected Mobile Experiences (Cisco CMX) services.

Conventions

This document uses the following conventions:

Table 1: Conventions

Convention	Indication
bold font	Commands and keywords and user-entered text appear in bold font .
<i>italic font</i>	Document titles, new or emphasized terms, and arguments for which you supply values are in <i>italic font</i> .
[]	Elements in square brackets are optional.
{x y z }	Required alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string. Otherwise, the string will include the quotation marks.
<code>courier font</code>	Terminal sessions and information the system displays appear in <code>courier font</code> .
<>	Nonprinting characters such as passwords are in angle brackets.
[]	Default responses to system prompts are in square brackets.
!, #	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.



Note Means reader take note. Notes contain helpful suggestions or references to material not covered in the manual.



Tip Means the following information will help you solve a problem.



Caution Means reader be careful. In this situation, you might perform an action that could result in equipment damage or loss of data.

Related Documentation

For more information on coding and specific assistance, see:

<https://developer.cisco.com/site/cmx-mobility-services/>

For more information about Cisco Mobility Services Engine and related products, see:

<http://www.cisco.com/c/en/us/support/wireless/mobility-services-engine/tsd-products-support-series-home.html>

For more information about Cisco Connected Mobile Experiences (Cisco CMX), see:

<http://www.cisco.com/c/en/us/solutions/enterprise-networks/connected-mobile-experiences/index.html>

For more information about Cisco DNA Spaces, see:

<https://support.dnaspaces.io/>

Communications, Services, and Additional Information

- To receive timely, relevant information from Cisco, sign up at [Cisco Profile Manager](#).
- To get the business impact you're looking for with the technologies that matter, visit [Cisco Services](#).
- To submit a service request, visit [Cisco Support](#).
- To discover and browse secure, validated enterprise-class apps, products, solutions and services, visit [Cisco Marketplace](#).
- To obtain general networking, training, and certification titles, visit [Cisco Press](#).
- To find warranty information for a specific product or product family, access [Cisco Warranty Finder](#).

Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a web-based tool that acts as a gateway to the Cisco bug tracking system that maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. BST provides you with detailed defect information about your products and software.



Analytics

- [Overview API, on page 8](#)
- [Path API, on page 13](#)
- [Device Count API, on page 18](#)
- [Analytics Summary Metrics API, on page 22](#)
- [Network State API, on page 29](#)
- [Now API, on page 34](#)
- [Dwell Breakdown API, on page 49](#)
- [Dwelltime API, on page 54](#)
- [Repeat Devices API, on page 59](#)

Overview API

POST: Overview Data for Target Areas for Brochure View

Description

This task retrieves overview Data for Target Areas for Brochure View

Table 2: Parameter Details

JSON body parameter	Description	Allowable values/formats
type	The type of data requested	<ul style="list-style-type: none"> • deviceCount • deviceDwell • grossShopping • deviceCrossover • connectedDetected • dwellBreakdown
period	The period of interest, either specified as a date range, or one of the predefined names	<ul style="list-style-type: none"> • yyyy-mm-dd • yyyy-mm-dd;yyyy-mm-dd • today • yesterday • this week • last week • last 2 weeks • this month • last month • last 3 months • this year • last year • forever
timeRange	The time window of interest on each day	<ul style="list-style-type: none"> • HH:mm-HH:mm
areas	The list of areas of interest. If none are given, all are considered	A comma-separated list of area ids, or heterarchy levels

JSON body parameter	Description	Allowable values/formats
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values: <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440
includeStationary	Whether to include stationary devices (default=false)	<ul style="list-style-type: none"> • true • false

JSON body parameter	Description	Allowable values/formats
entirePeriod	Whether to include device visits that occur any time during the entire period or only within a single day (default=false). Applicable only to crossover; ignored for the other metrics.	<ul style="list-style-type: none"> • true • false
connectionState	Whether to restrict to either connected or detected devices (default=all). For Connected/Detected metric, this setting is ignored, and "all" is presumed	<ul style="list-style-type: none"> • connected • detected • all
percentageOf	If set, does not report absolute numbers, but relative percentage. Ignored for Crossover report	Heterarchy level
dwelLimits	The dwell time limits that specifies how dwellers should be grouped together. Values are comma seperated as key:value pairs. Key is the series name and value is the upper dwell time limit of the series. For example, Light:5,Medium:20,Heavy:100 would mean that you consider devices that dwell for less than 5 minutes to be Light; from 5 minutes to 20 minutes to be Medium; and from 20 minutes to 100 to be Heavy. If you want to consider all dwells, pass in -1 as the value.	<ul style="list-style-type: none"> • default • minute • Light:<limit>,Medium:<limit>,Heavy:<limit> • comma separated limit label:limit value

HTTP Method

POST

Resource URI

/api/analytics/v1/overview

Requires Basic Auth

N

Parameters

Table 3: Parameter Details

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "areas": "52",
  "type": "deviceCount"
}
```

Sample Output (JSON)

```
{
  "startTime": "00:00",
  "previousEndDate": null,
  "startDate": "2017-03-16",
  "title": "Visitors",
  "executionTime": 32,
  "value": {
    "primary": {
      "title": "Total Visitors",
      "value": 0,
      "peakValue": 0,
      "breakdown": [
        {
          "title": "Repeat Visitors",
          "value": 0
        },
        {
          "title": "New Visitors",
          "value": 0
        }
      ]
    }
  },
  "average": {
    "title": "Total Visitors",
    "value": 0,
    "peakValue": 0,
    "breakdown": [
      {
        "title": "Repeat Visitors",
        "value": 0
      },
      {
        "title": "New Visitors",
        "value": 0
      }
    ]
  }
}
```

```
    ]
  },
  "previousTimeRange": {
    "title": "Total Visitors",
    "value": 0,
    "peakValue": 0,
    "breakdown": [
      {
        "title": "Repeat Visitors",
        "value": 0
      },
      {
        "title": "New Visitors",
        "value": 0
      }
    ]
  }
},
"areas": [
  {
    "id": 52,
    "name": "f0:25:72:3c:f8:10"
  }
],
"previousStartDate": "2017-03-15",
"endDate": null,
"endTime": "23:59"
}
```


Path API

POST: Paths for a Given Period and Areas

Description

The only parameter (body) is a JSON array containing the parameters. The parameters are described below:

Table 4: Parameter Details

JSON parameter	Description	Allowable values/formats
period	The period of interest, either specified as a date range, or one of the predefined names	<ul style="list-style-type: none"> • yyyy-mm-dd • yyyy-mm-dd;yyyy-mm-dd • today • yesterday • this week • last week • last 2 weeks • this month • last month • last 3 months • this year • last year • forever
timeRange	The time window of interest on each day.	• HH:mm-HH:mm
targetArea	The ID of the target area for the paths.	The ID of the target area for the paths.
allAreas	The list of areas of interest.	A comma-separated list of area IDs <areaId-1>, <areaId-2>, <areaId-3>
granularity	The desired geographical granularity. This will replace the areas listed in 'allAreas' with their progeny on the appropriate level.	Heterarchy level

JSON parameter	Description	Allowable values/formats
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values: <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440

HTTP Method

POST

Resource URI

/api/analytics/v1/path

Requires Basic Auth

N

Parameters*Table 5: Parameter Details*

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters.

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "granularity": "Building",
  "allAreas": "52,75,80"
}
```

Sample Output (JSON)

```
/* Path Output */
{
  "startTime": "00:00",
  "startDate": "2017-03-07",
  "results": [
    {
      "id": 75,
      "total": 0,
      "medianTransitionTime": 0,
      "ancestry": [
        {
          "level": "Campus",
          "name": "TagTest_Campus_1"
        }
      ],
      "area": "TagTest_Building_1",
      "direction": -1,
      "value": 0,
      "averageTransitionTime": 0
    },
    {
      "id": 80,
      "total": 0,
      "medianTransitionTime": 0,
      "ancestry": [
        {
          "level": "Campus",
          "name": "TagTest_Campus_1"
        }
      ]
    }
  ]
}
```

```

        "area": "TagTest_Building_2",
        "direction": -1,
        "value": 0,
        "averageTransitionTime": 0
    },
    {
        "id": 75,
        "total": 0,
        "medianTransitionTime": 0,
        "ancestry": [
            {
                "level": "Campus",
                "name": "TagTest_Campus_1"
            }
        ],
        "area": "TagTest_Building_1",
        "direction": 1,
        "value": 0,
        "averageTransitionTime": 0
    },
    {
        "id": 80,
        "total": 0,
        "medianTransitionTime": 0,
        "ancestry": [
            {
                "level": "Campus",
                "name": "TagTest_Campus_1"
            }
        ],
        "area": "TagTest_Building_2",
        "direction": 1,
        "value": 0,
        "averageTransitionTime": 0
    }
],
"executionTime": 88,
"requestTruncated": false,
"target": {
    "ancestry": [
        {
            "level": "Campus",
            "name": "campus"
        }
    ]
},
"total": 0,
"id": 52,
"area": "Building_0",
"pathsEnded": 0,
"totalVisits": 0,
"pathsStarted": 0,
"avgDwellPerDevice": 0,
"avgDwellPerVisit": 0,
"totalDevices": 0
},
"insights": {},
"endDate": "2017-03-07",
"endTime": "23:59",
"dataFreshness": {
    "dayOfYear": 66,
    "dayOfMonth": 7,
    "dayOfWeek": 2,
    "era": 1,
    "year": 2017,

```

```
    "minuteOfDay": 1277,  
    "hourOfDay": 21,  
    "weekyear": 2017,  
    "monthOfYear": 3,  
    "yearOfEra": 2017,  
    "yearOfCentury": 17,  
    "centuryOfEra": 20,  
    "millisOfSecond": 782,  
    "millisOfDay": 76673782,  
    "secondOfMinute": 53,  
    "secondOfDay": 76673,  
    "minuteOfHour": 17,  
    "weekOfWeekyear": 10,  
    "millis": 1488921473782,  
    "zone": {  
      "fixed": true,  
      "id": "Etc/UTC"  
    },  
    "chronology": {  
      "zone": {  
        "fixed": true,  
        "id": "Etc/UTC"  
      }  
    },  
    "afterNow": false,  
    "beforeNow": false,  
    "equalNow": true  
  }  
}
```

Device Count API

POST: Device Count for a Given Period and Areas

Description

This API retrieves the device count for a given period and areas.

The only parameter (body) is a JSON array containing the parameters. The parameters are described below

Table 6: Parameter Details

JSON array parameter	Description	Allowable values/formats
granularity	The desired granularity. One can limit to top n results (i.e. the n values with highest count) by adding "[n]", or the n bottom results by adding "[-n]". If granularity null is specified, all heterarchy types covered by the areas are returned.	<ul style="list-style-type: none"> • hourly • daily • weekly • monthly • yearly • tag • tag-name • heterarchy level • null
period	The period of interest, either specified as a date range, or one of the predefined names	<ul style="list-style-type: none"> • yyyy-mm-dd • yyyy-mm-dd;yyyy-mm-dd • today • yesterday • this week • last week • last 2 weeks • this month • last month • last 3 months • this year • last year • forever
timeRange	The time window of interest on each day.	<ul style="list-style-type: none"> • HH:mm-HH:mm

JSON array parameter	Description	Allowable values/formats
aggregate	Whether to aggregate the dwell time by granularity; e.g. showing a total for each day of the week, instead of individual dates	<ul style="list-style-type: none"> • none • sum • avg
areas	The list of areas of interest. If none are given, all are considered	A comma-separated list of area ids, or heterarchy levels
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	<p>Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values:</p> <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440

JSON array parameter	Description	Allowable values/formats
includeStationary	Whether to include stationary devices (default=false)	<ul style="list-style-type: none"> • true • false
connectionState	Whether to restrict to either connected or detected devices (default=all)	<ul style="list-style-type: none"> • connected • detected • all
percentageOf	If set, does not report absolute numbers, but relative percentage	Heterarchy level
areaFilter	<p>If set, restricts the results to areas matching the filter. Use 'descendantOf' to restrict the area selection. This option is used for drill down reports. Use 'subsetOf' to restrict the granularity. This option is used with tag granularity.</p> <p>For example: descendantOf: Campus C1 has Building B1 which zone Z1 and Z2 Campus C2 has Building B2 which zone Z3 query area=Z1,Z2,Z3 and granularity=Building and areaFilter=descendantOf:C1 will return only Building B1</p> <p>For example: subsetOf: Tag T1,T2 assigned to F1, T2,T3 to F2, T3,T4 to F3 query area=F1,F2,F3 and granularity=tag and areaFilter=subsetOf:T1,T2 will return only T1,T2.</p>	<ul style="list-style-type: none"> • descendantOf • subsetOf:comma separated ids
expandAll	Include all of the elements descendants in the result	<ul style="list-style-type: none"> • true • false

HTTP Method

POST

Resource URI

/api/analytics/v1/deviceCount

Requires Basic Auth

N

Parameters

Table 7: Parameter Details

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "granularity": "Building",
  "areas": "52,75,80"
}
```

Sample Output (JSON)

```
{
  "startTime": "00:00",
  "startDate": "2017-03-16",
  "connectionState": "all",
  "results": [
    {
      "id": -1,
      "ancestry": [],
      "series": [],
      "hasChildren": false,
      "level": "SUPERZONE",
      "area": "Unknown area",
      "data": []
    }
  ],
  "interval": null,
  "executionTime": 23,
  "minValue": 2147483647,
  "endDate": "2017-03-16",
  "endTime": "23:59",
  "dataFreshness": "2017-03-16T03:00:28.833-07:00",
  "maxValue": 0
}
```

Analytics Summary Metrics API

GET: All summary KPI

Description

This API retrieves summary of all KPI.

HTTP Method

GET

Resource URI

/api/analytics/v1/summary

Requires Basic Auth

N

Parameters

None.

Sample Output (JSON)

```
{
  "Top Building dwell": {
    "title": "Top Building dwell",
    "value": {
      "primary": "Nortech-1 (5572.52 min)",
      "secondary": [
        "SJC23 (0.00 min)",
        "SJC24 (0.00 min)",
        "Shell- CBuilding (0.00 min)"
      ],
      "supplementary": "SJC23 (0.00 min)<br>SJC24 (0.00 min)<br>Shell- CBuilding (0.00 min)<br>"
    }
  },
  "Notifications Received": {
    "title": "Notifications Received Rate (5 min avg)",
    "value": {
      "primary": "2.04 notifications/s",
      "secondary": [
        "1 min avg: 2.07",
        "15 min avg: 1.84",
        "Avg since boot: 4.23",
        "Total number of events: 3774166"
      ],
      "supplementary": "1 min avg: 2.07<br>15 min avg: 1.84<br>Avg since boot: 4.23<br>Total number of events: 3774166"
    }
  },
  "RSSI experience": {
    "title": "RSSI experience",
```

```

    "value": {
      "primary": "No devices detected",
      "secondary": [
        "No devices detected"
      ],
      "supplementary": "No devices detected"
    }
  },
  "Uptime": {
    "title": "Uptime",
    "value": {
      "primary": "10 days, 07:35",
      "secondary": [
        "Processors: 20",
        "Max mem: 4528 MiB",
        "Memory: 2849/4528 MiB",
        "Threads: 169"
      ],
      "supplementary": "Processors: 20<br/>Max mem: 4528 MiB<br/>Memory: 2849/4528
MiB<br/>Threads: 169"
    }
  },
  "Connected": {
    "title": "Connected",
    "value": {
      "primary": "1916.33%",
      "secondary": [
        "Total: 392",
        "Detected: -7120 (-1816.33%)",
        "Connected: 7512 (1916.33%)"
      ],
      "supplementary": "Total: 392<br/>Detected: -7120 (-1816.33%)<br/>Connected:
7512 (1916.33%)<br/>"
    }
  },
  "Aggregation performance": {
    "title": "Aggregation performance",
    "value": {
      "primary": "534930964.29 / 0",
      "secondary": [
        "API misses (rate): 166(0) / 0(0) <br/>",
        "API misses as % of total API calls: 9.22/□<br/>",
        "Background updates (rate): 0(0) / 0(0) <br/>"
      ],
      "supplementary": "API misses (rate): 166(0) / 0(0) <br/><br/>API misses as %
of total API calls: 9.22/□<br/><br/>Background updates (rate): 0(0) / 0(0) <br/>"
    }
  },
  "recordRefreshCounts": {
    "pathRecordsRefreshed": 0,
    "repeatRecordsRefreshed": 0,
    "derivedRecordsRefreshed": 0,
    "hourVisitsUpdated": 121942,
    "areaVisitsUpdated": 119586,
    "crossoverRecordsRefreshed": 0
  }
},
"Top Campus count": {
  "title": "Top Campus count",
  "value": {
    "primary": "Nortech Campus (356)",
    "secondary": [
      "Shell (0)",
      "System Campus (0)"
    ],
  },

```

```

        "supplementary": "Shell (0)<br/>System Campus (0)<br/>"
    },
    "Database I/O": {
        "title": "Database I/O Rate (5 min avg)",
        "value": {
            "primary": "0.57 operations/s",
            "secondary": [
                "1 min avg: 0.07",
                "15 min avg: 0.53",
                "Avg since boot: 0.46",
                "Total number of events: 409932"
            ],
            "supplementary": "1 min avg: 0.07<br/>15 min avg: 0.53<br/>Avg since boot:
0.46<br/>Total number of events: 409932"
        }
    },
    "Top Floor dwell": {
        "title": "Top Floor dwell",
        "value": {
            "primary": "1st Floor (5572.53 min)",
            "secondary": [
                "1st floor (CCW remodel) (0.00 min)",
                "2nd floor (Area Addition) (0.00 min)",
                "2nd floor (CCW remodel) (0.00 min)"
            ],
            "supplementary": "1st floor (CCW remodel) (0.00 min)<br/>2nd floor (Area Addition)
(0.00 min)<br/>2nd floor (CCW remodel) (0.00 min)<br/>"
        }
    },
    "Active devices": {
        "title": "Active devices",
        "value": {
            "primary": 356,
            "secondary": [
                "Most recent detection: 17s ago"
            ],
            "supplementary": "Most recent detection: 17s ago"
        }
    },
    "Top Campus dwell": {
        "title": "Top Campus dwell",
        "value": {
            "primary": "Nortech Campus (5572.53 min)",
            "secondary": [
                "Shell (0.00 min)",
                "System Campus (0.00 min)"
            ],
            "supplementary": "Shell (0.00 min)<br/>System Campus (0.00 min)<br/>"
        }
    },
    "Analysis API calls": {
        "title": "Analysis API calls",
        "value": {
            "primary": "Meter not active yet",
            "secondary": [
                "Please wait while data is being collected."
            ],
            "supplementary": "Please wait while data is being collected."
        }
    },
    "Zone API Calls": {
        "title": "Zone API Calls",
        "value": {

```

```

        "primary": "Meter not active yet",
        "secondary": [
            "Please wait while data is being collected."
        ],
        "supplementary": "Please wait while data is being collected."
    }
},
"Top Zone dwell": {
    "title": "Top Zone dwell",
    "value": {
        "primary": "CMX Bar (5959.07 min)",
        "secondary": [
            "School (5763.90 min)",
            "Tm (4175.67 min)",
            "CMX Clinic (1783.57 min)"
        ],
        "supplementary": "School (5763.90 min)<br/>Tm (4175.67 min)<br/>CMX Clinic (1783.57 min)<br/>"
    }
},
"Top Manufacturer": {
    "title": "Top Manufacturer",
    "value": {
        "primary": "Cisco Systems, Inc (310)",
        "secondary": [
            "Aeroscout Ltd. (78)",
            "G2 Microsystems (44)",
            "Hon Hai Precision Ind. Co.,Ltd. (21)"
        ],
        "supplementary": "Aeroscout Ltd. (78)<br/>G2 Microsystems (44)<br/>Hon Hai Precision Ind. Co.,Ltd. (21)<br/>"
    }
},
"Top Zone count": {
    "title": "Top Zone count",
    "value": {
        "primary": "CMX Clinic (106)",
        "secondary": [
            "Tm (86)",
            "CMX Bar (44)",
            "School (20)"
        ],
        "supplementary": "Tm (86)<br/>CMX Bar (44)<br/>School (20)<br/>"
    }
},
"Top Building count": {
    "title": "Top Building count",
    "value": {
        "primary": "Nortech-1 (356)",
        "secondary": [
            "SJC23 (0)",
            "SJC24 (0)",
            "Shell- CBuilding (0)"
        ],
        "supplementary": "SJC23 (0)<br/>SJC24 (0)<br/>Shell- CBuilding (0)<br/>"
    }
},
"Overall Analytics API Calls": {
    "title": "Overall Analytics API Calls Rate (5 min avg)",
    "value": {
        "primary": "0.00 calls/s",
        "secondary": [
            "1 min avg: 0.00",
            "15 min avg: 0.00",

```

```

        "Avg since boot: 0.00",
        "Total number of events: 0"
    ],
    "supplementary": "1 min avg: 0.00</br>15 min avg: 0.00</br>Avg since boot:
0.00</br>Total number of events: 0"
    }
},
"Notification processing time": {
    "title": "Notification processing time (avg duration)",
    "value": {
        "primary": "2.13 ms",
        "secondary": [
            "Min: 0 ms",
            "Max: 9 ms",
            "StDev: 0.94"
        ]
    },
    "supplementary": "Min: 0 ms</br>Max: 9 ms</br>StDev: 0.94"
    }
},
"Location API Calls": {
    "title": "Location API Calls",
    "value": {
        "primary": "Meter not active yet",
        "secondary": [
            "Please wait while data is being collected."
        ]
    },
    "supplementary": "Please wait while data is being collected."
    }
},
"Paths API Calls": {
    "title": "Paths API Calls",
    "value": {
        "primary": "Meter not active yet",
        "secondary": [
            "Please wait while data is being collected."
        ]
    },
    "supplementary": "Please wait while data is being collected."
    }
},
"Age of updated aggregation records": {
    "title": "Age of updated aggregation records",
    "value": {
        "primary": "Meter not active yet",
        "secondary": [
            "Please wait while data is being collected."
        ]
    },
    "supplementary": "Please wait while data is being collected."
    }
},
"Top Floor count": {
    "title": "Top Floor count",
    "value": {
        "primary": "1st Floor (356)",
        "secondary": [
            "1st floor (CCW remodel) (0)",
            "2nd floor (Area Addition) (0)",
            "2nd floor (CCW remodel) (0)"
        ]
    },
    "supplementary": "1st floor (CCW remodel) (0)<br/>2nd floor (Area Addition)
(0)<br/>2nd floor (CCW remodel) (0)<br/>"
    }
},
"Heterarchy": {
    "title": "Heterarchy",

```

```

"value": {
  "primary": "199 active elements",
  "secondary": [
    "Elements: 199/54 [act/inact]",
    "APs: 158/39",
    "POIs: 0/0",
    "PATHs: 0/0",
    "Floors: 8/1",
    "Tags: 19/0",
    "Userlevels: 4/0",
    "Zones: 5/12"
  ],
  "supplementary": "Elements: 199/54 [act/inact]<br/>APs: 158/39<br/>POIs:
0/0<br/>PATHs: 0/0<br/>Floors: 8/1<br/>Tags: 19/0<br/>Userlevels: 4/0<br/>Zones: 5/12"
}
}
}

```

GET: Specific set of Summary KPIs or a list of available ones

Description

This API retrieves a specific set of summary KPIs or a list of available ones.

HTTP Method

GET

Resource URI

/api/analytics/v1/summary/:summaryItem

Requires Basic Auth

N

Parameters

Table 8: Parameter Details

Name	Required	Default	Type	Location	Description
summaryItem	Y	—	String	pathReplace	A comma-separated list of summary KPI to return, or 'availableMetrics' to see the list of metrics available. Use the title parameter.

Content Type

application/json

Sample Output (JSON)

```
{
  "Top Building dwell": {
    "title": "Top Building dwell",
    "value": {
      "secondary": [],
      "supplementary": "",
      "primary": "Nortech Building (0.00 min)"
    }
  }
}
```


Network State API

POST: Breakdown of Connected and Detected Devices for a Given Period and Areas

Description

This API gives a breakdown of connected and detected devices for a given period and areas. The only parameter (body) is a JSON array containing the parameters. The parameters are described below

Table 9: Parameter Details

JSON array parameter	Description	Allowable values/formats
granularity	The desired granularity. One can limit to top n results (i.e. the n values with highest count) by adding "[n]", or the n bottom results by adding "[-n]". If granularity null is specified, all heterarchy types covered by the areas are returned.	<ul style="list-style-type: none"> • hourly • daily • weekly • monthly • yearly • tag • tag-name • heterarchy level • null
period	The period of interest, either specified as a date range, or one of the predefined names	<ul style="list-style-type: none"> • yyyy-mm-dd • yyyy-mm-dd;yyyy-mm-dd • today • yesterday • this week • last week • last 2 weeks • this month • last month • last 3 months • this year • last year • forever
timeRange	The time window of interest on each day.	<ul style="list-style-type: none"> • HH:mm-HH:mm
aggregate	Whether to aggregate the dwell time by granularity; e.g. showing a total for each day of the week, instead of individual dates	<ul style="list-style-type: none"> • none • sum • avg

JSON array parameter	Description	Allowable values/formats
areas	The list of areas of interest. If none are given, all are considered	A comma-separated list of area ids, or heterarchy levels <areaId> <areaId-1>,<areaId-2>,<areaId-3>
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values: <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440
includeStationary	Whether to include stationary devices (default=false)	<ul style="list-style-type: none"> • true • false

JSON array parameter	Description	Allowable values/formats
percentageOf	If set, does not report absolute numbers, but relative percentage	Heterarchy level
areaFilter	<p>If set, restricts the results to areas matching the filter. Use 'descendantOf' to restrict the area selection. This option is used for drill down reports. Use 'subsetOf' to restrict the granularity. This option is used with tag granularity.</p> <p>For example: descendantOf: Campus C1 has Building B1 which zone Z1 and Z2 Campus C2 has Building B2 which zone Z3 query area=Z1,Z2,Z3 and granularity=Building and areaFilter=descendantOf:C1 will return only Building B1</p> <p>For example: subsetOf: Tag T1,T2 assigned to F1, T2,T3 to F2, T3,T4 to F3 query area=F1,F2,F3 and granularity=tag and areaFilter=subsetOf:T1,T2 will return only T1,T2.</p>	<ul style="list-style-type: none"> • descendantOf • subsetOf:comma separated ids
expandAll	Include all of the elements descendants in the result	<ul style="list-style-type: none"> • true • false

HTTP Method

POST

Resource URI

/api/analytics/v1/connectedDetected

Requires Basic Auth

N

Parameters*Table 10: Parameter Details*

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters.

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "granularity": "hourly",
  "areas": "5786"
}
```

Sample Output (JSON)

```
{
  "startTime": "00:00",
  "startDate": "2017-03-16",
  "results": [
    {
      "id": 5786,
      "ancestry": [
        {
          "level": "Campus",
          "name": "Noritech Campus"
        }
      ],
      "startDate": "2017-03-16",
      "series": [
        "datetime"
      ],
      "hasChildren": true,
      "area": "Noritech-1",
      "data": [
        {
          "dwell": null,
          "values": {
            "connected": 0,
            "detected": 0
          },
          "name": null
        },
        {
          "dwell": null,
          "values": {
            "connected": 0,
            "detected": 0
          },
          "name": null
        },
        {
          "dwell": null,
          "values": {
            "connected": 0,
            "detected": 0
          },
          "name": null
        },
        {
          "dwell": null,
          "values": {
            "connected": 0,
            "detected": 0
          },
          "name": null,
          "incomplete": true
        }
      ]
    }
  ]
}
```

```
    }
  ],
  "interval": "hourly",
  "executionTime": 18,
  "insights": {
    "summary": {},
    "connected": {
      "ancestry": [
        {
          "level": "Campus",
          "name": "Nortech Campus"
        }
      ],
      "id": 5786,
      "index": 0,
      "maxDate": "2017-03-16",
      "name": "Nortech-1",
      "maxTime": "00:00",
      "maxValue": 0
    },
    "detected": {
      "ancestry": [
        {
          "level": "Campus",
          "name": "Nortech Campus"
        }
      ],
      "id": 5786,
      "index": 0,
      "maxDate": "2017-03-16",
      "name": "Nortech-1",
      "maxTime": "00:00",
      "maxValue": 0
    }
  },
  "endDate": "2017-03-16",
  "maxValues": {
    "connected": 0,
    "detected": 0
  },
  "endTime": "23:59",
  "dataFreshness": "2017-03-16T02:53:55.919-07:00",
  "minValues": {
    "connected": 0,
    "detected": 0
  }
}
```

Now API

GET: Retrieve the count of active clients on a floor or multiple floors right now.

Description

The only parameter (body) is a JSON array containing the parameters.

HTTP Method

GET

Resource URI

/api/analytics/v1/now/clientCount

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "total": {
    "total": 103,
    "totalNumFloors": 8
  },
  "connectionState": "all",
  "failedFloorIds": [],
  "missingFloorIds": [],
  "executionTime": 147,
  "minValue": 0,
  "data": [
    {
      "floorName": "2nd floor (CCW remodel)",
      "floorId": 207,
      "value": 0
    },
    {
      "floorName": "3rd floor (CCW remodel)",
      "floorId": 157,
      "value": 0
    },
    {
      "floorName": "3rd floor (CCW remodel)",
      "floorId": 232,
      "value": 0
    }
  ]
}
```

```

    },
    {
      "floorName": "1st floor (CCW remodel)",
      "floorId": 106,
      "value": 0
    },
    {
      "floorName": "1st floor (CCW remodel)",
      "floorId": 184,
      "value": 0
    },
    {
      "floorName": "1st Floor",
      "floorId": 11,
      "value": 103
    },
    {
      "floorName": "2nd floor (CCW remodel)",
      "floorId": 132,
      "value": 0
    },
    {
      "floorName": "2nd floor (Area Addition)",
      "floorId": 185,
      "value": 0
    }
  ],
  "date": "2017-12-17",
  "nonFloorIds": [],
  "maxValue": 103
}

```

API History

Table 11: API history

Release	Modification
Cisco CMX Release 10.3	This API is introduced.

POST: Retrieve the count of active clients on a floor or multiple floors right now

Description

This API retrieves the count of active clients on a floor or multiple floors right now. The only parameter (body) is a JSON array containing the parameters.

Parameters*Table 12: Parameter Details*

JSON array parameter	Description	Allowable values/formats
floors	The list of floors of interest. If none are given, all are considered.	A comma-separated list of floor ids. <floorId1>,<floorId2>,...
connectionState	Whether to restrict to either connected or detected devices (default = all)	<ul style="list-style-type: none"> • connected • detected • all

HTTP Method

POST

Resource URI

/api/analytics/v1/now/clientCount

Requires Basic Auth

N

Parameters*Table 13: Parameter Details*

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters.

Content Type

application/json

Sample Input

{


```
"floors": "17",
"connectionState": "all"
}
```

Sample Output

```
{
  "total": {
    "total": 0,
    "totalNumFloors": 0
  },
  "connectionState": "all",
  "failedFloorIds": [],
  "missingFloorIds": [
    "17"
  ],
  "executionTime": 1,
  "minValue": 2147483647,
  "data": [],
  "date": "2017-03-16",
  "nonFloorIds": [],
  "maxValue": -2147483648
}
```

API History

Table 14: API history

Release	Modification
Cisco CMX Release 10.3	This API is introduced.

GET: Get Count of Clients in Area

Description

This API gets list of clients for a given area.

HTTP Method

GET

Resource URI

/analytics/v1/now/clientCount/areas

Requires OAuth

N

Parameters

None

Content Type

application/json

Sample Output

```
{
  "invalidLevelIds": [
  ],
  "total": {
    "total": 0,
    "totalNumAreas": 1
  },
  "missingAreaIds": [
  ],
  "connectionState": "all",
  "failedAreaIds": [
  ],
  "executionTime": 47,
  "minValue": 0,
  "data": [
    {
      "areaName": "Campus",
      "value": 0,
      "areaId": 1
    }
  ],
  "date": "2017-06-09",
  "maxValue": 0
}
```

GET: Get Associated, Probing Count of Clients in Area

Description

This API gets list of associated and/or probing client count for a given area.

HTTP Method

GET

Resource URI

/analytics/v1/now/connectedDetected/areas

Requires OAuth

N

Parameters

None

Content Type

application/json

Sample Output

```
{
  "total":{
    "totalDetected":0,
    "totalNumAreas":1,
    "totalAll":0,
    "totalConnected":0
  },
  "startDate":"2017-06-09",
  "interval":null,
  "executionTime":58,
  "endDate":"2017-06-09",
  "endTime":"03:44",
  "startTime":"03:44",
  "invalidLevelIds":[

],
  "missingAreaIds":[

],
  "results":[
    {
      "ancestry":[

],
      "id":1,
      "series":[
        "dwell"
      ],
      "hasChildren":true,
      "area":"Campus",
      "data":[
        {
          "dwell":"0-1440",
          "values":{
            "connected":0,
            "detected":0,
            "all":0
          },
          "name":null
        }
      ]
    }
  ],
  "failedAreaIds":[

],
  "maxValues":{
    "connected":0,
    "detected":0
  },
  "minValues":{
    "connected":0,
    "detected":0
  }
}
```

POST: Retrieve the breakdown of connected and detected devices for a floor right now.

Description

This API retrieve the breakdown of connected and detected devices for a floor right now.

HTTP Method

POST

Resource URI

/api/analytics/v1/now/connectedDetected

Requires Basic Auth

N

Parameters

Table 15: Parameter Details

Name	Required	Default	Type	Location	Description
body	Y		JSON array	body	JSON array containing parameters

Content Type

application/json

Sample Input (JSON)

```
{
  "floors": "17"
}
```

Sample Output (JSON)

```
{
  "total": {
    "totalDetected": 0,
    "totalNumFloors": 0,
    "totalAll": 0,
    "totalConnected": 0
  },
  "startTime": "03:22",
  "startDate": "2017-03-16",
  "failedFloorIds": [],
  "missingFloorIds": [
    "17"
  ],
  "results": []
}
```

```

    "interval": null,
    "executionTime": 2,
    "endDate": "2017-03-16",
    "endTime": "03:22",
    "nonFloorIds": []
  }

```

API History

Table 16: API history

Release	Modification
Cisco CMX Release 10.3	This API is introduced.

GET: Retrieve the breakdown of connected and detected devices for a floor right now

Description

The API retrieves the breakdown of connected and detected devices for a floor right now.

HTTP Method

GET

Resource URI

/api/analytics/v1/now/connectedDetected

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```

{
  "total": {
    "totalDetected": 98,
    "totalNumAreas": 1,
    "totalAll": 98,
    "totalConnected": 0
  },
  "startDate": "2017-12-17",
  "interval": null,
  "executionTime": 158,

```

```

"endDate": "2017-12-17",
"endTime": "22:36",
"startTime": "22:36",
"invalidLevelIds": [],
"missingAreaIds": [],
"results": [
  {
    "ancestry": [],
    "id": 1,
    "series": [
      "dwell"
    ],
    "hasChildren": true,
    "area": "Campus",
    "data": [
      {
        "dwell": "0-1440",
        "values": {
          "connected": 0,
          "detected": 98,
          "all": 98
        },
        "name": null
      }
    ]
  }
],
"failedAreaIds": [],
"maxValues": {
  "connected": 0,
  "detected": 98
},
"minValues": {
  "connected": 0,
  "detected": 98
}
}

```

API History

Table 17: API history

Release	Modification
Cisco CMX Release 10.3	This API is introduced.

GET: Retrieve the count of active clients on a single or on multiple campuses/buildings/floors right now

Description

The only parameter (body) is a JSON array containing the parameters.

HTTP Method

GET

Resource URI

/api/analytics/v1/now/clientCount/areas

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "invalidLevelIds": [],
  "total": {
    "total": 103,
    "totalNumAreas": 1
  },
  "missingAreaIds": [],
  "connectionState": "all",
  "failedAreaIds": [],
  "executionTime": 147,
  "minValue": 103,
  "data": [
    {
      "areaName": "Campus",
      "value": 103,
      "areaId": 1
    }
  ],
  "date": "2017-12-17",
  "maxValue": 103
}
```

API History

Table 18: API history

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

POST: Retrieve the count of active clients on a single or on multiple campuses/buildings/floors right now

Description

The only parameter (body) is a JSON array containing the parameters.

HTTP Method

POST

Resource URI

/api/analytics/v1/now/clientCount/areas

Requires Basic Auth

N

Parameters*Table 19: Parameter Details*

Name	Required	Default	Type	Location	Description
areas	N		string	body	The list of areas of interest. If none are given, If none are given, the root level campus is considered.
connectionState	N	all	string	body	Whether to restrict to either connected or detected devices.

Content Type

application/json

Sample Output (JSON)

```
{
  "invalidLevelIds": [],
  "total": {
    "total": 104,
    "totalNumAreas": 1
  },
  "missingAreaIds": [],
  "connectionState": "all",
  "failedAreaIds": [],
  "executionTime": 124,
  "minValue": 104,
  "data": [
    {
      "areaName": "Campus",
      "value": 104,
      "areaId": 1
    }
  ],
  "date": "2017-12-17",
}
```



```

    "maxValue": 104
  }

```

API History

Table 20: API history

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

POST: Retrieve the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now

Description

This API retrieves the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now. The only parameter (body) is a JSON array containing the parameters.

HTTP Method

POST

Resource URI

/api/analytics/v1/now/connectedDetected/areas

Requires Basic Auth

N

Parameters

Table 21: Parameter Details

Name	Required	Default	Type	Location	Description
areas	N		string	body	The list of areas of interest. If none are given, the root level campus is considered.

Content Type

application/json

Sample Output (JSON)

```

{
  "total": {
    "totalDetected": 105,
    "totalNumAreas": 1,
    "totalAll": 105,
    "totalConnected": 0
  },
  "startDate": "2017-12-20",
  "interval": null,
  "executionTime": 160,
  "endDate": "2017-12-20",
  "endTime": "00:08",
  "startTime": "00:08",
  "invalidLevelIds": [],
  "missingAreaIds": [],
  "results": [
    {
      "ancestry": [],
      "id": 1,
      "series": [
        "dwell"
      ],
      "hasChildren": true,
      "area": "Campus",
      "data": [
        {
          "dwell": "0-1440",
          "values": {
            "connected": 0,
            "detected": 105,
            "all": 105
          },
          "name": null
        }
      ]
    }
  ],
  "failedAreaIds": [],
  "maxValues": {
    "connected": 0,
    "detected": 105
  },
  "minValues": {
    "connected": 0,
    "detected": 105
  }
}

```

API History**Table 22: API history**

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Retrieve the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now

Description

This API retrieves the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now.

HTTP Method

GET

Resource URI

/api/analytics/v1/now/connectedDetected/areas

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "total": {
    "totalDetected": 97,
    "totalNumAreas": 1,
    "totalAll": 97,
    "totalConnected": 0
  },
  "startDate": "2017-12-20",
  "interval": null,
  "executionTime": 158,
  "endDate": "2017-12-20",
  "endTime": "00:15",
  "startTime": "00:15",
  "invalidLevelIds": [],
  "missingAreaIds": [],
  "results": [
    {
      "ancestry": [],
      "id": 1,
      "series": [
        "dwell"
      ],
      "hasChildren": true,
      "area": "Campus",
      "data": [
        {
          "dwell": "0-1440",

```

GET: Retrieve the breakdown of connected and detected devices on a single or on multiple campuses/buildings/floors right now

```

        "values": {
            "connected": 0,
            "detected": 97,
            "all": 97
        },
        "name": null
    }
]
}
],
"failedAreaIds": [],
"maxValues": {
    "connected": 0,
    "detected": 97
},
"minValues": {
    "connected": 0,
    "detected": 97
}
}

```

API History

Table 23: API history

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Dwell Breakdown API

POST: Breakdown of Dwell Times Spent by Devices for a Given Period and Areas

Description

The only parameter (body) is a JSON array containing the parameters. The parameters are described below:

Table 24: Parameter Details

JSON Array Parameter	Description	Allowable Values/Formats
granularity	The desired granularity.	<ul style="list-style-type: none"> hourly daily weekly monthly yearly tag tag-name heterarchy level. One can limit to top "n" results (that is, the "n" values with highest count) by adding "[n]", or the "n" bottom results by adding "[n]"
period	The period of interest, specified as either a date range, or one of the predefined names.	<ul style="list-style-type: none"> yyyy-mm-dd yyyy-mm-dd;yyyy-mm-dd today yesterday this week last week last 2 weeks this month last month last 3 months this year last year forever
timeRange	The time window of interest on each day.	<ul style="list-style-type: none"> HH:mm-HH:mm

JSON Array Parameter	Description	Allowable Values/Formats
aggregate	Aggregate the dwell time by granularity, for example, showing the total dwell time for each day of the week, instead of individual dates.	<ul style="list-style-type: none"> • none • sum • avg
areas	The list of areas of interest. If none are provided, all are considered.	A comma-separated list of area IDs, or hierarchy levels.
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	<p>Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values:</p> <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440

JSON Array Parameter	Description	Allowable Values/Formats
includeStationary	Whether to include stationary devices (default=false).	<ul style="list-style-type: none"> • true • false
connectionState	Whether to restrict connection to either connected or detected devices (default=all).	<ul style="list-style-type: none"> • connected • detected • all
percentageOf	If set this parameter, does not report absolute numbers, only relative percentage.	Heterarchy level
dwellLimits	The dwell time limit that specifies how dwellers should be grouped together. Pass -1 to catch all. Example: Light: 100, Medium: 200, Heavy:-1.	<ul style="list-style-type: none"> • default • minute • comma separated limit label:limit value
areaFilter	<p>If set this parameter, restricts the results to areas matching the filter. Use descendantOf to restrict the area selection. This option is used for drill-down reports. Use 'subsetOf' to restrict the granularity. This option is used with tag granularity.</p> <p>For example: descendantOf: Campus C1 has Building B1 which zone Z1 and Z2 Campus C2 has Building B2 which zone Z3 query area=Z1,Z2,Z3 and granularity=Building and areaFilter=descendantOf:C1 will return only Building B1</p> <p>For example: subsetOf: Tag T1,T2 assigned to F1, T2,T3 to F2, T3,T4 to F3 query area=F1,F2,F3 and granularity=tag and areaFilter=subsetOf:T1,T2 will return only T1,T2.</p>	<ul style="list-style-type: none"> • descendantOf • subsetOf:comma separated ids
expandAll	Include all the elements descendants in the result.	<ul style="list-style-type: none"> • true • false

HTTP Method

POST

Resource URI

/api/analytics/v1/dwellBreakdown

Requires Basic Auth

N

Parameters

Table 25: Parameter Details

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters.

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "granularity": "hourly",
  "areas": "52,75"
}
```

Sample Output (JSON)

```
{
  "startTime": "00:00",
  "startDate": "2017-03-16",
  "results": [
    {
      "id": 53,
      "ancestry": [
        {
          "level": "Building",
          "name": "REQ"
        },
        {
          "level": "Campus",
          "name": "Richfield"
        }
      ],
      "series": [
        "datetime",
        "dwell"
      ],
      "hasChildren": false,
      "area": "2nd Floor",
      "data": []
    },
    {
      "id": 75,
```



```
    "ancestry": [
      {
        "level": "Floor",
        "name": "Site 4"
      },
      {
        "level": "Building",
        "name": "Site 4"
      },
      {
        "level": "Campus",
        "name": "San Jose Outdoor"
      }
    ],
    "series": [
      "datetime",
      "dwell"
    ],
    "hasChildren": false,
    "area": "f4:0f:1b:1a:82:90",
    "data": []
  }
},
"interval": "hourly",
"executionTime": 0,
"insights": {
  "summary": {}
},
"endDate": "2017-03-16",
"maxValues": {},
"endTime": "23:59",
"dataFreshness": "2017-03-16T02:53:58.054-07:00",
"minValues": {}
}
```

Dwelltime API

POST: Dwell Time for a Given Period and Areas

Description

This API retrieves dwell Time for a given period and areas. The only parameter is a JSON array containing the parameters. The parameters are described below

Table 26: Parameter Details

JSON array parameter	Description	Allowable values/formats
granularity	The desired granularity. One can limit to top n results (i.e. the n values with highest count) by adding "[n]", or the n bottom results by adding "[-n]". If granularity null is specified, all heterarchy types covered by the areas are returned.	<ul style="list-style-type: none"> • hourly • daily • weekly • monthly • yearly • tag • tag-name • heterarchy level • null
period	The period of interest, either specified as a date range, or one of the predefined names	<ul style="list-style-type: none"> • yyyy-mm-dd • yyyy-mm-dd;yyyy-mm-dd • today • yesterday • this week • last week • last 2 weeks • this month • last month • last 3 months • this year • last year • forever
timeRange	The time window of interest on each day	<ul style="list-style-type: none"> • HH:mm-HH:mm
aggregate	Whether to aggregate the dwell time by granularity; e.g. showing a total for each day of the week, instead of individual dates	<ul style="list-style-type: none"> • none • sum • avg

JSON array parameter	Description	Allowable values/formats
areas	The list of areas of interest. If none are given, all are considered	A comma-separated list of area ids, or heterarchy levels <areaId> <areaId-1>,<areaId-2>,<areaId-3>
durationCategories	Filter devices by dwell times for which device visits specified areas. If a device's dwell time falls outside of the range, it is filtered out and not considered a visit.	Time (in minutes) in the form nn-mm where nn is the lower limit and mm the upper limit. The maximum upper limit is 1440 minutes; which is 24 hours, or a full day. Accepted Values: <ul style="list-style-type: none"> • 0-240 • 0-480 • 0-1440 • 5-240 • 5-480 • 5-1440 • 10-240 • 10-480 • 10-1440 • 15-240 • 15-480 • 15-1440 • 30-240 • 30-480 • 30-1440 • 45-240 • 45-480 • 45-1440 • 60-240 • 60-480 • 60-1440
includeStationary	Whether to include stationary devices	<ul style="list-style-type: none"> • true • false

JSON array parameter	Description	Allowable values/formats
connectionState	Whether to restrict to either connected or detected devices (default=all)	<ul style="list-style-type: none"> connected detected all
percentageOf	If set, does not report absolute numbers, but relative percentage	Heterarchy level
areaFilter	<p>If set, restricts the results to areas matching the filter. Use 'descendantOf' to restrict the area selection. This option is used for drill down reports. Use 'subsetOf' to restrict the granularity. This option is used with tag granularity.</p> <p>For example: descendantOf: Campus C1 has Building B1 which zone Z1 and Z2 Campus C2 has Building B2 which zone Z3 query area=Z1,Z2,Z3 and granularity=Building and areaFilter=descendantOf:C1 will return only Building B1</p> <p>For example: subsetOf: Tag T1,T2 assigned to F1, T2,T3 to F2, T3,T4 to F3 query area=F1,F2,F3 and granularity=tag and areaFilter=subsetOf:T1,T2 will return only T1,T2.</p>	<ul style="list-style-type: none"> descendantOf subsetOf:comma separated ids
expandAll	Include all of the elements descendants in the result	<ul style="list-style-type: none"> true false

HTTP Method

POST

Resource URI

/api/analytics/v1/deviceDwell

Requires Basic Auth

N

Parameters*Table 27: Parameter Details*

Name	Required	Default	Type	Location	Description
body	Y	—	JSON array	body	JSON array containing parameters.

Content Type

application/json

Sample Input (JSON)

```
{
  "period": "today",
  "timeRange": "00:00-23:59",
  "granularity": "hourly",
  "areas": "52,75"
}
```

Sample Output (JSON)

```
{
  "startTime": "00:00",
  "startDate": "2017-03-16",
  "connectionState": "all",
  "results": [
    {
      "id": 53,
      "ancestry": [
        {
          "level": "Building",
          "name": "REQ"
        },
        {
          "level": "Campus",
          "name": "Richfield"
        }
      ],
      "series": [
        "datetime"
      ],
      "hasChildren": false,
      "level": "FLOOR",
      "area": "2nd Floor",
      "data": []
    },
    {
      "id": 75,
      "ancestry": [
        {
          "level": "Floor",
          "name": "Site 4"
        },
        {
          "level": "Building",
          "name": "Site 4"
        },
        {
          "level": "Campus",
          "name": "San Jose Outdoor"
        }
      ],
      "series": [
        "datetime"
      ],
      "hasChildren": false,
      "level": "AP",
      "area": "f4:0f:1b:1a:82:90",
      "data": []
    }
  ]
}
```

```
    }  
  ],  
  "interval": "hourly",  
  "executionTime": 0,  
  "minValue": 2147483647,  
  "endDate": "2017-03-16",  
  "endTime": "23:59",  
  "dataFreshness": "2017-03-16T02:58:04.319-07:00",  
  "maxValue": 0  
}
```

Repeat Devices API

GET: Is Repeat Device in All Areas

Description

This API returns whether or not a device is a repeat device in any area.

HTTP Method

GET

Resource URI

/api/analytics/v1/isRepeatDevice/:deviceMAC

Requires Basic Auth

N

Parameters

Table 28: Parameter Details

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC address of device in question

Content Type

application/json

API History

Table 29: API history

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Is Repeat Device in One Area

Description

This API returns whether or not a device is a repeat device in a particular area.

HTTP Method

GET

Resource URI

/api/analytics/v1/isRepeatDevice/:deviceMAC/:areaId

Requires Basic Auth

N

Parameters*Table 30: Parameter Details*

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC Address of Device in question
areaId	Y		String	pathReplace	Numeric id of the area

Content Type

application/json

API History*Table 31: API history*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Repeat Device Statistics in All Areas (Detailed)

Description

This API returns information regarding when a device was seen in all areas. In order to access the full features of this API, the feature flag `location.compactlocationhistory` must be enabled.

HTTP Method

GET

Resource URI

/api/analytics/v1/repeatDeviceStats/:deviceMAC

Requires Basic Auth

N

Parameters*Table 32: Parameter Details*

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC Address of Device in question

Content Type

application/json

API History*Table 33: API history*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Repeat Device Statistics in One Area (Detailed)

Description

This API returns information regarding when a device was seen in a particular area and any of its children areas. In order to access the full features of this API, the feature flag `location.compactlocationhistory` must be enabled.

HTTP Method

GET

Resource URI

/api/analytics/v1/repeatDeviceStats/:deviceMAC/:areaId

Requires Basic Auth

N

Parameters*Table 34: Parameter Details*

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC Address of Device in question
areaId	Y		String	pathReplace	Numeric id of the area

Content Type

application/json

API History*Table 35: API history*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Repeat Device Information in One Area (Compact)

Description

This API returns information regarding when a device was seen in a particular area. In order to access the full features of this API, the feature flag `location.compactlocationhistory` must be enabled.

HTTP Method

GET

Resource URI

/api/analytics/v1/repeatDeviceStatsLite/:deviceMAC/:areaId

Requires OAuth

N

Parameters*Table 36: Parameter Details*

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC Address of Device in question
areaId	Y		String	pathReplace	Numeric id of the area

Content Type

application/json

API History*Table 37: API history*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Repeat Device information in All Top-Level Areas (Compact)**Description**

This API returns information regarding when a device was seen in a top level area elements. In order to access the full features of this API, the feature flag `location.compactlocationhistory` must be enabled.

HTTP Method

GET

Resource URI

/api/analytics/v1/repeatDeviceStatsLite/:deviceMAC

Requires Basic Auth

N

Parameters

Table 38: Parameter Details

Name	Required	Default	Type	Location	Description
deviceMAC	Y		String	pathReplace	MAC Address of Device in question

Content Type

application/json

API History

Table 39: API history

Release	Modification
Cisco CMX Release 10.4	This API is introduced.



Configuration

- [Hierarchy API](#), on page 66
- [Sites API](#), on page 69
- [Map resources API](#), on page 71
- [History alerts API](#), on page 84
- [Version API](#), on page 85
- [Northbound notification types and attributes API](#), on page 86
- [Zone Count Register API](#), on page 88
- [System preferences API](#), on page 94
- [Users API](#), on page 97
- [Alerts API](#), on page 100
- [Notification subscription API](#), on page 102

Heterarchy API

GET: List of Children Superzone IDs of a Heterarchy Element

Description

The call retrieves children superzone IDs of a heterarchy element and, under them, the AES IDs of the nested children floors. The element is identified by the path of the API call (either the full path or the id of the element—see Add/Update zones or tags for details on obtaining the element id).

HTTP Method

GET

Resource URI

/api/config/v1/heterarchy/:pathSegments/childrenfloors

Requires Basic Auth

N

Parameters

Table 40: Parameter Details

Name	Required	Default	Type	Location	Description
pathSegments	N	—	String	pathReplace	Full path to the element or element id.
validDate	N	—	String	query	Show elements valid at given date (yyyy-mm-dd HH:mm:ss) Allowed values/formats: yyyy-mm-dd HH:mm:ss.

Name	Required	Default	Type	Location	Description
level	N	—	String	query	Level name (SUPERZONE, FLOOR, AP, POI, or ZONE) Allowed values/formats: SUPERZONE FLOOR AP ZONE POI.

Content Type

application/json

API History

Table 41: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Children Superzone IDs of Hierarchy Element

Description

The call retrieves children superzone IDs of an heterarchy element and, under them, the counts of all the nested children elements. The element is identified by the path of the API call (either the full path or the ID of the element- see Add/Update zones or tags for details on obtaining the element id). Specifying a level retrieves only children of that level.

HTTP Method

GET

Resource URI

/api/config/v1/heterarchy/:pathSegments/childrencounts

Requires Basic Auth

N

Parameters

Table 42: Parameter Details

Name	Required	Default	Type	Location	Description
pathSegments	N	—	String	pathReplace	Full path to the element or element ID.
validDate	N	—	String	query	Show elements valid from given date (yyyy-mm-dd HH:mm:ss) Allowed values/formats: yyyy-mm-dd HH:mm:ss.
level	N	—	String	query	Level name (SUPERZONE, FLOOR, AP, POI, or ZONE) Allowed values/formats: SUPERZONE FLOOR AP ZONE POI.

Content Type

application/json

API History

Table 43: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Sites API

GET: All Sites

Description

This API returns all the presence sites.

HTTP Method

GET

Resource URI

/api/config/v1/sites

Requires OAuth

N

Parameters

None.

Content Type

application/json

Example

```
[{"changedOn":0,"aesUIId":1487056035936,"name":"PSL  
28, 2017 3:37:50 PM", "objectVersion":0}]
```

GET: Site Details by ID or Name

Description

This API returns the presence site for the specified ID or Name.

HTTP Method

GET

Resource URI

/api/config/v1/sites/:id

Requires OAuth

N

Parameters

None.

Content Type

application/json

Map resources API

GET: Count of All Map Elements

Description

This API provides count of campuses, buildings, and floors.

HTTP Method

GET

Resource URI

/api/config/v1/maps/count

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "totalCampuses": 2,
  "totalBuildings": 3,
  "totalFloors": 8,
  "totalAps": 158,
  "campusCounts": [
    {
      "campusName": "Noritech Campus",
      "totalBuildings": 1,
      "buildingCounts": [
        {
          "buildingName": "Noritech-1",
          "totalFloors": 1,
          "floorCounts": [
            {
              "floorName": "1st Floor",
              "apCount": 14
            }
          ]
        }
      ]
    }
  ],
  {
    "campusName": "System Campus",
    "totalBuildings": 2,
```

```

"buildingCounts": [
  {
    "buildingName": "SJC23",
    "totalFloors": 3,
    "floorCounts": [
      {
        "floorName": "1st floor (CCW remodel)",
        "apCount": 25
      },
      {
        "floorName": "2nd floor (CCW remodel)",
        "apCount": 25
      },
      {
        "floorName": "3rd floor (CCW remodel)",
        "apCount": 24
      }
    ]
  },
  {
    "buildingName": "SJC24",
    "totalFloors": 4,
    "floorCounts": [
      {
        "floorName": "2nd floor (CCW remodel)",
        "apCount": 21
      },
      {
        "floorName": "2nd floor (Area Addition)",
        "apCount": 0
      },
      {
        "floorName": "3rd floor (CCW remodel)",
        "apCount": 24
      },
      {
        "floorName": "1st floor (CCW remodel)",
        "apCount": 25
      }
    ]
  }
]
}

```

GET: List of all Building Names.

Description

This API provides a list of all buildings.

HTTP Method

GET

Resource URI

/api/config/v1/maps/building/list/:name

Requires Basic Auth

N

Parameters*Table 44: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Campus Name

Content Type

application/json

API History*Table 45: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: List of all Building Names

Description

This API provides a list of all buildings.

HTTP Method

GET

Resource URI

/api/config/v1/maps/building/list

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  "Nortech Campus>Nortech-1",
  "System Campus>SJC24",
  "System Campus>SJC23"
]
```

API History*Table 46: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: List of all Floor Names

Description

This API provides a list of all Floors in the system.

HTTP Method

GET

Resource URI

/api/config/v1/maps/floor/list/:name

Requires Basic Auth

N

Parameters*Table 47: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Building Name

Content Type

application/json

API History

Table 48: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: List of all Floor Names

Description

This API provides a list of all floors in the system.

HTTP Method

GET

Resource URI

/api/config/v1/maps/floor/list

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  "System Campus>SJC23>3rd floor (CCW remodel)",
  "System Campus>SJC23>2nd floor (CCW remodel)",
  "Nortech Campus>Nortech-1>1st Floor",
  "System Campus>SJC23>1st floor (CCW remodel)",
  "System Campus>SJC24>2nd floor (CCW remodel)",
  "System Campus>SJC24>3rd floor (CCW remodel)",
  "System Campus>SJC24>2nd floor (Area Addition)",
  "System Campus>SJC24>1st floor (CCW remodel)"
]
```

API History

Table 49: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: All Maps

Description

This API returns all maps.

HTTP Method

GET

Resource URI

/api/config/v1/maps

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "version": 0,
  "campuses": [
    {
      "objectVersion": 0,
      "name": "System Campus",
      "dimension": {
        "length": 99999,
        "width": 99999,
        "height": 99999,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
      },
      "image": null,
      "buildingList": [
        {
          "aesUId": -6105692415270583000,
          "objectVersion": 0,
          "name": "SJC23",
          "dimension": {
            "length": 300,
            "width": 500,
            "height": 10,
            "offsetX": 0,
            "offsetY": 0,
            "unit": "FEET"
          },
          "image": null,
          "floorList": [
```



```

{
  "aesUid": -5970502993869536000,
  "calibrationModelId": -5970502993867530000,
  "objectVersion": 0,
  "name": "1st floor (CCW remodel)",
  "dimension": {
    "length": 249.9,
    "width": 299.9,
    "height": 10,
    "offsetX": 0,
    "offsetY": 0,
    "unit": "FEET"
  },
  "isOutdoor": false,
  "floorNumber": 1,
  "image": {
    "imageName": "cadConversion_1463400556649_f.jpg",
    "zoomLevel": 5,
    "width": 3276,
    "height": 2715,
    "size": 3276,
    "maxResolution": 16,
    "colorDepth": 8
  },
  "gpsMarkers": null,
  "zones": null,
  "obstacles": [
    {
      "type": "THICK_WALL",
      "attenuation": 0,
      "obstacleCoordinates": [
        {
          "x": 2.0488472,
          "y": 3.2261696,
          "z": 0,
          "unit": "FEET"
        },
        {
          "x": 2.561059,
          "y": 236.22719,
          "z": 0,
          "unit": "FEET"
        }
      ]
    },
    {
      "type": "NORMAL_WALL",
      "attenuation": 0,
      "obstacleCoordinates": [
        {
          "x": 91.68591,
          "y": 233.66675,
          "z": 0,
          "unit": "FEET"
        },
        {
          "x": 93.73476,
          "y": 212.15895,
          "z": 0,
          "unit": "FEET"
        }
      ]
    }
  ]
},
],

```

```

"accessPoints": [
  {
    "floorId": -5970502993869536000,
    "angle": 1.57,
    "apType": 2,
    "switchName": null,
    "name": "sjc23-11-cap1",
    "radioMacAddress": "00:42:68:a2:2a:80",
    "ethMacAddress": null,
    "ipAddress": null,
    "numOfSlots": 2,
    "mapCoordinates": {
      "x": 12.216251,
      "y": 13.826434,
      "z": 10,
      "unit": "FEET"
    },
    "apMode": "LOCAL",
    "apInterfaces": [
      {
        "band": "IEEE_802_11_B",
        "slotNumber": 0,
        "channelAssignment": 1,
        "channelNumber": 1,
        "txPowerLevel": 8,
        "antennaPattern": "Internal-3700-2.4GHz",
        "antennaAngle": 1.5707964,
        "antennaElevAngle": 0,
        "antennaGain": 8,
        "antennaDiversity": 3,
        "antennaMode": 1,
        "antennaType": 1,
        "txPowerControl": 1,
        "unit": "RADIAN",
        "dualBandSlot": false
      },
      {
        "band": "IEEE_802_11_A",
        "slotNumber": 1,
        "channelAssignment": 1,
        "channelNumber": 36,
        "txPowerLevel": 3,
        "antennaPattern": "Internal-3700-5GHz",
        "antennaAngle": 1.5707964,
        "antennaElevAngle": 0,
        "antennaGain": 8,
        "antennaDiversity": 3,
        "antennaMode": 1,
        "antennaType": 1,
        "txPowerControl": 1,
        "unit": "RADIAN",
        "dualBandSlot": false
      }
    ],
    "floorIdString": "-5970502993869536658",
    "geoCoordinate": null,
    "deviceDetails": null
  },
  {
    "floorId": -5970502993869536000,
    "angle": 1.57,
    "apType": 2,
    "switchName": null,
    "name": "sjc23-11-cap10",
  }
]

```

```

"radioMacAddress": "00:42:68:ae:2c:20",
"ethMacAddress": null,
"ipAddress": null,
"numOfSlots": 2,
"mapCoordinates": {
  "x": 22.229992,
  "y": 100.062416,
  "z": 10,
  "unit": "FEET"
},
"apMode": "LOCAL",
"apInterfaces": [
  {
    "band": "IEEE_802_11_B",
    "slotNumber": 0,
    "channelAssignment": 1,
    "channelNumber": 1,
    "txPowerLevel": 8,
    "antennaPattern": "Internal-3700-2.4GHz",
    "antennaAngle": 1.5707964,
    "antennaElevAngle": 0,
    "antennaGain": 8,
    "antennaDiversity": 3,
    "antennaMode": 1,
    "antennaType": 1,
    "txPowerControl": 1,
    "unit": "RADIAN",
    "dualBandSlot": false
  },
  {
    "band": "IEEE_802_11_A",
    "slotNumber": 1,
    "channelAssignment": 1,
    "channelNumber": 64,
    "txPowerLevel": 4,
    "antennaPattern": "Internal-3700-5GHz",
    "antennaAngle": 1.5707964,
    "antennaElevAngle": 0,
    "antennaGain": 8,
    "antennaDiversity": 3,
    "antennaMode": 1,
    "antennaType": 1,
    "txPowerControl": 1,
    "unit": "RADIAN",
    "dualBandSlot": false
  }
],
"floorIdString": "-5970502993869536658",
"geoCoordinate": null,
"deviceDetails": null
}
],
"floorIdString": "-5970502993869536658",
"geoCoordinate": null,
"deviceDetails": null
}
],
"referenceMarkers": null,
"exciters": null,
"filterRegions": [
  {
    "regionType": "OUTSIDE",
    "regionCoordinates": [
      {

```

```

        "x": 0,
        "y": 0,
        "z": 0,
        "unit": "FEET"
      },
      {
        "x": 299.9,
        "y": 0,
        "z": 0,
        "unit": "FEET"
      },
      {
        "x": 299.9,
        "y": 249.9,
        "z": 0,
        "unit": "FEET"
      },
      {
        "x": 0,
        "y": 249.9,
        "z": 0,
        "unit": "FEET"
      }
    ],
    "isDefault": false
  }
],
"filterRails": null,
"hierarchyName": "System Campus>SJC23>1st floor (CCW remodel)",
"aesUidString": "-5970502993869536658",
"geoLocationCapable": "NO_GPS_MARKERS_PRESENT",
"mode": null,
"floorModeDetails": {
  "mode": "RSSI",
  "requestedModeSet": false
}
}
],
"aesUid": 727035700041482200,
"aesUidString": "727035700041482262",
"members": null
}
]
}

```

GET: Campus by Name

Description

This API returns a campus by name.

HTTP Method

GET

Resource URI

/api/config/v1/maps/info/:campusName

Requires OAuth

N

Parameters*Table 50: Parameter Details*

Name	Required	Default	Type	Location	Description
campusName	Y	—	String	pathReplace	Campus Name

Content Type

application/json

GET: Building by Name Inside Specific Campus

Description

This API returns a building by name.

HTTP Method

GET

Resource URI

/api/config/v1/maps/info/:campusName/:buildingName

Requires OAuth

N

Parameters*Table 51: Parameter Details*

Name	Required	Default	Type	Location	Description
campusName	Y	—	String	pathReplace	Campus Name.
buildingName	Y	—	String	pathReplace	Building Name.

Content Type

application/json

GET: Floor Inside Specific Building and Specific Campus

Description

This API returns a floor by name based on a specific building and campus.

HTTP Method

GET

Resource URI

/api/config/v1/maps/info/:campusName/:buildingName/:floorName

Requires OAuth

N

Parameters

Table 52: Parameter Details

Name	Required	Default	Type	Location	Description
campusName	Y	—	String	pathReplace	Campus Name.
buildingName	Y	—	String	pathReplace	Building Name.
floorName	Y	—	String	pathReplace	Floor Name.

Content Type

application/json

GET: Floor Image

Description

This API returns an image for a given combination of campus, building, and floor name.

HTTP Method

GET

Resource URI

/api/config/v1/maps/image/:campusName/:buildingName/:floorName

Requires Basic Auth

N

Parameters*Table 53: Parameter Details*

Name	Required	Default	Type	Location	Description
campusName	Y	—	String	pathReplace	Campus Name.
buildingName	Y	—	String	pathReplace	Building Name.
floorName	Y	—	String	pathReplace	Floor Name.

Content Type

application/json

GET: Image by Name

Description

This API returns an image by image name.

HTTP Method

GET

Resource URI

/api/config/v1/maps/imagesource/:imageName

Requires OAuth

N

Parameters*Table 54: Parameter Details*

Name	Required	Default	Type	Location	Description
imageName	Y	—	String	pathReplace	Image Name.

Content Type

application/json

History alerts API

GET: Unique Alerts by Time Interval

Description

This API returns a list of unique alerts by time interval.

HTTP Method

GET

Resource URI

/api/config/v1/history/alerts/unique

Requires Basic Auth

N

Parameters

Table 55: Parameter Details

Name	Required	Default	Type	Location	Description
startTime	Y	—	Number	query	Specifies the start time in milliseconds.
endTime	Y	—	Number	query	Specifies the end time in milliseconds.

Content Type

application/json

Table 56: API History

Release	Modification
Cisco CMX Release 10.4	This command is deprecated.

Version API

GET: Current CMX Image Version

Description

This API returns the current version of the CMX Image.

HTTP Method

GET

Resource URI

/api/config/v1/version/image

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "cmx_image_version": "CISCO_CMX-10.4.0-93.cmx",
  "cmx_rpm_versions": [
    "cisco_cmx_connect-10.4.0-18",
    "cisco_cmx_wips-10.2.0-96",
    "cisco_cmx-10.4.0-1234"
  ]
}
```

Northbound notification types and attributes API

GET: Get Supported Northbound Notifications

Description

This API returns all supported northbound notification types and applicable attributes for the notification rules.

HTTP Method

GET

Resource URI

/api/configuration/v1/attributes

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output

```
{
  "networkdesignchanged": {
    "triggerHeterarchyChanged": {
      "name": "triggerHeterarchyChanged",
      "dataType": "BOOLEAN",
      "needValueCheck": false,
      "evaluateByProvider": false,
      "validValueSet": [],
      "nameSpace": "networkdesignchanged"
    },
    "triggerNetworkDesignChanged": {
      "name": "triggerNetworkDesignChanged",
      "dataType": "BOOLEAN",
      "needValueCheck": false,
      "evaluateByProvider": false,
      "validValueSet": [],
      "nameSpace": "networkdesignchanged"
    }
  },
  "servicestatus": {
    "oldStatus": {
      "name": "oldStatus",
      "dataType": "ENUM",
      "needValueCheck": false,

```

```
        "evaluateByProvider": false,
        "validValueSet": [
            "STOPPED",
            "RUNNING",
            "CRASHED",
            "DISABLED"
        ],
        "nameSpace": "servicestatus"
    },
    "status": {
        "name": "status",
        "dataType": "ENUM",
        "needValueCheck": true,
        "evaluateByProvider": true,
        "validValueSet": [
            "STOPPED",
            "RUNNING",
            "CRASHED",
            "DISABLED"
        ],
        "nameSpace": "servicestatus"
    },
    "statusChanged": {
        "name": "statusChanged",
        "dataType": "BOOLEAN",
        "needValueCheck": true,
        "evaluateByProvider": false,
        "validValueSet": [],
        "nameSpace": "servicestatus"
    }
}
}
```

Zone Count Register API

DELETE: Removes all registered zones

Description

This API removes all registered zones.

HTTP Method

DELETE

Resource URI

/api/config/v1/zoneCountParams/:clusterId

Requires Basic Auth

N

Parameters

Table 57: Parameter Details

Name	Required	Default	Type	Location	Description
clusterId	Y	1	String	pathReplace	clusterId (default 1)

Content Type

application/json

GET: Returns All Registered Zones

Description

This API returns details of all registered zones.

HTTP Method

GET

Resource URI

/api/config/v1/zoneCountParams/:clusterId

Requires OAuth

N

Parameters

Table 58: Parameter Details

Name	Required	Default	Type	Location	Description
clusterId	Y	1	Number	pathReplace	clusterId (default 1)

Content Type

application/json

Usage Guidelines

http://<cmx-ip-address>/api/config/v1/zoneCountParams/<cluster-id>
 For Example:
 http://10.0.0.1/api/config/v1/zoneCountParams/1

Sample Output

```
{
  name: "ZoneCountParams",
  zoneHierarchy: [
    "Simulator-2201-Campus0/Building2/Floor2/Zone2",
    "Simulator-2201-Campus0/Building4/Floor4/Zone4",
    "Simulator-2201-Campus0/Building7/Floor2/Zone3"
  ],
  zoneIds: [ ],
  zoneDetails: [
    {
      id: 65811,
      hierarchy: "Simulator-2201-Campus0/Building2/Floor2/Zone2",
      name: "Zone2",
      active: true
    },
    {
      id: 66475,
      hierarchy: "Simulator-2201-Campus0/Building4/Floor4/Zone4",
      name: "Zone4",
      active: true
    },
    {
      id: 67192,
      hierarchy: "Simulator-2201-Campus0/Building7/Floor2/Zone3",
      name: "Zone3",
      active: true
    }
  ],
  totalZones: 3,
  debug: false
}
```

POST: Add New Zone

Description

This API adds a zone to the existing list of zones. For all hierarchies, system tries to find them in the heterarchy and if the match is successful we have an ID for every zone specified. When the zone is not found, we drop that zone from the configuration.

HTTP Method

POST

Resource URI

/api/config/v1/zoneCountParams/:clusterId

Requires OAuth

N

Parameters

Table 59: Parameter Details

Name	Required	Default	Type	Location	Description
clusterId	Y	1	String	pathReplace	clusterId (default 1)
zoneHierarchy	Y		array	body	List of exact zone hierarchy separated by /, i.e. Campus/Building/Floor/Zone. (including spaces, if any of the campus / building /floor /zone has spaces in the name) Ensure zones hierarchy are nested within the square brackets [] to be considered as list, otherwise this operation would fail For specifying single zone, ["Campus/Building/Floor/Zone1"] For specifying multiple zones, ["Campus/Building/Floor/Zone1", "Campus/Building/Floor/Zone2"]
zoneIds	N		array	body	List of zoneids, Ensure zoneIds are nested within the square brackets [] to be considered as list, otherwise this operation would fail for e.g. single zone as [391] multiple zones as [391,392]
zoneDetails	N		text	body	Populated by API after parsing zoneHierarchy or zoneIds input

Name	Required	Default	Type	Location	Description
totalZones	N		number	body	Total registered zones, Populated by API after parsing zoneHierarchy or zoneIds input
debug	N	false	enumerated	body	debug flag to enable recording macaddresses for registered zones <ul style="list-style-type: none"> • true • false

Content Type

application/json

Sample Input (JSON)

```
{
  "name": "ZoneCountParams",
  "zoneHierarchy": ["Nortech Campus/Nortech Building/Security Floor/zone1",
    "Nortech Campus/Nortech Building/Security Floor/zone2",
    "System Campus/SJC-24/3rd Floor/Zone_2",
    "System Campus/SJC-24/3rd Floor/Zone_1"
  ]
}
```

PUT: Add (Overwrite) New Zone

Description

This API is similar to the POST: Add New Zone API, but replaces rather than appends the new zone(s) to the registered zone(s) list.

HTTP Method

PUT

Resource URI

/api/config/v1/zoneCountParams/:clusterId

Requires Basic Auth

N

Parameters

Table 60: Parameter Details

Name	Required	Default	Type	Location	Description
clusterId	Y	1	String	pathReplace	clusterId (default 1)
zoneHierarchy	Y		array	body	List of exact zone hierarchy separated by /, i.e. Campus/Building/Floor/Zone. (including spaces, if any of the campus / building /floor /zone has spaces in the name)</p> Ensure zones hierarchy are nested within the square brackets [] to be considered as list, otherwise this operation would fail</p> For specifying single zone, ["Campus/Building/Floor/Zone1"]</p> For specifying multiple zones, ["Campus/Building/Floor/Zone1", "Campus/Building/Floor/Zone2"]</p>
zoneIds	N		array	body	List of zoneids Ensure zoneIds are nested within the square brackets [] to be considered as list, otherwise this operation would fail for e.g. single zone as [391] multiple zones as [391,392]
zoneDetails	N		text	body	Populated by API after parsing zoneHierarchy or zoneIds input
totalZones	N		number	body	Total registered zones, Populated by API after parsing zoneHierarchy or zoneIds input
debug	N	false	enumerated	body	debug flag to enable recording macaddresses for registered zones <ul style="list-style-type: none"> • true • false

Content Type

application/json

API History

Table 61: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

System preferences API

GET: Type of Device

Description

This API gets the type of box.

HTTP Method

GET

Resource URI

/api/config/v1/system/type

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "num_cpus": 20,
  "box_type": "High-End"
}
```

API History

Table 62: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: System Settings Preferences

Description

This API retrieves system settings.

HTTP Method

GET

Resource URI

/api/config/v1/system/preferences/:component/:key

Requires OAuth

N

Parameters*Table 63: Parameter Details*

Name	Required	Default	Type	Location	Description
component	Y	—	String	pathReplace	The component.
key	N	—	String	pathReplace	The key to retrieve. If not set, retrieves all keys for the given component.

Content Type

application/json

PUT: System Settings

Description

This API enable you to store system settings. This operation can only be performed by users in the 'Admin' group.

HTTP Method

PUT

Resource URI

/api/config/v1/system/preferences/:component/:key

Requires OAuth

N

Parameters*Table 64: Parameter Details*

Name	Required	Default	Type	Location	Description
component	Y	—	String	pathReplace	The component.
key	Y	—	String	pathReplace	The key.
String	Y	—	string	body	Value.

Content Type

application/json

GET: Gets the System Time

Description**HTTP Method**

GET

Resource URI

/api/config/v1/system/time

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "ISO8601Utils": "2017-12-18T08:56:16Z",
  "timeZoneOffset": -28800000,
  "serverTimeUTC": 1513587376429,
  "serverTime": "Mon Dec 18 00:56:16 PST 2017",
  "timeZone": "Pacific Standard Time"
}
```

Users API

GET: User by Username

Description

This API retrieves user by username.

HTTP Method

GET

Resource URI

/api/config/v1/aaa/users/:username

Requires Basic Auth

N

Parameters

Table 65: Parameter Details

Name	Required	Default	Type	Location	Description
username	Y	—	String	pathReplace	Username

Content Type

application/json

Sample Output (JSON)

10.30.114.188/api/config/v1/aaa/users/admin

```
{
  "id": 102,
  "username": "mika",
  "password": "*****",
  "firstname": "mika",
  "lastname": "mika",
  "userGroups": [],
  "roles": [
    {
      "id": 5,
      "name": "Read Only",
      "privileges": []
    }
  ],
  "developerkey": null,
  "lastlogin": 1507596970322
}
```

DELETE: User by Username

Description

This API deletes a user.

HTTP Method

DELETE

Resource URI

/api/config/v1/aaa/users/:username

Requires Basic Auth

N

Parameters

Table 66: Parameter Details

Name	Required	Default	Type	Location	Description
username	Y	—	String	pathReplace	Username.

Content Type

application/json

GET: All Roles

Description

This API gets all roles.

HTTP Method

GET

Resource URI

/api/config/v1/aaa/roles

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "id": 1,
    "name": "System",
    "privileges": []
  },
  {
    "id": 2,
    "name": "Manage",
    "privileges": []
  },
  {
    "id": 3,
    "name": "Analytics",
    "privileges": []
  },
  {
    "id": 4,
    "name": "Connect",
    "privileges": []
  },
  {
    "id": 7,
    "name": "Location",
    "privileges": []
  },
  {
    "id": 8,
    "name": "ConnectExperience",
    "privileges": []
  },
  {
    "id": 9,
    "name": "Admin",
    "privileges": []
  },
  {
    "id": 5,
    "name": "Read Only",
    "privileges": []
  }
]
```

Alerts API

GET: Count of Active Alerts

Description

This API returns a count of active alerts.

HTTP Method

GET

Resource URI

/api/config/v1/alerts/count

Requires OAuth

N

Parameters

None.

Content Type

application/json

GET: All Alerts

Description

This API returns all active alerts.

HTTP Method

GET

Resource URI

/api/config/v1/alerts

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "changedOn": 1490159411911,
    "tenantId": 0,
    "lastNotificationTime": 1490159411918,
    "hashkey": -1446685026,
    "alertType": "NMSP_CONNECTION_STATUS",
    "alertStatus": "Unhandled",
    "severity": "Critical",
    "origin": "cmx-vmdev83 WLC: 10.32.168.50",
    "source": "NMSPLB",
    "alarmDescription": "NMSP connection status is inactive for WLC 10.32.168.50",
    "lastEmail": 0,
    "refId": "NMSPLB"
  }
]
```



```

        }
      ]
    }
  ],
  "enabled": true,
  "internal": true,
  "cloud": true,
  "enableMacScrambling": false,
  "macScramblingSalt": "",
  "notificationType": "LocationUpdate"
},
{
  "name": "gateway-blegmtadmin-feedback-io89bg",
  "userId": "local-user",
  "rules": [
    {
      "conditions": []
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri":
https://c2f8pk.execute-api.us-west-2.amazonaws.com/43/stage/listener/5f9678-a0f-4674-925-8610e72cc3?x-identifier=a1991c30-86cf-11e7-51c0-b23688f84,
          "messageFormat": "JSON",
          "headers": null,
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": true,
  "internal": true,
  "cloud": true,
  "enableMacScrambling": false,
  "macScramblingSalt": "",
  "notificationType": "LodestarConfigUpdate"
},
{
  "name": "gateway-blemanager.cmxcis.co-feedback-io89bg",
  "userId": "local-user",
  "rules": [
    {
      "conditions": []
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri":
https://ic89g.cmis.co/43/api/ble/v1/manager/feedback?token=05A01KQ1ChGCLTzTNI9eJ2W6BrXCTmVdLz9.02vafTNDWpU176GD9i09BANDg,
          "messageFormat": "JSON",
          "headers": null,
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": true,
  "internal": true,

```

```

    "cloud": true,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "LodestarConfigUpdate"
  },
  {
    "name": "Harvey Updates",
    "userId": "admin",
    "rules": [
      {
        "conditions": []
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "http://54.203.15.211:9094/api/v1/notify",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": true,
    "internal": false,
    "cloud": false,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "LocationUpdate"
  },
  {
    "name": "gateway-blemanager.cmxcis.co-mapChange-io89bg",
    "userId": "local-user",
    "rules": [
      {
        "conditions": []
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "https://ic89.cmxcis.co:43/api/ble/v1/notify?token=7jtderey0EACIKVQICthG-CILJLNi9_ez0WbRZC6mD1z9_0nVzEFTNllwz2126G12u09BmNj",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": true,
    "internal": true,
    "cloud": true,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "NetworkDesignChanged"
  },
  {
    "name": "CMX_Api_Server_Notification_1",
    "userId": "admin",

```

```

"rules": [
  {
    "conditions": [
      {
        "condition": "locationupdate.deviceType == client"
      }
    ]
  }
],
"subscribers": [
  {
    "receivers": [
      {
        "uri": "http://127.0.0.1:9094/api/notify/v1/location",
        "messageFormat": "JSON",
        "headers": null,
        "qos": "AT_MOST_ONCE"
      }
    ]
  }
],
"enabled": true,
"internal": true,
"cloud": false,
"enableMacScrambling": false,
"macScramblingSalt": "",
"notificationType": "LocationUpdate"
},
{
  "name": "Nbound Notification",
  "userId": "admin",
  "rules": [
    {
      "conditions": [
        {
          "condition": "locationupdate.deviceType == client"
        }
      ]
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri": "https://data.cmxappsandbox.com:443/api/sdk/v1/notifications",
          "messageFormat": "JSON",
          "headers": {
            "x-jwt-token":
"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0ZW5hbnRlc2I6ImUzInRlcmlmFudElkijoXN0.2S28kxWDSg-GFNfpTYCKuI_ZrwHLR0cn9XL19DaRm4",
            "Content-Type": "application/json"
          },
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": true,
  "internal": false,
  "cloud": false,
  "enableMacScrambling": false,
  "macScramblingSalt": "secret",
  "notificationType": "LocationUpdate"
}

```

```

    },
    {
      "name": "gateway-blemgmtadmin-bleinfo-io89bg",
      "userId": "local-user",
      "rules": [
        {
          "conditions": [
            {
              "condition": "bletagupdate.isBle == true"
            },
            {
              "condition": "bletagupdate.deviceType == tag"
            }
          ]
        }
      ],
      "subscribers": [
        {
          "receivers": [
            {
              "uri":
https://c2f8pkcenteqi.us-east-2.amazonaws.com/43/tag/listener/5f59768-0f-4674-925-8650e7cc3c7cc3?notificationId=a191c30-8fd-11e7451c4b2368834,
              "messageFormat": "JSON",
              "headers": null,
              "qos": "AT_MOST_ONCE"
            }
          ]
        }
      ],
      "enabled": true,
      "internal": true,
      "cloud": true,
      "enableMacScrambling": false,
      "macScramblingSalt": "",
      "notificationType": "BleTagUpdate"
    },
    {
      "name": "gateway-blemgmtadmin-mapChange-io89bg",
      "userId": "local-user",
      "rules": [
        {
          "conditions": []
        }
      ],
      "subscribers": [
        {
          "receivers": [
            {
              "uri":
https://c2f8pkcenteqi.us-east-2.amazonaws.com/43/tag/listener/5f59768-0f-4674-925-8650e7cc3c7cc3?notificationId=a191c30-8fd-11e7451c4b2368834,
              "messageFormat": "JSON",
              "headers": null,
              "qos": "AT_MOST_ONCE"
            }
          ]
        }
      ],
      "enabled": true,
      "internal": true,
      "cloud": true,
      "enableMacScrambling": false,
      "macScramblingSalt": "",

```

```

    "notificationType": "NetworkDesignChanged"
  },
  {
    "name": "gateway-blemanager.cmxcis.co-bleinfo-io89bg",
    "userId": "local-user",
    "rules": [
      {
        "conditions": [
          {
            "condition": "bletagupdate.isBle == true"
          },
          {
            "condition": "bletagupdate.deviceType == tag"
          }
        ]
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "https://127.0.0.1:9094/api/ble/v1/notify?deviceType=BLE_TAG_UPDATE&deviceType=BLE_TAG_UPDATE",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": true,
    "internal": true,
    "cloud": true,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "BleTagUpdate"
  },
  {
    "name": "CMX_Api_Server_Notification_2",
    "userId": "admin",
    "rules": [
      {
        "conditions": []
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "http://127.0.0.1:9094/api/notify/v1/absence",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": true,
    "internal": true,
    "cloud": false,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "Absence"
  }

```

```

},
{
  "name": "PythonAW",
  "userId": "admin",
  "rules": [
    {
      "conditions": [
        {
          "condition": "locationupdate.macAddressList == 98:07:2d:8d:75:e8;"
        },
        {
          "condition": "locationupdate.deviceType == tag"
        }
      ]
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri": "http://dsladden.pythonanywhere.com:80",
          "messageFormat": "JSON",
          "headers": null,
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": true,
  "internal": false,
  "cloud": false,
  "enableMacScrambling": false,
  "macScramblingSalt": "",
  "notificationType": "LocationUpdate"
},
{
  "name": "PythonAWN",
  "userId": "admin",
  "rules": [
    {
      "conditions": []
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri": "http://taibrahi.pythonanywhere.com:80",
          "messageFormat": "JSON",
          "headers": null,
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": false,
  "internal": false,
  "cloud": false,
  "enableMacScrambling": true,
  "macScramblingSalt": "",
  "notificationType": "NetworkDesignChanged"
},
{
  "name": "HeaderDone",

```



```

    "userId": "admin",
    "rules": [
      {
        "conditions": []
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "http://10.41.32.235:8000",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": false,
    "internal": false,
    "cloud": false,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "notificationType": "LocationUpdate"
  }
]

```

GET: Notifications by Name

Description

This API returns a notification subscription by name.

HTTP Method

GET

Resource URI

/api/config/v1/notifications/:name

Requires OAuth

N

Parameters

Table 67: Parameter Details

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.

Content Type

application/json

GET: Notification Subscription Availability

Description

This API checks if a notification subscription exists. It returns FOUND(302) if exists, 404 is not found.

HTTP Method

GET

Resource URI

/api/config/v1/notifications/exists/:name

Requires OAuth

N

Parameters

Table 68: Parameter Details

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.

Content Type

application/json

PUT: Add Notification Subscription

Description

This API allows you to add a notification subscription.

HTTP Method

PUT

Resource URI

/api/config/v1/notification

Requires OAuth

N

Parameters

Table 69: Parameter Details

Name	Required	Default	Type	Location	Description
userId	Y	—	string	body	User ID.
rules	Y	—	text	body	List of rules.
subscribers	Y	—	text	body	Subscribers

Name	Required	Default	Type	Location	Description
notificationType	Y	—	enumerated	body	<p>Choose one of the following notification types:</p> <ul style="list-style-type: none"> • Any • Absence • AreaChange • Association • BatteryLife • Chokepoint • Containment • Emergency • Movement • Presence • LocationUpdate • Zone • Location • ServiceStatus • NetworkDesignChanged • CpuUsage • MemoryUsage • DiskUsage • BeaconMovement • BeaconAbsence • Update • InOut • PasserbyDetected • PasserbyBecameVisitor • VisitorWentAway • SiteEntryChanged
enabled	N	—	enumerated	body	<p>enabled</p> <ul style="list-style-type: none"> • true • false

Name	Required	Default	Type	Location	Description
enableMacScrambling	N	—	enumerated	body	enableMacScrambling <ul style="list-style-type: none"> • true • false

Content Type

application/json

Sample Input (JSON)

application/json

```
{
  "name": "locupdate",
  "userId": "admin",
  "rules": [
    {
      "conditions": [
        {
          "condition": "locationupdate.macAddressList ==
00:0c:cc:4f:5f:ba;00:24:d7:37:68:d8;00:24:d7:59:8f:2c;00:0b:6b:a8:56:9f;"
        }
      ]
    }
  ],
  "subscribers": [
    {
      "receivers": [
        {
          "uri": "http://172.19.35.203:7123",
          "messageFormat": "JSON",
          "headers": null,
          "qos": "AT_MOST_ONCE"
        }
      ]
    }
  ],
  "enabled": true,
  "internal": false,
  "cloud": false,
  "enableMacScrambling": false,
  "macScramblingSalt": "",
  "notificationType": "LocationUpdate"
}
```

PUT: List of Notification Subscriptions

Description

This API allows you to add a list of notification subscriptions.

HTTP Method

PUT

Resource URI

/api/config/v1/notifications

Requires OAuth

N

Parameters

None.

Content Type

application/json

DELETE: Notification Subscription by Notification Name

Description

This API allows you to delete a notification subscription.

HTTP Method

DELETE

Resource URI

/api/config/v1/notifications/:name

Requires OAuth

N

Parameters*Table 70: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.

Content Type

application/json

GET: System Alert Subscription

Description

This API returns a system alert notification subscription by name.

HTTP Method

GET

Resource URI

/api/config/v1/notifications/alerts

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "name": "serviceIsCrashed",
    "userId": "admin",
    "rules": [
      {
        "conditions": [
          {
            "condition": "servicestatus.status == CRASHED"
          }
        ]
      }
    ],
    "subscribers": [
      {
        "receivers": [
          {
            "uri": "local://local",
            "messageFormat": "JSON",
            "headers": null,
            "qos": "AT_MOST_ONCE"
          }
        ]
      }
    ],
    "enabled": true,
    "internal": false,
    "cloud": false,
    "enableMacScrambling": false,
    "macScramblingSalt": "",
    "severity": "Critical",
    "notificationType": "ServiceStatus"
  },
  {
    "name": "serviceIsDown",
    "userId": "admin",
    "rules": [
      {
        "conditions": [
```

```

        {
            "condition": "servicestatus.status == STOPPED"
        }
    ]
},
"subscribers": [
    {
        "receivers": [
            {
                "uri": "local://local",
                "messageFormat": "JSON",
                "headers": null,
                "qos": "AT_MOST_ONCE"
            }
        ]
    }
],
"enabled": true,
"internal": false,
"cloud": false,
"enableMacScrambling": false,
"macScramblingSalt": "",
"severity": "Info",
"notificationType": "ServiceStatus"
}
]

```

GET: Notifications by Name

Description

This API returns a system alert notification subscription by name.

HTTP Method

GET

Resource URI

/api/config/v1/notifications/alerts/:name

Requires OAuth

N

Parameters

Table 71: Parameter Details

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.

Content Type

application/json

PUT: System Alert Subscription

Description

This API allows you to add a system alert subscription.

HTTP Method

PUT

Resource URI

/api/config/v1/notifications/alert

Requires OAuth

N

Parameters*Table 72: Parameter Details*

Name	Required	Default	Type	Location	Description
severity	Y	—	enumerated	body	Choose one of the following severity levels: <ul style="list-style-type: none"> • Critical • Major • Minor • Warning • Info • Cleared
userId	Y	—	string	body	User ID.
rules	Y	—	text	body	List of rules.
subscribers	Y	—	text	body	Subscribers

Name	Required	Default	Type	Location	Description
notificationType	Y	—	enumerated	body	<p>Choose one of the following notification types:</p> <ul style="list-style-type: none"> • Any • Absence • AreaChange • Association • BatteryLife • Chokepoint • Containment • Emergency • Movement • Presence • LocationUpdate • Zone • Location • ServiceStatus • NetworkDesignChanged • CpuUsage • MemoryUsage • DiskUsage • BeaconMovement • BeaconAbsence • Update • InOut • PasserbyDetected • PasserbyBecameVisitor • VisitorWentAway • SiteEntryChanged
enabled	N	—	enumerated	body	<p>enabled</p> <ul style="list-style-type: none"> • true • false

Name	Required	Default	Type	Location	Description
enableMacScrambling	N	—	enumerated	body	enableMacScrambling <ul style="list-style-type: none"> • true • false

Content Type

application/json

DELETE: Notification Alert Subscription

Description

This API allows you to delete a system alert notification subscription.

HTTP Method

DELETE

Resource URI

/api/config/v1/notifications/alerts/:name

Requires OAuth

N

Parameters*Table 73: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.

Content Type

application/json

POST: Change status of notification by name

Description

This API enables or disables a notification subscription by name.

HTTP Method

POST

Resource URI

/api/config/v1/notifications/:name/:user

Requires Basic Auth

N

Parameters*Table 74: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y		String	pathReplace	Notification Name
user	Y		String	pathReplace	Name of Notification Owner
action	Y		String	pathReplace	Enable/Disable

Content Type

application/json

API History*Table 75: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

POST: Change Status of Notification by Name

Description

This API enable/disable a notification subscription by name.

HTTP Method

POST

Resource URI

/api/config/v1/notifications/:name/:action

Requires OAuth

N

Parameters*Table 76: Parameter Details*

Name	Required	Default	Type	Location	Description
name	Y	—	String	pathReplace	Notification Name.
action	Y	—	String	pathReplace	Enable/Disable

Content Type

application/json



Connect

- [Operations to query visitor user session data, on page 124](#)

Operations to query visitor user session data

GET: Query User Sessions

Description

Query user session data based on the filter criteria. The results are sorted by last login time in descending order. The search can be performed on MAC addresses, last session time, status, and any or all fields. The query is paged using index and count parameters with maximum size in 1000. The returned JSON object includes the number of records returned and next index to query if more. You can also download the queried result in CSV file with URL `/api/connect/v1/clients/export`. The export query does not have maximum size limit.

HTTP Method

GET

Resource URI

`/api/connect/v1/clients`

Requires OAuth

N

Parameters

Table 77: Parameter Details

Name	Required	Default	Type	Location	Description
start	N	—	String	query	Session start time based on last login time in UTC epoch format. Use the Epoch Converter. https://www.epochconverter.com/
end	N	—	String	query	Session end time based on last login time in UTC epoch format. Use the Epoch Converter. https://www.epochconverter.com/
index	N	—	String	query	Starting index of the query based on 0.
count	N	—	String	query	Number of records to query with the limit of 1000 at maximum.
status	N	—	String	query	Status of the users. Allowed: all,active.

Name	Required	Default	Type	Location	Description
authtype	N	—	String	query	Authentication type used by the user. Allowed values/formats: registration, SMS, social.
mac	N	—	String	query	MAC address in 00:11:22:33:44:55:66 format. If MAC address is used, all other parameters will be ignored.
device	N	—	String	query	Type of user's device.
os	N	—	String	query	Operating system of user's device.
language	N	—	String	query	Language served to the user. It can search by full language name or two-letter language code.
all	N	—	String	query	The search applies to all fields.

Content Type

application/json

Sample Input (JSON)

```
10.122.141.178/api/connect/v1/clients?start=1534108572&end=2534108572
```

Sample Output (JSON)

```
{
  "nextIndex": 0,
  "timeZoneOffset": -14400000,
  "queryRecordCount": 1000,
  "timeZone": "Eastern Standard Time",
  "records": [],
  "returnRecordCount": 0
}
```




Location

- [Rogue APs API](#), on page 128
- [Rogue Clients API](#), on page 162
- [RFID Tags Information API](#), on page 188
- [Active Clients V3 API](#), on page 196
- [Zone Count Poll API](#), on page 201
- [Interferers API](#), on page 203
- [Northbound notification types and attributes API](#), on page 205
- [Clients History API](#), on page 208
- [GET: Active Client Counts](#), on page 219

Rogue APs API

GET: Rogue AP by MAC Address

Description

This API returns rogue AP by macaddress.

HTTP Method

GET

Resource URI

/api/location/v1/rogueaps/:macaddress

10.22.243.125/api/location/v1/rogueaps/70%3A70%3A8b%3A06%3A26%3A6f

Parameters

Table 78: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y	Nil	String	pathReplace	Rogue AP Macaddress

Content Type

application/json

Example Output

```
{
  "macAddress": "70:70:8b:06:26:6f",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
    "floorRefId": "727035700041482264",
    "floorDimension": {
      "length": 49.9,
      "width": 81,
      "height": 10,
      "offsetX": 0,
      "offsetY": 0,
      "unit": "FEET"
    },
    "image": {
      "imageName": "domain_0_1461628766707.png",
      "zoomLevel": 4,
      "width": 2008,
      "height": 1097,
      "size": 2008,
      "maxResolution": 8,
      "colorDepth": 8
    }
  }
}
```

```
    }
  },
  "mapCoordinate": {
    "x": 30.707043,
    "y": 15.968904,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": true,
  "confidenceFactor": 24,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-11-30T22:17:48.745-0800",
    "firstLocatedTime": "2017-11-30T10:27:44.506-0800",
    "lastLocatedTime": "2017-11-30T22:17:35.282-0800",
    "maxDetectedRssi": {
      "apMacAddress": "b8:38:61:b1:c8:d0",
      "band": "IEEE_802_11_A",
      "slot": 2,
      "rssi": -47,
      "antennaIndex": 0,
      "lastHeardInSeconds": 7
    }
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42242491307808,
    "longitude": -121.95972815802901,
    "unit": "DEGREES"
  },
  "rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
  },
  "networkStatus": "ACTIVE",
  "changedOn": 1512109056295,
  "totalClients": 0,
  "numOfDetectingAPs": 6,
  "type": "AP",
  "containmentLevel": "UNASSIGNED",
  "state": "ALERT",
  "maxDetectedRssi": 0,
  "ssid": "test1234",
  "maxDetectingAPMacAddress": "",
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": "Thu Nov 30 22:17:36 PST 2017",
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": null,
  "clientMacs": null,
  "rogueStChBy": "DEFAULT",
  "rogueClChBy": "DEFAULT",
  "classifiedRSSI": 0,
  "classifiedByAP": "b8:38:61:b1:c8:d0",
  "className": "",
  "classification": "UNCLASSIFIED",
  "tracedWiredRogue": false,
  "switchPortShutdown": false
}
```

API History*Table 79: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Active Rogue AP count**Description**

This API returns the count of active rogue APs.

HTTP Method

GET

Resource URI

/api/location/v1/rogueaps/count

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
{
  "deviceType": "Rogue_AP",
  "deviceQueryString": null,
  "count": 53
}
```

API History*Table 80: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: All Active Rogue APs

Description

This API returns all active rogue APs.

HTTP Method

GET

Resource URI

/api/location/v1/roguaps

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output

```
[
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
      },
      "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
      },
      "tagList": [
        "Waiting Room",
        "Pharmacy"
      ]
    },
    "mapCoordinate": {
      "x": 10.805624,
      "y": 15.59294,
    }
  }
]
```

```

        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 72,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-11-30T22:09:15.589-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T22:09:14.321-0800",
        "maxDetectedRssi": {
            "apMacAddress": "cc:16:7e:80:91:70",
            "band": "IEEE_802_11_B",
            "slot": 0,
            "rssi": -58,
            "antennaIndex": 0,
            "lastHeardInSeconds": 3
        }
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42242386020218,
        "longitude": -121.95965660633041,
        "unit": "DEGREES"
    },
    "rawLocation": {
        "rawX": -999,
        "rawY": -999,
        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512108554321,
    "totalClients": 0,
    "numOfDetectingAPs": 3,
    "type": "AP",
    "containmentLevel": "UNASSIGNED",
    "state": "ALERT",
    "maxDetectedRssi": 0,
    "ssid": "CMX Guest",
    "maxDetectingAPMacAddress": "",
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": null,
    "clientMacs": null,
    "rogueStChBy": "DEFAULT",
    "rogueClChBy": "DEFAULT",
    "classifiedRSSI": 0,
    "classifiedByAP": "cc:16:7e:32:63:60",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a2",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,

```



```

        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    }
},
"mapCoordinate": {
    "x": 6.4275756,
    "y": 24.186842,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 80,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T22:09:15.589-0800",
    "firstLocatedTime": "2017-11-30T22:07:53.710-0800",
    "lastLocatedTime": "2017-11-30T22:09:14.321-0800",
    "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:63:60",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -58,
        "antennaIndex": 0,
        "lastHeardInSeconds": 9
    }
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244777881152,
    "longitude": -121.9596408911214,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512108554321,
"totalClients": 1,
"numOfDetectingAPs": 4,
"type": "AP",
"containmentLevel": "UNASSIGNED",
"state": "ALERT",
"maxDetectedRssi": 0,
"ssid": "cmx",
"maxDetectingAPMacAddress": "",
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": null,

```

```

"clientMacs": null,
"rogueStChBy": "DEFAULT",
"rogueClChBy": "DEFAULT",
"classifiedRSSI": 0,
"classifiedByAP": "cc:16:7e:32:63:60",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "70:70:8b:06:26:6f",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
"floorRefId": "727035700041482264",
"floorDimension": {
"length": 49.9,
"width": 81,
"height": 10,
"offsetX": 0,
"offsetY": 0,
"unit": "FEET"
},
"image": {
"imageName": "domain_0_1461628766707.png",
"zoomLevel": 4,
"width": 2008,
"height": 1097,
"size": 2008,
"maxResolution": 8,
"colorDepth": 8
}
},
"mapCoordinate": {
"x": 30.847952,
"y": 16.119947,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 24,
"locComputeType": "RSSI",
"statistics": {
"currentServerTime": "2017-11-30T22:09:15.589-0800",
"firstLocatedTime": "2017-11-30T10:27:44.506-0800",
"lastLocatedTime": "2017-11-30T22:09:14.321-0800",
"maxDetectedRssi": {
"apMacAddress": "b8:38:61:b1:c8:d0",
"band": "IEEE_802_11_A",
"slot": 2,
"rssi": -47,
"antennaIndex": 0,
"lastHeardInSeconds": 2
}
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42242533353493,
"longitude": -121.95972866507198,
"unit": "DEGREES"
},
"rawLocation": {
"rawX": -999,
"rawY": -999,

```

```

        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512108554321,
    "totalClients": 0,
    "numOfDetectingAPs": 6,
    "type": "AP",
    "containmentLevel": "UNASSIGNED",
    "state": "ALERT",
    "maxDetectedRssi": 0,
    "ssid": "test1234",
    "maxDetectingAPMacAddress": "",
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": "Thu Nov 30 22:09:14 PST 2017",
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": null,
    "clientMacs": null,
    "rogueStChBy": "DEFAULT",
    "rogueClChBy": "DEFAULT",
    "classifiedRSSI": 0,
    "classifiedByAP": "b8:38:61:b1:c8:d0",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
}
]

```

API History

Table 81: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: History of Rogue APs by MAC Address

Description

This API returns history of rogue APs by macaddress.

HTTP Method

GET

Resource URI

/api/location/v1/history/rogueaps/:macaddress

Requires Basic Auth

N

Parameters

Table 82: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y	Nil	String	pathReplace	Rogue AP Macaddress
date	N	Empty	String	query	Date in format of yyyy/mm/dd

Sample Output

```
[
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 16.81693,
      "y": 19.066471,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.921-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T22:28:03.315-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243353027233,
      "longitude": -121.95967822858528,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512109687301,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
  }
]
```

```

    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.140812,
      "y": 24.24366,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.922-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T22:26:53.317-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422447951727875,
      "longitude": -121.95980524186929,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512109621316,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssId": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,

```

```

    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 58.733418,
      "y": 25.432129,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 112,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.923-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T21:50:33.316-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42245126180904,
      "longitude": -121.95982894739863,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512107439304,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssId": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
  }

```

```

    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 63.668205,
      "y": 29.59488,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.924-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T20:26:14.829-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42246284988543,
      "longitude": -121.95984670129994,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512102376831,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",

```

```

"mapInfo": {
  "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
  "mapHierarchyDetails": {
    "campus": "Nortech Campus",
    "building": "Nortech-1",
    "floor": "1st Floor",
    "floorAesUid": 727035700041482200,
    "zones": "CMX Clinic"
  }
},
"mapCoordinate": {
  "x": 12.266006,
  "y": 12.754823,
  "z": 0,
  "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 64,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T22:58:26.925-0800",
  "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
  "lastLocatedTime": "2017-11-30T20:03:18.324-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.4224159611374,
  "longitude": -121.95966184852433,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512100998327,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",

```



```

        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 38.960846,
    "y": 22.958181,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 128,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T22:58:26.926-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T19:59:03.317-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244436950427,
    "longitude": -121.95975785284054,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512100747330,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    }
},

```

```

    "mapCoordinate": {
      "x": 37.168964,
      "y": 32.964314,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.927-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T19:42:32.950-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42247221971185,
      "longitude": -121.9597514396562,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512099754943,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
      }
    },
    "mapCoordinate": {
      "x": 43.08274,
      "y": 23.259438,
      "z": 0,
      "unit": "FEET"
    }
  }

```

```

    },
    "currentlyTracked": false,
    "confidenceFactor": 128,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.928-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T18:57:44.823-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.4224452093441,
      "longitude": -121.95977267296477,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512097070924,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 16.045467,
      "y": 17.270725,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {

```

```

        "currentServerTime": "2017-11-30T22:58:26.928-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T18:09:46.752-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422428531794594,
        "longitude": -121.95967544976139,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512094186758,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    },
    "mapCoordinate": {
        "x": 35.502758,
        "y": 32.926517,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.929-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T18:00:03.312-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",

```

```

    "geoCoordinate": {
      "latitude": 37.422472113973086,
      "longitude": -121.9597454491154,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512093605321,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 62.549908,
      "y": 29.465967,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.930-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T17:40:42.809-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42246249071413,
      "longitude": -121.95984268036422,
      "unit": "DEGREES"
    }
  },

```

```

    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512092442852,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 10.559283,
      "y": 15.158403,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.931-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T17:19:26.898-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42242265064471,
      "longitude": -121.95965571941056,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512091171311,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
  }
}

```

```

"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Clinic"
}
},
"mapCoordinate": {
"x": 14.188843,
"y": 17.020206,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 72,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.932-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T17:17:44.307-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42242783390771,
"longitude": -121.95966877400087,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512091066313,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,

```

```

    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 4.1660514,
      "y": 7.8810964,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.932-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T16:16:01.817-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422402393127356,
      "longitude": -121.95963271298406,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512087365823,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
  }
}

```



```

"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Clinic"
}
},
"mapCoordinate": {
"x": 4.846126,
"y": 9.683231,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 96,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.933-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T15:00:21.813-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42240740935892,
"longitude": -121.95963516326113,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512082823871,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,

```

```

"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUId": 727035700041482200,
      "zones": ""
    }
  },
  "mapCoordinate": {
    "x": 28.691513,
    "y": 23.520147,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 80,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.940-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T13:06:52.315-0800"
  },
  "historyLogReason": "DISTANCE_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422445930346264,
    "longitude": -121.95972093363902,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512076016320,
  "totalClients": 0,
  "numOfDetectingAPs": 0,
  "type": null,
  "containmentLevel": null,
  "state": null,
  "maxDetectedRssi": 0,
  "ssid": null,
  "maxDetectingAPMacAddress": null,
  "maxRssiRadioType": 0,
  "zoneOfImpact": 0,
  "hiddenSSID": 0,
  "lastUpdated": null,
  "manufacturer": "Cisco Systems, Inc",
  "detectingControllers": "10.22.243.211",
  "clientMacs": null,
  "rogueStChBy": null,
  "rogueClChBy": null,
  "classifiedRSSI": 0,
  "classifiedByAP": "",
  "className": "",
  "classification": "UNCLASSIFIED",
  "tracedWiredRogue": false,

```

```

    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 18.289343,
      "y": 18.687847,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.941-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T10:38:16.307-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243247689681,
      "longitude": -121.95968352117679,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512067098315,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {

```

```

        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 4.846126,
        "y": 9.683231,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.942-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T09:29:12.330-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42240740935892,
        "longitude": -121.95963516326113,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512062952353,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",

```

```

        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 33.190983,
    "y": 26.26249,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 64,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T22:58:26.943-0800",
    "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
    "lastLocatedTime": "2017-11-30T08:28:47.302-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42245356475765,
    "longitude": -121.95973711833454,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512059329303,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {

```

```

        "x": 14.697663,
        "y": 15.564997,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 72,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.944-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T05:34:05.813-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422423783682305,
        "longitude": -121.95967059910944,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512048845825,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": ""
        }
    },
    "mapCoordinate": {
        "x": 1.7408412,
        "y": 4.3267527,
        "z": 0,
        "unit": "FEET"
    },

```

```

"currentlyTracked": false,
"confidenceFactor": 88,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T22:58:26.944-0800",
  "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
  "lastLocatedTime": "2017-11-30T04:41:11.265-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.422392499283504,
  "longitude": -121.95962398341334,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512045675327,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": ""
    }
  },
  "mapCoordinate": {
    "x": 0.57220083,
    "y": 1.3926805,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 72,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T22:58:26.945-0800",

```

```

        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T04:30:22.379-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422384332292076,
        "longitude": -121.95961977333023,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512045022414,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "Tm"
        }
    },
    "mapCoordinate": {
        "x": 30.385988,
        "y": 24.133757,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.945-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T03:21:52.431-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {

```



```

        "latitude": 37.422447638796676,
        "longitude": -121.95972702748679,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512040914823,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
},
{
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 4.846126,
        "y": 9.683231,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 96,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T22:58:26.945-0800",
        "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
        "lastLocatedTime": "2017-11-30T02:52:21.323-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42240740935892,
        "longitude": -121.95963516326113,
        "unit": "DEGREES"
    },
    "rawLocation": null,

```

```

    "networkStatus": "INACTIVE",
    "changedOn": 1512039145307,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 18.552563,
      "y": 12.923709,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 64,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.946-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T02:36:11.322-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42241643324174,
      "longitude": -121.9596844507661,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512038175805,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
  }
}

```

```

"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,
"maxRssiRadioType": 0,
"zoneOfImpact": 0,
"hiddenSSID": 0,
"lastUpdated": null,
"manufacturer": "Cisco Systems, Inc",
"detectingControllers": "10.22.243.211",
"clientMacs": null,
"rogueStChBy": null,
"rogueClChBy": null,
"classifiedRSSI": 0,
"classifiedByAP": "",
"className": "",
"classification": "UNCLASSIFIED",
"tracedWiredRogue": false,
"switchPortShutdown": false
},
{
"macAddress": "3c:08:f6:d9:08:a4",
"mapInfo": {
"mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
"mapHierarchyDetails": {
"campus": "Nortech Campus",
"building": "Nortech-1",
"floor": "1st Floor",
"floorAesUid": 727035700041482200,
"zones": "CMX Clinic"
}
},
"mapCoordinate": {
"x": 4.846126,
"y": 9.683231,
"z": 0,
"unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 96,
"locComputeType": null,
"statistics": {
"currentServerTime": "2017-11-30T22:58:26.946-0800",
"firstLocatedTime": "2017-11-29T15:14:36.041-0800",
"lastLocatedTime": "2017-11-30T01:46:33.509-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
"latitude": 37.42240740935892,
"longitude": -121.95963516326113,
"unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512035193535,
"totalClients": 0,
"numOfDetectingAPs": 0,
"type": null,
"containmentLevel": null,
"state": null,
"maxDetectedRssi": 0,
"ssid": null,
"maxDetectingAPMacAddress": null,

```

```

    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  },
  {
    "macAddress": "3c:08:f6:d9:08:a4",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 21.594147,
      "y": 17.890963,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T22:58:26.947-0800",
      "firstLocatedTime": "2017-11-29T15:14:36.041-0800",
      "lastLocatedTime": "2017-11-30T01:45:24.317-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42243025993865,
      "longitude": -121.9596954004619,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512035124333,
    "totalClients": 0,
    "numOfDetectingAPs": 0,
    "type": null,
    "containmentLevel": null,
    "state": null,
    "maxDetectedRssi": 0,
    "ssid": null,
    "maxDetectingAPMacAddress": null,
    "maxRssiRadioType": 0,
    "zoneOfImpact": 0,
    "hiddenSSID": 0,
    "lastUpdated": null,
    "manufacturer": "Cisco Systems, Inc",
  }
}

```

```
    "detectingControllers": "10.22.243.211",
    "clientMacs": null,
    "rogueStChBy": null,
    "rogueClChBy": null,
    "classifiedRSSI": 0,
    "classifiedByAP": "",
    "className": "",
    "classification": "UNCLASSIFIED",
    "tracedWiredRogue": false,
    "switchPortShutdown": false
  }
]
```

API History

Table 83: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Rogue Clients API

GET: Rogue client by Macaddress

Description

This API returns a rogue client by macaddress.

HTTP Method

GET

Resource URI

/api/location/v1/rogueclients/:macaddress

Requires Basic Auth

N

Parameters

Table 84: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Rogue Client Macaddress

Content Type

application/json

Sample Output (JSON)

```
{
  "macAddress": "3c:08:f6:d9:08:a4",
  "mapInfo": {
    "floorRefId": "0"
  },
  "mapCoordinate": {
    "x": 0,
    "y": 0,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 0,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-12-19T01:05:09.748-0800",
    "firstLocatedTime": "1969-12-31T16:00:00.000-0800",
    "lastLocatedTime": "1969-12-31T16:00:00.000-0800"
  }
}
```

```

    },
    "historyLogReason": null,
    "geoCoordinate": null,
    "rawLocation": {
      "rawX": -999,
      "rawY": -999,
      "unit": "FEET"
    },
    "networkStatus": "INACTIVE",
    "changedOn": 0,
    "numOfDetectingAPs": 0,
    "bssid": "",
    "containmentLevel": "UNASSIGNED",
    "state": "INITIALIZING",
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  }
}

```

API History

Table 85: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Active Rogue Clients Count

Description

This API returns active rogue clients count.

HTTP Method

GET

Resource URI

/api/location/v1/rogueclients/count

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output

```
{
  "deviceType": "Rogue_Client",
  "deviceQueryString": null,
  "count": 59
}
```

API History*Table 86: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: All Rogue Clients

Description

This API returns all rogue clients

HTTP Method

GET

Resource URI

/api/location/v1/rogueclients

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "2c:54:2d:ea:dd:a7",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
      }
    }
  }
]
```



```

        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    }
},
"mapCoordinate": {
    "x": 0,
    "y": 0,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 104,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T23:05:55.408-0800",
    "firstLocatedTime": "2017-11-30T21:48:33.849-0800",
    "lastLocatedTime": "2017-11-30T23:03:23.798-0800",
    "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:76:b0",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -128,
        "antennaIndex": 0,
        "lastHeardInSeconds": 2
    }
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
    "latitude": 37.42238045575941,
    "longitude": -121.95961771207679,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512111803798,
"numOfDetectingAPs": 0,
"bssid": "",
"containmentLevel": "UNASSIGNED",
"state": "INITIALIZING",
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,
            "height": 10,
            "offsetX": 0,

```

```

        "offsetY": 0,
        "unit": "FEET"
    },
    "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
    },
    "tagList": [
        "Lobby"
    ]
},
"mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": true,
"confidenceFactor": 120,
"locComputeType": "RSSI",
"statistics": {
    "currentServerTime": "2017-11-30T23:05:55.408-0800",
    "firstLocatedTime": "2017-11-30T23:05:50.344-0800",
    "lastLocatedTime": "2017-11-30T23:05:50.344-0800",
    "maxDetectedRssi": {
        "apMacAddress": "f8:0b:cb:3c:01:80",
        "band": "IEEE_802_11_A",
        "slot": 0,
        "rssi": -84,
        "antennaIndex": 0,
        "lastHeardInSeconds": 1
    }
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.422446131682264,
    "longitude": -121.95979870153643,
    "unit": "DEGREES"
},
"rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
},
"networkStatus": "ACTIVE",
"changedOn": 1512111950344,
"numOfDetectingAPs": 1,
"bssid": "58:ac:78:df:97:94",
"containmentLevel": "UNASSIGNED",
"state": "ALERT",
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
}
]

```

API History*Table 87: API History*

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: History of Rogue clients by MAC Address**Description**

This API returns a history of rogue clients by MAC Address. If date is unspecified, the current date is used, and activity history of the rogue client from 00:00 AM to current time(time of query) is returned. If date is specified, the activity history of the specified rogue client on the date is returned.

HTTP Method

GET

Resource URI

/api/location/v1/history/rogueclients/:macaddress

Requires OAuth

N

Parameters*Table 88: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Rogue Client Macaddress
Date	N	If unspecified, the current date is used. So rogue clients active from midnight to current time(time of query)	String	query	Date in format of yyyy/mm/dd.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.670-0800",
      "firstLocatedTime": "2017-11-30T22:09:20.313-0800",
      "lastLocatedTime": "2017-11-30T22:09:20.313-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512108562319,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
  }
]
```

```

"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.671-0800",
  "firstLocatedTime": "2017-11-30T21:03:22.317-0800",
  "lastLocatedTime": "2017-11-30T21:03:22.317-0800"
},
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
  "latitude": 37.42244462757822,
  "longitude": -121.95980593239442,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512104604340,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.671-0800",
    "firstLocatedTime": "2017-11-30T20:44:30.815-0800",
    "lastLocatedTime": "2017-11-30T20:44:30.815-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.42244462757822,
    "longitude": -121.95980593239442,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512103478845,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
}

```

```

    },
    {
      "macAddress": "00:1f:6c:7a:65:38",
      "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
          "campus": "Nortech Campus",
          "building": "Nortech-1",
          "floor": "1st Floor",
          "floorAesUid": 727035700041482200,
          "zones": "CMX Bar"
        }
      },
      "mapCoordinate": {
        "x": 66.60833,
        "y": 41.13821,
        "z": 0,
        "unit": "FEET"
      },
      "currentlyTracked": false,
      "confidenceFactor": 96,
      "locComputeType": null,
      "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.672-0800",
        "firstLocatedTime": "2017-11-30T15:35:49.316-0800",
        "lastLocatedTime": "2017-11-30T15:35:49.316-0800"
      },
      "historyLogReason": "NETWORK_STATUS_CHANGE",
      "geoCoordinate": {
        "latitude": 37.42249498021849,
        "longitude": -121.95985730533519,
        "unit": "DEGREES"
      },
      "rawLocation": null,
      "networkStatus": "INACTIVE",
      "changedOn": 1512084951313,
      "numOfDetectingAPs": 0,
      "bssid": null,
      "containmentLevel": null,
      "state": null,
      "gwMacAddr": null,
      "manufacturer": "Cisco Systems, Inc"
    },
    {
      "macAddress": "00:1f:6c:7a:65:38",
      "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
          "campus": "Nortech Campus",
          "building": "Nortech-1",
          "floor": "1st Floor",
          "floorAesUid": 727035700041482200,
          "zones": "CMX Bar"
        }
      },
      "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
      },
      "currentlyTracked": false,
      "confidenceFactor": 120,
      "locComputeType": null,

```

```

"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.673-0800",
  "firstLocatedTime": "2017-11-30T15:25:21.855-0800",
  "lastLocatedTime": "2017-11-30T15:25:21.855-0800"
},
"historyLogReason": "DISTANCE_CHANGE",
"geoCoordinate": {
  "latitude": 37.422446131682264,
  "longitude": -121.95979870153643,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512084325828,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 48.429688,
    "y": 23.829533,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.674-0800",
    "firstLocatedTime": "2017-11-30T15:12:20.971-0800",
    "lastLocatedTime": "2017-11-30T15:12:20.971-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422446797858335,
    "longitude": -121.95979189823998,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512083542971,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
}
}

```

```

"macAddress": "00:1f:6c:7a:65:38",
"mapInfo": {
  "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
  "mapHierarchyDetails": {
    "campus": "Nortech Campus",
    "building": "Nortech-1",
    "floor": "1st Floor",
    "floorAesUid": 727035700041482200,
    "zones": "CMX Bar"
  }
},
"mapCoordinate": {
  "x": 50.32218,
  "y": 23.589972,
  "z": 0,
  "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
  "currentServerTime": "2017-11-30T23:15:11.675-0800",
  "firstLocatedTime": "2017-11-30T13:39:50.341-0800",
  "lastLocatedTime": "2017-11-30T13:39:50.341-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
  "latitude": 37.422446131682264,
  "longitude": -121.95979870153643,
  "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512077992418,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.675-0800",

```



```

        "firstLocatedTime": "2017-11-30T13:27:31.114-0800",
        "lastLocatedTime": "2017-11-30T13:27:31.114-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512077253127,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.676-0800",
        "firstLocatedTime": "2017-11-30T13:02:59.838-0800",
        "lastLocatedTime": "2017-11-30T13:02:59.838-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512075782216,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {

```

```

    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 50.32218,
    "y": 23.589972,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.676-0800",
    "firstLocatedTime": "2017-11-30T12:18:00.944-0800",
    "lastLocatedTime": "2017-11-30T12:18:00.944-0800"
  },
  "historyLogReason": "NETWORK_STATUS_CHANGE",
  "geoCoordinate": {
    "latitude": 37.422446131682264,
    "longitude": -121.95979870153643,
    "unit": "DEGREES"
  },
  "rawLocation": null,
  "networkStatus": "INACTIVE",
  "changedOn": 1512073083025,
  "numOfDetectingAPs": 0,
  "bssid": null,
  "containmentLevel": null,
  "state": null,
  "gwMacAddr": null,
  "manufacturer": "Cisco Systems, Inc"
},
{
  "macAddress": "00:1f:6c:7a:65:38",
  "mapInfo": {
    "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
    "mapHierarchyDetails": {
      "campus": "Nortech Campus",
      "building": "Nortech-1",
      "floor": "1st Floor",
      "floorAesUid": 727035700041482200,
      "zones": "CMX Bar"
    }
  },
  "mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": false,
  "confidenceFactor": 120,
  "locComputeType": null,
  "statistics": {
    "currentServerTime": "2017-11-30T23:15:11.677-0800",
    "firstLocatedTime": "2017-11-30T11:20:12.326-0800",
    "lastLocatedTime": "2017-11-30T11:20:12.326-0800"
  }
}

```

```

    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512069614328,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.677-0800",
      "firstLocatedTime": "2017-11-30T11:18:30.307-0800",
      "lastLocatedTime": "2017-11-30T11:18:30.307-0800"
    },
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512069512326,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {

```

```

        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
    }
},
"mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.678-0800",
    "firstLocatedTime": "2017-11-30T09:02:29.324-0800",
    "lastLocatedTime": "2017-11-30T09:02:29.324-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244462757822,
    "longitude": -121.95980593239442,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512061351340,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 48.429688,
        "y": 23.829533,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.678-0800",
        "firstLocatedTime": "2017-11-30T08:29:40.310-0800",
        "lastLocatedTime": "2017-11-30T08:29:40.310-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",

```

```

    "geoCoordinate": {
      "latitude": 37.422446797858335,
      "longitude": -121.95979189823998,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512059382315,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.679-0800",
      "firstLocatedTime": "2017-11-30T08:18:30.329-0800",
      "lastLocatedTime": "2017-11-30T08:18:30.329-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42244462757822,
      "longitude": -121.95980593239442,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512058712375,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",

```

```

        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
    }
},
"mapCoordinate": {
    "x": 30.224762,
    "y": 28.668585,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 80,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.679-0800",
    "firstLocatedTime": "2017-11-30T07:09:09.321-0800",
    "lastLocatedTime": "2017-11-30T07:09:09.321-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42246026085773,
    "longitude": -121.95972646101725,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512054551336,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.680-0800",
        "firstLocatedTime": "2017-11-30T07:07:49.799-0800",
        "lastLocatedTime": "2017-11-30T07:07:49.799-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,

```

```

        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512054471803,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.680-0800",
        "firstLocatedTime": "2017-11-30T05:55:51.505-0800",
        "lastLocatedTime": "2017-11-30T05:55:51.505-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512050153556,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,

```

```

        "zones": "CMX Bar"
    }
},
"mapCoordinate": {
    "x": 52.333843,
    "y": 23.049349,
    "z": 0,
    "unit": "FEET"
},
"currentlyTracked": false,
"confidenceFactor": 120,
"locComputeType": null,
"statistics": {
    "currentServerTime": "2017-11-30T23:15:11.681-0800",
    "firstLocatedTime": "2017-11-30T05:54:18.858-0800",
    "lastLocatedTime": "2017-11-30T05:54:18.858-0800"
},
"historyLogReason": "NETWORK_STATUS_CHANGE",
"geoCoordinate": {
    "latitude": 37.42244462757822,
    "longitude": -121.95980593239442,
    "unit": "DEGREES"
},
"rawLocation": null,
"networkStatus": "INACTIVE",
"changedOn": 1512050061307,
"numOfDetectingAPs": 0,
"bssid": null,
"containmentLevel": null,
"state": null,
"gwMacAddr": null,
"manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.681-0800",
        "firstLocatedTime": "2017-11-30T04:53:29.818-0800",
        "lastLocatedTime": "2017-11-30T04:53:29.818-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    }
}

```



```

    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512046411808,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 21.311752,
      "y": 17.200161,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 104,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.682-0800",
      "firstLocatedTime": "2017-11-30T04:49:48.864-0800",
      "lastLocatedTime": "2017-11-30T04:49:48.864-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42242833708961,
      "longitude": -121.9596943831753,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512046191266,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": ""
      }
    }
  }

```

```

    },
    "mapCoordinate": {
      "x": 67.5,
      "y": 49.9,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.682-0800",
      "firstLocatedTime": "2017-11-30T04:02:20.813-0800",
      "lastLocatedTime": "2017-11-30T04:02:20.813-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422519367829736,
      "longitude": -121.95986053657813,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512043342823,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.683-0800",
      "firstLocatedTime": "2017-11-30T03:36:40.310-0800",
      "lastLocatedTime": "2017-11-30T03:36:40.310-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
  }
}

```

```

    "networkStatus": "INACTIVE",
    "changedOn": 1512041802315,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "Tm"
      }
    },
    "mapCoordinate": {
      "x": 31.251575,
      "y": 25.986582,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 88,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.683-0800",
      "firstLocatedTime": "2017-11-30T03:12:30.305-0800",
      "lastLocatedTime": "2017-11-30T03:13:08.856-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42245279617778,
      "longitude": -121.95973014487545,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512040390900,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {

```

```

        "x": 52.333843,
        "y": 23.049349,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.684-0800",
        "firstLocatedTime": "2017-11-30T02:31:39.825-0800",
        "lastLocatedTime": "2017-11-30T02:31:39.825-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512037901814,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Noritech Campus>Noritech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Noritech Campus",
            "building": "Noritech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 48.476727,
        "y": 27.811598,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 80,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.684-0800",
        "firstLocatedTime": "2017-11-30T01:32:38.423-0800",
        "lastLocatedTime": "2017-11-30T01:32:38.423-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42245788144175,
        "longitude": -121.95979207893012,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512034360532,

```

```

    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 50.32218,
      "y": 23.589972,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
      "currentServerTime": "2017-11-30T23:15:11.685-0800",
      "firstLocatedTime": "2017-11-30T01:26:29.802-0800",
      "lastLocatedTime": "2017-11-30T01:26:29.802-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422446131682264,
      "longitude": -121.95979870153643,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512033991809,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
  },
  {
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 52.333843,
      "y": 23.049349,

```

```

        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.685-0800",
        "firstLocatedTime": "2017-11-30T01:18:21.002-0800",
        "lastLocatedTime": "2017-11-30T01:18:21.002-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42244462757822,
        "longitude": -121.95980593239442,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512033503022,
    "numOfDetectingAPs": 0,
    "bssid": null,
    "containmentLevel": null,
    "state": null,
    "gwMacAddr": null,
    "manufacturer": "Cisco Systems, Inc"
},
{
    "macAddress": "00:1f:6c:7a:65:38",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Bar"
        }
    },
    "mapCoordinate": {
        "x": 50.32218,
        "y": 23.589972,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": false,
    "confidenceFactor": 120,
    "locComputeType": null,
    "statistics": {
        "currentServerTime": "2017-11-30T23:15:11.686-0800",
        "firstLocatedTime": "2017-11-30T00:03:38.810-0800",
        "lastLocatedTime": "2017-11-30T00:03:38.810-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422446131682264,
        "longitude": -121.95979870153643,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512029020820,
    "numOfDetectingAPs": 0,
    "bssid": null,

```

```
    "containmentLevel": null,  
    "state": null,  
    "gwMacAddr": null,  
    "manufacturer": "Cisco Systems, Inc"  
  }  
]
```

API History

Table 89: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

RFID Tags Information API

GET: RFID Tag by MAC Address

Description

This API returns an RFID tag by its MAC address.

HTTP Method

GET

Resource URI

/api/location/v1/tags/:macaddress

Requires OAuth

N

Parameters

Table 90: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y	—	String	pathReplace	RFID Tag MAC address.

Content Type

application/json

Sample Output

http://10.68.40.131/api/location/v1/tags/00:18:8e:28:24:26

```
{
  "macAddress": "00:18:8e:28:24:26",
  "mapInfo": {
    "mapHierarchyString": "Singapore>SINGAPORE UE BIZHUB EAST
(SNG11)>SNG11-5F1>SingZone",
    "floorRefId": "739764660256899136",
    "floorDimension": {
      "length": 118.11024,
      "width": 184.05511,
      "height": 9.84252,
      "offsetX": 0,
      "offsetY": 0,
      "unit": "FEET"
    },
    "image": {
      "imageName": "domain_0_1380690706964.png",

```



```

        "zoomLevel": 4,
        "width": 1440,
        "height": 900,
        "size": 1440,
        "maxResolution": 8,
        "colorDepth": 8
    },
    },
    "mapCoordinate": {
        "x": 108.84515,
        "y": 68.62626,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 72,
    "statistics": {
        "currentServerTime": "2016-06-16T02:20:42.974+0800",
        "firstLocatedTime": "1970-01-01T07:30:00.000+0730",
        "lastLocatedTime": "2016-06-16T02:20:39.336+0800",
        "maxDetectedRssi": {
            "apMacAddress": "64:f6:9d:2a:05:00",
            "band": "IEEE_802_11_B",
            "slot": 0,
            "rssi": -58,
            "antennaIndex": 0,
            "lastHeardInSeconds": 1
        }
    },
    },
    "historyLogReason": null,
    "geoCoordinate": {
        "latitude": 1.3347778969996247,
        "longitude": 103.96366325767761,
        "unit": "DEGREES"
    },
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1466014839336,
    "telemetryList": null,
    "batteryInfo": {
        "tolerance": 70,
        "percentRemaining": 100,
        "daysRemaining": 0,
        "batteryAge": 0,
        "lastReceivedTime": "2016-06-09T06:38:29.748+0800",
        "lastReceivedSeqNum": 2221
    },
    },
    "vendorData": {
        "vendorId": 6286,
        "elementId": 0,
        "data": "AAMAAQEABABAQ==",
        "lastReceivedTime": "2016-06-09T06:38:29.748+0800",
        "lastReceivedSeqNum": 2221
    },
    },
    "sortedEmergencyList": null,
    "sortedChokepointList": null,
    "lastBeaconTime": null,
    "lastBeaconSequenceNumber": 2221,
    "manufacturer": "Ekahau"
}

```

GET: Active RFID Tags Count

Description

This API returns active RFID tags count.

HTTP Method

GET

Resource URI

/api/location/v1/tags/count

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output

```
{
  "deviceType": "Tag",
  "deviceQueryString": null,
  "count": 8
}
```

GET: All Tags

Description

This API returns all tags.

HTTP Method

GET

Resource URI

/api/location/v1/tags

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "98:07:2d:2a:13:f0",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>Tm",
      "floorRefId": "727035700041482264",
      "floorDimension": {
        "length": 49.9,
        "width": 81,
        "height": 10,
        "offsetX": 0,
        "offsetY": 0,
        "unit": "FEET"
      },
      "image": {
        "imageName": "domain_0_1461628766707.png",
        "zoomLevel": 4,
        "width": 2008,
        "height": 1097,
        "size": 2008,
        "maxResolution": 8,
        "colorDepth": 8
      }
    },
    "mapCoordinate": {
      "x": 46.621124,
      "y": 43.95517,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 88,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-04T00:05:41.824-0800",
      "firstLocatedTime": "2017-12-04T00:05:30.305-0800",
      "lastLocatedTime": "2017-12-04T00:05:36.315-0800",
      "maxDetectedRssi": {
        "apMacAddress": "cc:16:7e:32:63:60",
        "band": "IEEE_802_11_B",
        "slot": 0,
        "rssi": -59,
        "antennaIndex": 0,
        "lastHeardInSeconds": 6
      }
    },
    "historyLogReason": null,
    "geoCoordinate": {
      "latitude": 37.42250281440575,
      "longitude": -121.95978545449093,
      "unit": "DEGREES"
    },
    "rawLocation": {
```

```

        "rawX": -999,
        "rawY": -999,
        "unit": "FEET"
    },
    "networkStatus": "ACTIVE",
    "changedOn": 1512374736315,
    "telemetryList": null,
    "batteryInfo": null,
    "vendorData": null,
    "sortedEmergencyList": null,
    "sortedChokepointList": null,
    "lastBeaconTime": null,
    "lastBeaconSequenceNumber": 0,
    "deviceSubtype": "BLE",
    "bleAttributesList": [
        {
            "profileType": "IBEACON",
            "deviceName": "",
            "uuid": "20CAE8A0A9CF11E3A5E20800200C9A66",
            "major": 42,
            "minor": 5104,
            "power": -70,
            "frequency": 0,
            "revision": 0,
            "battery": 0,
            "firmware": null,
            "hardware": null,
            "eddyStoneURL": "",
            "eddyStoneNamespace": "",
            "eddyStoneInstanceid": "",
            "batteryObject": [
                {
                    "sourceIndex": 1,
                    "percentage": 0,
                    "milliVolts": 0
                },
                {
                    "sourceIndex": 2,
                    "percentage": 0,
                    "milliVolts": 0
                },
                {
                    "sourceIndex": 3,
                    "percentage": 0,
                    "milliVolts": 0
                }
            ]
        }
    ],
    "manufacturer": "Texas Instruments"
},
{
    "macAddress": "98:07:2d:2a:11:c0",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
        "floorRefId": "727035700041482264",
        "floorDimension": {
            "length": 49.9,
            "width": 81,
            "height": 10,
            "offsetX": 0,
            "offsetY": 0,
            "unit": "FEET"
        }
    },

```

```

    "image": {
      "imageName": "domain_0_1461628766707.png",
      "zoomLevel": 4,
      "width": 2008,
      "height": 1097,
      "size": 2008,
      "maxResolution": 8,
      "colorDepth": 8
    },
    "tagList": [
      "Lobby"
    ]
  },
  "mapCoordinate": {
    "x": 52.03835,
    "y": 23.021484,
    "z": 0,
    "unit": "FEET"
  },
  "currentlyTracked": true,
  "confidenceFactor": 120,
  "locComputeType": "RSSI",
  "statistics": {
    "currentServerTime": "2017-12-04T00:05:41.825-0800",
    "firstLocatedTime": "2017-12-04T00:05:36.306-0800",
    "lastLocatedTime": "2017-12-04T00:05:36.306-0800",
    "maxDetectedRssi": {
      "apMacAddress": "f8:0b:cb:3c:01:80",
      "band": "IEEE_802_11_B",
      "slot": 0,
      "rssi": -68,
      "antennaIndex": 0,
      "lastHeardInSeconds": 1
    }
  },
  "historyLogReason": null,
  "geoCoordinate": {
    "latitude": 37.4224445499256,
    "longitude": -121.9598048699379,
    "unit": "DEGREES"
  },
  "rawLocation": {
    "rawX": -999,
    "rawY": -999,
    "unit": "FEET"
  },
  "networkStatus": "ACTIVE",
  "changedOn": 1512374736306,
  "telemetryList": null,
  "batteryInfo": null,
  "vendorData": null,
  "sortedEmergencyList": null,
  "sortedChokepointList": null,
  "lastBeaconTime": null,
  "lastBeaconSequenceNumber": 0,
  "deviceSubtype": "BLE",
  "bleAttributesList": [
    {
      "profileType": "IBEACON",
      "deviceName": "",
      "uuid": "20CAE8A0A9CF11E3A5E20800200C9A66",
      "major": 42,
      "minor": 4544,
      "power": -70,
    }
  ]
}

```

```

    "frequency": 0,
    "revision": 0,
    "battery": 0,
    "firmware": null,
    "hardware": null,
    "eddyStoneURL": "",
    "eddyStoneNamespace": "",
    "eddyStoneInstanceid": "",
    "batteryObject": [
      {
        "sourceIndex": 1,
        "percentage": 0,
        "milliVolts": 0
      },
      {
        "sourceIndex": 2,
        "percentage": 0,
        "milliVolts": 0
      },
      {
        "sourceIndex": 3,
        "percentage": 0,
        "milliVolts": 0
      }
    ]
  },
  "manufacturer": "Texas Instruments"
}

```

GET: Returns Minimal Tag Information

Description

This API returns all tags with minimal information

HTTP Method

GET

Resource URI

/api/location/v1/tags/summary

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "98:07:2d:2a:13:f0",
    "floorRefId": "727035700041482264"
  },
  {
    "macAddress": "00:78:88:e6:21:89",
    "floorRefId": "727035700041482264"
  }
]
```

API History

Table 91: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Active Clients V3 API

GET: Active Clients Count

Description

This API returns active clients count.

This API supports searching by a variety of parameters. If no parameters are given then all active clients are returned.

The API Username is set using the **cmxos apiserver user** command. This will change the username and password just for the Active V3 Clients API.

Here are some examples to illustrate the queries.

Search by IPv4/IPv6: `api/location/v3/clients/count?ipAddress=x.x.x.x`

Search by Mac Address: `api/location/v3/clients/count?macAddress=x:x:x:x`

Search by SSID: `api/location/v3/clients/count?ssid=someSSID`

Search by User Name: `api/location/v3/clients/count?username=someUser`

Search by Manufacturer: `api/location/v3/clients/count?manufacturer=someManufacturer`

Search for Only Associated Clients: `api/location/v3/clients/count?associatedOnly=true`

Search for Only Probing Clients: `api/location/v3/clients/count?probingOnly=true`

Search by Map Hierarchy: `api/location/v3/clients/count?mapHierarchy=someFloorNameMap`

Hierarchy string can be partial string matches but any string used must be an exact match.

HTTP Method

GET

Resource URI

`/api/location/v3/clients/count`

Requires Basic Auth

N

Parameters

Table 92: Parameter Details

Name	Required	Default	Type	Location	Description
ipAddress	N		String	query	Client IP address

Name	Required	Default	Type	Location	Description
macAddress	N		String	query	Client MAC address
mapHierarchy	N		String	query	Clients with MAP hierarchy string
floorId	N		String	query	Clients on floor ID
ssid	N		String	query	Clients associated on SSID
username	N		String	query	Clients with user name
manufacturer	N		String	query	Clients with manufacturer
macAddressSearch	N		String	query	Clients MAC address search
associatedOnly	N		String	query	Associated only clients
probingOnly	N		String	query	Probing only clients

Content Type

application/json

Sample Output (JSON)

```
{
  "totalCount": 134,
  "associatedCount": 8,
  "probingCount": 126
}
```

API History

Table 93: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Active Clients

Description

This API supports searching by a variety of parameters. If no parameters are given then all active clients are returned.

The API Username is set using the **cmxos apiserver user** command. This will change the username and password just for the Active V3 Clients API.

Here are some examples to illustrate the queries.

Search by IPv4/IPv6: `api/location/v3/clients?ipAddress=x.x.x.x`

Search by Mac Address: `api/location/v3/clients?macAddress=x:x:x:x`

Search by SSID: `api/location/v3/clients?ssid=someSSID`

Search by User Name: `api/location/v3/clients?username=someUser`

Search by Manufacturer: `api/location/v3/clients?manufacturer=someManufacturer`

Search for Only Associated Clients: `api/location/v3/clients?associatedOnly=true`

Search for Only Probing Clients: `api/location/v3/clients?probingOnly=true`

Search by Map Hierarchy: `api/location/v3/clients?mapHierarchy=someFloorNameMap`

HTTP Method

GET

Resource URI

`/api/location/v3/clients`

Requires OAuth

N

Parameters

Table 94: Parameter Details

Name	Required	Default	Type	Location	Description
ipAddress	N		String	query	Client IP address
macAddress	N		String	query	Client MAC address
mapHierarchy	N		String	query	Clients with MAP hierarchy string
floorRefId	N		String	query	Clients on floor ID

Name	Required	Default	Type	Location	Description
ssid	N		String	query	Clients associated on SSID
username	N		String	query	Clients with user name
manufacturer	N		String	query	Clients with manufacturer
macAddressSearch	N		String	query	Clients MAC address search
associatedOnly	N		String	query	Associated only clients
probingOnly	N		String	query	Probing only clients

Content Type

application/json

10.22.243.125/api/location/v3/clients?macAddress=b8%3A38%3A61%3Ab1%3Ac8%3Ad0

10.22.243.125/api/location/v3/clients?mapHierarchy=Nortech%20Campus%3ENortech-1%3E1st%20Floor%3ECMX%20Clinic

10.22.243.125/api/location/v3/clients?ssid=cmx

10.22.243.125/api/location/v3/clients?ipAddress=10.22.243.243

10.22.243.125/api/location/v3/clients

Sample Output (JSON)

```
[
  {
    "notificationType": "locationupdate",
    "subscriptionName": "CMX_Api_Server_Notification_1",
    "eventId": 17949623,
    "locationMapHierarchy": "Nortech Campus>Nortech-1>1st Floor",
    "locationCoordinate": {
      "x": 54,
      "y": 0,
      "z": 0,
      "unit": "FEET"
    },
    "geoCoordinate": {
      "latitude": 37.42238047320771,
      "longitude": -121.9598118556593,
      "unit": "DEGREES"
    },
    "confidenceFactor": 40,
    "apMacAddress": "NOT APPLICABLE",
    "associated": false,
    "username": "NOT APPLICABLE",
    "ipAddress": [
      "NOT APPLICABLE"
    ]
  }
]
```

```

    ],
    "ssid": "NOT APPLICABLE",
    "band": "NOT APPLICABLE",
    "floorId": 727035700041482200,
    "floorRefId": null,
    "entity": "WIRELESS_CLIENTS",
    "deviceId": "00:0f:f8:56:2d:98",
    "lastSeen": "2017-11-07T13:54:20.595-0800",
    "tagTelemetryList": null,
    "tagBatteryInfo": null,
    "tagVendorData": null,
    "tagLastBeaconTime": null,
    "tagLastBeaconSequenceNumber": 0,
    "tagManufacturer": null,
    "rawLocation": {
      "rawX": -999,
      "rawY": -999,
      "unit": "FEET"
    },
    "maxDetectedRssi": {
      "apMacAddress": "b8:38:61:b1:c8:d0",
      "band": "IEEE_802_11_B",
      "slot": 2,
      "rssi": -15,
      "antennaIndex": 0,
      "lastHeardInSeconds": 0
    },
    "timestamp": 1510091660595,
    "sourceNotification": "127.0.0.1",
    "sourceNotificationKey": "127.0.0.1,1",
    "notificationTime": "1510091660626"
  }
}
]

```

API History

Table 95: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Zone Count Poll API

GET: Zone Count with Mac Addresses

Description

This API returns zone count along with macaddresses.

This expects the debug flag turned on in the Zone Count Register API under configuration service `/api/config/v1/zoneCountParams/1`

HTTP Method

GET

Resource URI

`/api/location/v1/clients/count/byzone/detail`

Requires Basic Auth

N

Parameters

Table 96: Parameter Details

Name	Required	Default	Type	Location	Description
zoneId	Y		String	query	zoneId

Content Type

application/json

API History

Table 97: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

GET: Active Clients Count for all Registered Zones

Description

This API expects that registration of zones has been done using the Zone Count Register API (Configuration service /api/config/v1/zoneCountParams/1)

HTTP Method

GET

Resource URI

/api/location/v1/clients/count/byzone

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

API History

Table 98: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Interferers API

GET: Get interferer by macaddress

Description

This API returns an interferer by macaddress

HTTP Method

GET

Resource URI

/api/location/v1/interferers/:macaddress

Requires OAuth

N

Parameters

Table 99: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y		String	pathReplace	Interferer Macaddress

Content Type

application/json

GET: Get total number of interferers

Description

This API returns number of interferers

HTTP Method

GET

Resource URI

/api/location/v1/interferers/count

Requires OAuth

N

Parameters

None.

Content Type

application/json

GET: Get all interferers

Description

This API returns all interferers and also supports searching by floor. .

HTTP Method

GET

Resource URI

/api/location/v1/interferers

Requires OAuth

N

Parameters

None.

Content Type

application/json

Content Type

application/json

Usage Guidelines

Search by Floor:

```
http://<cmx-ip-address>/api/location/v1/interferers/floorrefid=<floorrefid>
```

For Example:

```
http://10.0.0.1/api/location/v1/interferers/floorrefid=1
```

Search by Page and Page Number: (As long as there is data you can keep paginating by incrementing the page and the pageSize numbers)

```
http://<cmx-ip-address>/api/location/v1/interferers?page=<pagenumber>&pageSize=<pagesize>
```

For Example:

```
http://10.0.0.1/api/location/v1/interferers/page=1&pageSize=2
```


Northbound notification types and attributes API

GET: Supported Northbound Notifications

Description

This API returns all supported notification types and applicable attributes for the notification rules.

HTTP Method

GET

Resource URI

/api/location/v1/attributes

Requires Basic Auth

N

Content Type

application/json

Sample Output

```
{
  "notifications": [
    {
      "notificationType": "locationupdate",
      "subscriptionName": "asdasdasd",
      "eventId": 1259951,
      "locationMapHierarchy": "Simulator-1212-Campus0>Building1>Floor8>Zone4",
      "locationCoordinate": {
        "x": 65.32642,
        "y": 302.04172,
        "z": 0.0,
        "unit": "FEET"
      },
      "geoCoordinate": {
        "latitude": -999.0,
        "longitude": -999.0,
        "unit": "DEGREES"
      },
      "confidenceFactor": 64.0,
      "apMacAddress": "NOT APPLICABLE",
      "associated": false,
      "username": "NOT APPLICABLE",
      "ipAddress": [
        "NOT APPLICABLE"
      ],
      "ssid": "NOT APPLICABLE",
      "band": "NOT APPLICABLE",
      "floorId": 1721918422,
      "entity": "WIRELESS_CLIENTS",
      "deviceId": "10:00:00:00:0f:5e",
    }
  ]
}
```

```

    "lastSeen":"2017-06-06T13:42:51.798-0700",
    "rawLocation":{
      "rawX":-999.0,
      "rawY":-999.0,
      "unit":"FEET"
    },
    "areaGlobalidList":[
      6343,
      2759,
      2758,
      2757,
      6399,
      6400,
      6289,
      6342
    ],
    "tagVendorData":null,
    "manufacturer":"Private",
    "timestamp":1496781771798
  }
}

```

Output Field Descriptions

Table 100: Output Field Descriptions

Field	Description
Notification Type	What type of notification this output describes (For example, locationupdate)
Subscription Name	The name of the notification created in CMX (user provided)
Event ID	Unique for notification identification per event
Location Map Hierarchy	The Hierarchy string that shows campus, building, floor, and zone (if applicable)
Location Coordinate	XY location for the device
Geo Coordinate	GPS location for device, if GPS markers are set
Confidence Factor	Represents a square box of where the client should be, lower means better location accuracy
AP Mac Address	The AP that the client is connected to
Associated	is this device Associated or not
Username	The username of this Associated client if using 802.11x
IP address	If this client is associated, what IP address(es) are assigned to it, can include IPv4 and IPv6 addresses

Field	Description
SSID	The SSID of the client is Associated
Band	802.11 band the device is it connected to
Floor Id	Long value representing hieracrchy, would not use
Floor Ref Id	Represents a long for what hierarchy it is on (Floor Id might be rounded if the number is large enough due to a conversion from long to double), only is filled in for location update, recommended for use
Entity	What type of device is it, Client (normal devices), RFID Tag (these are devices that send a chirp on an interval), Interferers (Devices that are connected to APs or are APs that aren't on the network controlled by a controller on this CMX)
Device Id	MAC address of device
Last Seen	Timestamp of packet last received from controller for this device
Raw Location	-
Area Global Id List	-
Tag Vendor Data	For RFID tags, information that was encoded in packets we received like battery life or something like that.
Manufacturer	Based on the first half of the MAC address of this device
Timestamp	When the notification generated
status	Refers to what the status of the device is - IDLE(0), AAA_PENDING(1), AUTHENTICATED(2), ASSOCIATED(3), POWERSAVE(4), DISASSOCIATED(5), TO_BE_DELETED(6), PROBING(7), WAIT_ASSOCIATED(257);

Table 101: API History

Release	Modification
Cisco CMX Release 10.3	Output field descriptor Floor Ref Id was introduced.

Clients History API

GET: All Client History

Description

This API returns the history of all active clients. This does not include sleeping static devices that do not send probes. It does not support pagination, but you can extract small chunks of data by specifying parameters **locatedAfterTime** and **locatedBeforeTime** (in milliseconds).

This API would use the current date as date range from midnight to current time: `/api/location/v1/history/clients`. This would use the passed date as date range from passed date + fromHour to passed date + toHour: `/api/location/v1/history/clients?date=2016/03/02` and `fromHour=14` and `toHour=15`. This would use the date range as mentioned by parameters: `locatedAfterTime` (1456894800000) milliseconds equivalent to `YYYY/MM/DD HH:MM:SS 2016/03/01 21:00:00`. `locatedBeforeTime` (1456896600000) milliseconds equivalent to `YYYY/MM/DD HH:MM:SS 2016/03/01 21:30:00`: `/api/location/v1/history/clients?locatedAfterTime=1456894800000` and `locatedBeforeTime=1456896600000`.

With CSCuz69078, when `locatedAfterTime` and `locatedBeforeTime` specified in API is more than a day and less than an hour, the API returns the following error.

ERROR - Cassandra timeout during read query at consistency ONE (1 responses were required but only 0 replica responded)

For example,

`https://<ip-address>/api/location/v1/history/clients?locatedAfterTime=1459468800000&locatedBeforeTime=1459636800000` returns the ERROR.

This API response returns a maximum of 5000 records without pagination and is sorted based by the MAC address. Therefore, without using the parameters such as **locatedAfterTime** and **locatedBeforeTime** to limit the number of records of a specific MAC Address, the API response for client history will return only one MAC Address. The sort order should be by date/time of occurrence.



Note

- This API can only support queries when the number of clients is less than 5000 per minute.
- Do not use this API if there are more than 2000 records. For larger datasets, it is recommended to use Northbound Notifications.

HTTP Method

GET

Resource URI

`/api/location/v1/history/clients`

Requires OAuth

N

Parameters

None.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "ac:cf:85:29:53:5f",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": ""
      }
    },
    "mapCoordinate": {
      "x": 78.017624,
      "y": 38.217056,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 160,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:31:17.730-0800",
      "firstLocatedTime": "2017-12-06T12:57:13.469-0800",
      "lastLocatedTime": "2017-12-06T12:57:13.469-0800"
    },
    "historyLogReason": "FLOOR_CHANGE",
    "geoCoordinate": {
      "latitude": 37.42248685324713,
      "longitude": -121.95989831612766,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512593833469,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512593833469",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "HUAWEI TECHNOLOGIES CO.,LTD",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  },
  {
    "macAddress": "08:cc:68:b4:1c:1f",
    "mapInfo": {
```

```

        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 22.515627,
        "y": 15.5579815,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 32,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:31:17.731-0800",
        "firstLocatedTime": "2017-12-06T19:09:30.430-0800",
        "lastLocatedTime": "2017-12-06T19:09:30.430-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42242376668243,
        "longitude": -121.95969870663463,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512616170430,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512616170430",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Cisco Systems, Inc",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
},
{
    "macAddress": "08:cc:68:b4:1c:1f",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 21.428608,
        "y": 16.509167,
        "z": 0,
        "unit": "FEET"
    },
},

```

```

    "currentlyTracked": false,
    "confidenceFactor": 48,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:31:17.731-0800",
      "firstLocatedTime": "2017-12-06T19:09:03.079-0800",
      "lastLocatedTime": "2017-12-06T19:09:05.082-0800"
    },
    "historyLogReason": "NETWORK_STATUS_CHANGE",
    "geoCoordinate": {
      "latitude": 37.422426413833385,
      "longitude": -121.95969480129244,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "INACTIVE",
    "changedOn": 1512616145082,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512616145082",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Cisco Systems, Inc",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  }
}
]

```

GET: Unique MAC Address Seen on a Given Day on a Floor or Zone

Description

This API returns the unique MAC address seen on a given date on a floor or zone. It expects parameters, date and hierarchy. Hierarchy can be up to floor level or zone level. For example, floor level would include: campus-name, building-name, and floor-name. Zone level would be campus-name, building-name, floor-name, and zone-name. If you know the floor ID or the zone ID, then hierarchy is optional and you can specify date and floor ID or date and zone ID parameters.

When the date parameter is not specified, the API would use current date as default. Specifying either of the parameters like hierarchy or floor ID or zone ID is mandatory. This API also supports filter by time and filter by distance criteria. For filtering by time, use fromHour and toHour (both in 24 hr format) parameters. For filtering by distance queries, using filtering by time is mandatory and only a difference of one hour is allowed between toHour and fromHour is one hour.

For example:

By hierarchy:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/Floor-19/1st%20Floor.
 Floor ID:/api/location/v1/history/uniqueclientsbyhierarchy?floorid=730297895206534073.

By zoneid and date:/api/location/v1/history/uniqueclientsbyhierarchy?zoneid=23 and date=2016/02/29. By hierarchy and filter by time:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/BGLD-19/1st%20Floor
 and fromHour=13 and toHour=14.

By hierarchy, filter by time and filter by distance:

/api/location/v1/history/uniqueclientsbyhierarchy?hierarchy=System%20Campus/BGLD-19/1st%20Floor and fromHour=13 and toHour=14 and x=30 and y=50 and distance=10.

HTTP Method

GET

Resource URI

/api/location/v1/history/uniqueclientsbyhierarchy

Requires Basic Auth

N

Parameters

Table 102: Parameter Details

Name	Required	Default	Type	Location	Description
hierarchy	Y	—	String	query	Hierarchy in format campus-name/building-name/floor-name.
date	N	—	String	query	Date in format of yyyy/mm/dd.
floorid	N	—	String	query	Floor ID.
zoneid	N	—	String	query	Zone ID.
fromHour	N	—	String	query	FromHour, HH in 24 hour format.
toHour	N	—	String	query	ToHour, HH in 24 hour format
x	N	—	String	query	x
y	N	—	String	query	y
distance	N	—	String	query	Distance in feet

Content Type

application/json

GET: Compact History of Client By Date and IPv4 Address

Description

This API returns compact history of client by date and IPv4 address.

HTTP Method

GET

Resource URI

/api/location/v1/historylite/byipaddress/:ipv4address

Requires Basic Auth

N

Parameters*Table 103: Parameter Details*

Name	Required	Default	Type	Location	Description
date	Y	—	String	query	Date in format of yyyy/mm/dd.
ipv4address	Y	—	String	pathReplace	IPv4 Address.

Content Type

application/json

Sample Output

http://10.68.40.131/api/location/v1/historylite/byipaddress/10.68.41.186

```
{
  "Macaddress": null,
  "Ipv4address": "10.22.243.125",
  "Data": [],
  "Count": 0,
  "Date": "2018/07/13"
}
```

GET: Compact History of Client by Date, Username

Description

This API returns compact history of client like number of logins and MAC address of device. The parameters given are date and username.

If the same username was used to login at multiple devices, the MAC address of only one of the devices is returned. To return all MAC addresses, set allMacs parameter to true.

HTTP Method

GET

Resource URI

/api/location/v1/historylite/byusername/:username

Requires Basic Auth

N

Parameters

Table 104: Parameter Details

Name	Required	Default	Type	Location	Description
date	Y	—	String	query	Date in format of yyyy/mm/dd
username	Y	—	String	pathReplace	User name.
allMacs	N	—	String	query	Return all macaddresses associated with this Username for given date Allowed values/formats: true false
allResults	N		String	query	Return all results Allowed values/formats: true false

Content Type

application/json

Sample Output

http://<ip-address>/api/location/v1/historylite/byusername/sharangp?date=2017/06/12

```
{
  Count: 591,
  Date: "2017/06/12",
  Username: "sharangp",
  Macaddress: "3c:a9:f4:6c:ee:44"
}
```

http://<ip-address>/api/location/v1/historylite/byusername/sharangp?date=2017/06/12&allMacs=true

```
{
  Count: 2,
  Date: "2017/06/12",
  Username: "sharangp",
  Macaddress: [
    "3c:a9:f4:6c:4c:7c",
  ]
}
```

```
"3c:a9:f4:6c:ee:44"
]
}
```

GET: Compact History of Client by MAC Address

Description

This API returns the history of an active client by its MAC address.

HTTP Method

GET

Resource URI

/api/location/v1/history/clients/:macaddress

Requires OAuth

N

Parameters

Table 105: Parameter Details

Name	Required	Default	Type	Location	Description
macaddress	Y	—	String	pathReplace	Client Macaddress.
date	Y	—	String	query	Date in format of yyyy/mm/dd.

Content Type

application/json

Sample Output (JSON)

```
[
  {
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Clinic"
      }
    },
    "mapCoordinate": {
      "x": 26.908728,

```

```

        "y": 14.038175,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 16,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.631-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:41:48.696-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.422419537914266,
        "longitude": -121.9597144965198,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628908696,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512628908696",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
},
{
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": ""
        }
    },
    "mapCoordinate": {
        "x": 25.287996,
        "y": 25.027487,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 24,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.632-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:41:46.346-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42245012473281,

```

```

        "longitude": -121.9597087015209,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628906346,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512628906346",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
},
{
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
        "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Clinic",
        "mapHierarchyDetails": {
            "campus": "Nortech Campus",
            "building": "Nortech-1",
            "floor": "1st Floor",
            "floorAesUid": 727035700041482200,
            "zones": "CMX Clinic"
        }
    },
    "mapCoordinate": {
        "x": 26.385386,
        "y": 18.708204,
        "z": 0,
        "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 16,
    "locComputeType": "RSSI",
    "statistics": {
        "currentServerTime": "2017-12-06T22:41:49.632-0800",
        "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
        "lastLocatedTime": "2017-12-06T22:40:44.342-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
        "latitude": 37.42243253617424,
        "longitude": -121.95971262854559,
        "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628844342,
    "ipAddress": [],
    "userName": "",
    "ssid": "",
    "sourceTimestamp": "1512628844342",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,

```

```

    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  },
  {
    "macAddress": "98:01:a7:de:cd:35",
    "mapInfo": {
      "mapHierarchyString": "Nortech Campus>Nortech-1>1st Floor>CMX Bar",
      "mapHierarchyDetails": {
        "campus": "Nortech Campus",
        "building": "Nortech-1",
        "floor": "1st Floor",
        "floorAesUid": 727035700041482200,
        "zones": "CMX Bar"
      }
    },
    "mapCoordinate": {
      "x": 28.39643,
      "y": 35.002888,
      "z": 0,
      "unit": "FEET"
    },
    "currentlyTracked": true,
    "confidenceFactor": 24,
    "locComputeType": "RSSI",
    "statistics": {
      "currentServerTime": "2017-12-06T22:41:49.633-0800",
      "firstLocatedTime": "2017-12-06T12:19:31.509-0800",
      "lastLocatedTime": "2017-12-06T22:40:41.877-0800"
    },
    "historyLogReason": "DISTANCE_CHANGE",
    "geoCoordinate": {
      "latitude": 37.4224778909874,
      "longitude": -121.95971990610984,
      "unit": "DEGREES"
    },
    "rawLocation": null,
    "networkStatus": "ACTIVE",
    "changedOn": 1512628841877,
    "ipAddress": [],
    "userName": "",
    "ssId": "",
    "sourceTimestamp": "1512628841877",
    "band": "UNKNOWN",
    "apMacAddress": "",
    "dot11Status": "UNKNOWN",
    "manufacturer": "Apple, Inc.",
    "areaGlobalIdList": null,
    "detectingControllers": "10.22.243.211",
    "bytesSent": 0,
    "bytesReceived": 0,
    "guestUser": false
  }
]

```

GET: Active Client Counts

Description

This API returns the count of active clients that are currently being tracked.

HTTP Method

GET

Resource URI

/api/presence/v1/clients/count

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

API History

Table 106: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.



Presence

- [Connected Visitors API](#), on page 222
- [Repeat Visitors API](#), on page 237
- [Dwell API](#), on page 250
- [Visitors API](#), on page 271
- [Summary API](#), on page 287
- [Clients API](#), on page 296
- [Passersby API](#), on page 307

Connected Visitors API

GET: Count of Connected Visitors for a Date

Description

This API returns the count of connected visitors seen on a given day.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count?siteId=<Site ID>&date=<date in yyyy-mm-dd>

Requires Basic Auth

N

Parameters

Table 107: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date in yyyy-mm-dd format

Content Type

application/json

Sample Output

3

GET: Count of Connected Visitors Seen today Until Now

Description

This API returns the count of connected visitors seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count/today

Requires OAuth

N

Parameters*Table 108: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count/today?siteId=<Site ID>>**Sample Output**

Number

GET: Count of Connected Visitors Seen Yesterday

Description

This API returns the count of connected visitors seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count/yesterday

Requires OAuth

N

Parameters*Table 109: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count/yesterday?siteId=<Site ID>>

Sample Output

Number

GET: Average Count of Connected Visitors Seen in Last 3 Days

Description

This API returns the average count of connected visitors seen in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count/3days

Requires OAuth

N

Parameters*Table 110: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count/3days?siteId=<Site ID>>

Sample Output

Number

GET: Average Count of Connected Visitors Seen in Last 7 Days

Description

This API returns the average count of connected visitors seen in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count/lastweek

Requires OAuth

N

Parameters*Table 111: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count/lastweek?siteId=<Site ID>>

Sample Output

Number

GET: Average Count of Connected Visitors seen in last 30 Days

Description

This API returns the average count of connected visitors seen in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/count/lastmonth

Requires OAuth

N

Parameters*Table 112: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/count/lastmonth?siteId=<Site ID>

Sample Output

Number

GET: Sum of Connected Visitor Counts in Last 3 days

Description

This API returns the the sum of connected visitor counts for each day in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/total/3days

Requires Basic Auth

N

Parameters*Table 113: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/total/3days?siteId=<Site ID>

Sample Output

Number

GET: Sum of Connected Visitor Counts in Last 7 days

Description

This API returns the the sum of connected visitor counts for each day in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/total/lastweek

Requires OAuth

N

Parameters*Table 114: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/total/lastweek?siteId=<Site ID>

Sample Output

Number

GET: Sum of Connected Visitor Counts in Last 30 days

Description

This API returns the the sum of connected visitor counts for each day in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/total/lastmonth

Requires OAuth

N

Parameters*Table 115: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/total/lastmonth?siteId=<Site ID>

Sample Output

Number

GET: Sum of Connected Visitor Counts in the Specified Date Range

Description

This API returns the sum of connected visitor counts for each day in the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/total

Requires OAuth

N

Parameters*Table 116: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/total/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

Number

GET: Hourly Count of Connected Visitors Today

Description

This API returns the hourly count of connected visitors today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/hourly/today

Requires OAuth

N

Parameters*Table 117: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/hourly/today/?siteId=<Site ID>>

Sample Output

```
{
  "0":0,
  "1":0,
  "2":0,
  "3":0,
  "4":0,
  "5":0,
  "6":0,
  "7":0,
  "8":0,
  "9":0
}
```

GET: Hourly Count of Connected Visitors Yesterday

Description

This API returns the hourly count of connected visitors yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/hourly/yesterday

Requires OAuth

N

Parameters

Table 118: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/hourly/yesterday/?siteId=<Site ID>>

Sample Output

```
{
  "0":0,
  "1":0,
  "2":0,
}
```

```

    "3":0,
    "4":0,
    "5":0,
    "6":0,
    "7":0,
    "8":0,
    "9":0
  }

```

GET: Hourly Count of Connected Visitors in Last 3 Days

Description

This API returns the hourly count of connected visitors in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/hourly/3days

Requires OAuth

N

Parameters

Table 119: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id

Content Type

application/json

GET: Hourly Count of Connected Visitors for the Specified Day

Description

This API returns the hourly count of connected visitors for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/hourly

Requires OAuth

N

Parameters*Table 120: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id
date	N	—	String	query	Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/hourly/?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

```
{
  "0": 0,
  "1": 0,
  "2": 0,
  "3": 0,
  "4": 0,
  "5": 0,
  "6": 0,
  "7": 0,
  "8": 0,
  "9": 0
}
```

GET: Daily Count of Connected Visitors for the Specified Date Range

Description

This API returns the daily count of connected visitors for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/daily

Requires OAuth

N

Parameters*Table 121: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/daily/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "2017-03-01":0,
  "2017-03-02":0,
  "2017-03-03":0,
  "2017-03-04":0,
  "2017-03-05":0,
  "2017-03-06":0,
  "2017-03-07":0,
  "2017-03-08":0,
  "2017-03-09":0,
  "2017-03-10":0
}
```

GET: Daily Count of Connected Visitors for Last 7 days

Description

This API returns the daily count of connected visitors for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/daily/lastweek

Requires OAuth

N

Parameters*Table 122: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Connected Visitors for last 30 Days

Description

This API returns the daily count of connected visitors for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/daily/lastmonth

Requires OAuth

N

Parameters*Table 123: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Connected Visitors by Hour for the Specified Date Range

Description

This API returns the daily count of connected visitors by hour category for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/connected/daily/hourcategory

Requires OAuth

N

Parameters

Table 124: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/daily/hourcategory/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>

Sample Output

```
{
  "2017-03-01":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-02":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-03":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-04":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-05":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-06":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  }
}
```

```
    },
    "2017-03-07":{
      "business_hours":null,
      "evening_hours":null,
      "morning_hours":null
    },
    "2017-03-08":{
      "business_hours":null,
      "evening_hours":null,
      "morning_hours":null
    },
    "2017-03-09":{
      "business_hours":null,
      "evening_hours":null,
      "morning_hours":null
    },
    "2017-03-10":{
      "business_hours":null,
      "evening_hours":null,
      "morning_hours":null
    }
  }
}
```


Repeat Visitors API

GET: Average Count of Repeat Visitors for Last 7 Days

Description

This API returns the average count of repeat visitors seen in last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/average/lastweek

Requires OAuth

N

Parameters

Table 125: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Count of Repeat Visitors for Last 30 days

Description

This API returns the average count of repeat visitors seen in last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/average/lastmonth

Requires OAuth

N

Parameters*Table 126: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Sum of Repeat Visitor Counts for Last 3 days

Description

This API returns the sum of repeat visitor counts for each day in last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count/3days

Requires OAuth

N

Parameters*Table 127: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Sum of Repeat Visitor Counts for Last 7 days

Description

This API returns the sum of repeat visitor counts for each day in last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count/lastweek

Requires OAuth

N

Parameters

Table 128: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Sum of Repeat Visitor Counts for Last 30 days

Description

This API returns the sum of repeat visitor counts for each day in last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count/lastmonth

Requires OAuth

N

Parameters

Table 129: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Repeat Visitors for a Day

Description

This API returns the hourly count of repeat visitors for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/hourly

Requires OAuth

N

Parameters

Table 130: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Hourly Count of Repeat Visitors Today

Description

This API returns the hourly count of repeat visitors seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/hourly/today

Requires OAuth

N

Parameters*Table 131: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Repeat Visitors Yesterday

Description

This API returns the hourly count of repeat visitors seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/hourly/yesterday

Requires OAuth

N

Parameters*Table 132: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Repeat Visitors for a Date or Date Range

Description

This API returns the count of repeat visitors seen on a given day or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count

Requires OAuth

N

Parameters

Table 133: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/repeatvisitors/count/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "DAILY": 0,
  "WEEKLY": 0,
  "OCCASIONAL": 0,
  "FIRST_TIME": 0,
  "YESTERDAY": 0
}
```

GET: Count of Repeat Visitors for Today

Description

This API returns the count of repeat visitors seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count/today

Requires OAuth

N

Parameters*Table 134: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Repeat Visitors for Yesterday

Description

This API returns the count of repeat visitors seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/count/yesterday

Requires OAuth

N

Parameters*Table 135: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Count of Repeat Visitors for Last 3 days

Description

This API returns the average count of repeat visitors seen in last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/average/3days

Requires OAuth

N

Parameters*Table 136: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Count of Repeat Visitors for Specified Date Range

Description

This API returns the average count of repeat visitors seen for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/average

Requires OAuth

N

Parameters*Table 137: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/repeatvisitors/average/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>

Sample Output

```
{
  "DAILY": 0,
  "WEEKLY": 0,
  "OCCASIONAL": 0,
  "FIRST_TIME": 0,
  "YESTERDAY": 0
}
```

GET: Hourly Count of Repeat Visitors for Last 3 Days

Description

This API returns the hourly count of repeat visitors for the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/hourly/3days

Requires OAuth

N

Parameters*Table 138: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Repeat Visitor Summary for a Day

Description

This API returns the repeat visitor summary for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/daysummary

Requires OAuth

N

Parameters*Table 139: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Repeat Visitor Summary for a Week

Description

This API returns the repeat visitor summary for the week of specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/weeksummary

Requires OAuth

N

Parameters*Table 140: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Repeat Visitor Summary for a Month

Description

This API returns the repeat visitor summary for the month of specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/monthsummary

Requires OAuth

N

Parameters*Table 141: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Daily Count of Repeat Visitors for Specified Date Range

Description

This API returns the daily count of repeat visitors for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/daily

Requires OAuth

N

Parameters*Table 142: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

`https://<tenant-id>.cmxcisco.com/api/presence/v1/repeatvisitors/daily/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>`

Sample Output

```
{
  "2017-03-01":null,
  "2017-03-02":null,
  "2017-03-03":null,
  "2017-03-04":null,
  "2017-03-05":null,
  "2017-03-06":null,
  "2017-03-07":null,
  "2017-03-08":null,
  "2017-03-09":null,
  "2017-03-10":{
    "DAILY":0,
    "WEEKLY":0,
    "OCCASIONAL":0,
    "FIRST_TIME":0,
    "YESTERDAY":0
  }
}
```

GET: Daily Count of Repeat Visitors for Last 7 Days

Description

This API returns the daily count of repeat visitors for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/daily/lastweek

Requires OAuth

N

Parameters

Table 143: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Repeat Visitors for Last 30 days

Description

This API returns the daily count of repeat visitors for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/repeatvisitors/daily/lastmonth

Requires OAuth

N

Parameters

Table 144: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Dwell API

GET: Count of Visitors by Dwell Level for a Date or Date Range

Description

This API returns the count of visitors categorized by dwell level seen on a given day or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count

Requires OAuth

N

Parameters

Table 145: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date
startDate	Y	—	String	query	Start Date
endDate	N	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/dwell/count/?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

```
{
  "FIVE_TO_THIRTY_MINUTES":0,
  "THIRTY_TO_SIXTY_MINUTES":0,
  "ONE_TO_FIVE_HOURS":0,
  "FIVE_TO_EIGHT_HOURS":0,
  "EIGHT_PLUS_HOURS":0
}
```

GET: Count of Visitors by Dwell Level for Today

Description

This API returns the count of visitors categorized by dwell level seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count/today

Requires OAuth

N

Parameters

Table 146: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors by Dwell Level for Yesterday

Description

This API returns the count of visitors categorized by dwell level seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count/yesterday

Requires OAuth

N

Parameters*Table 147: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors by Dwell Level for Last 3 Days

Description

This API returns the count of visitors categorized by dwell level seen in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count/3days

Requires OAuth

N

Parameters*Table 148: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors by Dwell Level for Last 7 Days

Description

This API returns the count of visitors categorized by dwell level seen in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count/lastweek

Requires OAuth

N

Parameters

Table 149: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors by Dwell Level for Last 30 Days

Description

This API returns the count of visitors categorized by dwell level seen in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/count/lastmonth

Requires OAuth

N

Parameters

Table 150: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Count of Visitors by Dwell Level for Last 7 Days

Description

This API returns the average count of visitors categorized by dwell level seen in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagecount/lastweek

Requires OAuth

N

Parameters

Table 151: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Count of Visitors by Dwell Level for Last 30 Days

Description

This API returns the average count of visitors categorized by dwell level seen in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagecount/lastmonth

Requires OAuth

N

Parameters*Table 152: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Visitors by Dwell Level for a Specific Day

Description

This API returns the hourly count of visitors categorized by dwell level seen in the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/hourly

Requires OAuth

N

Parameters*Table 153: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Hourly Count of Visitors by Dwell Level for Today

Description

This API returns the hourly count of visitors categorized by dwell level seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/hourly/today

Requires OAuth

N

Parameters*Table 154: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time by Dwell Level for Last 7 Days

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel/lastweek

Requires OAuth

N

Parameters*Table 155: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time by Dwell Level for Last 30 Days

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel/lastmonth

Requires OAuth

N

Parameters*Table 156: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Average Visitor Dwell Time by Dwell Level for a Specific Date Range

Description

This API returns the daily average visitor dwell time in minutes categorized by dwell level for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/dailyaverage

Requires OAuth

N

Parameters*Table 157: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/dwell/dailyaverage/?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

```
{
  "2017-03-01":null,
  "2017-03-02":null,
  "2017-03-03":null,
  "2017-03-04":null,
  "2017-03-05":null,
  "2017-03-06":null,
  "2017-03-07":null,
  "2017-03-08":null,
  "2017-03-09":null,
  "2017-03-10":{
    "FIVE_TO_THIRTY_MINUTES":0.0,
    "THIRTY_TO_SIXTY_MINUTES":0.0,
    "ONE_TO_FIVE_HOURS":0.0,
    "FIVE_TO_EIGHT_HOURS":0.0,
    "EIGHT_PLUS_HOURS":0.0
  }
}
```

GET: Daily Average Visitor Dwell Time by Dwell Level for Last 7 Days

Description

This API returns the daily average visitor dwell time in minutes categorized by dwell level for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/dailyaverage/lastweek

Requires OAuth

N

Parameters*Table 158: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Average Visitor Dwell Time by Dwell Level for Last 30 Days

Description

This API returns the daily average visitor dwell time in minutes categorized by dwell level for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/dailyaverage/lastmonth

Requires OAuth

N

Parameters*Table 159: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Visitors by Dwell level for Yesterday

Description

This API returns the hourly count of visitors categorized by dwell level seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/hourly/yesterday

Requires OAuth

N

Parameters

Table 160: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id

Content Type

application/json

GET: Hourly Count of Visitors by Dwell Level for Last 3 Days

Description

This API returns the hourly count of visitors categorized by dwell level seen in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/hourly/3days

Requires OAuth

N

Parameters*Table 161: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Visitors by Dwell Level for a Specific Date Range

Description

This API returns the daily count of visitors categorized by dwell level seen during the specified date range

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/daily

Requires OAuth

N

Parameters*Table 162: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/dwell/daily/?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

```

{
  "2017-03-01":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-02":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-03":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-04":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-05":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-06":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-07":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-08":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
    "EIGHT_PLUS_HOURS":0
  },
  "2017-03-09":{
    "FIVE_TO_THIRTY_MINUTES":0,
    "THIRTY_TO_SIXTY_MINUTES":0,
    "ONE_TO_FIVE_HOURS":0,
    "FIVE_TO_EIGHT_HOURS":0,
  }
}

```

```

      "EIGHT_PLUS_HOURS":0
    },
    "2017-03-10":{
      "FIVE_TO_THIRTY_MINUTES":0,
      "THIRTY_TO_SIXTY_MINUTES":0,
      "ONE_TO_FIVE_HOURS":0,
      "FIVE_TO_EIGHT_HOURS":0,
      "EIGHT_PLUS_HOURS":0
    }
  }
}

```

GET: Daily Count of Visitors by Dwell Level for Last 7 Days

Description

This API returns the daily count of visitors categorized by dwell level seen during the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/daily/lastweek

Requires OAuth

N

Parameters

Table 163: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Visitors by Dwell Level for Last 30 Days

Description

This API returns the daily count of visitors categorized by dwell level seen during the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/daily/lastmonth

Requires OAuth

N

Parameters*Table 164: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time for the Specific Date or Date Range

Description

This API returns the average visitor dwell time in minutes for the specified date or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average

Requires OAuth

N

Parameters*Table 165: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date
date	N	—	String	query	Date

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/dwell/average/?siteId=<Site ID>&date=<date in yyyy-mm-dd>

Sample Output

0.0

GET: Average Visitor Dwell Time for Today

Description

This API returns the average visitor dwell time in minutes for today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average/today

Requires OAuth

N

Parameters*Table 166: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time for Yesterday

Description

This API returns the average visitor dwell time in minutes for yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average/yesterday

Requires OAuth

N

Parameters

Table 167: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time for Last 3 Days

Description

This API returns the average visitor dwell time in minutes for last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average/3days

Requires OAuth

N

Parameters

Table 168: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time for Last 7 Days

Description

This API returns the average visitor dwell time in minutes for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average/lastweek

Requires OAuth

N

Parameters

Table 169: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time for Last 30 Days

Description

This API returns the average visitor dwell time in minutes for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/average/lastmonth

Requires OAuth

N

Parameters*Table 170: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time by Dwell Level for a Specific Date or Date Range

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for the specified date or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel

Requires OAuth

N

Parameters*Table 171: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date
startDate	Y	—	String	query	Start Date
endDate	N	—	String	query	End Date

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/dwell/averagebylevel/?siteId=<Site ID>&date=<date in yyyy-mm-dd>

Sample Output

```
{
  "FIVE_TO_THIRTY_MINUTES":0.0,
  "THIRTY_TO_SIXTY_MINUTES":0.0,
  "ONE_TO_FIVE_HOURS":0.0,
  "FIVE_TO_EIGHT_HOURS":0.0,
  "EIGHT_PLUS_HOURS":0.0
}
```

GET: Average Visitor Dwell Time by Dwell Level for Today

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel/today

Requires OAuth

N

Parameters

Table 172: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time by Dwell Level for Yesterday

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel/yesterday

Requires OAuth

N

Parameters

Table 173: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Average Visitor Dwell Time by Dwell Level for Last 3 days

Description

This API returns the average visitor dwell time in minutes categorized by dwell level for last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/dwell/averagebylevel/3days

Requires OAuth

N

Parameters

Table 174: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Visitors API

GET: Peak Hour of Visitors Today

Description

This API returns the hour that had peak visitors today.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/today/peakhour

Requires OAuth

N

Parameters

Table 175: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors Today

Description

This API returns the count of visitors seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count/today

Requires OAuth

N

Parameters*Table 176: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Visitors Yesterday

Description

This API returns the count of visitors seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count/yesterday

Requires OAuth

N

Parameters*Table 177: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Unique Visitors for Last 3 Days

Description

This API returns the count of unique visitors seen in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count/3days

Requires OAuth

N

Parameters*Table 178: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Unique Visitors for Last Week

Description

This API returns the count of unique visitors seen in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count/lastweek

Requires OAuth

N

Parameters*Table 179: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Unique Visitors for Last Month

Description

This API returns the count of unique visitors seen in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count/lastmonth

Requires OAuth

N

Parameters

Table 180: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Count of Unique Visitors for a Date/Date Range

Description

This API returns the count of unique visitors seen on a day or range of dates.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/count

Requires OAuth

N

Parameters*Table 181: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date
date	N	—	String	query	Date

Content Type

application/json

Usage Guidelines

`https://<tenant-id>.cmxcisco.com/api/presence/v1/visitor/count/?siteId=<Site ID>&date=<date in yyyy-mm-dd>`

Sample Output

107

GET: Sum of Visitor Counts for a Date Range

Description

This API returns the sum of visitor counts for each day in the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/total

Requires OAuth

N

Parameters*Table 182: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start date

Name	Required	Default	Type	Location	Description
endDate	Y	—	String	query	End date

Content Type

application/json

GET: Sum of Visitor Counts for the Last 3 Days

Description

This API returns the sum of visitor counts for each day in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/total/3days

Requires OAuth

N

Parameters*Table 183: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Sum of Visitor Counts for the Last Week

Description

This API returns the sum of visitor counts for each day in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/total/lastweek

Requires OAuth

N

Parameters

Table 184: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Sum of Visitor Counts for the Last Month

Description

This API returns the sum of visitor counts for each day in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/total/lastmonth

Requires OAuth

N

Parameters

Table 185: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Visitors Today

Description

This API returns the hourly count of visitors today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/hourly/today

Requires OAuth

N

Parameters

Table 186: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Hourly Count of Visitors Yesterday

Description

This API returns the hourly count of visitors yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/hourly/yesterday

Requires OAuth

N

Parameters*Table 187: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id

Content Type

application/json

GET: Hourly Count of Visitors for Last 3 Days

Description

This API returns the hourly count of visitors for the last 3 days including today.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/hourly/3days

Requires OAuth

N

Parameters*Table 188: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id

Content Type

application/json

GET: Hourly Count of Visitors for a Day

Description

This API returns the hourly count of visitors for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/hourly

Requires OAuth

N

Parameters*Table 189: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id
date	Y	—	String	query	Date

Content Type

application/json

GET: Daily Count of Visitors for a Date Range

Description

This API returns the daily count of unique visitors for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/daily

Requires OAuth

N

Parameters*Table 190: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site Id
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/connected/hourly/?siteId=<Site ID>&date=<date in yyyy-mm-dd>

Sample Output

```
{
  "0": 0,
  "1": 0,
  "2": 0,
  "3": 0,
  "4": 0,
  "5": 0,
  "6": 0,
  "7": 0,
  "8": 0,
  "9": 0
}
```

GET: Daily Count of Visitors for Last Week

Description

This API returns the daily count of visitors for the last 7 days including today.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/daily/lastweek

Requires OAuth

N

Parameters*Table 191: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Visitors for Last Month

Description

This API returns the daily count of visitors for the last 30 days including today.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/daily/lastmonth

Requires OAuth

N

Parameters

Table 192: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Daily Count of Visitors by Hour Category for a Date Range

Description

This API returns the daily count of visitors seen during morning, business, evening hours for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/daily/hourcategory

Requires OAuth

N

Parameters

Table 193: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/visitor/daily/hourcategory/?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

```
{
  "2017-03-01": {
    "business_hours": 0,
    "evening_hours": 0,
    "morning_hours": 0
  },
  "2017-03-02": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-03": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-04": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-05": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-06": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-07": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  },
  "2017-03-08": {
    "business_hours": null,
    "evening_hours": null,
    "morning_hours": null
  }
}
```

```

    "morning_hours":null
  },
  "2017-03-09":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-03-10":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  }
}

```

GET: Visitor Summary for a Day

Description

This API returns a summary of visitor traffic for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/daysummary

Requires OAuth

N

Parameters

Table 194: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Visitor Summary for Week

Description

This API returns a summary of visitor traffic for the week of the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/weeksummary

Requires OAuth

N

Parameters*Table 195: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

GET: Visitor Summary for Month

Description

This API returns a summary of visitor traffic for the month of the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/visitor/monthsummary

Requires OAuth

N

Parameters*Table 196: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date

Content Type

application/json

Summary API

GET: Site KPI Summary for Specified Date or Date Range

Description

This API returns the KPI summary for the given site and specified date or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary

Requires OAuth

N

Parameters

Table 197: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	N	—	String	query	Date
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/kpisummary?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "visitorCount":107,
  "totalPasserbyCount":0,
  "totalVisitorCount":100,
  "totalConnectedCount":0,
  "connectedPercentage":0,
  "conversionRate":100,
  "averageDwell":0.0,
  "averageDwellByLevels":{
```

```

    "FIVE_TO_THIRTY_MINUTES":{
      "average":0.0,
      "count":0
    },
    "THIRTY_TO_SIXTY_MINUTES":{
      "average":0.0,
      "count":0
    },
    "ONE_TO_FIVE_HOURS":{
      "average":0.0,
      "count":0
    },
    "FIVE_TO_EIGHT_HOURS":{
      "average":0.0,
      "count":0
    },
    "EIGHT_PLUS_HOURS":{
      "average":0.0,
      "count":0
    }
  },
  "topManufacturers":null,
  "peakSummary":null,
  "peakWeekSummary":{
    "peakHour":15,
    "peakDate":"2017-02-28",
    "peakWeek":0,
    "interval":"WEEK",
    "peakHourCount":49,
    "averageHourlyCount":25.01388888888889,
    "hourlyCounts":{
      "0":13,
      "1":13,
      "2":12,
      "3":11,
      "4":12,
      "5":13,
      "6":13,
      "7":15,
      "8":14,
      "9":15,
      "10":21,
      "11":26,
      "12":29,
      "13":31,
      "14":38,
      "15":44,
      "16":46,
      "17":41,
      "18":44,
      "19":38,
      "20":32,
      "21":28,
      "22":25,
      "23":25
    },
    "maxHour":15,
    "maxDay":1,
    "peakDayCount":112,
    "peakHourDay":"2017-02-27"
  },
  "peakMonthSummary":{
    "peakHour":16,
    "peakDate":"2017-03-01",

```

```
"peakWeek":9,
"interval":"MONTH",
"peakHourCount":45,
"averageHourlyCount":25.5,
"hourlyCounts":{
  "0":20,
  "1":18,
  "2":14,
  "3":13,
  "4":14,
  "5":17,
  "6":18,
  "7":18,
  "8":19,
  "9":15,
  "10":23,
  "11":22,
  "12":31,
  "13":28,
  "14":37,
  "15":41,
  "16":45,
  "17":43,
  "18":42,
  "19":33,
  "20":29,
  "21":28,
  "22":26,
  "23":18
},
"maxHour":16,
"maxDay":3,
"peakDayCount":100,
"peakHourDay":"2017-03-01"
}
```

GET: Site KPI Summary for Today

Description

This API returns the KPI summary for the given site today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary/today

Requires OAuth

N

Parameters*Table 198: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Site KPI Summary for Yesterday

Description

This API returns the KPI summary for the given site yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary/yesterday

Requires OAuth

N

Parameters*Table 199: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Site KPI Summary for Last 3 Days

Description

This API returns the KPI summary for the given site for the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary/3days

Requires OAuth

N

Parameters*Table 200: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Site KPI Summary for last 7 days

Description

This API returns the KPI summary for the given site for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary/lastweek

Requires OAuth

N

Parameters*Table 201: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Site KPI Summary for Last 30 Days

Description

This API returns the KPI summary for the given site for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/kpisummary/lastmonth

Requires OAuth

N

Parameters

Table 202: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

GET: Site Insights for Specified Date or Date Range

Description

This API returns the insights for the given site and specified date or date range.

HTTP Method

GET

Resource URI

/api/presence/v1/insights

Requires OAuth

N

Parameters

Table 203: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	N	—	String	query	Date
startDate	Y	—	String	query	Start Date
endDate	Y	—	String	query	End Date

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/insights/?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "weekStatus":null,
  "monthStatus":null,
  "yesterdayStatus":null,
  "weekStats":{
    "peakDay":"2017-02-28",
    "busiestHour":0,
    "peakCount":112,
    "busiestDay":0,
    "hourlyAverage":25.0138888888889,
    "peakHour":15,
    "peakHourCount":49,
    "peakHourDay":"2017-02-27",
    "busiestWeekDate":"2017-03-01",
    "busiestMonthDate":null
  },
  "monthStats":{
    "peakDay":"2017-03-01",
    "busiestHour":16,
    "peakCount":100,
    "busiestDay":3,
    "hourlyAverage":25.5,
    "peakHour":16,
    "peakHourCount":45,
    "peakHourDay":"2017-03-01",
    "busiestWeekDate":null,
    "busiestMonthDate":"2017-03-01"
  },
  "weekRepeatVisitorStats":{
    "DAILY":{
      "peakDay":"2017-03-01",
      "busiestHour":0,
      "peakCount":60,
      "busiestDay":-1,
      "hourlyAverage":14.6111111111111,
      "peakHour":18,
      "peakHourCount":34,
    }
  }
}
```

```

        "peakHourDay":null,
        "busiestWeekDate":null,
        "busiestMonthDate":null
    },
    "WEEKLY":{
        "peakDay":"2017-02-27",
        "busiestHour":16,
        "peakCount":27,
        "busiestDay":-1,
        "hourlyAverage":5.375,
        "peakHour":16,
        "peakHourCount":19,
        "peakHourDay":null,
        "busiestWeekDate":null,
        "busiestMonthDate":null
    },
    "OCCASIONAL":{
        "peakDay":"2017-02-28",
        "busiestHour":0,
        "peakCount":20,
        "busiestDay":-1,
        "hourlyAverage":2.444444444444444,
        "peakHour":19,
        "peakHourCount":6,
        "peakHourDay":null,
        "busiestWeekDate":null,
        "busiestMonthDate":null
    },
    "FIRST_TIME":{
        "peakDay":"2017-02-27",
        "busiestHour":0,
        "peakCount":24,
        "busiestDay":-1,
        "hourlyAverage":1.888888888888889,
        "peakHour":15,
        "peakHourCount":6,
        "peakHourDay":null,
        "busiestWeekDate":null,
        "busiestMonthDate":null
    },
    "YESTERDAY":{
        "peakDay":null,
        "busiestHour":0,
        "peakCount":0,
        "busiestDay":0,
        "hourlyAverage":0.0,
        "peakHour":0,
        "peakHourCount":0,
        "peakHourDay":null,
        "busiestWeekDate":null,
        "busiestMonthDate":null
    }
},
"monthRepeatVisitorStats":{
    "DAILY":{
        "peakDay":"2017-03-01",
        "busiestHour":18,
        "peakCount":60,
        "busiestDay":-1,
        "hourlyAverage":18.41666666666667,
        "peakHour":18,
        "peakHourCount":34,
        "peakHourDay":null,
        "busiestWeekDate":null,
    }
}

```

```
    "busiestMonthDate":null
  },
  "WEEKLY":{
    "peakDay":"2017-03-01",
    "busiestHour":22,
    "peakCount":18,
    "busiestDay":-1,
    "hourlyAverage":3.75,
    "peakHour":22,
    "peakHourCount":6,
    "peakHourDay":null,
    "busiestWeekDate":null,
    "busiestMonthDate":null
  },
  "OCCASIONAL":{
    "peakDay":"2017-03-01",
    "busiestHour":7,
    "peakCount":8,
    "busiestDay":-1,
    "hourlyAverage":1.8333333333333333,
    "peakHour":7,
    "peakHourCount":4,
    "peakHourDay":null,
    "busiestWeekDate":null,
    "busiestMonthDate":null
  },
  "FIRST_TIME":{
    "peakDay":"2017-03-01",
    "busiestHour":16,
    "peakCount":14,
    "busiestDay":-1,
    "hourlyAverage":1.5,
    "peakHour":16,
    "peakHourCount":5,
    "peakHourDay":null,
    "busiestWeekDate":null,
    "busiestMonthDate":null
  },
  "YESTERDAY":{
    "peakDay":null,
    "busiestHour":0,
    "peakCount":0,
    "busiestDay":0,
    "hourlyAverage":0.0,
    "peakHour":0,
    "peakHourCount":0,
    "peakHourDay":null,
    "busiestWeekDate":null,
    "busiestMonthDate":null
  }
}
}
```

Clients API

GET: Excluded Client Counts

Description

This API returns the client counts excluded by filters.

HTTP Method

GET

Resource URI

/api/presence/v1/excluded

Requires OAuth

N

Parameters

Table 204: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	N	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/excluded?siteId=<Site ID>>

Sample Output

```
{
  "repeat":0,
  "dwell":0,
  "ssid":0
}
```

GET: Active Clients

Description

This API returns the active clients seen in the last 20 minutes.

HTTP Method

GET

Resource URI

/api/presence/v1/clients

Requires OAuth

N

Parameters

None.

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/excluded?siteId=<Site ID>

Sample Output

```
[
  {
    "siteEntries":{
      "1487056035936":{
        "macAddress":"ac:c3:3a:87:5c:79",
        "status":"PASSERBY",
        "siteId":1487056035936,
        "siteName":"PSL NOC",
        "firstRssiTime":1488360873407,
        "lastRssiTime":1488360873407,
        "lastMarkedPasserBy":1488360873407,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-83,
        "currentApMacAddress":"00:2a:10:f8:87:50",
        "currentApName":null,
        "lastApMacAddress":null,
        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:34:407",
        "lastRssiTimeStamp":"2017-03-01 09:34:407",
        "lastMarkedPasserByTimeStamp":"2017-03-01 09:34:407",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
        "lastInfoTimeStamp":"null",
        "lastHeard":1488360873407
      }
    },
    "macAddress":"ac:c3:3a:87:5c:79",
    "changedOn":1488360873407,
    "status":"PASSERBY",
  }
]
```

```

    "ipv4Address":null,
    "ipv6Address":null,
    "ssid":null,
    "bytesReceived":0,
    "bytesSent":0,
    "lastSiteId":0,
    "currentSiteId":1487056035936,
    "rssi":-83,
    "currentSiteName":"PSL NOC",
    "changedOnTimeStamp":"2017-03-01 09:34:407",
    "lastApMacAddress":"","",
    "currentApMacAddress":"00:2a:10:f8:87:50",
    "currentApName":null,
    "lastApName":"","",
    "lastSiteName":""
  },
  {
    "siteEntries":{
      "1487056035936":{
        "macAddress":"cc:61:e5:88:f0:d8",
        "status":"PASSERBY",
        "siteId":1487056035936,
        "siteName":"PSL NOC",
        "firstRssiTime":1488360977448,
        "lastRssiTime":1488361771824,
        "lastMarkedPasserBy":1488361771824,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-84,
        "currentApMacAddress":"84:3d:c6:14:73:50",
        "currentApName":null,
        "lastApMacAddress":"00:2a:10:f8:87:50",
        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:36:448",
        "lastRssiTimeStamp":"2017-03-01 09:49:824",
        "lastMarkedPasserByTimeStamp":"2017-03-01 09:49:824",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
        "lastInfoTimeStamp":"null",
        "lastHeard":1488361771824
      },
      "1487260407843":{
        "macAddress":"cc:61:e5:88:f0:d8",
        "status":"PASSERBY",
        "siteId":1487260407843,
        "siteName":"NOC",
        "firstRssiTime":1488361225740,
        "lastRssiTime":1488361589829,
        "lastMarkedPasserBy":1488361589829,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-82,
        "currentApMacAddress":"84:3d:c6:0a:bb:80",
        "currentApName":null,
        "lastApMacAddress":null,

```

```

        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:40:740",
        "lastRssiTimeStamp":"2017-03-01 09:46:829",
        "lastMarkedPasserByTimeStamp":"2017-03-01 09:46:829",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
        "lastInfoTimeStamp":"null",
        "lastHeard":1488361589829
    }
},
"macAddress":"cc:61:e5:88:f0:d8",
"changedOn":1488361771824,
"status":"PASSERBY",
"ipv4Address":null,
"ipv6Address":null,
"ssid":null,
"bytesReceived":0,
"bytesSent":0,
"lastSiteId":1487056035936,
"currentSiteId":1487056035936,
"rssi":-84,
"currentSiteName":"PSL NOC",
"changedOnTimeStamp":"2017-03-01 09:49:824",
"lastApMacAddress":"84:3d:c6:14:73:50",
"currentApMacAddress":"84:3d:c6:14:73:50",
"currentApName":null,
"lastApName":null,
"lastSiteName":"PSL NOC"
},
{
"siteEntries":{
    "1487056035936":{
        "macAddress":"dc:1a:c5:4c:c7:d3",
        "status":"PASSERBY",
        "siteId":1487056035936,
        "siteName":"PSL NOC",
        "firstRssiTime":1488361425736,
        "lastRssiTime":1488361425736,
        "lastMarkedPasserBy":1488361425736,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-87,
        "currentApMacAddress":"00:2a:10:ee:40:40",
        "currentApName":null,
        "lastApMacAddress":null,
        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:43:736",
        "lastRssiTimeStamp":"2017-03-01 09:43:736",
        "lastMarkedPasserByTimeStamp":"2017-03-01 09:43:736",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
        "lastInfoTimeStamp":"null",
        "lastHeard":1488361425736
    }
}
},

```

```

    "macAddress": "dc:1a:c5:4c:c7:d3",
    "changedOn": 1488361427739,
    "status": "PASSERBY",
    "ipv4Address": null,
    "ipv6Address": null,
    "ssid": null,
    "bytesReceived": 0,
    "bytesSent": 0,
    "lastSiteId": 1487056035936,
    "currentSiteId": 1487056035936,
    "rssi": -87,
    "currentSiteName": "PSL NOC",
    "changedOnTimeStamp": "2017-03-01 09:43:739",
    "lastApMacAddress": "00:2a:10:ee:40:40",
    "currentApMacAddress": "00:2a:10:ee:40:40",
    "currentApName": null,
    "lastApName": null,
    "lastSiteName": "PSL NOC"
  },
  {
    "siteEntries": {
      "1487056035936": {
        "macAddress": "00:08:22:be:76:bb",
        "status": "PASSERBY",
        "siteId": 1487056035936,
        "siteName": "PSL NOC",
        "firstRssiTime": 1488359961555,
        "lastRssiTime": 1488360953775,
        "lastMarkedPasserBy": 1488360953775,
        "firstMarkedVisitor": 0,
        "lastMarkedVisitor": 0,
        "firstMarkedAssociated": 0,
        "lastMarkedAssociated": 0,
        "lastInfoTime": 0,
        "rssi": -81,
        "currentApMacAddress": "00:2a:10:ee:40:40",
        "currentApName": null,
        "lastApMacAddress": "84:3d:c6:14:73:50",
        "lastApName": null,
        "controller": "10.222.175.13",
        "firstRssiTimeStamp": "2017-03-01 09:19:555",
        "lastRssiTimeStamp": "2017-03-01 09:35:775",
        "lastMarkedPasserByTimeStamp": "2017-03-01 09:35:775",
        "firstMarkedVisitorTimeStamp": "null",
        "lastMarkedVisitorTimeStamp": "null",
        "lastMarkedAssociatedTimeStamp": "null",
        "firstMarkedAssociatedTimeStamp": "null",
        "lastInfoTimeStamp": "null",
        "lastHeard": 1488360953775
      },
      "1487260407843":
    ...<etc>
  }
}

```

GET: Client Detail

Description

This API returns the client detail for the specified MAC address for a specified site.

HTTP Method

GET

Resource URI

/api/presence/v1/clients/macaddress

Requires OAuth

N

Parameters*Table 205: Parameter Details*

Name	Required	Default	Type	Location	Description
macaddress	Y	—	String	pathReplace	MAC address
site-id	Y	—	String	pathReplace	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/clients?siteId=<Site ID>&macaddress=<MAC address>

Sample Output

```
[
  {
    "siteEntries":{
      "1487056035936":{
        "macAddress":"50:c8:e5:c5:ba:f0",
        "status":"PASSERBY",
        "siteId":1487056035936,
        "siteName":"PSL NOC",
        "firstRssiTime":1488362139553,
        "lastRssiTime":1488362515548,
        "lastMarkedPasserBy":1488362515548,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-88,
        "currentApMacAddress":"00:2a:10:f8:87:50",
        "currentApName":null,
        "lastApMacAddress":null,
        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:55:553",
        "lastRssiTimeStamp":"2017-03-01 10:01:548",
        "lastMarkedPasserByTimeStamp":"2017-03-01 10:01:548",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
      }
    }
  }
]
```

```

        "lastInfoTimeStamp":"null",
        "lastHeard":1488362515548
    },
    "1487260407843":{
        "macAddress":"50:c8:e5:c5:ba:f0",
        "status":"PASSERBY",
        "siteId":1487260407843,
        "siteName":"NOC",
        "firstRssiTime":1488362141536,
        "lastRssiTime":1488362513641,
        "lastMarkedPasserBy":1488362513641,
        "firstMarkedVisitor":0,
        "lastMarkedVisitor":0,
        "firstMarkedAssociated":0,
        "lastMarkedAssociated":0,
        "lastInfoTime":0,
        "rssi":-92,
        "currentApMacAddress":"84:3d:c6:0a:bb:80",
        "currentApName":null,
        "lastApMacAddress":null,
        "lastApName":null,
        "controller":"10.222.175.13",
        "firstRssiTimeStamp":"2017-03-01 09:55:536",
        "lastRssiTimeStamp":"2017-03-01 10:01:641",
        "lastMarkedPasserByTimeStamp":"2017-03-01 10:01:641",
        "firstMarkedVisitorTimeStamp":"null",
        "lastMarkedVisitorTimeStamp":"null",
        "lastMarkedAssociatedTimeStamp":"null",
        "firstMarkedAssociatedTimeStamp":"null",
        "lastInfoTimeStamp":"null",
        "lastHeard":1488362513641
    }
},
"macAddress":"50:c8:e5:c5:ba:f0",
"changedOn":1488362527563,
"status":"PASSERBY",
"ipv4Address":null,
"ipv6Address":null,
"ssid":null,
"bytesReceived":0,
"bytesSent":0,
"lastSiteId":1487056035936,
"currentSiteId":1487056035936,
"rssi":-92,
"currentSiteName":"PSL NOC",
"changedOnTimeStamp":"2017-03-01 10:02:563",
"lastApMacAddress":"00:2a:10:f8:87:50",
"currentApMacAddress":"00:2a:10:f8:87:50",
"currentApName":null,
"lastApName":null,
"lastSiteName":"PSL NOC"
},
{
    "siteEntries":{
        "1487056035936":{
            "macAddress":"cc:61:e5:88:f0:d8",
            "status":"PASSERBY",
            "siteId":1487056035936,
            "siteName":"PSL NOC",
            "firstRssiTime":1488360977448,
            "lastRssiTime":1488361771824,
            "lastMarkedPasserBy":1488361771824,
            "firstMarkedVisitor":0,
            "lastMarkedVisitor":0,
        }
    }
}

```

```

    "firstMarkedAssociated":0,
    "lastMarkedAssociated":0,
    "lastInfoTime":0,
    "rssi":-84,
    "currentApMacAddress":"84:3d:c6:14:73:50",
    "currentApName":null,
    "lastApMacAddress":"00:2a:10:f8:87:50",
    "lastApName":null,
    "controller":"10.222.175.13",
    "firstRssiTimeStamp":"2017-03-01 09:36:448",
    "lastRssiTimeStamp":"2017-03-01 09:49:824",
    "lastMarkedPasserByTimeStamp":"2017-03-01 09:49:824",
    "firstMarkedVisitorTimeStamp":"null",
    "lastMarkedVisitorTimeStamp":"null",
    "lastMarkedAssociatedTimeStamp":"null",
    "firstMarkedAssociatedTimeStamp":"null",
    "lastInfoTimeStamp":"null",
    "lastHeard":1488361771824
  },
  "1487260407843":{
    "macAddress":"cc:61:e5:88:f0:d8",
    "status":"PASSERBY",
    "siteId":1487260407843,
    "siteName":"NOC",
    "firstRssiTime":1488361225740,
    "lastRssiTime":1488361589829,
    "lastMarkedPasserBy":1488361589829,
    "firstMarkedVisitor":0,
    "lastMarkedVisitor":0,
    "firstMarkedAssociated":0,
    "lastMarkedAssociated":0,
    "lastInfoTime":0,
    "rssi":-82,
    "currentApMacAddress":"84:3d:c6:0a:bb:80",
    "currentApName":null,
    "lastApMacAddress":null,
    "lastApName":null,
    "controller":"10.222.175.13",
    "firstRssiTimeStamp":"2017-03-01 09:40:740",
    "lastRssiTimeStamp":"2017-03-01 09:46:829",
    "lastMarkedPasserByTimeStamp":"2017-03-01 09:46:829",
    "firstMarkedVisitorTimeStamp":"null",
    "lastMarkedVisitorTimeStamp":"null",
    "lastMarkedAssociatedTimeStamp":"null",
    "firstMarkedAssociatedTimeStamp":"null",
    "lastInfoTimeStamp":"null",
    "lastHeard":1488361589829
  }
},
"macAddress":"cc:61:e5:88:f0:d8",
"changedOn":1488361771824,
"status":"PASSERBY",
"ipv4Address":null,
"ipv6Address":null,
"ssid":null,
"bytesReceived":0,
"bytesSent":0,
"lastSiteId":1487056035936,
"currentSiteId":1487056035936,
"rssi":-84,
"currentSiteName":"PSL NOC",
"changedOnTimeStamp":"2017-03-01 09:49:824",
"lastApMacAddress":"84:3d:c6:14:73:50",
"currentApMacAddress":"84:3d:c6:14:73:50",

```

```

"currentApName":null,
"lastApName":null,
"lastSiteName":"PSL NOC"
},
{
  "siteEntries":{
    "1487056035936":{
      "macAddress":"b4:ce:f6:6e:9d:ea",
      "status":"PASSERBY",
      "siteId":1487056035936,
      "siteName":"PSL NOC",
      "firstRssiTime":1488357877311,
      "lastRssiTime":1488362333581,
      "lastMarkedPasserBy":1488362333581,
      "firstMarkedVisitor":0,
      "lastMarkedVisitor":0,
      "firstMarkedAssociated":0,
      "lastMarkedAssociated":0,
      "lastInfoTime":0,
      "rssi":-90,
      "currentApMacAddress":"00:2a:10:f8:87:50",
      "currentApName":null,
      "lastApMacAddress":"84:3d:c6:14:73:50",
      "lastApName":null,
      "controller":"10.222.175.13",
      "firstRssiTimeStamp":"2017-03-01 08:44:311",
      "lastRssiTimeStamp":"2017-03-01 09:58:581",
      "lastMarkedPasserByTimeStamp":"2017-03-01 09:58:581",
      "firstMarkedVisitorTimeStamp":"null",
      "lastMarkedVisitorTimeStamp":"null",
      "lastMarkedAssociatedTimeStamp":"null",
      "firstMarkedAssociatedTimeStamp":"null",
      "lastInfoTimeStamp":"null",
      "lastHeard":1488362333581
    },
    "1487260407843":{
      "macAddress":"b4:ce:f6:6e:9d:ea",
      "status":"PASSERBY",
      "siteId":1487260407843,
      "siteName":"NOC",
      "firstRssiTime":1488357852934,
      "lastRssiTime":1488362696100,
      "lastMarkedPasserBy":1488362696100,
      "firstMarkedVisitor":0,
      "lastMarkedVisitor":0,
      "firstMarkedAssociated":0,
      "lastMarkedAssociated":0,
      "lastInfoTime":0,
      "rssi":-95,
      "currentApMacAddress":"84:3d:c6:0a:bb:80",
      "currentApName":null,
      "lastApMacAddress":null,
      "lastApName":null,
      "controller":"10.222.175.13",
      "firstRssiTimeStamp":"2017-03-01 08:44:934",
      "lastRssiTimeStamp":"2017-03-01 10:04:100",
      "lastMarkedPasserByTimeStamp":"2017-03-01 10:04:100",
      "firstMarkedVisitorTimeStamp":"null",
      "lastMarkedVisitorTimeStamp":"null",
      "lastMarkedAssociatedTimeStamp":"null",
      "firstMarkedAssociatedTimeStamp":"null",
      "lastInfoTimeStamp":"null",
      "lastHeard":1488362696100
    }
  }
}

```

```
    },
    "macAddress": "b4:ce:f6:6e:9d:ea",
    "changedOn": 1488362696100,
    "status": "PASSERBY",
    "ipv4Address": null,
    "ipv6Address": null,
    "ssid": null,
    "bytesReceived": 0,
    "bytesSent": 0,
    "lastSiteId": 1487260407843,
    "currentSiteId": 1487260407843,
    "rssi": -95,
    "currentSiteName": "NOC",
    "changedOnTimeStamp": "2017-03-01 10:04:100",
    "lastApMacAddress": "84:3d:c6:0a:bb:80",
    "currentApMacAddress": "84:3d:c6:0a:bb:80",
    "currentApName": null,
    "lastApName": null,
    "lastSiteName": "NOC"
  },
  {
    "siteEntries": {
      "1487260407843":
```

GET: Active Client Counts

Description

This API returns the count of active clients that are currently being tracked.

HTTP Method

GET

Resource URI

/api/presence/v1/clients/count

Requires Basic Auth

N

Parameters

None.

Content Type

application/json

API History

Table 206: API History

Release	Modification
Cisco CMX Release 10.4	This API is introduced.

Passersby API

GET: Count of Passersby Today

Description

This API returns the count of passersby seen today until now.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/count/today

Requires OAuth

N

Parameters

Table 207: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/count/today?siteId=<Site ID>

Sample Output

Number

GET: Count of Passersby Yesterday

Description

This API returns the count of passersby seen yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/count/yesterday

Requires OAuth

N

Parameters

Table 208: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/count/yesterday?siteId=<Site ID>

Sample Output

Number

GET: Average Count of Passersby in Last 3 Days

Description

This API returns the average count of passersby seen in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/count/3days

Parameters

Table 209: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines <https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/count/3days?siteId=<Site ID>>

Sample Output

Number

GET: Average Count of Passersby in the Last 7 days

Description

This API returns the average count of passersby seen in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/count/lastweek

Requires OAuth

N

Parameters

Table 210: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines <https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/count/lastweek?siteId=<Site ID>>

Sample Output

Number

GET: Average Count of Passersby in the Last 30 Days

Description

This API returns the average count of passersby seen in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passerby/count/lastmonth

Parameters*Table 211: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passerby/count/lastmonth?siteId=<Site ID>

Sample Output

Number

GET: Sum of Passerby Counts in the Specified Date Range

Description

This API returns the sum of passerby counts for each day in the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/passerby/total

Parameters*Table 212: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date in format of yyyy-mm-dd
endDate	Y	—	String	query	End Date in format of yyyy-mm-dd

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passergyby/total?siteId=<Site ID>&startDate=yyyy-mm-dd&endDate=yyyy-mm-dd

Sample Output

Number

GET: Sum of Passerby Counts in the Last 3 Days

Description

This API returns the sum of passerby counts for each day in the last 3 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passergyby/total/3days

Requires OAuth

N

Parameters*Table 213: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passergyby/total/3days?siteId=<Site ID>

Sample Output

Number

GET: Sum of Passerby Counts in the Last 7 Days

Description

This API returns the sum of passerby counts for each day in the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passerby/total/lastweek

Requires OAuth

N

Parameters

Table 214: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passerby/total/lastweek?siteId=<Site ID>

Sample Output

Number

GET: Count of Passersby on a Given Date

Description

This API returns the count of passersby seen on a given day.

HTTP Method

GET

Resource URI

/api/presence/v1/passerby/count

Requires OAuth

N

Parameters*Table 215: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date in format of yyyy-mm-dd

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/passerby/count?siteId=<Site ID>&date=<date in yyyy-mm-dd>>

Sample Output

Number

GET: Sum of Passerby Counts in the Last 30 days

Description

This API returns the sum of passerby counts for each day in the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passerby/total/lastmonth

Requires OAuth

N

Parameters*Table 216: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/total/lastmonth?siteId=<Site ID>>**Sample Output**

Number

GET: Hourly Count of Passersby Today

Description

This API returns the hourly count of passersby today until now.

HTTP Method

GET

Resource URI</api/presence/v1/passersby/hourly/today>**Requires OAuth**

N

Parameters*Table 217: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/hourly/today?siteId=<Site ID>>**Sample Output**

```
{
  "0": 85,
  "1": 45,
  "2": 42,
  "3": 45,
  "4": 46,
  "5": 48,
  "6": 89,
  "7": 180,
  "8": 316,
```

```

    "9":618,
    "10":886,
    "11":587,
    "12":263
  }

```

GET: Hourly Count of Passersby Yesterday

Description

This API returns the hourly count of passersby yesterday.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/hourly/yesterday

Requires OAuth

N

Parameters

Table 218: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/hourly/yesterday?siteId=<Site ID>>

Sample Output

```

{
  "0":85,
  "1":45,
  "2":42,
  "3":45,
  "4":46,
  "5":48,
  "6":89,
  "7":180,
  "8":316,
  "9":618,
  "10":886,
  "11":587,
  "12":263
}

```

GET: Hourly Count of Passersby for Last 3 days

Description

This API returns the hourly count of passersby for the last 3 days including today.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/hourly/3days

Requires OAuth

N

Parameters

Table 219: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/hourly/3days?siteId=<Site ID>

Sample Output

```
{
  "2017-02-27": {
    "0": 0,
    "1": 61,
    "2": 71,
    "3": 71,
    "4": 19,
    "5": 43,
    "6": 119,
    "7": 182,
    "8": 352,
    "9": 732,
    "10": 887,
    "11": 681,
    "12": 643,
    "13": 834,
    "14": 690,
    "15": 605,
    "16": 701,
    "17": 916,
    "18": 990,
    "19": 1124,
  }
}
```



```
        "20":902,  
        "21":604,  
        "22":314,  
        "23":150  
    },  
    "2017-02-28":{  
        "0":143,  
        "1":47,  
        "2":34,  
        "3":39,  
        "4":62,  
        "5":35,  
        "6":71,  
        "7":159,  
        "8":298,  
        "9":739,  
        "10":820,  
        "11":648,  
        "12":577,  
        "13":664,  
        "14":702,  
        "15":542,  
        "16":604,  
        "17":725,  
        "18":1112,  
        "19":1097,  
        "20":919,  
        "21":706,  
        "22":477,  
        "23":188  
    },  
    "2017-03-01":{  
        "0":85,  
        "1":45,  
        "2":42,  
        "3":45,  
        "4":46,  
        "5":48,  
        "6":89,  
        "7":180,  
        "8":316,  
        "9":618,  
        "10":886,  
        "11":587,  
        "12":288  
    }  
}
```

GET: Hourly Count of Passersby for a Day

Description

This API returns the hourly count of passersby for the specified date.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/hourly

Requires OAuth

N

Parameters*Table 220: Parameter Details*

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
date	Y	—	String	query	Date in format of yyyy-mm-dd

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmx.cisco.com/api/presence/v1/passersby/hourly?siteId=<Site ID>&date=<date in yyyy-mm-dd>

Sample Output

```
{
  "0": 85,
  "1": 45,
  "2": 42,
  "3": 45,
  "4": 46,
  "5": 48,
  "6": 89,
  "7": 180,
  "8": 316,
  "9": 618,
  "10": 886,
  "11": 586,
  "12": 321
}
```

GET: Daily Count of Passersby for a Specified Date Range

Description

This API returns the daily count of passersby for the specified date range.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/daily

Requires OAuth

N

Parameters

Table 221: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date in yyyy-mm-dd format
endDate	Y	—	String	query	End Date in yyyy-mm-dd format

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/daily?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "2017-02-01":0,
  "2017-02-02":0,
  "2017-02-03":0,
  "2017-02-04":0,
  "2017-02-05":0,
  "2017-02-06":0,
  "2017-02-07":0,
  "2017-02-08":0,
  "2017-02-09":0,
  "2017-02-10":0,
  "2017-02-11":0,
  "2017-02-12":0,
  "2017-02-13":0,
  "2017-02-14":7221,
  "2017-02-15":8461,
  "2017-02-16":12151,
  "2017-02-17":11309,
  "2017-02-18":11968,
  "2017-02-19":8076,
  "2017-02-20":11406,
  "2017-02-21":8776,
  "2017-02-22":10403,
  "2017-02-23":10149,
  "2017-02-24":9566,
```

```

    "2017-02-25": 9215,
    "2017-02-26": 7042,
    "2017-02-27": 10073,
    "2017-02-28": 9599,
    "2017-03-01": 4438
  }

```

GET: Daily Count of Passersby for the Last 7 days

Description

This API returns the daily count of passersby for the last 7 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/daily/lastweek

Requires OAuth

N

Parameters

Table 222: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/daily/lastweek?siteId=<Site ID>>

Sample Output

```

{
  "2017-02-01": 0,
  "2017-02-02": 0,
  "2017-02-03": 0,
  "2017-02-04": 0,
  "2017-02-05": 0,
  "2017-02-06": 0,
  "2017-02-07": 0,
  "2017-02-08": 0,
  "2017-02-09": 0,
  "2017-02-10": 0,
  "2017-02-11": 0,
  "2017-02-12": 0,
  "2017-02-13": 0,
  "2017-02-14": 7221,
}

```

```

    "2017-02-15":8461,
    "2017-02-16":12151,
    "2017-02-17":11309,
    "2017-02-18":11968,
    "2017-02-19":8076,
    "2017-02-20":11406,
    "2017-02-21":8776,
    "2017-02-22":10403,
    "2017-02-23":10149,
    "2017-02-24":9566,
    "2017-02-25":9215,
    "2017-02-26":7042,
    "2017-02-27":10073,
    "2017-02-28":9599,
    "2017-03-01":4438
  }

```

GET: Daily count of passersby for the last 30 days

Description

This API returns the daily count of passersby for the last 30 days.

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/daily/lastmonth

Requires OAuth

N

Parameters

Table 223: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID

Content Type

application/json

Usage Guidelines

https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/daily/lastmonth?siteId=<Site ID>

Sample Output

```

{
  "2017-01-31":0,
  "2017-02-01":0,
  "2017-02-02":0,
  "2017-02-03":0,

```

```

"2017-02-04":0,
"2017-02-05":0,
"2017-02-06":0,
"2017-02-07":0,
"2017-02-08":0,
"2017-02-09":0,
"2017-02-10":0,
"2017-02-11":0,
"2017-02-12":0,
"2017-02-13":0,
"2017-02-14":7221,
"2017-02-15":8461,
"2017-02-16":12151,
"2017-02-17":11309,
"2017-02-18":11968,
"2017-02-19":8076,
"2017-02-20":11406,
"2017-02-21":8776,
"2017-02-22":10403,
"2017-02-23":10149,
"2017-02-24":9566,
"2017-02-25":9215,
"2017-02-26":7042,
"2017-02-27":10073,
"2017-02-28":9599,
"2017-03-01":4483
}

```

GET: Daily Count of Passersby by hour for the Specified Date Range

Description

This API returns the daily count of passersby by hour category for the specified date range

HTTP Method

GET

Resource URI

/api/presence/v1/passersby/daily/hourcategory

Requires OAuth

N

Parameters

Table 224: Parameter Details

Name	Required	Default	Type	Location	Description
siteId	Y	—	Number	query	Site ID
startDate	Y	—	String	query	Start Date in yyyy-mm-dd format

Name	Required	Default	Type	Location	Description
endDate	Y	—	String	query	End Date in yyyy-mm-dd format

Content Type

application/json

Usage Guidelines

<https://<tenant-id>.cmxcisco.com/api/presence/v1/passersby/daily/hourcategory?siteId=<Site ID>&startDate=<date in yyyy-mm-dd>&endDate=<date in yyyy-mm-dd>>

Sample Output

```
{
  "2017-02-01":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-02":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-03":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-04":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-05":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-06":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-07":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-08":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  },
  "2017-02-09":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  }
}
```

```
},
"2017-02-10":{
  "business_hours":null,
  "evening_hours":null,
  "morning_hours":null
},
"2017-02-11":{
  "business_hours":null,
  "evening_hours":null,
  "morning_hours":null
},
"2017-02-12":{
  "business_hours":null,
  "evening_hours":null,
  "morning_hours":null
},
"2017-02-13":{
  "business_hours":null,
  "evening_hours":null,
  "morning_hours":null
},
"2017-02-14":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-15":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-16":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-17":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-18":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-19":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-20":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-21":{
  "business_hours":0,
  "evening_hours":0,
  "morning_hours":0
},
"2017-02-22":{
  "business_hours":0,
  "evening_hours":0,
```



```
    "morning_hours":0
  },
  "2017-02-23":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-02-24":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-02-25":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-02-26":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-02-27":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-02-28":{
    "business_hours":0,
    "evening_hours":0,
    "morning_hours":0
  },
  "2017-03-01":{
    "business_hours":null,
    "evening_hours":null,
    "morning_hours":null
  }
}
```

