



Set Up Map Service

This chapter provides information about the features available in the **Map Service**.

- [Setting up Map Service, on page 1](#)

Setting up Map Service

Map Service in Cisco Spaces includes the following features to keep **Location Hierarchy** in sync with the imported map data:

- Maps exported from Cisco Prime Infrastructure or Catalyst Center and imported into Cisco Spaces using **Map Service** appears automatically under **Location Hierarchy**.
- When you import or synchronize maps from various sources: Catalyst Center, Cisco Prime Infrastructure or Cisco Meraki, support is extended to normalize and unify network hierarchies into a single business-orientated hierarchy.
- If you delete a location from **Location Hierarchy**, it will also be removed from **Map Service**.
- When you delete a zone location from the **Map Service** UI, the zone location is also deleted from **Location Hierarchy**.
- AP import restrictions have been implemented based on the AP license limits for the Cisco Spaces account.

The GPS markers warning message that is displayed in the **Import History** section shows the entire hierarchy in the **Import History** section for the floor with invalid GPS markers.

**Note**

- We recommend that you use Google Chrome Browser while working with maps. Map operations are best supported in Google Chrome. Map actions on other browsers are limited.
- If your locations have maps, create a map-based location hierarchy. However, if you have already created a location hierarchy through **WLCDirect > AP prefix**, **CMXOn-Prem Auto-Sync**, or **CMXManual Upload** and have imported the maps containing the overlapping APs, then the APs will be moved to a map-based hierarchy.
- If a location is deleted from **Map Service**, then only the corresponding access points are removed from **Location Hierarchy**.
- Map Service API performance is enhanced to get the import history and status.

Support for Map Hierarchy Migration from Cisco Prime Infrastructure to Catalyst Center: Cisco Spaces Location Hierarchy supports import of migration data with nested sites from Cisco Prime Infrastructure to Catalyst Center.

Support for Cisco DNA Center Nested Site Hierarchy: You can import or synchronize new sites from Catalyst Center to Cisco Spaces on top of the existing site hierarchy.

Support for Planned Access Point (AP) Import: You can import planned APs into Map Service.

Maps Upload

Click **Maps Upload** to upload maps from Cisco Prime Infrastructure or Catalyst Center. In the **Maps Upload** pop-up window, select the required option and click **Select File** and to upload the maps downloaded from the sources.



Note Click **Upload History** to view the map upload history details.

Cisco Catalyst Wireless 9164I Wi-Fi 6E Series Access Points (AP) Support

The Cisco Catalyst Wireless 9164I Wi-Fi 6E Series AP support is added in the **Map Service**.

You can import the Cisco Catalyst Wireless 9164I Wi-Fi 6E Series APs into Cisco Spaces using the **Map Service**.