



# Release Notes for the Ultra Cloud Core Access and Mobility Management Function, Version 2024.02.0

First Published: 2024-04-30

## Ultra Cloud Core Access and Mobility Management Function

### Introduction

This Release Notes identifies changes and issues related to this software release.

### Release Lifecycle Milestones

Release Lifecycle Milestone	Milestone	Date
First Customer Ship	FCS	30-Apr-2024
End of Life	EoL	30-Apr-2024
End of Software Maintenance	EoSM	29-Oct-2025
End of Vulnerability and Security Support	EoVSS	31-Oct-2025
Last Date of Support	LDoS	31-Oct-2026

These milestones and the intervals between them are defined in the [Cisco Ultra Cloud Core \(UCC\) Software Release Lifecycle Product Bulletin](#) available on cisco.com.

### Release Package Version Information

Software Packages	Version
amf.2024.02.0.SPA.tgz	2024.02.0
cdl-1.11.7-amf-2024.02.0.SPA.tgz	1.11.7
NED package	ncs-6.1-amf-nc-2024.02.0
NSO	6.1.3

Descriptions for the various packages provided with this release are available in the [Release Package Descriptions, on page 6](#) section.

## Verified Compatibility

Products	Version
Ultra Cloud Core SMI	2024.02.1.14
Ultra Cloud CDL	1.11.7

For information on the Ultra Cloud Core SMI release, refer to the SMI documents available at:

<https://www.cisco.com/c/en/us/support/wireless/ultra-cloud-core-subscriber-microservices-infrastructure/series.html>

## What's New in this Release

### Features and Enhancements

This section covers a brief description of the features and enhancements introduced in this release. It also includes links to detailed documentation, where available.

Feature	Description
<a href="#">MT-LR Location Services</a>	AMF supports the MT-LR location services using the Location Management Function (LMF) to determine the accurate position and location of the UE. AMF supports the MT-LR location services for regulatory requirements.  <b>Default Setting:</b> Disabled – Configuration Required

### Behavior Changes

This section covers a brief description of behavior changes introduced in this release.

Behavior Change	Description
Validation Check Enabled for show peers Command	<p><b>Previous Behavior:</b> The <b>show peers</b> command used to display the peer information with duplicate entries in different table outputs.</p> <p><b>New Behavior:</b> It is mandatory that you specify one of the following options with <b>show peers</b> command.</p> <ul style="list-style-type: none"> <li>• <b>all</b></li> <li>• <b>ipv4</b></li> <li>• <b>ipv6</b></li> </ul> <p>If the <b>show peers</b> command is executed without any option, AMF returns a command syntax error message. Through this validation check, display of duplicate records is avoided.</p> <p>Similar behavior is additionally observed with the following commands:</p> <ul style="list-style-type: none"> <li>• <b>show rpc</b></li> <li>• <b>show endpoint</b></li> <li>• <b>show vrf-info</b></li> </ul>


## Installation and Upgrade Notes

This Release Note does not contain general installation and upgrade instructions. Refer to the existing installation documentation for specific installation and upgrade considerations.

## Software Integrity Verification

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Image checksum information is available through **Cisco.com Software Download Details**. To find the checksum, hover the mouse pointer over the software image you have downloaded.



At the bottom, you will find the SHA512 checksum. If you do not see the whole checksum, you can expand it by pressing "..." at the end.

To validate the information, calculate a SHA512 checksum using the information in [Table 1](#) and verify that it matches either the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop, refer to the table below.

**Table 1: Checksum Calculations per Operating System**

Operating System	SHA512 checksum calculation command examples
Microsoft Windows	Open a command line window and type the following command: <pre>&gt; certutil.exe -hashfile filename.extension SHA512</pre>
Apple MAC	Open a terminal window and type the following command: <pre>\$ shasum -a 512 filename.extension</pre>
Linux	Open a terminal window and type the following command: <pre>\$ sha512sum filename.extension</pre> OR <pre>\$ shasum -a 512 filename.extension</pre>
<b>Note</b>	filename is the name of the file.  extension is the file extension (for example, .zip or .tgz).

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image or the image has not been corrupted during download.

If the SHA512 checksum does not match, we advise you to not attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

## Certificate Validation

AMF software images are signed via x509 certificates. Please view the .README file packaged with the software for information and instructions on how to validate the certificates.

## Open Bugs for this Release

The following table lists the open bugs in this specific software release.



**Note** This software release may contain open bugs first identified in other releases. Additional information for all open bugs for this release is available in the [Cisco Bug Search Tool](#).

Bug ID	Headline
<a href="#">CSCwi71509</a>	Memory consumption of Stand-by Protocol-ep pod is high during performance run.

## Resolved Bugs for this Release

The following table lists the resolved bugs in this specific software release.



**Note** This software release may contain bug fixes first introduced in other releases. Additional information for all resolved bugs for this release are available in the [Cisco Bug Search Tool](#).

Bug ID	Headline	Behavior Change
<a href="#">CSCwi70328</a>	AMF is sending incremented ncc value during inter AMF N2 handover with keyAmfChangeInd in HO request.	No
<a href="#">CSCwi79683</a>	Only IPV6 instance type is not working at sctp endpoint.	No

## Operator Notes

### Cloud Native Product Version Numbering System

The show helm list command displays detailed information about the version of the cloud native product currently deployed.

#### Versioning: Format & Field Description

YYYY.RN.MN[.TTN] [-dN] [.MR][.iBN]

Where,

YYYY → 4 Digit year.

- Mandatory Field.
- Starts with 2020.
- Incremented after the last planned release of year.

RN → Major Release Number.

- Mandatory Field.
- Starts with 1.
- Support preceding 0.
- Reset to 1 after the last planned release of a year(YYYY).

MN → Maintenance Number.

- Mandatory Field.
- Starts with 0.
- Does not support preceding 0.
- Reset to 0 at the beginning of every major release for that release.
- Incremented for every maintenance release.
- Preceded by "m" for bulbs from main branch.

TTN → Throttle of Throttle Number.

- Optional Field, Starts with 1.
- Precedes with "t" which represents the word "throttle or throttle".
- Applicable only in "Throttle of Throttle" cases.
- Reset to 1 at the beginning of every major release for that release.

DN → Dev branch Number

- Same as TTN except Used for DEV branches.
- Precedes with "d" which represents "dev branch".

MR → Major Release for TOT and DEV branches

- Only applicable for TOT and DEV Branches.
- Starts with 0 for every new TOT and DEV branch.

BN → Build Number

- Optional Field, Starts with 1.
- Precedes with "i" which represents the word "interim".
- Does not support preceding 0.
- Reset at the beginning of every major release for that release.
- Reset of every throttle of throttle.

523483

The appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format facilitates identifying the changes between releases when using Bug Search Tool to research software releases.

## Release Package Descriptions

The following table provides descriptions for the packages that are available with this release.

**Table 2: Release Package Information**

Software Packages	Description
amf.<version>.SPA.tgz	The offline release signature package. This package contains the AMF deployment software, NED package, as well as the release signature, certificate, and verification information.
ncs-<nso_version>-amf-<version>.tar.gz	The NETCONF NED package. This package includes all the yang files that are used for NF configuration.  Note that NSO is used for the NED file creation.

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, refer to <https://www.cisco.com/c/en/us/support/index.html>.

