







http

portã, ³ãfžãf³ãf%ã «Sè" à®šã•ã, CãYã€ã «ç%ã —ã „ã¿...è|ã Cã,ã, Šã¼ã™ã€,

ãfããfãf¼ãf%ã¼Cã «ã, µãf¼ãfã «ã «ã¿: èã Cèãã £ã |ã%Šé™ã•ã, Cããã „ã, ^ãtã «ã€

## ã¿®æ£æ, ^ã¿ã, ½ãf•ãf^ã, |ã, Šã, Ç

æ¬ã®èj"ããã"ã®Field

Noticeã «è"è¼%ã•ã, CãYã,ã...:ã^ã®ã½±éY¿ã,'ã—ã'ã, <Cisco

IOSã, ½ãf•ãf^ã, |ã, Šã, Çãfãfãf¼ã, 1ã "ã€ã¼ã¿œã™ã, <æœ€ã^ã¿ãfãfãf¼ã, 1ã

èj"ã®ã „èjCã «ããã€CRebuildããã€ãã€CInterimããã€ã¼ãYã^ã€CMaintenan

ãfjãf³ãf†ãfŠãf³ã, 1ãfãfãf¼ã, 1ã^ãã€æœ€ã„, é »ç¹ã «ãftã, 1ãf^ã•ã, Cã€ã¼ããæŽ"ã¥"ãã, C

ã†ãf"ãf«ãf%ãfãfãf¼ã, 1ã^ãã€ã»¥ã%ãã®ãfjãf³ãf†ãfŠãf³ã, 1ãfãfãf¼ã, 1ã¼ãYã^ãfjã,ã

æš«ã®šãfãfãf¼ã, 1ã^ãfjãf³ãf†ãfŠãf³ã, 1ãfãfãf¼ã, 1ã «æ"ã¹ã|ãftã, 1ãf^ãCããšã!...ã«ã'ã

ã „ãšã, Cã®ã'ã^ã,ã€ã, Çãffãf—ã, °ãf¬ãf¼ãf%ã™ã, <æ©Yã™"ã «ãããtãããfjãfçãfã

ãfjã,ãf£ãf¼ãfããf¼ã,¹	èã¬æ~Žã¼ãYã
ã½±éY¿ã,'ã—ã'ããã „ã»¥ã%ãã®ãfãfãf¼ã,¹	
11.0ã»¥ã%ããã™ã¹ã ã®ãfãfãã,çãf³ãf^	ããšæ°
11.1	11.1 AAã€11.1 CAã€11.1 CCã€11.1
11.2	11.2 BCã€11.2 Pã€11.2 Fã€11.2 GS
11.3	11.3 NAã€11.3 AAã€11.3 DAã€11.3
12.0ã,^ã,Šã%ãã®ãf™ãf¼ã,¹ã®ãfãfãf¼ã,¹	

11.2 SA	
<b>12.0 af™af¼ã,¹ã®ãfªãfªãf¼ã,¹</b>	
12.0	General Deployment(GD)ĩ¼šã™ã¹ã¼ã
12.0DA	xDSLã,µfãf¼ãf^ĩ¼š6100ã€6200
12.0S	ã,³ã,¢/ISPã,µfãf¼ãf^ĩ¼šgsrã€rspã€
12.0SC	ã,±ãf¼ãf-ãf</ãf-ãfãf¼ãf%ãfãf³ãf%oIS
12.0SL	10000 ESR:c10k
12.0T	Early Deployment(ED):VPNã€Distributer Directorã€ã•ã¾ã-ã¾ãªãf-
12.0W5	cat8510cã€cat8540cã€c6msm ls1010 c5atmã€c5atmã€c3620ã€c3640ã
	cat2948gã€cat4232
12.0XA	Early Deployment(ED)ĩ¼šé™ã,%ã,CEã
12.0XE	Early Deployment(ED)ĩ¼šé™ã,%ã,CEã

12.0XH	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
12.0XJ	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
<b>12.1 ãf™ãf1/4ã, 1ã®ãfããfãf1/4ã, 1</b>	
12.1	General Deployment(GD) å€™èfœi1/4šã™ã
12.1AA	Access & Dial Early Deployment(ED):c5200ã
12.1DA	xDSLã, ãfãf1/4ãf^i1/4š6160ã€6260
12.1DB	xDSLã, ãfãf1/4ãf^i1/4šc6400
12.1DC	xDSL NRPã, ãfãf1/4ãf^i1/4šc6400r

12.1E	ELB Early Deployment(ED):cat6kã€8500
12.1EC	ã,±ãf¼ãf-ãf«/ãf-ãfãf¼ãf%ãfã³ãf%ã
12.1T	New technology Early Deployment(ED)¼šã
12.1XA	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XB	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XC	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XD	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XE	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XF	Early Deployment(ED)¼šé™ã,%ã,Ĉã
12.1XG	Early Deployment(ED)¼šé™ã,%ã,Ĉã

12.1XH	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
12.1XI	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
12.1XJ	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
12.1XL	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
12.1XP	Early Deployment(ED) i1/4šé™ ã, %ã, Ćã
æ³'æ,, ä°é ...	
<p>*ã™ã¹ã  ã®æ—¥ä»~ãæ  ,ç®—ãšã,ã,šã€ãå%ãæ&gt;ã•ã,Ćã,ãè¹/²æ€šãĆã,ã,š  é€šã,ã®ãfjãf³ãftãfšãf³ã,¹  ãfãfãf¹/ã,¹ã"æ"è¹/ãfã—ãÿã'ã^ã€ãš«ã®šãfãfãf¹/ã,¹ã«ã³/ã—ã  ã-ãž³æ ¹ãª</p>	

ä, æfã^©ç" ä°<ã³/ã "ã...-ã¹/ãç™°èj"

Cisco PSIRTã ¯ã€CORE

SDIã <ã, %ã "ã®ã•éjĆã «ãªã,,ã |è |ã'šã,ã —ã'ã³/ã —ãÿã€CORE

SDIã ¯ã€æ©ÿã™"ã «ã³/ã™ã,ã®šãæœÿçš,,ãªã,»ã,ãfãfãfãfã,£ç)£æÿ»ã,ã «ã"ã®ã•éjD  
ip>/cgi-bin/source-

help?/ã€ã,ã,ç...šã—ã,^ãtã"ã—ãÿãÿã,ã€ãfãfãã,ã,¹ãĆã,ãf©ãffã,ãfãã—

Cisco

PSIRTã «ã ¯ã€ã "ã®ãè,,tã¹/ã±æ€šã®æ,ªæ,,ã®ãã,ã,ã,ã,ã,ã,ãf—ãfã,ããf^ã «é-Ćã™ã,

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20001025-ios-http->



# æ”¹è”·,â±¥æ´

Revision 1.6	2006â¹³æœ¹¹7æ—¥	ã€CEã,½ãf•ãf^ã, ã,šã,çãfãf¼ã,ãfšãf³ã “ ä¿@æfã€ã,»ã,¯ã,ãfš
Revision 1.5	2003â¹³æœ¹⁵æ—¥	ã½±éÿ¿ã,´ã—ã´ã,«ã»-ã@ãfãf¼ãf%ã, ã,šã,çã«é-çã™
ãf³ãf“ã,ãfšãf³ 1.4	2002â¹⁹æœ¹²5æ—¥	ã“ã@é€šçÿ¥ã,»ã,¯ã,ãfšãf³ã@ã,¹ãftãf¼ã,¿ã,¹ã,FINALã«æ
ãf³ãf“ã,ãfšãf³ 1.3	2000â¹¹¹æœ¹¹æ—¥	ã€CECatalyst 1900ã€2800ã€2900ã€3000ã€ãŠã,^ã³500 è©²ã½“ã—ãªã,,11.2ãf³ãf³ãf¼ã,¹ã@ãf³ã,¹ãf^ã<ã,%ã€1 è©²ã½“ã™ã,<12.0ã,^ã,šã%ã@ãf³ãf³ãf¼ã,¹ã«ã€11.2 SAã 12.0Tã@æªªªé-ãš<æ—¥ã “ã,çãffãf—ã,°ãf-ãf¼ãf%ããf ã€CEãfãffãf^ãfãf¼ã,¯ãftãfã,ªã,¹ãšã¼ãš>ãªãfã,¹ãfãf¼ã
ãf³ãf“ã,ãfšãf³ 1.2	2000â¹¹⁰æœ¹²6æ—¥	12.1 XFã€12.1 XGã€ãŠã,^ã³12.1 XPã@ãftãf¼ãf-ãf«æf. ã€Eè©²ã½“è£½ã“ã€ã,»ã,¯ã,ãfšãf³ã«è©²ã½“è£½ã“ã “ã
ãf³ãf“ã,ãfšãf³ 1.1	2000â¹¹⁰æœ¹²5æ—¥	12.1TãŠã,^ã³12.1AAã@ãftãf¼ãf-ãf«æf...ã ±ã,´æ>æ-°ã€,
ãf³ãf“ã,ãfšãf³ 1.0	2000â¹¹⁰æœ¹²5æ—¥	ã^ã>žã...-é-<ãf³ãf³ãf¼ã,¹

# ã^©ç”è!ç´,,

æœ¹-ã,çãf%ãfã,ªã,¶ãfãç,,jã¿è”¼ã@ã,,ã@ã “ã—ã|ã”æªªªª¼ã—ã|ãŠã,šã€  
æœ¹-ã,çãf%ããfã,ªã,¶ãfã@æf...ã ±ããšã,^ã³ãf³ãf³ã,¯ã@ã½¿ç””ã«é-çã™ã,«è²-ã»ã@ã,€  
ã³ã¼ãÿã€ã,¹ã,³ã-æœ¹-ãf%ãã,ãf³ãf³ãf³ãf³ã@ãt...ã@¹ã,¹ã°ãšãªªã—ã«ã%ãæ´ã—ã  
æœ¹-ã,çãf%ããfã,ªã,¶ãfã@è”~è¿ãt...ã@¹ã«é-çã—ã|æf...ã ±é...ã¿ã@ URL

ã,çœç•¥ã—ã€å~ç<-ã®è»çè¼%ã,,æ,,è`³ã,'æ-½ã—ãÿå´å^ã€å½"ç³¼ãŒç®;ç  
ã"ã®ãf%ã,ãf¥ãf;ãf³ãf^ã®æf...å±ã¯ã€ã,ã,¹ã,³è£½å"ã®ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¼è±;ã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。