

OpenSSH, µf¼ãf ă ă ® è,, †å¼±æ€§



ă, çãf%ãf ă, ¢ã, ¶ã, ¶ãfãf¼ID : cisco-sa-20030917-openssh
â^ ă...-é-æ—¥ : 2003-09-17 07:00
ãf ăf¼ã, ãfšãf³ 1.6 : Final
ăžé ç- : No Workarounds available
Cisco ãf ă, ° ID :

[CVE-2003-0695](#)
[CVE-2003-0682](#)
[CVE-2003-0693](#)

æ—¥æè-èãžă «ă, ^ă, <æf...ă ±ă ă-ă€ è±èãžă «ă, ^ă, <ăžÿæ-†ă ® éžă...-å¼ă

æ!, è!

SSHă, µf¼ãf ă «ă-¾ă™ă, <OpenSSHâ®ÿè£...ă®æ-°ă-ă,, è,, †å¼±æ€§ă Çç™°èj ă, Çă³
OpenSSHâ®ÿè£...ă «ăÿ°ă¥ă,,ă | SSHă, µf¼ãf ă, 'ă®ÿèjÇă-ă | ă,,ă, <è²å¼"ãf ăffăf^ăf

ă"ă®ă, çãf%ãf ă, ¢ã, ¶ãfãf-

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20030917-openssh> ă «æž²è¼%ãă, Çă | ă,,ă¾ă™ă€,

è²å¼"è£¼ă"

ă"ă®ă, »ă, ^ă, ãfšãf³ă «ă-ă€ è²å¼"è£¼ă" ă «é-çă™ă, <è³ç'°ă Çæž²è¼%ãă, Çă

è,, †å¼±æ€§ă®ă,ă, <è£¼ă"

æ¬jă®è£¼ă"ă-ă€ OpenSSHă, ¾ãf¼ãf%ãă «ăÿ°ă¥ă SSHă, µf¼ãf ă®ÿè£...ă, 'ă,™ăă

- Cisco Catalystă, 1ă, ¢ãffăf ăf³ă, °ă, ½ãfãf^ă, | ă, šă, ç(CatOS)ă, .ă, 1ă, 3ă®ă¾ă-ă¾ăªCatalystă, 1ă, ¢ãffăf ăfã, jãfÿăfã šă-ă€ CatOSăf™ăf

IOSăf™ăf¼ă, 1ă®ăfãfãf¼ă, 1ă «ă-è,, †å¼±æ€§ă-ă,ă, šă¾ăă, "ă€, 6.xă€7.xă€ăšă, ^ă³8.xăfãfãf¼ă, 1ç¾ă®ă™ă¹ă | ă®K9¼^æš-ă-ăÇ-i¼%æ¬jă®Cisco Catalystă, 1ă, ¢ãffăf ă «è,, †å¼±æ€§ă Çă~æoe ă-ă¾ă™ă€, -Catalyst 6000ă, .ãfãf¼ă, ° -Catalyst 5000ă, .ãfãf¼ă, ° -Catalyst 4000ă, .ãfãf¼ă, ° - Catalyst 2948Gă€2980Gă€2980G-Aă€4912G:Catalyst 4000ă, .ãfãf¼ă, °®ă, ¾ãf¼ãf%ãf™ăf¼ă, 1ă, 'ă¼ç"

5.xã€ 6.xã€ ã Šă, ^ã³7.xã€ È©²á½"ã —ã¼ã™ã€,ã"ã®è,,tã¼±æ€šã ¯ã€ Bug ID [CSCec35690](#)(ç™»éE²ãf!ãf!4ã, ¶!ã°, ç™)ã «è ~è¼%oã •ã, Èã |ã,,ã¼ã™ã€,

- Cisco Application & Content Networking

Software(ACNS)i¼šã™ã¹ã |ã®ãfãf¼ã,ãfšãf³ã È©²á½"ã —ã¼ã™ã€,ã"ã®è,,tã¼±æ€šã ¯ã€ Bug ID [CSCec32387](#)(ç™»éE²ãf!ãf!4ã, ¶!ã°, ç™)ã «è ~è¼%oã •ã, Èã |ã,,ã¼ã™ã€,

- BTS 10200ã,½ãf•ãf^ã,¹ã,ããfãfã i¼šRLS

3.5.3ã, ^ã,Šã%oã®ã™ã¹ã |ã®ãfãf¼ã,¹ã Èã½±éÿ;ã,'ã —ã'ã¼ã™ã€,æ-°ã

- Cisco GSS 4480 Global Site

Selectori¼šã™ã¹ã |ã®ãfãf¼ã,ãfšãf³ã Èã½±éÿ;ã,'ã —ã'ã¼ã™ã€,ã"ã®è,,tã¼±æ€šã ¯ã€ Bug ID [CSCec32245](#)(ç™»éE²ãf!ãf!4ã, ¶!ã°, ç™)ã «è ~è¼%oã •ã, Èã |ã,,ã¼ã™ã€,

- Cisco SN 5428 ã,¹ãf^ãf-ãf¼ã, ãf«ãf¼ã,¿ã€”

è,,tã¼±æ€šã®ã,ã,ãfãf¼ã,ãfšãf³ã ¯æ-¿ã®ã"ã Šă,Šăšã™ã€,

- SN5428-2.5.1-K9
- SN5428-3.2.1-K9
- SN5428-3.2.2-K9
- SN5428-3.3.1-K9
- SN5428-3.3.2-K9
- SN5428-2-3.3.1-K9
- N5428-2-3.3.2-K9

ã"ã®è,,tã¼±æ€šã ¯ã€ Bug ID

[CSCec32301](#)(ç™»éE²ãf!ãf!4ã, ¶!ã°, ç™)ã «è ~è¼%oã •ã, Èã |ã,,ã¼ã™ã€,SN

5428ã®è©³ç°ã«ããã,ã |ã ¯ã€ <http://www.cisco.com/en/US/products/hw/ps4159/ps2160/in>

- Cisco PGW 2200ã,½ãf•ãf^ã,¹ã,ããfãfã i¼šPGW Restricted Software

1.0(1)ã«ã,ã,«CSCOk9000æš—ã•ãÈ-ãfãfã,±ãf¼ã,ã,'é©ç™"ã —ãÿæ-¿ã®PGW 2200ã,³ãfãfãf¼ãfãf³ãf^ã«ã ¯è,,tã¼±æ€šã Èã~ãce"ã —ã¼ã™ã€,

- MGCã,çãf—ãfã,±ãf¼ã,ãfšãf³ã,½ãf•ãf^ã,¹ã,šã,çã€ã Šă, ^ã³ã,ããf—ã,ãfšãf³ã ŠMNM-PTã,çãf—ãfã,±ãf¼ã,ãfšãf³ã,½ãf•ãf^ã,¹ã,šã,çã,'ã®ÿè;Èã™ã,«PGWãfã,¹ãf^ãf—ãf©ãffãf^ãfã,ã

- HSIã,çãf—ãfã,±ãf¼ã,ãfšãf³ã,½ãf•ãf^ã,¹ã,šã,çã,'ã®ÿè;Èã™ã,«HSIãfã,¹ãf^ãf—ãf©ãffãf^ãfã,ã

- BAMSã,çãf—ãfã,±ãf¼ã,ãfšãf³ã,½ãf•ãf^ã,¹ã,šã,çã,'ã®ÿè;Èã™ã,«BAMSãf—ãf©ãffãf^ãfã,ã,ãf¼ã

- MNM-

PTã,çãf—ãfã,±ãf¼ã,ãfšãf³ã,½ãf•ãf^ã,¹ã,šã,çã,'ã®ÿè;Èã™ã,«ã€ã^ãã®ãfŽãf¼ãf%oç;çtãf—

ãžéç-

Cisco

PSIRTãšã ¯ã€ È©²á½"ã™ã,ãf!ãf¼ã, ¶!ã«ã¼ã —ã |ã€ãç®æfæ, ^ãçã,½ãf•ãf^ã,¹ã,šã,çã

- CatOS 3.3.1: <http://www.cisco.com/univercd/cc/td/doc/product/lan/cat500>
- Catalyst 6000 SVLAN Access Control List (ACL) <http://www.cisco.com/en/US/docs/switches/lan/catalyst6500>
- Cisco Catalyst Switching Software (CatOS): http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/6.x/configuration/guide/acc_list.html
- Cisco Catalyst Switching Software (CatOS): <http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/6.x/configuration/guide/ssh.html>

2.3.1.1 SVLAN Access Control List (ACL)

SVLAN Access Control List (ACL) is a list of entries that you use to filter traffic that is sent to or from a specific SVLAN. Each entry in the list consists of a source address, a destination address, a protocol, and an action. The action can be permit or deny. The action is applied to traffic that matches the source and destination addresses and the protocol.

- Cisco Catalyst Switching Software (CatOS): [http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/6.4\(7\)it/2003a/11ace12ae.html](http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/6.4(7)it/2003a/11ace12ae.html)
- Catalyst 4000/5000/6000 SVLAN Access Control List (ACL) [http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/7.6\(3a\)/4000a.html](http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/7.6(3a)/4000a.html)
- Catalyst 4000 SVLAN Access Control List (ACL) [http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/7.6\(3a\)/4000a.html](http://www.cisco.com/en/US/docs/switches/lan/catalyst6500/catos/7.6(3a)/4000a.html)

6000ã, ·ãfªãf¼ã, °ã, ¹ã, ¢ãffãf 7.6(3a)ã, 'ãº°è ·ã°ã@š

- 2003ã¹¹0æœ¹¹3æ—¥ã «ãº°è ·ã°ã@šã @Catalyst

6000ã, ·ãfªãf¼ã, °ã, ¹ã, ¢ãffãf 8.1(3)

- Catalyst

4000ã, ·ãfªãf¼ã, °ã, ¹ã, ¢ãffãf 8.2(1)GLXi¼²003ã¹¹9æœ¹²5æ—¥ã «æ ¢ã¼ãº°ã@š¼%

- 2003ã¹¹ç¬4ã»ã Šæœÿã «ãº°è ·ã°ã@šã @Catalyst

6000ã, ·ãfªãf¼ã, °ã, ¹ã, ¢ãffãf 8.2(1)

ã, ½ãf·ãfªã, ìã, §ã, ¢ã@ã, ¢ãffãf—ã, °ãf-ãf¼ãf%ã ¢ã³ãf³ã, ½ãf¼ãf«ã, ¢ãf³ã, çãf¼ãf·ã, §ã, ¢ã, ¹ã

- Cisco Secure Intrusion Detection

System(NetRanger)ã, ¢ãf—ãf@ã, ¢ã, ¢ãf³ã, ¹¼ãšã, ½ãf·ãfªã, ìã, §ã, ¢ãfãf¼ã, ãf§ãf³4.1(2)ã¹¹0æœ¹æœœ

- Cisco Network Analysis

Modules(NAM):3.1ã, ¢ãf;ãf¼ã, çªã @æ'æ-°ã ·ã, ¢ãã ÿk9æš—ãã ¢-ãfãffãf i¼¹0æœ¹ãæ

- CiscoWorks 1105 Hosting Solution

Engine(HSE):10æœ¹¹0æ—¥ã, 'ã°ã@šã—ã |ã,,ã,ã,½ãf·ãfªã, |ã, §ã, ¢ãfãf¼ã, ãf§ãf³1.7.2ã «ãç

- CiscoWorks 1105 Wireless LAN Solution Engine(WLSE)i¼ãšããfªãfªãf¼ã, ¹æ—¥ã ¢æœªã@šã€,

- Ciscoã, ¢ãf³ãfªãf³ãf,ã, ãf¼ãfªã, ¹CSS11000ã, ¹ã, ¢ãffãfã, ·ãfªãf¼ã, °i¼ãšã, ½ãf·ãfªã, |ã, §ã, ¢ãfãf¼ã,ã

- Cisco Application & Content Networking

Software(ACNS)i¼ãšã, ½ãf·ãfªã, ìã, §ã, ¢ãfãf¼ã, ãf§ãf³5.1ã Šã, ^ã³5.0.7ã «ãç @æ£ã ¢éã ¢çªª

- BTS 10200

Softswitchi¼ãšæ-°ã—ã,,opensshãfãffã,±ãf¼ã,ã ¢ã¹çªªã ¢è½ãã «ãªã, Šã¼ã—ãÿ

SEã «ãã Šã·ãã,,ãã^ã,ãã>ãããããããããã,,ã€,

- Cisco GSS 4480 Global Site

Selectori¼ãšã, ½ãf·ãfªã, ìã, §ã, ¢ãfãf¼ã, ãf§ãf³1.1(0)ã, ¢ãf¼ãf%ãi¼¹0æœ¹¹0æ—¥ã «æ ¢ã¼ãº°ã@š¼%

- Cisco SN

5428ã, ¹ãfªãf-ãf¼ã, ããªãf¼ã, ç¼ãšã, ½ãf·ãfªã, ìã, §ã, ¢ãfãf¼ã, ãf§ãf³3.4.1ã ¢ã³æœ¹æœœ«ã, 'ã°ã@šã

5428ã Šã, ^ã³SN 5428-

2ã «ã³ããªã,ãç @æ£ã ¢ãã «ã¼ã, ¢ãã |ã,,ã¼ãªãªã€,

- Cisco PGW

2200ã, ½ãf·ãfªã, ¹ã, ¢ãffãf i¼ãš¹1æœ¹æœœ«ã, 'ã°ã@šã—ã |ã,,ã,ã,½ãf·ãfªã, |ã, §ã, ¢ãfãf¼ã,ã

ã, ¢æ£ã¹çªªªºã¼ãã ¢ã...ªã¼ãçªªªèiªª

çªªªæªª, ç, ¹ããšãã ¢ã€ Cisco

PSIRTã ¢ãªªã, ¢ãf%ãããããã, ¢ã, ¶ãfªãã «èªª¼%ãããã, ¢ãã |ã,,ã, ¢è, ¢ã¼ãªãªããã @ã, ¢æ£ã¹çªªª

ããªã, ¢ãã, %ããã @è, ¢ã¼ãªãªããã ¢ã€ CERT/CC(<http://www.cert.org/advisories/CA-2003->

æœ-ã,çãf%ãfã,ã,ã,ãfãã®è~èç°ãt...ã®¹ã«é-çã—ã|æf...ã±é...ãzjã® URL
ã,çœç•ã—ã€ããç<-ã®è»çè¼%ã,,,æ,,è³ã,æ-½ã—ãÿã'ã^ã€ã½"ç³¼ãÇç®;ç
ã"ã®ãf%ã,ãfãf;ãf³ãf^ã®æf...ã±ã-ã€ã,ã,ã,¹ã,³è£½ã"ã®ã,ãf³ãf%ãf!ãf¼ã,ã,ã³¼è±;

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。