


SSLå®ÿè£...ã®è,,†å¼±æ€š



ã,çãf%ãfã,ã,¶ã,¶ãfãf¼ID : cisco-sa-
20030930-ssl
ã^ã...-é-æ—¥ : 2003-09-30 23:30
ãfãf¼ã,ãfšãf³ 2.2 : Final
CVSSã,¹ã,³ã,ç : 5.0
ãžéç- : No Workarounds available
Cisco ãfã,° ID :

[CVE-2003-0544](#)
[CVE-2003-0545](#)
[CVE-2003-0543](#)
[CVE-2003-0851](#)
[CVE-2005-1247](#)

æ—¥æè-èãžã«ã,^ã,æf...ã ±ã-ã€èè±èãžã«ã,^ã,ãžÿæ-†ã®éžã...-å¼±ã

æ!,è!

2003å¹9æè³0æ—¥ã«ã€SSLç”ã®[OpenSSL](#)å®ÿè£...ã®æ-°ã—ã,,è,,†å¼±æ€šãç™è;”ã

2003å¹11æè4æ—¥ã«ã€SSLã®[OpenSSL](#)å®ÿè£...ãfãf¼ã,ãfšãf³0.9.6ã®å^ã®è,,†å¼±æ€šãç™è;”ã

è©²å½“ã™ã,«OpenSSLå®ÿè£...ã«ãÿ°ã¥ã,,ã|SSLã,µãf¼ãfã,å®ÿè;çã—ã|ã,,ã,è©²å½“ã

ã”ã®ã,çãf%ãfã,ã,¶ã,¶ãfãã

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20030930-ssl> ã«æž²è¼%ã•ã,çã |ã,,ã¾ã™ã€,

è©²å½““è£½ã”

ã”ã®ã,»ã,ã,ãfšãf³ã«ã-ã€è©²å½“è£½ã”ã«è-çã™ã,è©³ç’ãçæž²è¼%ã•ã,çã

è,,†å¼±æ€šã®ã,ã,è£½ã”

æ¬ã®è£½ã”ã-ã€OpenSSLã,³ãf¼ãf%ã«ãÿ°ã¥ã®SSLå®ÿè£...ã,å,™ã^ã |ãšã,šã

- 12.1Eãfãfãf¼ã,¹ãf^ãf-ã,¶ãf³ã®Cisco IOS 12.1(11)Eã»¥é™

æ³¼šCisco

7100ãšã,^ã³7200ã,ãfãf¼ã,°ãfãf¼ã,çãšã-ã€æš—ã•ãç-ã,¶ãf¼ã,¼^56iãšã,

- Cisco IOS 12.2SXãšã,^ã³12.2SYãfãfãf¼ã,¹ãf^ãf-ã,¶ãf³

æ³¹¼šCisco Catalyst 6500ã, ·ãfªãf¼ã, °ã Šã, ^ã³Cisco

7600ã, ·ãfªãf¼ã, °ãf«ãf¼ã, ¿ã Šã ¯ã€æš—ã·â€—ã, ¢ãf;ãf¼ã, ,¼^k8ã€k9ã€ã Šã, ^ã

- Cisco PIX ãf·ã, ;ã, ¢ã, çã, lã, ©ãf¼ãf«
- Cisco Catalyst 6500ã, ·ãfªãf¼ã, °ã Šã, ^ã³Cisco 7600ã, ·ãfªãf¼ã, °ãf«ãf¼ã, ¿ç”” Cisco Firewall Services Module(FWSM)
- Cisco Catalyst 6000ã Šã, ^ã³6500ã, ·ãfªãf¼ã, °ã, 1ã, ¢ãffãfã Šã” Cisco 7600ã, ·ãfªãf¼ã, °ãf«ãf¼ã, ¿ç”” Cisco Network Analysis Module(NAM)
- Cisco Content Service Switch(CSS)11000ã, ·ãfªãf¼ã, °
- Cisco Content Service Switch(CSS)Secure Content Acceleratorãfãf¼ã, ãfSãf³1ã Šã, ^ã³2
- Cisco Threat Responsei¼^CTRi¼%
- Cisco Global Site Selector(GSS)4480
- Cisco Application & Content Networking Software(ACNS)
- Cisco SN 5428 ã, 1ãf^ãf—ãf¼ã, , ãf«ãf¼ã, ¿
- CiscoWorks 1105 Hosting Solution Engine(HSE)
- CiscoWorks 1105 Wireless LAN Solution Engine(WLSE)
- CiscoWorks Common Services(CMF)
- Cisco SIPãf—ãfã, ã, ·ã, ãf¼ãfã (SPS)
- Cisco Secure Policy Manageri¼^CSPMi¼%

æ¬;ã€®è£½ã”ã«ã¯OpenSSLã, ³ãf¼ãf%ãã«ãÿã¥ã€€SSLã®ÿè£...ã€ã, ã, Šã€1ã

- Cisco PIX ãf·ã, ;ã, ¢ã, çã, lã, ©ãf¼ãf«
- Cisco Catalyst 6500ã, ·ãfªãf¼ã, °ã Šã, ^ã³Cisco 7600ã, ·ãfªãf¼ã, °ãf«ãf¼ã, ¿ç”” Cisco Firewall Services Module(FWSM)
- Cisco Content Service Switch(CSS)11000ã, ·ãfªãf¼ã, °ã€“ SCMã€®ã¿ã€€è²ã½”
- Cisco SN 5428 ã, 1ãf^ãf—ãf¼ã, , ãf«ãf¼ã, ¿

è, †ã¼±æ€šã, ’ã«ã, ”ã Šã, ,,ãªã,,ã”ã”ã€çç°èªã·ã, €ãÿè£½ã”ã

SSLã, ’ã®ÿè£...ã™ã, æ¬;ã€®è£½ã”ãã€OpenSSLã€®è, †ã¼±æ€šãã«ã¼ã—ã|è, †ã¼

- Cisco VPN 3000 ã, ·ãfªãf¼ã, °ã, ³ãf³ã, »ãf³ãf^ãf—ãf¼ã, ¿
- Ciscoã, »ã, ãf¥ã, çã¼ã...¥æ¢œçÿ¥ã, ·ã, 1ãf†ãf (NetRanger)ã, çãf—ãf©ã, ¢ã, çãf³ã, 1ã€ã, ã”ã, €ã«ã¯ã 42xxã, çãf—ãf©ã, ¢ã, çãf³ã, 1ã€ã NM-CIDSã€ã Šã, ^ã³WS-SVS- IDSM2ã€€ã¼ã, €ã¼ã™ã€,
- Cisco Catalyst 6500ã, ·ãfªãf¼ã, °ã Šã, ^ã³Cisco 7600ã, ·ãfªãf¼ã, °ãf«ãf¼ã, ¿ç”” Cisco Secure Socket Layer(SSL)ã, µãf¼ãf”ã, 1ãfçã, ãf¥ãf¼ãf«
- Cisco Call Manager

CatOSã¯SSLã, ’ã®ÿè£...ã—ã|ã Šã, %ããšã€è, †ã¼±ã Šã ¯ã, ã, Šã¼ãã, ”ã€, ã»ã€®

- Cisco Threat Response(CTR) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
 CSCec46555([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ãŠã,^ã³CSCec45342([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã-ã-ã
 Threat Response(CTR)ã-ã€2çªç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- Cisco Global Site Selector(GSS)4480i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
[CSCec45380](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã«è~è¼%ooã•ã,Œã|ã,,ã¾ã™ã€,Cisco Global Site Selector(GSS)4480ã-ã€2ãç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- Cisco Application & Content Networking Software(ACNS) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
[CSCec41413](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã«è~è¼%ooã•ã,Œã|ã,,ã¾ã™ã€,Cisco Application & Content Networking Software(ACNS)ã-ã€2ãç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- Cisco SN 5428ã,âf~âf-âf¼ã,ãf«âf¼ã,¿i¼š1ãç>@ã@è,,tå¼±æ€šã-ã Bug ID
 CSCec44103([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã€2ãç>@ã@è,,tå¼±æ€šã-ã Bug ID
[CSCec69147](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã-ã-ã|æ-†æ>ãŒ-ã•ã,Œã|ã,,ã¾ã™ã€,
- CiscoWorks 1105 Hosting Solution Engine(HSE) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
 CSCec38542([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ãŠã,^ã³CSCec50647([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã-ã-ã
 1105 Hosting Solution Engine(HSE)ã-ã€2ãç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- CiscoWorks 1105 Wireless LAN Solution Engine(WLSE) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
 CSCec38526([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ãŠã,^ã³CSCec50640([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã-ã-ã
 1105 Wireless LAN Solution Engine(WLSE)ã-ã€2ãç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- CiscoWorks Common Services(CMF):CMF 2.2ãŠã,^ã³CMF 2.1ã@Solarisãfãf¼ã,ãfšãf³ã Windowsãfãf¼ã,ãfšãf³ã@ã;æ-1ã«è,,tå¼±æ€šãŒã 1.0ã@Windowsãfãf¼ã,ãfšãf³ã«ã,,è,,tå¼±æ€šãŒã~ãœ-ã-ã¾ã™ã€,æœ€â@èã Bug ID
[CSCec43722](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã«è~è¼%ooã•ã,Œã|ã,,ã¾ã™ã€,CiscoWorks Common Services(CMF)ã-ã€2ãç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã
- Cisco SIP Proxy Server(SPS) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
[CSCec31901](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã«è~è¼%ooã•ã,Œã|ã,,ã¾ã™ã€,Cisco SIP Proxy Server(SPS)ã-ã€2çªç>@ã@OpenSSLã@è,,tå¼±æ€šã@å½±éÿã,â-ã'ã¾ã>ã,"ã
- Cisco Secure Policy Manager(CSPM) i1/4šæœ€â@è,,tå¼±æ€šã-ã Bug ID
[CSCec61390](#)([ç™»éŒ?âf|âf¼ã,¶â°,ç™™](#))ã«è~è¼%ooã•ã,Œã|ã,,ã¾ã™ã€,Cisco Secure

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。