

# 802.1X

## ã, ãf—ãfã, «ãf³ãf^ã® è ð ð æ ° ã® è, , †ã¼±æ€š



ã, çãf%ãfã, ðã, ¶ãf³ãf¼ID : cisco-sa-20070221-suppliant  
â^ã...-é-**æ**—¥ : 2007-02-21 16:00  
ãfãf¼ã, ãfšãf³ 1.1 : Final  
CVSSã, 1ã, 3ã, ç : 7.0  
â>žéç- : No Workarounds available  
Cisco ãfã, ° ID :

[CVE-2007-1064](#)  
[CVE-2007-1065](#)  
[CVE-2007-1068](#)  
[CVE-2007-1066](#)

æ—¥ææ-èªžã«ã, ^ã, <æf...ã ±ã-ã€è<±èªžã«ã, ^ã, <ãŽÿæ-ã® éžã...-ã¼ã

æi, èi

Cisco Secure Services

Client(CSSC)ã-ã€è ð ð æ ° ã® ãfãfã, ðã, 1ã, çã, ðãf—ãš802.1Xèªè-ã, ã¼çã™ã, <  
CSSC ã, ãfã, ðã, çãf³ãf^ã-ã€Cisco Network Admission  
Controli¼^NACi¼%ãfãf-ãf¼ãf ãfãf¼ã, ã, ã¼ãfãfãf¼ã, ãfšãf³ã«ãã¼ã, Æã, < Cisco  
Trust Agenti¼^CTAi¼%ã®ã, ³ãf³ãfãf¼ãfãf³ãf^ãšã, ã, ã, šã¼ã™ã€,  
ã"ã, Æã, %ã®è£½ã"ã«ã-ã€æ"©é™ã®æ~æ¼ã,, æf...ã ±ã®éœ²ã^ããã®ã€è ð ð æ ° ã®

Cisco Security Agenti¼^CSAi¼%ãfãf³ãf%ãf«ãfãf¼ã, ãfšãf³ 5.0 ãšã, ^ã³ 5.1  
ã«ã-ã€Cisco Trust Agent

ã, ã¼ãfãf^ã, |ã, šã, çãã«ã¼ã, Æã|ã, ã¼ã¼ã™ã€, CSA ã, ãfã, ðã, çãf³ãf^  
ãfãffã, ±ãf¼ã, ã®ã, €éfãã-ã-ã| CTA ã, 'é...ã, ã™ã-ã|ã, ã, ããã€CTA  
ã®ãfãf¼ã, ãfšãf³ãã«ã®è, †ã¼±æ€šã«è©²ã½"ã™ã, <ãfãf¼ã, ãfšãf³ãšã, ã, <ã'ã  
ã, ãfã, ðã, çãf³ãf^ã¼ãÿã-ã, ðãf¼ãf  
ã, ã¼ãfãf^ã, |ã, šã, çãã«ã-è©²ã½"ã-ã¼ã>ã, "ã€,

Cisco

ãšã-ã€è©²ã½"ã™ã, ãšãšã®çæšçã«ã€ã"ã, Æã, %ã®è, †ã¼±æ€šã«ã¼ãçœã™ã  
ã"ã®ã, çãf%ãfã, ðã, ¶ãfãã-ã€[https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityA...sa-20070221-suppliant](https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityA...) ãšã...-é-ãã, Æã|ã, ã¼ã¼ã™ã€,

è©²ã½"è£½ã"

ã"ã®ã,»ã,ã,ãfSãfãã«ãã€è²á½"è£½á"ã«é-çã™ã,«è³ç'°ã€æŽ²è¼%ã•ã,€ã

è,,†á¼±æ€§ã®ã,ã,«è£½á"

ã€€ã,½ãfãfã,ã,§ã,ç

ãfãf¼ã,ãfSãfãã"ã;®æ£ã€ã,»ã,ã,ãfSãfãã«è"~è¼%ã•ã,€ã|ã,ã,ãfãf¼ã,ãfSãfãã,ã,ãf@ã,ã,çãfãfã«ãã"è,,†á¼±æ€§ã€ãã«ã¾ã,€ã|ã,,ã,ãã"èf½æ€§ã€ãã,ã,Šã¾

- Cisco Secure Services Client 4.xãfãf¼ã,ãfSãfã
- Cisco Trust Agent 1.xãŠã,ãã³2.xãfãf¼ã,ãfSãfã
- Meetinghouse AEGIS SecureConnect Client¼^Windowsãf—ãf@ãfãfãfã,ã,ãf¼ãfãfãfãf¼ã,ãfSãfãi¼%õ

ã,ããfã,ãfãf¼ãf«ã•ã,€ã|ã,,ã,« Cisco Trust Agent

ã®ãfãf¼ã,ãfSãfãã,ççºèªã™ã,ãã«ãã€æ-ã®ãfãã,£ãf-ã,ãfãfãã«ãã,ã,«ctastatã,¾ãfžãfãf%õã,ã½çç"ã—ã¾ã™ã€,

\\Program Files\Cisco Systems\CiscoTrustAgent

ãã,€ã,'ã½çç"ã™ã,ããã€æ-ãã®ã,ããfããããã™ã€;çªãã,€ã¾ã™ã€,

Cisco Trust Agent Statistics  
Current Time: Tue Sep 27 19:11:18 2005  
CTA Version: 2.0.0.26

ã,ããfã,ãfãf¼ãf«ã•ã,€ã|ã,,ã,« Cisco Secure Services Client

ã®ãfãf¼ã,ãfSãfãã,'èªã¼¹ã,ãã«ãã€ã,ãf@ã,ã,çãfãfããt...ã® [Help]

ã,çãfãã®ã,ããã,ã,ºèµããã§ããã,ã [About]ãfãã,ãã,çãfã,º

ã,|ã,£ãfãf%õã,|ã§ã,½ãfãfã,|ã,§ã,çãfãf¼ã,ãfSãfãæf...ã±ã,ççºèªã—ã¾ã™ã€,

è,,†á¼±æ€§ã,'ãã«ã,"ã§ã,,ããã,,ã"ã"ãã€ççºèªãã,€ãÿè£½á"

ã»ã®ã,ã,ã,ã,³è£½á"ãã«ãŠã,,ã|ã"ã®ã,çãf%õãfãã,ãã,¶ãfãã®ã½±éÿã,ã—ãã,'ã,

è³ç'º

Cisco Secure Services

Client(CSSC)ãã€èªæªªãã®ãfãfãããã,ã,ã,ã,ããfãã¸02.1Xèã"è¼æ"™æªªã,ã,ã½çç"ã™ã,«

Meetinghouse AEGIS SecureConnect

ã,ãf@ã,ãã,çãfãfãã"ãã—ãã|ã€²ãããã,€ã|ã,,ã¾ã—ãÿã€,

ã, "ãf³ãf%ãf>ã, 'ãf^ã «ã, ðãf³ã, 'ãf^ãf¼ãf«ã •ã, CEã ÿ Cisco Trust

Agenti¼^CTAi¼%ã ã€ Cisco Network Admission

Controli¼^NACi¼%ãf•ãf-ãf¼ãf ãf^ãf¼ã, ã, ½ãfãfãfãf¼ã, ãfSãf³ã @ã, ³ã, ç

ã, ³ãf³ãfãf¼ãfãf³ãf^ãfSãf³ã™ã€, CTAã «ãf^ NACãf•ãf-ãf¼ãf ãf^ãf¼ã, ^

ã, ½ãfãfãfãf¼ã, ãfSãf³ã @ã, €éf"ã "ã —ã |è"è¼ã, 'æãã¼ãã™ã, <è»½é±ãfãf¼ã, ãfSãf³ã

CSSCã CEã, ãf—ã, ãfSãf³ã Sã «ã¾ã, CEã |ã Šã, Šã€ãfãffãf^ãf^ãf¼ã, ^

ã, ðãf³ãfãf@ã, 'ãf^ãf@ã, ãfãf£ã, 'ã½ç"ã —ã |ã€ãfãffãf^ãf^ãf¼ã, ^

ã, ³ãf³ãf^ãfãf¼ãftã, £ãf³ã, °

ãfã, ½ãf¼ã, 'ã, ã @ã, çã, ã, »ã, 'ã, 'æ±ã, ã, ã, ã™ã 'ã |ã @ãfãfãfã, ðã, 'ã «ã, »ã, ãfãfãfãfã, £

ãfãfã, ãf¼ã, 'éç"ã —ã¾ã™ã€,

ã"ã, CEã, %ã, jæ-¹ã @è£½ã"ã «ãf^ã€æ" ©é™ã @æ~±æ¼ã,, ãfã, 'ãf^ãf¼ãf%ã @éœ²è |<ã

### æ" ©é™ã æ~±æ¼

ã, jæ-¹ã @è£½ã"ã «ãf^ã€æ" ©é™ã æ~±æ¼ã @è,, tã¼±æ€Sã CE 4

ã»¶ã~ãœ"ã —ã¾ã™ã€,

- ã, ³ãf³ãf^ãfãf¼ã, çã «ãfã, °ã, ðãf³ã —ã ÿéçç%¹æ" ©ãf|ãf¼ã, ¶ã CEã, ðãf—ãfã, «ãf³ãf^ GUIã @ãf^ãf«ãf—æ©ÿèf½ã, 'ã^ç"ã —ã |ã€ãfãf¼ã, «ãf«ã, ã, ã, ¹ãfãfãfãf¼ã, ¶ã¾ã Sã " ©é™ãã, 'æ~±æ¼ããã>ã, <ã"ã "ã CEã Sããã¾ãã™ã€, ã"ã Bug ID [CSCsf14120](#)(ç™»éCE²ãf|ãf¼ã, ¶ã°, ç"ã)ã «è"~è¼%ãã, CEã |ã, ã¾ã™
- ã, ³ãf³ãf^ãfãf¼ã, çã «ãfã, °ã, ðãf³ã —ã ÿéçç%¹æ" ©ãf|ãf¼ã, ¶ã CEã€ã, ðãf—ãfã, «ãf³ãf^ã, çãf—ãfã, ±ãf¼ã, ãfSãf³ãt...ãã, % SYSTEM ç%¹æ" ©ã, 'ã½ç"ã —ã |ã, ã, ¹ãfãfãt...ã @ã»æ,, ã @ãf—ãfã, °ãf@ãfã, 'èµããã Sãã Bug ID [CSCsf15836](#)(ç™»éCE²ãf|ãf¼ã, ¶ã°, ç"ã)ã «è"~è¼%ãã, CEã |ã, ã¾ã™
- æZç¶¶šã, ãf@ã, ðã, çãf³ãf^ GUI¼^ConnectionClient.exei¼%ç"ã @ã, »ã, ãfã, çã Sããããã, ãfãfã, ©ãf«ãf^ã @ Discretionary Access Control Listsi¼^DAcli¼%ã @ã ÿã, ã «ã€éçç%¹æ" ©ãf|ãf¼ã, ¶ã CE SYSTEM ãf-ãf™ãf«ç%¹æ" ©ã, 'ã½ç"ã —ã |ã @ÿè;CEã, ã @ ConnectionClient.exe ã «ã, ¹ãf-ãffãf%ã, æCEçã...ã Sããã¾ãã™ã€, ã"ã @è,, tã¼±æ€Sããã€ Cisco Bug ID [CSCsg20558](#)(ç™»éCE²ãf|ãf¼ã, ¶ã°, ç"ã)ã «è"~è¼%ãã, CEã |ã, ã¾ã™
- ãf^ãf¼ã, ãf³ã, °ã, ³ãfzãf³ãf%ã «ã½ç"ã —ãã, CEã |ã, ã, <æ%œ³ã @ã ÿã, ã «ã€ã, ³ãf³ãf^ãfãf¼ã, çãã, ã, ¹ãfãfãfãf¼ã, ¶ã "ã —ã |ãf—ãfã, »ã, ¹ã, 'èµããã Sããããã, çã ÿè½æ€Sãã CEã, ã, Šã¾ãã™ã€, Bug ID CSCsh30297(ç™»éCE²ãf|ãf¼ã, ¶ã°, ç"ã)ã Šã, ^ã³CSCsh30624(ç™»éCE²ãf|ãf¼ã, ¶ã°, ç"ã)ã «è"~è¼%ãã

ãf'ã,1ãfãf1/4ãf%œéœ²è'<

ãf'ã,1ãfãf1/4ãf%œã, 'ä¿ èãfãf³ãfãfã«ãSä¼é€ã™ã,«èãè¼ãfã,½ãffãf%œã,'ä½¿ç"ã—ã|ã  
ãfã,°ãfã,ã,ããf«i¼^ãfãfã,©ãf«ãf^ã®ã,ããf³ã,1ãfãf1/4ãf«  
ãfã,1ã,'æf³ã@šĩ¼%œã«ãf,ãf1/4ã,¶ã®ãfã,1ãfãf1/4ãf%œãĈã¹³æ-ããSæ,ãè¼¼ã¾ã,Ĉã¾ã

- TTLS CHAP
- TTLS MSCHAP
- TTLS MSCHAPv2
- TTLS PAP
- MD5
- GTC
- LEAP
- PEAP MSCHAPv2
- PEAP GTC
- FAST

CTA æœ%œçšã,ãf©ã,ãã,çãf³ãf~ĩ¼š

- \Program Files\Cisco Systems\Cisco Trust Agent 802\_1x Wired Client\system\log\apiDebug\_current.txt
- \Program Files\Cisco Systems\Cisco Trust Agent 802\_1x Wired Client\system\log\apiDebug\_1.txt
- \Program Files\Cisco Systems\Cisco Trust Agent 802\_1x Wired Client\system\log\apiDebug\_2.txt

Cisco Secure Services Clienti¼š

- \Program Files\Cisco System\Cisco Secure Services Client\system\log\apiDebug\_current.txt
- \Program Files\Cisco System\Cisco Secure Services Client\system\log\apiDebug\_1.txt
- \Program Files\Cisco System\Cisco Secure Services Client\system\log\apiDebug\_2.txt

AEGIS Secure Connecti¼š

- \Program Files\Meetinghouse\AEGIS SecureConnect\System\log\apiDebug\_current.txt
- \Program Files\Meetinghouse\AEGIS SecureConnect\System\log\apiDebug\_1.txt
- \Program Files\Meetinghouse\AEGIS SecureConnect\System\log\apiDebug\_2.txt

ã"ã®ãfã,°

ãfã,ã,ããf«ã^ã@šæœÿçš,,ã«ãfãf1/4ãfãã,ããfããã,Ĉã€ãfã,ã,ããf«ãĈã%œŠé™ããã,Ĉããÿã

ã"ã®è,,ã¼±æ€šã^ã€Cisco Bug ID

[CSCsg34423](#)(ç™»€E²ãfãf1/4ã,¶ã°,ç™)ã«è~è¼%œããã,Ĉãã|ã,,ã¾ã™

è,,ã¼±æ€šã,1ã,³ã,çè©ã¼ã®è©³ç´°

Cisco **Common Vulnerability Scoring**

System **CVSS** **Environmental Score**

Cisco

**Environmental Score**

**CVSS**

Cisco PSIRT

**CVSS**

**CVSS**

**CVSS**

<http://www.cisco.com/web/about/security/intelligence/cvss->

[gandas.html](#)

<https://sec.cloudapps.cisco.com/security/center/cvssCalculator.x>

<a href="#">CSCsf14120i/4šPrivilege escalation vulnerability</a> <a href="#">CSCsf14120ã®ç'°âçfã,1ã,3ã,çã,è''ç</a>				
CVSS <b>âÿ°æœ-ã,1ã,3ã,ç - 5.6</b>				
æ''»æ'fã...fãĈ°â†	æ''»æ'fæ;ä»¶ã®èæ†é'ã•	[Authentication]	æ©ÿâ†æ€šã,ã®â½±éÿ; â®Ĉã.	
Local	é<<	ä,èè	â®Ĉã°†	â®Ĉã°
CVSS ç¾çš¶ã,1ã,3ã,ç - 4.6				
æ''»æ'fã•ã,Ĉã,âè½æ€š	â©ç'''âè½ãã¾ç-ã®ãf-ãf™ãf«			Report
æ©ÿèf½ã™ã,ç	æfã¼			çç°èã

CSCsf15836: Webăf-ăf@ă,lă,ŋă«ă,^ă,ăæ”©é™ăæ”

CSCsf15836ă»®ç’oăçfă,1ă,3ă,çă,è”^ç

CVSS âÿ°æœ-ă,1ă,3ă,çî¼š7

æ”»æ’fă...făĈ°ă†	æ”»æ’fă»jă»ŋă»®èçé’ă»	[Authentication]	æ©ÿă†æ€šă,ă»®ă½±éÿ¿	ă®Ĉă.
Local	ă½Žă»	ă,»è »	ă®Ĉă†	ă®Ĉă°

CVSS ç»¾çšŋă,1ă,3ă,çî¼š5.8

æ”»æ’fă»ă,Ĉă,ă»èf½æ€š	ă^©ç””ă»èf½ă»ă¾ç-ă»®ăf-ăf™ăf«	Report
æ©ÿèf½ă»™ă,ç	ăfă¼»	çç°è^ă»

CSCsg20558: ConnectionClient.exeă»ăfăf¼ă,ăăf«æ”©é™ăæ”

CSCsg20558ă»®ç’oăçfă,1ă,3ă,çă,è”^ç

CVSS âÿ°æœ-ă,1ă,3ă,çî¼š7

æ”»æ’fă...făĈ°ă†	æ”»æ’fă»jă»ŋă»®èçé’ă»	[Authentication]	æ©ÿă†æ€šă,ă»®ă½±éÿ¿	ă®Ĉă.
Local	ă½Žă»	ă,»è »	ă®Ĉă†	ă®Ĉă°

CVSS ç»¾çšŋă,1ă,3ă,çî¼š5.8

æ”»æ’fă»ă,Ĉă,ă»èf½æ€š	ă^©ç””ă»èf½ă»ă¾ç-ă»®ăf-ăf™ăf«	Report
-----------------------	-------------------------------	--------

æ©ÿèf½ã™ã,<	æfã¼	çç°èª
-------------	------	-------

[CSCsh30297:Security vulnerability while launching a processã Šã, ^ã³ CSCsh30297ã Šã, ^ã³ CSCsh30624ã ®ç°ãçfã,](#)

CVSS åÿ°æœ-ã,¹ã,³ã,çì¼š7

æ”»æ’fã...fãĀ°ã†	æ”»æ’fæ¼jã»¶ã®èæ†é’ã•	[Authentication]	æ©ÿã†æ€šã,ã®ã½±éÿ; å®Āã.
Local	ã½žã,,	ã,èè	ã®Āã°

CVSS ç¼çš¶ã,¹ã,³ã,çì¼š5.8

æ”»æ’fã•ã,Āã,ãã½æ€š	ã©ç”ãèf½ãªã¼ç-ã®ãf-ãf™ãf«	Report
æ©ÿèf½ã™ã,<	æfã¼	çç°èª

[CSCsg34423i¼šãfãf¼ã,¶ã®ãfã,¹ãfãf¼ãf%ããĀãã,°ãfã,ãã](#)  
[CSCsg34423ã®ç°ãçfã,¹ã,³ã,çã,è”^ç](#)

CVSS åÿ°æœ-ã,¹ã,³ã,ç - 1.6

æ”»æ’fã...fãĀ°ã†	æ”»æ’fæ¼jã»¶ã®èæ†é’ã•	[Authentication]	æ©ÿã†æ€šã,ã®ã½±éÿ; å®Āã.
Local	ã½žã,,	ã,èè	éf”ã†çš,, ãªã

CVSS ç¼çš¶ã,¹ã,³ã,ç - 1.3

æ”»æ’fã•ã,Ĉã,ã <sup>-</sup> èf½æ€š	ã^©ç””ã <sup>-</sup> èf½ã <sup>a</sup> ã <sup>-</sup> ¼ç-ã <sup>®</sup> ãf-ãf™ãf«	Report
æ©ÿèf½ã™ã,ç	æfã¼	çç <sup>°</sup> ã

## ã>žéç-

æ”©é™æ~†æ ¼ã<sup>®</sup>è,,†ã¼±æ€šã<sup>®</sup>«ã<sup>-</sup>¼ã<sup>™</sup>ã,ã>žéç-ã<sup>-</sup>ã<sup>®</sup>,ã,šã<sup>¾</sup>ã>ã,,ã€,

ãf’ã,¼ãf~ãf¼ãf%œ²è!ã<sup>®</sup>è,,†ã¼±æ€šã<sup>-</sup>ã<sup>®</sup>çç<sup>¾</sup>ãœ”ã<sup>®</sup> apidebug\_current.txt

ãf•ã,ã,ããf«ã<sup>”</sup>ã€ã<sup>®</sup>ã<sup>®</sup>Ĉãf•ã,ã,ããf«ã<sup>®</sup>ã»¥ã%ã<sup>®</sup>ã<sup>®</sup>ãfãf¼ã,ãfšãf³ã,’ã%šé™ã<sup>™</sup>ã<sup>™</sup>ã,ãã”ã<sup>”</sup>ã

## äç®æ£æ,^ãçã,½ãf•ãf^ã,|ã,šã,ç

ã,çãffãf—ã,°ãf~ãf¼ãf%ã,’æœ²è”žã<sup>™</sup>ã,ã ‘ã^ã<sup>-</sup>ã<sup>®</sup><http://www.cisco.com/go/psirt>

ã<sup>”</sup>ã<sup>¾</sup>Ĉç|šã<sup>®</sup>ã,çãf%ãã,ã,ã,ããfã,ã<sup>ç</sup>...šã<sup>-</sup>ã<sup>®</sup>|ã<sup>®</sup>ã<sup>®</sup>é;Ĉã<sup>®</sup>èšfæ±°çš|æ³ã<sup>®</sup>ã<sup>”</sup>ã<sup>®</sup>

[ã,½ãfãfãf¼ã,ãfšãf³ã,çç<sup>°</sup>è<sup>a</sup>ã<sup>®</sup>—ã<sup>®</sup>|ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>,ã€.](#)

ã<sup>®</sup>,ã<sup>®</sup>šã,Ĉã<sup>®</sup>ã ‘ã^ã,,ã€ã,çãffãf—ã,°ãf~ãf¼ãf%ã<sup>™</sup>ã,æ©ÿã™”ã<sup>®</sup>«ã<sup>®</sup>ã<sup>®</sup>ã^†ã<sup>a</sup>ãfãfçãfã<sup>®</sup>

Technical Assistance

Center¼^TAC¼%ã<sup>¾</sup>ã<sup>®</sup>ÿã<sup>-</sup>ã<sup>®</sup>ç’,ã,’çμã,,ã<sup>®</sup>šã<sup>®</sup>,ã,ãfãf³ãf†ãfšãf³ã,¹

ãf—ãfãfã,ããf€ãf¼ã<sup>®</sup>«ã<sup>®</sup>šã<sup>®</sup>ã<sup>®</sup>,ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>,ã€,

ã,ã<sup>®</sup>è;”ã<sup>®</sup>«ã<sup>-</sup>ã<sup>®</sup>ã<sup>®</sup>ã<sup>®</sup>,Ĉã<sup>®</sup>žã,Ĉã<sup>®</sup>è,,†ã¼±æ€šã<sup>®</sup>Ĉæœ²èã<sup>^</sup>ã<sup>®</sup>«äç®æ£ã<sup>®</sup>ã,Ĉã<sup>®</sup>ÿ

ãfãf¼ã,ãfšãf³ [2.1.103.0](#)ã<sup>¾</sup>ã<sup>®</sup>ÿã<sup>-</sup> CSSCãfãf¼ã,ãfšãf³ 4.0.51.5192

ã,’ãfã,|ãf³ãfãf¼ãf%ã<sup>™</sup>ã,ãã”ã<sup>”</sup>ã,’æž”ã<sup>®</sup>ã,,ã<sup>®</sup>ÿã<sup>-</sup>ã<sup>¾</sup>ã<sup>™</sup>ã€,

[Category]	ãfã,°ID	èf½ã <sup>®</sup>	ç 1 äç®æ£æ,^ãçã,½ãf•ãf^ã,¹
æ”©é™æ~†æ ¼	<a href="#">CSCsf14120</a>	CTA	<a href="#">2.1.18.0</a>
		CSSC	4.0.51.5192
	<a href="#">CSCsf15836</a>	CTA	<a href="#">2.1.18.0</a>
		CSSC	4.0.51.5192



	<a href="#">CSCsg20558</a>	CTA	<a href="#">2.1.103.0</a>
		CSSC	4.0.51.5192
	<a href="#">CSCsh30297</a> ãŠã,^ã³	CTA	<a href="#">2.1.103.0</a>
		<a href="#">CSCsh30624</a>	CSSC
ãf'ã,1ãf~ãf¼ãf%óéè²è\<	<a href="#">CSCsg34423</a>	CTA	<a href="#">2.1.103.0</a>
		CSSC	4.0.51.5192

ã, æfã^©ç''' ä°<ã¾ã "ã...-ã¼ç™ºèj''

Cisco PSIRT

ãŠãã-ã€æœ-ã,çãf%ããã,ã,ã,ããã«è''è¼%ãã•ã,ããã|ãã,,ã,è,,ã¼±æ€ãã®ã,æfã^©ç

ã"ã,ãã,%ã®è,,ã¼±æ€ãã®ã,ã® 2ãããã-ã€ããŠã®çæš~ã<ã,% Cisco  
ã«ã ±ã'Šãã,ããããããã™ã€,æ®ã,Šã®è,,ã¼±æ€ãã Cisco  
ãã...éí''ãšç™ºè|ãã•ã,ããããããããããã,ããããããããããã

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20070221-supPLICANT>

æ''è'',ã±æ'

ãfããf'ã,ãfšãf³ 1.1	2007 ã¹' 3 æœ^ 1 æ—¥	ã€ãè\ç',ã€ããŠã,^ã³ã€ãèè²ã½"è£½ã"ã€ãã,ã,ã,ãfšãf³ãš Cisco Security Agent¼^CSAI¼%ããããf³ãf%ããã«ããããf¼ã,ãfšãf³ 5.0 ãŠã,^ã³ 5.1ã«-çãã™ã,æf...ã ±ã,'æ'æ-°ã€,
ãfããf'ã,ãfšãf³ 1.0	2007 ã¹' 2	ã^ã>žã...-é-<ãfããfããf¼ã,¹



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。