

NetFlow Collection Engine

ã◆šã◆®ãf‡ãf•ã,©ãf«ãf^ãf'ã,¹ãf~ãf¼ãf%o



ã,çãf%ãf◆ã,ãã,¶ãfãf¼ID : cisco-sa-20070425-nfc

[CVE-2007-2282](#)

â◆ã...-é-ã—¥ : 2007-04-25 16:00

ãf◆ãf¼ã,ãfšãf³ 1.1 : Final

CVSSã,¹ã,³ã,ç : [5.6](#)

ã»žé◆ç- : No Workarounds available

Ciscoãf◆ã,° ID :

æ—¥æ-èªžã◆«ã,^ã,ãæf...ã±ã◆~ã€◆è±èªžã◆«ã,^ã,ãžYæ-ã◆®é◆žã...-ã¼◆ã◆

æ!,è!◆

Cisco Network Servicesi¼^CNSi¼%NetFlow Collection Enginei¼^NFCi¼%ã◆® 6.0

ã,^ã,šã%o◆ã◆®ãf◆ãf¼ã,ãfšãf³ã◆šã◆~ã€◆ãf|ãf¼ã,¶ã◆◆ã◆~ãf'ã,¹ãf~ãf¼ãf%oã◆CEã◆¾ã◆£ã◆ã,çã,«ã,|ãf³ãf^ã◆CEä½oeæ^ã◆•ã,CEã◆|ã½çç"ã◆•ã,CEã◆¾ã◆™ã€„ã◆"ã◆®ã,çã,«ã,|ãf³ãf^ã◆®ãã,ªãfšãf-ãf¼ãftã,£ãf³ã,°

ã,ã,¹ãftãfã◆«ãf|ãf¼ã,¶ã◆~ã◆—ã◆|ã,çã,~ã,»ã,¹ã◆šã◆◆ã◆¾ã◆™ã€,

NFCãf◆ãf¼ã,ãfšãf³ 6.0

ã◆ã◆®ã,çãffãf—ã,ªf-ãf¼ãf%oã◆~ç„;ã„Yã◆šã◆~ã◆ã,šã◆¾ã◆ã,ªã„ã◆"ã◆®ãf‡ãf•ã,©ãf«ãf^ãf'ã,¹ãf~ãf¼ãf%oã◆®ã•◆é;CEã◆«ã¾ã‡|ã◆™ã,ã◆Yã,ã◆ã◆«ã,½ãf•ãf^ã,|ã,šã,çã,'ã,çãffãf—ã,ªf-ãfãã◆šãf'ã,¹ãf~ãf¼ãf%oã,'ã%oæ>ã◆™ã,ã-¹ã³•ã,'çã°ã◆—ã◆|ã◆„ã◆¾ã◆™ã€,

ã◆"ã◆®ã,çãf%ãf◆ã,ãã,¶ãfãã◆~ã€◆<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityA sa-20070425-nfc>ã◆šã...-é-ã◆ã,CEã◆|ã◆„ã◆¾ã◆™ã€,

è©²ã½“è£½ã”◆

è,,†ã¼±æ€šã◆®ã◆,ã,«è£½ã”◆

ã◆"ã◆®è,,†ã¼±æ€šã◆~ã◆6.0.0ã,^ã,šã%o◆ã◆®ã,½ãf•ãf^ã,|ã,šã,çãf◆ãf¼ã,ãfšãf³ã,'ã®Yè;CEã◆—ã◆|ã◆„ã,« Cisco NetFlow Collection Engineã◆«ã½±éYçã◆—ã◆¾ã◆™ã€,Cisco NetFlow Collection Engineã◆®ã,½ãf•ãf^ã,|ã,šã,çãf◆ãf¼ã,ãfšãf³ã◆~ã€◆Webãf™ãf¼ã,¹ã◆®ãf|ãf¼ã,¶ãã,ããf³ã,çãf¼ãf•ã,šã,ãã,¹¼^UI¼%ã◆«ãfã,°ã,ããf³ã◆™ã,ã◆ã◆ã€◆ãfã,¹ãf

```

ã,ªãšãf-ãf¼ãftã,£ãšã,°ã,ã,¹ãftãfã<ã,%o nfc collector ã,³ãžãšãšãf%ã® show-tech
ãfãf©ãfjãf¼ã,¿ã,'ã½¿ç"ã™ã,ãã"ãã"ãSçç°èããSãããã¾ã™ã€,ãfãf¼ã,ãšãšãš
6.0 ä»¥é™ã,'ã®ÿè;Çã—ã|ã,,ã,ã'ã^ã€nfc collector
ã,³ãžãšãšãf%ãSã,½ãf·ãf^ã,|ã,Sã,çã®ãf-ãf™ãf«ã,'çç°èããã™ã,ãã«ãã- version
ãfãf©ãfjãf¼ã,¿ã,'ã½¿ç"ã™ã—ã¾ãã™ã€,

```

```

NFCã®ãfãf¼ã,ãšãšãšã-ã€Webãf-ãf©ã,|ã,¶ã,'ã½¿ç"ã—ã|http://<nfc-
hostname>:8080/nfcã«ã,çã,ã,,ã,¹ã—ã€ã·|ã,Šéš...ã® About
ã,'é,æšžã™ã,ãã"ãã"ãSçç°èããSãããã¾ã™ã€,æ-°ã—ã,,ã,|ã,£ãšãšãf%ã,|ã«
NFCã®ãfãf¼ã,ãšãšãšãÇèj"çç°ã·ã,Çã¾ãã™ã€,

```

```

ãf>ã,¹ãf^ã,ªãšãf-ãf¼ãftã,£ãšã,°ã,ã,¹ãftãfã<ã,%o NFC
ã®ãfãf¼ã,ãšãšãšã,'çç°èããã™ã,ãã«ãã-ã€ã/opt/CSCOnfc/nfc collector
ã,³ãžãšãšãf%ã® show-techãfãf©ãfjãf¼ã,¿ã,'ã½¿ç"ã—ã¾ãã™ã€,NFC
ãfãf¼ã,ãšãšãš 5.0.3
ã,'ã®ÿè;Çã—ã|ã,,ã,ã,ã,¹ãftãfã®ã'ã^ã€ã/opt/CSCOnfc/bin/nfc collector show-tech
ã®ã·ãš>çµæžœã-æ-jã®ã,^ããtã«ããšã¾ãã™ã€,

```

<#root>

```

$ /opt/CSCOnfc/nfc collector show-tech

***** pkginfo/swlist *****
Name           : CSCOnfc           Relocations: /opt/CSCOnfc
Version        : 5.0.3

Vendor: Cisco Systems, Inc
Release        : 2                Build Date: Wed 06 Sep 2006 11:19:59 AM EDT
Install Date:  Mon 12 Feb 2007 04:26:54 PM EST   Build Host: nfc-hpux.cisco.com
Group          : Applications/Network           Source RPM: CSCOnfc-5.0.3-2.src.rpm
Size           : 109385602                      License: Copyright (c) 2002-2003 by Cisco Systems, Inc
Signature      : (none)
URL            : http://www.cisco.com
Summary        : Cisco NetFlow Collector
Description    :
Cisco CNS NetFlow Collection Engine receives, filters, and aggregates NetFlow
traffic data generated by Cisco routers and switches.

```

```

è,†ã¼±æ€šã,'ã«ã,"ãSã,,ããã,,ã"ãã"ããÇçç°èãã·ã,Çãÿè½ã"
ã"ã®ã,çãf%ãfã,¶ã,¶ãšããSè-æžžã·ã,Çã|ã,,ã,ã·ãéjÇã«ã¾ã™ã,è,,†ã¼±æ€šã,
Cisco è½ã"ã-ç¾ãœ"ã®ã"ã"ã,ãã±ãšã·ã,Çã|ã,,ã¾ã>ã,"ã€,

```

è©³ç°

Cisco CNS NetFlow Collection Engine

NetFlow
NetFlow

Denial of service
Denial of service

UNIX

Linux

Linux

Linux

Cisco Bug ID [CSCsh75038](#)

CVSS

Common Vulnerability Scoring

Systemi^CVSSi%
Systemi^CVSSi%

Cisco

Environmental Scorei%

Environmental Scorei%

Cisco PSIRT

CVSS

CVSS

CVSS

CVSS

CVSS

<http://www.cisco.com/web/about/security/intelligence/cvss-qandas.html>

«ã,çã,ã,»ã,ã—ã|ãããã•ã„ã€,

ã¾ãÿ Cisco

ã¬ã€ã€...ã®ãfãfãf^ãfãf¼ã,ã«ãšã'ã,ç°ãçfã½±éÿ;ã°|ã,ç®—ã±ã™ã, CVSS è^ç®—ãf„ãf¼ãf«ã,'ã»ã,ã«® URL ã«ã|æã¾ã—ã|ã„ã¾ã™ã€,

<https://sec.cloudapps.cisco.com/security/center/cvssCalculator.x>

CSCsh75038i¼šDefault password for nfc				
ç°ãçfã,ã,ã,çã,'èç®—ã™ã,ç CSC				
CVSS åÿ°æœ¬ã,ã,¾ã,ç - 5.6				
æ»»æ'fã...fãE°ã†	æ»»æ'fæ¼ä»¶ã®è±é'ã•	[Authentication]	æ©ÿã†æ€šã„ã®ã½±éÿ; á®Eã.	
Remote	é«	ä,è	éf^†çš,,	éf^†ç
CVSS ç¾çš¶ã,ã,¾ã,ç - 5.1				
æ»»æ'fã•ã,æã,ã¬èf½æ€š	ã©ç»ã¬èf½ãªã¾çã®ãfãf™ãf«		Report	
æ©ÿèf½ã™ã,ç	ãžéç-		çç°ã	

ãžéç-

ãfãfãf¼ã, 6.0

ã»±€™ãšã¬ã€ã«ã®ã•éçEã„ã®ã¾ã¼æœ¬ãE¬ã¬ã,ã»ã,çã¾ã™ã€ 6.0

ã,ã,š¾æã®ãfãf¼ã,ãfšãf³ã„ã®ã,çãfãf—ã,°ãfãf¼ãf%øæ™,ã«ã€æ¬ã®ã¾ãšç°ã¼ãf™ãf¼ã,ã® nfcuser

ã,çã,«ã,ãf³ãf^ã®ãfã,ãfãf¼ãf%øã,'ã%øæ'ã™ã,ã,ã†æ±,ã,ã,ãf—ãfãf³ãf—ãfãEãf|ãf¼ã

Web

ãf|ãf¼ã,¶ã»ãfã,ãfãf¼ãf%øã«ã¾ã—ã|ã®ãéç©ç»ã•ã,æã¾ã™ã€,ãžéç-ã,»

ãf>ã,¹ãf^ã¸Sã¸¯ã€¸ãf>ã,¹ãf^ã,ªãfšãf-ãf¼ãftã,£ãf³ã,°ã,ã,¹ãftãfã¸®nfcuser
ã,'æ%ãã¸ã¸Sã¸¸ã¸æ>'ã¸™ã¸,ã¸¿...è|ã¸¸CEã¸,ã,Šã¸¾ã¸™ã¸€,Solaris
ã¸,ã¸¸ã¸,ã¸ãf³ã,¹ãf^ãf¼ãf«ã¸Sã¸¯ã€¸ã¸,ã¸¸ã¸«ã¸,ã¸ãf³ã,¹ãf^ãf¼ãf«ã¸¸ã¸¸ã¸¸«ãfãf¼ã,«ãf«
nfcuser
ã,'ã½œæ^ã¸—ã¸|ã¸Šã¸¸ã¸¿...è|ã¸¸CEã¸,ã,ã¸¸ã¸¸Sã¸€ã¸¸"ã¸¸ã¸¸,çãf%ããfã¸,ã¸,¶ãf³ã¸¸
Webãf™ãf¼ã,¹ã¸¸ãf|ãf¼ã,¶
ã,çã,«ã,|ãf³ãf^ã¸¸ã¸¸¿ã¸¸CEã¸¾ã¸¸ã¸¸«ã¸¸ªã,Šã¸¾ã¸¸™ã¸¸€,Solarisã¸¸¾ã¸¸Yã¸¸¯Linux
ã¸¸«ãfãf¼ã,ãfšãf³6.0ã¸¸¥é™ã¸¸¸¸NFC
ã,ã,ã¸ãf³ã,¹ãf^ãf¼ãf«ã¸¸™ã¸¸,ã¸'ã¸¸^ã¸¸¯ã¸¸€ã¸¸,ã¸ãf³ã,¹ãf^ãf¼ãf©ã¸¸,ã¸Yè;CEã¸¸™ã¸¸,ã¸%ã¸¸ã¸¸«ã¸¸€ã¸¸ãfã¸,¹
ã,ªãfšãf-ãf¼ãftã,£ãf³ã,°ã,ã,¹ãftãfã¸¸«nfcuser
ã,çã,«ã,|ãf³ãf^ã,¹ã½œæ^ã¸—ã¸|ã¸Šã¸¸ã¸¿...è|ã¸¸CEã¸,ã,Šã¸¾ã¸¸™ã¸¸€,

6.0ã,ã,Šã¸¸ã¸¸ã¸¸¸ã¸¸ãfãf¼ã,ãfšãf³ã¸¸¸¸NFC
ã¸¸Sã¸¸¯ã¸¸€ã¸¸æ-;ã¸¸¸ã¸¸æ%ã¸¸«éã¸¸tã,'ã½¿ç"ã¸¸—ã¸¸|Web
ãf|ãf¼ã,¶ã,¹ã¸¸ã¸¸æ>'ã¸¸Sã¸¸¸ã¸¸¾ã¸¸™ã¸¸€,

æ-;ã¸¸«ç¸¸ªã¸¸™ã¸¸,ã¸¸tã¸¸«ã¸¸€\${NFC_DIR}/config/auth.config
ã¸¸«ã¸¸¿ã¸¸ã¸¸ã¸¸,CEã¸¸|ã¸¸,ã,ã¸fã¸,;ã¸,ã¸ãf«èª¸¸è"¼ãfãf©ãf;ãf¼ã,¿ã,ç¸¸"éã¸¸tã¸¸—ã¸¸¾ã¸¸™ã¸¸€,nfc-
userãfã¸,£ãf¼ãf«ãf%ã¸¸ã¸¸ã¸¸æ>'ã¸¸¯èf½ã¸¸Sã¸¸™ã¸¸€,nfc-password
ã¸¸«ã¸¸¯ã¸¸¼ã¸¸Šã¸¸ªã¸¸ãfã¸,¹ãf^ãf¼ãf%ã¸¸ã¸¸,é¸¸,æŠšã¸¸™ã¸¸,ã¸¿...è|ã¸¸CEã¸,ã,Šã¸¾ã¸¸™ã¸¸€,

<#root>

```
NFC {
    com.cisco.nfc.collector.web.auth.SimpleLoginModule required nfc-user="nfcuser"
nfc-password="nfcuser"
;
};
```

æ-;ã¸¸«ã¸¸€nfcuserã¸¸"ã¸¸—ã¸¸|ã¸¸€NFC
ã,çãf—ãf³ã,±ãf¼ã,ãfšãf³ã,¹ã½œæçã¸¸—ã¸¸€ã¸¸ã¸¸tã¸¸èµã¸¸ã¸¸—ã¸¸¾ã¸¸™ã¸¸€,ã¸¸"ã¸¸¸¸æ"ã¸¸ã½œæ^ã¸¸¯ã¸¸
ã,³ãfžãf³ãf%ã¸¸ã¸¸,¹ã½¿ç"ã¸¸—ã¸¸|ã¸¸è;CEã¸¸,ã¸¾ã¸¸¾ã¸¸™ã¸¸€,

```
# su - nfcuser

$ /opt/CSCOnfc/bin/nfcollector stop all
nfcxml: Not Running
collection: Not Running
re: Not Running; autostart not configured
web: Not Running
```

```
$ /opt/CSCOnfc/bin/nfcollector start all
```

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws.

By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at: <http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>

If you require further assistance please contact us by sending email to export@cisco.com.

```
nfcxml: Running (pid: 6598)  
collection: Running (pid: 6606)  
re: Not Running; autostart not configured  
web: Running (pid: 6618)
```

```
ã¼ãÝãfãf¼ã,ãfãf³ 6.0 ã,^ã,Šã%ã® NFC ã, Linux  
ã«ã,ãf³ã,¹ãfãf¼ãã™ã,ã 'ã ^ã ¯ã€æ¬ã®ã¼ã«çªã™ã,^ã ¯ã«ã€passwd  
ã,³ãfžãf³ãf%ãã,'ã½ç'''ã—ã ¦ nfcuser ãfã,¹ãfãf¼ãf%ãã,'ãª%ãæ'ã—ã¾ã™ã€,
```

```
# passwd nfcuser  
Changing password for user nfcuser.  
New UNIX password:  
Retype new UNIX password:  
passwd: all authentication tokens updated successfully.
```

```
ãfãf¼ãã,«ãf«ãf¼ãã,¶ã®ãfã,¹ãfãf¼ãf%ãã¯ã€Webãf¼ãã,¶  
ã,çãã,ã,¶ãf³ãfã®ãfã,¹ãfãf¼ãf%ãã¨ã,€è'ã•ã•ã,ã¿...è¦ã€ããªã,ãã"ã ¯ã«æ³ æ,,  
6.0 ã«ã,çãffãf—ã,ªãfãf¼ãf%ãã™ã,«éšã«ã¯ã€UIããšã½ç'''ã™ã,«æ-ªã—ã,,  
nfcuser
```

```
ã®ãfã,¹ãfãf¼ãf%ãã,'æCE‡ã®šã™ã,ã,^ã ¯ã±,ã,ãã,ãf—ãfãf³ãf—ãfã ¯ã€è‡ãªçšã,ã€è¦ çªãã  
ã,ªãfšãfãf¼ãfãã,£ãf³ã,ªã,ã,¹ãfãfã® nfcuser  
ã®ãfã,¹ãfãf¼ãf%ãã¯ã€ä,šãšèã~žã—ãÝã,^ã ¯ã ¯ãª%ãæ'ã™ã,ã¿...è¦ã€ããªã,
```

ä¿®æ£æ, ^ã¿ã,½ãf•ãf^ã, |ã,šã,ç

```
ã,çãffãf—ã,ªãfãf¼ãf%ãã,'æªæèžã™ã,ã 'ã ^ã ¯ã€http://www.cisco.com/go/psirt  
ã¨ã¾ã€ç¶šã®ã,çãf%ããfãã,ªã,¶ãfãã,ãç,...šã—ã ¦ããªã•é¦ã€®èš£æ±ªçš¶æ³ãã¨ã  
ã,½ãfãf¼ãã,ãfšãf³ã,ççªèªã—ã ¦ã€ããããã•ãã,,ã€,
```


翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。