

Cisco Unified Communications Manager Express

ã^a ã,µãf¼ãf"ã,¹æ'å |ã®è,,†å¼±æ€š



ã,çãf%ãfã,µã,¶ãfãf¼ID : cisco-sa-20100324-cucme

[CVE-2010-0585](#)

â^ã...-é-æ—¥ : 2010-03-24 16:00

[CVE-2010-](#)

æœ€gæ>æ-°æ—¥ : 2012-09-21 19:04

[0586](#)

ãfãf¼ã,ãfšãf³ 1.1 : Final

CVSSã,¹ã,³ã,ç : [7.8](#)

å>žéç- : No Workarounds available

Cisco ãfã,° ID : [CSCsz48614](#) [CSCsz49741](#)

æ—¥æœ-èªžã«ã,^ã,æf...å ±ã-ã€è<±èªžã«ã,^ã,åŽYæ-†ã®éžã...-å¼±ã

æ!,è!?

å®Yè;Eã™ã,ãf†ãfã,µã,¹ Cisco IOS®

ã,½ãfãf^ã,¹ã,šã,çãæ^ãšYã™ã,CEã°ã,æ£ã^©ç"ãã,CEã|ãf†ãfã,µã,¹ã®ãfãfãf¼ãf%

2 ã,µãf¼ãf"ã,¹æ'å |ã®è,,†å¼±æ€šã<ã,% Cisco Unified Communications Manager Express i¼^CMEi¼%ã³ãYã Cisco Unified Survivable Remote Site Telephony

i¼^SRSTi¼%ã,ªãfšãf-ãf¼ã,ãfšãf³ã®ãYã,ãã«è"å®šãã,CEã|å½±éYç,ã—ã'ã€,

è,,†å¼±æ€šã Cisco IOSãf†ãfã,µã,¹ãCEç%¹å®šã€ã,æ£ããª Skinny Client Control Protocoli¼^SCCPi¼%

ãfjãffã,»ãf¼ã,ã,å†|çãtã™ã,ãã"ãã¼ããèµã"ãã,CEã³ãã™ã€,

ã,ã,¹ã,³ãã"ã,CEã,%ãã®è,,†å¼±æ€šã«ã³ã†|ã™ã,ã,½ãfãf^ã,¹ã,šã,ç

ã,çãffãf—ãf†ãf¼ãf^ã,æãã³ãã—ã|ã,,ã³ãã™ã€,

ã"ã®ã,çãf%ãfã,µã,¶ãfãf¼ <http://tools.cisco.com/security/center/content/CiscoSecurityAdvisor/y/cisco-sa-20100324-cucme>ãšæŽ²çªãã,CEã³ãã™ã€,

æ³: 2010 å¹ 3 æœ^ 24 æ—¥æ€ Cisco IOS ã,½ãfãf^ã,¹ã,šã,çãã®ã,»ã,ãfãfãfãfã,£

ã,çãf%ããfã,µã,¶ãfãf¼ã«ãšãã,,ã|ã€7ãããã®ã,»ã,ãfãfãfãfã,£

ã,çãf%ããfã,µã,¶ãfãf¼ã,åã«ã,€ãfãf³ãf%ããf«è³æ-™ãCEã...-é-ãã,CEã³ãã™ã—ãYã€,

ã™ã¹ã|ã®ã,çãf%ããfã,µã,¶ãfãf¼ãš Cisco IOS

ã,½ãfãf^ã,¹ã,šã,çãã®è,,†å¼±æ€šãCEãã-ã,šã,šã'ã,%ã,CEã|ã,,ã³ãã™ã€,

ã,,ã,çãf%ããfã,µã,¶ãfãf¼ã«ã-ãããããã®ã,çãf%ããfã,µã,¶ãfãf¼ãšè©³èçªãã,CEãYè,,†å¼±æ€š

2010 å¹ 3 æœ^ 24

æ—Ÿã¼ãŸãã,Œä»Ÿå%ã«å...-é-ãã,ŒãŸã™ã¹ã|ã® Cisco IOS
ã,½ãfãfã,|ã,šã,ćã®è,,†ã¼±æ€šã«ã¼ãžœã—ãŸãfãfãf¼ã,¹ã«ã»ã,,ã|ãã€æ-;ã
URL ã«ã,ã,«è;ã,ã,ç...šã—ã|ãããããã,ã€,

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100324-bundle>

"Cisco Event Response: Cisco IOS ãšã,^ã³ IOS ã,½ãfãfã,|ã,šã,ćã®ã,»ã,ãfãfãfãfã,£
ã,ćãf%ããfã,ã,ã,¶ãfã
ãfãfãf%ããf«è³æ-™i¼^ãšã¹^ãš¼%ã-æ-;ã®ãfããfã,ã«æž²è¼%ãã,ã,Œã|ã,,ã¼ã

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_mar10.html

è©²ã¼“è£¼ã”

Cisco IOSãfãfã,ã,¹ãã€Cisco Unified CME ã< Cisco Unified SRST
æ©Ÿèf½ã®ãŸã,«è”ãšãã,Œã,« Cisco Unified Communications 500
ã,ãfãf¼ã,°ã,ã,“ãšã€ã½±èŸã,ã—ã’ã|ã,,ã¼ã™ã€,

è,,†ã¼±æ€šã®ã,ã,«è£¼ã”

Cisco Unified CME ã,ãfšãfãf¼ã,ãfšãfãã®ãŸã,«è”ãšãã,Œã,« Cisco
IOSãfãfã,ã,¹ã show running-config
ã,ãfžãfãf%ãŒç™è;Œãã,Œã,ãã”ãæ-;ã®ã†°ãšã,è;ççã™ã,«:

```
telephony-service  
...  
!  
ephone <Ethernet phone tag>  
...
```

Cisco Unified SRST ã,ãfšãfãf¼ã,ãfšãfãã®ãŸã,«è”ãšãã,Œã,« Cisco
IOSãfãfã,ã,¹ã show running-config
ã,ãfžãfãf%ãŒç™è;Œãã,Œã,ãã”ãæ-;ã®ã†°ãšã,è;ççã™ã,«:

```
call-manager-fallback  
...
```

ã,ã,¹ã,³è£¼ã”ãšç¼ãfã—ã|ã,,ã,« Cisco IOS ã,½ãfãfã,|ã,šã,ćã
ãfããfãf¼ã,¹ã,çç°èãã™ã,ã«ã»ã€ãfãfãfã,ã,¹ã«ãfã,°ã,ããfãã—ã| show

version Cisco Internetnetwork Operating System Software "Cisco IOS Software" (C2500-IS-L), Version 12.3(26), RELEASE SOFTWARE (fc2)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by cisco Systems, Inc.
Compiled Mon 17-Mar-08 14:39 by dchih

Cisco IOS Software, 1841 Software (C1841-ADVENTERPRISEK9-M), Version 12.4(20)T, RELEASE SOFTWARE (fc3)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by Cisco Systems, Inc.
Compiled Thu 10-Jul-08 20:25 by prod_rel_team

<#root>

Router#

show version

Cisco Internetnetwork Operating System Software
IOS (tm) 2500 Software (C2500-IS-L), Version 12.3(26), RELEASE SOFTWARE (fc2)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by cisco Systems, Inc.
Compiled Mon 17-Mar-08 14:39 by dchih

<output truncated>

Cisco IOS Software, 1841 Software (C1841-ADVENTERPRISEK9-M), Version 12.4(20)T, RELEASE SOFTWARE (fc3)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by Cisco Systems, Inc.
Compiled Thu 10-Jul-08 20:25 by prod_rel_team

<#root>

Router#

show version

Cisco IOS Software, 1841 Software (C1841-ADVENTERPRISEK9-M), Version 12.4(20)T, RELEASE SOFTWARE (fc3)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2008 by Cisco Systems, Inc.
Compiled Thu 10-Jul-08 20:25 by prod_rel_team

<output truncated>

Cisco IOS

White Paper: Cisco IOS Reference Guide" <http://www.cisco.com/warp/public/620/1.html>

Cisco IOS XR

Cisco IOS XE

Cisco Unified Communications Manager

Cisco Unified Communications Manager

Cisco Unified Communications Manager

è©³ç°

Cisco Unified CME Cisco IOS

Cisco Unified SRST

Cisco Unified Communications Manager

Cisco Unified Communications Manager

Cisco IOS Cisco Unified CME Cisco Unified SRST

SCCP

Cisco Unified CME

IP

Cisco Unified CME

Cisco Unified CME

IP

Cisco Unified CME

Cisco Unified CME

Cisco Unified CME

http://www.cisco.com/en/US/docs/voice_ip_comm/cucme/command/reference/cme_a1ht.html#wp1031242

SCCP

TCP

TCP

ā'ā sā™āēā—ā<ā—ā"ā,CEā-āfāf-āf•ā,©āf<āf¼ā,µāf¼āf"ā,¹
ā,³āfāf•ā,£ā,®āf¥āf-āf¼ā,·āfSāf³āfĉāf¼āf%ā® IPā,½āf¼ā,¹ā,ĉāf%āf-ā,¹
ā,³āfžāf³āf%ā Sā²āæ'ā™ā,ā"ā"āCEā Sāāā¾ā™ā€,

ā"ā,CEā,%ā®è,,tā¼±æ€S Cisco āfā,° ID [CSCsz48614](#)

i¼^ç™»éCE²āf¼ā.¶ā®ā j¼%ā Sā,^ā³ [CSCsz49741](#)

i¼^ç™»éCE²āf¼ā.¶ā®ā j¼%ā «ā,^ā£ā |ā½"āŸā,Sā€ā,^āāā,ā,è,,tā¼±æ€Sā Sā,^ā

ID CVE-2010-0585 ā Sā,^ā³ CVE-2010-0586

ā-ā€āāā,CEāžā,CEā%²ā,Sā½"ā |ā,%ā,CEā¾ā—āŸā€,

ā>žéç-

ā"ā,CEā,%ā®è,,tā¼±æ€Sā«ā¾ā™ā,ā>žéç-ā-ā,ā,Sā¾ā>ā,"ā€,

āŸā ā—ā€Cisco Unified CME

æ©Ÿèf¼ā®ā'ā^ā«ā-ā,æ£ā^©ç"ā,'ā•ā,%ā«ā°é£ā«ā™ā,āŸā,ā«ā€è†ā•ç

ā™ā,ā"ā"āCEā Sāāā¾ā™ā€, è†ā•ç™»éCE²ā- Cisco Unified CME

æ©Ÿèf¼ā®āŸā,ā«æ-ā®ā,³āfžāf³āf%ā®ç™»è;CEā«ā,^ā£ā |ç,,jāŠ¹ā«

ā™ā,ā"ā"āCEā Sāāā¾ā™ā:

```
telephony-service  
no auto-reg-ephone
```

è†ā•ç™»éCE²ā,'ç,,jāŠ¹ā« ā™ā,ā%āā«ā€ā™ā¹ā |ā®é»è©± MAC

ā,ĉāf%āf-ā,¹ā-ā~Žç²ā,,ā« Cisco Unified CME

ā Sā®šç¾āāā,CEā,ā>...è |āāCEā,ā,Sā¾ā™ā€,

ā•ā,,ā^aā'ā,CEā°é»è©±ā-ç™»éCE²ā•ā,CEā,%ā,CEā¾ā>ā,"ā€,

è†ā•ç™»éCE²ā«è-ĉā™ā,è©ç'ā-æ-ā®āfāf³ā,ā Sè |āāāā'ā,ā"ā"āCEā Sāāā¾ā™ā

http://www.cisco.com/en/US/docs/voice_ip_comm/cucme/command/reference/cme_a1ht.html#wp1031242

āfāffāf^āf^āf¼ā,āt...ā® on Cisco

é...ç½®ā•ā,CEāŸāf†āfā,ā,¹ā®ā'ā^ā,,ā,ā,è:½āŠ è»½æ,>ā-āf%ā,āf¥āfjāf³āf^ā,-ā,āf

ā Sā^©ç"ā Sāā¾ā™āš āā^ā¾ā—āŸè»½æ,>æf...ā ±ā,': Cisco Unified

Communications Manager Express ā Sā,^ā³ Cisco IOSā,½āf•āf^ā, |ā,šā,ĉā® H.323

è~ā^¥ā—ā€è»½æ,>æ-ā®ā½ç½®ā Sā^©ç"ā-èf¼ā Sā,ā,ā,æ£ā^©ç"ā Sā,^ā³

Session Initiation Protocol¼^SIP¼%ā€ā,µāf¼āf"ā,¹æ'ā |ā®è,,tā¼±æ€Sā€: <http://tools.cisco.com/security/center/content/CiscoAppliedMitigationBulletin/cisco-amb-20100324-voice>ā€,

ā;®æ£æ,^ā

❖ Ā, ½Āf•āf^ā, | ā, Šā, Ć

ā, ½āf•āf^ā, |ā, šā, Ćā ❖ @ā, Ćāffāf—ā, °āf-āf¼āf%ā, 'æœèè "Žā ❖™ā, <és>ā ❖ «ā ❖ -ā ❖ <http://www.cisco.com/go/psirt>

ā ❖ Šā, ^ā ❖³ā ❖ā, ĆĀ»¥é™ ❖ā ❖ @ā, Ćāf%āāf ❖ā, mā, ¶āfāā, ā ❖, Ć...Šā ❖—ā ❖ | ā ❖ èµ·ā ❖ "ā, Šā ❖ tā, <és>ā, ā, ½āfāf¼ā, ·āfŠāf³ā, ā^æ-ā ❖—ā ❖ | ā ❖ā ❖ ā ❖·ā ❖,,

ā ❖,, ā ❖šā, ĆĀ ❖ @ā 'ā ❖ ^ā,, ā ❖ā, Ćāffāf—ā, °āf-āf¼āf%ā ❖™ā, <æ©Ÿā™" ā ❖ «ā ❖ā^tā ❖āfjāfĆāfāā ❖æf...ā ±ā ❖«ā, ❖æ~Žā ❖ā, ¹ā ❖Āā, ā, <ā 'ā^ā-ā ❖-ā ❖ Cisco Technical Assistance Center¼^TAC¼%ā ❖¾ā ❖Ÿā ❖-ā¥'ĉ', ā, 'ĉµ ❖ā, "ā ❖šā ❖,, ā, <āfjāf³āftāfŠāf³ā, ¹āf—āfāf ❖ā, māfĀf¼ā ❖«ā ❖Šā· ❖ā ❖,, ā ❖^ā ❖ā ❖ā ❖ā ❖ā ❖·ā ❖,, ā ❖,

Cisco IOS ā, ½āf•āf^ā, |ā, šā, Ćā ❖ @ā èj "i¼^ā, <æŽ²i¼%ā ❖ @ā ❖,, èjĀā ❖ «ā ❖-ā ❖ Cisco IOS ā ❖ @āfāāf¼ā, ¹āf^āf-ā, māf³ā ❖Āè "è¼%āā ❖·ā, Āā ❖ | ā ❖,, ā ❖¾ā ❖™ā ❖, ā ❖, ā, <ĉ%ā¹ā @šā ❖ @āfāf¼ā, ¹āf^āf-ā, māf³ā ❖Āè,, †ā¼±ā ❖šā ❖, ā, <ā 'ā^ā-ā ❖æœĀā,, æ—©ā ❖,, ā ❖-èf½æšā ❖ @ā ❖, ā, <āfāf¼ā, ¹ā ❖-ā ❖Āèj "ā ❖ @ā ❖"ā ❖ @è«@ā· ❖ā ❖ā, <āfĀāf ā ❖ @ā ❖Ÿā, ❖ā ❖ @æœĀ^ ❖āž@æfæ, ^āā ❖Āā ❖"ā ❖ @ Cisco IOS ā, »ā, āfāf¼āftā, fā, Ćāf%āāf ❖ā, mā, ¶āfāā ❖«ā, ^ā ❖Āā ❖ | ĉµ,, ā ❖žè¾¼ā ❖¾ā, Āā, <æ>, ā ❖šā ❖™ā ❖¹ā ❖ | ā ❖ @é❖é❖"ā ❖·ā 24 ā ❖ @èjĀé€² 2010

āfāf³āf%āāf«æ>, ā ❖ @ā ❖™ā ❖¹ā ❖ | ā ❖ @ā, Ćāf%āāf ❖ā, mā, ¶āfāā ❖ @ā ❖Ÿā, ❖ā ❖ @æœĀ^ ❖āž@æfæ, āfāf¼ā, ¹ā, 'ĉµā ❖—ā ❖¾ā ❖™ā ❖, ā ❖-èf½ā ❖ā 'ā^ā-ā ❖-ā ❖ā^ĉ" " ā ❖-èf½ā ❖æœĀæ-°ā ❖ @āfāf¼ā, ¹ā ❖«ā, Ćāffāf—ā, °āf-āf¼āf

āfjā, āfāf¼ā āfāf¼ā, ¹	
Affected 12.0-Based Releases	ā ❖"ā ❖ @ā, Ćāf%āāf ❖ā, mā, ¶āfāā ❖ @æœ
è©²ā½"ā ❖™ā, < 12.0 āf™āf¼ā, ¹ā ❖ @āfāf¼ā, ¹ā ❖-ā ❖, ā, Šā ❖¾ā ❖ā, "ā ❖,	
Affected 12.1-Based Releases	ā ❖"ā ❖ @ā, Ćāf%āāf ❖ā, mā, ¶āfāā ❖ @æœ
12.1	è,, †ā¼±āæ€šā ❖ā ❖—
12.1AA	è,, †ā¼±āæ€šā ❖ā ❖—

12.1AX	è,,†â¼±æ€§ãªã—
12.1AY	è,,†â¼±æ€§ãªã—
12.1AZ	è,,†â¼±æ€§ãªã—
12.1CX	è,,†â¼±æ€§ãªã—
12.1DA	è,,†â¼±æ€§ãªã—
12.1DB	è,,†â¼±æ€§ãªã—
12.1DC	è,,†â¼±æ€§ãªã—
12.1E	è,,†â¼±æ€§ãªã—
12.1EA	è,,†â¼±æ€§ãªã—
12.1EB	è,,†â¼±æ€§ãªã—
12.1EC	è,,†â¼±æ€§ãªã—
12.1EO	è,,†â¼±æ€§ãªã—
12.1EU	è,,†â¼±æ€§ãªã—
12.1EV	è,,†â¼±æ€§ãªã—
12.1EW	è,,†â¼±æ€§ãªã—

12.1EX	è,,†â¼±æ€§ãªã—
12.1EY	è,,†â¼±æ€§ãªã—
12.1EZ	è,,†â¼±æ€§ãªã—
12.1GA	è,,†â¼±æ€§ãªã—
12.1GB	è,,†â¼±æ€§ãªã—
12.1T	è,,†â¼±æ€§ãªã—
12.1XA	è,,†â¼±æ€§ãªã—
12.1XB	è,,†â¼±æ€§ãªã—
12.1XC	è,,†â¼±æ€§ãªã—
12.1XD	è,,†â¼±æ€§ãªã—
12.1XE	è,,†â¼±æ€§ãªã—
12.1XF	è,,†â¼±æ€§ãªã—
12.1XG	è,,†â¼±æ€§ãªã—
12.1XH	è,,†â¼±æ€§ãªã—
12.1XI	è,,†â¼±æ€§ãªã—

12.1XJ	è,,†â¼±æ€§ãªã—
12.1XL	è,,†â¼±æ€§ãªã—
12.1XM	è,,†â¼±æ€§ãªã—
12.1XP	è,,†â¼±æ€§ãªã—
12.1XQ	è,,†â¼±æ€§ãªã—
12.1XR	è,,†â¼±æ€§ãªã—
12.1XS	è,,†â¼±æ€§ãªã—
12.1XT	è,,†â¼±æ€§ãªã—
12.1XU	è,,†â¼±æ€§ãªã—
12.1XV	è,,†â¼±æ€§ãªã—
12.1XW	è,,†â¼±æ€§ãªã—
12.1XX	è,,†â¼±æ€§ãªã—
12.1XY	è,,†â¼±æ€§ãªã—
12.1XZ	è,,†â¼±æ€§ãªã—
12.1YA	è,,†â¼±æ€§ãªã—

12.1YB	è,,†â¼±æ€§ãªã—
12.1YC	è,,†â¼±æ€§ãªã—
12.1YD	Vulnerable; migrate to any release in 12.2
12.1YE	Vulnerable; 15.0M ã®ä»»æ,,ã®ãªãªã¼ã,¹ã³¼ãÿã¬ä:æF
12.1YF	è,,†â¼±æ€§ãªã—
12.1YH	è,,†â¼±æ€§ãªã—
12.1YI	Vulnerable; ãªª®ã,çãª%ãªã,ªã,¶ãªª®ã€Æä:ææ,ãª,½ãªã€ã,»ã,¬ã,ãªªãª³ã®æ%<é †ã«é-çã—ãª ã¬ãª,µãªãªª
12.1YJ	è,,†â¼±æ€§ãªã—
Affected 12.2-Based Releases	ãªª®ã,çãª%ãªã,ªã,¶ãªª®æo
12.2	è,,†â¼±æ€§ãªã—
12.2B	Vulnerable; 15.0M ã®ä»»æ,,ã®ãªãªã¼ã,¹ã³¼ãÿã¬ä:æF
12.2BC	è,,†â¼±æ€§ãªã—
12.2BW	è,,†â¼±æ€§ãªã—
12.2BX	Vulnerable; migrate to any release in 12.2SB
12.2BY	Vulnerable; 15.0M ã®ä»»æ,,ã®ãªãªã¼ã,¹ã³¼ãÿã¬ä:æF

12.2BZ	è,,†â¼±æ€§ãªã—
12.2CX	è,,†â¼±æ€§ãªã—
12.2CY	è,,†â¼±æ€§ãªã—
12.2CZ	è,,†â¼±æ€§ãªã—
12.2DA	è,,†â¼±æ€§ãªã—
12.2DD	è,,†â¼±æ€§ãªã—
12.2DX	è,,†â¼±æ€§ãªã—
12.2EW	è,,†â¼±æ€§ãªã—
12.2EWA	è,,†â¼±æ€§ãªã—
12.2EX	è,,†â¼±æ€§ãªã—
12.2EY	è,,†â¼±æ€§ãªã—
12.2EZ	è,,†â¼±æ€§ãªã—
12.2FX	è,,†â¼±æ€§ãªã—
12.2FY	è,,†â¼±æ€§ãªã—

12.2FZ	è,,†â¼±æ€§ãªã—
12.2IRA	è,,†â¼±æ€§ãªã—
12.2IRB	è,,†â¼±æ€§ãªã—
12.2IRC	è,,†â¼±æ€§ãªã—
12.2IRD	è,,†â¼±æ€§ãªã—
12.2IXA	è,,†â¼±æ€§ãªã—
12.2IXB	è,,†â¼±æ€§ãªã—
12.2IXC	è,,†â¼±æ€§ãªã—
12.2IXD	è,,†â¼±æ€§ãªã—
12.2IXE	è,,†â¼±æ€§ãªã—
12.2IXF	è,,†â¼±æ€§ãªã—
12.2IXG	è,,†â¼±æ€§ãªã—

12.2IXH	è,,†â¼±æ€§ãªã—
12.2JA	è,,†â¼±æ€§ãªã—
12.2JK	è,,†â¼±æ€§ãªã—
12.2MB	è,,†â¼±æ€§ãªã—
12.2MC	ãªªãªªª¼ã,¹ 12.2(15)MC2b ãªŠã,^ãª³ãªªãª,Œãª»¥é™ªãª—è,,†â¼±ãªª
12.2MRA	è,,†â¼±æ€§ãªã—
12.2S	è,,†â¼±æ€§ãªã—
12.2SB	è,,†â¼±æ€§ãªã—
12.2SBC	è,,†â¼±æ€§ãªã—
12.2SCA	è,,†â¼±æ€§ãªã—
12.2SCB	è,,†â¼±æ€§ãªã—
12.2SCC	è,,†â¼±æ€§ãªã—
12.2SCD	è,,†â¼±æ€§ãªã—

12.2SE	è,,†â¼±æ€§ãªã—
12.2SEA	è,,†â¼±æ€§ãªã—
12.2SEB	è,,†â¼±æ€§ãªã—
12.2SEC	è,,†â¼±æ€§ãªã—
12.2SED	è,,†â¼±æ€§ãªã—
12.2SEE	è,,†â¼±æ€§ãªã—
12.2SEF	è,,†â¼±æ€§ãªã—
12.2SEG	è,,†â¼±æ€§ãªã—
12.2SG	è,,†â¼±æ€§ãªã—
12.2SGA	è,,†â¼±æ€§ãªã—
12.2SL	è,,†â¼±æ€§ãªã—
12.2SM	è,,†â¼±æ€§ãªã—
12.2SO	è,,†â¼±æ€§ãªã—
12.2SQ	è,,†â¼±æ€§ãªã—
12.2SRA	è,,†â¼±æ€§ãªã—

12.2SRB	è,,†â¼±æ€§ãªã—
12.2SRC	è,,†â¼±æ€§ãªã—
12.2SRD	è,,†â¼±æ€§ãªã—
12.2SRE	è,,†â¼±æ€§ãªã—
12.2STE	è,,†â¼±æ€§ãªã—
12.2SU	è,,†â¼±æ€§ãªã—
12.2SV	è,,†â¼±æ€§ãªã—
12.2SVA	è,,†â¼±æ€§ãªã—
12.2SVC	è,,†â¼±æ€§ãªã—
12.2SVD	è,,†â¼±æ€§ãªã—
12.2SVE	è,,†â¼±æ€§ãªã—
12.2SW	è,,†â¼±æ€§ãªã—
12.2SX	è,,†â¼±æ€§ãªã—

12.2SXA	è,,†â¼±æ€§ãªã—
12.2SXB	è,,†â¼±æ€§ãªã—
12.2SXD	è,,†â¼±æ€§ãªã—
12.2SXE	è,,†â¼±æ€§ãªã—
12.2SXF	è,,†â¼±æ€§ãªã—
12.2SXH	è,,†â¼±æ€§ãªã—
12.2SXI	è,,†â¼±æ€§ãªã—
12.2SY	è,,†â¼±æ€§ãªã—
12.2SZ	è,,†â¼±æ€§ãªã—
12.2T	Vulnerable; 15.0M ã®ä»»æ,,ã®ãªãªãª¼ã,¹ã³ãÿã¬ä¿æ£
12.2TPC	Vulnerable; ã"ã®ã,çãf%oãfã,ªã,¶ãªã®ã€Eä¿æ£æ.ã¿ã,½ãfã€ã,»ã,¬ã,ãfããªã®æ%o<é tã«é-çã—ã ã¬ãã,µãfãªf
12.2XA	è,,†â¼±æ€§ãªã—
12.2XB	Vulnerable; 15.0M ã®ä»»æ,,ã®ãªãªãª¼ã,¹ã³ãÿã¬ä¿æ£
12.2XC	è,,†â¼±æ€§ãªã—

12.2XD	è,,†â¼±æ€§ãªã—
12.2XE	è,,†â¼±æ€§ãªã—
12.2XF	è,,†â¼±æ€§ãªã—
12.2XG	Vulnerable; 15.0M ä®ä»æ,,ã®ãªªªª¼ã,¹ã¾ãÿã-ä¿æE.
12.2XH	è,,†â¼±æ€§ãªã—
12.2XI	è,,†â¼±æ€§ãªã—
12.2XJ	è,,†â¼±æ€§ãªã—
12.2XK	è,,†â¼±æ€§ãªã—
12.2XL	è,,†â¼±æ€§ãªã—
12.2XM	Vulnerable; 15.0M ä®ä»æ,,ã®ãªªªª¼ã,¹ã¾ãÿã-ä¿æE.
12.2XN	è,,†â¼±æ€§ãªã—
12.2XNA	Cisco IOS XE 3.12.3f.3f~ã.lã.šã.cã®ãª-ç"" æ€§ã, 'ã,ç...Sã-ã ã
12.2XNB	Cisco IOS XE 3.12.3f.3f~ã.lã.šã.cã®ãª-ç"" æ€§ã, 'ã,ç...Sã-ã ã
12.2XNC	Cisco IOS XE 3.12.3f.3f~ã.lã.šã.cã®ãª-ç"" æ€§ã, 'ã,ç...Sã-ã ã
12.2XND	Cisco IOS XE 3.12.3f.3f~ã.lã.šã.cã®ãª-ç"" æ€§ã, 'ã,ç...Sã-ã ã

12.2XNE	Cisco IOS XE 12.2(4)XNE, 12.2(4)XNF, 12.2(4)XO, 12.2(4)XQ, 12.2(4)XR, 12.2(4)XS, 12.2(4)XT, 12.2(4)XU, 12.2(4)XV, 12.2(4)XW, 12.2(4)YA, 12.2(4)YB, 12.2(4)YC, 12.2(4)YD
12.2XNF	Cisco IOS XE 12.2(4)XNE, 12.2(4)XNF, 12.2(4)XO, 12.2(4)XQ, 12.2(4)XR, 12.2(4)XS, 12.2(4)XT, 12.2(4)XU, 12.2(4)XV, 12.2(4)XW, 12.2(4)YA, 12.2(4)YB, 12.2(4)YC, 12.2(4)YD
12.2XO	Vulnerable; 15.0M CVEs
12.2XQ	Vulnerable; 15.0M CVEs
12.2XR	Vulnerable; 15.0M CVEs
12.2XS	Vulnerable; 15.0M CVEs
12.2XT	Vulnerable; 15.0M CVEs
12.2XU	Vulnerable; 15.0M CVEs
12.2XV	Vulnerable; 15.0M CVEs
12.2XW	Vulnerable; 15.0M CVEs
12.2YA	Release prior to 12.2(4)YA8 are vulnerable; 15.0M CVE releases 12.2(4)YA8 and later
12.2YB	Vulnerable; 15.0M CVEs
12.2YC	Vulnerable; 15.0M CVEs
12.2YD	Vulnerable; 15.0M CVEs

12.2YE	è,,†â¼±æ€§ãªã—
12.2YF	è,,†â¼±æ€§ãªã—
12.2YG	è,,†â¼±æ€§ãªã—
12.2YH	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãª®ã€CEä;@æfæ_ãª;ã,½ãfãª ãª»ã,ãª,ãª,ãªfãªfãª®ãª%ãª<é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YJ	12.2(8)YJ1 ä»¥ãª%ãª®ãªfãªfãªfãª¼ãª,¹ãªè,,†â¼±ãª®ãªfãªfãªfãª¼ãª,¹ 12.2 ãªšãª,^ãª³ãªªãª,CEä»¥é™ãªšãªãªªãª,ãªšãª™è,,†â¼±ãªšãª
12.2YK	è,,†â¼±æ€§ãªªã—
12.2YL	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãª®ã€CEä;@æfæ_ãª;ã,½ãfãª ãª»ã,ãª,ãª,ãªfãªfãª®ãª%ãª<é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YM	Vulnerable; 15.0M ãª®ãª»ãª,,ãª®ãªfãªfãªfãª¼ãª,¹ãª¾ãªYãªãªª@æE
12.2YN	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãª®ã€CEä;@æfæ_ãª;ã,½ãfãª ãª»ã,ãª,ãª,ãªfãªfãª®ãª%ãª<é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YO	è,,†â¼±æ€§ãªªã—
12.2YP	è,,†â¼±æ€§ãªªã—
12.2YQ	è,,†â¼±æ€§ãªªã—

12.2YR	è,,†â¼±æ€§ãªã—
12.2YS	è,,†â¼±æ€§ãªã—
12.2YT	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãªª®ã€€ä;®æfæ.ãª;ã,½ãfãª€ã,»ã,ã,ãfããfãªª®æ%ã«é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YU	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãªª®ã€€ä;®æfæ.ãª;ã,½ãfãªª€ã,»ã,ã,ãfããfãªª®æ%ã«é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YV	12.2(11)YV1 ä»¥ã%ãªª®ãªãfãªfãªfãª,¹ãª-è,,†â¼±ãªªãªãfãªfãª,¹ 12ãªšã,ãªªªªª,€ä»¥é™ãªšãª-ãªªªª,ãªšãª™è,,†â¼±ãªšãª
12.2YW	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãªª®ã€€ä;®æfæ.ãª;ã,½ãfãªª€ã,»ã,ã,ãfããfãªª®æ%ã«é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YX	è,,†â¼±æ€§ãªã—
12.2YY	Vulnerable; ãª“ãª®ã,çãf%ããfãª,ªã,¶ãfãªª®ã€€ä;®æfæ.ãª;ã,½ãfãªª€ã,»ã,ã,ãfããfãªª®æ%ã«é tãª«é-çãª—ãª ãªãªª,µãfãªfãª
12.2YZ	è,,†â¼±æ€§ãªªã—
12.2ZA	è,,†â¼±æ€§ãªªã—
12.2ZB	12.2(8)ZB ä»¥ã%ãªª®ãªãfãªfãªfãª,¹ãª-è,,†â¼±ãªªãªª-ãªªªª,ãªšãª

12.2ZC	12.2(11)ZC à»¥â%◊ã◊®ãfãfãfãfã,1ã◊è,,†â¼±ã◊šã◊-ã◊ã◊,,ã◊
12.2ZD	Vulnerable; à◊"ã◊®ã,çãf%ããf◊ã,ðã,¶ãfãã◊®ã€Eä;@æfæ.~ã◊;ã,½ãfã ã€◊ã,»ã,-ã,·ãfšãf³ã◊®æ%ã<é tã◊«é-çã◊—ã◊ ã◊-ã€◊ã,µãf◊ãf)
12.2ZE	Vulnerable; 15.0M à◊®ä»»æ,,◊ã◊®ãfãfãfãfã,1ã◊¾ã◊ÿã◊-ã;@æfæ.
12.2ZF	Vulnerable; 15.0M à◊®ä»»æ,,◊ã◊®ãfãfãfãfã,1ã◊¾ã◊ÿã◊-ã;@æfæ.
12.2ZG	è,,†â¼±æ€šã◊ã◊—
12.2ZH	Release prior to 12.2(13)ZH6 are vulnerable!¼€ releases 12.2(13)ZH6 and late
12.2ZJ	Vulnerable; à◊"ã◊®ã,çãf%ããf◊ã,ðã,¶ãfãã◊®ã€Eä;@æfæ.~ã◊;ã,½ãfã ã€◊ã,»ã,-ã,·ãfšãf³ã◊®æ%ã<é tã◊«é-çã◊—ã◊ ã◊-ã€◊ã,µãf◊ãf)
12.2ZL	Vulnerable; à◊"ã◊®ã,çãf%ããf◊ã,ðã,¶ãfãã◊®ã€Eä;@æfæ.~ã◊;ã,½ãfã ã€◊ã,»ã,-ã,·ãfšãf³ã◊®æ%ã<é tã◊«é-çã◊—ã◊ ã◊-ã€◊ã,µãf◊ãf)
12.2ZP	Vulnerable; à◊"ã◊®ã,çãf%ããf◊ã,ðã,¶ãfãã◊®ã€Eä;@æfæ.~ã◊;ã,½ãfã ã€◊ã,»ã,-ã,·ãfšãf³ã◊®æ%ã<é tã◊«é-çã◊—ã◊ ã◊-ã€◊ã,µãf◊ãf)
12.2ZU	è,,†â¼±æ€šã◊ã◊—
12.2ZX	è,,†â¼±æ€šã◊ã◊—
12.2ZY	è,,†â¼±æ€šã◊ã◊—
12.2ZYA	è,,†â¼±æ€šã◊ã◊—

Affected 12.3-Based Releases	ã"ã®ã,çãf%oãfã,ã,¶ã,¶ãfã®æo
12.3	Vulnerable; 15.0M ã®ä»æ,,ã®ãfãfãf¼ã,¹ã¾ãÿã¯ä¿æ£.
12.3B	Vulnerable; 15.0M ã®ä»æ,,ã®ãfãfãf¼ã,¹ã¾ãÿã¯ä¿æ£.
12.3BC	è,,†ã¼±æ€§ãª—
12.3BW	è,,†ã¼±æ€§ãª—
12.3EU	è,,†ã¼±æ€§ãª—
12.3JA	è,,†ã¼±æ€§ãª—
12.3JEA	è,,†ã¼±æ€§ãª—
12.3JEB	è,,†ã¼±æ€§ãª—
12.3JEC	è,,†ã¼±æ€§ãª—
12.3JED	è,,†ã¼±æ€§ãª—
12.3JK	12.3(2)JK3 ã¾ã§ã®ãfãfãf¼ã,¹ã«ã¯è,,†ã¼±æ€§ãª¯ã,ã,Š 12.3(8)JK1 ä»¥é™ã®ãfãfãf¼ã,¹ã«ã¯è,,†ã¼±æ€§ãª¯ã,ã,Šã
12.3JL	è,,†ã¼±æ€§ãª—

12.3JX	è,,†â¼±æ€§ã ^a ã—
12.3T	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF
12.3TPC	12.3(4)TPC11a ã¼ãSã«ãfªãfªãf¼ã,1ã«ã-è,,†â¼±æ€§ã-ã
12.3VA	è,,†â¼±æ€§ã ^a ã—
12.3XA	Release prior to 12.3(2)XA7 are vulnerablei¼E releases 12.3(2)XA7 and later
12.3XB	Vulnerable; ã"ã«ã,çãf%ããã,ªã,¶ãfªã«ã€Eäç@æfa_ãçã,½ãããã€ã,»ã,-ã,ãfsãããã«ãæ%ã«é tã«é-çã—ã ã-ããã,µããããfã
12.3XC	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF
12.3XD	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF
12.3XE	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF
12.3XF	Vulnerable; ã"ã«ã,çãf%ããã,ªã,¶ãfªã«ã€Eäç@æfa_ãçã,½ããããã€ã,»ã,-ã,ãfsãããã«ãæ%ã«é tã«é-çã—ã ã-ããã,µããããfã
12.3XG	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF
12.3XI	Vulnerable; 15.0M ã«ã»æ,,ã«ãfªãfªãf¼ã,1ã¼ãYã-äž@æF

12.3YH	è,,†â¼±æ€§ãªã—
12.3YI	è,,†â¼±æ€§ãªã—
12.3YJ	è,,†â¼±æ€§ãªã—
12.3YK	Release prior to 12.3(11)YK3 are vulnerable; releases 12.3(11)YK3 and later are not.
12.3YM	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
12.3YQ	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
12.3YS	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
12.3YT	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
12.3YU	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
12.3YX	Vulnerable; 12.4XN or later or 12.4T or later.
12.3YZ	Vulnerable; 12.4Y or later or 12.4T or later.
12.3ZA	Vulnerable; migrate to any release in 15.0M or later or 12.4T or later.
Affected 12.4-Based Releases	12.4(25c) or later or 15.0(1)M1 or later
12.4	12.4(25c) 15.0(1)M1

12.4XJ	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M 12.4T 15.0M
12.4XK	12.4T 15.0M 12.4T 15.0M
12.4XL	Vulnerable; 12.4T 15.0M 12.4T 15.0M
12.4XM	12.4(15)XM 12.4T 15.0M 12.4T 15.0M
12.4XN	12.4T 15.0M 12.4T 15.0M
12.4XP	Vulnerable; 12.4T 15.0M 12.4T 15.0M
12.4XQ	12.4T 15.0M 12.4T 15.0M
12.4XR	12.4T 15.0M 12.4T 15.0M
12.4XT	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M 12.4T 15.0M
12.4XV	Vulnerable; 12.4T 15.0M 12.4T 15.0M
12.4XW	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M 12.4T 15.0M
12.4XY	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M 12.4T 15.0M
12.4XZ	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M 12.4T 15.0M

12.4YA	Vulnerable; migrate to any release in 15.0M 12.4T 15.0M
12.4YB	12.4(22)YB5
12.4YD	è,,†â¼±æ€§ã ^a ã—
12.4YE	è,,†â¼±æ€§ã ^a ã—
12.4YG	è,,†â¼±æ€§ã ^a ã—
15.0 15.0	15.0 15.0
15.1 15.1	15.1 15.1

Cisco IOS XE **15.0**, **15.1**, **15.2**, **15.3**, **15.4**

IOS XE 15.0	First Fixed 15.0
2.1.x	è,,†â¼±æ€§ã ^a ã—

2.2.x	è,,†å¼±æ€§šãªã—
2.3.x	è,,†å¼±æ€§šãªã—
2.4.x	è,,†å¼±æ€§šãªã—
2.5.x	è,,†å¼±æ€§šãªã—
2.6.x	è,,†å¼±æ€§šãªã—

ä, æ£ã^©ç" " ä°<ä¾¼ã " ä...-å¼¼ç™°èj "

ã"ã®ã,çãf%ãfã,ãã,¶ãfãªsèª~žã•ã,£ã |ã,,ã,«è,,†å¼±æ€§šã®ã...-èj "ã,,,æ,ªç" "ã«é-
Cisco PSIRT ã«ã-,,ã>ã,%ã,£ã |ã,,ã¾ã>ã,"ã€,

ã"ã,£ã,%ã®è,,†å¼±æ€§šã-ã€Cisco
ã®ç¾åå†...ãfã,¹ãf^ãsç™°è|<ã•ã,£ãÿã,,ã®ãsã™ã€,

URL

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100324-cucme>

æ"¹è",å±¥æ´

ãªãf"ã,ãfšãf³ 1.0	2010 å¹´ 3 æ€^ 24 æ—¥	å^ç%ãªãfãf¼ã,¹
----------------------	--------------------------	----------------

å^©ç" "è!ç´,,

æœ-ã,çãf%ãfã,ãã,¶ãfãªç,,jãçè "¼ã®ã,,ã®ã "ã—ã |ã"æªªã¾ã—ã |ãšã,šã€
æœ-ã,çãf%ãfã,ãã,¶ãfãª®æf...å ±ãšã,^ã¾ãfãfã,ã®ã½çç" "ã«é-çãç™ã,«è²-ã»ã®ã,€
ã¾ãÿãÿã€ã,ã,¹ã,³ã-æœ-ãf%ã,ãfãfãfãªã®ã†...ã®¹ã,'ã^ãšãªã—ã«ã%ãæ'ã—ã
æœ-ã,çãf%ãfã,ãã,¶ãfãª®è"~è:ã†...ã®¹ã«é-çã—ãç|æf...å ±é...ãçjã® URL
ã,çœçç¥ã—ã€ãçç<-ã®è»çè¼%ã,,,æ,,è"³ã,'æ-½ã—ãÿã´ã^ã€ã½"ç¾ã¾£ç®çç
ã"ã®ãf%ã,ãfãfãfãfãªãf^ã®æf...å ±ã-ã€ã,ã,¹ã,³è£½ã"ã®ã,"ãfãf%ãf!ãf¼ã,¶ã,'ã¾è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。