

Cisco

IOS, 1/2 af af^a, la, sa, cH.323 «a Ša 'a, Denial of Service (DoS) à ® è,, t a 1/4 ± æ € §



af%af à, ma, ¶afaf ID : cisco-sa-20100922-h323

[CVE-2010-2829](#)

â...-é-æ—¥ : 2010-09-22 16:00

[CVE-2010-](#)

æ€œ>æ-°æ—¥ : 2016-01-08 22:42

[2828](#)

af af/4, afšaf 1.3 : Final

CVSSa, 1a, 3a, c : 7.8

âžéç- : No workarounds available

Cisco af à, ° ID : [CSCtc73759](#) [CSCtd33567](#)

æ—¥æ-è^až «a, ^a, <æf...â ±â -ã€ è<±è^až «a, ^a, <âžÿæ-†â ® éžâ...-â 1/4 à

æ!, è!

Cisco

IOS® a, 1/2 af af^a, la, sa, ca ® H.323 à ÿ è £...ã «a -ã€ è,, t a 1/4 ± æ € § à ® a, af af/4, afšaf à ® Ci
IOSa, 1/2 af af^a, la, sa, ca, a ÿ è; Cã —ã |ã,, a, af†af a, ma, 1ã ša, µaf/4af^a, 1æ'â | (DoS) çš ¶æ...ã,

a, .a, 1a, 3a -ã «a, Cã, %ã ® è,, t a 1/4 ± æ € § à «a -¾â † |ã™ a, a, 1/2 af af^a, la, sa, ca, ç affaf —af†af/4af^a, /a

ã «a ® a, ç af%af a, ma, ¶afaf -ã€ <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100922-h323> à šâ...-é-ã •ã, Cã |ã,, a¾ã™ æ,

æ³ i/4š 2010 â¹ 9æ è²²æ—¥ã ® Cisco

IOSa, 1/2 af af^a, la, sa, ca, »ã, af¥af af†ã, £ã, ç af%af a, ma, ¶afaf afšaf%af «a...-é-ã «a -ã€ 6ã» ¶
Security

Advisoryã Cã «a¾ã, Cã |ã,, a¾ã™ æ, 5ã ma ® a, ç af%af a, ma, ¶afaf -Cisco

IOSa, 1/2 af af^a, la, sa, ca ® è,, t a 1/4 ± æ € § à «a -¾â † |ã —ã€ 1ã ma ® a, ç af%af a, ma, ¶afaf -Cisco
Unified Communications

Managerã ® è,, t a 1/4 ± æ € § à «a -¾â † |ã —ã¾ã™ æ, â,, a, ç af%af a, ma, ¶afaf «a -ã€ àã

IOSa, 1/2 af af^a, la, sa, ca ® è,, t a 1/4 ± æ € § a, 'ä; ® æ £ã —ã ÿ af af^a, 1ã, 'çºã —ã |ã,, a¾ã™ a

http://www.cisco.com/en/US/products/products_security_advisory09186a0080b4a315.shtml

ã€<ã€...® à...-é-ã af af^a, -ã -ã€ æ-;ã ® af af^a, -ã ® æ C Cisco Event Response:

Semiannual Cisco IOS Software Security Advisory Bundled

Publication 2013-09-10, Cisco IOS Software Security Advisory Bundled

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_sep10.html

Summary

This advisory is for Cisco IOS Software versions 15.2(3)M, 15.2(3)S, and 15.2(3)U. The vulnerability is a Denial of Service (DoS) attack that can be triggered by a specially crafted packet. The vulnerability is present in the following software versions:

Affected Software Versions

The following software versions are affected by this vulnerability:

- Cisco IOS Software versions 15.2(3)M, 15.2(3)S, and 15.2(3)U

Cisco

Cisco IOS Software versions 15.2(3)M, 15.2(3)S, and 15.2(3)U are affected by this vulnerability.

process cpu | include

```
H323 3 16000 3 5333 0.00% 0.00% 0.00% 0 CCH323_CT
IOS 1 250 1 0 0.00% 0.00% 0.00% 0 CCH323_DNS
```

<#root>

Router#

```
show process cpu | include H323
```

```
249 16000 3 5333 0.00% 0.00% 0.00% 0 CCH323_CT
250 0 1 0 0.00% 0.00% 0.00% 0 CCH323_DNS
```

Router#

3 16000 3 5333 0.00% 0.00% 0.00% 0 CCH323_CT 3 CCH323_DNS

æ³ï¼šdial-peer

voice 3 16000 3 5333 0.00% 0.00% 0.00% 0 CCH323_CT 3 CCH323_DNS

IOS 1 250 1 0 0.00% 0.00% 0.00% 0 CCH323_DNS

show version

IOS Software 15.2(3)M

IOS Software 15.2(3)M, 15.2(3)S, and 15.2(3)U

IOS Software 15.2(3)M, 15.2(3)S, and 15.2(3)U

IOS Software 15.2(3)M, 15.2(3)S, and 15.2(3)U

IOS Software 15.2(3)M, 15.2(3)S, and 15.2(3)U

~
"Version" ~ Cisco IOS ~, ~
~
~
~
~

~
~
~
~

<#root>

Router#

show version

Cisco Internetwork Operating System Software
IOS (tm) 2500 Software (C2500-IS-L), Version 12.3(26), RELEASE SOFTWARE (fc2)
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2008 by cisco Systems, Inc.
Compiled Mon 17-Mar-08 14:39 by dchih

!--- output truncated

~
~
~
~
~
~
~

<#root>

Router#

show version

Cisco IOS Software, 1841 Software (C1841-ADVENTERPRISEK9-M), Version 12.4(20)T,
RELEASE SOFTWARE (fc3)
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2008 by Cisco Systems, Inc.
Compiled Thu 10-Jul-08 20:25 by prod_rel_team

!--- output truncated

Cisco

forced, 3afzãfãf%ã -ã€ã™ã¹ã |ã®H.323ã,³ãf¼ãf«ã† |ç♦tã,'ç,,jãš¹ã «ã—ã¾ã™ã€,
ãfãffãf^ãfãf¼ã,ãt...ã®Ciscoãfãfã,ãã,¹ã «é©ç'''ã -èf½ãª»-ã®ç·©ã'CEç-ã «ãªã
<https://sec.cloudapps.cisco.com/security/center/content/CiscoAppliedMitigationBulletin/cisco-amb-2010092>
[2-voice](#)

ã;®æ£æ, ^ã;ã, ½ãf•ãf^ã, |ã,šã,ç

ã,çãffãf—ã,°ãf-ãf¼ãf%ã, 'ææè:žã™ã,ã 'ã^ã -ã€ã <http://www.cisco.com/go/psirt>
ã "ã¾CEç¶šã®ã,çãf%ããfã,ãã,¶ãfãã,,ã,ç...šã—ã |ã€ãã•é;CEã®èš£æ±°çš¶æ³ãã "ã®
ã,½ãfªãfãf¼ã,ãfšãf³ã,'çç°èªã—ã |ããããããã•ãã,,ã€,

ã,,ãšã,CEã®ã 'ã^ã,,ã€ã,çãffãf—ã,°ãf-ãf¼ãf%ã™ã,ãæ©ÿã™ "ã «ããã^ãªªãfãfãfããã
Technical Assistance

Centeri¼TACi¼%ã¾ãÿã-ãÿç,,ã,'çµã,"ãšã,,ã,ãfãfãfãfãfãf³ã,¹
ãf—ãfãfã,ããfãf¼ã «ãšã•ã,,ã^ã>ããããããã•ã,,ã€,

æ-ã®Cisco IOSã,½ãf•ãf^ã, |ã,šã,çãfãf¼ãf-ãf«ã®ã,,è;CEã -ã€ã Cisco
IOSã,½ãf•ãf^ã, |ã,šã,çãfãf-ã,ããf³ã «ã¾ã¿æã—ã |ã,,ã¾ã™ã€,ç%ã¹ã®šã®ãf^ãf-ã,ããf³ã
IOSã,½ãf•ãf^ã, |ã,šã,çã,»ã,ãfãfãfãfã,£ã,çãf%ããfã,ãã,¶ãfãfãfãfãf%ããf«ã...-é-ã «ã «ã¾ã,CEã

ãf;ã,ãf£ãf¼ãfªãf¼ã,¹	
Affected 12.0-Based Releases	
è©²ã½"ã™ã,ã<12.0ãfãf¼ã,¹ã®ãfªãfãf¼ã,¹ã -ã,ã,šã¾ã>ã,"	
Affected 12.1-Based Releases	
12.1	è,,†ã¼±æ€šãªã—
12.1AA	è,,†ã¼±æ€šãªã—
12.1AX	è,,†ã¼±æ€šãªã—

12.1AY	è,,†â¼±æ€§ãªã—
12.1AZ	è,,†â¼±æ€§ãªã—
12.1CX	è,,†â¼±æ€§ãªã—
12.1DA	è,,†â¼±æ€§ãªã—
12.1DB	è,,†â¼±æ€§ãªã—
12.1DC	è,,†â¼±æ€§ãªã—
12.1E	è,,†â¼±æ€§ãªã—
12.1EA	è,,†â¼±æ€§ãªã—
12.1EB	è,,†â¼±æ€§ãªã—
12.1EC	è,,†â¼±æ€§ãªã—
12.1EO	è,,†â¼±æ€§ãªã—
12.1EU	è,,†â¼±æ€§ãªã—
12.1EV	è,,†â¼±æ€§ãªã—
12.1EW	è,,†â¼±æ€§ãªã—
12.1EX	è,,†â¼±æ€§ãªã—

12.1EY	è,,†á¼±æ€§ãªãª—
12.1EZ	è,,†á¼±æ€§ãªãª—
12.1GA	è,,†á¼±æ€§ãªãª—
12.1GB	è,,†á¼±æ€§ãªãª—
12.1T	è,,†á¼±æ€§ãªãª,Š(æœ€á^ãªª@äç@æfãª 12.4) 12.1(3a)T8ä»¥á‰ãªª@ãªªfªãªfª¼ãª,¹ãª«ãªª—è,,†á¼±æ€§ãªãª—ãª,Šãªª
12.1XA	è,,†á¼±æ€§ãªãª—
12.1XB	è,,†á¼±æ€§ãªãª—
12.1XC	è,,†á¼±æ€§ãªãª—
12.1XD	è,,†á¼±æ€§ãªãª—
12.1XE	è,,†á¼±æ€§ãªãª—
12.1XF	è,,†á¼±æ€§ãªãª—
12.1XG	è,,†á¼±æ€§ãªãª—
12.1XH	è,,†á¼±æ€§ãªãª—
12.1XI	è,,†á¼±æ€§ãªãª,Š(æœ€á^ãªª@äç@æfãªª 12.4)

12.1XJ	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XL	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XM	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XP	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XQ	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XR	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XS	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4) 12.1(3)XSä»¥â%ã@ăfăfăfă,ă«ã-è,,†â¼±æ€§ã-ã,ã,Šă
12.1XT	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4) 12.1(2)XT2ä»¥â%ã@ăfăfăfă,ă«ã-è,,†â¼±æ€§ã-ã,ã,Šă
12.1XU	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XV	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4)
12.1XW	è,,†â¼±æ€§ã ^a ã—
12.1XX	è,,†â¼±æ€§ã ^a ã—
12.1XY	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã@ä¿@æfã 12.4) 12.1(4)XYä»¥â%ã@ăfăfăfă,ă«ã-è,,†â¼±æ€§ã-ã,ã,Šă

12.2BW	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4)
12.2BX	è,,†â¼±æ€§ã,ã,Šă€æœƒă^ã®ä¿®æfã 12.2SB 12.2(15)BXă»¥ă%ã®ăfăăfăăfăă,1ă«ă-è,,†â¼±æ€§ă-ă,ã,Šă
12.2BY	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4) 12.2(2)BYă»¥ă%ã®ăfăăfăăfăă,1ă«ă-è,,†â¼±æ€§ă-ă,ã,Šă
12.2BZ	è,,†â¼±æ€§ãă—
12.2CX	è,,†â¼±æ€§ãă—
12.2CY	è,,†â¼±æ€§ãă—
12.2CZ	è,,†â¼±æ€§ã,ã,Šă€ă,ã”ă®ă,ćăf%ăăfăă,ăă,¶ăăfăă®ă€€ä¿®æfă
12.2DA	è,,†â¼±æ€§ãă—
12.2DD	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4)
12.2DX	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4)
12.2EW	è,,†â¼±æ€§ãă—
12.2EWA	è,,†â¼±æ€§ãă—
12.2EX	è,,†â¼±æ€§ã,ã,Šă€,12.2SEă®ă»æ,,ă®ăfăăfăăfăă,1ă«çš»è¿€
12.2EY	è,,†â¼±æ€§ãă—

12.2EZ	è,,†â¼±æ€§ãªã—
12.2FX	è,,†â¼±æ€§ãªã—
12.2FY	è,,†â¼±æ€§ãªã—
12.2FZ	è,,†â¼±æ€§ãªã—
12.2IRA	è,,†â¼±æ€§ãªã—
12.2IRB	è,,†â¼±æ€§ãªã—
12.2IRC	è,,†â¼±æ€§ãªã—
12.2IRD	è,,†â¼±æ€§ãªã—
12.2IRE	è,,†â¼±æ€§ãªã—
12.2IXA	è,,†â¼±æ€§ãªã—
12.2IXB	è,,†â¼±æ€§ãªã—
12.2IXC	è,,†â¼±æ€§ãªã—
12.2IXD	è,,†â¼±æ€§ãªã—
12.2IXE	è,,†â¼±æ€§ãªã—
12.2IXF	è,,†â¼±æ€§ãªã—

12.2IXG	è,,†â¼±æ€§ãªã—
12.2IXH	è,,†â¼±æ€§ãªã—
12.2JA	è,,†â¼±æ€§ãªã—
12.2JK	è,,†â¼±æ€§ãªã—
12.2MB	è,,†â¼±æ€§ãªã—
12.2MC	12.2(15)MC1ä»¥â%ãª®ãªãªãª¼ã,¹ãª«ãª-è,,†â¼±æ€§ãª-ãª,ã,Šãªãªãªãª¼ã,¹12.2(15)MC2bä»¥é™ãª«ãª-è,,†â¼±æ€§ãª-ãª,ã,Šãªãªãª¼ã,¹
12.2MRA	è,,†â¼±æ€§ãªã—
12.2 MRB	è,,†â¼±æ€§ãªã—
12.2S	12.2(30)Sã, ^ã,Šã%ãª®ãªãªãª¼ã,¹ãª«ãª-è,,†â¼±æ€§ãªªãª,ã,Šãªãªãªãª¼ã,¹
12.2SB	12.2(31)SB19 12.2(33)SB5ã, ^ã,Šã%ãª®ãªãªãª¼ã,¹ãª«ãª-è,,†â¼±æ€§ãªªãª,ã,Šãªãªãªãª¼ã,¹
12.2SBC	è,,†â¼±æ€§ãª,ã,Šã€æœ€ã^ãª®ãª®æfãª- 12.2SB
12.2SCA	è,,†â¼±æ€§ãª,ã,Š(æœ€ã^ãª®ãª®æfãªª- 12.2SCB)
12.2SCB	12.2(33)SCB10 12.2(33)SCB9 12.2(33)SCB8

	ãfªãfªãf¼ã,¹12.2(25)SW12ä»¥é™™ã«ãè,,†å¼±æ€šãã,ã,šã¾
12.2SX	è,,†å¼±æ€šãªã—
12.2SXA	12.2(17b)SXA2ã,^ã,šã%ã®ãfªãfªãf¼ã,¹ã«ãè,,†å¼±æ€šãªã
12.2SXB	12.2(17d)SXB7ã,^ã,šã%ã®ãfªãfªãf¼ã,¹ã«ãè,,†å¼±æ€šãªã
12.2SXD	12.2(18)SXD2ã,^ã,šã%ã®ãfªãfªãf¼ã,¹ã«ãè,,†å¼±æ€šãªã
12.2SXE	è,,†å¼±æ€šãªã—
12.2SXF	12.2(18)SXF7ã 12.2(18)SXF8ã®ãçãªãè,,†å¼±ãªã™
12.2SXH	è,,†å¼±æ€šãªã—
12.2SXI	è,,†å¼±æ€šãªã—
12.2SY	è,,†å¼±æ€šãª,ã,šã€ãªªª®ã,çãf%ããã,ªã,¶ã,¶ãfªª®ã€€ã;@ãfã^
12.2SZ	è,,†å¼±æ€šãª,ã,šã€ãªªª®ã,çãf%ããã,ªã,¶ã,¶ãfªª®ã€€ã;@ãfã^
12.2T	è,,†å¼±æ€šãª,ã,š(æœ€ã^ãª®ãç®æfã 12.4)
12.2TPC	è,,†å¼±æ€šãª,ã,šã€ãªªª®ã,çãf%ããã,ªã,¶ã,¶ãfªª®ã€€ã;@ãfã^
12.2XA	è,,†å¼±æ€šãª,ã,š(æœ€ã^ãª®ãç®æfã 12.4) 12.2(1)XAã»¥ã%ã®ãfªãfªãf¼ã,¹ã«ãè,,†å¼±æ€šãªã,ã,šã¾

12.2XB	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XC	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XD	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XE	$\text{è,,†â¼±æ€§ã}^{\text{ã}} \text{—}$
12.2XF	$\text{è,,†â¼±æ€§ã}^{\text{ã}} \text{—}$
12.2XG	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XH	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XI	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XJ	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XK	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XL	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XM	$\text{è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿æfã}^{-12.4}$
12.2XN	12.2(33)XN1ã,ã,Šã%ã@ãfãfãf¼ã,1ã«ã^-è,,†â¼±æ€§ã€ã€ã,
12.2XNA	Cisco IOS XE ã.½ãfãfã.ã.šã.ã@ã}^{-ç} æ€§ã,ã.ç...šã—ã!ã
12.2XNB	Cisco IOS XE ã.½ãfãfã.ã.šã.ã@ã}^{-ç} æ€§ã,ã.ç...šã—ã!ã

12.2YD	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YE	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YF	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YG	è,,†â¼±æ€§ã ^a ã—
12.2YH	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YJ	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YK	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YL	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YM	è,,†â¼±æ€§ã,ã,Š(æœ€ă^ã@ăĴ®æfã ⁻ 12.4)
12.2YN	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YO	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€Ĉä,®æfæ,^
12.2YP	è,,†â¼±æ€§ã ^a ã—
12.2YQ	è,,†â¼±æ€§ã ^a ã—
12.2YR	è,,†â¼±æ€§ã ^a ã—
12.2YS	è,,†â¼±æ€§ã ^a ã—

12.2YT	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2YU	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2YV	12.2(11)YV1ã,^ã,Šã%ã@ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ã€ã€ã,
12.2YW	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2YX	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2YY	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2YZ	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2ZA	è,,†â¼±æ€§ã"ã—
12.2ZB	12.2(8)ZBä»Yã%ã@ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ã-ã,ã,Šã€ã
12.2ZC	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2ZD	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,ćăf%oãfã,ã,ã,¶ã,¶ãfã@ã€€ä;@æfæ,^
12.2ZE	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä;@æfã-12.4)
12.2ZF	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä;@æfã-12.4)
12.2ZG	è,,†â¼±æ€§ã"ã—
12.2ZH	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä;@æfã-12.4)

12.2ZJ	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ãfãã@ã€€ä,®æfæ,^
12.2ZL	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ãfãã@ã€€ä,®æfæ,^
12.2ZP	è,,†â¼±æ€§ã,ã,Šã€,"ã@ã,ćãf%ããfã,ã,ã,¶ãfãã@ã€€ä,®æfæ,^
12.2ZU	è,,†â¼±æ€§ã,ã,Šã€,12.2SXHã@ä»»æ,,ã@ãfãfãfãfã,1ã«çš»è; 12.2(18)ZUä»¥ã%ã@ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ãã-ã,ã,Šã
12.2ZX	è,,†â¼±æ€§ãã—
12.2ZY	è,,†â¼±æ€§ãã—
12.2ZYA	è,,†â¼±æ€§ãã—
Affected 12.3-Based Releases	
12.3	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä¿®æfã-12.4)
12.3B	è,,†â¼±æ€§ã,ã,Š(æœ€ã^ã@ä¿®æfã-12.4)
12.3BC	è,,†â¼±æ€§ãã—
12.3BW	è,,†â¼±æ€§ãã—
12.3EU	è,,†â¼±æ€§ãã—
12.3JA	è,,†â¼±æ€§ãã—

12.3JEA	è,,†â¼±æ€§ãªã—
12.3JEB	è,,†â¼±æ€§ãªã—
12.3JEC	è,,†â¼±æ€§ãªã—
12.3JED	è,,†â¼±æ€§ãªã—
12.3JK	12.3(2)JK3 ã¼ãªã®ãªªãªª¼ã,¹ãªª«ª—è,,†â¼±æ€§ãª—ãª,ã,Šãªªãªª¼ã,¹12.3(8)JK1ãªª«ªª—è,,†â¼±æ€§ãª—ãª,ã,Šãª¼ãªª
12.3JL	è,,†â¼±æ€§ãªª—
12.3JX	è,,†â¼±æ€§ãªª—
12.3T	è,,†â¼±æ€§ãª,ã,Š(æœ€ã^ªª®ãª®æfã— 12.4)
12.3TPC	12.3(4)TPC11a ã¼ãªãª®ãªªªªª¼ã,¹ãªª«ª—è,,†â¼±æ€§ãª—ãªª
12.3VA	è,,†â¼±æ€§ãª,ã,Š(æœ€ã^ªª®ãª®æfã— 12.4T)
12.3XA	12.3(2)XA7ã,^ã,Šã%ãªª®ãªªªªª¼ã,¹ãªª«ª—è,,†â¼±æ€§ãª—ãªª
12.3XB	è,,†â¼±æ€§ãª,ã,Šã€ãªªªª®ãªª,çãf%ãªªã,ªã,¶ãªª®ãªª€ãª®æfã—
12.3XC	è,,†â¼±æ€§ãª,ã,Š(æœ€ã^ªª®ãª®æfã— 12.4)
12.3XD	è,,†â¼±æ€§ãª,ã,Š(æœ€ã^ªª®ãª®æfã— 12.4)

12.3XE	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XF	è,,†â¼±æ€§ã,ã,Šã€ã"ã@ã,çãf%ããã,ãã,¶ããã@ã€€ä¿@æfã,^
12.3XG	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XI	12.3(7)XI1ã,^ã,Šã%ã@ããããããã,1ã«ã-è,,†â¼±æ€§ãã€ã,ã
12.3XJ	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.3YX)
12.3XK	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XL	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4T)
12.3XQ	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XR	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XS	è,,†â¼±æ€§ãªã—
12.3XU	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4T) 12.3(8)XU1ã»ã%ã@ããããããã,1ã«ã-è,,†â¼±æ€§ããã,ã,ã
12.3XW	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.3YX)
12.3XX	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)
12.3XY	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã@ä¿@æfã-12.4)

12.3XZ	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4)
12.3YA	è,,†â¼±æ€§ãªã—
12.3YD	è,,†â¼±æ€§ãªã—
12.3YF	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.3YX)
12.3YG	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T)
12.3YH	è,,†â¼±æ€§ãªã—
12.3YI	è,,†â¼±æ€§ãªã—
12.3YJ	è,,†â¼±æ€§ãªã—
12.3YK	12.3(11)YK3ã,^ã,Šã%ã®ãfªãfªãf¼ã,¹ã«ã-è,,†â¼±æ€§ãªã»ã,ã,Š
12.3YM	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T)
12.3YQ	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T)
12.3YS	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T) 12.3(11)YS1ã»ã%ã®ãfªãfªãf¼ã,¹ã«ã-è,,†â¼±æ€§ãªã-ã,ã,Š
12.3YT	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T)
12.3YU	è,,†â¼±æ€§ã,ã,Š(æœƒă^ã®ä¿®æfã 12.4T)

12.3YX	12.3(14)YX17
12.3YZ	è,,†â¼±æ€§ã,ã,Šă€ã,ã"ã@ã,ćăf%oãfã,ã,ã,¶ăfã@ã€Ĉă,®ăfă,^
12.3ZA	è,,†â¼±æ€§ã,ã,Š(æœ€ă^ã@ăž®ăfă 12.4T)
Affected 12.4-Based Releases	
12.4	12.4(25d)
12.4GC	12.4(24)GC2
12.4JA	è,,†â¼±æ€§ãã—
12.4JDA	è,,†â¼±æ€§ãã—
12.4JDC	è,,†â¼±æ€§ãã—
12.4JDD	è,,†â¼±æ€§ãã—
12.4JHA	è,,†â¼±æ€§ãã—
12.4JHB	è,,†â¼±æ€§ãã—
12.4JK	è,,†â¼±æ€§ãã—
12.4JL	è,,†â¼±æ€§ãã—
12.4JMA	è,,†â¼±æ€§ãã—

12.4JMB	è,,†â¼±æ€§ãªã—
12.4JX	è,,†â¼±æ€§ãªã—
12.4JY	è,,†â¼±æ€§ãªã—
12.4MD	è,,†â¼±æ€§ãªã—
12.4MDA	12.4(22)MDA4
12.4MR	è,,†â¼±æ€§ãª,Šã€œœ€âªãª@äç@æfã— 12.4MRA
12.4 MRA	12.4(20)MRA1
12.4SW	12.4(15)SW6ã,^ã,Šã%ªãª@ãªãªãªãª,1ãª«ãª—è,,†â¼±æ€§ãªœãª
12.4T	12.4(15)T14 12.4(20)T6 12.4(24)T4
12.4XA	è,,†â¼±æ€§ãª,Š(œœ€âªãª@äç@æfã— 12.4T)
12.4XB	è,,†â¼±æ€§ãª,Š(œœ€âªãª@äç@æfã— 12.4T)
12.4XC	è,,†â¼±æ€§ãª,Š(œœ€âªãª@äç@æfã— 12.4T)
12.4XD	è,,†â¼±æ€§ãª,Š(œœ€âªãª@äç@æfã— 12.4T)
12.4XE	12.4(6)XE5ã,^ã,Šã%ªãª@ãªãªãªãª,1ãª«ãª—è,,†â¼±æ€§ãªœãª,ã

12.4XF	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)
12.4XG	12.4(9)XG5ã,^ã,Šã%ã®ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ã€ã,ã
12.4XJ	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)
12.4XK	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)
12.4XL	è,,†â¼±æ€§ã,ã,Šã€ã,ã"ã®ã,ćãf%ãfã,ã,ã,¶ã,¶ãfãã®ã€€ä¿®æfã,^
12.4XM	12.4(15)XM3ã,^ã,Šã%ã®ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ã€ã,ã
12.4XN	è,,†â¼±æ€§ã,ã,Šã€ã,ã"ã®ã,ćãf%ãfã,ã,ã,¶ã,¶ãfãã®ã€€ä¿®æfã,^
12.4XP	è,,†â¼±æ€§ã,ã,Šã€ã,ã"ã®ã,ćãf%ãfã,ã,ã,¶ã,¶ãfãã®ã€€ä¿®æfã,^
12.4XQ	12.4(15)XQã»¥ã%ã®ãfãfãfãfã,1ã«ã-è,,†â¼±æ€§ã-ã,ã,Šã ãfãfãfãfã,12.4(15)XQ6ã»¥é™ã«ã-è,,†â¼±æ€§ã-ã,ã,Šã¾ã
12.4XR	è,,†â¼±æ€§ãã—
12.4XT	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)
12.4XV	è,,†â¼±æ€§ã,ã,Šã€ã,ã"ã®ã,ćãf%ãfã,ã,ã,¶ã,¶ãfãã®ã€€ä¿®æfã,^
12.4XW	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)
12.4XY	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã 12.4T)

12.4XZ	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.4T)
12.4YA	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 12.4T)
12.4YB	è,,†â¼±æ€§ã,ã,Šã€ã"ã®ã,çãf%ãã,ã,¶ã,¶ãã®ã€€ä¿®æfã,^
12.4YD	è,,†â¼±æ€§ã,ã,Šã€ã"ã®ã,çãf%ãã,ã,¶ã,¶ãã®ã€€ä¿®æfã,^
12.4YE	12.4(24)YE1ã,^ã,Šã%ã®ããfããfããfãã,1ã«ã-è,,†â¼±æ€§ã€€ã€€,
12.4YG	12.4(24)YG3
ã¼±éÿ¿ã,'ã—ã'ã,< 15.0 ãf™ãfãã,1ã®ãfããfããfãã,1	
15.0M	15.0(1)M3
15.0ç§'	Cisco 7600ãŠã,^ã³10000ã,ãfããfãã,ãf«ãfãã,¿i¼šè,,†â¼±æ€§ããã Cisco ASR 1000ã,ãfããfãã,ãf«ãfããfããfããã€€Cisco IOS-XEã.½ãfããfãã,ãã,§ã
15.0XA	è,,†â¼±æ€§ã,ã,Š(æœƒâ^ã®ä¿®æfã 15.1T)
15.0XO	è,,†â¼±æ€§ããã—
ã¼±éÿ¿ã,'ã—ã'ã,< 15.1 ãf™ãfãã,1ã®ãfããfããfãã,1	
15.1T	15.1(1)T1 15.1(2)T0a

15.1XB	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)
--------	--------------------------------------

Cisco IOS XE 2.1.1, 2.2.1, 2.3.1, 2.4.1, 2.5.1, 2.6.1, 3.1.xS

Cisco IOS XE 2.1.1, 2.2.1, 2.3.1, 2.4.1, 2.5.1, 2.6.1, 3.1.xS	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	2010-09-22
2.1.x	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	è,,†â¼±æ€€
2.2.x	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	è,,†â¼±æ€€
2.3.x	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	è,,†â¼±æ€€
2.4.x	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	è,,†â¼±æ€€
2.5.x	2.5.2	è,,†â¼±æ€€
2.6.x	2.6.1	2.6.2
3.1.xS	è,,†â¼±æ€§ã,ã,Š(æœ€â^ã®ä¿®æfã-15.1T)	è,,†â¼±æ€€

Cisco IOS XE 2.1.1, 2.2.1, 2.3.1, 2.4.1, 2.5.1, 2.6.1, 3.1.xS Cisco IOS XE 2.1.1, 2.2.1, 2.3.1, 2.4.1, 2.5.1, 2.6.1, 3.1.xS Cisco IOS XE 3S 2.1.1, 2.2.1, 2.3.1, 2.4.1, 2.5.1, 2.6.1, 3.1.xS, è,,†â¼±æ€€

ä, æfã^©ç" ä°<ä¼ã" ä...-â¼ç™èj"

è,,†â¼±æ€€ Cisco PSIRT è,,†â¼±æ€€

CSCtd33567 è,,†â¼±æ€€

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20100922-h323>

æ''è'',å±¥æ'

ãfãf¼ã,ãfsãf³	
1.3	ãfãf³ãf%ãf«ãfšãf¼ã,ã,ã,ã@ãfãf³ã,ã,ã,æ>æ-°ã—ã€EOL SRNDã,ã,ã@ã
1.2	12.2SREãCE12.2(33)SRE1ãSæœ€å^ã«äz@æfãã,ã,CEã€12.2SRDãCEè,†
1.1	ã€CEè,†å¼±æ€§@ã,æfå^©ç""ã"å...-èj"ã€ã,ã,ã,ãfšãf³ã,ãz@æfã—ã€
1.0	å^å>žå...-é-ãfãfãf¼ã,¹

å^©ç''è!ç',,

æœ-ã,çãf%ãfã,ã,ã,ãfããç,,jãzè"¼ã@ã,,ã@ãã"ã—ã|ã"æããã¼ã—ã|ãšã,šã€
æœ-ã,çãf%ãfã,ã,ã,ãfãã@æf...å±ãšã,ã³ãfãf³ã,ã@ã½zç""ã«é-çã™ã,è²-ã»ã@ã,€
ã¼ãÿã€ã,ã,¹ã,³ã-æœ-ãf%ã,ãfãfãf³ãf^ã@å†...å@¹ã,ã^å'Sãã—ã«å%æ>ã—ã
æœ-ã,çãf%ãfã,ã,ã,ãfãã@è"~èz°å†...å@¹ã«é-çã—ã|æf...å±é...ãzjã@ URL
ã,çœçç¥ã—ã€å~ç<-ã@è»çè¼%ã,,,æ,,è"³ã,æ-½ã—ãÿå'å^ã€å½"ç¼ãCEç@çç
ã"ã@ãf%ã,ãfãfãf³ãf^ã@æf...å±ã-ã€ã,ã,¹ã,³è£½å"ã@ã,ãf³ãf%ãf¼ã,ã,ã,ã¼è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。