Tandberg Eã€EXã€ã Šã,ˆã³Cã,·ãƒªãƒ¼ã,ºã,¨ãƒ³ãƒ‰

severity

ã,¢ãƒ‰ãƒ¬ã,¤ã,¶ãƒªãƒ¼ID : cisco-sa-20110202-tandberg

åˆ©å…¬é–‹æ—¥ : 2011-02-02 16:00

ãƒ¬ãƒ¼ã,¸ãƒ§ãƒ³ 1.0 : Final

å›žé¿ç– : No Workarounds available

Cisco ãƒ¬ã,° ID :

æ—¥æœ¬ èªžã«ã,ˆã,‹æƒ…å ±ã¯ã€è‹±èªžã«ã,ˆã,‹åŽŸæ–‡ã®é žå…¬å¼ã

æ¦‚è¦

TC4.0.0ã,ˆã,Šå‰ã®ã®ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ¬ãƒ¼ã,¸ãƒ§ãƒ³ã,'å®Ÿè¡Œã—ã¦ã¦ã„ã‹Tandberg Cã,·ãƒªãƒ¼ã,ºã,¨ãƒ³ãƒ‰ãƒ¬ã,¤ãƒ³ãƒˆã Šã,ˆã³E/EXãƒ'ãƒ¼ã,½ãƒŠãƒ«ãƒ"ãƒ‡ã,ªãƒ¦ãƒ‹ãƒƒãƒˆã«ã¯ã€ administratorã,¢ã,«ã,¦ãƒ³ãƒˆã Œä»˜å±žã—ã¦ã„ã¾ã™ã€æ"»æ'fè€…ã¯ã€ã"ã®ã,¢

ã"ã®ãƒ‡ãƒ•ã,©ãƒ«ãƒˆãƒ'ã,¹ãƒ¯ãƒ¼ãƒ‰ã®å•é¡Œã,'è§£æ±ºã™ã‹ã«ã¯ã€ã,½ãƒ•ãƒˆã,¦ã,§

ã"ã®ã,¢ãƒ‰ãƒ¬ã,¤ã,¶ãƒªã¯ã€https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110202-tandberg ã§å…¬é–‹ã•ã,Œã¦ã„ã¾ã™ã€,

è©²å½"è£½å"

è„†å¼±æ€§ã®ã,ã‹è£½å"

ã"ã®è„†å¼±æ€§ã¯ã€C20ã€C40ã€C60ã€C90ã€E20ã€EX60ã€ã Šã,ˆã³EX90ã Cã,·ãƒªãƒ¼ã,ºã,¨ãƒ³ãƒ‰ãƒ¬ã,¤ãƒ³ãƒˆã Šã,ˆã³E/EXãƒ'ãƒ¼ã,½ãƒŠãƒ«ãƒ"ãƒ‡ã,ªãƒ¦ãƒ‹ãƒƒãƒˆã«å½± SystemUnitã€ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã—ã¦ç¢ºèª ã§ã§ã§ã¾ã™ã€,

ãƒ¦ãƒ¼ã,¶ã¯ã€Webãƒ–ãƒ©ã,¦ã,¶ã§ã,³ãƒ¼ãƒ‡ãƒƒã,¯ã®IPã,¢ãƒ‰ãƒ¬ã,¹ã,'å…¥åŠ›ã—ã€ªª Info)]ãƒœãƒƒã,¯ã,¹ã®[ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ¬ãƒ¼ã,¸ãƒ§ãƒ³(Software Version)]ãƒ©ãƒ™ãƒ«ã®å¾Œã«è¡¨ç¤ºã•ã,Œã¾ã™ã€,

ã¾ã Ÿã€ãƒ‡ãƒ•ã,¤ã,¹ã®ã,¢ãƒ—ãƒªã,±ãƒ¼ã,·ãƒ§ãƒ³ãƒ—ãƒ©ãƒžã,¤ãƒ³ã,¿ãƒ¼ãƒ•ã,§ã,¤ã,¹ã SystemUnitã€ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã—ã¦ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ¬ãƒ¼ã,¸ãƒ§ãƒ³ã,'ç¢ºèª ã™ã Software Versionã€ãƒ©ãƒ™ãƒ«ã®å¾Œã«è¡¨ç¤ºã•ã,Œã¾ã™ã€,ã€ŒExStatus SystemUnitã€ã‹ã,‰ã®å‡ºåŠ›ã«ã¯ã€æ¬¡ã®ã,ˆã†ã ªçµ æžœã Œè¡¨ç¤ºã•ã,Œ

```
xStatus SystemUnit
*s SystemUnit ProductType: "Cisco TelePresence Codec"
*s SystemUnit ProductId: "Cisco TelePresence Codec C90"
*s SystemUnit ProductPlatform: "C90"
*s SystemUnit Uptime: 597095
*s SystemUnit Software Application: "Endpoint"
*s SystemUnit Software Version: "TC4.0"
*s SystemUnit Software Name: "s52000"
*s SystemUnit Software ReleaseDate: "2010-11-01"
*s SystemUnit Software MaxVideoCalls: 3
*s SystemUnit Software MaxAudioCalls: 4
*s SystemUnit Software ReleaseKey: "true"
*s SystemUnit Software OptionKeys NaturalPresenter: "true"
*s SystemUnit Software OptionKeys MultiSite: "true"
*s SystemUnit Software OptionKeys PremiumResolution: "true"
*s SystemUnit Hardware Module SerialNumber: "B1AD25A00003"
*s SystemUnit Hardware Module Identifier: "0"
*s SystemUnit Hardware MainBoard SerialNumber: "PH0497201"
*s SystemUnit Hardware MainBoard Identifier: "101401-3 [04]"
*s SystemUnit Hardware VideoBoard SerialNumber: "PH0497874"
*s SystemUnit Hardware VideoBoard Identifier: "101560-1 [02]"
*s SystemUnit Hardware AudioBoard SerialNumber: "N/A"
*s SystemUnit Hardware AudioBoard Identifier: ""
*s SystemUnit Hardware BootSoftware: "U-Boot 2009.03-65"
*s SystemUnit State System: Initialized
*s SystemUnit State MaxNumberOfCalls: 3
*s SystemUnit State MaxNumberOfActiveCalls: 3
*s SystemUnit State NumberOfActiveCalls: 1
*s SystemUnit State NumberOfSuspendedCalls: 0
*s SystemUnit State NumberOfInProgressCalls: 0
*s SystemUnit State Subsystem Application: Initialized
*s SystemUnit ContactInfo: "helpdesk@company.com"
** end
```

è„†å¼±æ€§ã,'å►«ã,"ã►§ã►„ã►ªã►„ã►"ã►¨ã►Œç¢ºèª►ã►•ã,Œã►Ÿè£½å"►

ä»–ã►®ã,·ã,¹ã,³è£½å"►ã►«ã►Šã►„ã►¦ã►"ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®å½±éŸ¿ã,'å►—ã►'ã,‹

è©³ç´°

Tandbergãƒ‡ãƒ►ã,¤ã,¹ã►¯ã€►ã,¤ãƒžãƒ¼ã,·ãƒ–ç'°å¢ƒã€►ä¼šè°å®¤ã€►å€‹ã€…ã►®ãƒ‡ã,¹ã,¯ãƒˆãƒƒãƒ–
TelePresenceã,¨ãƒ³ãƒ‰ãƒ►ã,¤ãƒ³ãƒˆã,'æ►►ä¾›ã►™ã,‹Cisco
TelePresenceã,·ã,¹ãƒ†ãƒ ã►®ä¸€éƒ¨ã►§ã►™ã€,Cã,·ãƒªãƒ¼ã,ºã,¨ãƒ³ãƒ‰ãƒ►ã,¤ãƒ³ãƒˆã►¯é€šå¸¸ã€►å

ã►"ã,Œã,‰ã►®ãƒ‡ãƒ►ã,¤ã,¹ã►«ã►¯ã€►é€šå¸¸ã►®æ"►ä½œã►§ã►¯ä¸►è¦►ã►ªé«˜ã►ªã►¦ã►ªãƒ‡ã
4.0.0ã,ˆã,Šå‰►ã►®ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ►ãƒ¼ã,¸ãƒ§ãƒ³ã►§ã►¯ã€►rootãƒ¦ãƒ¼ã,¶ã►¯ãƒ‡ãƒ•ã,©ãƒ«
4.0.0ã,ˆã,Šå‰►ã►®ãƒ‡ãƒ•ã,©ãƒ«ãƒˆè¨å®šã►§ã►¯ã€►rootãƒ¦ãƒ¼ã,¶ã►®ãƒ'ã,¹ãƒ¯ãƒ¼ãƒ‰ã►¯è¨

ãƒ‡ãƒ►ã,¤ã,¹ã,'TC
4.0.0ã►«ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã►™ã,‹ã►¨ã€►rootãƒ¦ãƒ¼ã,¶ã►¯ç„¡åŠ¹ã►«ã►ªã,Šã►¾ã►™ã€,T

Cã,·ãƒªãƒ¼ã,ºã,¨ãƒ³ãƒ‰ãƒ•ã,¤ãƒ³ãƒˆã•Šã,ˆã•³E/EXãƒ'ãƒ¼ã,½ãƒŠãƒ«ãƒ"ãƒ‡ã,ªãƒ¦ãƒ‹ãƒƒãƒˆç"¨ã•®ã,·ã
conferencing-software-download.jsp?t=2ã•‹ã,‰ãƒ€ã,¦ãƒ³ãƒãƒ¼ãƒ‰ã•§ã••ã•¾ã•™ã€,ä»–ã•®ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼

ã•"ã•®è„†å¼±æ€§ã•«ã•¯CVE IDã•¨ã•—ã•¦CVE-2011-0354ã•Œå‰²ã,Šå½"ã•¦ã,‰ã,Œã•¦ã•„ã•¾ã•™ã€,

å›žé•¿ç–

TC4.0.0ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼ã,¸ãƒ§ãƒ³ä»¥é™•ã•®ãƒ‡ãƒ•ã,©ãƒ«ãƒˆè¨å®šã•§ã•¯ã€•rootãƒ¦ãƒ¼
rootsettings
offã€•ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¦ã,¢ã,«ã,¦ãƒ³ãƒˆã,'ä¸€æ™‚çš„ã•«ç„¡åŠ¹ã•«ã•™ã,‹ã•‹ã€•ã•
rootsettings
neverã€•ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¦rootãƒ¦ãƒ¼ã,¶ãƒ¼ã,'æ°¸ä¹…ã•«ç„¡åŠ¹ã•«ã•™ã,‹å¿…è¦•

rootãƒ¦ãƒ¼ã,¶ã•¯é«˜å°¦ã•ªãƒ‡ãƒ•ãƒƒã,°ã•Œæœ‰åŠ¹ã•«ã•ªã•£ã•¦ã•„ã•¾ã•™ã€,rootãƒ¦ãƒ¼
rootsettings on [password]"ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¾ã•™ã€,

ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼ã,¸ãƒ§ãƒ³TC 4.0.0ä»¥é™•ã,'å®Ÿè¡Œã•—ã•¦ã•„ã,‹ãƒ‡ãƒ•ã,¤ã,¹

TC4.0.0ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼ã,¸ãƒ§ãƒ³ä»¥é™•ã•®ãƒ‡ãƒ•ã,©ãƒ«ãƒˆè¨å®šã•§ã•¯ã€•rootãƒ¦ãƒ¼
rootsettings
offã€•ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¦ã,¢ã,«ã,¦ãƒ³ãƒˆã,'ä¸€æ™‚çš„ã•«ç„¡åŠ¹ã•«ã•™ã,‹ã•‹ã€•ã•
rootsettings
neverã€•ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¦rootãƒ¦ãƒ¼ã,¶ãƒ¼ã,'æ°¸ä¹…ã•«ç„¡åŠ¹ã•«ã•™ã,‹å¿…è¦•

rootãƒ¦ãƒ¼ã,¶ã•¯é«˜å°¦ã•ªãƒ‡ãƒ•ãƒƒã,°ã•Œæœ‰åŠ¹ã•«ã•ªã•£ã•¦ã•„ã•¾ã•™ã€,rootãƒ¦ãƒ¼
rootsettings on [password]"ã,³ãƒžãƒ³ãƒ‰ã,'ä½¿ç"¨ã•—ã•¾ã•™ã€,

TC4.0.0ã,'å®Ÿè¡Œã•—ã•¦ã•„ã,‹ãƒ‡ãƒ•ã,¤ã,¹ã•®ãƒ‡ãƒ•ã,©ãƒ«ãƒˆè¨å®šã•«ã•¯ã€•ç®¡ç•†è€…ã
SystemUnit AdminPassword Set Password:
[password]ã€•ã,'ä½¿ç"¨ã•—ã•¦è¨å®šã•™ã,‹å¿…è¦•ã•Œã•,ã,Šã•¾ã•™ã€,

TC 4.0.0ã,ˆã,Šå‰•ã•®ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼ã,¸ãƒ§ãƒ³ã,'å®Ÿè¡Œã•—ã•¦ã•„ã,

TC4.0.0ã,ˆã,Šå‰•ã•®ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ•ãƒ¼ã,¸ãƒ§ãƒ³ã,'å®Ÿè¡Œã•—ã•¦ã•„ã,‹ãƒ‡ãƒ•ã,¤ã,¹ã•
SystemUnit AdminPassword Set Password:
[password]ã€•ã,'ä½¿ç"¨ã•—ã•¦è¨å®šã•—ã•¾ã•™ã€,

ä¿®æ£æ¸ˆã►¿ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'æ¤œè¨Žã►™ã,‹å ´å►ˆã►¯ã€►http://www.cisco.com/go/psirt
ã►¨å¾Œç¶šã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã,,å►,ç…§ã►—ã►¦ã€►å•►é¡Œã►®è§£æ±ºçŠ¶æ³►ã►¨å®
ã,½ãƒªãƒ¥ãƒ¼ã,·ãƒ§ãƒ³ã,'ç¢ºèª►ã►—ã►¦ã►►ã► ã►•ã►„ã€,

ã►„ã►šã,Œã►®å ´å►ˆã,,ã€►ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã►™ã,‹æ©Ÿå™¨ã►«å►►å►†ã►ªãƒ¡ãƒ¢ãƒªã►
Technical Assistance
Centerï¼ˆTACï¼‰ã►¾ã►Ÿã►¯å¥'ç´„ã,'çµ►ã,"ã►§ã►„ã,‹ãƒ¡ãƒ³ãƒ†ãƒŠãƒ³ã,¹
ãƒ—ãƒãƒ►ã,¤ãƒ€ãƒ¼ã►«ã►Šå•►ã►„å►ˆã►›ã►►ã► ã►•ã►„ã€,

ä¸►æ£åˆ©ç"¨ä°‹ä¾‹ã►¨å…¬å¼►ç™°è¡¨

ã►"ã►®è„†å¼±æ€§ã►¯ã€►ã€ŒHacking and Securing the Tandberg
C20ã€►ã►®è¨˜ä°‹ï¼ˆ2600
Magazineã►®ç¬¬3å·»27å►·ï¼‰ã►§èª¬æ˜Žã►•ã,Œã►¦ã►„ã►¾ã►™ã€,

URL

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110202-tandberg

æ"¹è¨‚å±¥æ´

ãƒªãƒ"ã,¸ãƒ§ãƒ³ 1.0	2011å¹´2æœˆ2æ—¥	åˆ►å›žå…¬é–‹ãƒªãƒ¼ã,¹

åˆ©ç"¨è¦►ç´„

æœ¬ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►¯ç„¡ä¿►è¨¼ã►®ã,,ã►®ã►¨ã►—ã►¦ã►"æ►►ä¾›ã►—ã►¦ã►Šã,Šã€
æœ¬ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®æƒ…å ±ã►Šã,ˆã►³ãƒªãƒ³ã,¯ã►®ä½¿ç"¨ã►«é–¢ã►™ã,‹è²¬ä»»ã►®ä¸€
ã►¾ã►Ÿã€►ã,·ã,¹ã,³ã►¯æœ¬ã,ãƒ¥ãƒ¡ãƒ³ãƒˆã►®å†…å®¹ã,'ä°ˆå'Šã►ªã►—ã►«å¤‰æ›´ã►—ã►
æœ¬ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®è¨˜è¿°å†…å®¹ã►«é–¢ã►—ã►¦æƒ…å ±é…►ä¿¡ã►® URL
ã,'çœ►ç•¥ã►—ã€►å►˜ç‹¬ã►®è»¢è¼‰ã,„æ„►è¨³ã,'æ–½ã►—ã►Ÿå ´å►ˆã€►å½"ç¤¾ã►Œç®¡ç►
ã►"ã►®ãƒ‰ã,ãƒ¥ãƒ¡ãƒ³ãƒˆã►®æƒ…å ±ã►¯ã€►ã,·ã,¹ã,³è£½å"►ã►®ã,¨ãƒ³ãƒ‰ãƒ¦ãƒ¼ã,¶ã,'å¯¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。