

Cisco Secure Access Control

Systemä®ä, äæfäääf'ä, ¹äf"äf¼äf%oå¤%oæ»'



ã,çãf%oãf♦ã,¤ã,¶ãfãf%ID : cisco-sa-
20110330-ac5

å^♦å...¬é-æ—¥ : 2011-03-30 16:00

āf♦āf¼ā,āf§āf³ 1.0 : Final

åžé◊¿ç- : No Workarounds available

Cisco 交换机 ID :

æ—¥æœ¬è^ä♦«ä,^ä,<æf...å ±ä♦¬ä€♦è<±è^ä♦«ä,^ä,<åŽ¥æ-‡ä♦®é♦žå...¬å¼♦ä

æ!, è! ♦?

Cisco Secure Access Control

System(ACS) — ACS

„**á**♦“**á**♦®è,,†å¼±æ€§**á**♦«**á**,^**á**,Š**á**€♦æ”»æ'fè€...**á**♦¬ACSäf‡äf¼ä,;äf™äf¼ä,¹**á**♦«å¾ä♦™ä,**á**♦?♦**á**♦®

“ã”“ã®ã,çäf‰oäfã,¤ã,¶ãfã”–ä€<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAlerts-20110330-ac> ä§å...¬é-[•ã](#),Œä |ã„,ã³%ã™ã€,

è©²å¹/₂“è£¹/₂å“♦?

è, † å ¼ ± æ € § ã ® ª , ã, « è € ½ å “ ¸

æ¬jä?®Cisco Secure

ACSTM, $\text{f}^{\frac{1}{4}}$, f^3 , $\text{E}^{\frac{1}{2}}$, R_{e} , $\pm \epsilon$, $\text{Y}^{\frac{1}{2}}$, $\text{a}^{\frac{3}{4}}$, $\text{a}^{\frac{3}{4}}$ TM

- Secure ACS 5.1
 - Cisco Secure ACS 5.2

„Cisco Secure“

ACS® ãf ãf%ã, ãf§ãf³ã,'ççºèª ã™ã,«ã ãæ-|ã ®æ-¹æ³•ã, 'ã½ç" ã §ã ? ã ¾ã

- Cisco Secure

```
acs51a/admin# show version
```

Cisco Application Deployment Engine OS Release: 1.2
ADE-OS Build Version: 1.2.0.152
ADE-OS System Architecture: i386

Copyright (c) 2005-2009 by Cisco Systems, Inc.
All rights reserved.
Hostname: acs51a

Version information of installed applications

Cisco ACS VERSION INFORMATION

Version : 5.1.0.44.6
Internal Build ID : B.2347
Patches :
5-1-0-44-3
5-1-0-44-6

acs51a/admin#

- Cisco Secure

- Cisco Secure

Cisco Secure

ACSafe 5.2.0.26 — | è™~ ã•ã, CE ¾™ ã€, ãf ãæSecure

Secure ACS → [View Details](#)

è., †å¼±æ€§ã.’å‡«ã.”ã‡§ã‡„ã‡ªã‡„ã‡”ã‡”ã‡Œc¢ºèª‡ã‡•ãŒã‡¥è£½å“‡

æ¬;ã®ãfãf½ã,ãf§ãf³ã®Cisco Secure

ACS—ã€ã“ã®è,,†å½±æ€§ã®å½±éÝ;ã,’å—ã’ã¾ã»ã,“ã€,

- ãfãf½ã,ãf§ãf³5.1ã,^ã,Šå‰ã®ã™ã’1ã®Cisco Secure

ACSãfãf½ã,ãf§ãf³

- ãf’affäfã®Œä,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®|ã„ã®ã,„ã€ã¾ã®Ýã®—ãf’affäf6ä»¥

Secure ACSãfãf½ã,ãf§ãf³5.1

- ãf’affäf®1ã¾ã®Ýã®—2i¼^ã¾ã®Ýã®—ã,jæ—1i¼‰ã®Œä,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®ÝCi

Secure ACSãfãf½ã,ãf§ãf³5.1

- ãf’affäf®3ã€?4ã€?ã¾ã®Ýã®—5i¼^ã¾ã®Ýã®—ã®“ã,Œä,%oã®ãf’affäfã®ä»»æ,

Secure

ACSãfãf½ã,ãf§ãf³5.1i¼^ãf’affäf6ä»¥é™ã,,ã,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®|ã„ã,<å`å®^

- ãf’affäf®1ã¾ã®Ýã®—2i¼^ã®,ã,<ã®„ã®—ã,jæ—1i¼‰ã®Œä,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®|ã„ã,<å`å®^

Secure

ACSãfãf½ã,ãf§ãf³5.2i¼^ãf’affäf3ä»¥é™ã,,ã,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®|ã„ã,<å`å®^

- ãf’affäf®3ä»¥é™ã®,Œä,¤äf³ã,¹ãf^ãf½ã«ã®•ã,Œä®ÝCisco Secure

ACSãfãf½ã,ãf§ãf³5.2

ã,Šè~ã®ãfã,¹ãf^ã®—ã€ãfãf½ãf‰ã,|ã,§ã,çã,çäf—ãf©ã,¤ã,çäf³ã,¹ã®“ã,½ãf•ãf^ã,|ã,§ã,çã®

ä»—ã®ã,·ã,¹ã,³è£½å“ã®ã“ã®Šã®„ã®|ã€ã®“ã®ã,çäf‰ãfã,¤ã,¶ãfã®ã®å½±éÝ;ã,’å—ã

è®³ç°

Cisco Secure ACS —ã€ãä,å¤®ã® RADIUS ã®Šã,^ã®³ TACACS+

ã,µäf½ãfã®—ã®—ã®|æ©Ýèf½ã®—ã€ãf|ãf½ã,¶è®—¹¼ã€ãf|ãf½ã,¶ã®Šã,^ã®³ç®jç®tè€..

ã,çã,~ã,»ã,¹ã€ãfãfã,·ãf½å“¶å¾jã,’ã€ãä,€å...fåŒ—ã®•ã,Œä®Ý ID ãfãffäf^ãf½ã,

ã,½ãfãf½ã,·ãf§ãf³ã®“çµ±å®—ã®—ã¾ã®™ã€,

Cisco Secure

ACS—ã®ä,€éf“ã®ãfãf½ã,ãf§ãf³ã®“ã®—è,,†å½±æ€§ã®å~åœ“ã®—ã€ã®è“¹ã®•ã,Œä®|ã

ã®“ã®è,,†å½±æ€§ã®—ã€ã®æ¬;ã®ã,¤ãf—ã®ãf|ãf½ã,¶ã,çã,«ã,|ãf³ãf^ã®ãfã,¹ãf^ãf½ãf‰ã

- Lightweight Directory Access Protocol(LDAP)ã,µf½ãfã€®Microsoft Active Directoryã,µäf½ãfã€®RSA

SecurIDã,µäf½ãfã€®å¤—éf“RADIUSã,µäf½ãfã®ã®©ã®å¤—éf“IDã,¹ãf^ã,çã®§å®šç¾ç®

- Webãf™ãf½ã,¹ã®ã,¤äf³ã,çäf½ãf•ã,§ã,¤ã,¹ã,’ä½ç“ã®—ã®|è“å®šã®•ã,Œä®ÝCisco Secure ACSã,µäf½ãfã®è‡ä½“ã®ã,·ã,¹ãftäf ç®jç®tè€...ã,çã,«ã,|ãf³ãf^

- **username password** CLIã,³äfžäf³ãf‰ã®§è“å®šã®•ã,Œä®ÝCisco Secure ACSã,µäf½ãfã®è‡ä½“ã®ãf|ãf½ã,¶ã,çã,«ã,|ãf³ãf^

“ã”ã®è, †å¼±æ€§ã”ã€Cisco Bug ID [CSCtl77440](#)

(ç™»éŒ²äƒ\äƒ¹ä,¶å°,ç”“)ã? “ã?—ã? | æ-‡æ›,åŒ-ã?•ã,Œã€?CVE IDã? “ã?—ã? | CVE-2011-0951ã?Œå‰%2ã,Šå½“ã? | ã,%oã,Œã? | ã?„ã?¾ã?™ã€,

å>žé◆?¿ç-

Cisco Secure

ACS[®] Web[™] af^{1/4},¹ æ[®] ç[®] jç[®] tã, ox³ ã, ï^{1/4} f[•] ã, ßã, ox¹ ã, æ[®] ã, çã, -ã, »ã, ¹ã, 'æ[®] æ—çç YY ã[®] R

Secure ACS User Guide ã¢ã¢®ã¢ Managing System

Administrators ã¢ã¢®ç« ã¢®ã€ŒConfiguring Administrator Access

Cisco Secure ACS™ User Change

Password(UCP)Webā,μãf%ãf"ã,¹ã♦Œç"“ æ,,♦ã♦•ã,Œã♦|ã♦„ã♦³/ã♦™ã€,ã♦Šå®Çæ§~ã♦~ã€♦We

Secure Access Control

ä;®æ£æ, ^ã♦¿ã, ½ãƒ•ãƒ^ã, |ã, §ã, ¢

— Cisco Systems, Inc. © 2005 Cisco Systems, Inc. All rights reserved. Cisco Confidential

„**æ** „**å**¾Œç¶šã„**®**ã,çãf%‰œf„**ã**,¤ã,¶ãf„**ã**,„**å**„**ç**...§ã„**—**ã„**|**ã€„**å**„**•**„**é**;Œã„**®**è§Fæ±°çŠ¶æ³„**ã**„**”**„**å**„**®**ã,½ãf„**ã**f¥ãf¼ã,„**ã**ƒ§ã„**ã**,‘ç„**ø**„**æ**„**—**ã„**|**ã„**”**ã„**”**ã„**”**ã„**”**ã„**”**ã„**”**ã„**”**,

Technical Assistance

© Cisco Systems, Inc. 2002 Cisco Secure

- Cisco Secure ACS 5.1

ãf•ã,¡ã,¤ãf«5-1-0-44-6.tar.gpg - ACS 5.1.0.44ç¬ç©♦ãf'ãffãf♦6

- Cisco Secure ACS ãf♦ãf%4ã,ãf§ãf³ 5.2

ãf•ã,¡ã,¤ãf«5-2-0-26-3.tar.gpg - ACS 5.2.0.26ç¬ç©♦ãf'ãffãf♦3

ã♦“ã,Œã,%oã♦®Cisco Secure ACSãf'ãffãf♦ã♦”ã€♦Cisco.com♦®Software

Centerã♦<http://www.cisco.com/cisco/software/navigator.html>(ç™»Œ2ãf|ãf%4ã,¶å°,ç”“)ã♦«ãf€ã,|ãf³ãfã

- [Security] > [Identity Management] > [Cisco Secure Access Control System] > [Cisco Secure Access Control System 5.1]
- [Security] > [Identity Management] > [Cisco Secure Access Control System] > [Cisco Secure Access Control System 5.2]

ã,♦æ£å^©ç”“ã°<ã³/ã♦”å...¬å¼?ç™moèi”

Cisco PSIRT

ã♦§ã♦”ã€♦æœ¬ã,¢ãf%oãf♦ã,¤ã,¶ãfã♦«è”“è¼%oã♦•ã,Œã♦|ã♦,,ã,<è,†å¼±æ€§ã♦®ã,♦æ£å^©ç”“

ã♦“ã♦®è,,†å¼±æ€§ã♦”å†...éf”ãftã,1ãf^ã♦§ç™oè|<ã♦•ã,Œã♦¾ã♦—ã♦¥ã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110330-acss>

æ”¹è”,å±¥æ‘

ãf"ãf“ã, „ãf§ãf³ 1.0	2011å¹’3æœ^30æ—¥	å^♦å>žå...¬é-<ãf"ãf"ãf%4ã, 1
-------------------------	------------------	------------------------------

å^©ç”“è!♦ç‘,,

æœ¬ã,¢ãf%oãf♦ã,¤ã,¶ãfã♦”ç,,¡ä¿♦è”“è¼ã♦®ã,,ã♦®ã♦”ã♦—ã♦|ã♦”æ♦♦æ³/ã♦—ã♦|ã♦Šã,Šã€æœ¬ã,¢ãf%oãf♦ã,¤ã,¶ãfã♦®æf...å±ã♦Šã,^ã♦³ãf"ãf³ã,¬ã♦®ä½¿ç”“ã♦«é-çã♦™ã,<è²¬ä»»ã♦®ã,€ã♦¾ã♦¥ã€♦ã,·ã,¹ã,³ã♦”æœ¬ãf%oã,ãf¥ãf;ãf³ã♦®å†...å®¹ã,’ä°^å'Sã♦”ã—ã♦«å¤‰æ›’ã♦—ã♦æœ¬ã,¢ãf%oãf♦ã,¤ã,¶ãfã♦®è”“è¿°å†...å®¹ã♦«é-çã♦—ã♦|æf...å±é...♦ä¿jã♦® URL
ã,’çœ♦ç·¥ã♦—ã€♦å♦~ç<-ã♦®è»çè¼%oã,,æ,,♦è”³ã,’æ-½ã♦—ã♦¥ã’å♦^ã€♦å½”ç¤¾ã♦Œç®;ç?ã♦“ã♦®ãf%oã,ãf¥ãf;ãf³ãf”ã♦®æf...å±ã♦—ã€♦ã,·ã,¹ã,³è£½å”♦ã♦®ã,“ãf³ãf%oãf|ãf%4ã,¶ã,’å¬¾è±ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。