

Cisco IOS Smart Install



Smart Install ID : cisco-sa-20110928-smart-install
Date : 2011-09-28 16:00
Last Modified : 2015-11-25 16:11
Version : 1.6 : Final
Status : Yes
Cisco ID : CSCto10165

[CVE-2011-3271](#)

Smart Install ID : cisco-sa-20110928-smart-install

Smart Install

Cisco IOS Smart Install ID : cisco-sa-20110928-smart-install
Smart Install ID : cisco-sa-20110928-smart-install

Smart

Smart Install ID : cisco-sa-20110928-smart-install
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110928-smart-install>

Smart Install ID : cisco-sa-20110928-smart-install

Smart Install ID : cisco-sa-20110928-smart-install

Smart Install ID : cisco-sa-20110928-smart-install

Smart Install ID : cisco-sa-20110928-smart-install

Smart Install ID : cisco-sa-20110928-smart-install

Semiannual Cisco IOS Software Security Advisory Bundled

Publication 2013-09-11, Cisco, 2013-09-11

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_sep11.html

© 2013 Cisco and/or its affiliates. All rights reserved. Cisco Confidential

Smart Install

Smart Install

Catalyst

Smart Install

Smart

```
Install Smart Install
```

```
Install Smart
```

```
Install show vstack
```

```
config EXEC show vstack
```

```
Install Smart
```

```
Catalyst show vstack config
```

```
<#root>
```

```
switch#
```

```
show vstack config
```

```
Role: Client
```

```
Vstack Director IP address: 10.1.1.163
```

```
Smart Install
```

```
Catalyst show vstack config
```

```
<#root>
```

```
Director#
```

```
show vstack config
```

```
Role: Director
```

```
Vstack Director IP address: 10.1.1.163
```

```
Vstack Mode: Basic
```

```
Vstack default management vlan: 1
```

```
Vstack management vlans: none
```

```
Vstack Config file: tftp://10.1.1.100/default-config.txt
```

```
Vstack Image file: tftp://10.1.1.100/c3750e-universalk9-tar.122-
```

Join Window Details:
Window: Open (default)
Operation Mode: auto (default)
Vstack Backup Details:
Mode: On (default)
Repository: flash:/vstack (default)

```
ã,·ã,¹ã,³è£½ã“ ¢ã¢§ç`¼åfã—ã¢|ã¢,,ã,< Cisco IOS ã,½ãf·ãf^ã,|ã,šã,ç  
ãfªãfªãf¼ã,¹ã,çç°èªã¢™ã,ã¢«ã¢™ã¢ãfªãfã,ªã,¹ã¢«ãfã,°ã,ªãf³ã—ã¢| show  
version ã,³ãfžãf³ãf%ã,¹ã½;ã¢£ã¢|ã¢ã,·ã,¹ãftãf  
ãfãfšãf¼ã,èj`çªã—ã¢¾ã¢™ã¢, "Internetwork Operating System Software"ã¢"Cisco  
IOS Software" ã¢,ã,ã¢,,ã¢™ã¢™ã,CEã,%ãã«éjžã¼¼ã¢™ã,ã,ã,¹ãftãf  
ãfãfšãf¼ã¢«ã,^ã¢£ã¢|ãfªãfã,ªã,¹ã¢§ Cisco IOS  
ã,½ãf·ãf^ã,|ã,šã,çã¢ç`¼åfã—ã¢|ã¢,,ã,ã¢"ã¢™ã,çç°èªã¢§ã¢ã¢¾ã¢™ã¢,  
ã¢ã¢ã¢®ã¾CEã,ã¢«ã,ªãfjãf¼ã,ã¢ã¢CEæ¬ã¼šã¢®é—"ã¢«èj`çªã—ã,CEã¢ç¶šã,,ã¢|  
"Version" ã¢™ Cisco IOS ã,½ãf·ãf^ã,|ã,`ã,ç  
ãfªãfªãf¼ã,¹ã¢ã¢CEèj`çªã—ã,CEã¢¾ã¢™ã¢,ã»-ã¢®ã,·ã,¹ã,³  
ãfªãfã,ªã,¹ã¢§ã¢™ã¢show version  
ã,³ãfžãf³ãf%ã¢CEã~ã¢—ã¢ªã¢ã¢£ã¢Ÿã,šã¢ã~ãŸã¢®ãª°ãšã¢CEèj`çªã—ã,CEã¢Ÿã
```

```
<#root>  
  
Router>  
  
show version  
  
Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE (fc1)  
Technical Support: http://www.cisco.com/techsupport  
Copyright (c) 1986-2009 by Cisco Systems, Inc.  
Compiled Wed 02-Dec-09 17:17 by prod_rel_team  
  
!--- output truncated
```

Cisco
IOSã,½ãf·ãf^ã,|ã,šã,çã¢ã¢ã¢ãf¼ã,¹ã½ã¢ã¢è|ã¢ã%ªã¢®èjžãš æf...ã ±ã¢™ã¢ãfªãf^ã,ªãf^ãf
IOS and NX-OS Software Reference
Guideã¢(http://www.cisco.com/web/about/security/intelligence/ios-
ref.html)ã,¹ã,ç...šã—ã¢|ã¢ã¢ã¢ã¢ã¢ã,ã¢,
è,ªã¼±ã¢£ã,¹ã

Security(SIO) af af 4a, zaf « a Sa, a... ya%o « a Sa a 3a TM aE, c%o 1 a@sa @af af 4a, afSa fa @Cisco
IOSa, 1/2 af af a, a, Sa, ca « a 1/2 e Y z a, a, Za a, a, a, af ya fa af ta, E a, ca f%o af a, pa, f af a, c c o e a a TM a, a a Y a, a a @ae © Y ef 1/2 a Ce a, a

Cisco IOS a, 1/2 af af a, la, Sa, c

æ-j a @Cisco IOSa, 1/2 af af a, a, Sa, ca f ta f 4 af af « a @ a, e j Ce a a Cisco

IOSa, 1/2 af af a, a, Sa, ca f af a, pa f a « a 3 a z oe a a a | a, a 3 a TM aE, c%o 1 a@sa @af af a, pa f a « e, ta 1/2 ae Sa Ce a a ae a TM a

IOSa, 1/2 af af a, a, Sa, ca, a, af ya fa af ta, E a, ca f%o af a, pa, f af af af a f%o af a... - e - a « a « a 3 a, Ce a, a TM a a | a @ a... - e - a, a

af ja, af f af 1/4 af af af 1/4 a, 1		
Affected 12.0-Based Releases	First Fixed Release i 1/4 a z @ae E a a a, Ce a Y ae ce a a a @ af a fa af 1/4 a, i 1/4 %o	
e © a 1/2 a TM a, c 12.0 af TM af 1/4 a, 1 a @ af a fa af 1/4 a, 1 a a, a, Sa a 3 a a, a aE,		
Affected 12.1-Based Releases	First Fixed Release i 1/4 a z @ae E a a a, Ce a Y ae ce a a a @ af a fa af 1/4 a, i 1/4 %o	
e © a 1/2 a TM a, c 12.1 af TM af 1/4 a, 1 a @ af a fa af 1/4 a, 1 a a, a, Sa a 3 a a, a aE,		
Affected 12.2-Based Releases	First Fixed Release i 1/4 a z @ae E a a a, Ce a Y ae ce a a a @ af a fa af 1/4 a, i 1/4 %o	
12.2	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2B	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2BC	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2BW	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2BX	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2BY	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2BZ	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2CX	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2CY	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2CZ	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a
12.2DA	e, ta 1/4 ae Sa a a	e, ta 1/4 ae Sa a a

12.2IXC	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2IXD	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2IXE	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2IXF	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2IXG	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2IXH	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2JA	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2JK	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2MB	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2MC	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2MRA	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2 MRB	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2S	è„†â¼±æ€§ăªă—	12.2(30)Să, ^ă, Să
12.2SB	è„†â¼±æ€§ăªă—	12.2(31)SB20 12.2(33)SB10
12.2SBC	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2SCA	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2SCB	è„†â¼±æ€§ăªă—	è„†â¼±æ€§ăªă—
12.2SCC	è„†â¼±æ€§ăªă—	12.2(33)SCC7
12.2SCD	è„†â¼±æ€§ăªă—	12.2(33)SCD6
12.2SCE	è„†â¼±æ€§ăªă—	12.2(33)SCE1

		12.2(33)SCE2
12.2SCF	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã
12.2SE	12.2(55)SE3 12.2(58)SE 12.2(50)SE5ã»¥â%‰ªãª®ãfªãfªãf¼ã,¹ãª«ãª`è„†â¼±æ€§šãªãªã,ã,šãª¼ãª»ã,”	12.2(55)SE3 12.2(58)SE
12.2SEA	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SEB	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SEC	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SED	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SEE	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SEF	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã,ã
12.2SEG	è„†â¼±æ€§šãªã—	12.2(25)SEG4ã,ª
12.2SG	è„†â¼±æ€§šãªã—	12.2(53)SG4ã,ª
12.2SGA	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªª
12.2SL	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªã
12.2SM	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªª
12.2SO	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªã
12.2SQ	è„†â¼±æ€§šãªã—	12.2(50)SQ3
12.2SRA	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªã
12.2SRB	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªã
12.2SRC	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªªã

12.2SRD	è„†â¼±æ€§ãªã—	12.2(33)SRD6
12.2SRE	è„†â¼±æ€§ãªã—	12.2(33)SRE4
12.2STE	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SU	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SV	è„†â¼±æ€§ãªã—	12.2(29a)SVã,ã,
12.2SVA	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SVC	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SVD	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SVE	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SW	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SX	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXA	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXB	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXD	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXE	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXF	è„†â¼±æ€§ãªã—	12.2(18)SXF17b
12.2SXH	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2SXI	è„†â¼±æ€§ãªã—	12.2(33)SXI6
12.2SXJ	è„†â¼±æ€§ãªã—	12.2(33)SXJ1
12.2SY	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—

12.2SZ	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2T	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2TPC	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XA	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XB	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XC	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XD	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XE	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XF	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XG	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XH	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XI	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XJ	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XK	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XL	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XM	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XN	è„†â¼±æ€§šãªã—	è„†â¼±æ€§šãªã—
12.2XNA	Cisco IOS XE ã¼ãfãfã.ã.šã.ãã@ãç"æ€§šã'ãç...šã—ã!ããããããã.ã€.	Cisco IOS XE ã¼ãfãfã.ã.šã.ãã@ãç"æ€§šã'ãç...šã—ã!ããããããã.ã€.
12.2XNB	Cisco IOS XE ã¼ãfãfã.ã.šã.ãã@ãç"æ€§šã'ãç...šã—ã!ããããããã.ã€.	Cisco IOS XE ã¼ãfãfã.ã.šã.ãã@ãç"æ€§šã'ãç...šã—ã!ããããããã.ã€.

12.2YH	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YJ	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YK	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YL	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YM	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YN	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YO	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YP	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YQ	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YR	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YS	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YT	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YU	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YV	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YW	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YX	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YY	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2YZ	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2ZA	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—
12.2ZB	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã—

12.2ZC	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZD	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZE	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZF	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZG	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZH	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZJ	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZL	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZP	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZU	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZX	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZY	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
12.2ZYA	è„†â¼±æ€§ãªã—	è„†â¼±æ€§ãªã
Affected 12.3-Based Releases	First Fixed Release ¼~äŒæãª•ã,ŒãªŸæœ€ãª^ãªªãªªã¼ã,1i¼‰	
èœ²â½“ãª™ã,¼ 12.3 ãªªã¼ã,1ãªªªªã¼ã,1ãªªª,ã,Šã¼ãªª,“ã€,		
Affected 12.4-Based Releases	First Fixed Release ¼~äŒæãªª•ã,ŒãªŸæœ€ãª^ãªªãªªã¼ã,1i¼‰	
èœ²â½“ãª™ã,¼ 12.4 ãªªã¼ã,1ãªªªªã¼ã,1ãªªª,ã,Šã¼ãªª,“ã€,		
ã½±éŸã,ãª—ãª,¼ 15.0 ãªªã¼ã,1ãªªªªã¼ã,1	First Fixed Release ¼~äŒæãªª•ã,ŒãªŸæœ€ãª^ãªªãªªã¼ã,1i¼‰	
ã½±éŸã,ãª—ãª,¼ 15.0 ãªªã¼ã,1ãªªªªã¼ã,1ãªªª,ã,Šã¼ãªª,“ã€,		

<p>å½±éÿ¿ã, 'å—ã'ã, < 15.1 ã™ã¼ã, 1ã®ã¼ã¼ã¼ã, 1</p>	<p>First Fixed Release i¼^ä¿æ£ã•ã, Æãÿæœ€ã^ã®ã¼ã¼ã¼ã, 1i¼%œ</p>	
15.1EY	è,,†å¼±æ€§ãªã—	è,,†å¼±æ€§ã®æ
15.1GC	è,,†å¼±æ€§ãªã—	è,,†å¼±æ€§ã®ã
15.1M	15.1(4)M2i¼^2011å'9æœ^30æ—¥ã«ã...¥æ%œã^`èf¼i¼%œ	15.1(4)M2i¼^201
15.1MR	è,,†å¼±æ€§ãªã—	è,,†å¼±æ€§ã®æ
15.1S	è,,†å¼±æ€§ãªã—	15.1(2)S2 15.1(3)
15.1T	15.1(3)T2	15.1(2)T4 15.1(1)T4i¼^201
15.1XB	<p>è,,†å¼±æ€§ãªã, ä, Šã€, æœ€ã^ã®ä¿æ£ã^`ã¼ã¼ã¼ã.115.1T</p> <p>15.1(1)XBã»¥ã%œã®ã¼ã¼ã¼ã, 1ã«ã`è,,†å¼±æ€§ãªã^`ã, ä, Šã¼ã»ã, "ã€,</p>	è,,†å¼±æ€§ã®ã, ä
<p>å½±éÿ¿ã, 'å—ã'ã, < 15.2 ã™ã¼ã, 1ã®ã¼ã¼ã¼ã, 1</p>	<p>First Fixed Release i¼^ä¿æ£ã•ã, Æãÿæœ€ã^ã®ã¼ã¼ã¼ã, 1i¼%œ</p>	
<p>å½±éÿ¿ã, 'å—ã'ã, < 15.2 ã™ã¼ã, 1ã®ã¼ã¼ã¼ã, 1ã^`ã, ä, Šã¼ã»ã, "ã€,</p>		

Cisco IOS XE ä, ½ãf•ãf^ã, lä, Šã, ç

Cisco IOS XE ä, ½ãf•ãf^ã, lä, Šã, çã^`ã€ãªã"ã®ã, çãf%œãfã, ðã, ¶ã¼ãã^`ã—ã~Zã•ã, Æã|ã,,ã, <è,,†å¼±æ€§ã®ã½±éÿ¿ã, 'å—ã'ã¼ã

Cisco IOS XR ä, ½ãf•ãf^ã, lä, Šã, ç

Cisco IOS XR ä, ½ãf•ãf^ã, lä, Šã, çã^`ã€ãªã"ã®ã, çãf%œãfã, ðã, ¶ã¼ãã^`ã—ã~Zã•ã, Æã|ã,,ã, <è,,†å¼±æ€§ã®ã½±éÿ¿ã, 'å—ã'ã¼ã

Cisco IOS XR ä, ½ãf•ãf^ã, lä, Šã, çã^`ã€ã¼2011å'9æœ^28æ—¥ã®Cisco IOS ä, ½ãf•ãf^ã, 'ã, Šã, çã, »ã, ã¼ããããã, £ã, çãf%œãfã, ðã, ¶ã¼ãã^`ãã...-é-ãã...-é-ãã, Æãÿè,,†å¼±æ€§ã®ã½±éÿ¿ã, 'å

ä, æ£ã^©ç"" ä°<ã¾ãª "ã...-ã¼ç™°èj"

Cisco PSIRT äãã^`ã€ãªã"ã®ã, çãf%œãfã, ðã, ¶ã¼ãã^`ã«è~è¼%œã•ã, Æã|ã,,ã, <è,,†å¼±æ€§ã®ã, æ£ã^©ç äã^`ã€ãªã^`ã€ã¼Digital Assuranceã®Greg

Jonesæ° ǎ ǎ «ǎ, ǎ Ęǎ | ç™è | ǎ •ǎ, Ęǎ ǎ, ǎ, 1ǎ, 3ǎ «ǎ ±ǎ Šǎ •ǎ, Ęǎ ¼ǎ —ǎ Ÿǎ €,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20110928-smart-install>

æ”¹è” ,ǎ±Ÿæ’

ǎf ǎf¼ǎ, ǎfšǎf³	èª-ǎž
1.6	é-çé€£ǎfªǎ, ½ǎf¼ǎ, 1ǎ, ǎ ®ǎfªǎf³ǎ, ǎ, ’æ’ æ-°
1.5	Cisco IOS 12.2SXHǎ «é-çǎ™ǎ, <Cisco IOSǎ, ½ǎf•ǎf^ǎ, ǎ, šǎ, çǎftǎf¼ǎf-ǎf«ǎ®æ.
1.4	æ!, è! ǎ, »ǎ, ǎ, •ǎfšǎf³ǎ ®ǎ£Šǎ, Ęǎ Ÿǎfªǎf³ǎ, ǎ, ’ǎ%šé™α
1.3	Cisco Bug IDǎf...ǎ ±ǎ®æ’æ-°
1.2	IOSǎ, ½ǎf•ǎf^ǎ, lǎ, šǎ, çǎftǎf¼ǎf-ǎf«12.2SEè; Ęǎ®æ’æ-°
1.1	IOSǎ, ½ǎf•ǎf^ǎ, lǎ, šǎ, çǎftǎf¼ǎf-ǎf«ǎf ǎf³ǎf%ǎf«ǎ...-é-<ǎ®æœ€ǎ^ ǎ®ǎž®æf
1.0	ǎ^ ǎžǎ...-é-<ǎfªǎf³ǎf¼ǎ, 1

ǎ^©ç”¹è” ç’ ,,

æœ-ǎ, çǎf%ǎf ǎ, ǎ, ǎ, ǎfªǎf³ǎ ç, jǎž è” ¼ǎ®ǎ, ǎ®ǎf” ǎ-ǎ | ǎ”æ ǎ¼ǎ-ǎ | ǎ Šǎ, Šǎ€
æœ-ǎ, çǎf%ǎf ǎ, ǎ, ǎ, ǎfªǎf³ǎ®æf...ǎ ±ǎ Šǎ, ^ǎ³ǎfªǎf³ǎ, ǎ®ǎ½žç” ǎ«é-çǎ™ǎ, <è²-ǎ»ǎ®ǎ, €
ǎ¼ǎŸǎ€ǎ, ǎ, 1ǎ, 3ǎ æœ-ǎf%ǎ, ǎfªǎf³ǎf^ǎ®ǎt...ǎ®¹ǎ, ’ǎ^ǎ Šǎªǎ-ǎ«ǎ%ǎæ’ǎ-ǎ
æœ-ǎ, çǎf%ǎf ǎ, ǎ, ǎ, ǎfªǎf³ǎ®è”~èž:ǎt...ǎ®¹ǎ«é-çǎ-ǎ | æf...ǎ ±é... ǎžjǎ® URL
ǎ, çœç•Ÿǎ-ǎ€ǎç<-ǎ®è»çè¼%ǎ,,,æ,, è”³ǎ, ’æ-½ǎ-ǎŸǎ’ǎ^ǎ€ǎ½”ç¼ǎĘç®jç
ǎ”ǎ®ǎf%ǎ, ǎfªǎf³ǎf^ǎ®æf...ǎ ±ǎ-ǎ€ǎ, ǎ, 1ǎ, 3è£½ǎ”ǎ®ǎ, ”ǎf³ǎf%ǎf | ǎf¼ǎ, ǎ, ’ǎ³¼è±jǎ

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。