

# Cisco TelePresence System Integrator C Series S3 Cisco TelePresence EX Series Device Default Root Account Manufacturing Error



Severity: Critical  
ID: cisco-sa-20111109-telepresence-c-ex-series  
Published: 2011-11-09 16:00  
Last Updated: 2011-11-15 15:45  
Version: 1.2 : Final  
Workarounds: No Workarounds available  
Cisco ID:

**Security Advisory: Cisco TelePresence System Integrator C Series S3 Cisco TelePresence EX Series Device Default Root Account Manufacturing Error**

## Summary

Cisco TelePresence System Integrator C Series S3 Cisco TelePresence EX Series Device Default Root Account Manufacturing Error. This advisory describes a manufacturing error in the default root account of Cisco TelePresence System Integrator C Series S3 Cisco TelePresence EX Series devices. The default root account is `root` with a password of `root`. This is a security vulnerability as the root account is not protected by a strong password. For more information, see the [Cisco Security Advisory \[cisco-sa-20110202-tandberg\]\(https://www.cisco.com/c/en/us/qa/cisco-sa-20110202-tandberg\)](https://www.cisco.com/c/en/us/qa/cisco-sa-20110202-tandberg).

Impact: This advisory affects Cisco TelePresence System Integrator C Series S3 Cisco TelePresence EX Series devices. The default root account is `root` with a password of `root`. This is a security vulnerability as the root account is not protected by a strong password.

Workarounds: There are no workarounds available for this advisory. The default root account is `root` with a password of `root`. This is a security vulnerability as the root account is not protected by a strong password.

For more information, see the [Cisco Security Advisory \[cisco-sa-20111109-telepresence-c-ex-series\]\(https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20111109-telepresence-c-ex-series\)](https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20111109-telepresence-c-ex-series).

## References

For more information, see the [Cisco Security Advisory \[cisco-sa-20110202-tandberg\]\(https://www.cisco.com/c/en/us/qa/cisco-sa-20110202-tandberg\)](https://www.cisco.com/c/en/us/qa/cisco-sa-20110202-tandberg).

è,,†â¼±æ€šã®ã,ã,«è£½â”

æE†â®šã•ã,CEãÿæœÿé-“â†...ã«â†°è•ã•ã,CEãÿCisco TelePresence System Integrator Cã,ãfãf¼ã,°ã€Cisco TelePresence EXã,ãfãf¼ã,°ã€Cisco TelePresence Quick

Setè£½â”ãã™ã¹ã|â½±éÿ¿ã,â—ãã,ã«è£½æ€šãCEã,ã,Šã¾ã™ã€,ç®;ç†è Number

Validatorã,â½¿ç”ã—ã|ã€ãfãfãã,ã,¹ã®ã,¹ãftãf¼ã,¿ã,¹ã,çç°èãšãã¾ã™ã€, [20111026](http://20111026)

Serial Number

Validatorãf,,ãf¼ãã«ãã€è£½â”ã®â†°è•æ™,ã«ãfãfãã,ã,¹ãCE©²â½”ã—ã|ã,,ã

è,,†â¼±æ€šã,â«ã,“ãšã,,ãªã,,ã“ã”ãCEçç°èªã•ã,CEãÿè£½â”

2010â¹¹1æœ¹18æ—¥ã,ã,Šã%ãã¾ãÿã—2011â¹¹9æœ¹¹9æ—¥ã,ã,Šã¾CEã«é...ã,ãfã•ã  
TelePresence System Integrator Cã,ãfãf¼ã,°ãŠã,ã³Cisco TelePresence  
EXã,ãfãf¼ã,°ãã€ãã“ã®è,,†â¼±æ€šã®â½±éÿ¿ã,â—ãã¾ãã,ã,“ã€,ã»ã®ã,ã,¹ã,

è©³ç°

Cisco TelePresence System Integrator Cã,ãfãf¼ã,°ãŠã,ã³Cisco TelePresence

EXã,ãfãf¼ã,°ããfãfãã,ã,¹ãã€ãªã”ãªã¾ãÿã—ã,°ãfãf¼ãf—é-“ã®ãftãfãf—ãfã,¼ã

æ—çã®šã®ãf«ãf¼ãf~ã,çã,«ã,|ãf³ãf^

è£½é€ãŠã,ã³é...ã,ãfãf—ãfã,»ã,¹ãã«ç™ç”ÿã—ãÿã,ãf©ãf¼ã®çµæžœã€ã½±éÿ¿ã,â

â½±éÿ¿ã,â—ãã,ããfãfãã,ã,¹ãšãã€rootã,çã,«ã,|ãf³ãf^ãCEæœ%ãš¹ã«ãªã£ã|ã

ç®;ç†è€...ãã€æ-ãã®ã,,ãšã,CEãã®æ¹æ³•ã,â½¿ç”ã—ã|ã€ã½±éÿ¿ã,â—ã

TC4.0ã¾ãÿã—4.1ã,½ãfãf^ã,|ã,šã,çã,â®ÿè;CEã—ã|ã,,ã,ããfãfãã,ã,¹ã®ã'ã^ã€ç®;  
systemunit

hardwareã,³ãfžãf³ãf%ã,ç™è;CEã™ã,ã”ã€è©²â½”ãfãfãã,ã,¹ã®ã,ãfãã,çãf«çªããCEè;ç

ã,ãfãã,çãf«çªãã®è;çª¼š

<#root>

ssh admin@203.113.55

Welcome to TANDBERG Codec Release TC4.1.0.247017 SW Release  
Date: 2011-01-28

OK

xstatus SystemUnit Hardware

```
*s SystemUnit Hardware Module SerialNumber: "A1AR12C00024"  
*s SystemUnit Hardware Module Identifier: "01"  
*s SystemUnit Hardware Module CompatibilityLevel: 0 *s SystemUnit Hardware MainBoard SerialNumber: "F009"  
*s SystemUnit Hardware MainBoard Identifier: "101540-4 [00]"  
*s SystemUnit Hardware VideoBoard SerialNumber: "N/A"  
*s SystemUnit Hardware VideoBoard Identifier: "0--1 [N/A]"  
*s SystemUnit Hardware AudioBoard SerialNumber: "N/A"  
*s SystemUnit Hardware AudioBoard Identifier: "0--1 [N/A]"  
*s SystemUnit Hardware BootSoftware: "U-Boot 2010.06-89"  
** end
```

root@,çã,«ã,|ãf³ãf^ã@çš¶æ...<ã@ã^ãã^¥i¼š

ã,½ãf•ãf^ã,|ã,šã,çãf³ãf^ãf¼ã,¹TC4.0ãšã°žã...¥ã•ã,çãæ©ÿæ©ÿèf½ã,ã...ã^ã@çµæžœã€syst

rootsettings

getã,³ãfžãf³ãf%ã-ã,,ã«offã@ã€ãã,'è"ã—ã³¼ã™ã€ã,ã½ãf•ãf^ã,|ã,šã,çãf³ãf^ãf¼ã,¹TC4.0ã³

æœ%ãš¹ãããf«ãf¼ãf^ã,çã,«ã,|ãf³ãf^i¼š

<#root>

ssh root@203.0.113.55

[tandberg:~] \$

ç,,|ãš¹ãããf«ãf¼ãf^ã,çã,«ã,|ãf³ãf^i¼š

<#root>

ssh root@203.0.113.55

Password:  
Password:  
Password:

Permission denied (publickey,keyboard-interactive)



Welcome to TANDBERG Codec Release TC4.1.0.247017 SW Release  
Date: 2011-01-28

OK

```
systemtools rootsettings get
```

off

OK

ã,³ãfžãf³ãf%ã€œoffã¼ãŸãneverã,`èj”ã™ã´ã^ã€rootã,çã,«ã,|ãf³ãf^ãç,,jãš1ã«ãªã,š

ã>žéç-

ã“ã®è,,†ã¼±æ€šã-ã€æ-jã®ã,,ãšã,œãã®ã,çã,ã,ãfšãf³ã,ã®Ÿè;œã™ã,ãã“ã”

- ç®;ç†è€...ã-ã€adminÂã,³ãfžãf³ãf%ãf©ã,ããf³ã,ããf³ã,çãf¼ãfã,šã,ããšSystemtools  
rootsettings  
[off|never]Âã,³ãfžãf³ãf%ã,`ç™ºè;œã-ã|ã€rootã,çã,«ã,|ãf³ãf^ã,æ%ãããšç,,jãš1ã«ãªã,šã
- ã¼±éŸjã,ã-ãã,ãf†ãfãã,ãã,1ã,ã·Ÿã´ã†ºè·æ™,ã®ãf†ãfãã,©ãf«ãf^ããªã,»ãffãf^ãšã

ãf«ãf¼ãf^ãf!ãf¼ã,¶ã®ç,,jãš1ãœ-i¼š

<#root>

```
ssh admin@203.0.113.55
```

Welcome to  
TANDBERG Codec Release TC4.2.0.260857  
SW Release Date: 2011-07-11

OK

```
systemtools rootsettings off
```

OK

Connection to 203.0.113.55 closed by remote host.

ãf†ãfãã,ãã,1ã,ã·Ÿã´ã†ºè·æ™,ã®ãf†ãfãã,©ãf«ãf^ããªã,»ãffãf^ãšã,ãã”ã€æ-jã®ã,^ã

- ã·Ÿã´ã†ºè·æ™,ã®ãf†ãfãã,©ãf«ãf^ãã,1ãfãf¼ãf%ã





## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。