

Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,cã♦®RSVPã«ã♦Šã?’ã,**Do**



ã,çãf‰oãf♦ã,¤ã,¶ãfªãf%ID : cisco-sa-

[CVE-2012-](#)

20120328-rsvp

[1311](#)

å^♦å...¬é-æ-¥ : 2012-03-28 16:00

ãf♦ãf%4ã,ãf§ãf³ 1.0 : Final

CVSSã,¹ã,³ã,c : [7.8](#)

å›žé♦¿ç- : No Workarounds available

Cisco ãf♦ã,º ID : [CSCts80643](#)

a—¥æœ¬è°žã♦«ã,^ã,æf...å±ã♦¬ã€♦è<±è°žã♦«ã,^ã,åŽÝæ-‡ã♦®é♦žå...¬å¼♦ã

æ!,è!

Cisco IOSã,½ãf•ãf^ã,|ã,§ã,cã♦Šã,^ã♦³Cisco IOS XEã,½ãf•ãf^ã,|ã,§ã,cã♦«ã♦¬ã€♦VPN Routing and

Forwarding(VRF)ã,¤ãf³ã,¹ã,çãf³ã,¹ã♦Œè°å®šã♦•ã,Cæã♦Ÿãf‡ãf♦ã,¤ã,¹ã♦§ä½¿ç”“ã♦•ã,Cæã♦Ÿå‘å♦

ã♦“ã♦®è,,†å¼±æ€§ã,’è»½æ,>ã♦™ã,<å›žé♦¿ç-ã♦Œã♦,ã,Šã♦¾ã♦™ã€,

ã,·ã,¹ã,³ã♦¬ã♦“ã♦®è,,†å¼±æ€§ã♦«å¾å‡|ã♦™ã,<ã,½ãf•ãf^ã,|ã,§ã,cãffãf—ãf‡ãf%4ãf^ã,’ãfªãfªãf%4ãf^ã,sa-20120328-rsvp

æ³”í¼š2012å¹’3æœ^28æ—¥ã♦®Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,cã,»ã,ãf¥ãfªãftã,Fã,cãf‰oãf♦ã,¤ã,¶ãfªãf♦ãf³ãf‰oãf«å...¬é-<ã♦«ã♦¬ã€♦9ã»¶ã Security

Advisoryã♦Œå♦«ã♦¾ã,Œã♦|ã?„ã♦¾ã♦™ã€,å♦„ã,Cãf‰oãf♦ã,¤ã,¶ãfªãf♦«ã♦¬ã€♦ã♦“ã♦®ã,cã

IOSã,½ãf•ãf^ã,|ã,§ã,cãfªãfªãf%4ã,¹ã”“ã€♦2012å¹’3æœ^ã♦®ãf♦ãf³ãf‰oãf«å...¬é-<ã♦«å♦«ã♦¾ã,C

IOSã,½ãf•ãf^ã,|ã,§ã,cãfªãfªãf%4ã,¹ã♦Œè°“è¼%oã♦•ã,Cæã♦|ã?„ã♦¾ã♦™ã€,

å€æ...‡®å...¬é-<ãfªãf³ã,¬ã♦¬ã€♦æ¬jã♦®ãfªãf³ã,¬ã♦®ã€ŒCisco Event Response: Semi-Annual Cisco IOS Software Security Advisory Bundled

Publicationã♦«ã♦,ã,Šã♦¾ã♦™ã€,

http://www.cisco.com/web/about/security/intelligence/Cisco_ERP_mar12.html

è©²å½“è£¹/²å“?

è,,†å½±æ€§ã®ã,ã,«è£¹/²å“?

ç‰°å®šã®è “ å®šã,’æŒã®ã®ãf‡ãfã,¤ã,‘ã®ã®ã®æå½±éÝã,’å—ã®’ã®¾ã®™ã€,è©²å½

IOSã,½ãf•ãf^ã,|ã,§ã,çã®¾ã®Ýã®Cisco IOS

XEã,½ãf•ãf^ã,|ã,§ã,çãf®ãf¼ã,¤ãf§ãf³ã,’å®Ýè;Œã—ã®|ã „ã,‹ã,·ã,‘ã,³ãf‡ãfã,¤ã,‘ã®ãRSVP

- å°‘ã®ã®ã®ã®”ã,,1ã®¤ã®VRFã®CERSVPã®ã®—ã®§è “ å®šã®•ã,Œã®|ã®,ã,
- å®Œã®~VRFå†...ã®§ã®—ã®ã®ã®ã®æ®å°ã®ã®ã®”ã,,1ã®¤ã®®ä»—ã®ã,¤ãf³ã,‘ã®¼ã

ã,·ãfŠãf^ã,‘ã®ã®¾ã,’æ¬|ã®«ç¤°ã®—ã®¾ã®™ã€,

- afžaf«af®af—afƒaf^ã,³af«af©af™ãf«ã,‘ã,¤ãffaf®af³ã,°(MPLS)ã,¤ãf³af•af©ã,‘af^af©ã,‘af®af Traffic Engineering(RSVP-TE)
- afžaf«af®VRFã,¤ãf³af•af©ã,‘af^af©ã,‘af®af
- VRF-Liteã,¤ãf³af•af©ã,‘af^af©ã,‘af®af

ã,·ã,‘ã,³è£¹/²å“ã®ã®§ç”¼åf®ã®—ã®|ã „ã,«Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,ç

ãf®ãf®ãf¼ã,‘ã,’ç°è®ã®¤ã®™ã,‘ã®—ã®“ã®¤ã®æf‡ãf®ã,¤ã,‘ã®¤ãf³ã®—ã®| show version ã,‘ãfžaf³äf‰ã,‘ä½¿ã®£ã®|ã®¤ã,·ã,‘ãf†ãf

ãf®ãfŠãf¼ã,’è;”ç¤°ã®—ã®¾ã®™ã€,"Internetwork Operating System Software"æ®"Cisco IOS Software"ã,ã,‘ã,“ã®—ã®“ã,Œã,‰ã®«éžä¼¼ã®™ã,‘ã,·ã,‘ãf†ãf

ãf®ãfŠãf¼ã®«ã,‘ã®£ã®|ãf‡ãf®ã,¤ã,‘ã®§ Cisco IOS

ã,½ãf•ãf^ã,|ã,§ã,çã®Œç”¼åf®ã®—ã®|ã „ã,‘ã®“ã®”ã,’ç°è®ã®§ã®ã®¾ã®™ã€,

ã®¤ã®ã®®å¾Œã,‘ã®«ã,¤ãfjäf¼ã,‘ã®¤ã®Œæ<ñä®é—ã®“ã®«è;”ç¤°ã®•ã,Œã€®ç¶šã®„ã®| "Version" ã®“ Cisco IOS ã,½ãf•ãf^ã,‘ã,“ã,ç

ãf®ãf®ãf¼ã,‘ã®¤ã®Œè;”ç¤°ã®•ã,Œã®¾ã®™ã€,‘ã»—ã®ã,‘ã,‘ã,‘

ãf‡ãf®ã,¤ã,‘ã®§ã®—ã®¤ã®show version

ã,‘ãfžaf³äf‰ã®Œå~åœ”ã®—ã®¤ã®£ã®Ýã,‘ã®¤ã®å~¥ã®®å®åŠ,‘ã®Œè;”ç¤°ã®•ã,Œã®Ýã

æ¬|ã®ã®¾ã®—ã®¤ã®Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,çãf®ãf®ãf¼ã,‘15.0(1)M1ã,’å®Ýè;Œã—ã®¤ã,¤ãf³ã,‘af^af¼af«ã®•ã,Œã®|ã®UNIVERSALK9-Mã®§ã®‘ã,‘ã,·ã,‘ã,‘ãf½å“ã®ã,‘ç¤°ã®—ã®|ã®„ã®¾ã®™ã€,

<#root>

Router>

show version

Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2009 by Cisco Systems, Inc.
Compiled Wed 02-Dec-09 17:17 by prod_rel_team

!--- output truncated

Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,çãf^ãf^ãf¼ã,¹ã♦®å½å♦è|♦å‰‡ã♦®è½åŠ æf...å±ã♦¬ã€♦æ¬jã♦®URLã♦
Paper: Cisco IOS and NX-OS Software Reference
Guideã€♦ã,'å♦,ç...§ã♦—ã♦|ã♦?ã♦ ã♦•ã♦,,ã€,
<http://www.cisco.com/web/about/security/intelligence/ios-ref.html>.

è,,†å½±æ€§ã,’å♦«ã,”ã♦§ã♦,,ã♦^ã♦,,ã♦”ã♦”ã♦”ã♦æçç°è^ã♦•ã,æã♦ÿèf½å”♦

Cisco IOS-

XRã,½ãf•ãf^ã,|ã,§ã,çã♦¬ã€♦ã♦”ã♦®è,,†å½±æ€§ã♦®å½±éÿ¿ã,’å♦—ã♦’ã♦¾ã♦»ã,”ã€,
ä»—ã♦®ã,·ã,¹ã,³èf½å”♦ã♦«ã♦§ã♦,,ã♦|ã€♦ã♦”ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãf^ã♦®å½±éÿ¿ã,’å♦—ã♦—ã♦
è©³ç’°

Cisco IOSã,½ãf•ãf^ã,|ã,§ã,çã♦§ã,^ã♦³Cisco IOS XEã,½ãf•ãf^ã,|ã,§ã,çã♦«ã♦¬ã€♦VPN Routing
and
Forwarding(VRF)ã,¤ãf³ã,¹ã,çãf³ã,¹ã♦æè”å®šã♦•ã,æã♦ÿäf^ã,¤ã,¹ã♦§ä½¿ç””ã♦•ã,æã♦ÿå’å♦
äf^ãf♦ã,¤ã,¹ã♦æVRFã♦§è”å®šã♦•ã,æã€♦ã♦ã♦ã♦®VRFå†...ã♦®ã,¤ãf³ã,çãf¼ãf^ã,§ã,¤ã,¹ã♦§RSV
å½±éÿ¿ã,’å♦—ã♦’ã,¤ãf³ãf^ãf^ã,¹ãf^ãf^ã,¬ãf^ãff^ã♦»é-çã♦™ã,<çÿè~ã,’ææ♦ã♦¤æ”»æ’fè€...ã♦
ã♦”ã♦®è,,†å½±æ€§ã,’è»½æ,›ã♦™ã,<å›é♦¿ç-ã♦æã♦,ã,§ã♦¾ã♦™ã€,
è,,†å½±æ€§ã♦®ã,ã,<è”å®šåÿºæ°-ã,’æº€ã♦ÿäf^ãf^ã,¤ã,¹ã♦§ã♦¬ã€♦æœ‰åŠ¹ã♦®RSVPäf^ã,

ã,¤ãf³ã,çãf¼ãf^ã,§ã,¤ã,¹ã,¤ãf^ãf¼ã,|ã,§ãff^ã,„ã♦¬ã€♦Cisco
IOSã«ãf¼ã,çã¾ã♦ÿäf^ã”ã,¹ã,¤ãff^ãf^ã»ã,^ã♦£ã♦|ç‰¹å®šã♦®ãf^ã,±ãff^ãf^ã♦æå♦—äçjã♦•ã,

Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,çã♦§ãf-ãfaff^ã,¬ã♦•ã,æã♦ÿã,¤ãf³ã,çãf¼ãf^ã,§ã,¤ã,¹ã,’è~å^ÿ™ã,<ã♦ÿã,♦ã♦«ã
http://blogs.cisco.com/security/comments/cisco_ios_queue_wedges_explained/,’å♦,ç...§ã♦—ã♦|ã♦?ã♦ ã♦

ã»“ã»®è,,†å¼±æ€§ã»”ã€Cisco Bug ID

CSCTs80643(c™»éŒ2äf!äf¼ä,¶å°,ç”“)ã»“ã»—ã»|æ-‡æ,åŒ-ã»•ã,CŒã€Cisco Common Vulnerabilities and Exposures(CVE)IDã»“ã»—ã»|CVE-2012-1311ãŒå‰o²ã,Šå½“ã»|ã,%oã,CŒã»|ã»,,ã»¾ã»™ã€,

å›žé?¿ç-

ã»“ã»®ã,Cãƒ‰oãfã»ã,¤ã,¶ãfã»«è ”~è½‰oã»•ã,CŒã»|ã»,,ã,«è,,†å¼±æ€§ã»”ã€ã»ã,°ãfãf¼ãfã»f«ã,ip rsvp listener vrf vrf-name ip-address 0 0
announceã,’é©ç”“ã»™ã,«ã»“ã»§ç·©å’Œã»§ã»?ã»¾ã»™ã€,ã»“ã»®å’å»^ã»IPã,Cãƒ‰o

ã¿®æ£æ,^ã»¿ã,½ãf•ãf^ã,|ã,§ã,¢

ã½åf•äf^ã,|ã,§ã,¢ã»®ã,Cãffäf—ã,°ãf-ãf¼ãf‰oã,’æœœè ”Žã»™ã,«ã»^ã»—ã€ã»http://www.cisco.com/

ã»® Cisco Security Advisories and Responses

ã,Cãƒ¼ã,«ã,¤ãf-ã,„å¾Œç¶šã»®ã,Cãƒ‰oãfã»ã,¤ã,¶ãfã»’å,ç...§ã»—ã»|ã€ã»¾µå®³ã,’å»—ã»'ã,«ã,

ã»,,ã»šã,CŒã»®å’å»^ã,,ã€ã»ã,Cãffäf—ã,°ãf-ãf¼ãf‰oã»™ã,«ãf#äfã»ã,¤ã,¹ã»«å»?ã»å^tã»aãf|äfçã

Technical Assistance

Center]¼^TAC]¼‰oã,,ã»—ã»?ã»—å¥'ç’ã»—ã»|ã»,,ã,«ãfjäf³äftäf§äf³ã,¹äf—äfäfã»ã,¤ãf€äf¼ã»»

Cisco IOS å½ãf•ãf^ã,|ã,§ã,¢

æ¬;ã»®Cisco IOSã,½ãf•ãf^ã,|ã,§ã,Cãftäf¼ãf-ãf«ã»®å»|ã»-è;Œã»”ã€Cisco IOSã,½ãf•ãf^ã,|ã,§ã,Cãf^ãf-ã,¤ãf³ã»“å»¾å¿œã»—ã»|ã»,,ã»¾ã»™ã€,ç‰o¹å®šã»®åf^äf-ã,¤ãf³æ

Fixed

Release]å”—ã»«è;ç»oã»•ã,CŒã»¾ã»™ã€,2012å’3æœè”å»®äf#äf³äf‰oãf«å...¬é—<ã»“å»“å»¾ã,IOSã,½ãf•ãf^ã,|ã,§ã,Cã»ã,»ã,¤ãf¥äfäftä,fä,¤ãf‰oãfã»ã,¤ã,¶ãf#äf#äf³äf‰oãf«å...¬é—<ã»“å»“å»¾ã,CŒã»

Cisco IOS Software Checkerã,’ä½ç”“ã»™ã,«ã»“ã€ã»ç‰o¹å®šã»®Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,Cãf#äf#äf¼ã,¹ã»“å»¾å¿œã»™ã,«ã,·ã,¹ã,³ã,»ã,¤ãf¥äfäftä,fä,¤ãf‰oãfã»ã,¤ã,¶ãf#äf#äf³äf‰oãf«å...¬é—<ã»“å»“å»¾ã,CŒã»

Security(SIO)äf#äf¼ã,¿äf«ã»§ã»^ç”“ã»§ã»?ã»¾ã»™ã€,

äf;ã,äf£äf¼ äf#aäf#äf¼ä,¹	
Affected 12.0-Based Releases	
Affected 12.2-Based Releases	

Affected 12.3-Based Releases	
Affected 12.4-Based Releases	
å½±éÙ¿ã,’å♦—ã♦’ã, < 15.0 ãƒ™ãƒ¼ã,¹ã♦®ãƒªãƒªãƒ¼ã,¹	
15.0M	15.0(1)M8
15.0MR	è,,†å½±æ€§ã♦ªã♦—
15.0 MRA	è,,†å½±æ€§ã♦ªã♦—
15.0ç§’	è,,†å½±æ€§ã♦ªã♦— Cisco IOS XEãƒ†ãf♦ã,¤ã,¹ï½šã€Œ Cisco IOS XEã,½ãƒ•ãf^ã, ã,§ã,cã♦®ã,çã
15.0SA	è,,†å½±æ€§ã♦ªã♦—
15.0SE	è,,†å½±æ€§ã♦ªã♦—
15.0SG	è,,†å½±æ€§ã♦ªã♦— Cisco IOS XEãƒ†ãf♦ã,¤ã,¹ï½šã€Œ Cisco IOS XEã,½ãƒ•ãf^ã, ã,§ã,cã♦®ã,çã
15.0SY	15.0(1)SY1
15.0XA	è,,†å½±æ€§ã♦ã,§ã,æœ€å^♦ã♦®ä¿®æ£ã♦— <u>ãf^ãf^ãf¼ã,¹15.1T</u>
15.0XO	Cisco IOS XEãƒ†ãf♦ã,¤ã,¹ï½šã€Œ Cisco IOS XEã,½ãƒ•ãf^ã, ã,§ã,cã♦®ã,çã
å½±éÙ¿ã,’å♦—ã♦’ã, < 15.1 ãƒ™ãƒ¼ã,¹ã♦®ãƒªãƒªãƒ¼ã,¹	
15.1EY	15.1(2)EY2
15.1GC	15.1(2)GC2
15.1M	15.1(4)M3 15.1(4)M3a
15.1MR	è,,†å½±æ€§ã♦Œå~åœ”ã♦—ã♦¾ã♦™ã€,ã♦“ã♦®ã,çãƒ‰ãƒ♦ã,¤ã,¶ãƒ‰ãƒ•ã,¤ã,æœ€å^♦ã♦®ä¿®æ£ã♦— <u>ãf^ãf^ãf¼ã,¹15.1T</u>
15.1S	15.1(3)S2 Cisco IOS XEãƒ†ãf♦ã,¤ã,¹ï½šã€Œ Cisco IOS XEã,½ãƒ•ãf^ã, ã,§ã,cã♦®ã,çã
15.1SG	è,,†å½±æ€§ã♦ªã♦— Cisco IOS XEãƒ†ãf♦ã,¤ã,¹ï½šã€Œ Cisco IOS XEã,½ãƒ•ãf^ã, ã,§ã,cã♦®ã,çã
15.1SNG	è,,†å½±æ€§ã♦Œå~åœ”ã♦—ã♦¾ã♦™ã€,ã♦“ã♦®ã,çãƒ‰ãƒ♦ã,¤ã,¶ãƒ‰ãƒ•ã,¤ã,æœ€å^♦ã♦®ä¿®æ£ã♦— <u>ãf^ãf^ãf¼ã,¹15.1T</u>
15.1SNH	è,,†å½±æ€§ã♦ªã♦—
15.1T	15.1(1)T5ï½^2012å¹'5æœ^18æ—¥ã♦«å...¥æ‰‰å♦—èf½ï½‰‰ 15.1(2)T5ï½^2012å¹'4æœ^27æ—¥ã♦«å...¥æ‰‰å♦—èf½ï½‰‰ 15.1(3)T3
15.1XB	è,,†å½±æ€§ã♦ã,§ã,æœ€å^♦ã♦®ä¿®æ£ã♦— <u>ãf^ãf^ãf¼ã,¹15.1T</u>
å½±éÙ¿ã,’å♦—ã♦’ã, < 15.2	

ãƒ™ ãƒ¼ã, 1ã♦®ãƒªãƒªãƒ¼ã, 1

Cisco IOS XE ã,½ãƒ•ãƒ^ã,|ã,§ã,c

Cisco IOS

XEã,½ãƒ•ãƒ^ã,|ã,§ã,cã♦—ã€♦ã♦"ã♦®ãƒ%oã,ãƒ¥ãƒjãƒ³ãƒ^ã♦ñè^æ~žã♦•ã,Œã♦|ã♦,,ã, ,†å¼±æ€§ã

Cisco IOS XE ã,½ãƒ•ãƒ^ã, ã,§ã,c ãƒªãƒªãƒ¼ã, 1	First Fixed Releaseï¼^æ¿®æ£ã♦•ã,Œã♦Ÿæœ€å^♦ã♦®ãƒªãƒªãƒ¼ã, 1ï¼%o	IOS
2.1.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
2.2.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
2.3.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
2.4.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
2.5.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
2.6.x	è,,†å¼±æ€§ã♦^ã♦—	è,,†
3.1.xS	è,,†å¼±æ€§ã♦^ã♦—	è,,†
3.1xSG	è,,†å¼±æ€§ã♦^ã♦—	è,,†
3.2.xS	è,,†å¼±æ€§ã♦,ã,Šã€,3.4.2Sä»¥é™♦ã♦«ç§»è;Œã♦—ã♦ ã♦ã♦ã♦ã♦•ã♦,,ã€,	è,,†
3.2 X SG	è,,†å¼±æ€§ã♦^ã♦—	3.2
3.3.xS	è,,†å¼±æ€§ã♦,ã,Šã€,3.4.2Sä»¥é™♦ã♦«ç§»è;Œã♦—ã♦ ã♦ã♦ã♦ã♦•ã♦,,ã€,	è,,†
3.3.xSG	è,,†å¼±æ€§ã♦^ã♦—	è,,†
3.4.xS	3.4.2S	3.4.
3.5.xS	è,,†å¼±æ€§ã♦^ã♦—	3.5.
3.6.xS	è,,†å¼±æ€§ã♦^ã♦—	è,,†

Cisco IOS ã,½ãƒ•ãƒ^ã,|ã,§ã,c ãƒªãƒªãƒ¼ã, 1ã♦,ã♦® Cisco IOS XE ã,½ãƒ•ãƒ^ã,|ã,§ã,c
ãƒªãƒªãƒ¼ã, 1ã♦®ãƒžãffãƒ"ãƒ³ã,°ã♦«ã♦¤ã♦,,ã♦|ã♦—ã€♦ã€Œ [Cisco IOS XE 2 Release Notes](#)ã€♦ã€Œ [Cisco IOS XE 3S Release Notes](#)ã€♦ã€Œ [Cisco IOS XE 3SG Release Notes](#)ã€♦ã, ...§ã—ã♦|ã♦ã♦ã♦ã♦•ã♦,,ã€,

Cisco IOS XR ã,½ãƒ•ãƒ^ã,|ã,§ã,c

Cisco IOS XRã,½ãf•ãf^ã,|ã,§ã,cã◦—ã€♦2012å'3æœ^ã♦®Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,Cã,»ã,ãf¥ãf^ãftã,Fã,Cãf%oãf♦ã,¤ã,¶ãf^ãf♦ãf^ãf%oãf«å...¬é-<ã♦§å...¬é-<ã♦•ã,Œ

ã,♦æ£å^©ç”“ä°<ä¾<ã♦”“å...¬å¼?ç™oèi”“

Cisco Product Security Incident Response

Teamï¼^PSIRTï¼%oã♦—ã€♦æœ-ã,Cãf%oãf♦ã,¤ã,¶ãf^ã♦«è”“è¼%oã♦•ã,Œã♦|ã?„ã,<è,,†å¼±æ€§ã♦

ã♦“ã?®è,,†å¼±æ€§ã?—ã€♦Cisco

ã?®ç¾å†...ãftã,¹ãf^ã?§ç™oè|<ã?•ã,Œã?Ýã,,ã?®ã?§ã?™ã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20120328-rsvp>

æ”¹è”,å±¥æ‘

ãf^ãf“ã, ,ãf§ãf³ 1.0	2012å'3æœ^28æ—¥	å^?ç%o^ãf^ãf^ãf¹ã, ¹
-------------------------	-----------------	---------------------------------

å^©ç”“è!♦ç‘,

æœ-ã,¢ãf%oãf♦ã,¤ã,¶ãf^ã?—ç„¡ä¿♦è”“¼ã?®ã,,ã?®ã?“ã?—ã?|ã?“æ?♦?ä¾<ã?—ã?|ã?§ã,§ã?æœ-ã,Cãf%oãf♦ã,¤ã,¶ãf^ã?®æf...å±ã?§ã,^ã?³ãf^ãf³ã,—ã?®ä½¿ç”“ã?«é-Cã?™ã,<è²-ä»»ã?®ä,€ã?¾ã?Ýã€?ã,·ã,¹ã,³ã?—æœ-ãf%oã,ãf¥ãf^ãf^ã?®å†...å®¹ã,’ä°^ã?§ã?—ã?«å?‰æ?`ã?—ã?æœ-ã,¢ãf%oãf♦ã,¤ã,¶ãf^ã?®è”“è?°å†...å®¹ã?«é-Cã?—ã?|æf...å±é...?ä¿jã?® URL
ã,’çœ?ç?¥ã?—ã€?å?~ç<-ã?®è»Cè¼%oã,,æ,,?è”“³ã?’æ-½ã?—ã?Ýã’å?^ã?“æ?å½”ç¾ã?Œç®?ç?ã?“ã?®ãf%oã,ãf¥ãf^ãf^ã?®æf...å±ã?—ã€?ã,·ã,¹ã,³è£½å“?ã?®ã,“ãf^ãf%oãf!ãf¹ã,¶ã,’å?¾è±?ã?

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。