

# Cisco IOS

XR, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100



**High**  **CVE-2012-2488**  
Cisco-SA-20120530-iosxr

[CVE-2012-2488](#)

2012-05-30 16:00

2012-08-23 20:37

2.1 : Final

CVSS 7.8

No Workarounds available

Cisco ID : [CSCtz62593](#) [CSCty94537](#)

[CSCua63591](#)

æ—Yææ-è<sup>a</sup>žā «ā, ^ā, <æf...ā ±ā -ā€ è<±è<sup>a</sup>žā «ā, ^ā, <āŽYæ-†ā ® é žā...-ā¼ ā

æ!, è!

Cisco IOS

XR, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

8Gi%ā āf<āf^ā, 1ā, āffāf āf—āfā, »āffā, μ440(RSP440)ā ā Šā, ^ā<sup>3</sup>Cisco Carrier Routing System(CRS)Performance Route Processor(PR)ā ā ā Šā<sup>TM</sup>ā€ā ā ā @è,, †ā¼±æ€Šā -ā€ ā Šā |<sup>TM</sup>ā «ç<sup>o</sup>ā·Yā ā, CEā Yāfā, ±

ā, ā, 1ā, 3ā -ā ā @è,, †ā¼±æ€Šā «ā<sup>3</sup>ā † | ā<sup>TM</sup>ā, ā, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20120530-iosxr>

è<sup>2</sup>ā<sup>1/2</sup> “è<sup>1</sup>ā<sup>1/2</sup>”

ā ā @è,, †ā¼±æ€Šā -ā€ Cisco ASR

9000ā, āfāf^ā, °RSP440ā Šā@Yè; CEā ā, CEā | ā,, ā, <IOS

XR, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

4Gā<sup>3/4</sup>ā Yā<sup>TM</sup>ā<sup>-</sup>RSP-8Gā Šā@Yè; CEā ā, CEā | ā,, ā, <4.2.0ā, ^ā, Šā%ā ā @IOS

XR, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

XR, 1/2, 3/4, 5/8, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100



RP/0/RSP0/CPU0:ASR9006-D#show inventory all | include Route Switch Processor  
 Thu May 3 18:50:46.129 UTC  
 NAME: "module 0/RSP0/CPU0", DESCR: "ASR9K Route Switch Processor with 440G/slot Fabric and 6GB"  
 NAME: "module 0/RSP1/CPU0", DESCR: "ASR9K Route Switch Processor with 440G/slot Fabric and 6GB"

Performance Route

Processor (PRP) à æ è¼%õ •ã, Æã | ã,,ã,ãfãfãã,ãã,1ã ã'ã Æè²á½"ã—ã¾ã™ã  
 CRSã,ãfãf¼ã,ãfãfãã,ãã,1ã Æãfãfãã,ããfãfãfãã,1ãf«ãf¼ãf^ãf—ãfã,»ãffã,ã,ã½ç"ã—ã

RP/0/RP0/CPU0:CRS-G#show inventory all | include Performance Route Processor  
 Wed May 2 14:49:06.994 EDT  
 NAME: "0/RP0/\*", DESCR: "Cisco CRS Series 8 Slots 12 GB Performance Route Processor"  
 NAME: "0/RP1/\*", DESCR: "Cisco CRS Series 8 Slots 12 GB Performance Route Processor"

è,†ã¼±æ€§ã,'ã«ã,"ã§ã,,ãªã,,ã"ã"ã Æçç°èãã•ã,Æãÿè½á"

ã"ã@è,†ã¼±æ€§ã«è²á½"ã™ã,ã®ã~ã€ Cisco ASR  
 9000ã,ãfãf¼ã,°RSP440ã€RSP-4Gãããšã,^ã³RSP-8Gãfãfãã,ãã,1ã"ã€ Cisco  
 Carrier Routing System Performance Route  
 Processor (CRSP)ãfãfãã,ãã,1ã ã'ã§ã™ã€,

Cisco CRS-1 Distributed Route Processor (DRP)ã€RP-Aã€RP-  
 Bãªã©ã®ã»ã®ãf«ãf¼ãf^ãf—ãfã,»ãffã,ã,ã½ç"ã,ãããã"ã®è,†ã¼±æ€§ã®ã½±éÿ

è³ç°

Cisco IOS

XRã,½ãfãfãã,ãã,§ã,çã~ã€ç%õ¹ã®šã®è"ã®šã,'æÆãã²ããããç°ããã,ãf—ãf©ãffãf^ãfã,ã

è,†ã¼±æ€§ã®ãã,ã,ã,½ãfãfãã,ãã,§ã,çããfãf¼ãã,ãfšãf³ã~ã€æ¬ã®ã,,ãšã,Æããã®ãf«ãf

Platform	ãf«ãf¼ãf^ãf—ãfã,»ãffã,ã®éf"ã"ID
ASR 9000	A9K-RSP440-SE
ASR 9000	A9K-RSP440-TR
ASR 9000	A9K-RSP-4G







## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。