

# Cisco IOS, 1/2 af af a, la, sa, ca Session Initiation Protocol « a Š a ' a, Denial of Service (DoS) è, ta 1/4 ± æ € §



af, ca f%af a, ma, af af ID : cisco-sa-20120926-sip

[CVE-2012-3949](#)

af a... -e -ae -y : 2012-09-26 16:00

ae € qae > ae - ° ae - y : 2012-10-03 17:48

af af 1/4 a, af sa f 1.1 : Final

CVSS a, 1a, 3a, c : 7.8

af z e z c - : No Workarounds available

Cisco af a, ° ID : [CSCtj33003](#) [CSCtw84664](#)

[CSCtw66721](#)

ae - y ae - e a z a « a, a, ca f... a ± a - a € è - e a z a « a, a, ca z y ae - ta © é z a... - a 1/4 a

ae, è

Cisco IOS, 1/2 af af a, la, sa, ca Š a, a Cisco IOS XE, 1/2 af af a, la, sa, ca Session Initiation Protocol (SIP) a Y è £... a « a - è, ta 1/4 ± æ € § a € a ~ a ce ~ a - a € è a è 1/4 a a, ca | a, a a a, af a Description

Protocol (SDP) a, af a, 1a, 1af « af 1/4 a TM a, a, a ta « è a © sa a, ca | a, a, ca z... è | a € a, a, Š a 3/4

a, a, 1a, 3a - a a © è, ta 1/4 ± æ € § a « a 3/4 a † | a TM a, a, 1/2 af af a, la, sa, ca, ca ff af - af ta af 1/4 af a, 'af a af af 1/4

a a © a, ca f%af a, ma, af af - a € ae - ja © af af a, a, a, Š c ° è a a sa a a 3/4 a TM a €,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20120926-sip>

ae 3 1/4 § 2012 a 1 '9 ae ^ 26 ae - y a © Cisco

IOS, 1/2 af af a, la, sa, ca, a, af y af af ta, £ a, ca f%af a, ma, af af af af %af « a... - e - a « a - a € 9 a » | a Security

Advisory a € a « a 3/4 a, ca | a, a 3/4 a TM a €, a a a © a ta j 8 a ma © a, ca f%af a, ma, af a

IOS, 1/2 af af a, la, sa, ca © è, ta 1/4 ± æ € § a « a 3/4 a † | a - a € 1 a ma © a, ca f%af a, ma, af af a Cisco



...  
!

Cisco

```
IOS# show processes | include SIP
peer SIP show processes |
include SIP
IOS# show processes | include SIP
IOS# show processes | include SIP
```

<#root>

Router#

```
show processes | include SIP
```

```
149 Mwe 40F48254          4          1    400023108/24000  0 CCSIP_UDP_SOCKET
150 Mwe 40F48034          4          1    400023388/24000  0 CCSIP_TCP_SOCKET
```

Cisco

```
IOS# show processes | include SIP
processes | include
SIP show processes | include
SIP show processes | include
```

voice service voip

```
  sip
  pass-thru content sdp
```

```
show processes | include SIP
```

dial-peer voice <peer ID> voip

```
  voice-class sip pass-thru content sdp
```

Cisco Unified Border

```
Element(Enterprise) show processes | include SIP
```

Cisco Unified Border Element (CUBE) show processes | include SIP  
Cisco Multiservice IP-to-IP

Gateway  
IOS  
of

Service(QoS)

show  
version

Internetnetwork Operating System Software  
Cisco  
IOS Software

Cisco IOS

show  
version  
Cisco IOS

show  
version

show  
version

Cisco

IOS  
UNIVERSALK9-M

<#root>

Router>

show version

Cisco IOS Software, C3900 Software (C3900-UNIVERSALK9-M), Version 15.0(1)M1, RELEASE SOFTWARE  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2009 by Cisco Systems, Inc.  
Compiled Wed 02-Dec-09 17:17 by prod\_rel\_team

!--- output truncated

Cisco

IOS  
Paper: Cisco IOS and NX-OS Software Reference  
Guide  
<http://www.cisco.com/web/about/security/intelligence/ios-ref.html>.

Cisco IOS

XEã,½ãf•ãf^ã,ã,šã,çã ¯ã€ã"ã®è,,tã¼±æ€šã®ã½±éÿã,ã—ã'ã¾ã™ã€,

æ³i¼šCisco Unified Communications

Managerã ¯ã€ã"ã®ã,çãf%ãã,ã,¶ã,¶ãfã«è"è¼%ã•ã,ã€ã|ã,,ã,«è,,tã¼±æ€šã®ã¼

Unified Communications

Managerã«ã½±éÿã,ã,žã^ã,«è,,tã¼±æ€šã«ãã,ã|ã ¯ã€ã^ã®Cisco

Security Advisoryã€æ¬ã®ã'æ%ãšã...¬é—ã•ã,ã€ã|ã,,ã¾ã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20120926-cucm>

è,,†ã¼±æ€šã,'ã«ã,"ãšã,,ãªã,,ã"ã"ã€çç°èªã•ã,ã€ãÿè½ã"

Cisco IOSãfãfãf^ãfãfã,ã,çãf%ãã¬ã,¹ã¼±æ€š(NAT)ãšã,ã³Cisco

IOSã,½ãf•ãf^ã,|ã,šã,çã®ãfã,ã,ã,çã,|ã,©ãfãã«ã©ÿèf½ãšã½ç"ã•ã,ã€ã,«SIPã,çãf—ãfã,±

Cisco Unified Border Element(SP

Edition)ã ¯ã€ã"ã®è,,tã¼±æ€šã®ã½±éÿã,ã—ã'ã¾ã™ã€ã,"ã€,

Cisco IOS

XRã,½ãf•ãf^ã,ã,šã,çã ¯ã€ã"ã®è,,tã¼±æ€šã®ã½±éÿã,ã—ã'ã¾ã™ã€ã,"ã€,

ã»ã®ã,ã,¹ã,³è½ã"ã«ãšã,,ã|ã€ã"ã®ã,çãf%ãã,ã,¶ã,¶ãfã®ã½±éÿã,ã—ã

è³ç°

Session Initiation

Protocol(SIP)ã ¯ã€ã,ããf³ã,ãfããfãfãfã^ãªã©ã®IPãfããfãfãf^ãfãfã,ã,'ã»ã—ãÿéÿ³ã€

Layer Security¼TLSã€TCPãfãfãf^5061¼%ã,'ã½ç"ãšã¾ã¾ã™ã€,

Cisco IOSã,½ãf•ãf^ã,ã,šã,çãšã,ã³Cisco IOS

XEã,½ãf•ãf^ã,|ã,šã,çã®SIPã®ÿè£...ã«ã¯è,,tã¼±æ€šã€ã~ãœ"ã—ã€ããfããfãfãfãf^ã»æ'fè

æ³i¼šSIPã€ETCPãfãfãfãf³ã,¹ãfãfãfãf^ã,šãšã®ÿè;ã€ã•ã,ã€ã|ã,,ã,ãã^ã ¯ã€ã"ã®

ã"ã®è,,tã¼±æ€šã ¯ã€Cisco Bug ID

[CSCtj33003](#)(ç™»€CE²ãfãfãfãfã,¶ã°,ç™)ãšã,ã³[CSCtw8464](#)(ç™»€CE²ãfãfãfãfã,¶ã°,ç™)ã ¯ã—ã|æ¬æ»ç

[Vulnerabilities and Exposures\(CVE\)ID CVE-2012-](#)

[3949ã€ã%²ã,šã½"ã|ã,%ã,ã€ã|ã,,ã¾ã™ã€,](#)

æ³i¼šã"ã®è,,tã¼±æ€šã ¯Cisco Unified Communications









	◆ªã◆—
12.2JA	è,,†â¼±æ€§ãªã◆—
12.2JK	è,,†â¼±æ€§ãªã◆—
12.2MB	è,,†â¼±æ€§ãªã◆—
12.2MC	12.2(15)MC1ä»¥â%o◆ã◆®ãfªãfªãf¼ã,¹ã◆«ã◆¯è,,†â¼±æ€§ãªã◆,ã,Šã ãfªãfªãf¼ã,¹12.2(15)MC2bä»¥é™◆ã◆«ã◆¯è,,†â¼±æ€§ãªã◆,ã,Šã¼ã
12.2MRA	è,,†â¼±æ€§ãªã◆—
12.2 MRB	è,,†â¼±æ€§ãªã◆—
12.2S	è,,†â¼±æ€§ãªã◆—
12.2SB	è,,†â¼±æ€§ãªã◆—
12.2SBC	è,,†â¼±æ€§ãªã◆—
12.2SCA	è,,†â¼±æ€§ãªã◆—
12.2SCB	è,,†â¼±æ€§ãªã◆—
12.2SCC	è,,†â¼±æ€§ãªã◆—
12.2SCD	è,,†â¼±æ€§ãªã◆—
12.2SCE	è,,†â¼±æ€§ãªã◆—
12.2SCF	è,,†â¼±æ€§ãªã◆—
12.2SCG	è,,†â¼±æ€§ãªã◆—
12.2SE	è,,†â¼±æ€§ãªã◆—
12.2SEA	è,,†â¼±æ€§ãªã◆—
12.2SEB	è,,†â¼±æ€§ãªã◆—
12.2SEC	è,,†â¼±æ€§ãªã◆—
12.2SED	è,,†â¼±æ€§ãªã◆—
12.2SEE	è,,†â¼±æ€§ãªã◆—
12.2SEF	è,,†â¼±æ€§ãªã◆—
12.2SEG	è,,†â¼±æ€§ãªã◆—
12.2SG	è,,†â¼±æ€§ãªã◆—
12.2SGA	è,,†â¼±æ€§ãªã◆—
12.2SM	è,,†â¼±æ€§ãªã◆—
12.2SO	è,,†â¼±æ€§ãªã◆—
12.2SQ	è,,†â¼±æ€§ãªã◆—
12.2SRA	è,,†â¼±æ€§ãªã◆—
12.2SRB	è,,†â¼±æ€§ãªã◆—







	è,,†â¼±æ€§šā,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CEă,ă,CEă
12.3XF	è,,†â¼±æ€§šā CEă~ăœ`ă —ă ¼ă™ă€,,ă"ă@ă,ćăf%ăăfă,ă,ă,ă,ă
12.3XG	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XI	è,,†â¼±æ€§šā,ă,Šă€,,12.2SBă@ă»»æ,,ă@ăăfăăfăăf/4ă,1ă «çš»è;CE
12.3XJ	è,,†â¼±æ€§šā,ă,Šă€,,12.4XNă@ă»»æ,,ă@ăăfăăfăăf/4ă,1ă «çš»è;CE
12.3XK	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XL	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3XQ	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XR	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XU	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T 12.3(8)XU1ă»ă%ăă@ăăfăăfăăf/4ă,1ă «ă -è,,†â¼±æ€§šă -ă,ă,Šă
12.3XW	è,,†â¼±æ€§šā,ă,Šă€,,12.4XNă@ă»»æ,,ă@ăăfăăfăăf/4ă,1ă «çš»è;CE
12.3XX	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XY	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3XZ	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4ă Sè;CE
12.3YD	è,,†â¼±æ€§šā^ă —
12.3YF	è,,†â¼±æ€§šā,ă,Šă€,,12.4XNă@ă»»æ,,ă@ăăfăăfăăf/4ă,1ă «çš»è;CE
12.3YG	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3YI	è,,†â¼±æ€§šā^ă —
12.3YJ	è,,†â¼±æ€§šā^ă —
12.3YK	12.3(11)YK3ă,^ă,Šă%ăă@ăăfăăfăăf/4ă,1ă «ă -è,,†â¼±æ€§šă CEă,ă
12.3YM	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3YQ	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3YS	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T 12.3(11)YS1ă»ă%ăă@ăăfăăfăăf/4ă,1ă «ă -è,,†â¼±æ€§šă -ă,ă,Šă
12.3YT	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3YU	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
12.3YX	è,,†â¼±æ€§šā,ă,Šă€,,12.4XNă@ă»»æ,,ă@ăăfăăfăăf/4ă,1ă «çš»è;CE
12.3YZ	è,,†â¼±æ€§šā CEă~ăœ`ă —ă ¼ă™ă€,,ă"ă@ă,ćăf%ăăfă,ă,ă,ă,ă
12.3ZA	è,,†â¼±æ€§šā,ă,Šă€,,æœ€ă^ ā@ăȱ@æfă -ăfăăfăăf/4ă,12.4T
<b>Affected 12.4-Based Releases</b>	
12.4	12.4(25 g)
12.4GC	è,,†â¼±æ€§šā CEă~ăœ`ă —ă ¼ă™ă€,,ă"ă@ă,ćăf%ăăfă,ă,ă,ă,ă
12.4JA	è,,†â¼±æ€§šā^ă —
12.4JAL	è,,†â¼±æ€§šā

	◆ <sup>a</sup> ◆—
12.4JAX	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JAY	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JDA	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JDC	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JDD	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JDE	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JHA	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JHB	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JHC	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JK	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JL	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JX	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JY	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4JZ	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4MD	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4MDA	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4MDB	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4MR	è,,†â¼±æ€§ã◆Ĉă~ăœ`ă◆—ă◆¾ă◆™ă€,,ă◆"ă◆®ă,,Ĉăf%ăăf◆ă,,ă,¶ă,¶ă
12.4 MRA	è,,†â¼±æ€§ã◆Ĉă~ăœ`ă◆—ă◆¾ă◆™ă€,,ă◆"ă◆®ă,,Ĉăf%ăăf◆ă,,ă,¶ă,¶ă
12.4 MRB	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4SW	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4T	12.4(15)T17 12.4(24)T7
12.4XA	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4XB	12.4(2)XB1ă,^ă,Šă%◆ă◆®ăfăăfăf/4ă,1ă◆«ă◆-è,,†â¼±æ€§ă◆Ĉă◆,ă
12.4XC	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4XD	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4XE	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4XF	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—
12.4XG	12.4(9)XG1ă»¥ă%◆ă◆®ăfăăfăf/4ă,1ă◆«ă◆-è,,†â¼±æ€§ă◆ă◆,ă,Šă€ ăfăăfăf/4ă,12.4(9)XG3ă»¥ă™◆ă◆«ă◆-è,,†â¼±æ€§ă◆ă◆,ă,Šă€¾ă◆
12.4XJ	è,,†â¼±æ€§ã◆,ă,Šă€,,ăœ€ă^◆ă◆®ăż®ăfă◆ <a href="#">ăfăăfăf/4ă,12.4T</a>
12.4XK	è,,†â¼±æ€§ã◆ <sup>a</sup> ◆—

12.4XL	è,,†â¼±æ€§šã™Ā~āœ`ā—ã¾ã™ā€Ā,ā"ā®ā,čãf%oãfã,ã,¶ã,¶ã
12.4XM	12.4(15)XMä»¥ã%oã®ãfããfãf¼ã,¹ã«ã`è,,†â¼±æ€§šã™Ā,ã,Šããfããfãf¼ã,¹2.4(15)XM3ã»¥é™ãã«ã`è,,†â¼±æ€§šã™Ā,ã,Šã¾ã
12.4XN	è,,†â¼±æ€§šã™Ā—
12.4XP	è,,†â¼±æ€§šã™Ā~āœ`ā—ã¾ã™ā€Ā,ā"ā®ā,čãf%oãfã,ã,¶ã,¶ã
12.4XQ	è,,†â¼±æ€§šã™Ā—
12.4XR	è,,†â¼±æ€§šã™Ā—
12.4XT	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.12.4T
12.4XV	è,,†â¼±æ€§šã™Ā~āœ`ā—ã¾ã™ā€Ā,ā"ā®ā,čãf%oãfã,ã,¶ã,¶ã
12.4XW	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.12.4T
12.4XY	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.12.4T
12.4XZ	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.12.4T
12.4YA	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.12.4T
12.4YB	è,,†â¼±æ€§šã™Ā~āœ`ā—ã¾ã™ā€Ā,ā"ā®ā,čãf%oãfã,ã,¶ã,¶ã
12.4YD	è,,†â¼±æ€§šã™Ā—
12.4YE	è,,†â¼±æ€§šã™Ā—
12.4YG	è,,†â¼±æ€§šã™Ā—
<b>ã¼±éÿ¿ã,'ã—ã'ã, &lt; 15.0 ãf™ãf¼ã,¹ã®ãfããfãf¼ã,¹</b>	
15.0EX	è,,†â¼±æ€§šã™Ā—
15.0EY	è,,†â¼±æ€§šã™Ā—
15.0M	15.0(1)M9
15.0MR	è,,†â¼±æ€§šã™Ā—
15.0 MRA	è,,†â¼±æ€§šã™Ā—
15.0çš'	è,,†â¼±æ€§šã™Ā—  Cisco IOS XEãf†ãfã,ã,¶ã,¹¼šã€CECisco IOS XEã,½ãfããfã,ã,šã,çã®ã,çã
15.0SE	è,,†â¼±æ€§šã™Ā—
15.0SG	è,,†â¼±æ€§šã™Ā—  Cisco IOS XEãf†ãfã,ã,¶ã,¹¼šã€CECisco IOS XEã,½ãfããfã,ã,šã,çã®ã,çã
15.0SY	è,,†â¼±æ€§šã™Ā—
15.0XA	è,,†â¼±æ€§šã™Ā,ã,Šã€æœ€ã^ã®ä¿®æfã™ãfããf¼ã.15.1M
15.0XO	Cisco IOS XEãf†ãfã,ã,¶ã,¹¼šã€CECisco IOS XEã,½ãfããfã,ã,šã,çã®ã,çã







## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。