


# Cisco Unified Communications

## Manager WebDialer <sup>®</sup> <sup>™</sup>



Product ID : Cisco-SA-

[CVE-2013-](#)

20130802-CVE-2013-3450

[3450](#)

Published : 2013-08-02 18:55

Version : 1.0 : Final

CVSS Score : [4.3](#)

Workarounds : No Workarounds available

Cisco ID : [CSCui13028](#)

Summary: A vulnerability in Cisco Unified Communications Manager (Unified CM) WebDialer allows an attacker to perform a Denial of Service (DoS) attack.

### Details

Cisco Unified Communications Manager (Unified CM)

WebDialer, a component of Unified CM, is vulnerable to a Denial of Service (DoS) attack.

The vulnerability is located in the WebDialer component of Unified CM. An attacker can exploit this vulnerability by sending a specially crafted request to the WebDialer component.

The attack results in a Denial of Service (DoS) condition, where the WebDialer component becomes unresponsive to legitimate requests.

The vulnerability is caused by a buffer overflow in the WebDialer component. An attacker can exploit this vulnerability by sending a request with a payload that exceeds the buffer size.

### Impact

The impact of this vulnerability is a Denial of Service (DoS) attack, which can result in the WebDialer component becoming unresponsive to legitimate requests.

Bug ID [CSCui13028](#)

### Workarounds

There is no known workaround for this vulnerability.

Unified

CM WebDialer, a component of Unified CM, is vulnerable to a Denial of Service (DoS) attack.

Unified

CM WebDialer, a component of Unified CM, is vulnerable to a Denial of Service (DoS) attack.

è,,†â¼±æ€šã,'ã«ã,"ãšã,,ãªã,,ã"ã"ã"æçç°èªã•ã,æãÿè½â"ã»-ã®ã,ã,¹ã,³è½â"ã«ãšã,,ã|ã"ã®ã,çãf%ããfã,ã,ã,¶ã,¶ãfãã®ã½±éÿã,'ã—ã'ã,,

## ã>žé ç-

ã»Šã¼(æã®ã,çãffãf—ãf†ãf¼ãfã,,ãfªãfãf¼ã,¹ã«ãªã,,ã|ã-ã€ãfªãfªãfãf¼ãã«é€çµjã

ã,ã-ã©ãªé€ãçjã...fã,,èªè~ã•ã,æã|ã,,ãªã,,é€ãçjã...fãã,ã,ã®ã«é»ããfãf¼ãf«ãfj

ã,ãfã,¹ã,¶,ããfªãfã,ã,,ã,¹ãfªãfã,©ãf¼ã,,ã,šãfª(CSRF)æ'»æ'fã"æ½œãœ"çš,,ãªç.©ã'ææ-¹æ³•ã®è©ã,ãfã,¹ã,¶,ããfªãfã,ã,,ã,¹ãfªãfã,©ãf¼ã,,ã,šãfªã®è,...ã"ãfªã,ãfªãã«ãªã,,ã|ã€ãã,'ã,ç..

ã½±éÿã,'ã—ã'ã,ã,ã,¹ãfªãfã,'ç>£è|-ãªã,ã"ã"ã"ãæž"ã¥"ã—ã¼ãªã€,

## ãç®ææ,ãçã,½ãfãfã,ã,ã,šã,ç

ã,½ãfãfã,ã,šã,çã®æ>æ-°ãf—ãfã,°ãf©ãfã-ãªç"ãšããã¼ãã>ã,"ã€,

## ã,ææãªç"ãª<ã¼ãã"ã...-ã¼çªªèj"

Cisco Product Security Incident Response Teami¼^PSIRTi¼%ãªã€æœ-ã,çãf%ããfã,ã,ã,¶ã,¶ãfãã«è"~è¼%ãã,æã|ã,,ã,è,,†â¼±æ€šã

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/Cisco-SA-20130802-CVE-2013-3450>

## æ"¹è",ã±¥æ'

ãfãf¼ã,ãfšãf³	èª-æž	ã,»ã,ã,ãfšãf³	ã,¹ãfªãf¼ã,çã,¹	æ—¥ã»
1.0	ãªçªãfªãfãf¼ã,¹	éªç"ãª-	Final	2013ã¹'8æœ²æ—¥

## ãªçª"è!ç,,

æœ-ã,çãf%ããfã,ã,ã,¶ã,¶ãfãã-ç,,ãçè"¼ã®ã,ãªã"ã-ã-ã|ã"æªªã¼ãã-ã|ãšã,šãæœ-ã,çãf%ããfã,ã,ã,¶ã,¶ãfãã®æf...ã±ãšã,ãª³ãfªãfã,ãª®ã½çç"ãª«é-çãªªã,è²-ã»ã®ã,€

ã¼ãÿã€ã,ã,¹ã³ãæœ-ãf%ã,ãfãfjãf³ãf^ã®ãt...ã®¹ã,'ã^ã'šãªã—ã«ã%ãæ'ã—ã  
æœ-ã,çãf%ãfã,ã,ã,ãfã®è"~è¿ãt...ã®¹ã«é-çã—ã!æf...ã±é...ã¿;ã® URL  
ã,çœç•ã—ã€ããç<-ã®è»çè¼%ã,,æ,,è"³ã,'æ-½ã—ãÿã'ã^ã€ã½"ç¼ã¼ãŒç®;ç  
ã"ã®ãf%ã,ãfãfjãf³ãf^ã®æf...ã±ãæ-ã,ã,¹ã,³è½ã"ã®ã,"ãf³ãf%ãf!ãf¼ã,ã,ã³¼è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。