

Multiple Vulnerabilities in Cisco Unified Communications Domain Manager

Advisory ID: cisco-sa-20140702-cucdm

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20140702-cucdm>

æ—¥æœ—è^žã?«ã, ^ã, <æf...å ±ã?—ã€?è[±]è^žã?«ã, ^ã, <åŽÝæ—‡ã?®é?žå...¬å½?ã?^ç?»è^“^3ã?§ã?ã, §ã?

Revision 1.0

For Public Release 2014 July 2 16:00 UTC (GMT)

ç>®æ¬; i

è!♦ç’ „
è®²å½“è£½å“♦
è®³ç’°
è„,†å½±æ€§ã, ^ã, ^ã, cè®³ç’°
å½±éÝ;
ã, ^½ãf•ãf^ã, ^ã, ^ã, c ãf♦ãf½ã, ^ãf§ãf³ã♦§ã, ^ã♦^3ã; ®æf
å›žé?; ç-
ã; ®æfæ, ^ã♦; ^ã, ^½ãf•ãf^ã, ^ã, ^ã, cã?®å...¥æ%o<
ã, ♦æfå^ç”” ä°ä¾ã? ” å...¬å½?ç™øe; ”
ã?“ã?®é€šçÝ¥ã?®ã, ^ãftãf½ã, ^ã, ^i½šFINAL
æf...å ±é...♦ä; j
æ>`æ—°å±¥æ`
ã, ^ã, ^ã, »ã, ^ãf¥ãf^ãf†ã, £æ%o<é ^

è!♦ç’ „

Cisco Unified Communications Domain Manager^{1/4} Cisco Unified
CDM^{1/4}%oã?—ã€?æ¬; jã?®è„, †å½±æ€§ã?®å½±éÝ; ã, ^ã?—ã?‘ã?^3/4ã?™ã€,

- Cisco Unified Communications Domain Manager ã?®æ “©é™♦æ~‡æ ¼ã?®è„, †å½±æ€§
- Cisco Unified Communications Domain Manager ã?®ãf‡ãf•ã, ©ãf«ãf^ SSH
ã, ^ãf½ã?®è„, †å½±æ€§
- Cisco Unified Communications Domain Manager ã?® BVSMWeb
ã?®ä, ^æfã?^ãf‡ãf½ã, ^æ“♦ä½œã?®è„, †å½±æ€§

Cisco Unified Communications Domain Manager

ã?®æ “©é™♦æ~‡æ ¼ã?®è„, †å½±æ€§ã?®ã?Šã, ^ã?^3 Cisco Unified Communications
Domain Manager ã?®ãf‡ãf•ã, ©ãf«ãf^ SSH

ä,ääf¼ää®è,,tå½¼±æ€§ää®ä,æ£å°©ç”“ä«æ^äšÝä—äÝå`å^ä€æ»æ‘feé...ä«ä,ä€ä

Cisco Unified Communications Domain Manager ™® BVSMWeb

ä♦®ä,♦æ£ä♦äftäf%ä,¿æ“♦ä½œä♦®è,,tå¼±æ€§ä♦®ä,♦æ£å^©ç”“ä♦«æ^♦åŠ¥ä♦—ä♦¥å`å♦
äf♦äf%ä,¿äf«äf!äf%ä,¶ä♦® å€ä®é»»è©±äf#ä,fäf-ä,-äf^äf#ä,,ä€♦ä,¹äf'äf%äf%
äf€ä,¤äf¤äf«ä€♦ä,·äf³ä,ºäf«äfŠäf³äf♦äf%

ຳຟ້າຟີ່ໄກຟົມັງກອນ ພົມກອນ ພົມກອນ ພົມກອນ ພົມກອນ ພົມກອນ ພົມກອນ ພົມກອນ ພົມກອນ

Cisco Unified Communications Domain Manager Privilege

© 2007 Cisco Systems, Inc. All rights reserved. Cisco Confidential

ã,ãf¼ã?®è,,†å¼±æ€§ã?«å‐¾å†|ã?™ã,<ç>;|å„ÿã?®ã,½ãf•ãf^ã,|ã,§ã,c

ä ◊® ä, ◊ æ f ä ◊ ^ä f f ä f ¼ ä, ¿ æ " ◊ ä ½ œ ä ◊ ® è, † å ¼ ± æ € ä ◊ « å - ä, ç ä ff ä f — ä f f ä f ¼ ä f ^ ä, ' æ ◊ ◊ ä ¾ ä, ä ◊ ™ ä, < ä ^ å ® š ä ◊ ſ ä ◊ ™ ä, €

ãš“ã,Œã,%oã®è,,†å¼±æ€šã,'è»½æ›ã™ã,<å›žé?ç-ã?¬ã?,ã,Šã?¾ã?>ã,“ã€,Cisco Unified Communications Domain Manager ã® BVSMWeb

ã♦®ä,♦æfää♦äftäf%ä,¿æ“♦ä½œä♦®è,,†å¼±æ€§ä♦«ä♦¤ä♦,,ã♦|æ‡,å¿µä♦®ä♦,ã,ã♦Šå®¢æ§

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20140702-cudm>

€©²å¹½“€£¹½å“◆?

è,†å¼±æ€§ã?Œèª?ã,?ã,%oã,Œã,<è£½å“?

Cisco Unified Communications Domain Manager © 2007 Cisco Systems, Inc. All rights reserved.

„Cisco Unified CDM” – fórum na temat zarządzania komunikacjami w organizacji

Cisco Unified Communications Domain Manager ® SSH

â,ãƒ¼â♦®è,,†å¼±æ€§

ã?“ã?®è, †å¼±æ€§ã?—ã€?Cisco Unified CDM åf—ãf©ãffãf?ãf•ã, ©ãf¼ãf

ã,½ãf•ãf^ã, | ã,§ã,¢ ãf♦ãf¼ã, ãf§ãf³ 4.4.2

ä, ^ä, Šå‰ø®ã®fãf¼ä, äf§äf³ä™ã®¹ä|ã«å½±éÿ;ä,'ä, žä®^ä®³/4ä™ã€,

Cisco Unified Communications Domain Manager BVSMWeb

ä ◊® ä, ◊æ f ä ◊ª ä f # ä f ¼ ä, ¿ æ “ ◊ä ½ œ ä ◊® è,, † å ¼ ± æ € §

Cisco Unified CDM 10

ä, ^ä, Šå‰oo? ã? ®ãf? ãf¼ã, ãf§ãf³ã?™ã?¹ã? | ã?«å½±éÝ; ã,'ä, žã? ^ã?¾ã?™ã€,

å®Ÿè;Œä,ã♦®ã,½ãƒ•ãƒ^ã,|ã,§ã,¢ ãƒ♦ãƒ¹¼ã,ãƒ§ãƒ³ã♦®ç¢ºèª♦

è, †å¼±æ€§ã♦Œèª♦ã, ♦ã, %oã,Œã♦ªã? „è£½å“♦

ä»—ä♦®ä,·ä,¹ä,³è£½å“♦ä♦«ä♦Šä♦„ä♦|ä♦“ä♦®ä,çäf‰oäf♦ä,¤ä,¶äf¤ä♦®å½±éÝ¿ä,’å♦—ä♦’ä,<ä,,

è©³çº

Cisco Unified Communications Domain ManagerTM Cisco Unified CDMTM Cisco Unified Communications ManagerTM Cisco Unity ConnectionTM Cisco JabberTM

Cisco Unified Communications Domain Manager ®™ ©éæ~‡æ½æ®è„†å½±æ€§

Cisco Unified Communications Domain Manager —                <img alt="server icon" data-bbox

ãf•ãf–ãf¼ãf ãf—ãf½ã, —ã◆®è„†å¼±æ€§ã◆«ã, ^ã, Šã€◆èª◆è”¼ã◆•ã, ©ã◆Ýãfªãf¢ãf¼ãf^ã◆®æ”»æ'fè

„Régistration GUI

ã®èªèº¼ãŠã, ^ã³èªåã, ãf³ãf^ãf½ãf«ã®ã, é©åã³å®Ýè£...ã«èµ·å ã—ã³,
URL

Administration GUI

ã♦®æœ‰oåŠ¹ã♦ªãƒ|ãƒ¼ã,¶ã♦«æ,ºæ,,?ã♦®ã♦?,ã,ãƒªãƒ³ã,¬ã,'ã,¬ãƒªãffã,¬ã♦•ã♦?ã,å;...è|?ã♦?Œã

[Common Vulnerabilities and Exposures](#) (CVE-2014-2197) ID CVE-2014-2197

Cisco Unified Communications Domain Manager ® SSH

ä, å, ð, ø, ß, ®, ™, ±, œ, €, §

Cisco Unified Communications Domain Manager — af — af©afaf — af·ã, ©af%4af
ã, %af·ãf·ã, | ã, sã, cã «ã — ã€♦ã, µaf♦af%4af — æ...å½“è€...ã, ã — ®ã, cã, — ã, »ã, ¹ã, 'è „±å — ã — tmã, <af·ãf
root
af·af%4af, ¶ã — ®æ „©étm♦ã, 'ä½ç“ã — ã — | è©²å½“ã, ·ã, ¹ãftãf — ã «æž¥ç¶šã — tmã, <å — èf%4æ€§ã — CEã

“¹ Cisco Bug ID CSCCud41130¹”

[CVE-2014-2198](#)

Cisco Unified Communications Domain Manager ® BVSMWeb

ãƒ•ãƒ–ãƒ¼ãƒ ãƒ–ãƒ¼ã, –ã ?®è,, †å¼%æ€ã ?«ã, ^ã, ã, Sã€ ?èª ?è „¼ã ?•ã, æã ?|ã ?, „ã ?^ã ?„ãƒ„ãƒçãƒ¼ãƒ^ã
ãƒ ?ãƒ¼ã, ?ãƒ« ãƒ! ãƒ¼ã, ¶ã ?®å€«<ã°ºã ?®é»»è©±ãƒ‡ã, ïãƒ–ã, –ãƒ^ãƒ¤ã, „ã€ ?ã, ¹ãƒ'ãƒ¼ãƒ‰
ãƒ€ã, ñãƒ¤ãƒ«ã€ ?ã, :ãƒ^ã, °ãƒ« ãƒSãƒ^ãƒ ?ãƒ¼
ãƒ¤ãƒ¼ãƒ ?ã€ ?ã, ³ãƒ¼ãƒ«è»çé€ ?è „å®šã ?^ã ?©ã ?®è „å®šæf...å ±ã ?«ã, çã, –ã, »ã, ¹ã ?—ã ?ÿã, Sã€ ?

ã“ã®è,,†å¼±æ€§ã“ã€BVSMWeb ãƒãf¼ã,¿ãf«ã®ä,€éf”ã® Web
ãƒšãf¼ã,ã«ã,çã,~ã,»ã,¹ã™ã,<éš>ã®èªã“¹åŠã,^ã³èªãå~ã,³ãf³ãf^ãfãf¼ãf«ã®ä,ãé©åURL
ã,’è©²å½“ã,·ã,¹ãftãf ã«é€ãä¿jã™ã,<ã“ã“ã«ã,^ã,Šã€ã“ã®è,,†å¼±æ€§ã,’ãæ£å^©ç”ã

ã”“ã”®è,,tå½±æ€§ã”“ã€Cisco Bug ID [CSCum77041](#)i¹/₄^
ç™»éŒ2af\äf¹/₄ã,¶å°,ç”“i¹/₄%oã”“ã”—ã”|æ-‡æ›,åŒ-ã”•ã,Œã€CVE ID ã”“ã”—ã”| CVE-2014-3300 ã”Œå%²ã,Šå½“ã”|ã,%oã,Œã”|ã”„ã”³/₄ã”™ã€,

è,,†å¼±æ€§ã,¹ã,³ã,¢è©³ç’°

ã, ã, ¹ã, ³ã, ˜ã, “ã, ®ã, ¢ã, %oã, fã, „ã, ¶ã, fã, ˜ã, ®è, †å½±æ€§ã, «å¬¾ã, —ã | Common

Vulnerability Scoring

Systemi ¼ CVSSi ¼%o ã «å Ÿ°ã ¥ã „ã Ÿã, 1ã, 3ã, çã, 'æ ã ä¾ã —ã | ã „ã ä¾ã TMã€, æœ—ã, »ã, äfã, çãf%oãf ã, ¶ã, ¶ãf a ã Sã ® CVSS ã, 1ã, 3ã, çã —ã € CVSS äf ãf ¼ã, ,äfSäf 2.0
ã «å Ÿ°ã ¥ã „ã | ã „ã ä¾ã TMã€,

CVSS

ã —ã € è,, tå ¼±æ€§ã ®é‡è | ã å°|ã, 'ç¤°å"tã TMã, ,ã ®ã Sã€ ã ç·Sæ€¥æ€§ã Šã, ^ã ä¾å—3åçœ

ã, ·ã, 1ã, 3ã Sã —ã € å Ÿ°æœ—è©•ä¾jã, 1ã, 3ã, ç ¼ Base

Scorei ¼%o ã Šã, ^ã ä¾ç¤¾ç Š ¶è©•ä¾jã, 1ã, 3ã, ç ¼ Temporal

Scorei ¼%o ã, 'æ ã ä¾ã —ã | ã „ã ä¾ã TMã€, ã Šã ®çæ§~ã —ã "ã, ÇEã, %oã, 'ç" "ã, ,ã | ç°åçfè

Scorei ¼%o ã, 'ç ®—å f°ã —ã € è‡è°«ã ®ãf ãffäf^äf ¼ã, —ã «ã Šã 'ã, ,ã ,tå ¼±æ€§ã ®å½±éÝ

ã, ·ã, 1ã, 3ã —æ—jã ®ãf ãf 3ã, —ã S CVSS

ã «é—çã TMã, ,è½å Š æf...å ±ã, 'æ ã ä¾ã —ã | ã „ã ä¾ã TMã€,

<http://www.cisco.com/web/about/security/intelligence/cvss-qandas.html>

ã ä¾ã Ÿã, ã, 1ã, 3ã Sã —ã € å ã „ãf ãffäf^äf ¼ã, —ã «ã Šã 'ã, ,ç°åçfå½±éÝ; å°|ã, 'ç ®—å f°ã TMã€, CVSS è °ç ®—ãf, ,äf ¼ãf «ã, 'æ—jã ®ãf ãf 3ã, —ã Sæ ã ä¾ã —ã | ã „ã ä¾ã TMã€,

<http://tools.cisco.com/security/center/cvssCalculator.x>

CSCun49862 - Cisco Unified Communications Domain Manager Privilege Escalation Vulnerability

Calculate the environmental score of

CVSS Base Score - 9.0

Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Low	Single	Complete	Complete	Complete

CVSS Temporal Score - 7.4

Exploitability	Remediation Level	Report Confidence
----------------	-------------------	-------------------

Functional	Official-Fix	Confirmed
------------	--------------	-----------

CSCud41130 - Cisco Unified Communications Domain Manager Default SSH Key Vulnerability					
Calculate the environmental score of					
Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Low	None	Complete	Complete	Complete
CVSS Temporal Score - 8.7					
Exploitability		Remediation Level		Report Confidence	
High		Official-Fix		Confirmed	

CSCum77041 - Cisco Unified Communications Domain Manager BVSMWeb Unauthorized Data Manipulation Vulnerability					
Calculate the environmental score of					
Access Vector	Access Complexity	Authentication	Confidentiality Impact	Integrity Impact	Availability Impact
Network	Low	None	Partial	Partial	Partial

CVSS Temporal Score - 7.1		
Exploitability	Remediation Level	Report Confidence
Functional	Unavailable	Confirmed

å1/2±éY;

Cisco Unified Communications Domain Manager

© Cisco Unified Communications Domain Manager 9.0(1)F5S Cisco Systems, Inc. All rights reserved.

Cisco Unified Communications Domain Manager ™® BVSMWeb

ã♦®ä,♦æ£ã♦^äftäf½ä,¿æ“♦ä½œã♦®è,,†å¼±æ€§ã♦«å™ä,ä,♦æ£å^©ç”’ã♦«æ^♦åŠ¥ã♦—
äf♦äf½ä,¿äf“ãf!äf½ä,¶ã♦®å€<ä°¤ã♦®é>è©±äf‡ä,£äf¬ä,—äf^äf¤ä,,ä€♦ä,¹äf'äf½äf%
äf€ä,¤äf¤äf«ä€♦ä,äf³ä,ºäf«äfŠäf³äf♦äf½
äf¤äf½äf♦ä€♦ä,³äf½äf“è»çé€♦è ..å®šä♦^ä♦©ã♦®è ..å®šæf...å ±ä♦«ä,çä,—ä,»ä,¹ä♦•ä,£ä♦¥ã,Šä

ä, ½ ä, f•äf^ä, !ä, §ä, c äf ♦ äf¹¼ä, äf§äf³ä ♦ Šä, ^ä ♦ ³ä; ®æf

ã,½ãf•ãf^ã,¡ã,§ã,cã®ã,Cãffãf—ã,ºãf-ãf¼ãf‰ã,'æœè“Žã®™ã,<å`å^ã—ã€<http://www.cisco.com/g>ã® Cisco Security Advisories, Responses, and Notices
ã,çãf¼ã,<ã,¤ãf—ã,,ã€◊å¾Œç¶šã®ã,Cãf‰ãf◊ã,¤ã,¶ãf^ã,‘...§ã—ã!ã€◊èµ·ã“ã,Šã®†ã, é
ã,½ãf^ãf¥ãf¼ã,·ãf§ãf³ã,’çç°è^ã—ã?|ã?ã?ã?ã?•ã?,ã€,

Technical Assistance

Centeri¼^TACi¼%oã,,ã?—ã?ã?—å¥ç’ „ã?—ã?|ã?„ã,<ãf;jãf³ãftãfSãf³ã,¹
ãf—ãfãf?ã,¤ãf€ãf½ã«ã?Šå·?ã?,„å?^ã,?ã?»ã?ã?ã?ã?•ã?„ã?,

Cisco Unified Communications Domain Manager

ã¢®æ“©é™æ˜‡æ¼ã¢®è,†å¼±æ€§ã¢“ã€Cisco Unified CDM å,çäf—ãƒªã,±ãƒ¼ã,·ãƒ§ãƒ³
ã,½ãƒ•ãƒ^ã,|ã,§ã,ç usm-8.1.4-ubuntu10_04.tar.gz
ã»¥é™ã¢ã§è§£æ±ã¢•ã,(Eã¢|ã¢„ã¢¾ã¢™ã€,

Cisco Unified Communications Domain Manager ® SSH

ã,ãƒ¼ã¢®è,†å¼±æ€§ã¢—ã€Cisco Unified CDM åƒ—ãƒ©ãffãƒãƒ•ã,©ãƒ¼ãƒ

ã,½ãf•ãf^ã,|ã,§ã,¢ voss-platform_4.4.2_04.326

ä»¥é™?ã?§è§£æ±ºã?•ã,Œã?|ã?„ã?¾ã?™ã€,

© Cisco Systems, Inc. 2007 Cisco Unified Communications Domain Manager ® BVSMWeb

ã®ä, æ£ã®äfïäf½ä, æ®ä½œä®è,, tå¼±æ€§ä«å¾å†! ä™ä, Cisco Unified CDM
äf®äf½ä, äf§äf³ä—ä®, ä, Šä¾ä»ä,"ä€, Cisco Unified CDM ä, çäf—äf®ä, ±äf½ä, ·äf§äf³
ä, ½äf•äf®ä, | ä, §ä, ¢ 10 ä»¥é™®ä§ä—ä€®BVSMWeb ä, µäf½äf®ä,
ä, ®äf³ä, æäf½äf•ä, §ä, ®ä, 'ä, ®®Yè£...ä—ä®| ä®Šä, %oä®šä€®ä®"ä®®è,, tå¼±æ€§ä®å½±éÝä, 'ä®
Unified CDM äf®äf½ä, äf§äf³ 10 ä—ä€®2014 å' 9
æœ^ä«æ®ä¾ä•ä®, (ä, <ä°å®®šä®§ä®™ä€, ä®"ä®®è,, tå¼±æ€§ä«ä®ä¾ä„ä®| æ‡, å®µä®®ä
äf®äf®äf½ä, 'ä®®...¥æ%oä®§ä®ä, <ä¾ä®§ä€®æœ¬ä, çäf%oäf®ä, §ä, ¶äf®ä®ä€®å®ä, žé®ç—ä€

å>žé◆?¿ç-

ä◊“ä◊®ä,»ä,äƒ¥äƒªäƒ†ä,£

ã,¢äf%ooäf♦ã,¤ä,¶äf¤ã♦«è „~è¼%ooä♦•ã,Œä♦|ã♦„ã,<è,†å¼±æ€§ã,’ç·Œå♦™ã,<å>žé♦¿ç-ã♦-ã,ã,

Cisco Unified Communications Domain Manager ã® BVSMWeb

āf?āffāf^āf~āf¼ā,-å†...ā?®ā,·ā,¹ā,³

Applied Intelligence™

<http://tools.cisco.com/security/center/viewAMBAlert.x?alertId=34689>

ä;®æfæ, ^ã◊¿ã, ½ãf•ãf^ã, | ã, §ã, ¢ã ◊®å...¥æ‰o<

http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN_.html

«è„~è¼‰ã®ã,·ã,¹ã,³ã®ã,½ãf•ãf^ã,|ã,§ã,¢

ä,ã,ñf^{1/4}ãf“ã,¹å¥‘ḉ,,ã,’ã◊”å^©ç””ã◊®ã◊Šå®çæ§~

ä,ääf¼ääf“ä,¹å¥‘ç’,,ä,’ä?“ä^©ç”..ä?@ä?Šå®çæ§~ä?–ä€?éëšå,,ä?@ä,cääffäf—äf‡äf¼äf^

ãƒ¢ãƒ£ãƒ¢ãƒ«ã¢<ã,%oã,çãffäf—ã,°ãf-ãf%4ãf%
ã,½ãf·ãf^ã,|ã,§ã,cã,'å...¥æ‰—ã|ã?ã?ã?ã?•ã?„ã€,ã?»ã?“ã,“ã?©ã?®ã?Šå®çæ§~ã?—ã
ã?® Software Navigator
ã?<ã,%oã,çãffäf—ã,°ãf-ãf%4ãf%’å...¥æ‰ã?™ã,<ã?“ã?“ã?Œã?§ã?ã?ã?¾ã?™ã€,<http://www.c>

ã, ãf¹/₄ãf%oãf'ãf¹/₄ãf†ã, fã ♦®ã, µãf♦ãf¹/₄ãf^ã/¼šç¤³/₄ã, 'ã ♦"å^©ç"''ã ♦®ã ♦Så®çæs~
ã, ·ã, ¹ã, ³ãf'ãf¹/₄ãf^ãfŠãf¹/₄ã€♦æfè! ♦è²©åf²ã»fç♦†å°—ã€♦ã, µãf¹/₄ãf"ã,
ãf—ãfãf♦ã, ¤ãf€ãf¹/₄ã♦ã ♦©ã€♦ã, µãf¹/₄ãf%oãf'ãf¹/₄ãf†ã, fã ♦®ã, µãf♦ãf¹/₄ãf^ã/¼šç¤³/₄ã ♦''ã »¥å%o♦ã

ã,þf^{1/4}ãf“ã,¹ã¥‘ç’,,ã,’ã◊”å^©ç”“ã◊§ã◊^ã◊,,ã◊Šå®çæ§~

Technical Assistance Center i ¼ TAC i ¼ % ã «é€çµjã — ã | ã, çafffæ — ã, °ãf—ãf%ãf%
ã, ½ãf•ãf^ã, | ã, çã, cã, 'å... ¥æ%o<ã — ã | ã ? 2ã ? ã ? •ã ? „ã€,

- +1 800 553 2447 i^{1/4}åŒ—ç±³ã¢<ã‰ã¢®ç„jæ—™é€šè©±i^{1/4}‰
 - +1 408 526 7209 i^{1/4}åŒ—ç±³ä»¥å¤—ã¢<ã‰ã¢®æœ‰œ—™é€šè©±i^{1/4}‰
 - E äfjäf^{1/4}äf«i^{1/4}štac@cisco.com

ç,,;å,,ÿä,,¢äffäf—ä, °äf¬äf¼äf‰ä♦®å¬¾è±|èf½å“♦ä♦§ä♦,ä,«ä♦”ä♦”ä,’è”¼æ~žä♦—ä♦!ä♦„ä♦ÿä♦
URL

— „ã, ’ã ◊ “ç”’’’ æ, ◊ ã ◊ ◊ ã ◊ ã ◊ •ã ◊ „ã€, ã, µãƒ¼ãƒ“ã, ’ã ¥’ç’’’ „ã, ’ã ◊ ”ã ^ ©ç”’’’ „ã ◊ Šã ◊ „ã ◊ Šå ® ÇæS~ã ◊ — TAC ã ◊ «ç„’jå „Yã, çãffãf—ã, °ãf—ãf¼ãf%oã, ’ãf^ã, —ã, ”ã, ’ã, ’ãf^ã ◊ —ã ◊ |ã ? ? ? ã ? ? ? ã ◊ •ã ◊ „ã€,

ã♦•ã♦¾ã♦-ã♦¾ã♦-ã♦ “€è·žå♦’ã♦’ã♦®å♦, „åœ°ã♦®é»»è©±ç•ã♦·ã€♦è·æ~žã€♦E
ãƒ_ãƒ½4ãƒ« ã, çãƒ%oãƒ-ã, ¹ã♦·ã♦©ã♦®ã€♦·ã♦“ã♦®ä»-ã♦® TAC
ã♦®é€£çµ;å... ^æf...å ±ã♦«ã♦çã♦,,ã♦|ã♦~ã€♦ã, ·ã, ¹ã,³
ãƒ~ãƒ½4ãƒ«ãƒ%oãƒ~ã, çãƒ%oã♦Šå•?ã♦·å?^ã, ?ã♦>å... ^í¼^http://www.cisco.com/en/US/support/tsd_cisco_w

ä „ ◊ æ f å ^ © ç " " ä ° < ä ¾ < ä ? " å ... - å ¼ ◊ ç t m o è i "

Cisco Product Security Incident Response

Teami^{1/4} PSIRTi^{1/4} %a?§a?^-a€?æœ¬a, ¢a?f%oña?ã, ¶a?f?ã?«e?~è?%o?•a, ©a?|ã?„a,,†å?1/4±æ€

Cisco Unified Communications Domain Manager © Cisco Systems, Inc. und/oder seinen Tochtergesellschaften. Alle Rechte vorbehalten.

„Sense of Security“ Fatih Ozavci

Cisco Unified Communications Domain Manager 9.0(1) Cisco IOS® Software, Cisco Unified Communications Edition (Release 9.0(1)) for Cisco 7900 Series IP Phones

— ζ^{TM} —

á♦“á♦®é€šçŸ¥á♦®ã,¹ãſtãſ¹¼ã,¿ã,¹i¹¼šFINAL

æœ—ā, çäf%oāf♦ā,¤ā, ¶äf^aā♦—ç,,jä‡è”¼ä♦®ā,,ä♦®ā♦”ä♦—ä♦|ä♦”æ♦?♦ä¾ä♦—ä♦|ä♦Šā,Šä€

å¾Œè¿°ã?™ã,<æf...å±é...ã?ä¿jã?® URL

ã, 'çœ¢ç·¥ã¢—ã€¢æœ—ã, çã¢%oãƒ¢ã, þã, ¶ã¢fã¢ã¢®è~~è¢ò¢å...å®¹ã¢«é-çã¢—ã¢, å¢~ç¢-ã¢®è»ç¢

æf...å ±é...◆?ä¿i

ã”“ã®ã, çäf‰oãfã, ã, ¶ã, ¶äfºã “æ¬jã®ãfºãfºã, “ã«ã, ã, Cisco Security Intelligence Operations “æž²è½‰oã•ã, ©ã¾ã™ã€,

<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20140702-cuedm>

- cust-security-announce@cisco.com
 - first-bulletins@lists.first.org
 - bugtraq@securityfocus.com
 - vulnwatch@vulnwatch.org
 - cisco@spot.colorado.edu
 - cisco-nsp@puck.nether.net
 - full-disclosure@lists.grok.org.uk

© 2007 Cisco Systems, Inc. All rights reserved. Cisco Confidential

æ « æ Ž² è ¼ % o ã • ã, © ã ¾ ã ™ ã ? © ã € ã f ; ã f ¼ ã f a ã f ³ ã , °

URL www.abc.com,

æ>`æ-°å±¥æ'

Revision 1.0 | 2014-July-02 | Initial public release.

á,·á,¹á,³ á,»á,áf¥áf^aáf†á,£æ‰œé †

http://www.cisco.com/web/about/security/psirt/security_vulnerability_policy.html

ã,çãf‰oãf♦ã,¤ã,¶ãfªã♦«é-çã♦—ã♦!ãfjãf‡ã,£ã,çã♦Œå•♦ã♦„å♦^ã,♦ã♦>ã,<éš>ã♦®æŒ‡ç¤°ã♦Œ
ã,»ã,ãƒ¥ãfºãf†ã,£ ã,çãf‰oãf♦ã,¤ã,¶ãfªã♦—ã€♦<http://www.cisco.com/go/psirt/>
ã♦§çç°èªã♦™ã,<ã♦”ã♦Œã♦§ã♦?ã♦?ã♦¾ã♦™ã€,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。