

Cisco IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

Cisco IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

<#root>

Router>

show version

Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)

Technical Support: http://www.cisco.com/techsupport

Copyright (c) 1986-2015 by Cisco Systems, Inc.

Compiled Mon 22-Jun-15 09:32 by prod_rel_team

.
.
.

Cisco

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

IOS 15.5(2)T1 - IOS XE 15.5(2)T1, Release 15.5(2)T1

ã»žéç-

ã"ãè,,†ã±æ€šã«ã³ã†|ã™ã,ã»žéç-ã-ã,ã,šã³ãã»ã,"ã€,

ä;®æ£æ, ^ãçã, ½ãf•ãf^ã, |ã,šã,ç

ã, .ã, 1ã, 3ã-ã"ã@ã, çãf%ããã, ðã, ¶ãfãã«è"~è¼%ãã•ã, Çãÿè,, †ã±æ€šã«ã³ã†|ã™ã, <ç,, jãfãf¼ã,, ãfšãf³ã"ãf•ã, £ãf¼ãfãf£ã
ã, »ãffãf^ã«ã³ã-ã|ã®ãçã"ãã, šã³ãã™ã€,,ããã®ã, ^ãtäã, ½ãf•ãf^ã, |ã, šã,

<http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN.html>

ã³ãÿãÿã€ãšã®çæš~ãÇã, ½ãf•ãf^ã, |ã, šã, çã, 'ãf€ã, |ãf³ãfãf¼ãf%ããšããã,ãã®ã-ã€ã,ã, çãffãf-ã, °ãf-ãf¼ãf%ããšã™ã€ç,,jã,,ÿã®ã, »ã,ãfãfãfãfã, £ã, ½ãf•ãf^ã, |ã, šã, çã, çãffãf-ãfãf¼ãf^ã«ã, ^ã£ã|ã€ãšã®çæš~ã«æ-°ã-ã,,ã, ½ãf•ãf^ã, |ã, šã, çããf©ã, ðã, »ãf³ã, 1ã€è:½ãšã, ½ãf•ãf^ã, |ã, šã, çããf•ã, £ãf¼ãfãf£ãã, »ãffãf^ã€ã³ãÿã-ãfjã,,ãf£ãf¼ãfãfãã,ãfšãf³ã, çãffãf-ã, °ãf-ãf¼ãf%ãã«ã³ãã™ã, <æ"©é™ããÇã»ã,žã•ã, Çã,ãã"ã"ã-ã,ã,šã³ãã

ã, ½ãf•ãf^ã, |ã, šã, çãã®ã, çãffãf-ã, °ãf-ãf¼ãf%ãã, 'ææœè"žã™ã, <ã'ã^ã-ã€<http://www.cisco.com/gã® Cisco Security Advisories and Responses>
ã, çãf¼ãã, «ã, ðãf-ã,,ã¼Çç¶šã®ã, çãf%ããããã, ðã, ¶ãfãã, 'ãç...šã-ã|ã€ã¼ãã³ã, 'ã-ã'ã, <ãã, ½ãfãfãfãf¼ã, .ãfšãf³ã, çç°èªã-ã|ããããããã,ã€.

ã,,ãšã, Çã®ã'ã^ã,,ã€ã, çãffãf-ã, °ãf-ãf¼ãf%ãã™ã, <ãfãfãã, ðã, 1ã«ããã^ãããfjãfçãã
Technical Assistance
Centeri¼^TACi¼%ã,,ã-ãããã-ã¥ç',ã-ã|ã,,ã, <ãfjãf³ãfãfšãf³ã, 1ãf-ãããã, ðãf€ãf¼ãã

ã, ¶ãf¼ãf"ã, 1ã¥ç',ã, 'ã"ã^©ç"'ãšããã,,ãšã®çæš~

ã, .ã, 1ã, 3ãã, %ãç'æžÿè³¼ã...¥ã-ãÿãÇã, .ã, 1ã, 3ã®ã, ðãf¼ãf"ã, 1ã¥ç',ã, 'ã"ã^©ç"'ã,,ãÿãããf™ãf³ãf€ãf¼ãã<ã, %è³¼ã...¥ã-ãÿãÇãä®æ£æ, ^ãçã, ½ãf•ãf^ã, |ã, šã, çã, 'è³¼ã...¥ã...^ãã, %ãã
Technical Assistance
Centeri¼^TACi¼%ã«è€£çμjã-ã|ã, çãffãf-ã, °ãf-ãf¼ãf%ãã, 'ã...¥æ%ãã-ã|ããããããã•ã

http://www.cisco.com/c/ja_jp/support/web/tsd-cisco-worldwide-contacts.html

ç,,jã,,ÿã, çãffãf-ã, °ãf-ãf¼ãf%ãã®ã³ãè±jè£½ã"ãšãã,ã,ãã"ã"ã,è"¼æ~žã-ã|ã,,ãÿããããããã"ç"'æ,,ããããããããã,ã€,

Cisco IOS ãšã, ^ã³ IOS XE ã, ½ãf•ãf^ã, |ã, šã, çã

æ''¹è'',å±¥æ´

ãf◊ãf¼ã,ãfšãf³	èª-æ~Ž	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,¿ã,¹	æ—¥ä»~
1.0	å^◊å>žå...-é-<ãfªãfªãf¼ã,¹	-	Final	2016å¹³æœ²3æ—¥

å^©ç''è!◊ç´,,

æœ-ã,çãf%ãf◊ã,ã,ã,¶ã,¶ãfªã◊ç,,;ä¿◊è''¼ã◊@ã,,ã◊@ã◊ã◊ã◊—ã◊|ã◊"æ◊◊ã¾ã◊—ã◊|ã◊Šã,Šã€
æœ-ã,çãf%ãf◊ã,ã,ã,¶ãfªã◊@æf...å±ã◊Šã,^ã◊³ãfªãf³ã,ã◊@ã½¿ç''ã◊«é-çã◊™ã,<è²-ã»ã◊@ã,€
ã◊¾ã◊ÿã€◊ã,ã,¹ã,³ã◊-æœ-ãf%ã,ãf¥ãf;ãf³ãf^ã◊@ãt...ã@¹ã,'ã^ã'Šã◊ªã◊—ã◊«ã%ãœ'ã◊—ã◊
æœ-ã,çãf%ãf◊ã,ã,ã,¶ãfªã◊@è''è¿ãt...ã@¹ã◊«é-çã◊—ã◊|æf...å±é...◊ä¿ã◊@ URL
ã,'çœ◊ç•¥ã◊—ã€◊å◊~ç<-ã◊@è»çè¼%ã,,æ,,◊è''³ã,'æ-½ã◊—ã◊ÿã'ã◊^ã€◊å½"ç¾¾ã◊Œç@;ç◊
ã◊"ã◊@ãf%ã,ãf¥ãf;ãf³ãf^ã◊@æf...å±ã◊-ã€◊ã,ã,¹ã,³è£½ã"◊ã◊@ã,ãf³ãf%ãf|ãf¼ã,¶ã,'ã³¾è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。