

Cisco IOSãšã,^ã³IOS

XEã,½ãf•ãf^ã,|ã,§ã,çã®ã,¤ãf³ã,¿ãf¼ãf?ãffã



ã,çãf‰ãf♦ã,¤ã,¶ãfãf¼ID : cisco-sa-

20160323-ios-ikev2

[CVE-2016-](#)

[1344](#)

å^♦å...-é-æ-¥ : 2016-03-23 16:00

ãf♦ãf¼ã,ãffãf³ 1.0 : Final

CVSSã,¹ã,³ã,c : [7.1](#)

å›é♦¿ç- : No workarounds available

Cisco ãf♦ã,° ID : [CSCux38417](#)

æ—¥æœ¬è^zã♦«ã,^ã,æf...å ±ã♦^-ã€♦è<±è^zã♦«ã,^ã,<åŽÝæ-‡ã♦®é♦žå...-å¼♦ã

æ!,è!?

Cisco IOSãšã,^ã³IOS

XEã,½ãf•ãf^ã,|ã,§ã,çã®ã,¤ãf³ã,¿ãf¼ãf♦ãffãf^ã,ãf¼ã,“ã,“ã,¹ãf♦ã,§ãf³ã,(IKE)ãf♦ãf¼ã,ãffãf³2(v2)ã

ã♦“ã♦®è,,†å¼±æ€§ã♦^-ã€♦å·§å|™ã♦«ç°å·¥ã♦•ã,Œã♦Ýãf•ãf©ã,ºãf;ãf³ãf^åŒ-ã♦•ã,Œã♦ÝIKEv2ã

æ³í/šæœ¬è,,†å¼±æ€§ã, ’ã♦æ£å^©ç”“ã♦™ã,ç>®çš,,ã♦§ä½¿ç”“ã♦§ã♦♦ã,ã♦®ã♦^-ã€♦è©²å½“ã,:ã,

ãf^ãf©ãf•ã,faffã,^-ã♦” IPv6

ãf^ãf©ãf•ã,faffã,^-ã♦§ãf^ãf^ã,¬ãf¼ã♦•ã,Œã,<å♦^-èf½æ€§ã♦Œã♦,ã,§ã♦¾ã♦™ã€,

ã,·ã,“ã♦®è,,†å¼±æ€§ã♦«å¬¾å‡|ã♦™ã,ç,½ãf•ãf^ã,|ã,§ã,çãffãf—ãf‡ãf¼ãf^ã,’ãf^ãf^ãf/

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20160323-ios-ikev2>

ã♦“ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãfãf♦^-ã€♦2016å¹'3æœ^23æ—¥ã♦«å...-é-æ•ã,Œã♦ÝCisco
IOSãšã,^ã³IOS

XEã,½ãf•ãf^ã,|ã,§ã,çã®ã,»ã,ãf¥ãf^ãftã,fã,çãf‰ãf♦ã,¤ã,¶ãfãf♦ãf³ãf‰ãf«ã♦®ã,€éf^ã♦§ã♦™ã

ã,çãf‰ãf♦ã,¤ã,¶ãf^ã♦®å®Œå...“ã♦^ãf^ã,¹ãf^ã♦“ã♦♦ã♦®ãf^ã,^-ã♦«ã♦¤ã„ã♦|ã♦^-ã€♦ã

[Cisco Event Response: Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled](#)

[Publication](#)æ♦ã,‘å♦ã,...§ã♦—ã♦|ã♦♦ã♦ã♦ã♦•ã♦,,ã€,

crypto ikev2 fragmentation

æ³·:IKEv2äf•äf©ä, °äf;äf³äf†äf¼ä, ·äf§äf³ä ◻—äf‡äf•ä, ©äf«äf`ä◆§ä ◻—æœ‰oåŠ¹ä◆«ä◆ä◆£ä◆|ä◆

äf‡äf◆ä,¤ä,¹ä◆«IKEv2ä◆Œè „ å®šä◆•ä,Œä◆|ä◆,ä,<ä◆<ä◆©ä◆†ä◆<ä,’ç¢°èª◆ä◆™ä,<ä◆«ä◆—

show ip sockets◆³/ä◆Ýä◆— show udp

EXECä,³äfžäf³äf‰oä, ’ç™°è;Œä◆™ä,<ä◆“ä◆”ä,‘ä◆Šå¤ä,◆ä◆—ä◆³/ä◆™ä€,äf‡äf◆ä,¤ä,¹ä◆®

UDP äf◆äf¼äf^ 500 ä◆³/ä◆Ýä◆— UDP äf◆äf¼äf^ 4500

ä◆Œé-<æ”³/ä◆•ä,Œä◆|ä◆,ä,<ä◆’å◆^ä€◆ä◆ä◆®äf‡äf◆ä,¤ä,¹ä◆—

äf’ä,±äffäf^ä,’å‡’ç◆†ä◆—ä◆|ä◆,ä◆³/ä◆™ä€,

æ¬ä◆®ä³/ä◆§ä ◻—ä€◆äf‡äf◆ä,¤ä,¹ä◆Œä€◆IP äf◆äf¼ä,äf§äf³

4i¼^IPv4i¼‰oä◆³/ä◆Ýä◆— IP äf◆äf¼ä,äf§äf³

6i¼^IPv6i¼‰oä◆®ä◆©ä◆|ä,‰oä◆<ä,’ä½ç”“ä◆—ä◆| UDP äf◆äf¼äf^ 500 ä◆Šä,^ä◆³

UDP äf◆äf¼äf^ 4500 ä◆§ IKE

äf’ä,±äffäf^ä,’å‡’ç◆†ä◆—ä◆|ä◆,ä◆“ä◆”ä◆”ä,‘ç¤°ä◆—ä◆|ä◆,ä◆³/ä◆™ä€,

router# show udp

Proto	Remote	Port	Local	Port	In	Out	Stat	TTY	OutputIF
17	--listen--		192.168.130.21	500	0	0	1001011	0	
17(v6)	--listen--		UNKNOWN	500	0	0	1020011	0	
17	--listen--		192.168.130.21	4500	0	0	1001011	0	
17(v6)	--listen--		UNKNOWN	4500	0	0	1020011	0	

.

.

.

router#

Cisco IOSä,½äf•äf^ä,|ä,§ä,¢ä ◻—ä€◆GETVPNä◆®G-

IKEv2æ©Ýèf½ä◆Œæœ‰oåŠ¹ä◆«ä◆ä◆£ä◆|ä◆,ä,’å◆^ä€◆IPv4ä◆³/ä◆Ýä◆—IPv6ä◆®ä◆,ä◆

Cisco IOSä◆³/ä◆Ýä◆—Cisco IOS XEä,½äf•äf^ä,|ä,§ä,¢äf◆äf¼ä,äf§äf³ä◆®ç¢°èª◆

ä,·ä,¹ä,³è£½å“◆ä◆§å®Ýè;Œä◆•ä,Œä◆|ä◆,ä,<Cisco

IOSä,½äf•äf^ä,|ä,§ä,¢äf◆äf¼ä,¹ä◆—ä€◆ç®|ç◆†è€...ä◆Œäf‡äf◆ä,¤ä,¹ä◆«äfä,ºä,¤äf³ä◆—ä◆|

versionä,³äfžäf³äf‰oä, ’ä½ç”“ä◆—ä€◆è;‘ç¤°ä◆•ä,Œä,<ä,·ä,¹äftäf äf◆äf§äf¼ä,’å◆,ç...§ä◆™ä,<ä◆”ä

Cisco IOS ä,½äf•äf^ä,|ä,§ä,¢ä,’å®Ýè;Œä◆—ä◆|ä◆,ä,’å◆^ä€◆ä,·ä,¹äftäf

äf◆äf§äf¼ä◆«ä€ŒCisco Internetwork Operating System Softwareä◆ä,,ä€ŒCisco IOS

Softwareä◆ä◆ä◆©ä◆®äftä,ä,¹äf^ä◆Œè;‘ç¤°ä◆•ä,Œä◆³/ä◆™ä€,ä,«äffä,³å†...ä◆«ä,¤äf|äf¼ä

IOS

ã,½ãf•ãf^ã,|ã,§ã,çã®ãfªãfªãf¼ã,¹ç•ªå♦.ã♦”ãfªãfªãf¼ã,¹å♦ã♦ã♦Œèj”ç¤ºã♦•ã,Œã♦¾ã♦™ã€,ã
ãf‡ãf♦ã,¤ã,¹ã♦§ã♦—ã♦|ã♦,,ã♦ªã♦[æ](#)£ã♦¥ã,§ã€♦å^¥ã♦®å‡ºåŠ>ã♦Œèj”ç¤ºã
ã,³ãfžãf³ãf%oã,’ã,µf♦ãf¼ãf^ã♦—ã♦|ã♦,,ã♦ªã♦[æ](#)£ã♦¥ã,§ã€♦å^¥ã♦®å‡ºåŠ>ã♦Œèj”ç¤ºã

æ¬|ã♦®ä¾ã♦—ã♦Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,çãfªãfªãf¼ã,¹ã♦Œ 15.5(2)T1
ã♦§ã€♦ã,¤ãf³ã,¹ãfªãf¼ãf«ã♦•ã,Œã♦¥ã,¤ãf|ãf¼ã,å♦ã♦ã♦Œ C2951-UNIVERSALK9-M
ã♦§ã♦,ã,[æ](#),·ã,¹ã,³èF½å”♦ã,’ç¤ºã♦—ã♦|ã♦,,ã♦¾ã♦™ã€,

<#root>

Router>

show version

Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team

.

.

.

Cisco

IOSã,½ãf•ãf^ã,|ã,§ã,çãfªãfªãf¼ã,¹ã♦®å½å♦ã♦ã♦”ç•ªå♦.ã»~ã♦’ã♦®è|♦å‰‡ã♦«ã♦¤ã♦,,ã♦|ã♦
IOS♦§ã,^ã♦³NX-
OSã,½ãf•ãf^ã,|ã,§ã,çãfªãfªãf¼ã,¹ã,¬ã,¤ãf%oã€♦ã,’å♦,ç...§ã♦—ã♦|ã♦¤ã♦ã♦ã♦•ã♦,,ã€,

è,,†å¼±æ€§ã,’ã♦«ã,“ã♦§ã♦,,ã♦ªã♦,,ã♦”ã♦”ã♦Œç¢°èªã♦•ã,Œã♦¥èF½å”♦

ã»—ã♦®ã,·ã,¹ã,³èF½å”♦ã♦«ã♦§ã♦,,ã♦|ã€♦ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ãfªã♦®å½±é¥çã,’å♦—ã

å›žé♦¿ç-

IKEv2ãf•ãf©ã,°ãf|ãf³ãf†ãf¼ã,·ãf§ãf³ã♦—ã♦ no crypto ikev2

fragmentationã,³ãfžãf³ãf%oã,’ä½ç””ã♦—ã♦|ç,,iåŠ¹ã♦«ã♦§ã♦,ã♦¾ã♦™ã€,

IKEv2ãf•ãf©ã,°ãf|ãf³ãf†ãf¼ã,·ãf§ãf³ã♦Œå¿...è|♦ã♦ªå’å♦^ã♦—ã♦”ã♦®è,,†å¼±æ€§ã,’è»½æ,>ã

ä¿®æ£æ,^ã♦¿ã,½ãf•ãf^ã,|ã,§ã,ç

ã,·ã,¹ã,³ã♦—ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ãfªã♦«è”~è½%oã♦•ã,Œã♦¥è,,†å¼±æ€§ã♦«å—¾å‡!ã♦™ã,[æ](#)ç,,i
ãf♦ãf¼ã,ãf§ãf³ã♦”ãf•ã,£ãf¼ãf♦ãfF
ã,»ãffãf^ã♦«å—¾ã♦—ã♦|ã♦®ã♦¿ã♦”ã♦ªã,§ã♦¾ã♦™ã€,ã♦¤ã♦®ã,^ã♦†ã♦ªã,½ãf•ãf^ã,|ã,§ã,

- show version
 - [IOS Software Checker](#)
- IOS 3/4 IOS 15.1(4)M2, 3.01.4S

Cisco IOS XE, 1/2f•äf^ä, |ä, §ä, cäf^äf^äf^ä, !ä Cisco
 IOS, 1/2f•äf^ä, |ä, §ä, cäf^äf^äf^ä, !ä Cisco IOS
 XE, 1/2f•äf^ä, |ä, §ä, cäf^äf^äf^ä, !ä Cisco IOS XE 2 Release Notes
[Cisco IOS XE 3S Release Notes](#) 3/4 IOS 15.1(4)M2, 3.01.4S

äæfå^ç"“ä°<ä3/4ä”“å...-å1/4ç™oè;“

Cisco Product Security Incident Response Team

PSIRT 1/4 Cisco Product Security Incident Response Team

å†°å...,

“ä®å•é; Exodus Intelligence David Barksdale Jordan Gruskovnjak Alex Wheeler

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20160323-ios-ikev2>

æ”¹è“, å±¥æ‘

äf♦äf^ä, äfsäf³	è^æ~ž	ä, »ä, -ä, ·äf§äf³	ä, 1äf†äf^ä, ;ä, 1	æ—¥ä~
1.0	å^ä»žå...-é-äf^äf^äf^ä, 1	-	Final	2016å¹'3æœ^23æ—¥

å^©ç”•è!♦ç’ „

æœ¬ã,¢äf‰oäf♦ã,¤ã,¶ãfªã♦¬ç„¡ä¿♦è „½ã♦®ã,,ã♦®ã♦”ã♦—ã♦|ã♦”æ♦♦ä¾»ã♦—ã♦|ã♦Šã,Šã€æœ¬ã,¢äf‰oäf♦ã,¤ã,¶ãfªã♦®æf...å ±ã♦Šã,^ã♦³ãfªãf³ã,—ã♦®ä½¿ç”„ã♦«é-¢ã♦™ã,<è²¬ä»»ã♦®ä,€ã♦¾ã?Ýä€♦ã,·ã,¹ã,³ã♦¬æœ¬ãf‰oã,ãf¥äf;ãf³ãf^ã♦®å†...å®¹ã,’äº^å’Šã♦¤ã—ã♦«å¤‰oæ›’ã♦—ã♦æœ¬ã,¢äf‰oäf♦ã,¤ã,¶ãfªã♦®è „~è¿°å†...å®¹ã♦«é-¢ã♦—ã♦|æf...å ±é...♦ä¿jã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç<-ã♦®è»¢è½‰oã,,æ,,♦è „³ã,’æ-½ã♦—ã♦Ýä ’å♦^ã€♦å½”ç¤¾ã♦Œç®¡ç?ã♦”ã♦®ãf‰oã,ãf¥äf;ãf³ãf^ã♦®æf...å ±ã♦¬ã€♦ã,·ã,¹ã,³è£½å“♦ã♦®ã, „ãf³ãf‰oãf'ãf½ã,¶ã,’å¬¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。