

Cisco IOSãš,^ãNX-OSã½f•ãf^ã,|ã,§ã,cã®Locator/ID Separation Protocolã«ãš?‘ã,<ãf'ã,±ãffãf^ã®DoSè,,



ã,çãf%oãf♦ã,¤ã,¶ãfããf%ID : cisco-sa-

20160323-lisp

[CVE-2016-](#)

[1351](#)

å^♦å...-é-æ-¥ : 2016-03-23 16:00

ãf♦ãf%ã,ãf§ãf³ 1.0 : Final

CVSSã,¹ã,³ã,¢ : [7.8](#)

å›žé♦¿ç- : No workarounds available

Cisco ãf♦ã,° ID : [CSCuv11993 CSCuu64279](#)

æ—¥æœ-èªžã«ã,^ã,<æf...å ±ã♦-ã€♦è<±èªžã«ã,^ã,åŽÝæ-‡ã®é♦žå...-å¼♦ã

æ!,è!

Cisco Catalyst 6500ãš,^ãNX-6800ã,·ãfªãf%4ã,ºã,¹ã,¤ãffãf♦ã♦§ç”¼åf♦ã♦™ã,<Cisco IOSã½f•ãf^ã,|ã,§ã,cã®M1ã,·ãfªãf%4ã,ºã,®ã,-ãf“ãffãf^ã,¤ãf%4ã,µãf♦ãffãf^ãfcã,ãf¥ãf%4ãf«ã,/ã Nexus 7000ãš,^ãNX-7700ã,·ãfªãf%4ã,ºã,¹ã,¤ãffãf♦ã♦§ç”¼åf♦ã♦™ã,<Cisco NX-OSã½f•ãf^ã,|ã,§ã,cã®Locator/ID Separation Protocol(LISP)ã®è,,†å¼±æ€§ã«ã,^ã,Šã€♦èª♦è”¼ã♦•ã,Cæã♦|ã♦„ã♦„ã♦„ãfªãfçãf%4ãf^æ”»æ'fè

ã♦“ã♦®è,,†å¼±æ€§ã-ã€♦ä,♦æ£ã♦°LISPãf'ã,±ãffãf^ãf~ãffãf€ãf%4ã,'å♦—äçjã♦—ã♦Ýéš>ã♦«é♦

ã,·ã,¹ã,³ã-ã♦“ã♦®è,,†å¼±æ€§ã«å”¾å†|ã♦™ã,<ã,½ãf•ãf^ã,|ã,§ã,cãffãf—ãf‡ãf%4ãf^ã,'ãfªãfªãf%4ãf^ã,·ãfªãf%4ãf^ã,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20160323-lisp>

ã♦“ã♦®ã,cãf%oãf♦ã,¤ã,¶ãfãã-ã€♦æ-|ã♦®ãfªãf³ã,-ã,^ã,Šçç°èª♦ã♦§ã♦„ã♦¾ã♦™ã€, Cisco IOSãš,^ãNX-OS

[Cisco Event Response: Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publication](#)

è©²å¹/₂“è£¹/₂å“◆?

è,†å¼±æ€§ã®ã¢,ã<è£½å“?

Cisco IOS, Cisco Catalyst 6500, Cisco NX-OS, Cisco M1, Cisco Nexus 7000, Cisco 7700, Cisco LISP, Cisco ESR, Cisco ASA, Cisco ASA 5500-X

È, †å!4±æ€§ãœŒå~åœ“ãœ™ã, Cisco IOSãœŠã, ^ãœ³NX-OSã, ½ãƒ•ãƒ^ã, !ã, Sã, Cãƒ•ãƒ%4ã, ãƒ§ãƒ³ãœ«ãœ¤ãœ„ãœ|ãœ—ã€œãœ“ãœ®ã, Cãƒ%oãƒ•ã, ¢ã, ¶ã, ¶ãƒãœ

Cisco Catalyst 6500/6800 Series Switches

```
<#root>

iosRouter#
show running-config | include lisp

router lisp
```

Cisco IOS 1.2.1f-1.2f, 1.3, 1.3c 1f-1f1.4, 1.5.2(1)R0.1^¶

IOS 12.4(15)S5 Cisco
show version

Cisco IOS 1/2-
Cisco Internetwork Operating System Software
Cisco IOS
Cisco IOS

æ¬jã?®ä¾<ã?¬ã€?Cisco

IOS, ½æf•æf^æ, 'æ, ßæ, çæf^æf^æf^¼æ, '15.2(1)SY1æ, 'å®Ýè;Œæ—æ€♦æ, ðæf^æ, '1æf^æf^¼æf
ADVENTERPRISEK9-Mæ§æ♦, æ, <æ, ·æ, 'æ, 'è£½å“♦æ, 'ç¤°æ—æ♦ | æ♦ „æ♦¾æ♦™æ, €,

<#root>

iosRouter#

show version

Cisco IOS Software, c6880x Software (c6880x-ADVENTERPRISEK9-M), Version 15.2(1)SY1, RELEASE SOFTWARE
Technical Support: <http://www.cisco.com/techsupport>
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 11-May-15 00:26 by prod_rel_team

Cisco

[White Paper: Cisco IOS and NX-OS Software Reference](#)
[Guide](#) — [Index](#) [Feedback](#)

Nexus

7000- Δ Šã, ^ Δ 37700- Δ , - Δ f Δ ãf Δ 1- Δ , Δ ã, Δ 1- Δ , Δ ãff Δ f Δ Šã Δ - Δ € Δ ã, Δ ½- Δ f Δ ãf Δ ^ Δ ã, | Δ ã, Šã, Δ ãf Δ ãf Δ ãf Δ 1- Δ , Δ 15.2(1)- Δ Šã
7000- Δ Šã, ^ Δ 37700- Δ , - Δ f Δ ãf Δ 1- Δ , Δ ã, Δ 1- Δ , Δ ãff Δ f Δ Šã Δ - Δ € Δ LISP- Δ f Δ ã, ±- Δ ff Δ f Δ ^ Δ ã Δ CEM1- Δ , - Δ f Δ ãf Δ 1- Δ , Δ ã, ®- Δ ã

show module | include

M1ã,³ãfžãf³ãf‰oã,’ä½ç”“ã◆—ã◆|ã€◆æ¬jã◆®ä¾¢ã◆«ç¤ºã◆™ã,^ã◆†ã◆«ã◆M1ãfçã,sãf¥ãf/4ãf
7000ã,·ãf£ãf¼ã,·ã◆«ã,¤ãf³ã,¹ãf^ãf¼ãf«ã◆•ã,Œã◆|ã◆„ã,·ã◆<ã◆©ã◆†ã◆
‘ç¤ºèªã◆—ã◆—ã◆¾ã

<#root>

```
nxosRouter#  
  
show module | include M1  
  
3    48      10/100/1000 Mbps Ethernet XL Module N7K-M148GT-11L      powered-up  
  
M1.·äf"äf¼,°ä,®ä,-äf“äffäf^ä,¤äf¼ä,äf♦äffäf^äfçä,äf¥äf¼äf«ä♦Œä,¤äf³ä,¹äf^äf¼äf«ä♦•ä,Œä♦  
show feature | include lisp,³äfžäf³äf%oä,’ä½ç”ä♦—ä♦³/4ä♦™ä€,
```

```
<#root>  
  
nxosRouter#  
  
show feature | include lisp  
  
lisp          1      enabled  
  
show ip  
lisp,³äfžäf³äf%oä,’ä½ç”ä♦—ä♦|ä€♦M1.¤äf³ä,¿äf¼äf•ä,§ä,¤ä,¹ä♦®LISPè °å®šä,’çç°è¤ä♦ä♦§ä♦
```

```
<#root>  
  
nxosRouter#  
  
show ip lisp  
  
LISP IP Configuration Information for VRF "default" (iid 1)  
  
Ingress Tunnel Router (ITR):enabled  
Egress Tunnel Router (ETR):disabled  
Proxy-ITR Router (PTR):disabled  
Proxy-ETR Router (PETR):disabled  
Map Resolver (MR):disabled  
Map Server (MS):disabled  
LISP Multicast:disabled  
.  
.  
.
```

Nexus

Locator/ID Separation Protocol (LISP) è un protocollo di rete che分离地址空间，使得网络层能够根据地址进行路由决策，同时应用层可以根据自己的需求选择不同的服务提供者。LISP通过在IP头部插入一个_locator_字段来实现这一分离。

Cisco NX-OS 1.2.1f • 1.2.1f^1/4, 1.2.1f®çç°è®çç°è

Cisco Nexus 7000ã·ãf^af^{1/4}ã, °ã, 1ã, xãffaf f ã? řå®Yè|Œã•ã, |Œã |ã , „ã, <Cisco NX-OSã½ãf•ãf^ã, |ã, řã, Çãf^af^af^{1/4}ã, 1ã, 'çC°è^ã |ã , TMã, ^æã «ã ã—ã€ãf‡ãf ã, xã, 1ã «ãfã, °ã, xãf³ã —ã show versionã, ³ãfžãf³ãf%oã, 'çTMøè|Œã —ã ã^{3/4}ãTMã, æ—|ã[®]ã^{3/4}ã ã— 6.2(14) ãf^af^af^{1/4}ã, 1ã, 'çx^aã —ã |ã , „ã ã^{3/4}ãTMã,

<#root>

nxosRouter#

show version

Cisco Nexus Operating System (NX-OS) Software

TAC support: <http://www.cisco.com/tac>

Documents: http://www.cisco.com/en/US/products/ps9372/tsd_products_support_series_home.html

Copyright (c) 2002-2015, Cisco Systems, Inc. All rights reserved.

The copyrights to certain works contained in this software are

owned by other third parties and used and distributed under license. Certain components of this software are licensed under the GNU General Public License (GPL) version 2. See the GNU

Lesser General Public License (LGPL) Version 2.1. A copy of each such license is available at

<http://www.opensource.org/licenses/gpl-2.0.php> and

<http://www.opensource.org/licenses/lgpl-2.1.php>

Software

BIOS: version 2.12.0

kickstart: version 6.2(14)

system: version 6.2(14)

<#root>

æ³·í¼šæ¬;ã®Cisco

M1ã,·ãf¤ãf¼ã,ºã,®ã,¬ãf“ãffãf^ã,¤ãf¼ã,µãf♦ãffãf^ãfçã,ãf¥ãf¼ãf«ã,·ãf¤ãf¼ã,ºãfçã,ãf¥ãf¼ãf«ã♦—
NX-OSãf¤ãf¼ã,¹7.3(0)D1(1)ä»¥é™♦ã,µãf♦ãf¼ãf^ã♦•ã,Œã♦!ã♦„ã♦¾ã♦>ã,“ã€,

- N7K-M148GT-11
- N7K-M132XP-12
- N7K-M148GS-11

è©³ç`°ã«ã♦¤ã„ã♦!ã♦—ã€♦ã€ž Cisco Nexus 7000ã,·ãf¤ãf¼ã,ºNX-

OSãf¤ãf¼ã,¹ãfžãf¼ãf^ã€♦ãf¤ãf¼ã,¹7.3ã€♦ã♦®ã€Œ

ã,µf♦ãf¼ãf^ã♦•ã,Œã♦!ã♦„ã♦¤ã„ãf♦ãf¼ãf‰ã,!ã,§ã,çã€♦ã,»ã,—ã,·ãf§ãf³ã,’å♦,ç...§ã—ã♦!ã

è,,†å¼±æ€§ã,’å♦«ã,“ã♦§ã♦„ã♦¤ã„ã♦”ã♦”ã♦”ã♦Œççºèª♦ã♦•ã,Œã♦Ýè£½å”♦

ã»—ã♦®ã,·ã,¹ã,³è£½å”♦ã♦«ã♦Šã♦„ã♦!ã€♦ã♦”ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãf¤ã♦®å½±éÝ¿ã,’å♦—ã

ã,·ã,¹ã,³ã♦—ã€♦ã♦”ã♦®è,,†å¼±æ€§ã♦ŒCisco IOS-XRã♦Šã,^ã♦³Cisco IOS-
XEã♦«ã♦—å½±éÝ¿ã,’ä,žã♦^ã♦¤ã„ã♦”ã♦”ã,’ççºèª♦ã♦—ã♦¾ã♦—ã♦Ýã€,

Cisco

7600ã,·ãf¤ãf¼ã,ºãf«ãf¼ã,¿ã♦—ã€♦ã♦”ã♦®è,,†å¼±æ€§ã♦®å½±éÝ¿ã,’å♦—ã♦’ã♦¾ã♦>ã,“ã€,

è©³ç`°

LISPãf♦ãffãf^ãf—ãf¼ã,—ã,çãf¼ã,ãftã,—ãf♦ãffãf♦”ãf—ãfãf^ã,³ãf«ã♦—ã€♦2ã♦¤ã♦®æ—ºã♦—ã♦,ã

Cisco Catalyst

6500ã♦Šã,^ã♦³6800ã,·ãf¤ãf¼ã,ºã,¹ã,¤ãffãf♦ã♦”ã€♦M1ã,·ãf¤ãf¼ã,ºã,®ã,¬ãf“ãffãf^ã,¤ãf¼ã,µãf♦ãff

Nexus

7000ã♦Šã,^ã♦³7700ã,·ãf¤ãf¼ã,ºã,¹ã,¤ãffãf♦ã♦—ã€♦å...±é€šã♦®ASICã,’å...±æœ‰ã♦—ã♦!ã♦Šã
LISPãf~ãffãf€ãf¼ã♦®å½çå¼♦ã♦Œæ£ã♦—ã♦¤ã„ã♦¤ã€♦ãf~ãffãf€ãf¼é•ã♦Œæ£ã♦—ã♦

Cisco Catalyst

6500ãŠã, ^ã³6800ã, ·ãf·ãf¼ã, °ã, ¹ã, ¶äffäf♦ãŠã—ã€♦ã“ã♦®è,, †å¼±æ€§ã«ã, ^ã, Šäf‡äf♦ã, ¶äffäf—ã

Nexus

7000ãŠã, ^ã³7700ã, ·ãf·ãf¼ã, °ã, ¹ã, ¶äffäf♦ãŠã—ã€♦M1ãfçã, ãf¥ãf¼ãf«è‡·ä½“ã♦Œãf·ãfãf¼ãf

ã, »ã, ãf¥ãf·ãf†ã, £ä¾µ®³ã♦®ç—•è·i

Cisco Catalyst

6500ãŠã, ^ã³6800ã, ·ãf·ãf¼ã, °ã, ¹ã, ¶äffäf♦ãŠã—ã€♦ã“ã♦®è,, †å¼±æ€§ã«ã, ¶æ£å^©ç”“ã

EARL Recovery Patch

errors♦ „ã„, ãtäf·ã, »ãffäf^ç♦†ç”±ãŠäf‡äf♦ã, ¶ã, ¹ãŒãf·ãfãf¼ãf%oã♦•ã, Œã³¾ã♦™ã€,

M1ã, ·ãf·ãf¼ã, °ã, ®ã, —ãf“ãffäf^ã, ¶ãf¼ã, ¶f♦ãffäf^ãfçã, ãf¥ãf¼ãf«ã, ’æ♦è¼‰oã♦—ã♦YCisco

Nexus

7000ãŠã, ^ã³7700ã, ·ãf·ãf¼ã, °ã, ¹ã, ¶äffäf♦ãŠã—ã€♦ã“ã♦®è,, †å¼±æ€§ã«ã, ^ã, ŠM1ãfçã, ,

Fatal Interrupt Metropolis device errorã«ã„, Šã³¾ã♦™ã€,

Cisco Technical Assistance

Center(TAC)ã—ã€♦ã, ·ã, ¹ãftäf ãfã, °ãf·ã, ¶ãf«ã, ’çç°è·ã—ã♦—ã♦|ã€♦ãf‡äf♦ã, ¶ã, ¹ãŒã“ã♦®è,

å›žé♦¿ç-

ã“ã♦®è,, †å¼±æ€§ã«å—¾å‡|ã♦™ã, <å›žé♦¿ç—ã♦, ã, Šã³¾ã♦»ã, ”ã€,

ä¿®æ£æ, ^ã♦¿ã, ½ãf·ãf^ã, |ã, Šã, ç

ã, ·ã, ¹ã, ³ã—ã♦“ã♦®ã, ¶äf%oãf♦ã, ¶ã, ¶äf·ã♦«è”“è¼‰oã♦•ã, Œã♦YCè,, †å¼±æ€§ã«å—¾å‡|ã♦™ã, <ç„j

ãf♦ãf¼ã, , ãf§äf³ã♦”ãf·ã, ¶äf¼ãf♦ãf£

ã, »ãffäf^ã♦«å—¾ã♦—ã♦|ã♦®ã♦¿ã♦”ã♦·ã, Šã³¾ã♦™ã€, ã♦¿ã♦®ã, ^ã♦†ã♦·ã, ½ãf·ãf^ã, |ã, Šã,

http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN_.html

ã³¾ã♦Ýã€♦ã, Šå®çæ§~ã♦Œã, ½ãf·ãf^ã, |ã, Šã, çã, ’ãf€ã, |ãf³ãfäf¼ãf%oã♦§ã♦·ã, <ã♦®ã♦—ã€♦ã, ,

ã, ¶äffäf—ã, °ãf—ãf¼ãf%oã♦§ã♦™ã€, ç„jå„Ýã♦®ã, »ã, ãf¥ãf·ãftä, £ã, ½ãf·ãf^ã, |ã, Šã, ç

ã, ¶äffäf—ãf‡äf¼ãf^ã♦«ã, ^ã♦£ã♦|ã€♦ã♦Šå®çæ§~ã♦“æ—°ã♦—ã♦, , ã, ½ãf·ãf^ã, |ã, Šã, ç

ãf©ã, ¶ã, »ãf³ã, ¹ã€♦è½åšã, ½ãf·ãf^ã, |ã, Šã, çãf·ã, ¶äf¼ãf♦ãf£

ã, »ãffäf^ã♦ã, ¾ã♦Ýã♦—ãf;ã, , ãf£äf¼ãf·ãf^ã, , ãf§äf³

ã, ¶äffäf—ã, °ãf—ãf¼ãf%oã♦«å—¾ã♦™ã, <æ”“çé™♦ã♦Œã»~ã, Žã♦·ã, Œã, <ã♦“ã♦”ã♦—ã♦, ã, Šã³¾ã♦

ã,½ãf•ãf^ã,|ã,§ã,¢ã®ã,¢ãffäf—ã,°ãf–ãf¼ãf‰oã,’æœè”Žã™ã,<å`å`^ã`–ã€<http://www.cisco.com/g>

ã® Cisco Security Advisories and Responses

ã,çäf¼ã,«ã,¤äf–ã,,å¾Œç¶šã®ã,çäf‰oãfã,¤ã,¶äf^ã,’å`ç...§ã—ã`!ã€ä¾µå®³ã,’å`—ã`’ã,«ã,½ãf^ãf¼ã,·ãf§ãf³ã,’ç°è`ã`—ã`!ã`ã`ã`ã`—ã`

ã`,,ã`šã,Cæã®å`å`^ã,,ã€ã,çäffäf—ã,°ãf–ãf¼ãf‰oã®™ã,<ãf‡äfã,¤ã,¹ã`«å`å`å`^tã`äfjäfcã

Technical Assistance

Centerï¼^TACï¼‰oã,,ã`—ã`ã`—ã`—å`¥'ç’ã`—ã`!ã`,,ã,<ãfjäf³äf†äfSäf³ã,¹ãf—ãfäfã,¤äf€äf¼ã`»

ã,¤f¼ãf“ã,¹å¥'ç’,,ã,’ã`"å`^ç””ã`§ã`ã`,,ã`Šå®çæs~

ã,·ã,¹ã,³ã`[ã,‰oç](#)’æŽ¥è³¼å...¥ã`—ã`Ýã®ã,·ã,¹ã,³ã`®ã,µäf¼ãf”ã,¹å¥'ç’,,ã,’ã`"å`^ç””ã`,,ã`Ýã`

ãf™ãf³äf€äf¼ã`[ã,‰oè³¼å...¥ã](#)—ã`Ýã®æfæ,^ã`¿ã,½ãf•ãf^ã,|ã,§ã,çã,’è³¼å...¥å...^ã`[ã,‰oå](#)

Technical Assistance

Centerï¼^TACï¼‰oã«é€Fçµjä`—ã`!ã,çäffäf—ã,°ãf–ãf¼ãf‰oã,’å...¥æ‰oã`—ã`!ã`ã`ã`ã`

http://www.cisco.com/c/ja_jp/support/web/tsd-cisco-worldwide-contacts.html

ç,,;å,,Ýã,¢äffäf—ã,°ãf–ãf¼ãf‰oã®å`¾è±jèF½å”ã`§ã`ã,ã,<ã`"ã`”ã`’è”¼æ~Žã`—ã`!ã`,,ã`Ýã`

URL ã,’ã`"ç””æ,,¤ã`ã`ã`ã`—ã`•ã`,,ã€,

Cisco IOS ã,½ãf•ãf^ã,|ã,§ã,¢

ã`Šå®çæs~ã`ŒCisco

IOSã,½ãf•ãf^ã,|ã,§ã,çã®è,,†å¼±æ€§ã®å½±éÝ;ã,’å`¤æ–ã`§ã`¤ã,ã,<ã`†ã`«ã€ã,·ã,¹ã,³ã`§ã

IOS Software

Checkerã`”ã`,,ã`†äf,,ãf¼ãf«ã,’æ¤¤ä¾`ã`—ã`!ã`,,ã`¾ã`®™ã€,ã`"ã`®ãf,,ãf¼ãf«ã`—ã€ç%

IOSã,½ãf•ãf^ã,|ã,§ã,çäf^ãf¼ã,¹ã`«å½±éÝ;ã,’ä,žã`^ã,[Cisco](#),»ã,¤äf^ãf^ã,¤ã,¶äf^ã

Fixedä€`)[ã,ç‰o¹å®šã®™ã](#),[ã,ã®ã`§ã`™ã€,è©²å½”ã`™ã](#),[å`å`^ã`ã`”ã`®ãf,,ãf¼ãf«ã`—ã`](#)

First Fixedä€`)[ã,è¿”ã`—ã`¾ã`™ã€,](#)

ã`”ã`®ãf,,ãf¼ãf«ã,’ä½ç””ã`—ã`!æ¬|ã`®ã,çã,¹ã,“ã`å®Ýè;Œã`§ã`ã`¾ã`™ã€,

- ãf‰oãfäffäf—ãf€ã,|ãf³
ãfjäf \times äf¼ã`[ã,‰oãf^ãf¼ã,¹i¼`è¤‡æ•°ã`—i¼‰oã,'é`æŠžã`™ã,|ã`\[ã€`å`^tæž`å`¾è±jè\]\(#\)](#)
ã,·ã,¹ãf†äf ã`[ã,‰oãf•ã,|ã,¤äf«ã,|ã,çäffäf—ãfäf¼ãf‰oã`—ã`!ã`!ã€`æ¤œç`çã,’é`\[æ¤œç`çã,|ã`®ãf,,ãf¼ãf«ã`—ã`\]\(#\)](#)
- show version ã,³ãfžäf³äf‰oã®å`#å`ä`,”ã`!ãf,,ãf¼ãf«ã`§è§Eæž`ã`™ã,«
- ã,«ã,¹ã,çãfžäf,¤ã,°ã`—ã`Ýæ¤œç`ç`i¼`é`žäZ»ã`«å...¬é—ã`•ã,Œã`Ýã`™ã`!ã`!ã`®ã,¹ã,³
ã,»ã,¤äf^ãf^ã,¤ã,¶äf^ã,æ¤œç`ç`¾è±jã`«å...¥ã,Œã`Ýã,Šã€`ç‰o¹å®šã®ã,çäf‰oãf^ã,¤ã,¶äf^ã`®ã`

[IOS Software Checker](#), ’ä½ç””ã◆™ã, <ã◆<ã€◆æ¬|ã◆®ãƒ•ã, ïäf¼ãf«ãf‰ã◆«Cisco IOSã,½ãf•ãf^ã, |ã,§ã,çãfãf^ãf¼ã,¹(ã◆Ýã ◆”ã◆^ã◆°ã€◆15.1(4)M2)ã, ’å...¥åŠ>ã◆—ã◆¾ã◆™ã€,

	Check
--	-------

Cisco NX-OS ã,½ãf•ãf^ã,|ã,§ã,¢

ã◆”ã◆®è,,†å¼±æ€§ã◆—ã€◆ã,½ãf•ãf^ã, |ã,§ã,çãf◆ãf¼ã, ,ãf§ãf³7.3(0)D1(1)ã◆§ã¿®æfã◆•ã,Œã◆|ã Nexus 7000ã◆Šã, ^ã◆³Nexus

7700ã,·ãf^ãf¼ã,ºã,½ãf•ãf^ã, |ã,§ã,çã◆—ã€◆Cisco.comã◆®Software

Centerã◆<ã,‰ãf€ã, |ãf³ãf^ãf¼ãf‰ã◆§ã◆◆ã◆¾ã◆™ã€,

<http://www.cisco.com/cisco/software/navigator.html>ã◆«ã,çã,—ã,»ã,¹ã◆—ã€◆[Downloads Home] >

[Products] > [Switches] > [Data Center Switches] > [Nexus 7000 Series Switches]

ã, ’é◆,æŠžã◆—ã◆¾ã◆™ã€,

ã◆æfå^©ç””ã°<ã¾ã◆”å...¬å¼ç™oèi”

Cisco Product Security Incident Response

Teamï¼PSIRTï¼‰ã◆—ã€◆æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãf^ã◆«è””è¼‰ã◆•ã,Œã◆|ã◆,,ã,«è,,†å¼±æ€§ã◆

å‡ºå...„

ã◆”ã◆®è,,†å¼±æ€§ã◆—ã€◆Cisco TAC ã◆«ã,^ã◆fã◆|å‡|ç◆†ã◆•ã,Œã◆Ýã,«ã,¹ã,¿ãfžãf¼
ã,±ãf¼ã,¹ã◆®è§fæ±°ã,ã◆«ç™oè!`ã◆•ã,Œã◆¾ã◆—ã◆Ýã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20160323-lisp>

æ””è”,å±¥æ‘

ãf◆ãf¼ã,ãf§ãf³	è^æ~Ž	ã,»ã,¬ã,·ãf§ãf³	ã,¹ãf†ãf¼ã,¿ã,¹	æ—¥ä»~
1.0	å^◆å>žå...¬é-<ãf^ãf^ãf¼ã,¹	-	Final	2016å¹’3æœ^23æ—¥

å^©ç””è!◆ç’„

æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãf^ã◆—ç„¡ä¿è””å◆®ã,,ã◆®ã◆”ã◆—ã◆|ã◆”æ◆æ¾ã◆—ã◆|ã◆Šã,Šã€
æœ¬ã,çãf‰ãf◆ã,¤ã,¶ãf^ã◆®æf...å ±ã◆Šã, ^ã◆³ãf^ãf³ã, —ã◆®ä½ç””ã◆«é-çã◆™ã,«è²¬ä»»ã◆®ä,€
ã◆¾ã◆Ýã€◆ã,·ã,¹ã,³ã◆—æœ¬ãf‰ã,ãf¥ãf|ãf^ãf^ã◆®å†...å®¹ã,’ä°^å’Šã◆æ—ã◆«å¤‰æ›’ã◆—ã◆

æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã?®è „~è¿°å†...å®¹ã♦«é-çã♦—ã♦|æf...å ±é...♦ä¿jã♦® URL
ã,'çœ♦ç•¥ã?—ã€?å?~ç<¬ã♦®è»¢è¼‰oã,,æ,,?è „³ã,'æ-½ã?—ã♦Ýå ‘å?^ã€?å½“ç¤¾ã?Œç®jç?ã?“ã?®ãf‰oã,ãf¥ãf;ãf³ãf^ã?®æf...å ±ã?—ã€?ã,·ã,¹ã,³è£½å“♦ã?®ã,‘ãf³ãf‰oãf!ãf¼ã,¶ã,’å?—¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。