

Cisco UCS Manager Cisco Firepower 4100, NGFW Cisco Firepower 9300



Cisco Security Advisory ID : cisco-sa-20170405-ucs1

[CVE-2017-6600](#)

Published : 2017-04-05 16:00

Version : 1.0 : Final

CVSS : [5.3](#)

Workarounds : No workarounds available

Cisco IDs : [CSCvb61637](#) [CSCvb61351](#)

Summary: A vulnerability in Cisco Unified Computing System (UCS) Manager and Cisco Firepower 4100, NGFW, and Cisco Firepower 9300 could allow an attacker to execute arbitrary code on the affected device.

Details

Cisco Unified Computing System (UCS) Manager and Cisco Firepower

4100, NGFW, and Cisco Firepower

9300 could allow an attacker to execute arbitrary code on the affected device.

The vulnerability is caused by a buffer overflow in the affected devices.

The vulnerability is caused by a buffer overflow in the affected devices.

The vulnerability is caused by a buffer overflow in the affected devices.

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20170405-ucs1>

Impact

Severity: Medium

Workarounds: No workarounds available

- Cisco Unified Computing System Manager

- Cisco Firepower 4100ã, ·ãf³ãf¹/₄ã, °æ¬|ã, -ã»£ãf·ã, |ã, ¢ã, ¢ã, |ã, ©ãf¹/₄ãf«
- Cisco Firepower 9300ã, »ã, ãf¥ãf³ãf†ã, £ã, ¢ãf—ãf©ã, ¢ã, ¢ãf³ã, ¹

è©²ã¹/₂“ã™ã, <ã, ½ãf·ãf^ã, |ã, §ã, ¢ãf³ãf³ãf¹/₄ã, ¹ã®è©³ç´°ã«ã¢ã,,ã|ã-ã€ã“ã®ã, ¢ãf³ Bug IDã, 'ã, ç...§ã—ã|ããããããã,ã€,

è,,†ã¹/₄±æ€§ã, 'ã«ã, “ã§ã,,ãªã,,ã“ã”ãÇçç°èªã·ã, Çãÿè£¹/₂ã“

ã»-ã®ã, ·ã, ¹ã, ³è£¹/₂”ã«ãã§ã,,ã|ã€ã“ã®ã, ¢ãf%ããfã, ¢ã, ¶ã, ¶ãfªã®ã¹/₂±éÿçã, 'ã—ã

ã>žéç-

ã“ã®è,,†ã¹/₄±æ€§ã«ã³/₄ã†|ã™ã, <ã>žéç-ã-ã,ã, §ã¾ãã>ã, “ã€,

ãç®æ£æ, ^ãçã, ½ãf·ãf^ã, |ã, §ã, ¢

ãç®æ£æ, ^ãçã, ½ãf·ãf^ã, |ã, §ã, ¢

ãfªãfªãf¹/₄ã, ¹ã®è©³ç´°ã«ã¢ã,,ã|ã-ã€ãæœ-ã, ¢ãf%ããfã, ¢ã, ¶ã, ¶ãfªã, §éf”ã® Cisco Bug IDã, 'ã, ç...§ããããããã,ã€,

ã, ½ãf·ãf^ã, |ã, §ã, ¢ã®ã, ¢ãffãf—ã, °ãf-ãf¹/₄ãf%ã, 'æœœè”Žã™ã, <és>ã«ã-ã€ã[ã, ·ã, ¹ã, ³ã®ã, »ã, ãf Security Advisories and Alerts¹/₄%]

ãf³ãf¹/₄ã,,ã§ã...¥æ%ãã§ããã, <ã, ·ã, ¹ã, ³è£¹/₂ã”ã®ã, ¢ãf%ããfã, ¢ã, ¶ã, ¶ãfªã, 'ã®§æœÿç§,,ã«ãç, çã, ½ãfªãf¥ãf¹/₄ã, ·ãf§ãf³ã, 'çç°èªã—ã|ããããããã,ã€,

ã,,ã§ã, Çã®ã 'ã^ã,,ã€ã, ¢ãffãf—ã, °ãf-ãf¹/₄ãf%ãã™ã, <ãfªãfã, ¢ã, ¹ã«ããã^†ãªãfªãfçã Technical Assistance

Center¹/₄TAC¹/₄%ã,,ã—ãããã-ã¥'ç’,ã—ã|ã,,ã, <ãfªãfªãfªãfªã, ¹ãf—ãfãfã, ¢ãfãf¹/₄ã«

ã, æ£ã^©ç””ã°<ã¾ã”ã...-ã¹/₄ç™°è;”

Cisco Product Security Incident Response

Team¹/₄PSIRT¹/₄%ã-ã€ãæœ-ã, ¢ãf%ããfã, ¢ã, ¶ã, ¶ãfªã«è”~è¹/₄%ã·ã, Çã|ã,,ã, <è,,†ã¹/₄±æ€§ã

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20170405-ucsl>

æ”¹è”,ã±¥æ´

ãfãf¹/₄ã,,ãf§ãf³	èª-æ~Ž	ã,,ã, -ã,ãf§ãf³	ã, ¹ãfªãf¹/₄ã, çã, ¹	æ—¥ã~
1.0	ã^	-	Final	2017ã¹´4æœ^5

ãf◊ãf¼ã,ãfšãf³	èª-æ~Ž	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,¿ã,¹	æ—¥ä»~
	◊ã>žã...-é-<ãfªãfªãf¼ã,¹			æ—¥

å^©ç””è!◊ç´,,

æœ-ã,çãf%ãf◊ã,ã,ã,¶ã,¶ãfªã◊ç,,;ã¿◊è”¼ã◊@ã,,ã◊@ã◊”ã◊—ã◊|ã◊”æ◊◊ã¾ã◊—ã◊|ã◊Šã,Šã€
æœ-ã,çãf%ãf◊ã,ã,ã,¶ã,¶ãfªã◊@æf...å±ã◊Šã,^ã◊³ãfªãfªã,ã◊@ã½¿ç””ã◊«é-çã◊™ã,«è²-ã»ã◊@ã,€
ã◊¾ã◊ÿã€◊ã,ã,¹ã,³ã◊-æœ-ãf%ã,ãf¥ãf;ãf³ãf^ã◊@ãt...ã@¹ã,ã^ãŠã◊ªã◊—ã◊«ã%ãæ’ã◊—ã◊
æœ-ã,çãf%ãf◊ã,ã,ã,¶ã,¶ãfªã◊@è”~è¿ãt...ã@¹ã◊«é-çã◊—ã◊|æf...å±é...◊ã¿ã◊@ URL
ã,çœ◊ç•¥ã◊—ã€◊ã◊~ç<-ã◊@è»çè¼%ã,,æ,,◊è”³ã,æ-½ã◊—ã◊ÿã’ã◊^ã€◊ã½”ç¾¾ã◊Œç@;ç◊
ã◊”ã◊@ãf%ã,ãf¥ãf;ãf³ãf^ã◊@æf...å±ã◊-ã€◊ã,ã,¹ã,³è£½ã”◊ã◊@ã,ãf³ãf%ãf!ãf¼ã,¶ã,ã³¾è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。