

Cisco é © å;œåž<ã,»ã,ãf¥ãfªãftã,£  
ã,çãf—ãf©ã,ªã,çãf³ã,¹ã ®ãfãf¼ãfãf£ãf«  
ãf—ãf©ã,ªãf™ãf¼ãf^  
ãfãffãf^ãf^ãf¼ã,ã^«ãŠã'ã,<SSL  
ã,ãf©ã,ªã,çãf³ãf^è¼æ~Žæ>,ãfã,ªãf'ã,¹ã®



ã,çãf%ãfã,ªã,¶ãfªãf¼ID : cisco-sa-  
20180418-asa1  
ã^ã...-é-œ—¥ : 2018-04-18 16:00  
æœ€œ>æ°æ—¥ : 2018-04-27 15:46  
ãfãf¼ã,ãfšãf³ 1.1 : Final  
CVSSã,¹ã,³ã,ç : 7.5  
ã>žéç- : No workarounds available  
Ciscoãfã,° ID : CSCvg40155

[CVE-2018-0227](#)

æ—¥æèªžã«ã,^ã,œf...ã±ãã^ã€è<èªžã«ã,^ã,ãŽYæ-†ã®éžã...-ã¼ã

æ!,è!

Cisco é © å;œåž<ã,»ã,ãf¥ãfªãftã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹ã¼^ASAi¼%ã®ã,»ã,ãf¥ã,ç  
ã,½ã,±ãffãf^ãf-ã,ªãf¶i¼^SSLi¼%ãfãf¼ãfãf£ãf«ãf—ãf©ã,ªãf™ãf¼ãf^  
ãfãffãf^ãf^ãf¼ã,ãi¼^VPNi¼%ã«ãŠã'ã,ã,ãf©ã,ªã,çãf³ãf^è¼æ~Žæ,èè¼æ©Yèf½ã«ã  
VPN æŽ¥ç¶šã,çç°ç«ã—ã€ç%ã¹ã®šã®SSL  
è¼æ~Žæ,èè¼æ%œé†ã,ãfã,ªãf'ã,¹ã™ã,ã^èf½æ€šãœã,ã,šã¼ã™ã€,

ã"ã®è,,†ã¼±æ€šã®ãŽYãã^ã€SSL  
ã,ãf©ã,ªã,çãf³ãf^è¼æ~Žæ,ã®æœœè¼ãœæ£ã—ãèè;œã,ã,œãªã,,ã"ã"ã«ã,  
ASA VPN  
ã«æŽ¥ç¶šã™ã,ã"ã"ãšã€ã"ã®è,,†ã¼±æ€šã,ã,æ£ã^°ç"ã™ã,ã^èf½æ€šãœã  
SSL VPN  
æŽ¥ç¶šãœæ'ã|ã•ã,œã,ã"ã"ã,ã,ã€çç°ç«ãšãã,ã^èf½æ€šãœã,ã,šã¼ã™ã€

ã,ã,¹ã,³ã^ã"ã®è,,†ã¼±æ€šã«ã³¼ã¶|ã™ã,ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,ãfªãfªãf¼ã

ã"ã®ã,ćãf%ãfã,ãã,¶ãfãã-ã€æ-ãã®ãfããfãã,ã,ã,Šćç°èããšããããã™ã€, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180418-asa1>

## è²á½"è£½á"

è,†á½±æ€šã®ã,ã,è£½á"

æ-ãã,ã,ã,³è£½á"ãšã®ÿè;Āã•ã,Āã,Ā Cisco éĀĀ;œăžă,»ã,ãfãfãfãfã,Āã,ćãf—ãfĀã,ãã,ćãf³ã,¹¼^ASAI¼%ãšã,ã³ Firepower Threat

Defense¼^FTDi¼%ã,½ãf•ãfã,ã,šã,ćãĀã€ãã"ã®è,†á½±æ€šã®á½±éÿã,ã—ã'ãã¾

- 3000 ã,ãfããf¼ã,°ć"£æŸ"ã,»ã,ãfããfããfã,£ã,ćãf—ãfĀã,ãã,ćãf³ã,¹¼^ISAI¼%ã
- ASA 5500 ã,ãfããf¼ã,°éĀĀ;œăžă,»ã,ãfããfãfãfã,Āã,ćãf—ãfĀã,ãã,ćãf³ã,¹
- Cisco ASA 5500-X ã,ãfããf¼ã,°æ-ã,ã-»£ãfã,ã,ãã,ćã,ãã,Āãf¼ãf«è£½á"ã¾
- Cisco Catalyst 6500 ã,ãfããf¼ã,°ã,ã,ããfããfããšã,ã³ Cisco 7600 ã,ãfããf¼ã,°ãf«ãf¼ã,¿ç"ã® ASA ã,μãf¼ãfã,¹ãfĀã,ãfããf¼ãf«
- éĀĀ;œăžă,»ã,ãfããfãfãfã,Āãfããf¼ããfããfããfãããã,ćãf—ãfĀã,ãã,ćãf³ã,¹¼^ASAVi¼%ã
- Firepower 4110 ã,»ã,ãfããfããfã,£ã,ćãf—ãfĀã,ãã,ćãf³ã,¹
- Firepower 9300 ASA ã,»ã,ãfããfããfã,£ãfĀã,ãfããf¼ããf«

è,†á½±æ€šã«è²á½"ã™ã,ãã®ãã-ã€ASAã¾ããÿã-FTD

ãĀã,ãfĀã,ãã,ćãf³ãf~¼æ~žæ,èãè¼ç"ã«èãšããã,Āã|ã,ã,ããããšãã™ã€,ç®;ç

**running-config tunnel-group | include authentication | include**

**certificateã,³ãfžãf³ãf%ã,ç™°è;Āã—ã¾ãã™ã€,èãè¼è¼æ~žæ,ã¾ããÿã-èãè¼ããfžã.**

<#root>

asa#

```
show running-config tunnel-group | include authentication | include certificate
authentication certificate
authentication multiple-certificate
```

## è,†á½±ãª ASA ã,½ãfããfã,ã,šã,ć

ASA ã,½ãfããfã,ãã,šã,ćãã»ãã,ãã®ã,½ãfããfã,ã,šã,ć

ããããf¼ã,ãfšãããããã®ãã,ããšã,Āããã,ã®ÿè;Āã—ãã|ã,ã,ããããšãã™ã€,ç®;ç

### ããããããf¼ã,¹ 9.4

ASA ã,½ãfããfã,ãã,šã,ćããããããf¼ã,ãfšããã³ 9.4.3.1ã€9.4.3.2ã€ããšã,ãã³ 9.4.4ããã,¼ã  
9.4.4.13

## 9.5

ASA 9.5.2.7-9.5.2.8-9.5.3.7-9.5.3.9

## 9.6

ASA 9.6.2.9-9.6.2.21-9.6.3-9.6.3.17

## ASA 9.4

Cisco ASA

CLI `show version | include`

Version 9.4(4)

9.4(4)

Device Manager Version 7.4(1)

<#root>

ciscoasa#

`show version | include Version`

Cisco Adaptive Security Appliance Software Version

9.4(4)

Device Manager Version 7.4(1)

Cisco Adaptive Security Device

Manager 7.4(1) ASDM 7.4(1)

Cisco ASDM

9.4(4)

Device Manager Version 7.4(1)

## 9.7

FTD 9.7.1-9.7.2-9.7.3-9.7.4

9.7.4

## 9.8

FTD 9.8.1-9.8.2-9.8.3-9.8.4

# 6.1

FTD 6.1.0

## FTD 6.1.0

show version CLI

Model : Cisco ASA5525-X Threat Defense (75) Version 6.1.0

<#root>

>

show version

-----[ ftd ]-----
Model : Cisco ASA5525-X Threat Defense (75) Version
6.1.0
(Build 362)
UUID : 2849ba3c-ecb8-11e6-98ca-b9fc2975893c
Rules update version : 2017-03-15-001-vrt
VDB version : 279
-----

## FTD 6.1.0

Model : Cisco Firepower 2100 Version 6.1.0

Model : Cisco Firepower 2100 Version 6.1.0

## 6.1

Model : Cisco Firepower 2100 Version 6.1.0

## 6.1

Model : Cisco Firepower 2100 Version 6.1.0

Model : Cisco Firepower 2100 Version 6.1.0

http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN\_.html



æ¬;ã®èj¨ãšã¬ã€ã·|ã®ã^—ã«ã,ã,¹ã,³ã,½ãf•ãf^ã,|ã,šã,ćã®ãfjã,ãfãf¼ãfããf¼ã,¹ã,ćã  
ãfããfãf¼ã,¹ã,ã®ã½±éÿã®ãœ%ç,,;ã€ãã³ããÿã€ãœ¬è,,†ã¼±ã€šã«ã³ãã™ã,ãç®ãf  
ãfããfãf¼ã,¹ãšã™ã€ã,ã³ã®ã^—ãçç°ã™ã®ã¬ã€ã,ã,é€ã®ã,ćãf%ãfã,ã,¶ãfãã  
ãfããfãf¼ã,¹ã,ã®ã½±éÿã®ãœ%ç,,;ã€ããšã,^ã³ããã,ã,ã,ã®è,,†ã¼±ã€šã«ã³ãã™ã€ã

**ASA ã,½ãf•ãf^ã,|ã,šã,ć**

Cisco ASA ãfjã,ãfãf¼ã, ãfããfãf¼ã,¹	ã“ã®è,,†ã¼±ã€šã«ã³ãã™ã—ã ãç®ãfã,^ãçã®ãž¨ã³¨ãfããfãf¼ã,¹
9.11 ã,^ã,šã,,ã%ç	è,,†ã¼±ã€šããã—
9.1	è,,†ã¼±ã€šããã—
9.2	è,,†ã¼±ã€šããã—
9.31	è,,†ã¼±ã€šããã—
9.4	9.4.4.14 ä»¥é™™
9.51	9.6.3.20 ãçš»èjã—ã ããããããã,,
9.6	9.6.3.20 ä»¥é™™
9.7	è,,†ã¼±ã€šããã—
9.8	è,,†ã¼±ã€šããã—
9.9	è,,†ã¼±ã€šããã—

1Cisco ASA ã,½ãf•ãf^ã,|ã,šã,ćã® 9.1 ã,^ã,šã%çãã®ãfããfãf¼ã,¹ã¨ã€Cisco ASA ãfããfãf¼ã,¹ 9.3 ãšã,^ã³

9.5 ã«ããã,,ã|ã¬ãã,½ãf•ãf^ã,|ã,šã,ć

ãfjãfãfãfãšã³ã,¹ãççµ,ã°ã—ã|ã,,ã³ãã™ã€ã,ãšã®çãš¬ã¬ã€ã,ã,ãfããf¼ãf^ãã,ã,ãçã|ã,ã

ã,½ãf•ãf^ã,|ã,šã,ćã¬ã€Cisco Software Center ãšã€[è£½ã“i¼^Productsi¼%o] >  
[ã,ã,ãfããfãfã,èi¼^Securityi¼%o] > [ãf•ã,ã,ã,ćã,|ã,©ãf¼ãf«i¼^Firewallsi¼%o] >  
[éçãçããã,ã,ãfããfãfã,£ã,ćãf—ãfçã,ã,ćãfã,¹i¼^ASAi¼%oi¼^Adaptive Security  
Appliances (ASA)i¼%o] > [ASA 5500-Xã,ãfããf¼ã,ãfãã,ã,ã,ćã,|ã,©ãf¼ãf«i¼^ASA 5500-X Series  
Firewallsi¼%o] ã®é†ã«éçãšãã™ã,ãã¨ ASA ãfããf¼ããf%oã,|ã,šã,ć

ãf—ãfçããfãf^ãfã,çãf¼ããã®ãfã,¹ãf^ãçèj¨ç°ãã,ãçã³ãã™ã®ãšã€ãããã  
ãfããfããf¼ã,¹ã®ãšãšã¬ã€ã«ã®šç°ã^ã¨ã—ã|èj¨ç°ãã,ãçã³ãã™ã€ã,



ä, æ£â^©ç"" ä°<ä¾<ã " ä...-ä¼ç™°èj"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ã -ã€ æœ-ã, çãf%ãfã, ðã, ¶ãfãã «è~è¼%ã •ã, Çã |ã,,ã, <è,, †ã¼±æ€Sã

å†°å... ,

ã"ã®è,, †ã¼±æ€Sã -ã€ Cisco TAC

ã®ã, µãfãf¼ãf^æj^ã»¶ã®ã³ã¼çœæ™,ã «ç™°è | <ã•ã, Çã¾ã -ãÿã€,

### URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180418-asaj>

æ”¹è, å±Yæ´

ãfãf¼ã,ãfSãf³	èª-æ~Z	ã,»ã,ã,ãf§ãf³	ã,¼
1.1	ãfã, çãfãf¼ã, çã, æ>æ-°ã€,ãfã,ã, 1ãf^ã®å%æ>ãªã -ã€,	ãªã -	Fin
1.0	å^ç%ã^ãfããfãf¼ã,¹	-	Fin

å^©ç""è!ç´,,

æœ-ã, çãf%ãfã, ðã, ¶ãfãã ç,,jãç è"¼ã®ã,,ã®ã "ã -ã |ã"æªªã¾ã -ã |ãŠã,Šã€  
æœ-ã, çãf%ãfã, ðã, ¶ãfãã®æf...å ±ãŠã, ^ã³ãfããfã, -ã®ã¼çç""ã «é-çã™ã, <è²-ã»ã®ã,€  
ã¾ãÿãÿã€ã,ã,¹ã,³ã æœ-ãf%ãã,ãfãfãfãf^ã®ã†...ã®¹ã,'ã°ã'Sãªã -ã «å%æ>ã -ã  
æœ-ã, çãf%ãfã, ðã, ¶ãfãã®è"~è:°ã†...ã®¹ã «é-çã -ã |æf...å ±é...ãçjã® URL  
ã,'çœçç•ã -ã€ã~ç<-ã®è»çè¼%ã,,,æ,, è"³ã,'æ-½ã -ãÿã 'å^ã€å½"ç¾¾ã Çç®çç  
ã"ã®ãf%ãã,ãfãfãfãf^ã®æf...å ±ã -ã€ã,ã,¹ã,³è£½ã"ã®ã, "ãfãf%ããf¼ã,¶ã,ã³ã¼è±ã



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。