

Cisco FXOS ³ NX-OS Cisco Fabric Services

«³»æ,,³¼%å®ÿè;O



ã,çãf%ãfã,ã,¶ã,¶ãfãf¼ID : cisco-sa-
20180620-fxnxos-fab-ace
ã^ã...-é-æ-¥ : 2018-06-20 16:00
æœ€gæ>æ-°æ-¥ : 2018-07-05 21:11
ãfãf¼ã,ãfãf³ 1.1 : Final
CVSSã,1ã,3ã,ç : 9.8
ã>žéç- : No workarounds available
Cisco ãfã,° ID : [CSCve02463](#) [CSCve02804](#)
[CSCvd69954](#) [CSCve04859](#) [CSCve02785](#)
[CSCve02787](#)

[CVE-2018-0308](#)

æ-¥æœ-è^ã«ã,^ã,æf...ã ±ã-ã€è<±è^ã«ã,^ã,çãŽæ-ã®éžã...-ã¼ã

æ!,è!

Cisco FXOS ³ NX-OS Cisco Fabric Services

æœ-è,,†ã¼æ€§ã-ã€Cisco Fabric Services
ã®ãfã,±ãffã^ã®ãf~ãffãfãf¼ã®ã€ã€æ€è©²ã½"ã,½ãfãf^ã,|ã,šã,çã«ã,^ã£ã|ã
Cisco Fabric Services
ã®ãfã,±ãffã^ã€è©²ã½"ãfãfãfã,ã,1ã«é€ç;ãã,ã,ã"ãæœ-è,,†ã¼æ€§ã€ã,ã,
ã,ãf¼ãfãf¼ãfãfãf¼ã€ç™ç"ÿã-ã€ã»æ,,ã®ã,³ãf¼ãf%ã€ã®ÿè;ã€ã,ã,ã€ã,šã€
çš¶æ...ã€ã¼ã€èµã"ãã,ã,ã€ã,šã™ã,ã€-èf½æ€§ã€ã,ã,šã¾ã™ã€,

ã,ã,1ã,3ã-ã"ã®è,,†ã¼æ€§ã«ã¾ã†|ã™ã,ã,½ãfãf^ã,|ã,šã,çã,çãffãf-ãfãf¼ãf^ã,'ãfãfãf¼ã

ã"ã®ã,çãf%ãfã,ã,¶ã,¶ãfã-ã€æ-ã®ãfãfã,ã,^ã,šçç°èããšãã¾ã™ã€,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180620-fxnxos-fab-ace>

ã"ã®ã,çãf%ãfã,ã,¶ã,¶ãfã-ã€2018 ã' 6 æœ^ã«ã...-é-ãã,ã€ãÿ Cisco FXOS

Cisco FXOS 2.2(2.14) CLI

CLI

show version

[Overview] Cisco FXOS

Cisco FXOS

2.2(2.14)

show version CLI

show version CLI

Package-Vers 2.2(2.14)

Package-Vers 2.2(2.14)

```
<#root>
```

```
QP4120B1 #
```

```
scope system
```

```
QP4120B1 /system #
```

```
show version
```

```
FPRM:
```

```
Running-Vers: 4.2(2.15)
```

```
Package-Vers:
```

```
2.2(2.14)
```

```
Activate-Status: Ready
```

Cisco NX-OS 7.3(2)D1(1) CLI

CLI

show version

Cisco NX-OS

7.3(2)D1(1)

7.3(2)D1(1)

7.3(2)D1(1)

```
<#root>
```

```
nxos-switch#
```

```
show version
```


- CFSoverIP: enabled, cfs over ip: disabled, ip multicast address: 239.255.70.83, ip6 multicast address: ff15::efff:4653, cfs over ethernet: disabled
- CFSoverEthernet: enabled, cfs over ethernet: enabled, ip multicast address: 239.255.70.83, ip6 multicast address: ff15::efff:4653, cfs over ethernet: enabled

show cfs status

```

Distribution : Enabled
Distribution over IP : Disabled
IPV4 multicast address : 239.255.70.83
IPV6 multicast address : ff15::efff:4653
Distribution over Ethernet : Disabled
  
```

<#root>

switch#

show cfs status

```

Distribution : Enabled
Distribution over IP : Disabled
IPV4 multicast address : 239.255.70.83
IPV6 multicast address : ff15::efff:4653
Distribution over Ethernet : Disabled
  
```

```

Distribution
Enabled
Distribution over Ethernet
Enabled
IPV4 multicast address: 239.255.70.83
IPV6 multicast address: ff15::efff:4653
Distribution over Ethernet: Enabled
  
```

show cfs status

show cfs status

show cfs status

show cfs status

ã,½ãf•ãf^ã,|ã,šã,ćã«®ãfããfãf¼ã,¹ã,çã°ã—ã«|ã«„ã«¾ã«™ã€ã,ã,ã«®ã«®ã^—ã«—ã€ããfããfããf

Firepower 4100ã,ãfããf¼ã,°Next-Generation Firewalls:[CSCve04859](#)

Cisco FXOS ã,½ãf•ãf^ã, ã,šã,ćã ãfããfããf¼ã,¹	ã«"ã«®è,,†ã¼±æ€šã««ã¾ã«™ã,æœœ€ã^ã«®ãž«®æfããfããf¼ã,¹	First I Vuln Desc Co A
1.1	1.1.4.179	2.0.1.15
2.0	2.0.1.153	2.0.1.15
2.1.1	2.1.1.86	2.1.1.86
2.2.1	2.2.1.70	2.2.2.17 ã«¾ã« 2.3.1.5
2.2.2	2.2.2.17	2.2.2.17 ã«¾ã« 2.3.1.5
2.3	è,,†ã¼±æ€šã«ã«—	è,,†ã¼±æ€šã«ã«—

Firepower 9300ã,»ã,ãfããfããf†ã,£ã,ćãf—ãf©ã,«ã,ćãf³ã,¹¼š [CSCve04859](#)

Cisco FXOS ã,½ãf•ãf^ã, ã,šã,ćã ãfããfããf¼ã,¹	ã«"ã«®è,,†ã¼±æ€šã««ã¾ã«™ã,æœœ€ã^ã«®ãž«®æfããfããf¼ã,¹	First I Vuln Desc Co A
1.1	1.1.4.179	2.0.1.15
2.0	2.0.1.153	2.0.1.15
2.1.1	2.1.1.86	2.1.1.86
2.2.1	2.2.1.70	2.2.2.17 ã«¾ã« 2.3.1.5
2.2.2	2.2.2.17	2.2.2.17 ã«¾ã« 2.3.1.5

Cisco FXOS ã,½ãf•ãf^ã,lã,šã,¢ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æfãf^ãf^ãf^ã,¹	First I Vuln Desc Co A
2.3	è,,†ã¼±æ€šãªã—	è,,†ã¼±æ€šãªã—

MDS 9000 ã,ãf^ãf^ã,°ãfžãf«ãfãf-ã,ªãfªã,¹ã,ªãffãf«ï¼š [CSCvd69954](#)

Cisco NX-OS ã,½ãf•ãf^ã,lã,šã,¢ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æfãf^ãf^ãf^ã,¹
5.2	6.2(21)
6.2	6.2(21)
7.3	8.1(1a)
8.1	8.1(1a)
8.2	è,,†ã¼±æ€šãªã—

Nexus 3000ã,ãf^ãf^ã,°ã,¹ã,ªãffãf«: [CSCve02785](#)

Cisco NX-OS ã,½ãf•ãf^ã,lã,šã,¢ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æfãf^ãf^ãf^ã,¹
7.0(3)I4 ã,ã,šã,,ã%«	7.0(3)I4(7)
7.0(3)I4	7.0(3)I4(7)
7.0(3)I5	7.0(3)I6(2)
7.0(3)I6	7.0(3)I6(2)
7.0(3)I7	è,,†ã¼±æ€šãªã—

Nexus 3500 [Cisco NX-OS 6.0 to 7.0\(3\)I7\(2\) Bug List](#) [CSCve02785](#)

Cisco NX-OS 6.0 to 7.0(3)I7(2)	6.0 to 7.0(3)I7(2)
6.0	7.0(3)I7(2)
7.0.3	7.0(3)I7(2)

Nexus 2000 [Cisco NX-OS 6.0 to 7.3\(3\)N1\(1\) Bug List](#) [CSCve02463](#)

Cisco NX-OS 6.0 to 7.3(3)N1(1)	6.0 to 7.3(3)N1(1)
6.0	7.3(3)N1(1)
7.0	7.3(3)N1(1)
7.1	7.3(3)N1(1)
7.2	7.3(3)N1(1)
7.3	7.3(3)N1(1)

Nexus 7000 [Cisco NX-OS 6.2 to 7.2 D1\(1\) Bug List](#) [CSCvd69954](#)

Cisco NX-OS 6.2 to 7.2 D1(1)	6.2 to 7.2 D1(1)
6.2	7.2 D1(1)
7.2	7.2 D1(1)

<p>Cisco NX-OS</p> <p>ã,1/2ãf•ãf^ã,lã,šã,ćãfãfãfãf1/4ã,1</p>	<p>ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿æfãfãfãf</p>
7.3	7.3(2)D1(1)
8.0	8.1(2)
8.1	8.1(2)
8.2	è,,†ã¼±æ€šãªã—

ã,1ã,¿ãf³ãf%ã,ćãfãf³NX-OSãfćãf1/4ãf%ã®Nexus

9000ã,ãfãf1/4ã,°ã,1ã,ªãffãf¿i¼šCSCve02785

<p>Cisco NX-OS</p> <p>ã,1/2ãf•ãf^ã,lã,šã,ćãfãfãfãf1/4ã,1</p>	<p>ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿æfãfãfãf</p>
7.0(3)I4 ã,^ã,Šã,,ã%®	7.0(3)I4(7)
7.0(3)I4	7.0(3)I4(7)
7.0(3)I5	7.0(3)I6(2)
7.0(3)I6	7.0(3)I6(2)
7.0(3)I7	è,,†ã¼±æ€šãªã—

Nexus 9500

Rã,ãfãf1/4ã,°ãf©ã,ªãf³ã,«ãf1/4ãf%ãŠã,^ã³ãf•ã,¿ãf-ãfãffã,ãfcã,ãf¥ãf1/4ãf«i¼šCSCve02804

<p>Cisco NX-OS</p> <p>ã,1/2ãf•ãf^ã,lã,šã,çãf^ãf^ãf^1/4ã,1</p>	<p>ã"ã®è,,†ã¼±æ€šã«ã¾ã™ã,æœ€ã^ã®ã¿®æ£ãf^ãf^ãf</p>
7.0	7.0(3)F3(1)

UCS

6100ã€6200ã€ãšã,^ã³6300ãf•ã,ãf-ãf^ãfã,ã,ããf³ã,¿ãf¼ã,³ãfã,ãf^:CSCve02787

<p>Cisco NX-OS</p> <p>ã,1/2ãf•ãf^ã,lã,šã,çãf^ãf^ãf^1/4ã,1</p>	<p>ã"ã®è,,†ã¼±æ€šã«ã¾ã™ã,æœ€ã^ã®ã¿®æ£ãf^ãf^ãf</p>
2.2 ã,^ã,šã%ã	3.2(2b)
2.2	3.2(2b)
2.5	3.2(2b)
3.0	3.2(2b)
3.1	3.2(2b)
3.2	3.2(2b)

ã,æ£ã^©ç""ã°ã¾ãã"ã...ã¼ãç™°èj"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ãã€æœ-ã,çãf%ããfã,ãã,¶ãf^ã«è""è¼%ãã•ã,œã|ã,ã,è,,†ã¼±æ€šã

ã†°ã... ,

æœ-è,,†ã¼±æ€šãã€ãã,ã,ã,ã,³ã†...éf"ãšã®ã,»ã,ãfãf^ãfãfã,fãfã,1ãf^ã«ã,^ã£ã|ç™°è|ã•ã,œã¾ã—ãÿã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180620-fxnxs-fab-ace>

æ''¹è'',å±Yæ'

ãf◆ãf¼ã,ãfšãf³	èª-æ~Ž	
1.1	FXOS ã◆Šã,^ã◆³ MDS ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã◆®ã¿®æ£æ,^ã◆¿ãfªãfªãf¼ã,¹ã,'æ>'æ-°ã€,	ã¿®æ£æ,^
1.0	å^◆å>žå...-é-ãfªãfªãf¼ã,¹	-

å^©ç''è!◆ç',,

æœ-ã,çãf%ããf◆ã,ãã,¶ãfãã◆ç,,jã¿◆è''¼ã◆®ã,,ã◆®ã◆ã◆ã◆—ã◆|ã◆"æ◆◆ã¾ã◆—ã◆|ã◆Šã,Šã€
 æœ-ã,çãf%ããf◆ã,ãã,¶ãfãã◆®æf...å ±ã◆Šã,^ã◆³ãfªãfªã,ã◆®ã½¿ç''ã◆«é-çã◆™ã,«è²-ã»ã◆®ã,€
 ã◆¾ã◆ÿã€◆ã,ã,¹ã,³ã◆æœ-ãf%ãã,ãfªãfªãfªãf^ã◆®ãt...ã®¹ã,'ã^ã'Sã◆ªã◆—ã◆«ã¼%ãæ>'ã◆—ã◆
 æœ-ã,çãf%ããf◆ã,ãã,¶ãfãã◆®è''~è¿ãt...ã®¹ã◆«é-çã◆—ã◆|æf...å ±é...◆ã¿ã◆® URL
 ã,'çœ◆ç•¥ã◆—ã€◆ã◆~ç<-ã◆®è»çè¼%ã,,æ,,◆è''³ã,'æ-½ã◆—ã◆ÿã'ã◆^ã€◆ã½"ç¾¾ã◆CEç®;ç◆
 ã◆"ã◆®ããf%ãã,ãfªãfªãfªãf^ã◆®æf...å ±ã◆ã◆ã,ã,¹ã,³è£½ã"◆ã◆®ã,,ãfªãf%ããf,ãf¼ã,¶ã,ã³¾è±;ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。