


Cisco é © åžœåž<ã,»ã,ãf¥ãfªãftã,£

ã,çãf—ãf©ã,ªã,çãf³ã,¹¼^ASAI¼%ã,½ãf•ãf^ã, |

Tcp syslog

ã,µãf¼ãf"ã,¹æ'å |ã ®è,,†å¼±æ€§



ã,çãf%ãfã,ªã,¶ãfªãf¼ID : cisco-sa-

[CVE-2018-](#)

20181003-asa-syslog-dos

[15399](#)

ã^ã...-é-æ-¥ : 2018-10-03 16:00

ãfãf¼ã,ãf³ãf³ 1.0 : Final

CVSSã,¹ã,³ã,ç : [6.8](#)

ã>žéç- : No workarounds available

Cisco ãfã,° ID : [CSCvh73829](#)

æ-¥æ-èªžã«ã,^ã,æf...å ±ã -ã€èè±èªžã«ã,^ã,ãžÿæ-†ã®éžã...-å¼ã

æ!,è!

Cisco é © åžœåž<ã,»ã,ãf¥ãfªãftã,£

ã,çãf—ãf©ã,ªã,çãf³ã,¹¼^ASAI¼%ã,½ãf•ãf^ã, |ã,šã,çã Šã,^ã³ Cisco Firepower Threat

Defense i¼^FTDi¼%ã,½ãf•ãf^ã, |ã,šã,çã® Tcp syslog

ãfçã,ãf¥ãf¼ãf«ã®è,,†å¼±æ€§ã æž'å†°ã™ã,ã,^ã†ã«éžèè¼ã€ããfãfçãf¼ãf^æ"

ã,µãf¼ãf"ã,¹æ'å |

i¼^DoSi¼%çš¶æ...ã«çµ,ã£ã |å¼±éÿã,å—ã'ã'ãf†ãfã,ªã,¹ã® 1550

ãfã,ªãf^ãfãfãfã,ã,ã™ã,ã€ãèf½æ€§ã€ã,ã,šã³ã™ã€,

è,,†å¼±æ€§ã æšœã'ã'ãççç•ãfã,šãffã,ã€ãžÿã»ã†...éf" æ©ÿèf½ãšã™ã€,

æ"»æ'fè...ã-å¼±éÿã,å—ã'ã'ãf†ãfã,ªã,¹ã è"ãšã•ã,€ãÿ Tcp syslog

ã,µãf¼ãf"ã,¹æ'å |

ãfÿãf%ãfã½ç½ã,ççç«ã—ã€æ-ã«æ,ªã,ã,ã£ã | syslog

ã,µãf¼ãfãã,ã,½¼±éÿã,å—ã'ã'ãf†ãfã,ªã,¹ã«é€ã,%ã,€ã,ã,»ã,°ãfãf³ãf^ã§

TCP

ãfãfãfãfã,ãž®æ£ã™ã,ãã"ã"ã«ã,^ã£ã |ã"ã®è,,†å¼±æ€§ã,ã,æ£ã^ç"ã™ã,ãè-è

æ£ã,ãª,ã,ã,¹ãf—ãfã,ªãf^ã-æ"»æ'fè...ã€ã½¼±éÿã,å—ã'ã'ãf†ãfã,ªã,¹ã®ãfãfã

TCP ãfãfãfã,¹ã®æ©ÿèf½ã, DoS

çš¶æ...ã«çµ,ã£ã |ã€æ©ÿèf½ã™ã,ãã"ã"ã,æçã,ããã>ã³ã™ã"ã"ã,åèf½

å¼±éÿã,å—ã'ã'ãÿ TCP ãfãfãfã,¹ã®æ©ÿèf½ãã,»ã,ãfã,ç

ã,ã,šãf«i¼^SSH¼%ã€Telnet ãŠã,ã³ HTTPS ã®ã,ãtäª AnyConnect SSL
VPNã€clientless SSL

VPNã€ãŠã,ã³ç®¼ç†æŽŸç¶šã€€ã¾ã,€ã|ã,,ã¾ã™ã€,

ã“ã®è,,†ã¼±æ€šã€ã¾ã†|ã™ã,ãžéç-ã-ã,ã,šã¾ãã,“ã€,

ã“ã®ã,çãf%ãfã,ãã,¶ã,¶ãfã-ã€æ-ã®ãfãfã,ã,ã,šçç°èªãšã€ã¾ã™ã€,

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20181003-asa-syslog-dos>

è²ã½“è£½ã”

è,,†ã¼±æ€šã®ã,ã,ã,è£½ã”

ã“ã®è,,†ã¼±æ€šã- Cisco é€©ãžœãžã,»ã,ãfãfãfãfã,£

ã,çãf-ãfã,ãã,çãfã,¼^ASA¼%ã,½ãfãfã,|ã,šã,çãŠã,ã³ Cisco Firepower Threat
Defense i¼^FTDi¼%ã,½ãfãfã,|ã,šã,çã€ã½±éŸã,ã,žã^ã¾ã™ã€,

è²ã½“ã™ã,ã,½ãfãfã,|ã,šã,ç

ãfãfãfã,¹ã€ããã,ãã|ã®æf...ã±ã€é-çã-ã|ã-ã€ãã“ã®ã,çãf%ãfã,ãã,¶ã,¶ã,¶ã
Cisco ãfã,° ID ã,ãç...šã-ã|ã,ããã,ã€,

Cisco ASA ã,½ãfãfã,ã,šã,çãfãfãfã¼ã,¹ã,ã^ãã^ãã-ã|ã,ããã,ã,,

ã€ç®¼ç†è€...ã-ãfãfã,ãã,¹ã€ããã,ãã,ãã³ Cisco ã€ã® ASA ã,½ãfãfã,|ã,šã,ç
ãfãfãfã,¹ã€€ãfãfã,ãã,¹ã€šãã½œã-ã|ã,,ã,ããã^ãã-ã€show
version ã,³ãfžãfãf%ã, CLI

ãšã½ç”ã-ã€ã,³ãfžãfãf%ã®ã±°ãšã,ã,ãç...šã™ã,ããããã€ãšã€ã¾ã™ã€

ãfãfã,ãã,¹ã€€ Cisco ASA ã,½ãfãfã,|ã,šã,çãfãfãfã,¹ 9.4(4)

ã,ã®Ÿè€ã-ã|ã,,ã,ãã^ã-ã€ã,³ãfžãfãf%ã®ã±°ãšã-ãæ-ã®ã,ããtäã€ãã,

```
<#root>
```

```
ciscoasa#
```

```
show version | include Version
```

```
Cisco Adaptive Security Appliance Software Version
```

```
9.4(4)
```

```
Device Manager Version 7.4(1)
```

```
.  
. .
```

af#afã,ã,1ã Cisco Adaptive Security Device Manager

i1^ASDMi1%ã®ã½ç"ã«ã,^ã£ã|ç®ççtäã•ã,ã,ã°ãç®ççtè€...ãã¾ãÿã

Cisco ASDM af#afãfãšã,ãã³ã® Cisco ASDM Log Inã,|ã,£ã³ãf%ã,|ã«af#afã,ã,1

ãfããfã,ãfãfãfãfãf%ã

ã,çãfã«ç¾ã,ã,ã,ã,«è"ãã®ãfããfãfãfã,1ãf...ã±ã,çã°ã™ã"ãã«ã,^ã£ã|ãã½

Cisco FTDã,½ãfãfã,ã,šã,çãfããfãfãfã,1ã,'ã^ã^ãã—ã|ã,ããã,,

ãç®çççtè€...ããf#afã,ã,1ã«ãfã,°ã,ãã³ Ciscoã®ã®FTDã,½ãfãfã,|ã,šã,ç

ãfããfãfãfã,1ãããf#afã,ã,1ãšãã½ã—ã|ã,,ã,ããã^ãã—ã€show

versionã,³ãfããfãfãf%ã,' CLI

ãšã½ç"ã—ããã,³ãfããfãfãf%ã®ãã°ãšã,ã,ç...šã™ã,ããÿã,ãã«ãšããã¾ã™ã

æ-ã®ã¾ã Cisco FTDã,½ãfãfãfã,|ã,šã,çãfããfãfãfã,1 6.2.0

ã,ã®ÿèã—ã|ã,,ã,ãf#afã,ã,1ã®ãÿã,ãã®ã,³ãfããfãfãf%ã®ãã°ãšã,çã°ã—ã

<#root>

>

show version

```
-----[ ftd ]-----
Model : Cisco ASA5525-X Threat Defense (75) Version
6.2.0
  (Build 362)
  UUID : 2849ba3c-ecb8-11e6-98ca-b9fc2975893c
  Rules update version : 2017-03-15-001-vrt
  VDB version : 279
-----
```

è,,ã½±æ€šã,'ã«ã,"ãšã,,ããã,,ã"ã"ãçç°èãã

ã"ã®ã,çãf%ããfã,ã,ã,ãfãã®è..ã½±æ€šããã~ãce"ã™ã,«è½ã"ã®ã,,ã,ã,ãfããfããã«ãf

ãžéç-

ã"ã®è,,ã½±æ€šãããã¾ã!ã™ã,ãžéç-ãã,ã,šã¾ã»ã,ã€,

ãç®æã,ãã,½ãfãfãfã,|ã,šã,ç

ãç®æã,ãã,½ãfãfãfã,|ã,šã,ç

ãfããfããfãfã,1ã®èç°ã«ããã,,ã|ãã€ææ-ã,çãf%ããfã,ã,ã,ãfãã,šéfã® Cisco

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。