VRFã►«ã►Šã►'ã,‹Cisco IOSã►Šã,^ã►³IOS XEã,½ãƒ•ãƒ^ã,¦ã,§ã,¢ã►®ã,»ã,ãƒ¥ã,¢ã,·ã,§ãƒ«(S

Medium

ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªãƒ¼ID : cisco-sa-20190109-ios-ssh-vrf

åˆ►å…¬é–‹æ—¥ : 2019-01-09 16:00

ãƒ►ãƒ¼ã,¸ãƒ§ãƒ³ 1.0 : Final

CVSSã,¹ã,³ã,¢ : 5.3

å›žé►¿ç– : No workarounds available

Cisco ãƒ►ã,° ID : CSCvk37852

CVE-2018-0484

æ—¥æœ¬è ªžã►«ã,^ã,‹æƒ…å ±ã►¯ã€►è‹±è ªžã►«ã,^ã,‹åŽŸæ–‡ã►®é►žå…¬å¼►ã►

æ¦‚è¦►

Cisco IOSã►Šã,^ã►³IOS XEã,½ãƒ•ãƒ^ã,¦ã,§ã,¢ã►®Secure Shell(SSH)ã,µãƒ¼ãƒ►ã►®ã,¢ã,¯ã,»ã,¹å^¶å¾¡ãƒã,¸ãƒƒã,¯ã►«ã►Šã►'ã,‹è„†å¼±æ€§ã►«ã,^ã,Šã€►ã,¢ã, *also*ã,ãƒ¼ãƒ¯ãƒ¼ãƒ‰ã►Œå˜åœ¨ã►—ã►ªã►„ã►«ã,‚ã►‹ã►‹ã,►ã,‰ã►šã€►ä»►æƒ³ãƒ«ãƒ¼ãƒ†ã,£ãƒ³

ã►"ã►®è„†å¼±æ€§ã►¯ã€►SSHã,µãƒ¼ãƒ►ã►§ã►®ãƒ►ã,§ãƒƒã,¯ã►®æ¬ è►½ã►«è¡·å› ã►—ã►³ IOSã►¾ã►Ÿã►¯IOS XEãƒ‡ãƒ►ã,¤ã,¹ã►¸ã►®SSHæŽ¥ç¶šã,'é–‹ã►►å►¯èƒ½æ€§ã►Œã►‚ã,Šã►¾ã►™ã€,æŽ¥ç¶šã►Œå►®

ã►"ã►®è„†å¼±æ€§ã►«å¯¾å‡¦ã►™ã,‹å›žé►¿ç–ã►¯ã►‚ã,Šã►¾ã►›ã,"ã€,

ã►"ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►¯ã€►æ¬¡ã►®ãƒªãƒ³ã,¯ã,^ã,Šç¢ºèª►ã►§ã►►ã►¾ã►™ã€, https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190109-ios-ssh-vrf

è©²å½"è£½å"►

è„†å¼±æ€§ã►®ã►‚ã,‹è£½å"►

ã►"ã►®è„†å¼±æ€§ã►¯ã€►Cisco IOSã►Šã,^ã►³Cisco IOS XEã,½ãƒ•ãƒ^ã,¦ã,§ã,¢ã►«å½±éŸ¿ã,'ä¸Žã►^ã►¾ã►™ã€,è„†å¼±æ€§ã►Œå˜åœ¨ã►™ã,‹ã,½ãƒ•ãƒ^ã,¦ãƒªãƒªãƒ¼ã,¹ã►«ã►¤ã►„ã►¦ã►¯ã€►ã►"ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®ã€Œä¿®æ£æ¸ˆã►¿ã,½ãƒ•ãƒ^ã,¦ã,§ã,¢ã€►ã►®é ...ã,'å►,ç...§ã►—ã►¦ã►►ã► ã►•ã►„ã€,

è„†å¼±æ€§ã,'å

ã«ã,“ã§ã„ãªã„ã““ã¨ãŒç¢ºèªã•ã,Œã Ÿè£½å“

ã““ã®ã,¢ãƒ‰ãƒ‰ã,¤ã,¶ãƒªã®è„†å¼±æ€§ã®ã,ã‹è£½å“ã,»ã,¯ã,·ãƒ§ãƒ³ã«è¨˜è¼‰ã•ã

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã®å^¤å^¥

ãƒ‡ãƒã,¤ã,¹ä¸Šã§å®Ÿè¡Œã•ã,Œã¦ã„ã‹ Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã¯ã€ç®¡ç†è€…ã Œãƒ‡ãƒã,¤ã,¹ã«ãƒã,°ã,¤ãƒ³ã—ã¦ã„ã€CLI ã§ **show version ã,³ãƒžãƒ³ãƒ‰ã,’ä½¿ç”¨ã—ã€è¡¨ç¤ºã•ã,Œã,‹ã,·ã,¹ãƒ†ãƒ ãƒ©ãƒŠãƒ¼ã,’å,ç…§ã™ã,‹ã“ã¨ã«ã,^ã,Šç¢ºèªã§ã§ã¾ã™ã€,**ãƒ‡ãƒã,¤ã,¹ã Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,’å®Ÿè¡Œã—ã¦ã„ã‹å ´å‚ˆã€ã,·ã,¹ãƒ†ãƒ ãƒ©ãƒŠãƒ¼ã«ã€Œ Cisco Internetwork Operating System Softwareã€ã,„ã€Œ Cisco IOS Softwareã€ã ªã©ã®ãƒ†ã,¹ãƒˆã Œè¡¨ç¤ºã•ã,Œã¾ã™ã€,ãƒ©ãƒŠãƒ¼ã«ã¯ã¤ã IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã®ãƒªãƒªãƒ¼ã,¹ç•ªå·ã¨ãƒªãƒªãƒ¼ã,¹å‚ã Œè¡¨ç¤ºã•ã,Œã¾ã™ã€,ãƒ‡ãƒã,¤ã,¹ã§ã¯ã show version **ã,³ãƒžãƒ³ãƒ‰ã,’ã,ªãƒ©ãƒ¼ãƒˆã—ã¦ã„ã ªã‹ã£ã Ÿã,Šã€å^¥ã®ã‡ºåŠ›ã Œè¡¨ç¤º**

æ¬¡ã«ã€Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ 15.5(2)T1 ã Œå®Ÿè¡Œã•ã,Œã¦ã„ã„ã€ãƒ¤ã,¹ãƒˆãƒ¼ãƒ«ã•ã,Œã¦ã„ã„ã‹ã¤ãƒ¡ãƒ¼ã¸å‚ã *C2951-UNIVERSALK9-M* ã§ã„ã‚ãƒ‡ãƒã,¤ã,¹ã§ã®ã,³ãƒžãƒ³ãƒ‰å‡ºåŠ›ä¾‹ã,’ç¤ºã—ã¾ã™ã€,

<#root>

```
Router>
show version

Cisco IOS Software, C2951 Software (C2951-UNIVERSALK9-M), Version 15.5(2)T1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2015 by Cisco Systems, Inc.
Compiled Mon 22-Jun-15 09:32 by prod_rel_team
.
.
.
```

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã®å‘½å‚ã¨ã¯ç•ªå·ä»˜ã‘ã®ã®è¦‚ã‡ã«é–¢ã™ã‚‹è©³ç´°ã¯ã€ã€Ž Cisco IOS and NX-OS Software Reference Guideã€‚ã,’å‚照ã—ã¦ã‚ã ã•ã„ã€,

Cisco IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã®å^¤å^¥

ãƒ‡ãƒ►ã,¤ã,¹ä¸Šã►§å®Ÿè¡Œã►•ã,Œã►¦ã►„ã,‹ Cisco IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã►¯ã€►ç®¡ç►†è€…ã►Œãƒ‡ãƒ►ã,¤ã,¹ã►«ãƒã,°ã,¤ãƒ³ã►—ã►¦ã€►CLI ã►§ **show version ã,³ãƒžãƒ³ãƒ‰ã,'å®Ÿè¡Œã►—ã€►è¡¨ç¤ºã►•ã,Œã,‹ã,·ã,¹ãƒ†ãƒ ãƒ►ãƒŠãƒ¼ã,'å►,ç…§ã►™ã,‹ã►"ã►¨ã►«ã,^ã,Šç¢ºèª►ã►§ã►►ã►¾ã►™ã€,**ãƒ‡ãƒ►ã,¤ã,¹ã► Cisco IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,'å®Ÿè¡Œã►—ã►¦ã►„ã,‹å ´å►^ã€►ã,·ã,¹ãƒ†ãƒ ãƒ►ãƒŠãƒ¼ã►«ã€Œ*Cisco IOS Software*ã€►ã€►ã€Œ*Cisco IOS XE Software*ã€►ã►ªã►©ã►®ãƒ†ã,ã,¹ãƒˆã►Œè¡¨ç¤ºã►•ã,Œã►¾ã►™ã€,

æ¬¡ã►«ã€►Cisco IOS XR ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ 16.2.1 ã►Œå®Ÿè¡Œã►•ã,Œã►¦ã►„ã►¦ã€►ã,¤ãƒ³ã,¹ãƒˆãƒ¼ãƒ«ã►•ã,Œã►¦ã►„ã,‹ã,¤ãƒ¡ãƒ¼ã,¸å►►ã►C *CAT3K_CAA-UNIVERSALK9-M* ã►§ã►,ã,‹ãƒ‡ãƒ►ã,¤ã,¹ã►§ã►®ã,³ãƒžãƒ³ãƒ‰ã►®å‡ºåŠ›ä¾‹ã,'ç¤ºã►—ã►¾ã►™ã€,

<#root>

```
ios-xe-device#
show version

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2016 by Cisco Systems, Inc.
Compiled Sun 27-Mar-16 21:47 by mcpre
.
.
.
```

Cisco IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒªãƒªãƒ¼ã,¹ã►®å'½å►►ã►¨ç•ªå►·ä»˜ã►'ã►®è¦►å‰‡ã►«é–¢ã►™ã,‹è©³ç´°ã►¯ã€►ã€Ž[Cisco IOS and NX-OS Software Reference Guide](#)ã€►ã,'å►,ç…§ã►—ã►¦ã►►ã► ã►•ã►„ã€,

å›žé►¿ç–

ã►"ã►®è„†å¼±æ€§ã►«å¯¾å‡¦ã►™ã,‹å›žé►¿ç–ã►¯ã►,ã,Šã►¾ã►›ã,"ã€,

ä¿®æ£æ¸ˆã►¿ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

è©²å½"ã►™ã,‹ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒªãƒªãƒ¼ã,¹ã►¨ä¿®æ£æ¸ˆã►¿ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒªãƒªãƒ¼ã,¹ã►®è© IOSã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒ►ã,§ãƒƒã,«ãƒ¼ã,'å►,ç…§ã►—ã►¦ã►►ã► ã►•ã►„ã€,

ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►®ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'æ¤œè¨Žã►™ã,‹éš›ã►«ã►¯ã€►[ã,·ã,¹ã,³ã►®ã,»ã,ãƒ Security Advisories and Alertsï¼‰] ãƒšãƒ¼ã,¸ã►§å…¥æ‰‹ã►§ã►►ã,‹ã,·ã,¹ã,³è£½å"►ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã,'å®šæœŸçš„ã►«å►,ç

ã,½ãƒªãƒ¥ãƒ¼ã,·ãƒ§ãƒ³ã,'ç¢ºèª•ã•—ã•¦ã••ã• ã••ã•„ã€,

ã•„ã•šã,Œã•®å´å•^ã,,ã€•ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã•™ã,‹ãƒ‡ãƒ•ã,¤ã,¹ã•«å••å^†ã•ªãƒ¡ãƒ¢ã
Technical Assistance
Centerï¼ˆTACï¼‰ã,,ã•—ã••ã•¯å¥'ç´„ã•—ã•¦ã•„ã,‹ãƒ¡ãƒ³ãƒ†ãƒŠãƒ³ã,¹ãƒ—ãƒãƒ•ã,¤ãƒ€ãƒ¼ã•«

Cisco IOS ã•Šã,^ã•³ IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

ã•Šå®¢æ§˜ã•Œ Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•Šã,^ã•³ IOS XE
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•®è„†å¼±æ€§ã•«ã,^ã,‹ä¾µå®³ã•®å•¯èƒ½æ€§ã,'å^¤æ–ã•™ã,‹ã•Ÿã,•ã€•ã,
Cisco IOS Software Checker
ãƒ„ãƒ¼ãƒ«ã,'æ••ä¾›ã•—ã•¦ã•„ã•¾ã•™ã€,ã•"ã•®ãƒ„ãƒ¼ãƒ«ã,'ä½¿ç"¨ã•™ã,‹ã•¨ã€•ç‰¹å®
ãƒªãƒªãƒ¼ã,¹ã•«è©²å½"ã•™ã,‹ã,·ã,¹ã,³ ã,»ã,ãƒ¥ãƒªãƒ†ã,£
ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã€•ã•Šã,^ã•³å•„ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•§è¹¬æ˜Žã••ã,Œã•¦ã•„ã,‹è„†å¼±
Fixedã€•ï¼‰ã,'ç‰¹å®šã•§ã••ã•¾ã•™ã€,ã•¾ã•Ÿè©²å½"ã•™ã,‹å´å•^ã€•ã••ã•®ãƒªãƒ
First Fixedã€•ï¼‰ã,'ç‰¹å®šã•§ã••ã•¾ã•™ã€,

ã•"ã•®ãƒ„ãƒ¼ãƒ«ã,'ä½¿ç"¨ã•—ã•¦æ¬¡ã•®ã,¿ã,¹ã,¯ã,'å®Ÿè¡Œã•§ã••ã•¾ã•™ã€,

- ãƒ‰ãƒãƒƒãƒ—ãƒ€ã,¦ãƒ³ãƒªãƒ¾ã,¹ãƒˆã•‹ã,‰ãƒªãƒ¼ã,¹ï¼ˆè¤‡æ•°å•¯ï¼‰ã,'é¸æŠžã•™ã,‹ã•‹ã€•åˆ†ãž•å¯¾è±¡ã•¨ã•
  ã,·ã,¹ãƒ†ãƒ ã•‹ã,‰ãƒ•ã,¡ã,¤ãƒ«ã,'ã,¢ãƒƒãƒ—ãƒãƒ¼ãƒ‰ã•—ã•¦ã€•æ¤œç´¢ã,'é–‹å§‹ã•™ã,‹
- **show version ã,³ãƒžãƒ³ãƒ‰ã•®å‡ºåŠ›ã,'ãƒ„ãƒ¼ãƒ«ã•§è§£ãž•ã•™ã,‹**
- ã,«ã,¹ã,¿ãƒžã,¤ã,ºã•—ã•Ÿæ¤œç´¢ï¼ˆé•ŽåŽ»ã•«å…¬é–‹ã••ã,Œã•Ÿã•™ã•¹ã•¦ã•®ã,·ã,¹ã,³
  ã,»ã,ãƒ¥ãƒªãƒ†ã,£
  ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã,'æ¤œç´¢å¯¾è±¡ã•«å…¥ã,Œã•Ÿã,Šã€•ç‰¹å®šã•®ã,¢ãƒ‰ãƒ•ã,¤ã,¶ã

ãƒªãƒªãƒ¼ã,¹ã•Œã€•å…¬é–‹ã••ã,Œã•¦ã•„ã,‹ã,·ã,¹ã,³ã,»ã,ãƒ¥ãƒªãƒ†ã,£ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•®ã•
IOS Software Checkerã,'ä½¿ç"¨ã•™ã,‹ã•‹ã€•æ¬¡ã•®ãƒ•ã,£ãƒ¼ãƒ«ãƒ‰ã•«Cisco
IOSã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•¾ã•Ÿã•¯Cisco IOS
XEã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒªãƒªãƒ¼ã,¹(ã•Ÿã•¨ã•^ã•°ã€•**15.1(4)M2**ã,„**3.13.8S**)ã,'å…¥åŠ›ã•—ã•¾ã•™ã

Check

ãƒ‡ãƒ•ã,©ãƒ«ãƒˆã•§ã•¯ã€•Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•®ãƒ•ã,§ãƒƒã,¯ã•«ã•¯ã€•çµ•æžœã•¯ã€•é«˜ã,»ã,ãƒ¥ãƒªãƒ†ã,£ã•¸ã•®å½
(ã,µãƒ¼)
ã•¾ã•Ÿã•¯é‡•å¤§ã•ªè„†å¼±æ€§ã•«ã•®ã•¿ã•Œå•«ã•¾ã,Œã•¦ã•„ã•¾ã•™ã€,ã€Œä¸é–
SIR è„†å¼±æ€§ã•®çµ•æžœã,'å•«ã,•ã,‹ã•«ã•¯ã€•Cisco.com ã•® Cisco IOS
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒ•ã,§ãƒƒã,«ãƒ¼ã,'ä½¿ç"¨ã•—ã•¦ã€•[Impact Rating]
ãƒ‰ãƒãƒƒãƒ—ãƒ€ã,¦ãƒ³ ãƒªã,¹ãƒˆã•® [ä¸é–“ï¼^Mediumï¼‰]

ãƒ•ã,§ãƒƒã,¯ãƒœãƒƒã,¯ã,¹ã,'ã,ªãƒ³ã•«ã•—ã•¾ã•™ã€,

ä¸•æ£åˆ©ç"¨ä°‹ä¾‹ã•¨å…¬å¼•ç™°è¡¨

Cisco Product Security Incident Response Teamï¼ˆPSIRTï¼‰ã•¯ã€•æœ¬ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•«è¨˜è¼‰ã••ã,Œã•¦ã•„ã,‹è„†å¼±æ€§ã•

å‡°å…¸

ã•“ã•®è„†å¼±æ€§ã•¯ Cisco TAC ã,µãƒ•ãƒ¼ãƒˆã,±ãƒ¼ã,¹ã•®è§£æ±°ä¸•ã•«ç™°è¦‹ã••ã,Œã•¾ã•—ã•Ÿã€,

URL

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190109-ios-ssh-vrf

æ"¹è¨‚å±¥æ´

ãƒ•ãƒ¼ã‚¸ãƒ§ãƒ³	è¡¨æ˜Ž	ã‚»ã‚¯ãƒ§ãƒ³	ã‚¹ãƒ†ãƒ¼ã‚¿ã‚¹	æ—¥ä»˜
1.0	åˆ•å›žå…¬é–‹ãƒªãƒªãƒ¼ã‚¹	-	Final	2019 å¹´ 1 æœˆ 9 æ—¥

åˆ©ç"¨è¦•ç´„

æœ¬ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•¯ç„¡ä¿•è¨¼ã•®ã,‚ã•®ã•¨ã•—ã•¦ã•"æ••ä¾›ã•—ã•¦ã•Šã,Šã€
æœ¬ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•®æƒ…å ±ã•Šã,ˆã•³ãƒªãƒ³ã,¯ã•®ä½¿ç"¨ã•«é–¢ã•™ã,‹è²¬ä»»ã•®ä¸€
ã•¾ã•Ÿã€•ã,·ã,¹ã,³ã•¯æœ¬ãƒ‰ã,ãƒ¥ãƒ¡ãƒˆã•®å†…å®¹ã,'äº^å'Šã•ªã•—ã•«å¤‰æ›´ã•—ã•
æœ¬ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•®è¨˜è¿°å†…å®¹ã•«é–¢ã•—ã•¦æƒ…å ±é…•ä¿¡ã•® URL ã,'ç œ•ç•¥ã•—ã€•å•˜ç‹¬ã•®è»¢è¼‰ã,„æ„•è¨³ã,'æ–½ã•—ã•Ÿå´å•ˆã€•å½"ç¤¾ã•Œç®¡ç•
ã•“ã•®ãƒ‰ã,ãƒ¥ãƒ¡ãƒ³ãƒˆã•®æƒ…å ±ã•¯ã€•ã,·ã,¹ã,³è£½å"•ã•®ã,¨ãƒ³ãƒ‰ãƒ¦ãƒ¼ã,¶ã,'å¯¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。