

# Cisco Nexus

9000ã, ·ãfªãf¼ã, °ãfªã, ;ãf-ãfªãffã, -ã, ¹ã, ¢ãffãf ¤ã ¤ (®



ã, ¢ãfªãf ¤ã, ¢ã, ¶ã, ¶ãfªãf¼ID : cisco-sa-

[CVE-2019-1585](#)

20190306-aci-controller-privsec

â ¤ â...-é-¸æ-¥ : 2019-03-06 16:00

ãf ¤ãf¼ã, ãfsãf³ 1.0 : Final

CVSSã, ¹ã, ³ã, ¸ : [6.7](#)

â¸zé ¤ ¸ç- : No workarounds available

Cisco ãf ¤ã, ° ID : [CSCvn09838](#)

æ-¥ææ-èªžã ¤ «ã, ^ã, <æf...ã ±ã ¤ -ã€ ¤ è¸±èªžã ¤ «ã, ^ã, <ãžÿæ-†ã ¤ ® é ¤ žã...-ã¼ ¤ã ¤

æ!, è! ¤

Cisco Nexus

9000ã, ·ãfªãf¼ã, °ACIãf ¢ãf¼ãfªã, ¹ã, ¢ãffãf ¤ã, ½ãfªãf^ã, |ã, §ã, ¸ã ¤ ®ã, ³ãfªãf^ãfãf¼ãf©è ¸ã ¤ -æ©ÿèf½

ã ¤ "ã ¤ ®è, †ã¼±æ€§ã ¤ -ã€ ¤ è©²ã½"ãfªãf ¤ã, ¢ã, ¹ã ¤ ®bashrootã, ³ãfªãf ¤ãf¼ãf ¤ãfªãf^ã ¤ ®çª¹ã

ã, ·ã, ¹ã, ³ã ¤ -ã ¤ "ã ¤ ®è, †ã¼±æ€§ã ¤ «ã³¼ã† |ã ¤ ¤ªã, <ã, ½ãfªãf^ã, |ã, §ã, ¸ã, ¸ãffãf-ãfªãf¼ãf^ã, 'ãfªãfªãf¼

ã ¤ "ã ¤ ®ã, ¸ãfªããf ¤ã, ¢ã, ¶ã, ¶ãfªã ¤ -ã€ ¤ æ-¡ã ¤ ®ãfªãf³ã, -ã, ^ã, §çª°èª ¤ã ¤ §ã ¤ ¤ã ¤ ¾ã ¤ ¤ªã€, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190306-aci-controller-privsec>

è©²ã½"ã ¤ ¤ªã, <ã, ½ãfªãf^ã, |ã, §ã, ¸ã, ¸ãffãf-ãfªãf¼ãf^ã, 'ãfªãfªãf¼

è, †ã¼±æ€§ã ¤ ®ã ¤ã, ã, <è£½ã" ¤

ã ¤ "ã ¤ ®è, †ã¼±æ€§ã ¤ -ã€ ¤ è©²ã½"ãf ¤ãf¼ã, ãfsãf³ã ¤ ®Cisco NX-

OSã, ½ãfªãf^ã, |ã, §ã, ¸ã, 'ã©ÿè; ¤æã ¤ -ã ¤ |ã ¤ã, <ACIãf ¢ãf¼ãfªã ¤ ®Cisco Nexus

9000ã, ·ãfªãf¼ã, °ãfªã, ;ãf-ãfªãffã, -ã, ¹ã, ¢ãffãf ¤ã ¤ «ã½±éÿã, 'ã, žãã^ã ¤¾ã ¤ ¤ªã€,

è©²ã½"ã ¤ ¤ªã, <ã, ½ãfªãf^ã, |ã, §ã, ¸ã, ¸ãfªãfªãf¼ã, ¹ã ¤ ®è©³ç°ã ¤ «ã ¤ ¢ã ¤ã, ¤ã ¤ |ã ¤ -ã€ ¤ã ¤ã ¤ã ¤ã, ¸ãfªã

Bug IDã, 'ã ¤ã, ¸ã...§ã ¤ -ã ¤ |ã ¤ ¤ã ¤ã ¤ã ¤ã ¤ã, ã€,

Cisco NX-OS ã, ½ãfªãf^ã, |ã, §ã, ¸ã, ¸ãfªããfªãf¼ã, ¹ã ¤ ®ã^ªã^¥

ç®¡ç♦†è€...ã♦¬ã€♦ã†ã†ã♦ã,¤ã,¹ã♦® CLI ã♦§ show version  
ã,³ãfžãf³ãf%õã,¹ã½ç"ã♦—ã♦|ã€♦ã†ã†ã♦ã,¤ã,¹ã♦Sã®Yè;Çã♦•ã,Çã♦|ã♦,,ã,« Cisco  
NX-OS

ã,½ãf•ãf^ã,|ã,Sã,çã♦®ãfãfãf¼ã,¹ã,¹çç°èª♦ã♦Sã♦♦ã♦¾ã♦™ã€,æ¬¡ã♦®ã¾ã♦¬

11.2(2) ãfãfãf¼ã,¹ã,¹çç°ã♦—ã♦|ã♦,,ã♦¾ã♦™ã€,

<#root>

nxos-n9k-aci#

show version

Cisco Nexus Operating System (NX-OS) Software  
such license is available at  
<http://www.opensource.org/licenses/gpl-2.0.php> and <http://www.opensource.org/licenses/lgpl-2.1.php>  
Software

BIOS: version N/A  
kickstart: version 11.2(2) [build 11.2(1.184)]  
system: version

11.2(2)

[build 11.2(1.184)]

.  
.  
.

## Application Policy Infrastructure Controller ã,½ãf•ãf^ã,¹ã,§ã,ç ãfãfãf¼ã,¹ã♦®çç°èª♦

Cisco Application Policy Infrastructure

Controller(APIC)ã♦®ã,½ãf•ãf^ã,|ã,Sã,çã♦® ACIãfçãf¼ãf%õã♦®Cisco Nexus  
9000ã,ãfãf¼ã,ãfã,|ãf-ãfãfãfã,¬ã,¹ã,¤ãfãfãfã♦ã♦®é-“ã♦«ã♦¬ã€♦1ã¾ã♦®ãfžãfãf³ãfã,ãã

Cisco APIC ã,½ãf•ãf^ã,|ã,Sã,çã♦®ãfãfãf¼ã,¹ã,¹çç°èª♦ã♦™ã€,«èšãã♦¬ã€♦Cisco NX-OS  
ã,½ãf•ãf^ã,|ã,Sã,çã

ãfãf¼ã,ãfSãf³ç°ã♦ã♦®ã♦ç«¬ã♦®æ°ã—ã♦¬ç,,jè|¬ã♦—ã♦|ã♦♦ã♦ã♦•ã♦,,ã€,ã,Sè¬ãã♦  
ã,½ãf•ãf^ã,|ã,Sã,çã♦®ãfãfãf¼ã,¹ã,¹çç°èª♦ã♦«ãfžãfãf³ãfã,ãã♦•ã,Çã♦Yã€♦Cisco NX-OS

ã,½ãf•ãf^ã,|ã,Sã,çã♦®ãfãf¼ã,ãfSãf³ 11.2(2) ã♦®Ççç°ã♦•ã,Çã♦|ã♦,,ã♦¾ã♦™ã€,

è,†ã¼±æ€§ã,¹ã♦«ã,“ã♦Sã♦,,ã♦ªã♦,,ã♦“ã♦¬ã♦®Ççç°èª♦ã♦•ã,Çã♦Yè£½ã”ã♦

ã♦ã♦®ã,çãf%õãfã,¤ã,¶ã,¶ãfãã♦®è,†ã¼±æ€§ã♦®ã♦®,ã,«è£½ã”ã♦ã,»ã,¬ã,ãfSãf³ã♦«è¬è¼%õã♦•ã

ã,ã,¹ã,³ã♦¬ã€♦æœ¬è,†ã¼±æ€§Sã♦®Çã»¥ã,ãã♦®ã,ã,¹ã,³è£½ã”ã♦ã♦«ã♦¬ã½±éYçã,¹ã,Zã♦ãã♦ãã♦

- FirePOWER 2100 ã,ãfãf¼ã,ãfã,|ã,¤ã,çã,|ã,©ãf¼ãf«

- FirePOWER 4100 [ã, ·ãfªãf¹/4ã, °æ¬;ä, -ä»£ãf•ã, ;ã, ¢ã, çã, ìã, ©ãf¹/4ãf«è£¹/2ã“](#)
- Firepower 9300 [ã, »ã, ãf¥ãfªãf†ã, £ã, çãf—ãf©ã, ¢ã, çãf³ã, ¹](#)
- MDS 9000 [ã, ·ãfªãf¹/4ã, °ãfžãf«ãf](#) [ãf-ã, ¢ãf ¢ãf†ã, £ãf-ã, ¯ã, ;ã, ¹ã, ¢ãffãf](#)
- Nexus 1000V Switch for Microsoft Hyper-V
- Nexus 1000V Switch for VMware vSphere
- Nexus 2000 [ã, ·ãfªãf¹/4ã, °ãf•ã, ;ãf-ãfªãffã, ¯ã, ¯ã, ¯ã, ¹ãf†ãf³ãf€](#)
- Nexus 3000 [ã, ·ãfªãf¹/4ã, °ã, ¹ã, ¢ãffãf](#)
- Nexus 3500 [ãf—ãf©ãffãf^ãf•ã, ©ãf¹/4ãfãã, ¹ã, ¢ãffãf](#)
- Nexus 3600 [ãf—ãf©ãffãf^ãf•ã, ©ãf¹/4ãfãã, ¹ã, ¢ãffãf](#)
- Nexus 5000 [ã, ·ãfªãf¹/4ã, °ã, ¹ã, ¢ãffãf](#)
- Nexus 5500 [ãf—ãf©ãffãf^ãf•ã, ©ãf¹/4ãfãã, ¹ã, ¢ãffãf](#)
- Nexus 5600 [ãf—ãf©ãffãf^ãf•ã, ©ãf¹/4ãfãã, ¹ã, ¢ãffãf](#)
- Nexus 7000 [ã, ·ãfªãf¹/4ã, °ã, ¹ã, ¢ãffãf](#)
- Nexus 7700 [ã, ·ãfªãf¹/4ã, °ã, ¹ã, ¢ãffãf](#)
- [ã, ¹ã, ;ãf³ãf%ã, çãfãf³ NX-OSãfçãf¹/4ãf%ãã](#) Nexus 9000 [ã, ·ãfªãf¹/4ã, °ã, ¹ã, ¢ãffãf](#)
- Nexus 9500 R [ã, ·ãfªãf¹/4ã, °ãf©ã, ¢ãf³ã, «ãf¹/4ãf%ãã](#) [Šã, ^ã](#) [³ãf•ã, ;ãf-ãfªãffã, ¯ãfçã, ãf¥ãf¹/4ãf«](#)
- UCS 6200 [ã, ·ãfªãf¹/4ã, °ãf•ã, ;ãf-ãfªãffã, ¯ã, ¢ãf³ã, ;ãf¹/4ã, ³ãf](#) [ã, ¯ãf^](#)
- UCS 6300 [ã, ·ãfªãf¹/4ã, °ãf•ã, ;ãf-ãfªãffã, ¯ã, ¢ãf³ã, ;ãf¹/4ã, ³ãf](#) [ã, ¯ãf^](#)
- UCS 6400 [ã, ·ãfªãf¹/4ã, °ãf•ã, ;ãf-ãfªãffã, ¯ã, ¢ãf³ã, ;ãf¹/4ã, ³ãf](#) [ã, ¯ãf^](#)

## ã»žé ;ç-

[ã](#) [“ã](#) è,,†ã¹/4±æ€šã [«ã](#) ã†|ã ã,ã»žé ;ç-ã ¯ã ,ã,šã ³/4ã »ã,“ã€,

## ã; æ£æ, ^ã ;ã, 1/2ãf•ãf^ã, |ã, šã, ç

[ã; æ£æ, ^ã ;ã, 1/2ãf•ãf^ã, |ã, šã, ç](#)  
[ãfªãfªãf¹/4ã, ¹ã](#) è©³ç´°ã «ã ¢ã „ã |ã ¯ã€ æœ¬ã, çãf%ããf ã, ¢ã, ¶ãfªã, šéf´ã Cisco Bug ID [ã, 'ã](#) ,ç...šã ã •ã „ã€,

[ã, 1/2ãf•ãf^ã, ìã, šã, çã](#) ã, çãffãf—ã, °ãf-ãf¹/4ãf%ãã, 'æœœè´´žã ã, <észã «ã ¯ã€ [ã, ·ã, ¹ã, ³ã ã, »ã, ãf Security Advisories and Alerts [i¹/4%ã](#)]  
[ãfšãf¹/4ã, ã](#) šã...¥æ%ãã šã ã, <ã, ·ã, ¹ã, ³è£¹/2ã” ã ã, çãf%ããf ã, ¢ã, ¶ãfªã, 'ã šæœÿçš, ã «ã ,çã, 1/2ãfªãf¥ãf¹/4ã, ·ãfšãf³ã, 'çç°èª ã —ã |ã ã ã •ã „ã€,

[ã](#) „ã šã, çã ã 'ã ^ã, ã€ã, çãffãf—ã, °ãf-ãf¹/4ãf%ãã ã, <ãf†ãf ã, ¢ã, ¹ã «ã ã^†ã ¯ãfjãfçã  
 Technical Assistance Center [i¹/4^TACi¹/4%ãã](#), ã —ã ã ¯ã¥´ç´, ã —ã |ã „ã, <ãfjãf³ãf†ãfšãf³ã, ¹ãf—ãfãf ã, ¢ãf€ãf¹/4ã «





## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。