

Cisco é © å;œåž<ã,»ã,ãf¥ãfªãftã,£ ã,çãf—ãf©ã,ªã,çãf³ã,¹ ã,½ãf•ãf^ã,|ã,šã,çã Šã,^ã³ Firepower Threat Defense ã,½ãf•ãf^ã,|ã,šã,çã ® ä½žã,¨ãf³ãf^ãfãf'ãf¼ ã,ãf¼ã ® è,,†ã¼±æ€š



ã,çãf%ãfã,ªã,¶ãfªãf¼ID : cisco-sa-
20190501-asa-ftd-entropy
ã^ã...-é-æ—¥ : 2019-05-01 16:00
æœ€gæ>æ-°æ—¥ : 2019-05-02 17:49
ãfãf¼ã,ãfšãf³ 1.1 : Final
CVSSã,¹ã,³ã,ç : [5.3](#)
ã>žéç- : Yes
Cisco ãfã,° ID : [CSCvj52266](#)

[CVE-2019-1715](#)

æ—¥æœ-èªžã«ã,^ã,æf...ã ±ã-ã€è<±èªžã«ã,^ã,ãžÿæ-†ã®éžã...-ã¼ã

æ!,è!?

Cisco é © å;œåž<ã,»ã,ãf¥ãfªãftã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹¼^ASAI¼%ã Šã,^ã³ Cisco
Firepower Threat

Defensei¼^FTDi¼%ã,½ãf•ãf^ã,|ã,šã,çã Šã½ç"ã•ã,CEã,æ€æ"-ã¼¼ã¹±æ•ç"ÿæ^ã™"i¼^PRNG

ã"ã®è,,†ã¼±æ€šã-ã€æš-ã•ã,ãf¼ã,'ç"ÿæ^ã™ã,ã"ã"ã« DRBG

ã®ã,¨ãf³ãf^ãfãf'ãf¼ãCEã,ã^ãtãšã,ã,ã"ã"ã"ã«èµ>ã-ã¾ã™ã€æ"æ'fè€...ã

ãf†ãfã,ªã,¹ã"ã®ã,ã,€è†ã,'æžçã™ã"ã"ã"ã«ã,^ã,šã€ã"ã®è,,†ã¼±æ€šã,'ã,¨ã,¹ãf

ãf†ãfã,ªã,¹ã«ãªã,šã™ã¾ã-ãÿã,šã€è©²ã½"ã®ã,çãf¼ã,²ãffãf

ãf†ãfã,ªã,¹ã"ã®é-"ãš€ãçãã,CEã,è©²ã½"ã®ã,ãf¼ãšçè-ã•ã,CEã|ã,,ã,ãf^ãf

ã,ã,¹ã,³ã-ã"ã®è,,†ã¼±æ€šã«ã¾ã†|ã™ã,ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,'ãfªãfãf¼

ã"ã®ã,çãf%ãfã,ªã,¶ãfªãf¼-ã€æ-ã®ãfªãf³ã,¨ã,^ã,šçç°èªãšãã¾ã™ã€,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190501-asa-ftd->

Cisco ASA	<pre> http server enable <port> http <remote_ip_address> <remote_subnet_mask> <interface_name> </pre>
Adaptive Security Device Manager (ASDM)	<pre> webvpn enable <interface_name> </pre>
AnyConnect SSL VPN	<pre> http server enable <port> http <remote_ip_address> <remote_subnet_mask> <interface_name> </pre>
Cisco Security Manager	<pre> webvpn enable <interface_name> </pre>
SSL VPN WebVPN	<pre> crypto ikev1 enable <interface_name> crypto ikev1 policy <priority> authentication rsa-sig tunnel-group <tunnel_group_name> ipsec-attributes trust-point <trustpoint_name> </pre>
IKEv1 VPN LAN-to-LAN	<pre> crypto ikev2 enable <interface_name> tunnel-group <tunnel_group_name> ipsec-attributes ikev2 remote-authentication certificate ikev2 local-authentication certificate <trustpoint_name> </pre>
IKEv2 VPN LAN-to-LAN	<pre> crypto ca server no shutdown </pre>
Mobile Device Manager	<pre> mdm-proxy enable <interface_name> </pre>
MUSI	<pre> webvpn mus password <password> mus server enable port <port #> mus <address> <mask> <interface_name> </pre>
Proxy Bypass	<pre> webvpn proxy-bypass </pre>
REST API	<pre> rest-api image disk0:/<image name> rest-api agent </pre>
SSH	<pre> ssh <remote_ip_address> <remote_subnet_mask> <interface_name> </pre>

1 ASDM, CSM, S, REST API, http

3, f, z, f, a, s, e, IP

3, f, a, s, e, IP

2 SSH, http, ssh, f, z, f, a, s, e, IP

Firepower Threat

Defense, 1/2 af af a, | a, sa, ca @ TCP a, z a, maf za f 1/4 a # | c t a a S a a, < Do Se, t a 1/4 ae S

- [cisco-sa-20190501-asa-ftd-](#)

dos: Cisco e @ a z ce a z a, » a, af af af a f t a, f a, c af — af @ a, m a, c af a, 1 a, 1/2 af af a, | a, sa, ca S a, ^ a Firepower

Threat Defense (FTD) a, 1/2 af af a, | a, sa, ca @ WebVPN a a S a a, < Do Se, t a 1/4 ae S

- [cisco-sa-20190501-asa-ftd-](#)

entropy: Cisco e @ a z ce a z a, » a, af af af a f t a, f a, c af — af @ a, m a, c af a, 1 a, 1/2 af af a, | a, sa, ca S a, ^ a Firepower

Threat Defense (FTD) a, 1/2 af af a, | a, sa, ca @ a 1/2 Z a, " af af af af a f 1/4 a, af 1/4 a @ e, t a 1/4 ae S

- [cisco-sa-20190501-asa-ftd-ike-](#)

dos: Cisco e @ a z ce a z a, » a, af af af a f t a, f a, c af — af @ a, m a, c af a, 1 a, 1/2 af af a, | a, sa, ca S a, ^ a Cisco

Firepower Threat

Defense (FTD) a, 1/2 af af a, | a, sa, ca @ MOBIKE a a S a a, a, maf 1/4 af a, 1 a | " a @ a @ e, t a 1/4 ae S

- [cisco-sa-20190501-asa-ftd-saml-vpn:](#) Cisco Adaptive Security

Appliance (ASA) a, 1/2 af af a, | a, sa, ca S a, ^ a Firepower Threat

Defense (FTD) a, 1/2 af af a, | a, sa, ca @ VPN a a S a a, < SAML e a e " 1/4 af a, maf a, 1 a @ e, t a 1/4 ae S

- [cisco-sa-20190501-asa-ipsec-](#)

dos: Cisco e @ a z ce a z a, » a, af af af a f t a, f a, c af — af @ a, m a, c af a, 1 a, 1/2 af af a, | a, sa, ca @ IPsec a a S a a

- [cisco-sa-20190501-firepower-dos:](#) Cisco Firepower Threat

Defense, 1/2 af af a, | a, sa, ca @ TCP a ... af S af af af a f % a af @ a a S a a, < Do Se, t a 1/4 ae S

- [cisco-sa-20190501-frpwr-dos:](#) Cisco Firepower Threat

Defense, 1/2 af af a, | a, sa, ca @ af a, ± aff af a # | c t a a S a a, < Do Se, t a 1/4 ae S

- [cisco-sa-20190501-frpwr-smb-snort:](#) Cisco Firepower Threat

Defense, 1/2 af af a, | a, sa, ca @ SMB af — af af a, 3 af af — af af — af a, » aff a, maf ce a # a, " af a, af a a a S a a

- [cisco-sa-20190501-sd-cpu-](#)

dos: Cisco e @ a z ce a z a, » a, af af af a f t a, f a, c af — af @ a, m a, c af a, 1 a, 1/2 af af a, | a, sa, ca S a, ^ a Firepower

Threat

Defense (FTD) a, 1/2 af af a, | a, sa, ca @ WebVPN a a S a a, a, maf 1/4 af a, 1 a | " a @ a @ e, t a 1/4 ae S

ae - j a @ e j " a S a a - a e a | a @ a - a a, a, 1 a, 3 a, 1/2 af af a, | a, sa, ca @ af af af a f 1/4 a, 1 a, e " e 1/4 a a - a e I 1/4 sa @ ae ae, a z af af af a f 1/4 a, 1 a a, c af af — a, af - af 1/4 af % a a - a Y a 3/4 CE a c @ i c t e e ... a - a e

Cisco ASA a, 1/2 af af a, | a, sa, ca

Cisco ASA a, 1/2 af af a, a, sa, ca af af af a f 1/4 a, 1	a a " a @ e, t a 1/4 ae S a a S a a Y a, a a @ ae Z " a Y af af af a f 1/4 a, 1 a " a @ a, c af % a	
9.4 a, a, S a % a 1	e, t a 1/4 ae S a a a —	9.4.4.34
9.4	e, t a 1/4 ae S a a a —	9.4.4.34
9.51	e, t a 1/4 ae S a a a —	9.6.4.25

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。