

# Cisco IOS XE 3.24f1, 3.24f2, 3.24f3, 3.24f4, 3.24f5, 3.24f6, 3.24f7, 3.24f8, 3.24f9, 3.24f10, 3.24f11, 3.24f12, 3.24f13, 3.24f14, 3.24f15, 3.24f16, 3.24f17, 3.24f18, 3.24f19, 3.24f20, 3.24f21, 3.24f22, 3.24f23, 3.24f24, 3.24f25, 3.24f26, 3.24f27, 3.24f28, 3.24f29, 3.24f30, 3.24f31, 3.24f32, 3.24f33, 3.24f34, 3.24f35, 3.24f36, 3.24f37, 3.24f38, 3.24f39, 3.24f40, 3.24f41, 3.24f42, 3.24f43, 3.24f44, 3.24f45, 3.24f46, 3.24f47, 3.24f48, 3.24f49, 3.24f50, 3.24f51, 3.24f52, 3.24f53, 3.24f54, 3.24f55, 3.24f56, 3.24f57, 3.24f58, 3.24f59, 3.24f60, 3.24f61, 3.24f62, 3.24f63, 3.24f64, 3.24f65, 3.24f66, 3.24f67, 3.24f68, 3.24f69, 3.24f70, 3.24f71, 3.24f72, 3.24f73, 3.24f74, 3.24f75, 3.24f76, 3.24f77, 3.24f78, 3.24f79, 3.24f80, 3.24f81, 3.24f82, 3.24f83, 3.24f84, 3.24f85, 3.24f86, 3.24f87, 3.24f88, 3.24f89, 3.24f90, 3.24f91, 3.24f92, 3.24f93, 3.24f94, 3.24f95, 3.24f96, 3.24f97, 3.24f98, 3.24f99, 3.24f100



Cisco IOS XE 3.24f1, 3.24f2, 3.24f3, 3.24f4, 3.24f5, 3.24f6, 3.24f7, 3.24f8, 3.24f9, 3.24f10, 3.24f11, 3.24f12, 3.24f13, 3.24f14, 3.24f15, 3.24f16, 3.24f17, 3.24f18, 3.24f19, 3.24f20, 3.24f21, 3.24f22, 3.24f23, 3.24f24, 3.24f25, 3.24f26, 3.24f27, 3.24f28, 3.24f29, 3.24f30, 3.24f31, 3.24f32, 3.24f33, 3.24f34, 3.24f35, 3.24f36, 3.24f37, 3.24f38, 3.24f39, 3.24f40, 3.24f41, 3.24f42, 3.24f43, 3.24f44, 3.24f45, 3.24f46, 3.24f47, 3.24f48, 3.24f49, 3.24f50, 3.24f51, 3.24f52, 3.24f53, 3.24f54, 3.24f55, 3.24f56, 3.24f57, 3.24f58, 3.24f59, 3.24f60, 3.24f61, 3.24f62, 3.24f63, 3.24f64, 3.24f65, 3.24f66, 3.24f67, 3.24f68, 3.24f69, 3.24f70, 3.24f71, 3.24f72, 3.24f73, 3.24f74, 3.24f75, 3.24f76, 3.24f77, 3.24f78, 3.24f79, 3.24f80, 3.24f81, 3.24f82, 3.24f83, 3.24f84, 3.24f85, 3.24f86, 3.24f87, 3.24f88, 3.24f89, 3.24f90, 3.24f91, 3.24f92, 3.24f93, 3.24f94, 3.24f95, 3.24f96, 3.24f97, 3.24f98, 3.24f99, 3.24f100

[CVE-2019-1862](#)

Published: 2019-05-13 17:30

Final

CVSS: 7.2

Workarounds: No workarounds available

Cisco ID: [CSCvn20358](#)

**High**

High

Cisco IOS XE 3.24f1, 3.24f2, 3.24f3, 3.24f4, 3.24f5, 3.24f6, 3.24f7, 3.24f8, 3.24f9, 3.24f10, 3.24f11, 3.24f12, 3.24f13, 3.24f14, 3.24f15, 3.24f16, 3.24f17, 3.24f18, 3.24f19, 3.24f20, 3.24f21, 3.24f22, 3.24f23, 3.24f24, 3.24f25, 3.24f26, 3.24f27, 3.24f28, 3.24f29, 3.24f30, 3.24f31, 3.24f32, 3.24f33, 3.24f34, 3.24f35, 3.24f36, 3.24f37, 3.24f38, 3.24f39, 3.24f40, 3.24f41, 3.24f42, 3.24f43, 3.24f44, 3.24f45, 3.24f46, 3.24f47, 3.24f48, 3.24f49, 3.24f50, 3.24f51, 3.24f52, 3.24f53, 3.24f54, 3.24f55, 3.24f56, 3.24f57, 3.24f58, 3.24f59, 3.24f60, 3.24f61, 3.24f62, 3.24f63, 3.24f64, 3.24f65, 3.24f66, 3.24f67, 3.24f68, 3.24f69, 3.24f70, 3.24f71, 3.24f72, 3.24f73, 3.24f74, 3.24f75, 3.24f76, 3.24f77, 3.24f78, 3.24f79, 3.24f80, 3.24f81, 3.24f82, 3.24f83, 3.24f84, 3.24f85, 3.24f86, 3.24f87, 3.24f88, 3.24f89, 3.24f90, 3.24f91, 3.24f92, 3.24f93, 3.24f94, 3.24f95, 3.24f96, 3.24f97, 3.24f98, 3.24f99, 3.24f100

UI

Linux

UI

UI

UI

UI

UI

UI

UI

UI

af#af a,ma, 'a @a 1/2 e Y; a, 'a S a 1/4 a — a 3/4 a TM a e, HTTP

a, maf/4 af ae Y e f 1/2 a @ af # af . a, @ af « af ^ a R c S ¶ ae ... a a e af af 1/4 a, af S af a « a, ^ a e a | c

e, t a 1/4 a e s a e a ~ a o e a TM a, < Cisco IOS XE a, 1/2 af . af ^ a, | a, S a, c

af a f a af 1/4 a, 'a « a a a, a | a a e a a a R a, c af % a af a, ma, ¶ af a R a e a j @ a e a ^ a ; a, 1/2 af

## HTTP a, maf/4 af e a R s a R c e a

HTTP

a, maf/4 af ae Y e f 1/2 a e af # af a, ma, 'a S a e o e % a S ' a a a @ a t a a, ' c e a a TM a, a a a a

CLI a S show running-config | include ip http server | secure-

server a, a f z a f a f % a, ' a 1/2 ; a — a | a e a, a af af 1/4 af af « a, a f a f . a, e a, R af Y af - af 1/4 a, . af S af a « ip

http server a, a f z a f a f % a 3/4 a Y a ip http secure-

server a, a f z a f a f % a e a ~ a o e a TM a, a a a a @ a t a a, ' c e a a — a 3/4 a TM a e, a a a j a, % a

a, maf/4 af ae Y e f 1/2 a e a e o e % a S ' a S a TM a e,

a » Y a, a « a e show running-config | include ip http server | secure-

server a, a f z a f a f % a a e HTTP a, maf/4 af ae Y e f 1/2 a e a e o e % a S ' a a a a e a | a, a, a

<#root>

Router#

show running-config | include ip http server | secure-server

ip http server

ip http secure-server

af # af a, ma, 'a @ a e a R s a « a @ a j a, % a a a R a, a f z a f a f % a e a « a 3/4 a, e a | a, a

a, maf/4 af ae Y e f 1/2 a e a e o e % a S ' a « a a a e a | a, a 3/4 a TM a e,

## Cisco IOS XE a, 1/2 af . af ^ a, | a, S a, c af a af a af 1/4 a, 'a R a ^ a ^ Y

af # af a, ma, 'a S a S a @ Y e ; e a a, e a | a, a, < Cisco IOS XE a, 1/2 af . af ^ a, | a, S a, c

af a f a af 1/4 a, 'a a e R c ; e t e ... a e af # af a, ma, 'a « af a, a, a f a — a | a e CLI

a S show version a, a f z a f a f % a, ' a @ Y e ; e a — a e e ; c a a a, e a, a, a, ' a f t a f

af af S af 1/4 a, ' a, c ... S a TM a, a a a a « a, ^ a, S c e a a S a a 3/4 a TM a e, af # af a, ma, 'a

Cisco IOS XE a, 1/2 af . af ^ a, | a, S a, c a, ' a @ Y e ; e a — a | a, a, a, a ^ a e a, a, ' a f t a f

af af S af 1/4 a « a e Cisco IOS Software a e a e Cisco IOS XE

Software a e a a a @ a R a f t a, a, ' a f ^ a e e ; c a a a, e a 3/4 a TM a e,

a ; a « a e Cisco IOS XR a, 1/2 af . af ^ a, | a, S a, c af a af a af 1/4 a, ' 16.2.1

Cisco IOS XE Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL  
Technical Support: <http://www.cisco.com/techsupport>

Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

<#root>

ios-xe-device#

show version

Cisco IOS Software, Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL  
Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Cisco IOS XE Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL

Technical Support: <http://www.cisco.com/techsupport>

Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Technical Support: <http://www.cisco.com/techsupport>

Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Cisco IOS XE Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL  
Technical Support: <http://www.cisco.com/techsupport>

Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

>#root<

ios-xe-device# show version

Cisco IOS XE Catalyst L3 Switch Software (CAT3K\_CAA-UNIVERSALK9-M), Version Denali 16.2.1, REL

Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Technical Support: <http://www.cisco.com/techsupport>  
Copyright (c) 1986-2016 by Cisco Systems, Inc.  
Compiled Sun 27-Mar-16 21:47 by mcpre

Technical Support: <http://www.cisco.com/techsupport>

ã, çãffãf—ãf†ãf¼ãf^ã «ã, ^ã Eã |ã€ã Šã©çæš~ã «æ-°ã —ã ,,ã,½ãf•ãf^ã, |ã,šã, çãf©ã, mã, »ãf^ã, 'ã€è:½ãŠ ã,½ãf•ãf^ã, |ã,šã, çãf•ã, Eãf¼ãfãfEãã, »ãfãf^ã€ãã¾ãÿã-ãfã,ãfEãf¼ãfãf'ã,ãfšãf³ã, çãffãf—ã, °ãf-ãf¼ãf%ã «ã¾ã™ã, çæ“é™ã Eã»~ã,Žã•ã, Eã,ã “ã”ã-ã,ã,šã

ã,½ãf•ãf^ã, |ã,šã, çã ©ã, çãffãf—ã, °ãf-ãf¼ãf%ã, 'æœœè” Žã™ã, èšã «ã-ã€[ã,ã, 'ã,³ã ©ã] Security Advisories and Alerts¼%ã]ãfšãf¼ã,ãšã...¥æœœãšããã,ã,ã, 'ã,³è£½ã”ã©ã, çãf%ããfã, mã, ¶ãfã, 'ã©šæœÿçš,,ãã,½ãfãf¥ãf¼ã,ãfšãf³ã, 'ççèªã—ã |ããããããã,ã€,

ã,,ãšã, Eã ©ã ^ã,ã€ã, çãffãf—ã, °ãf-ãf¼ãf%ã™ã,ãf†ãfã, mã, 'ã «ãã^ããããã Technical Assistance Center¼^TAC¼%ã,,ã—ãããã-ã¥ç’,,ã—ã |ã,,ã,ãfãf³ãf†ãfšãf³ã, 'ãf—ãfãfã, mãfEãã,ãf¼ãf“ã, 'ã¥ç’,ã, 'ã “ã©ç”ãšããã,,ãŠã©çæš~

ã,ã, 'ã,³ã <ã, %œ> æŽ¥è¾ã...¥ã—ãÿãE Cisco Service Contractã, 'ã “ã©ç”ãã,,ãÿãããã |ã,,ãããã,,ã ^ããã¾ãÿããã, ìãf¼ãf%ããfãf¼ãf†ã POSã <ã, %ãã...¥æœœãšãããããã,ã ^ããã-ã€Cisco TACã «éè£çμãã—ã |ã, çãffãf—ã, °ãf-ãf¼ãf%ã, 'ã...¥æœœãã—ã |ãããããããã,ã€, <https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,,ã,ÿã, çãffãf—ã, °ãf-ãf¼ãf%ã ©ã¾è±;è£½ã”ããšãã,ã,ã “ã”ã, è”¼æ~Žã—ã |ã,,ã URLã, 'ã “ç”ãæ,,ããããããããã,ã€,

Cisco IOSãŠã, ^ã³ IOS XEã,½ãf•ãf^ã, |ã,šã, çã Šã, ^ã³ IOS XEãŠã©çæš~ãE Cisco IOSã,½ãf•ãf^ã, |ã,šã, çãŠã, ^ã³ IOS XEã,½ãf•ãf^ã, |ã,šã, çã ©è,,†ã¼±æ£šã «ã, ^ã,ã¾ã©³ã©ã-è½æ£šã, 'ãœãã™ã,ããÿã,

Cisco IOS Software Checkerãf,,ãf¼ãf«ã, 'æã¾ãã—ã |ã,,ã¾ã™ã€,ã “ã©ãf,,ãf¼ãf«ã, 'ã½çç”ã™ã,ã “ã€ãfãfãf¼ã, 'ã «è©²ã½”ã™ã,ã,ã, 'ã,³ã,,ã,ãfãfãfãf†ã, Eã, çãf%ããfã, mã, ¶ãfãã€ã Šã, ^ã³ãã,,ã, çãf%ããfã, mã, ¶ãfããšèª-æ~Žã•ã, Eã |ã,,ã, è, Fixedã€ì¼%ã, 'ç%ã¹ã©šãšãã¾ã™ã€,ã¾ãÿãÿè©²ã½”ã™ã,ã ^ãããããã ©ã First Fixedã€ì¼%ã, 'ç%ã¹ã©šãšãã¾ã™ã€,

ã “ã©ããf,,ãf¼ãf«ã, 'ã½çç”ã—ã |ãæ-ãã©ã,,ã, 'ã, ^ãÿã;Eãšããã¾ã™ã€,

- ãf%ããfãfãf—ãf€ã,ãf³ãfã, 'ãf^ã <ã, %ããfããfãf¼ã, 'i¼èèœœœªã-¼ã, 'é, æšŽã™ã,ããããããã^ããæžã¾ã¾è±ããã,ã, 'ãf†ãfããã,ã, %ããf•ã,ã, mãf«ã, 'ã, çãffãf—ãfãf¼ãf%ã—ã |ãããæœœççã, 'é-ãšãã™ã
- show version

ã,³ãfzãf³ãf%ã®ã°ãšã,ãf,,ãf¼ãf«ãsèš£æžã™ã,<

- ã,«ã,¹ã,¿ãfzã,ãã,°ã—ãÿæœç´ç¼^ééžãž»ã«ã...-é-ã•ã,CEãÿã™ã¹ã|ã®ã,ã,ã,ã,ãf¼ãf«ãf%ã«Cisco
- ã,»ã,ãf¼ãfãfã,£
- ã,çãf%ããfã,ãã,¶ã,¶ãfã,æœç´çã³è±ãã«ã...¥ã,CEãÿã,šã€ç%¹ã®šã®ã,çãf%ããfã,

ãfãfãf¼ã,¹ãCEã€ã...-é-ã•ã,CEã|ã,,ã,ã,ã,¹ã,³ã,»ã,ãf¼ãfãfã,£ã,çãf%ããfã,ãã,¶ã,¶ãfã  
[IOS Software Checker](#)ã,²ã¼ç”ã™ã,ãã€æ¬ã®ãfã,£ãf¼ãf«ãf%ã«Cisco  
 IOSã¼ãÿãIOS  
 XEã,½ãfãfã,|ã,šã,çãfãfãf¼ã,¹(ãÿã™ã¹ã°ã€15.1(4)M2ã,,3.13.8S)ã,²ã...¥ãšã—ã¼ã

	Check
--	-------

ãfãfã,©ãf«ãfãšãã€Cisco IOS  
 ã,½ãfãfã,|ã,šã,çã®ãfã,šãfã,ã«ãã€çµæžœãã€é«ã,»ã,ãf¼ãfãfã,£ã,ãã  
 (ã,µãf¼)  
 ã¼ãÿã™ã€±ã°ãšãè,,tä¼±æ€šã«ã®ã¿ãCEã«ã¼ã,CEã|ã,,ã¼ã™ã€,ã€CE  
 SIR è,,tä¼±æ€šã®çµæžœã,ã«ã,ã,ããã€Cisco.comã®Cisco IOS  
 ã,½ãfãfã,|ã,šã,çãfãfã,šãfã,«ãf¼ã,²ã¼ç”ã—ã|ã€[Impact Rating]ãf%ãf-  
 ãfãfã—ãf€ã,ããfã,¹ãfã®[ã,é-“¼^Medium¼%]  
 ãfã,šãfã,ãfœãfã,ã,¹ã,ã,ããfã«ã—ã¼ã™ã€,

Cisco IOS XE ã,½ãfãfã,ã,šã,çãfãfãf¼ã,¹ã Cisco IOS ã,½ãfãfã,|ã,šã,ç  
 ãfãfãf¼ã,¹ã®ãfzãfãfãfã,°ã«ãã,ã|ãã€Cisco IOS XE  
 ã,½ãfãfã,|ã,šã,çã®ãfãfãf¼ã,¹ã«ãœã~ã|ã€[Cisco IOS XE 2 Release](#)  
[Notes](#)ã€ã€ã€[Cisco IOS XE 3S Release Notes](#)ã€ã€ã¼ãÿã™ãã€[Cisco IOS XE 3SG](#)  
[Release Notes](#)ã€ã,ã,ç...šã—ã|ãããããã,ã€,

æ³¼šCisco IOS  
 XEã,½ãfãfã,ã,šã,çãfãfãf¼ã,¹16.9.1ã»¥é™ããšãã€ã,çãfãfã—ã,°ãfãf¼ãf%ãã«ãã,¹ã  
 IOS XE ã,ãfãfãf¼ã,¹16.9.1  
 ä»¥é™ãã«ã,çãfãfã—ã,°ãfãf¼ãf%ãã™ã,ã°ã®šãCEã,ã,ãããã,¹ãfzãf¼ãf^  
 ãfãã,ãã,»ãfã,¹è|ã»¶ã,æœçè”žã™ã,ãã”ã”ã,ãšããã,ãã—ã¼ã™ã€,è¼šãšæf...ã  
[ã,¹ãfzãf¼ãfãfãã,ãã,»ãfã,¹ã€,](#)

ã,æfã^©ç”ã°ã¼ãã”ã...-ã¼ç™°èj”

ãã®è,,tä¼±æ€šãã€2019ã¹5æœ^13æ—¥ã«Red Balloon Security  
 ç¼ã«ã,ãã£ã|ã...-é-ã•ã,CEã¼ã—ãÿã€,

Cisco Product Security Incident Response Team¼^PSIRT¼%ãã€Cisco IOS XE  
 ã,½ãfãfã,|ã,šã,çãšãã”ã®è,,tä¼±æ€šã,çããã™ã,ã,ã,ããfã—ãfã,ããf^



## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。