

è©²å¹½“è£¹½å“❖

è,,†å¹¼±æ€§ã❖®ã❖,ã,«è£¹½å”❖

ã❖“ã❖®è,,†å¹¼±æ€§ã❖®å¹½±éÿ¿ã,‘å❖—ã❖‘ã,ã❖®ã❖¬ã❖ã,ã,¹ã,³
ãf‡ãf❖ã,¤ã,¹ã❖§è,,†å¹¼±æ€§ã❖®ã❖,ã,« IOS XE ã,½ãf•ãf^ã,|ã,§ã,ç
ãfªãfªãf¼ã,¹ã,‘ç¨¼å•ã❖—ã❖|ã❖§ã,§ã€❖HTTP
ã,µãf¼ãf❖æ©ÿèf½ã❖Ææœ%å¹ã❖«ã❖ªã❖£ã❖|ã❖,,ã,«å¹ã^ã❖§ã❖™ã€,

HTTP

ã,µãf¼ãf❖æ©ÿèf½ã❖®ãf‡ãf•ã,©ãf«ãf^ã❖®ç§¶æ...ã❖¬ã❖ã❖ãf❖ãf¼ã,,ãf§ãf³ã❖«ã,^ã❖£ã❖|ç•ã

è,,†å¹¼±æ€§ã❖Æã~ãœ¨ã❖™ã,« Cisco IOS XE ã,½ãf•ãf^ã,|ã,§ã,ç
ãfªãfªãf¼ã,¹ã❖«ã❖¤ã❖,,ã❖|ã❖¬ã❖ã❖ã❖“ã❖®ã,çãf%åãf❖ã,¤ã,¶ãfªã❖®ã€Æã;@æfæ,^ã❖¿ã,½ãf•

HTTP ã,µãf¼ãf❖è¨å®§ã❖®çç°èª❖

ãf‡ãf❖ã,¤ã,¹ã❖SHTTPã,µãf¼ãf❖æ©ÿèf½ã❖Ææœ%å¹ã❖«ã❖ªã❖£ã❖|ã❖,,ã,ã❖ã❖©ã❖†ã❖
show running-config | include ip http server|secure-server ã,³ãfžãf³ãf%åã,¹ã½¿ç¨¼ã❖—ã❖|ã❖ã❖ip
http ã,µãf¼ãf❖ã❖³ãã❖ÿã❖¬ip http secure-server
ã,³ãfžãf³ãf%åã,¹ã½¿ç¨¼ã❖—ã❖³ãã❖™ã€ã,ã❖©ã❖jã,%åã❖ã❖®ã,³ãfžãf³ãf%åã❖Æã❖«ã❖³ãã,Æã€❖
ã,µãf¼ãf❖æ©ÿèf½ã❖Ææœ%å¹ã❖§ã❖™ã€,

ã»¥ã,ã❖¬ã†°å§ã>ã¼ã❖§ã❖™ã€, **show running-config | include ip http server|secure-server**
HTTPã,µãf¼ãf❖æ©ÿèf½ã❖Ææœ%å¹ã❖«ã❖ªã❖£ã❖|ã❖,,ã,ãf‡ãf❖ã,¤ã,¹ã❖«ã³ãã❖™ã,ã,³ãfžã

<#root>

Router#

show running-config | include ip http server|secure-server

ip http server
ip http secure-server

ãf‡ãf❖ã,¤ã,¹è¨å®§ã❖«ã❖©ã❖jã,%åã❖ã❖®ã,³ãfžãf³ãf%åã❖Æã❖«ã❖³ãã,Æã€❖|ã❖,,ã,«å¹ã^ã❖
ã,µãf¼ãf❖æ©ÿèf½ã❖Ææœ%å¹ã❖«ã❖ªã❖£ã❖|ã❖,,ã³ãã❖™ã€,

å%❖è¿ã❖®ã,³ãfžãf³ãf%åã❖®ã†°å§ã❖«æ¬jã❖®ã†...ã®¹ã,,ã❖«ã³ãã,Æã€❖|ã❖,,ã,ã,«å¹ã^

Cisco IOS XE 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI, 3.6.4 Web UI

Cisco IOS XE 3.6.4 Web UI, 3.6.4 Web UI

UI 3.6.4 Web UI, 3.6.4 Web UI

Linux 3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

HTTP

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

HTTP

3.6.4 Web UI, 3.6.4 Web UI

3.6.4 Web UI, 3.6.4 Web UI

```
!
ip http access-class 75
ip http secure-server
!
access-list 75 permit 192.168.0.0 0.0.0.255
access-list 75 deny any
!
```

æ³¹¼šæ-°ã—ã,,ãfãf¼ã,ãfšãf³ã®IOS

XEã,½ãfãf^ã,|ã,šã,çã®šã,çã,ã,»ã,¹ãfã,¹ãf^ã,'é©ç""ã™ã,ã«ã-ãã%ã®ã¼ããSip

http access-class ipv4 75ã,³ãfžãf³ãf%ã,¹ã¼ç""ã—ã¾ã™ã€,ã€ŽCisco IOS

ãfãfã,ã,¹ã®ã¼ããE-ã,-ã,ããf%ãããã«ã-ãããfãfã,ã,¹ã,¹ã¼ããE-ã—ã|ç|çãtã,çã,

ä;®æ£æ,^ã;ã,½ãfãf^ã,|ã,šã,ç

ã,ã,¹ã,³ã-ã"ã®ã,çãf%ããã,ã,ã,ãfãã«è""è¼%ããã,ãEãYè,,tã¼±æ£šãã«ã¾ãã|ã™ã,ç,,j
ãfãf¼ã,ãfšãf³ã"ãfã,£ãf¼ããfãf£

ã,»ãffãf^ã«ã¾ã—ã|ã®ãã;ã"ããªã,šã¾ã™ã€,ãããã®ã,^ãtãªã,½ãfãf^ã,|ã,šã,
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã¾ãYã€ãšã®çæš~ãEã,½ãfãf^ã,|ã,šã,çã,'ãfã,|ãf³ãfãf¼ãf%ããšããã,ãã®ã-ããã,ã,çãffãf—ã,°ãf-ãf¼ãf%ããšã™ã€,ç,,jã,Ýã®ã,»ã,ãfãfãfãfã,£ã,½ãfãf^ã,|ã,šã,ç

ã,çãffãf—ãfãf¼ãf^ã«ã,^ã£ã|ã€ããšã®çæš~ã«æ-°ã—ã,,ã,½ãfãf^ã,|ã,šã,ç

ãfãã,ã,»ãf³ã,¹ã€è¼½ãšã,½ãfãf^ã,|ã,šã,çãfã,£ãf¼ããfãf£

ã,»ãffãf^ãã¾ãYã-ãfã,ãf£ãf¼ãf³ãf^ã,ãfšãf³

ã,çãffãf—ã,°ãf-ãf¼ãf%ãã«ã¾ã™ã,æ"©é™ããEã»ã,žããã,ãEã,ãã"ã"ã-ãã,ã,šã¾ãã

[ã,½ãfãf^ã.ã.šã.çã®ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,ææœè"Žã™ã,çšãã«ã-ãã\[ã,ã,¹ã,³ã®ã,ã,ãfã](#)

Security Advisories and Alerts¼%ã

ãfšãf¼ã,ãšã...¥æ%ããšããã,ã,ã,¹ã,³è£½ã"ãã®ã,çãf%ããã,ã,ã,ãfãã,'ãšæœèYçš,ã«ã,ç
ã,½ãfãfãfãf¼ã,ãfšãf³ã,ççèªãã—ã|ãããããããã,ã€,

ã,,ãšã,ãEã®ã'ã^ã,,ã€ãã,çãffãf—ã,°ãf-ãf¼ãf%ãã™ã,ãfãfãã,ã,¹ã«ããããtãªãfãfããã
Technical Assistance

Center¼^TAC¼%ã,,ã—ãããã-ã¥ç',ã—ã|ã,,ã,ãfãfãfãfãfãfãf³ã,¹ãf—ãfãfãã,ããfãf¼ãã

ã,ãf¼ãf^ã,¹ãYç',ã,'ã"ã^©ç""ãšãªã,,ãšã®çæš~

ã,ã,¹ã,³ãã,ã%ãç'æŽYè³¼ã...¥ã—ãYãE Cisco Service Contract

ã,'ã"ã^©ç""ã,,ãYããã,,ã|ã,,ãªã,,ã'ã^ãã¾ãYã€ã,μãf¼ãf%ããfãf¼ãfãfã,£ãf™
POSãã,ã%ãã...¥æ%ããšããããªã,,ã'ã^ã-ãã€Cisco TAC

ã«é€£çμã—ã|ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,ã...¥æ%ãã—ã|ããããããã,ã€,

<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,,jã,Ýã,çãffãf—ã,°ãf-ãf¼ãf%ãã®ã¾ãè±jè£½ã"ããšãã,ã,ãããã"ã"ã,è"¼æ~žã—ã|ã,,ãYã
URLã,'ã"ç""æ,,ãããããããã,ã€,

Cisco IOSãšã,^ã³IOS XEã,½ãfãf^ã,|ã,šã,ç

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。