


Cisco ASR 9000 VMAN CLI CVE-2019-12709

Cisco IOS XR 6.7.0 VMAN CLI CVE-2019-12709



Cisco-SA-20190925-xr-asr9k-privesc

CVE-2019-12709

2019-09-25 16:00

Final

CVSS Score: 6.7

No workarounds available

Cisco ID: CSCvo19278

Summary of the vulnerability details in red text.

Impact

Cisco ASR 9000 VMAN CLI CVE-2019-12709 is a Denial of Service (DoS) vulnerability in the VMAN CLI of Cisco ASR 9000 routers running IOS XR 6.7.0. The vulnerability is triggered by sending a specially crafted command to the VMAN CLI, which causes the router to crash and restart.

The vulnerability is triggered by sending a specially crafted command to the VMAN CLI. The command is: `show ip interface brief | include`. This command causes the router to crash and restart. The severity of the vulnerability is Medium (CVSS 6.7).

The vulnerability is triggered by sending a specially crafted command to the VMAN CLI. The command is: `show ip interface brief | include`. This command causes the router to crash and restart. The severity of the vulnerability is Medium (CVSS 6.7).

For more information, visit: <https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190925-xr-asr9k-privesc>

References

è,,†â¼±æ€šã®ã,ã,è£½â”

âºç%ç%©ã®æ™,ã«ã€ã”ã®è,,†â¼±æ€šã Cisco ASR 9000 ã,ãªã¼ã,º
ã,çã,ºãªã,²ã¼ã,ãfšã³ ã,¼ã¼ãf”ã,¹ã«ã¼ã,¿ã«½±éÿã,ã,žã^ã¾ã—ãÿ Cisco
IOS XR ã,½ãfãf^ã,|ã,šã,çãªãªã¼ã,¹ 5.1.0

ãšã,^ã³ãã,æä»¥é™ã,ã®ÿè;æã—ã|ã,,ãÿã€,

æœ€ã,,ã®æã...ãªã€ç¾ãœ”ã®æf...ã±ã«ãªã,,ã|ã”ã”ã®ã,çãf%ãfã,ªã,¶ãfã
ã®è©³ç’ã,»ã,ã,ãfšã³ã,ã,ç...šã—ã|ã,ããã,,ã€,

è,,†â¼±æ€šã,ã«ã,“ãšã,,ãªã,,ã”ã”ãççºèªãã,æãÿè£½â”

ã”ã®ã,çãf%ãfã,ªã,¶ãfã®è..†â¼±æ€šãæã”ã™ã,è£½â”ã®ã,»ã,ã,ãfšã³ã«ãf

Cisco ã”ã”ã®è,,†â¼±æ€šãæ Cisco IOSã,½ãfãf^ã,|ã,šã,çã€ Cisco IOS XE

ã,½ãfãf^ã,|ã,šã,çã€ã¾ãÿã Cisco NX-OS

ã,½ãfãf^ã,|ã,šã,çã«½±éÿã,ã,žã^ãªã,,ã”ã”ã,ãªã^ã—ã¾ã—ãÿã€,

ãžéç-

ã”ã®è,,†â¼±æ€šã«ã¾ã†|ã™ã,ãžéçã”ã,ã,šã¾ãã,ã€,

ã¿ææ,ã¿ã,½ãfãf^ã,|ã,šã,ç

ã,½ãfãf^ã,|ã,šã,çã®ã,çãfãf—ã,ºãfã¼ãf%ã,æœœè”žã™ã,èšã«ã”ã€ Cisco Security
Advisories and Alerts

ã¼ã,ãšã...ãªã€ç¾ãœ”ã,ã,ã,ã,¹ã,³è£½â”ã®ã,çãf%ãfã,ªã,¶ãfã,ã®šæœÿçš,ã«ã,ç,
ã,½ãfãf^ã,¼ã,ãfšã³ã,ççºèªã—ã|ãããããã,ã€,

ã,,ãšã,æã®ã’ã^ã,,ã€ã,çãfãf—ã,ºãfã¼ãf%ã™ã,ãfãfã,ªã,¹ã«ããã^ãªãfãfã
ã,æ~žãªç,¹ã«ãªã,,ã|ã”ã”ã€ Cisco Technical Assistance
Centeri¼TACi¼%ã,,ã—ããã”ãç’,,ã—ã|ã,,ã,ãfãf³ãfãfšã³ã,¹
ãf—ãfãfã,ãfã¼ã«ãšãã,ã^ã,ãããããããã,ã€,

ã¿ææ,ã¿ãfãf^ã,¹

âºç%ç%©ã®æ™,ã«ã€ Cisco IOS XR ã,½ãfãf^ã,|ã,šã,çãªãªã¼ã,¹ 6.5.3 ãšã,^ã³
6.6.2

ã”ã”ã®è,,†â¼±æ€šã®ãÿã,ã®ã¿æææã«ã¾ã,æã|ã,,ã¾ã—ãÿã€,

æœ€ã,,ã®æã...ãªã€ç¾ãœ”ã®æf...ã±ã«ãªã,,ã|ã”ã”ã®ã,çãf%ãfã,ªã,¶ãfã
ã®è©³ç’ã,»ã,ã,ãfšã³ã,ã,ç...šã—ã|ã,ããã,,ã€,

ä, æ£â^©ç" ä°<ä¾<ã " ä...-ä¼ç™°èj "

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ã Sã -ã€ æœ-ã, çãf%ãfã, ðã, ¶ãfãã «è ~è¼%ã •ã, Çã |ã,,ã, <è,, tã¼±æ€

å†°å... ,

ã"ã®è,, tã¼±æ€Sã -ãt...éf" ä¿å... "ãftã, 1ãfãã®é-"ã« Ciscoã®ã, "ã, |ã,,ã, Sãfã,ª
Iavaroneã«ã, ^ã£ã |ç™°è |ã•ã, Çã¾ã—ãÿã€,

URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190925-xr-asr9k-privesc>

æ”¹è, å±Yæ´

â€”

ãfãf¼ã,ãfSãf³	èª-æ~Z	ã,»ã,-ã,-ãfSãf³	ã,1ãf†ãf¼ã,¿ã,¹	Date
1.0	å^å>žã...-é-ãfãfãf¼ã,¹		æœ€çç%oo^	2019-September-25

å^©ç”è|ç´,,

æœ-ã, çãf%ãfã, ðã, ¶ãfãã ç,,jã¿ è"¼ã®ã,,ã®ã "ã—ã |ã"æãã¾ã—ã |ã Sã,Sã€
æœœ-ã, çãf%ãfã, ðã, ¶ãfãã®æf...å ±ã Sã, ^ã³ãfããfã, -ã®ã¼¿ç" "ã«é-çã™ã, <è²-ã»ã®ã,€
ã¾ãÿã€ã,ã,¹ã,³ã -æœœ-ãf%ã,ãfãfãfãfãã®ãt...ã®¹ã,'ã°ã'Sãªã—ã«ã%ãæ'ã—ã€
æœœ-ã, çãf%ãfã, ðã, ¶ãfãã®è ~è¿°ãt...ã®¹ã«é-çã—ã |æf...å ±é...ã¿ã® URL
ã,çœçç•¥ã—ã€ãã~ç<-ã®è»çè¼%ã,,æ,, è³ã,'æ-½ã—ãÿã´ã^ã€ã½"ç¾ã¾ãÇç®çç
ã"ã®ãf%ã,ãfãfãfãfãã®æf...å ±ã -ã€ã,ã,¹ã,³è£½ã"ã®ã, "ãfãf%ãf¼ã,¶ã,'ã¾è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。