

# Cisco Data Center Network Manager SQL SQL Injection



**CVSS** **3.1** : **Final**  
Cisco **SA** ID : [cisco-sa-20200102-dcnm-sql-inject](#)

[CVE-2019-15984](#)

**Published** : 2020-01-02 16:00

[CVE-2019-15985](#)

**Updated** : 2020-01-15 15:57

**Version** : 1.1 : Final

**CVSS** **3.1** : [7.2](#)

**Workarounds** : No workarounds available

**Cisco** **SA** ID : [CSCVq98730](#) [CSCvr32014](#)

[CSCvr01692](#) [CSCvr79116](#) [CSCvr79127](#)

[CSCvr14598](#) [CSCvq98748](#) [CSCvq98736](#)

[CSCvr17974](#) [CSCvq98723](#) [CSCvr34624](#)

[CSCvr23733](#) [CSCvr23865](#) [CSCvr23864](#)

[CSCvr46544](#) [CSCvr01701](#) [CSCvr46547](#)

[CSCvr23573](#) [CSCvr23770](#) [CSCvr23728](#)

[CSCvr01694](#) [CSCvs16306](#) [CSCvr07317](#)

SQL Injection

SQL

Cisco Data Center Network Manager REST API SOAP API

SQL

DCNM

[Data Center Network Manager Authentication Bypass Vulnerabilities](#)

[Data Center Network Manager Authentication Bypass Vulnerabilities](#)

[Data Center Network Manager Authentication Bypass Vulnerabilities](#)

[Data Center Network Manager Authentication Bypass Vulnerabilities](#)

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20200102-dcnm-sql-inject>

è©²å½“è£½å“

è,†å¼±æ€šã®ã,ã,è£½å“

ã“ã,æã,%ã®è,,†å¼±æ€šã¬ã€Microsoft  
Windowsã€Linuxã€ãšã,^ã³ã»®æ³ã,çãf—ãf©ã,ãã,çãf³ã,  
ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ç””ã®ãfªãfªãf¼ã,<sup>1</sup> 11.3(1)ã,^ã,šã,,ãªã„ Cisco DCNM  
ã,½ãf•ãf^ã,|ã,šã,çãfªãfªãf¼ã,<sup>1</sup>ã«å½±éÿã—ã¾ã™ã€,

è,†å¼±æ€šã,ªã«ã,“ãšã„ãªã„ã“ã”ãçç°èªã•ã,æãÿè½å“

ã“ã®ã,çãf%ããã,ãã,¶ãfã®è,,†å¼±æ€šã®ã,ã,è£½å“ã,»ã,¬ã,ãfšãf³ã«è~è¼%ã•ã

è©³ç´°

Cisco DCNMã® RESTãšã,^ã³ SOAP APIã,“ã³ãf%ããã,ãã³ãf^ã«ã,ã,²  
ãªã®è,,†å¼±æ€šãæãšÿããšã€èªè¼æ,^ãçã®ãfªãfçãf¼ãf^æ”æ’fè€...ãæãå½±æ  
SQLã,³ãfžãf³ãf%ãã,ã®ÿè;æãšããã,ã,ã¬è½æ€šãæã,ã,šã¾ã™ã€,

ã“ã,æã,%ã®è,,†å¼±æ€šã¬ãªã„ã«¾ã~ã—ãªã„ãÿã,ããã,æ-¹ã®è,,†å¼±æ€šã

ã“ã,æã,%ã®è,,†å¼±æ€šã®è©³ç´°ã«ãªã„ã|ã¬ãæ¬ã®ã”ãšã,šãšã™ã€,

è,,†å¼±æ€šã®è©³ç´°

Cisco Data Center Network Managerã® REST API SQL

ã,ãã³ã,ã,šã,¬ã,ãfšãf³ã®è,,†å¼±æ€šã

Cisco DCNMã® REST API

ã«ã,ã,è,,†å¼±æ€šãæãšÿããšã€ç®;çç°è€...æ”©é™ã,ææãªãªèªè¼æ,^ãçã®ãf  
SQLã,³ãfžãf³ãf%ãã,ã®ÿè;æãšããã,ã,ã¬è½æ€šãæã,ã,šã¾ã™ã€,

ã“ã®è,,†å¼±æ€šã¬ã€API

ã«ã¾ã™ã,ããf|ãf¼ã,¶ã...¶ãšã®æªœè¼ãæã,ããããã^ãfãšã,ã,ã“ã”ã«èµãã—  
API

ã«è€ãçã™ã,ã“ã”ã«ã,^ã,šããã“ã®è,,†å¼±æ€šã,ã,ææã^ç””ã™ã,ã¬è½æ€šã

CVE ID: CVE-2019-15984

Cisco Data Center Network Managerã® SOAP API SQL

ã,ãã³ã,ã,šã,¬ã,ãfšãf³ã®è,,†å¼±æ€šã

# Cisco DCNM End-user License Agreement

The End-user License Agreement (EULA) for Cisco DCNM is a legal document that governs the use of Cisco DCNM software. It outlines the terms and conditions of the license, including the scope of the software, the rights of the user, and the obligations of the user. The EULA also covers the user's responsibility for the software, the user's liability, and the user's intellectual property rights.

## End-user License Agreement

By using Cisco DCNM, you agree to the terms and conditions of this End-user License Agreement. The license is granted to you for your personal use and is non-transferable. You must comply with the following terms and conditions:

The license is granted to you for your personal use and is non-transferable. You must comply with the following terms and conditions:

## CVE ID: CVE-2019-15985

### Summary

CVE-2019-15985 is a Denial of Service (DoS) vulnerability in Cisco DCNM. It is caused by a buffer overflow in the processing of the /api/v1/operations/backup endpoint. An attacker can exploit this vulnerability by sending a specially crafted request that causes the server to crash or become unresponsive.

### CVSS: 7.5 (High)

The CVSS score for CVE-2019-15985 is 7.5, which is considered high. The attack complexity is low, and the impact is high. The attack is available to authenticated users and can be performed against a system that is affected by this vulnerability.

The attack is available to authenticated users and can be performed against a system that is affected by this vulnerability.

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

Cisco DCNM is a network management tool that provides a central point of control for managing Cisco devices. It is used to configure, monitor, and troubleshoot network devices. The End-user License Agreement for Cisco DCNM is a legal document that governs the use of the software. It outlines the terms and conditions of the license, including the scope of the software, the rights of the user, and the obligations of the user. The EULA also covers the user's responsibility for the software, the user's liability, and the user's intellectual property rights.

The End-user License Agreement (EULA) for Cisco DCNM is a legal document that governs the use of Cisco DCNM software. It outlines the terms and conditions of the license, including the scope of the software, the rights of the user, and the obligations of the user. The EULA also covers the user's responsibility for the software, the user's liability, and the user's intellectual property rights.

## Security Advisories and Alerts

Security Advisories and Alerts provide information about vulnerabilities in Cisco products. They are published on a regular basis and are used to notify users of new vulnerabilities. The Cisco Security Advisories and Alerts are published on the Cisco Security Advisories and Alerts website.

Security Advisories and Alerts provide information about vulnerabilities in Cisco products. They are published on a regular basis and are used to notify users of new vulnerabilities.

## Technical Assistance

Technical Assistance is provided to users who are having trouble with Cisco products. It is available to users who have a valid Cisco service contract. The Cisco Technical Assistance Center (TAC) is the primary point of contact for users who need technical assistance.

## End-user License Agreement

The End-user License Agreement (EULA) for Cisco DCNM is a legal document that governs the use of Cisco DCNM software. It outlines the terms and conditions of the license, including the scope of the software, the rights of the user, and the obligations of the user. The EULA also covers the user's responsibility for the software, the user's liability, and the user's intellectual property rights.

ã, 'ã"ã^©ç"ã,ã,ãÿãã,ã,ã|ã,,ãªã,,ã'ã^ã€ã¼ãÿã€ã,µãf¼ãf%ããf¼ãftã,£ãf™  
POSã<ã,%ãã...¥ã%ã<ãSãããªã,,ã'ã^ãã€CiscoTAC  
ã«é€£çµjã—ã|ã,çãffãf—ã,°ãf-ãf¼ãf%ãã,ã...¥ã%ã<ã—ã|ããããããã,ã€,  
<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,,jã,,ÿã,çãffãf—ã,°ãf-ãf¼ãf%ããã³ãè±jè£½ã"ãSãã,ã,ã"ã"ã,è¼æ~Žã—ã|ã,,ãÿãã  
URLã,ã"ç"æ,,ããããããã,ã€,

### ã:®æ£æ,^ã¿ãfªãfªãf¼ã,¹

ã"ã,CEã,%ãã®è,,tã¼±æ€Sãã€CiscoDCNMã,½ãfªãfªã,|ã,Sã,çãfªãfªãf¼ã,¹11.3(1)  
ã»¥é™ããSããã¿ã:®æ£ãã,CEã|ã,,ã¼ãã™ã€,

Cisco.comã®[Software Center](#)  
[ã<ã,%ãã,½ãfªãfªã,|ã,Sã,çã,ãf€ã,|ãf³ãfãf¼ãf%ãã™ã,ãã«ãã€ã-jã®æ%ãé tã,ã®ÿèjCEã—](#)

1. [ã™ã¹ã|ã,ã,ç...Sì¼^BrowseAlli¼%ãã,ã,ãªããfã,ã—ã¼ã™ã€,
2. [ã,ãf©ã,|ãf%ããSãã,ãªã³ã,ã,ããfãããã®ç®jç®tì¼^Cloud and Systems Managementi¼%ã] > [ãfãf¼ã,¿ã,»ãfãã,¿ãf¼ã,ªãf³ãããf©ã,ãfªãf©ã,ããfãã®ç®jç®tì¼^Data Center Infrastructure Managementi¼%ã] > [Data Center Network Manager]ã®é tã«é,æŠžã—ã¼ã™ã€,
3. Data Center Network Managerã®ãfšãf¼ã,ã®ã|ã'ãããã,ã,ãfšãã,ªãf³ãã<ã,%ããfªãfªãf¼ã,ã,é,æŠžã—ã¼ã™ã€,

### ã,æ£ã^©ç"ã<ã¼ãã"ã...-ã¼ç™ºèj"

Cisco Product Security Incident Response Teami¼^PSIRTi¼%ãã€ãããã®ã,çãf%ãããã,ªã,¶ãfªããSèª-æ~Žãã,CEã|ã,,ã,è,,tã¼±æ€Sããã,ã³ãf¼ãf%ããCEã...¥ã%ãããèf½ããSãã,ã,ã"ã"ã,èªãã—ã|ã,,ã¼ãã™ã€,ã"ã®ã,çãf%ãããã,ªã,¶ãfªããSèª-æ~Žãã,CEã|ã,,ã,è,,tã¼±æ€Sãã®æ,ªç"ã«é-çã™ã,ããCiscoPSIRTã«ã,,ããã,%ãã,CEã|ã,,ã¼ãã>ã,"ã€,

### ãªºã...

ã,ã,ã,ããã€ãè,,tã¼±æ€Sãã®ã±ãŠãã«é-çã—SourceInciteç³ãã®Steven Seeleyi¼^mr\_mei¼%ãããTrendMicroç³ãã®ZeroDayInitiativeã€iDefenseç³ããAccentureç³ãã®ã"ãŠãã«æ,,ÿè-ãã,,ãÿãã—ã¼ãã™ã€,

### URL

## æ''¹è'',å±¥æ'

ãfãf¼ã,ãfšãf³	èª-æ~Ž	
1.1	ã,¨ã,¬ã,¹ãf—ãfã,ªãf^ ã,³ãf¼ãf%ã®ã...¥æ%ã<çš¶æ³ãã«é-çã™ã,<æf...ã ±ã,'æ'æ-°ã€	ä,æfã^©ç
1.0	å^å>žå...¬é-<ãfªãfªãf¼ã,¹	-

## å^©ç''è!ç',,

æœ¬ã,çãf%ãfã,ªã,¶ãfªãç,,jãçè"¼ã®ã,,ã®ã"ã—ã|ã"æãã¼ã—ã|ãšã,šã€  
æœ¬ã,çãf%ãfã,ªã,¶ãfªã®æf...ã ±ãšã,^ã³ãfªãfªã,¬ã®ã½çç"ã«é-çã™ã,<è²¬ã»ã®ã,€  
ã¼ããÿã€ã,ã,¹ã,³ã¬æœ¬ãf%ãã,ãfãf;ãf³ãf^ã®ãt...ã®¹ã,'ã°ãšãªãã—ã«ã%ãæ'ã—ã  
æœ¬ã,çãf%ãfã,ªã,¶ãfªã®è"~èç°ãt...ã®¹ã«é-çã—ã|æf...ã ±é...ãçjã® URL  
ã,'çœçç¥ã—ã€ããç<¬ã®è»çè¼%ã,,æ,,è"³ã,'æ-½ã—ãÿã'ã^ã€ã½"ç¼ãã€çççç  
ã"ã®ãf%ãã,ãfãf;ãf³ãf^ã®æf...ã ±ã¬ã€ã,ã,¹ã,³è£½ã"ã®ã,"ãf³ãf%ããf!ãf¼ã,¶ã,ã³¼è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。