

Cisco ASA 8.4(1)Y11 - Cisco ASA 8.4(1)Y12 - Cisco ASA 8.4(1)Y13 - Cisco ASA 8.4(1)Y14 - Cisco ASA 8.4(1)Y15 - Cisco ASA 8.4(1)Y16 - Cisco ASA 8.4(1)Y17 - Cisco ASA 8.4(1)Y18 - Cisco ASA 8.4(1)Y19 - Cisco ASA 8.4(1)Y20 - Cisco ASA 8.4(1)Y21 - Cisco ASA 8.4(1)Y22 - Cisco ASA 8.4(1)Y23 - Cisco ASA 8.4(1)Y24 - Cisco ASA 8.4(1)Y25 - Cisco ASA 8.4(1)Y26 - Cisco ASA 8.4(1)Y27 - Cisco ASA 8.4(1)Y28 - Cisco ASA 8.4(1)Y29 - Cisco ASA 8.4(1)Y30 - Cisco ASA 8.4(1)Y31 - Cisco ASA 8.4(1)Y32 - Cisco ASA 8.4(1)Y33 - Cisco ASA 8.4(1)Y34 - Cisco ASA 8.4(1)Y35 - Cisco ASA 8.4(1)Y36 - Cisco ASA 8.4(1)Y37 - Cisco ASA 8.4(1)Y38 - Cisco ASA 8.4(1)Y39 - Cisco ASA 8.4(1)Y40 - Cisco ASA 8.4(1)Y41 - Cisco ASA 8.4(1)Y42 - Cisco ASA 8.4(1)Y43 - Cisco ASA 8.4(1)Y44 - Cisco ASA 8.4(1)Y45 - Cisco ASA 8.4(1)Y46 - Cisco ASA 8.4(1)Y47 - Cisco ASA 8.4(1)Y48 - Cisco ASA 8.4(1)Y49 - Cisco ASA 8.4(1)Y50 - Cisco ASA 8.4(1)Y51 - Cisco ASA 8.4(1)Y52 - Cisco ASA 8.4(1)Y53 - Cisco ASA 8.4(1)Y54 - Cisco ASA 8.4(1)Y55 - Cisco ASA 8.4(1)Y56 - Cisco ASA 8.4(1)Y57 - Cisco ASA 8.4(1)Y58 - Cisco ASA 8.4(1)Y59 - Cisco ASA 8.4(1)Y60 - Cisco ASA 8.4(1)Y61 - Cisco ASA 8.4(1)Y62 - Cisco ASA 8.4(1)Y63 - Cisco ASA 8.4(1)Y64 - Cisco ASA 8.4(1)Y65 - Cisco ASA 8.4(1)Y66 - Cisco ASA 8.4(1)Y67 - Cisco ASA 8.4(1)Y68 - Cisco ASA 8.4(1)Y69 - Cisco ASA 8.4(1)Y70 - Cisco ASA 8.4(1)Y71 - Cisco ASA 8.4(1)Y72 - Cisco ASA 8.4(1)Y73 - Cisco ASA 8.4(1)Y74 - Cisco ASA 8.4(1)Y75 - Cisco ASA 8.4(1)Y76 - Cisco ASA 8.4(1)Y77 - Cisco ASA 8.4(1)Y78 - Cisco ASA 8.4(1)Y79 - Cisco ASA 8.4(1)Y80 - Cisco ASA 8.4(1)Y81 - Cisco ASA 8.4(1)Y82 - Cisco ASA 8.4(1)Y83 - Cisco ASA 8.4(1)Y84 - Cisco ASA 8.4(1)Y85 - Cisco ASA 8.4(1)Y86 - Cisco ASA 8.4(1)Y87 - Cisco ASA 8.4(1)Y88 - Cisco ASA 8.4(1)Y89 - Cisco ASA 8.4(1)Y90 - Cisco ASA 8.4(1)Y91 - Cisco ASA 8.4(1)Y92 - Cisco ASA 8.4(1)Y93 - Cisco ASA 8.4(1)Y94 - Cisco ASA 8.4(1)Y95 - Cisco ASA 8.4(1)Y96 - Cisco ASA 8.4(1)Y97 - Cisco ASA 8.4(1)Y98 - Cisco ASA 8.4(1)Y99

 High	<p>ã,çäf%oãf♦ã,¤ã,¶ãfãäf¼ID : cisco-sa- 20200219-esasma-dos å^♦å...-é-æ-¥ : 2020-02-19 16:00 ãf♦ãf¼ã,ãf§ãf³ 1.0 : Final CVSSã,¹ã,³ã,¢ : 7.5 å›é♦¿ç- : No workarounds available Cisco ãf♦ã,º ID : CSCvo89192 CSCvo89182</p>	<p>CVE-2019- 1983</p>
---	--	---

æ—¥æœ¬è³žã♦«ã,^ã,æf...å±ã♦¬ã€♦è<±è³žã♦«ã,^ã,[åŽÝæ-‡ã♦®é♦žå...¬å¼♦ã](#)æ

æ!,è!♦

Cisco E ãf;ãf¼ãf« ã,»ã,ãf¥ãfªãf†ã,£

ã,çäf—ãf©ã,¤ã,çäf³ã,¹i¼ESAi¼‰oã♦Šã,^ã♦³ã,·ã,¹ã,³ã♦®ã,³ãf³äftãf³ãf,,ã,»ã,ãf¥ãfªãf†ã,Fç®;ç♦†ã,çäf

Cisco AsyncOS ã♦«æ♦è¼‰oã♦•ã,Œã♦!|ã♦,,ã,é»»å♦ãf;ãf¼ãf« ãf;ãffã,»ãf¼ã,,ãf•ã,£ãf<ã,çäf³ã,ºæ©Ýèf½ã♦§è,,†å¼±æ€§ã♦ŒçC°è³ã♦•ã,Œã♦³/4ã♦—ã♦Ýã€,è³¹/4ã♦•ã,Œã

ã♦“ã♦®è,,†å¼±æ€§ã♦¬ã€♦é»»å♦ãf;ãf¼ãf«ã♦®æ»»ãf•ã,¡ã,¤ãf«ã♦®æ¤œè³¹/4ã♦Œä,¤å♦å♦å^ã,“ã,¬ã,¹ã,f—ãfã,¤ãf^ã♦«æ³♦åŠÝã♦™ã,<ã³“ã€♦æ”»æ'fè€...ã♦¬ç‰¹ã®šã♦®ãf—ãfã,»ã,¹ã,’ç¹ºã,§è,œ©²å½“ãf—ãfã,»ã,¹ã♦®å†♦èµ·å•å¾Œä€♦ã♦“ã♦®ã,½ãf•ãf³ã,¡ã,§ã,çã♦¬å♦Œã♦~æ»»ãf•ã,¡ã,¤ãçŠ¶æ...[Œç¹ºã,§è;](#)“ã♦—å¼•ã♦•èµ·ã♦“ã♦•ã,Œã,æ♦•ã,Œã,,ã♦,ã,§ã♦³/4ã♦™ã€,ã♦“ã♦®çŠ¶æ

ã,·ã,¹ã,³ã♦¬ã♦“ã♦®è,,†å¼±æ€§ã♦«å³/4ã³!|ã♦™ã,<ã,½ãf•ãf³ã,¡ã,§ã,çã,çäffãf—ãf;ãf¼ãf³ã,’ãf¤ãf¤ãf¹

ã♦“ã♦®ã,çäf%oãf♦ã,¤ã,¶ãfã¬ã♦¬ã€♦æ¬jã♦®ãf¤ãf³ã,¬ã,^ã,§çC°è³ã♦ã♦§ã♦ã♦³/4ã♦™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20200219-esasma-dos>

è©²å¹/2“è£¹/2å“♦

è,,†å¼±æ€§ã♦®ã♦,ã,æf¹/2å“♦

ã♦“ã♦®è,,†å¼±æ€§ã♦®å½±éÝ;ã,’å♦—ã♦’ã,æf♦æ¬ã♦¬ã€♦Cisco ESA ã♦Šã,^ã♦³ Cisco SMA

ã♦®ä»®æf³ã,çäf—ãf©ã,¤ã,çäf³ã,¹ã³“ãf♦ãf¼ãf‰oã,¡ã,§ã,çã,çäf—ãf©ã,¤ã,çäf³ã,¹ã♦§è,,†å¼±æ€

Cisco AsyncOS

ã,½ãf•ãf^ã,|ã,§ã,çãf^ãf^ãf%ã,¹ã,'å®Ýè;Œã—ã♦|ã♦,,ã,`å♦^ã♦§ã♦™ã€,Cisco AsyncOS

ã,½ãf•ãf^ã,|ã,§ã,çã♦—ã€♦Cisco AMP

ã♦¾ã♦Ýã♦—ãfjäffä,»ãf%ã,ãf^ãf©äffä,ãf³ã,°ç”“ã♦«è”“å®šã♦•ã,Œã♦|ã♦,,ã♦¾ã♦™ã€,

è,,†å¼±æ€§ã,Œå~åœ”ã♦™ã,<ãf^ãf^ãf%ã,¹ã♦«ã♦§ã♦,,ã♦—ã♦—ã€♦ã♦”ã♦®ã,çãf%oãf♦ã,¤ã,¶ã,¶ã,çãfæ,„ã♦;ã,½ãf•ãf^ã,|ã,§ã,çã€♦ã♦®ã,»ã,—ã,·ãf§ãf³ã,`å♦,ç..§ã♦—ã♦|ã♦♦ã♦ã♦•ã♦,ã€,

è,,†å¼±æ€§ã,’å♦«ã,“ã♦§ã♦,,ã♦^ã♦,,ã♦—ã♦”ã♦“ã♦Œçç°è^ã♦•ã,Œã♦Ýè£½å”♦

ã♦“ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã♦®è,,†å¼±æ€§ã♦•ã,«è£½å”♦ã,»ã,—ã,·ãf§ãf³ã♦«è”“è¼‰ã♦•ã

ã,·ã,¹ã,³ã♦§ã♦—ã€♦ã♦“ã♦®è,,†å¼±æ€§ã♦Œ Cisco Web

ã,»ã,ãf¥äf^äftä,£ä,çäf—äf©ä,¤ã,çäf³ä,¹i¼^WSAi¼‰ã♦«å½±éÝ¿ã,’å♦§ã♦½ã♦•ã♦^ã♦,ã♦“ã♦”ã♦

å>žé♦¿ç-

ã♦“ã♦®è,,†å¼±æ€§ã♦«å—¾å‡|ã♦™ã,<å>žé♦¿ç-ã♦—ã♦,ã,§ã♦¾ã♦>ã,“ã€,

ä;®æ£æ,^ã♦¿ã,½ãf•ãf^ã,|ã,§ã,ç

ã,·ã,¹ã,³ã♦—ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã♦«è”“è¼‰ã♦•ã,Œã♦Ýè,,†å¼±æ€§ã♦«å—¾å‡|ã♦™ã,<ç..|ãf♦äf%ã,ãf§ãf³ã♦—äf•ã,£äf%äf♦äf£

ã,»äffäf^ä♦«å—¾ã♦—ã♦|ã♦®ã♦¿ã♦—ã♦^ã♦,§ã♦¾ã♦™ã€,ã♦¿ã♦®ã,^ã♦†ã♦^ã,½ãf•ãf^ã,|ã,§ã,

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã♦¾ã♦Ýã€♦ã♦Šå®çæ§~ã♦Œä,½ãf•ãf^ã,|ã,§ã,çä,`äf€ä,|ãf³äf^äf%oã♦§ã♦,ã,ç♦®ã♦—ã€♦ã,ã,çäffäf—ã,°äf¬äf%äf%oã♦§ã♦™ã€,ç..,jå,Ýã♦®ã,»ã,ãf¥äf^äftä,£ä,½ãf•ãf^ã,|ã,§ã,çäffäf—äf^äf%äf^äf^ä♦«ã,^ã♦£ä,|ã€♦ã♦Šå®çæ§~ã♦«æ—ã♦—ã♦,ã,½ãf•ãf^ã,|ã,§ã,çäf©ä,¤ã,»äf³ä,¹ã€♦è;½åŠ,ã,½ãf•ãf^ã,|ã,§ã,çäffäf—äf^äf%äf^äf^äf£

ã,»äffäf^ä€♦ã♦¾ã♦Ýã♦—ãfjä,äffäf%äf^äf^äf^ä,ãf§ãf³

ã,çäffäf—ã,°äf¬äf%äf%oã♦«å—¾ã♦™ã,«æ”“çé™♦ã♦Œä»~ä,žä♦•ã,Œä,«ã♦“ã♦—ã♦,ã,§ã♦¾ã♦

ã,½ãf•ãf^ã,|ã,§ã,çä♦®ã,çäffäf—ã,°äf¬äf%äf%oã,’æ¤œè”“žä♦™ã,«ã♦—ã€♦[ã,·ã,¹ã,³ã♦®ã,»ã,ãf^äf

Security Advisories and Alerts i¼‰]

ãf§ãf%ã,ã♦§ã...¥æ‰oã♦§ã♦,ã,·ã,¹ã,³è£½å”♦ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf^ã,`å®šæœÝçš,ã♦“å♦,ç,ã,½ãf^äf%äf^ä,·ãf§ãf³ä,’çç°è^ã♦—ã♦|ã♦¿ã♦—ã♦,ã♦“ã♦

ã♦,ã♦šä,Œä♦®å`å♦^ã,ã€♦ã,çäffäf—ã,°äf¬äf%äf%oã♦™ã,«äf^äf♦ã,¤ã,¹ã♦«å♦¿å`å^äfjäfcä,Technical Assistance

Center i¼^TAC i¼‰oã,ã♦—ã♦¿ã♦—ã♦—ã♦,ã♦,·ã,«äfjäf^äftäf§ãf³ä,¹äf—äfäf♦ã,¤ãf€äf%äf♦»

ã,µf¼ãf“ã,¹å¥‘ç’,,ã,’ã”å^©ç””ã♦§ã♦ªã♦,,ã♦Šå®çæ§~

ã,·ã,¹ã,³ã♦<ã,%oç>’æž¥è³¼å...¥ã—ã♦ÿä♦Œ Cisco Service Contract
 ã,’ã”å^©ç””ã♦,,ã♦ÿä♦ã♦,,ã♦|ã♦,,ã♦ªã♦,,å`å?^ã€?ã?³/4ã?ÿä€?ã,µäf¼ãf%oãf'ãf¼ãftã,£ãf™
 POS ã♦<ã,%oå...¥æ%o<ã♦§ã♦ã♦ªã♦,,å`å?^ã?—ã€?Cisco TAC
 ã?«é€£çμjã?—ã♦|ã,Cäffäf—ã,°äf~äf¼ãf%oã,’å...¥æ%o<ã?—ã♦|ã♦?ã?ã?ã?•ã?,,ã?,
<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>

ç,,jå,,ÿä,çäffäf—ã,°äf~äf¼ãf%oã?®å?³/4è±jèf½å”♦ã♦§ã♦,ã,<ã”ã?“ã?“ã,’è”¼æ~žä?—ã♦|ã♦,,ã♦ÿä? URL ã,’ã”ç””æ,,♦ã?♦ã?♦ã?♦?ã?•ã?,,ã?,

ä;®æ£æ,^ã?¿ã?äf?äf?äf¼ã,¹

ã?“ã?®é ...ã?®è©²å½“ã?™ã,<èj”ã?«ç¤ºã?™ã,^ã?†ã?«ã€?é?©å?‡ã?äf?äf?äf¼ã,¹ã?«ã,Cäffäf Cisco AsyncOS
 å,½äf?äf?äf?äf?äf¼ã,¹ã,§ã,Cäf?äf?äf?äf?äf¼ã,¹ã,ç¤ºã?—ã?³/4ã?™ã€,å?³å?`ã?®å?—ã?—ã€?äf?

Cisco ESA:[CSCvo89192](https://www.cisco.com/c/en/us/support/cisco-esa.html)

Cisco AsyncOS ãf;ã,ãffäf¼ ã,½äf?äf?äf?äf¼ã,¹ ãf?äf?äf¼ã,¹	First Fixed Releaseï¼ä;®æ£ã?•ã,Œã?ÿæœ€å?♦ã?®ã?äf?äf?äf¼ã,¹ï¼%o
111 ã,^ã,Šå%o♦ã?®ã?äf?äf?äf¼ã,¹	11.0.3-251 ã?«ç¤»èjŒ
ã€€11	11.0.3-251
12	12.5.0-059
13	è,†å?äf?äf?äf?äf?äf¼ã,¹

1. Cisco AsyncOS ã,½äf?äf?äf?äf¼ã,¹ 11

ã,^ã,Šå%o♦ã?«ã?¤ã?„ã?|ã?—ã€?äf?äf?äf¼ã,¹ã,§ã,Cäf?äf?äf?äf?äf¼ã,¹ã?Œçμ,ä?†ã?—ã?|ã?‰

Cisco SMA:[CSCvo89182](https://www.cisco.com/c/en/us/support/cisco-sma.html)

Cisco AsyncOS ãf;ã,ãffäf¼ ã,½äf?äf?äf?äf¼ã,¹ ãf?äf?äf¼ã,¹	First Fixed Releaseï¼ä;®æ£ã?•ã,Œã?ÿæœ€å?♦ã?®ã?äf?äf?äf¼ã,¹ï¼%o
111 ã,^ã,Šå%o♦ã?®ã?äf?äf?äf¼ã,¹	11.0.1-161 ã?«ç¤»èjŒ
ã€€11	11.0.1-161
12	12.5.0-633
13	è,†å?äf?äf?äf?äf?äf¼ã,¹

1. Cisco AsyncOS 1.2.0f-0.0f-0.11

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco Product Security Incident Response

Team 1/4 PSIRT 1/4 Cisco TAC

Cisco TAC

Cisco TAC

Cisco TAC

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20200219-esa-smadocs>

2020-02-19

Advisory ID	Description	Severity	Published Date	Last Updated
Cisco-SA-2020-0219	Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)	Medium	2020-02-19	2020-02-19

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

Cisco ASA 9.0(1) Cisco ASA 9.0(1) Cisco ASA 9.0(1)

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。