

Cisco Aironet

Denial of Service (DoS) Vulnerability in Cisco Aironet VHR2zG9y



Cisco-SA-
aironet-dos-VHr2zG9y

[CVE-2020-3560](#)

Published: 2020-09-24 16:00

Version: 1.0 : Final

CVSS Score: 8.6

Workarounds: No workarounds available

Cisco IDs: [CSCvr85614](#) [CSCvr85609](#)

Denial of Service (DoS) vulnerability in Cisco Aironet VHR2zG9y

Summary

Cisco Aironet VHR2zG9y

This vulnerability allows an attacker to perform a Denial of Service (DoS) attack on Cisco Aironet VHR2zG9y devices.

The vulnerability is located in the VHR2zG9y software, which is used for network management. It affects the UDP protocol.

The vulnerability is caused by a buffer overflow in the VHR2zG9y software, which can be triggered by a specially crafted packet.

The vulnerability is a Denial of Service (DoS) attack, which can be triggered by a specially crafted packet.

The vulnerability is a Denial of Service (DoS) attack, which can be triggered by a specially crafted packet.

For more information, see the Cisco Security Advisory at <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-aironet-dos-VHr2zG9y>

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-aironet-dos-VHr2zG9y>

References

Denial of Service (DoS) vulnerability in Cisco Aironet VHR2zG9y

Denial of Service (DoS) vulnerability in Cisco NX-OS

æ¬;ã®èj`ãšã¬ã€ã·|ã®ã^—ã«ã€ã,ã,¹ã,³ãfã,ããfããf¬ã,¹ã,³ãf³ãf^ãfãf¼ãf©
ã,½ãf•ãf^ã,|ã,šã,çã®ãf³ãf³ãf¼ã,¹ã,è`~è¼%ã—ã|ã,,ã¾ã¾ã™ã€ã,ã,ã®ã®ã®ã^—ã¬ã€ããf
ã,½ãf³ãf³ãf¼ã,ãfšãf³ã...`ã½"ã,ã"çç°èªã®ã®ã®ã®ã®ã®ã®,ã€,

- [cisco-sa-ap-ethport-dos-xtjTt8pY](#):Cisco

[Aironetã.çã.¬ã.»ã.¹ãfã.ããf³ãf^ã.ããf¼ã.µãfãfãf^æœ%ç.šã,¬ãf©ã,ãã,çãf³ãf^ã®ã,µãf¼ãf"ã,¹ã|`](#)

Cisco Access Points Managed by Cisco Wireless LAN Controller

Cisco ãfã,ããfããf¬ã,¹ LAN ã,³ãf³ãf^ãfãf¼ãf© ã,½ãf•ãf^ã, ã,šã,ç ãfã,ãfãf¼ ãf³ãf³ãf¼ã,¹	ã"ã®è,,†ã¼±æ€šã«ã¾ã™ã,æœœã^ã®ä¿®æ£ãf³ãf³ãf¼ã,¹ ã,çãf%	ã,çãf%
8.5 ä»¥ã% ã»¥ã% ã»¥ã%	8.5.161.0	8.5.161
8.6	8.8.130.0	8.10.11
8.7	8.8.130.0	8.10.11
8.8	8.8.130.0	8.10.11
8.9	8.10.112.0	8.10.11
8.10	8.10.112.0	8.10.11

Cisco Access Points Managed by Cisco Catalyst 9800 Wireless Controller

Cisco Catalyst 9800 Wireless Controller Software Major Release	ã"ã®è,,†ã¼±æ€šã«ã¾ã™ã,æœœã^ã®ä¿®æ£ãf³ãf³ãf¼ã,¹ ã,çãf%ãf	ã,çãf%ãf
16.12 ã»¥ã% ã»¥ã%	16.12.4a	16.12.4a
17	è,,†ã¼±æ€šãªã—	è,,†ã¼±æ€š

Cisco Business Access Points Software

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。