

Cisco

Eaf;ãf¼ãf«ã,»ã,ãf¥ãfªãf†ã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹



ã,çãf%ãfã,ªã,¶ã,¶ãfªãf¼ID : cisco-sa-esa- [CVE-2020-3546](#)
info-disclosure-vMJMMgJ

â^â...-é-æ—¥ : 2020-09-02 16:00

ãfãf¼ã,ãfšãf³ 1.0 : Final

CVSSã,¹ã,³ã,ç : [5.3](#)

â>žéç- : Yes

Cisco ãfã,° ID : [CSCvp01770](#)

æ—¥æ-èªžã«ã,^ã,æf...ã ±ã-ã€è±èªžã«ã,^ã,ãžÿæ-†ã®éçã...-ã¼ã

æ!,è!?

Cisco Eaf;ãf¼ãf«ã,»ã,ãf¥ãfªãf†ã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹(ESA)ç”Cisco

AsyncOSã,½ãfªãf^ã,¹ã,šã,çã®Webãf™ãf¼ã,¹ç®çç†ã,ªãf³ã,¿ãf¼ãfªã,šã,ªã,¹ã«ãšã'ã,è,,†ã¼±æ

ã”ã®è,,†ã¼±æ€šã-ã€Webãf™ãf¼ã,¹ã®çç†ã,ªãf³ã,¿ãf¼ãfªã,šã,ªã,¹ã«é€ä¿ãªã,æ

ã”ã®è,,†ã¼±æ€šã«ã¾ã†!ã™ã,ã>žéç-ã-ã,ã,šã¾ãã,ã,ã€,

ã”ã®ã,çãf%ãfã,ªã,¶ã,¶ãfªãf¼ã-ã€æ-ã®ãfªãf³ã,¹ã,^ã,šçç°èªãšãã¾ã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-esa-info-disclosure-vMJMMgJ>

è©²ã¼“è£¼ã”?

è,,†ã¼±æ€šã®ã,ã,è£¼ã”?

ã...-é-æ™,ç,¹ãšã-ã€ã”ã®è,,†ã¼±æ€šã-Cisco

ESAã,½ãfªãf^ã,¹ã,šã,çãfªãf¼ã,¹3.5.1ã»¥ã%ã«ã½±éÿã,¹ãžã^ã¾ã—ãÿã€,

æœãã,,ã®Eã...”ãšæœæ-°ã®æf...ã ±ã«ãªã,,ã!ã-ã€ã”ã®ã,çãf%ãfã,ªã,¶ã,¶ãfªãf¼ã,¹ã,^ã,šçç°èªãšãã¾ã™ã€,

ID ã®è©³ç°ã,»ã,¹ã,ãfšãf³ã,¹ã,ç...šã—ã|ãããããã,ã€,

è,,†ã¼±æ€šã,¹ã«ã,ãšã,,ãªã,,ã”ã”ã®çç°èªãªã,æãÿè£¼ã”?

ã”ã®ã,çãf%ãfã,ªã,¶ã,¶ãfªãf¼ã®è,,†ã¼±æ€šã®ã,ã,è£¼ã”ã,»ã,¹ã,ãfšãf³ã«è~è¼%ãã

ã»žéç-

ã"ã®è,,†ã¼±æ€šã«ã³¼ã‡!ã™ã,ã»žéç-ã-ã,ã,šã¾ã»ã,"ã€,

ãfãffãf^ãfãf¼ã,ã,çãf%ããf-ã,¹ã¼%ã»(NAT)ã,'ã«ã¾ãªã,,ã,»ãffãf^ã,çãffãf—ãšã-ã€

<#root>

mail.example.com>

adminaccessconfig

Choose the operation you want to perform:

- BANNER - Configure login message (banner) for appliance administrator login.
- WELCOME - Configure welcome message (post login message) for appliance administrator login.
- IPACCESS - Configure IP-based access for appliance administrative interface.
- CSRF - Configure web UI Cross-Site Request Forgeries protection.
- XSS - Configure Cross-Site Scripting Attack protection.
- HOSTHEADER - Configure option to use host header in HTTP requests.
- TIMEOUT - Configure GUI and CLI session inactivity timeout.
- MAXHTTPHEADERFIELDSIZE - Configure maximum HTTP header Field size.
- HOW-TOS - Configure How-Tos feature.

[]>

HOSTHEADER

äç®æ£æ,^ãçã,½ãf•ãf^ã,|ã,šã,ç

[ã,½ãf•ãf^ã,|ã,šã,çãçãfãf—ã,°ãf-ãf¼ãf%ã,æœè`Žã™ã,«és>ã«ã-ã€ã,ã,¹ã,³](#)

ã,»ã,ãfãfãfãfã,£ã,çãf%ããfã,ãã,¶ã,¶ãfª

ãfšãf¼ã,,ãšã...¥æ%ãšããã,ã,ã,¹ã,³è£½ã"ã®ã,çãf%ããfã,ãã,¶ãfªã,'ã®šæœÿçš,,ã«ãç,ç

ã,½ãfªãfãf¼ã,ãfšãf³ã,€ã¼ã,çç°èªã-ã|ãããããã•ã,,ã€,

ã,,ãšã,£ã®ã'ã^ã,,ã€ã,çãffãf—ã,°ãf-ãf¼ãf%ã™ã,ãfãfãã,ãã,¹ã«ããã^tãªãfjãfçã

Technical Assistance

Centeri¼TACi¼%ã,,ã-ãããã-ã¥ç',ã-ã|ã,,ã,ãfjãf³ãfãfšãf³ã,¹ãf-ãfãfã,ããfãf¼ãã«

äç®æ£æ,^ãçãfªãfªãf¼ã,¹

äç®æ£æ,^ãçã,½ãf•ãf^ã,|ã,šã,çãfªãfªãf¼ã,¹ã®è©³ç'ã«ããã,,ãã|ã-ã€ãã"ã®ã,çãf%ããf

ä,çæ£ã^©ç""ä°<ã¾ãç"ã...-ã¼ç™ºèi"

Teami1/4^PSIRTi1/4%0ã̃-ã€æœ-ã,ćăf%00ăf̃ă,đă,ŋăf^ăă«è~è1/4%0ã̃•ã,Œẵ|ẵ„ă,è,†ă1/4±æ€Œă

ã̃†ã̃...

ã̃“ã̃®è,†ă1/4±æ€Œẵ Cisco TAC

ã,µăf̃ăf̃1/4ăf̃^ã,±ăf̃1/4ă,¹ẵ®èŒæ±°ă,ã̃«ç™°è|ã̃•ã,Œẵ3/4ẵ—ã̃Ÿă€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-esa-info-disclosure-vMJMMgJ>

æ”¹è”ã̃±Ÿæ’

ăf̃ăf̃1/4ă,ăf̃Œăf̃³	èª-æ~Ž	ă,»ă,ã,ăf̃Œăf̃³	ă,¹ăf̃†ăf̃1/4ă,¿ă,¹	æ—Ÿă»~
1.0	ă̂ă̂žă...-é-ăf̃ăf̃ăf̃1/4ă,¹	-	Final	2020 ă¹’ 9 æœ^ 2 æ—Ÿ

ă̂^©ç””è!ç’,,

æœ-ã,ćăf̃%00ăf̃ă,đă,ŋăf̃^ăă-ç,,jăç̃è”1/4ẵ®ă,,ẵ®ẵ”ẵ—ã̃|ẵ”æ̃̃ẵ3/4ẵ—ã̃|ẵŒă,Œă€
 æœ-ã,ćăf̃%00ăf̃ă,đă,ŋăf̃^ăă®ăf̃...ă ±ẵŒă,^ẵ³ăf̃ăf̃ăf̃ă,ã̃®ẵ1/2ç””ẵ«é-ćăç™ă,è²-ă»»ẵ®ă,€
 ẵ3/4ẵŸă€ẵ,ă,¹ă,³ẵ-æœ-ăf̃%00ă,ăf̃Ÿăf̃ăf̃ăf̃ă®ẵ†...ă®¹ă,’ă°ă’Œă”ẵ—ã̃«ă±%0æ’ẵ—ã̃
 æœ-ã,ćăf̃%00ăf̃ă,đă,ŋăf̃^ăă®è”~è:°ă†...ă®¹ẵ«é-ćẵ—ã̃|ăf̃...ă ±é...ẵjăă® URL
 ă,’çœç•Ÿẵ—ã̃€ẵ~ç<-ã̃®è»çè1/4%0ă,,,æ,,è”³ă,’æ-1/2ẵ—ã̃Ÿă’ă̂ă̂€ẵ1/2“ç³4ẵŒç®jç̃
 ẵ”ẵ®ăf̃%00ă,ăf̃Ÿăf̃ăf̃ăf̃ă®ăf̃...ă ±ẵ-ã̃,ă,¹ă,³èŒ1/2ă”ẵ®ă,“ăf̃ăf̃%00ăf̃|ăf̃1/4ă,ŋă,ẵ3/4è±jă

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。