

# Cisco Intelligent Proximity SSL

## è „¼æ~Žæ›, æ¤œè „¼ã?«é-çã?™ã, <è,, tå½±æ€§



ã,çãf‰ãf♦ã,¤ã,¶ãfãf½ID : cisco-sa-proximity-ssl-cert-gBBu3RB

[CVE-2020-3155](#)

å^♦å...-é-æ-¥ : 2020-03-04 16:00

æœ€øæ›æ-°æ-¥ : 2021-07-15 14:50

ãf♦ãf½ã,ãf§ãf³ 1.1 : Final

CVSSã,¹ã,³ã,c : [7.4](#)

å›é♦¿ç- : No workarounds available

Cisco ãf♦ã,° ID : [CSCvr90871](#)

æ—¥æœ-è„žã?«ã,^ã,<æf...å ±ã?¬ã€?è<±è„žã?«ã,^ã,<åŽÝæ-‡ã?®é?žå...-å½?ã?

æ!,è!?

Cisco Intelligent Proximity

ã,½ãfªãf¥ãf½ã,·ãf§ãf³ã?Œã€Œè,,tå½±æ€§ã?®ã,ã,<è£½å”?ã€?ã?«ç¤ºã?•ã,Œã?|ã?,,ã,<æ?¡ã?¶ã?å®Ýè£...ã?«èµ·å»ã?™ã,<è,,tå½±æ€§ã?«ã,^ã,Šã€?è^?è „¼ã?•ã,Œã?|ã?,,ã?•ã?„ãf?ãf?ãf?ã,^ã?Šã,^ã?³ã,·ã,¹ã,³ã?®ã,³ãf©ãfœãf¬ãf½ã,·ãf§ãf³ Webex ãf?ãf?ã,^ãf?ãf?ã,¤ã,¹ã?Šã,^ã?³ã,·ã,¹ã,³ã?®ã,³ãf©ãfœãf¬ãf½ã,·ãf§ãf³ ã, „ãf?ãf‰ãf?ã,¤ãf?ãf?ã,^ã?§å...±æœ‰ã?•ã,Œã,<æf...å ±ã,'è?ç¤ºã?¾ã?Ýã?¬å¤‰æ›ã?§ã?§ã,^ã?“ã?®è,,tå½±æ€§ã?¬ã€?Cisco Webex

ãf?ãf?ã,^ãf?ãf?ã,¤ã,¹ã?¾ã?Ýã?¬ã,·ã,¹ã,³ã?®ã,³ãf©ãfœãf¬ãf½ã,·ãf§ãf³ ã, „ãf?ãf‰ãf?ã,¤ãf?ãf?ã,^ã?®æŽ¥ç¶šã,'ç¢ºç?«ã?™ã,<ã? „ã?•ã?«å?—ä?jã?™ã,<SSL ã,µãf½ãf?è „¼æ~Žæ›ã?®æ¤œè „¼ã?Œã,?å?•ã?å?•ã?“ã?“ã?“èµ·å»ã?—ã?•ã?¾ã?™ã,·ãf§ãf³ ã, „ãf?ãf?ãf?ã,^ã?§å...—ã?Ýã,Šã€?æ”»æ'få?¬¾è±¡è€...ã?«ã,^ã?£ã?|æ?•ã?ç¤ºã?•ã,Œã?|ã?“ã?“ã?®è,,tå½±æ€§ã?¬ã€?ã,¬ãf©ã,|ãf‰ç™»éŒ²ã,³ãf©ãfœãf¬ãf½ã,·ãf§ãf³ ã, „ãf?ãf‰ãf?ã,¤ãf?ãf?ã,^ã?¬å½±éÝ;ã?—ã?¾ã?>ã,“ã?,

ã?“ã?®è,,tå½±æ€§ã?«å?¬¾å?|ã?™ã,<å?žé?¿ç-ã?¬ã?>ã,^ã?¾ã?>ã,“ã?,

ã?“ã?®ã,Cãf‰ãf?ã,¤ã,¶ãf?ã?¬ã€?æ-¡ã?®ãf?ãf?ã,¬ã,^ã,Šç¢ºè^?ã?§ã?§ã?¾ã?™ã, <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-proximity-ssl-cert-gBBu3RB>

è©²å½“è£½å“?

## è,,†å¼±æ€§ã®ã♦,ã,<èf½å“♦

ã♦“ã♦®è,,†å¼±æ€§ã♦—ã€♦å½±éÝ¿ã,’å♦—ã♦’ã,<ã,½ãf•ãf^ã,|ã,§ã,çãf¤ãf½ã,¹ã,’å®Ýè;Œã♦—ã

- Cisco Intelligent Proximity —ãf¤ã,±ãf½ã,·ãf§ãf³
- Cisco Jabber
- Cisco WebEx Meetings
- Cisco Webex Teams
- Cisco Meeting —ãf¤ã,±ãf½ã,·ãf§ãf³

ã,¬ãf©ã,¤ã,cãf³ãf^ã♦§ãf—ãfã,ã,·ãfÝäftã,Œæ©Ýèf½ã♦Œæœ‰åŠ¹ã♦«ã♦ªã♦£ã

ã,§è~ã♦®ã,½ãf•ãf^ã,|ã,§ã,çã,—ãf©ã,¤ã,cãf³ãf^ã♦—ã€♦ãf—ãfã,ã,·ãfÝäftã,Œæ©Ýèf½ã♦Œè~å®šã,ã,·ãf³ãf‰ãf♦ã,¤ãf³ãf^ã♦§ã,,ãf—ãfã,ã,·ãfÝäftã,Œæ©Ýèf½ã♦Œæœ‰åŠ¹ã♦«ã♦ªã♦£ã,|ã♦,,ã,

**Cisco Intelligent Proximity —ãf¤ã,±ãf½ã,·ãf§ãf³**

ãf—ãfã,ã,·ãfÝäf†ã,Œæ©Ýèf½ã♦—å„ã♦«æœ‰åŠ¹ã♦§ã♦,ã,§ã€♦ç,,jåŠ¹ã♦«ã♦™ã,«ã♦”ã♦”ã♦—ã♦

### Cisco Jabber<sup>1</sup>

Cisco Jabber

ã♦§ãf—ãfã,ã,·ãfÝäftã,Œæ©Ýèf½ã♦Œæœ‰åŠ¹ã♦«ã♦ªã♦£ã,|ã♦,,ã,<ã♦[ã♦](#)©ã♦†ã♦<ã,’çÇºèª

1. Jabber è~å®šãf•ã,;ã,¤ãf«ã♦® jabber-config.xml

ã♦«æ¬;ã♦®è;Œã♦«ã♦ªã♦,,å`å♦^ã€♦ã♦“ã♦®æ©Ýèf½ã♦Œæœ‰åŠ¹ã♦«ã♦ªã♦£ã,|ã♦,,ã

<EnableProximity>false</EnableProximity>

2. —ãf¤ã,±ãf½ã,·ãf§ãf³ã♦®è~å®šã♦§ã€♦[ãf¤ãf#ã,¤ãf#ã,¤ã,¹i½^Video Device]‰  
ã♦«ç§»å„ã♦—ã♦¾ã♦™ã€,ã♦“ã♦®æ©Ýèf½ã♦—ã€♦[æœ€ã,,è¿’ã♦,¤ãf#ã,¤ã,¹ã♦«è‡ªå„ç§,,ã

to nearest device automatically]‰

ã♦Œé♦,æŠžã♦•ã,Œã♦|ã♦,,ã,<å`å♦^ã♦«æœ‰åŠ¹ã♦«ã♦ªã♦£ã,|ã♦,,ã♦¾ã♦™ã€,

### Cisco Webex Meetings<sup>1</sup>

ã,f¤ã,±ãf½ã,·ãf§ãf³ã♦®è~å®šã♦§ã€♦[ãf¤ãf#ã,¤ãf#ã,¤ã,¹aftãf i½^Video Systems]‰  
ã♦«ç§»å„ã♦—ã♦¾ã♦™ã€,ã♦“ã♦®æ©Ýèf½ã♦—ã€♦[è¿’ã♦,¤ãf#ã,¤ã,¹ã,’è‡ªå„ç§,,ã♦«

discover nearby devices]‰

ã♦Œé♦,æŠžã♦•ã,Œã♦|ã♦,,ã,<å`å♦^ã♦«æœ‰åŠ¹ã♦«ã♦ªã♦£ã,|ã♦,,ã♦¾ã♦™ã€,

## Cisco Webex Teams<sup>1</sup>

Cisco Webex Control Hub [è " å®ši¼^Settingsi¼‰]  
ã«ç§»å•ã—ã€♦[ãƒ‡ãƒ♦ã,¤ã,¹æœå‡ºi¼^Device Discoveryi¼‰]  
ã¾ã§ã,¹ã,—ãƒƒ½ãƒ«ã—ã¾ã♦™ã€,ã“ã♦®æ©Ýèf½ã—ã€♦[Webex  
Teamsã,çƒ—ãƒªã♦®ã,ºãƒ³ãƒ—ãƒ—ãƒÝã,¹ç™»éŒ²ãƒ‡ãƒ♦ã,¤ã,¹ã,ã♦®æŽ¥ç¶šã,'è " ±ã—i¼^Webe  
Teams app to connect to on-premises registered devicei¼‰]  
ãŒé♦,æŠžã♦•ã,Œã♦|ã♦,,ã,<å`ã♦^ã♦«æœ‰åŠ¹ã♦«ã♦ºã♦£ã♦|ã♦,,ã♦¾ã♦™ã€,

## Cisco Meeting à,çäf—äf<sup>a</sup>

1  
ãf—ãfã,ã,·ãfÝãf†ã,£æ©Ýèf½ã—å,,ã «æœ%oåS¹ã♦§ã,ã,Šã€♦ç,,jåS¹ã♦«ã♦™ã,<ã♦“ã♦”ã♦”ã♦—ã♦  
é,†å¼±æ€§ã,’å♦«ã,“ã♦§ã♦,,ã♦”ã♦,,ã♦“ã♦”ã♦ŒçÇºèª♦ã♦•ã,Œã♦ÝèF½å”♦  
ã♦“ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãfºã♦®è,,†å¼±æ€§ã♦®ã♦,ã,<èF½å”♦ã,»ã,—ã,·ãf§ãf³ã♦«è”~è¼‰ã♦•ã  
ã,·ã,¹ã,³ã♦§ã—ã€♦ã,—ãf©ã,|ãf‰oç™»éŒ²ãf‡ãf♦ã,¤ã,¹ã♦,ã♦®æŽ¥ç¶šã♦«ä½¿ç””ã♦•ã,Œã,<ã’å  
Cisco Proximity  
ã,—ãf©ã,¤ã,çãf³ãf^ã♦Œã♦“ã♦®è,,†å¼±æ€§ã♦®å½±éÝ¿ã,’å♦—ã♦’ã♦”ã♦,,ã♦“ã♦”ã,’çÇºèª♦ã  
©3ç¹º

# Cisco Intelligent Proximity

ã,'å«ã,€1¼‰ã,'èj „ç¤ºã♦§ãã♦¾ã♦™ã€,

## å>žé♦¿ç-

ã♦“ã♦®è,,†å½±æ€§ã♦«å¬¾å†|ã♦™ã,<å>žé♦¿ç-ã♦—ã♦,ã,§ã♦¾ã♦»ã,“ã€,

è»½æ,›ç-

ãf—ãfã,ã,·ãfYãf†ã,£ãfšã,cãfãf³ã,°æ©Yèf½ã♦®ç,,iåŠ¹åŒ-

ã,³ãf©ãfœãf—ãf¼ã,·ãf§ãf³

ã,·ãf³ãf‰ooãf♦ã,¤ãf³ãf^ã♦®ã,»ã♦³ç>®çš,,ã♦—ã€♦ãf“ãf‡ã,·ã♦”ã,³ãf³ãftãf³ãf,ã♦®å...±æœ‰ooã♦§ã♦

Cisco Webex ãf“ãf‡ã,·ãf‡ãf♦ã,¤ã,¹ã♦§ã,·ã,¹ã,³ã♦®ã,³ãf©ãfœãf—ãf¼ã,·ãf§ãf³  
ã,·ãf³ãf‰ooãf♦ã,¤ãf³ãf^ã♦®ãf—ãfã,ã,·ãfYãf†ã,£ãfšã,cãfãf³ã,°æ©Yèf½ã♦®ç,,iåŠ¹åŒ-

ã,·ãf³ãf‰ooãf♦ã,¤ãf³ãf^ã♦® Web

ã,¤ãf³ã,·ãf¼ãf•ã,§ã,¤ã,¹ã«ã,µã,¤ãf³ã,¤ãf³ã♦—ã€♦[ã,»ãffãf^ã,¢ãffãf—ï¼^Setupï¼‰] >  
[è „å®šï¼^Configurationï¼‰]

ã♦«ç§»å«•ã♦—ã♦|ã♦«ã,‰ooã€♦[ãf—ãfã,ã,·ãfYãf†ã,£ï¼^Proximityï¼‰] >

[ãfçãf¼ãf‰ooï¼^Modeï¼‰] ã♦«ç§»å«•ã♦—ã♦³/4ã♦™ã€,[ãfçãf¼ãf‰ooï¼^modeï¼‰] ã,’  
[ã,·ãf•ï¼^Offï¼‰]

ã♦«è „å®šã♦™ã,·ã♦”ã€♦ã♦™ã♦¹ã♦|ã♦®ãf—ãfã,ã,·ãfYãf†ã,£æ©Yèf½ã♦Œç,,iåŠ¹ã♦«ã♦”

Cisco IX5000 ã,·ãf³ãf¼ã,°ã♦®å ‘å♦^ã♦—ã€♦[è „å®šï¼^Configurationï¼‰] >

[å‘“æ³çæ•°ã,»ã,·ã,·ãf§ãf³ã♦”ãf—ãfã,ã,·ãfYãf†ã,£ã,»ã,·ã,·ãf§ãf³ã♦®èj „ç¤ºï¼^Display  
Frequency and Proximity Sectionsï¼‰]

ã♦«ç§»å«•ã♦—ã♦³/4ã♦™ã€,[ãfçãf¼ãf‰ooï¼^modeï¼‰] ã,’ [ã,·ãf•ï¼^Offï¼‰]

ã♦«è „å®šã♦™ã,·ã♦”ã€♦ã♦™ã♦¹ã♦|ã♦®ãf—ãfã,ã,·ãfYãf†ã,£æ©Yèf½ã♦Œç,,iåŠ¹ã♦«ã♦”

æ³”í¼šã,·ãf³ãf‰ooãf♦ã,¤ãf³ãf^ã♦§ã♦”ã♦®æ©Yèf½ã,’ç,,iåŠ¹ã♦«ã♦™ã,·ã♦”ã€♦ã♦”ã♦®æ©Yèf½ã,’ä

ãf—ãfã,ã,·ãfYãf†ã,£ã,·ãf©ã,¤ã,cãf³ãf^ã♦§ã♦®ã,³ãf©ãfœãf—ãf¼ã,·ãf§ãf³  
ã,·ãf³ãf‰ooãf♦ã,¤ãf³ãf^ã♦®è‡å«æœå‡ã♦®ç,,iåŠ¹åŒ-

Cisco Jabber—Cisco Webex Teams—Cisco Webex Meetings

ã♦§ãf—ãfã,ã,·ãfYãf†ã,£ãfšã,cãf³ãf^ã,°ã,’ç,,iåŠ¹ã♦«ã♦™ã,·ã♦”ã♦Œã♦§ã♦”ã♦®æ©Yèf½ã,’ç,,iåŠ¹ã♦«ã♦—ã♦|ã,,ã€♦å¤—éf”ã,²ã,¹ãf^ã♦Œã,·ãf³

æ³”í¼šã,·ãf©ã,¤ã,cãf³ãf^ã♦§ã♦”ã♦®æ©Yèf½ã,’ç,,iåŠ¹ã♦«ã♦—ã♦|ã,,ã€♦å¤—éf”ã,²ã,¹ãf^ã♦Œã,·ãf³

ã,·ãf©ãfœãf—ãf¼ã,·ãf§ãf³ ã,½ãf³ãf^ã,·ãf§ãf³ã♦®ã,·ãf©ã,·ãf‰ooã♦,ã♦®ç§»è;Œ

ä, ¯äf©ä, |äf%oç™»éŒ²ä, ³äf©äfœäf¬äf¹/₄ä, ·äf§äf³

Cisco Intelligent Proximity

ã,½ãfãf¥ãf¼ã,·ãf§ãj³ã?¬ã€?ã?“ã?®è,,†å¼±æ€§ã?®å½±éÝ¿ã,’å?—ã?‘ã?¾ã?›ã,“ã€,

ä;®æ£æ, ^ä◊¿ä, ½äƒ•äƒ^ä, |ä, §ä, c

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã?¾ã?Ýã€?ã?Šå®çæ§~ã?Œã,½ãf•ãf^ã,|ã,§ã,çã,'ãf€ã,|ãf³ãfãf½ãf%oã?Šã?ã, ã?®ã?~ã€?ã, ã,çãffãf—ã,°ãf¬ãf½ãf%oã?Šã?™ã€,ç,,jå,,Ýã?®ã,»ã,ãf¥ãf^ãftã,£ã,½ãf•ãf^ã,|ã,§ã,çã,çãffãf—ãf‡ãf½ãf^ã?«ã,^ã?£ã?|ã€?ã?Šå®çæ§~ã?«æ°ã?—ã?,,ã,½ãf•ãf^ã,|ã,§ã,çãf@ã,¤ã,»ãf³ã,¹ã€?è?½åŠã,½ãf•ãf^ã,|ã,§ã,çãf•ã,£ãf½ãf?ãff£ã,»ãffãf^ã€?ã?¾ã?Ýã?~ãfjã,ãf£ãf½ãf^ã,ãf§ãf³ã,çãffãf—ã,°ãf¬ãf½ãf%oã?«å?¾ã?™ã,<æ?™?ã?Œã»~ã, ã?•ã,Œã, ã?“ã?~ã?~ã?ã, ã?Šã?¾ã? 

„½äf•äf^ä, | ä, §ä, cä ◊®ä, cäffäf—ä, °äf–äf¼äf‰ä, ’æœè·Žä◊™ä, <éš>ä◊«ä◊—ä€◊ä, ·ä, 1ä, ³  
ä, »ä, äf¥äf¤äftä, F ä, cäf‰äf◊ä, ¶ä, ¶äf¤  
äfšäf¼ä, ä◊§ä...¥æ‰ä, ä◊§ä◊◊ä, <ä, ·ä, 1ä, ³èF½ä”◊ä◊◊®ä, cäf‰äf◊ä, ¶ä, ¶äf¤ä, ’®šæœÝçš, ä◊«ä◊, ç  
ä, ½äf¤äf¥äf¼ä, äfšäf³ä, €å¼◊ä, ’çç°è¤◊ä◊—ä◊ | ä◊◊◊ä◊ ◊ä◊•ä◊ „ä€,

Technical Assistance

[www.cisco.com](http://www.cisco.com)

[contacts.html](#) | 4%  «é€€çü;—ã'!ã,çãffãf—ã,ºãf¬ãf¼ãf%ºã,'å...¥æ‰ºã'—ã'!ã'ã'ã'ã'•ã'.

<sup>1</sup> ä;®æfæ, ^ä♦¿äf<sup>a</sup>äf<sup>a</sup>äf¼ä,

Intelligent Proximity

ä,çãf—ãf<sup>a</sup>ã,±ãf<sup>1/4</sup>ã,·ãf§ãf<sup>3</sup>ã®ã?;ã,'å—¾è±;ã?“ã?—ã?|ã?,ã?¾ã?™ã€,ãf—ãfã,ã·ãfÝãftã,fæ©Ý

ã, ¯ãf@ã,xã,cãf³ãf~íl/4sCisco Intelligent Proximityã,çãf—ãfªã,±ãf¹/4ã,·ãf§ãf³

ã“ã®è, †å¼±æ€§ã“ã€Cisco Intelligent Proximity ã,çäf—ãfªã,±ãf¼ã,·ãf§ãf³ãfªãfªãf¼ã,¹  
3.1.0 ä»¥é™ã§ã¿®æ£æ,^ã¿¿ã§ã“™ã€,

ã, „äf³äf‰äf♦ä, „äf³äf^Í¼šCisco Webexäf“äf‡ä, „äf‡äf♦ä, „ä, „äf‡äf♦ä, „äf³äf^Cisco Collaborationä, „äf³äf‰äf♦ä, „äf³äf^

ã ◊ “ã ◊ ®è,, †½¹±æ€§ã ◊ –ã€ ◊ ã, ·ã, ¹ã, ³ ã, ³ãƒ©ãƒœãƒ–ãƒ½ã, ·ãƒ§ãƒ³ ã, · ãƒ³ãƒ‰ãƒ◊ã, ·ãƒ³ãƒ^ã, ½ãƒ·ãƒ·ã, | ã, §ã, ¢ ãƒ·ãƒ·ãƒ½ã, ¹ 9.14.3 ä»¥é™◊ã ◊ §ä¿®æ£æ, ^ã ◊ ¿ã ◊ §ã ◊ ™ã, ¢

ä ð æ f å ^ © ç " " ä ° < ä ¾ < ä ð " å ... - å ¼ ð ç t m o è i "

Cisco Product Security Incident Response

å†ºå...,

„Adam Shore“

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-proximity-ssl-cert-gBBu3RB>

æ”’è..,å±¥æ’

$\tilde{a}f \blacklozenge \tilde{a}f^{1/4}\tilde{a}, \tilde{a}f\tilde{s}\tilde{a}f^3$	$\tilde{e}^a \neg \tilde{a} \sim \check{Z}$	$\tilde{a}, \gg \tilde{a}, \neg \tilde{a}, \cdot \tilde{a}f \tilde{s}\tilde{a}f^3$	$\tilde{a}, {}^1\tilde{a}f \dagger \tilde{a}f^{1/4}\tilde{a}$
1.1	$\ddot{a} \textcircled{R} \tilde{a}f\tilde{a}, \textcircled{R} \dot{a} \blacklozenge \dot{a}f^a \tilde{a}f \tilde{s}\tilde{a}f^{1/4}\tilde{a}, {}^1\tilde{a} \blacklozenge \textcircled{R} \dot{e} \dot{\tilde{a}} \textcircled{R} \dot{\tilde{a}}$	$\ddot{a} \textcircled{R} \tilde{a}f\tilde{a}, \textcircled{R} \dot{a} \blacklozenge \dot{a}f^a, {}^1\tilde{a}f \cdot \tilde{a}f^a \tilde{a},   \tilde{a}, \tilde{s}\tilde{a}, \zeta$	Final
1.0	$\textcircled{a} \textcircled{R} \textcircled{a} \textcircled{R} \check{a} \dots \neg \textcircled{e} \textcircled{R} \dot{a}f^a \tilde{a}f \tilde{s}\tilde{a}f^{1/4}\tilde{a}, {}^1$	-	Final

å^©ç”“è!◆?çˊ,,

æœ¬ã,¢ãf‰ãf♦ã,¤ã,¶ãfªã?¬ç,,¡ä¿è”¼ã♦®ã,,ã♦®ã?“ã?—ã?|ã?”æ?♦ä¾»ã?—ã?|ã?Šã,Šã€æœ¬ã,¢ãf‰ãf♦ã,¤ã,¶ãfªã?®æf...å±ã?Šã,^ã?³ãfºãf³ã,—ã?®ä½¿ç”“ã?«é-¢ã?™ã,<è²¬ä»»ã?®ä,€ã?¾ã?Ýã€♦ã,·ã,¹ã,³ã?—æœ¬ãf‰ã,ãf¥ãf|ãf³ãf^ã?®å†...å®¹ã,’äº^å’Šã?ªã?—ã?«å¤‰æ›’ã?—ã?æœ¬ã,¢ãf‰ãf♦ã,¤ã,¶ãfªã?®è”~è¿°å†...å®¹ã?«é-¢ã?—ã?|æf...å±é...♦ä¿jã?® URL  
ã,’çœ?ç•¥ã?—ã€?å?¬ç<¬ã?®è»¢è¼‰ã,,æ,,?è”³ã,’æ-½ã?—ã?Ýå’å?^ã€?å½”ç¤¾ã?Œç®¡ç?ã?“ã?®ãf‰ã,ãf¥ãf|ãf³ãf^ã?®æf...å±ã?¬ã€?ã,·ã,¹ã,³è£½å”?ã?®ã,“ãf³ãf‰ãf!ãf¼ã,¶ã,’å”¾è±¡ã?

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。