

Cisco IOS XE $\tilde{a}, \frac{1}{2}\tilde{a}f \cdot \tilde{a}f^{\wedge}\tilde{a}, \text{!}\tilde{a}, \text{§}\tilde{a}, \text{ç}\tilde{a} \otimes \text{®} \text{Web UI}$ $\tilde{a} \otimes \text{§ç}^{\text{TM}} \text{è} \text{!} \langle \tilde{a} \otimes \cdot \tilde{a}, \text{œ}\tilde{a} \otimes \text{ÿ}\tilde{a}, \text{}^3\tilde{a}f\tilde{z}\tilde{a}f^3\tilde{a}f\%0$ $\tilde{a}, \text{Ⓜ}\tilde{a}f^3\tilde{a}, \tilde{a}, \text{§}\tilde{a}, \text{}^{-}\tilde{a}, \cdot\tilde{a}f\text{§}\tilde{a}f^3\tilde{a} \otimes \text{®} \text{è} \text{,,} \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}$



$\tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}\tilde{a}f \frac{1}{4} \text{ID} : \text{cisco-sa-web-}$ [CVE-2020-](#)

cmdinj2-fOnjk2LD

[3219](#)

$\text{â}^{\wedge} \otimes \text{â} \dots \text{-é-} \langle \text{æ-} \text{¥} : 2020-06-03 16:00$

$\tilde{a}f \otimes \tilde{a}f \frac{1}{4} \tilde{a}, \tilde{a}f\text{§}\tilde{a}f^3 \text{1.0} : \text{Final}$

$\text{CVSS}\tilde{a}, \text{!}\tilde{a}, \text{}^3\tilde{a}, \text{ç} : \text{8.8}$

$\text{â} \cdot \text{ž} \otimes \text{ç-} : \text{No workarounds available}$

$\text{Cisco } \tilde{a}f \otimes \tilde{a}, \text{}^{\circ} \text{ID} : \text{CSCvq32594}$

$\text{æ-} \text{¥}\text{æ}\text{-}\text{è}^{\text{a}}\tilde{z}\tilde{a} \otimes \langle \tilde{a}, \tilde{a}, \text{æ}f \dots \tilde{a} \pm \tilde{a} \otimes \text{}^{-}\tilde{a} \text{€} \otimes \text{è} \langle \text{è}^{\text{a}}\tilde{z}\tilde{a} \otimes \langle \tilde{a}, \tilde{a}, \text{ç}\tilde{Z}\tilde{Y}\text{æ-}\text{†}\tilde{a} \otimes \text{®} \text{é} \otimes \text{ž}\tilde{a} \dots \text{-}\tilde{a} \frac{1}{4} \otimes \tilde{a} \otimes \dots$

$\text{æ} \text{!}, \text{è} \text{!} \otimes$

Cisco IOS XE $\tilde{a}, \frac{1}{2}\tilde{a}f \cdot \tilde{a}f^{\wedge}\tilde{a}, \text{!}\tilde{a}, \text{§}\tilde{a}, \text{ç}\tilde{a} \otimes \text{®} \text{Web UI}$

$\tilde{a} \otimes \langle \tilde{a} \otimes \text{§}\tilde{a} \otimes \tilde{a}, \text{è}, \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}\tilde{a} \otimes \langle \tilde{a}, \tilde{a}, \text{§}\tilde{a} \text{€} \otimes \text{è}^{\text{a}} \otimes \text{è} \text{}^{-}\frac{1}{4}\tilde{a} \otimes \cdot \tilde{a}, \text{œ}\tilde{a} \otimes \text{ÿ}\tilde{a}f\tilde{a}f \frac{1}{4} \tilde{a}, \langle \tilde{a}f \langle \tilde{a} \otimes \text{®} \text{æ} \text{} \rangle \text{æ}^{\text{f}} \text{è} \dots \tilde{a} \otimes \text{œ}\tilde{a} \text{€} \otimes \dots$

$\tilde{a} \otimes \text{}^{\text{a}}\tilde{a} \otimes \text{®} \text{è}, \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}\tilde{a} \otimes \text{}^{-}\tilde{a} \text{€} \otimes \text{Web UI}$

$\tilde{a} \otimes \tilde{a} \otimes \text{®} \tilde{a}f \text{!} \tilde{a}f \frac{1}{4} \tilde{a}, \text{¶}\tilde{a} \dots \text{¥}\tilde{a}\tilde{S} \rangle \tilde{a} \otimes \langle \tilde{a}^{\text{-}}\tilde{a} \otimes \text{TM}\tilde{a}, \text{ç}\tilde{a} \otimes \tilde{a} \otimes \tilde{a} \text{}^{\wedge} \text{†}\tilde{a} \otimes \text{}^{\text{a}} \text{æ} \text{Ⓜ} \text{œ} \text{è} \text{}^{-}\frac{1}{4}\tilde{a} \otimes \langle \text{è} \mu \cdot \tilde{a} \rangle \tilde{a} \otimes \text{-} \tilde{a} \otimes \text{}^3\tilde{a} \otimes \text{TM}\tilde{a} \text{€}, \text{æ} \text{} \rangle \dots$

Web UI

$\tilde{a} \otimes \langle \text{é} \text{€} \otimes \tilde{z} \text{!} \tilde{a} \otimes \text{-} \tilde{a} \otimes \text{!} \tilde{a} \text{€} \otimes \tilde{a} \otimes \text{}^{\text{a}} \otimes \text{®} \text{è}, \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}\tilde{a}, \text{}^{\text{a}}, \text{}^{-}\tilde{a}, \text{}^{-}\tilde{a}, \text{}^1\tilde{a}f \text{-} \tilde{a}f\tilde{a}, \text{Ⓜ}\tilde{a}f^{\wedge} \tilde{a} \otimes \text{TM}\tilde{a}, \text{ç}\tilde{a} \otimes \text{}^{-}\text{è} \text{f} \frac{1}{2}\text{æ} \text{€} \text{§}\tilde{a} \otimes \text{œ}\tilde{a} \otimes \dots$

$\tilde{a}, \tilde{a}, \text{}^1\tilde{a}, \text{}^3\tilde{a} \otimes \text{}^{-}\tilde{a} \otimes \text{}^{\text{a}} \otimes \text{®} \text{è}, \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}\tilde{a} \otimes \langle \tilde{a}^{\text{-}}\tilde{a} \text{†} \text{!} \tilde{a} \otimes \text{TM}\tilde{a}, \text{ç}\tilde{a}, \frac{1}{2}\tilde{a}f \cdot \tilde{a}f^{\wedge}\tilde{a}, \text{}^{\text{!}}\tilde{a}, \text{§}\tilde{a}, \text{ç}\tilde{a}, \text{ç}\tilde{a}f\tilde{a}f \text{-} \tilde{a}f\text{†}\tilde{a}f \frac{1}{4}\tilde{a}f^{\wedge}\tilde{a}, \text{}^{\text{a}}f\tilde{a}f^{\wedge}\tilde{a}f \frac{1}{4}$

$\tilde{a} \otimes \text{}^{\text{a}} \otimes \text{®} \tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}\tilde{a} \otimes \text{}^{-}\tilde{a} \text{€} \otimes \text{æ-}\text{!}\tilde{a} \otimes \text{®} \tilde{a}f^{\text{a}}\tilde{a}f^3\tilde{a}, \text{}^{-}\tilde{a}, \tilde{a}, \text{§çç}^{\text{ø}} \text{è}^{\text{a}} \otimes \tilde{a} \otimes \text{§}\tilde{a} \otimes \otimes \tilde{a} \otimes \text{}^3\tilde{a} \otimes \text{TM}\tilde{a} \text{€},$

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-web-cmdinj2-fOnjk2LD>

$\tilde{a} \otimes \text{}^{\text{a}} \otimes \text{®} \tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}\tilde{a} \otimes \text{}^{-}\tilde{a} \text{€} \otimes 2020 \text{ } \tilde{a}^1 \text{}^6 \text{ æœ}^{\wedge} \text{}^3 \text{æ-} \text{¥}\tilde{a} \otimes \langle \tilde{a} \dots \text{-é-} \langle \tilde{a} \otimes \cdot \tilde{a}, \text{œ}\tilde{a} \otimes \text{ÿ} \text{}^{25}$

$\text{â}\rangle \text{¶}\tilde{a} \otimes \text{®} \text{è}, \text{†}\tilde{a} \frac{1}{4}\pm \text{æ} \text{€} \text{§}\tilde{a} \otimes \langle \text{é-} \text{ç}\tilde{a} \otimes \text{TM}\tilde{a}, \text{ç} \text{}^{23} \text{â}\rangle \text{¶}\tilde{a} \otimes \text{®} \tilde{a}, \tilde{a}, \text{}^1\tilde{a}, \text{}^3 \tilde{a}, \text{}^{\text{a}}\tilde{a}, \text{æ}f\text{¥}\tilde{a}f^{\text{a}}\tilde{a}f\text{†}\tilde{a}, \text{€}$

$\tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}\tilde{a}, \text{}^{\text{a}} \otimes \langle \tilde{a}, \text{€} \text{Cisco IOS } \tilde{a}, \frac{1}{2}\tilde{a}f \cdot \tilde{a}f^{\wedge}\tilde{a}, \text{}^{\text{!}}\tilde{a}, \text{§}\tilde{a}, \text{ç}\tilde{a} \otimes \text{§}\tilde{a}, \text{}^{\wedge}\tilde{a} \otimes^3 \text{IOS XE}$

$\tilde{a}, \frac{1}{2}\tilde{a}f \cdot \tilde{a}f^{\wedge}\tilde{a}, \text{}^{\text{!}}\tilde{a}, \text{§}\tilde{a}, \text{ç}\tilde{a}f^{\text{a}}\tilde{a}f^{\text{a}}\tilde{a}f \frac{1}{4}\tilde{a}, \text{}^1\tilde{a} \otimes \text{®} \tilde{a}, \text{}^{\text{a}}\tilde{a}, \text{æ}f\text{¥}\tilde{a}f^{\text{a}}\tilde{a}f\text{†}\tilde{a}, \text{€} \tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}$

$\tilde{a}f \otimes \tilde{a}f^3\tilde{a}f\%0\tilde{a}f \langle \tilde{a} \otimes \text{®} \tilde{a}, \text{€} \text{é}f^{\text{a}} \text{}^{\text{a}} \otimes \text{§}\tilde{a} \otimes \text{TM}\tilde{a} \text{€}, \tilde{a}, \text{ç}\tilde{a}f\%0\tilde{a}f \otimes \tilde{a}, \text{Ⓜ}\tilde{a}, \text{¶}\tilde{a}f^{\text{a}}\tilde{a} \otimes \text{®} \tilde{a} \text{œ}\tilde{a} \dots \text{}^{-}\tilde{a} \otimes \text{}^{\text{a}}\tilde{a}f^{\text{a}}, \text{}^1\tilde{a}f^{\wedge}\tilde{a} \otimes \text{}^{-}\tilde{a} \otimes \otimes \tilde{a} \otimes \dots$

[Event Response: June 2020 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publication](#) $\tilde{a} \text{€} \otimes \tilde{a}, \text{}^{\text{a}} \otimes \text{ç} \dots \text{§}\tilde{a} \otimes \text{-} \tilde{a} \otimes \text{!} \tilde{a} \otimes \otimes \tilde{a} \otimes \tilde{a} \otimes \cdot \tilde{a} \otimes \dots, \tilde{a} \text{€},$

è²å½“è£½å“

è,†å¼±æ€šã®ã,ã,è£½å“

ã“ã®è,,†å¼±æ€šã¬ã€HTTP

ã,µãf¼ãfæ©ÿèf½ãæœœ%åš¹ãªçš¶æ...ãšè”å®šã•ã,æã|ã,,ã,ã€Cisco IOS XE

ã®å½±éÿã,å—ã’ã,ãfãf¼ã,ãšãf³ã,å®ÿè;æã—ã|ã,,ã,ãfãfã,ã,ã¹ã«å½±éÿã,å

è,†å¼±æ€šãæã~åœ”ã™ã, Cisco IOS XE

ã®ãfãfãf¼ã,ã«é-ãã™ã,è³ç°ãªã,,ã|ã¬ã€ã“ã®ã,çãf%ãfã,ã,¶ã,¶ãfã®ã

HTTP ã,µãf¼ãfè”å®šã®ççèª

HTTP

ã,µãf¼ãfæ©ÿèf½ãæãfãfã,ã,ã¹ãšœœ%åš¹ãªççèªã®ã™ã,ã«ã¬ã€

CLI ãš show running-config | include ip http

server|secure|activeã,³ãfžãf³ãf%ã, ’ã½ç”ã—ã|ã€ã,°ãfãf¼ãfãf«ã,³ãf³ãf•ã,£ã,®ãfãf-ãf¼ã,ã

http serverã,³ãfžãf³ãf%ã¼ãÿã¬ip http secure-

serverã,³ãfžãf³ãf%ãæã~åœ”ã™ã,ãããççèªã—ã¼ã™ã€,ãçãjã,%ã

ã,µãf¼ãfæ©ÿèf½ãæœœ%åš¹ãšã™ã€,

ã»ã,ã«ã€show running-config | include ip http

server|secure|activeã,³ãfžãf³ãf%ã, ç™è;æã—ã¼ã™ã€,

<#root>

Router#

show running-config | include ip http server|secure|active

ip http server

ip http secure-server

æ³i¼šãfãfã,ã,¹”å®šã«ã,³ãfžãf³ãf%ã¼ãÿã¬ã,æ-¹ã®ã,³ãfžãf³ãf%ãæã«ã¼ã,æ

UIæ©ÿèf½ãæœœ%åš¹ãªççèªãªã£ã|ã,,ã¼ã™ã€,

ip http server ã,³ãfžãf³ãf%ãæã~åœ”ã—ã€è”å®šã« ip http active-session-modules none

ã,ã«ã¼ã,æã|ã,,ã,ã’ã^ã€è,,†å¼±æ€šãæœœœ HTTP

çµæç”±ãšã,ã,ã,ã¹ãf—ãfã,ããfãã•ã,æã,ãã“ã¬ã¬ã,ã,šã¼ã»ã,ã€,

Ip http secure-server ã,³ãfžãf³ãf%ãæã~åœ”ã—ã€è”å®šã« ip http secure-active-

session-modules none **ã** **ç** **å** **«ã** **¼ã**, **ç** **ã** **|ã** **„ã**, **å** **’ã** **^ã** **€** **è**, **†ã¼±æ€** **šã** **ç** **HTTPS**
ç **µ** **ç** **”±ã** **šã**, **ã**, **ã**, **1ãf—ãfã**, **µãf^ã** **•ã**, **ç** **ã**, **ã** **”ã** **ã** **ã**, **ã**, **šã¼ã** **ã**, **”ã** **€**,

è, **†ã¼±æ€** **šã**, **’ã** **«ã**, **”ã** **šã** **„ã** **ªã** **„ã** **”ã** **”ã** **ç** **ç** **°è** **ª** **ã** **•ã**, **ç** **ã** **ÿ** **è** **½ã** **”ã**

ã **”ã** **ç** **ã**, **ç** **ãf%ãf** **ã**, **µã**, **¶ãfã** **«è**, **†ã¼±æ€** **šã** **ç** **ã**, **ã**, **è** **½ã** **”ã**, **»ã**, **ã**, **ãfšãf³ã** **«è** **¼ã** **ã** **•ã**

ã, **ã**, **1ã**, **³ã** **ã** **”ã** **ç** **ã** **”ã** **ç** **è**, **†ã¼±æ€** **šã** **ç** **ã** **»ã**, **ã** **ç** **ã**, **ã**, **1ã**, **³è** **½ã** **”ã** **ã** **»ã** **ã** **½±éÿ** **ã**, **ã**, **žã** **^ã**

- IOS **ã**, **½ãf•ãf^ã**, **ã**, **šã**, **ç**
- IOS XR **ã**, **½ãf•ãf^ã**, **ã**, **šã**, **ç**
- NX-OS **ã**, **½ãf•ãf^ã**, **ã**, **šã**, **ç**
- Wireless LAN Controller **ã**, **½ãf•ãf^ã**, **ã**, **šã**, **ç**

ã **ž** **é** **ç** **–**

ã **”ã** **ç** **è**, **†ã¼±æ€** **šã** **ç** **ã** **¼ã** **†ã** **ã** **™ã**, **ã** **ž** **é** **ç** **–ã** **ã**, **ã**, **šã¼ã** **ã**, **”ã** **€**,

ã **ÿã** **ã** **–ã** **€** **HTTP**

ã, **µãf¼ãf** **æ** **ç** **ÿ** **è** **½ã**, **ç**, **ã** **š** **ã** **»ã** **ç** **”ã** **ç** **ã** **”ã** **ç** **è**, **†ã¼±æ€** **šã** **ç** **ã** **¼ã** **™ã**, **ã** **»ã** **æ** **fãf™ã**, **ã**

ã, **³ãf³ãf** **ã**, **£ã**, **ãfãfãf** **ã** **¼ã**, **ãfšãf³** **ãfçãf¼ãf%ã** **š** **no ip http server** **ã** **¼ã** **ÿã** **–** **no ip http**

secure-server **ã**, **³ãfžãf³ãf%ã**, **ã** **½ç** **”ã** **–ã** **ç** **ã** **€** **HTTP**

ã, **µãf¼ãf** **æ** **ç** **ÿ** **è** **½ã**, **ç**, **ã** **š** **ã** **»ã** **ç** **”ã** **ç** **ã** **”ã** **ç** **è** **šã** **ç** **ã** **¼ã** **™ã** **ã** **€**, **ip http**

server **ã** **šã**, **ã** **³** **ip http secure-server**

ã **ç** **ã**, **ã** **–ã** **ç** **è** **½ç** **”ã** **ç** **ã**, **ç** **ã** **|ã** **„ã**, **å** **’ã** **^ã** **€** **HTTP**

ã **ç** **æ** **æ** **^ã** **ç** **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç**

ã, **ã**, **1ã**, **³ã** **ã** **”ã** **ç** **ã** **”ã** **ç** **è**, **†ã¼±æ€** **šã** **ç** **ã** **¼ã** **†ã** **ã** **™ã**, **ã**, **ç**, **ã**, **ãfãfãf** **–ã**, **ãfãfãf%ã** **šã** **™ã** **ã** **ç**, **ã**, **ÿã** **ç** **»ã**, **ã**, **ãfãfãfãfã**, **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç**

ã, **»ãfãfãfã** **ã** **¼ã** **–ã** **ç** **ã** **ç** **ã** **ç** **ã** **”ã** **ç** **ã**, **šã** **¼ã** **™ã** **ã** **€**, **ã** **ç** **ã** **ç** **»ã**, **ã** **½ãf•ãf^ã**, **|ã**, **šã**, **ç**
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã **¼ã** **ÿã** **ã** **šã** **ç** **æ** **š** **ã** **ç** **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç**, **ãfã**, **|ãf³ãfãf¼ãf%ã** **šã** **ã**, **ã** **ç** **ã** **–ã** **ç** **ã**, **ã** **ç** **ãfãfãfã** **–ã**, **ãfãfãf%ã** **šã** **™ã** **ã** **ç**, **ã**, **ÿã** **ç** **»ã**, **ã**, **ãfãfãfãfã**, **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç**

ã, **ç** **ãfãfãfã** **–ãfãfãfãfã** **ã** **»ã**, **ã** **ç** **ã** **šã** **ç** **æ** **š** **ã** **ç** **ã** **–ã** **ç** **ã**, **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç**

ãfçã, **µã**, **»ãf³ã**, **1ã** **ç** **è** **½ãš** **ã**, **½ãf•ãf^ã**, **|ã**, **šã**, **ç** **ãfã**, **£ãf¼ãfãfã** **ãfã**
ã, **»ãfãfãfã** **ã** **¼ã** **ÿã** **–ãfã**, **ãfãfãfã** **ãfãfã**, **ãfšãf³**

ã, **ç** **ãfãfãfã** **–ã**, **ãfãfãfãfã** **ç** **ã** **¼ã** **™ã**, **ã** **ç** **ç** **é** **ç** **ã** **ç** **ã** **»ã**, **ã**, **žã** **ç** **ã**, **ç** **ã**, **ã** **”ã** **ç** **ã**, **šã** **¼ã** **ç**

ã, **½ãf•ãf^ã**, **ã**, **šã**, **ç** **ç** **ã** **ç** **ã**, **ç** **ãfãfãfã** **–ã**, **ãfãfãfãfã**, **æ** **ç** **ç** **žã** **™ã**, **ç** **ç** **ã** **ç** **ã** **–ã** **ç** **ã**, **ã**, **1ã**, **³ã** **ç** **ç** **ã**, **»ã**, **ãfã**

XEã,½ãf•ãf^ã,|ã,šã,ćãf^ãf^ãf¼ã,¹(ãYã¨ã^ã°ã€15.1(4)M2ã,,3.13.8S)ã,´ã...ŷãŠ>ã™ã,ã“ã¨

Security
Advisoryã@ã½±éÿã,´ã—ã’ã,ã<ã<ã©ã†ã<ã,´çç°èªã™ã,ã“ã¨ã,,ãšããã¼ã™

[ã†ãf•ã,©ãf«ãf^ãšãã€Cisco Software Checkerã@çμæžœããã€Security Impact Ratingi¼^SIRi¼%ãCEãCEé±ããšããã¼ãYããCEé~ãããè,†ã½±æšããã’ãCEã«](#)

SIR è,†ã½±æšããçμæžœã,´ã«ã,ã<ãããã€Cisco.comã«ã,ã< Cisco Software Checkerã,´ã½ç¨ã—ã|ã€æœœç´ćã,´ã,ã,¹ã,çãfzã,ªã,ªã™ã,ã¨ãããã»

[ã½±éÿãè©ã¾i¼^Impact Ratingi¼%]

ãã,ã<ã«ã,ã,ãf%ããfãfãf—ãfãã,|ãf³ãfãã,¹ãf^ãã [ãé-“i¼^Mediumi¼%]

ãfã,šãffã,ãfoeãffã,ã,¹ã,´ã,ªãf³ã«ã—ã¾ã™ã€,

Cisco IOS XEã,½ãf•ãf^ã,|ã,šã,ćãf^ãf^ãf¼ã,¹ã¨ Cisco IOSã,½ãf•ãf^ã,|ã,šã,ćãf^ãf^ãf¼ã,¹ããfžãffãf”ãf³ã,ªã«ããªã,,ã|ãã€Cisco IOS XEã,½ãf•ãf^ã,|ã,šã,ćããf^ãf^ãf¼ã,¹ã«ãçœããã|ã€Cisco IOS XE 2 Release Notesã€ã€ã€Cisco IOS XE 3S Release Notesã€ã€ã€ã¾ãYãã€Cisco IOS XE 3SG Release Notesã€ã,´ã,ç...šã—ã|ãããããããã,ã€,

ã,æfã^ç¨ã°ã¾ãã¨ã...ã¼ãç™°èj¨

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ããœãã,ćãf%ããfãã,ªã,¶ãfãã«è¨¨è¼%ãã,ã,CEã|ã,ã,ã,à,†ã½±æšãã

ã†ã¨ã...

œã¨ã,†ã½±æšããããã,ã,¹ã,³ã†...é¨ãšãããã,ãã,ãfãfãfãfãã,ããfãã,¹ãf^ãããã,ã^ã£ã|ç™°è|ããã,CEã¾ãã—ãYã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-web-cmdinj2-fOnjk2LD>

æ”¹è¨,ã±ŷæ´

ãfãf¼ã,ãfšãf³	èªããŽ	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,çã,¹	ã—ŷã~
1.0	ãããžã...ãéãããããf¼ã,¹	-	Final	2020ã¹´6ãœ¨3ã—ŷ

å^©ç””è!ç´,,

æœ-ã,çãf%ãfã,ã,ã,ã,ãfãç,,iàçè”¼ã@ã,,ã@ããã—ã|ã”æãã¼ã—ã|ãŠã,Šã€
æœ-ã,çãf%ãfã,ã,ã,ã,ãfã@æf...å±ãŠã,ã³ãfãfã,ã@ã½ç”ã«é-çã™ã,«è²-ã»ã@ã,€
ã¼ãÿã€ã,ã,ã,ãæœ-ãf%ã,ãfãfãfãfã@ãt...ã¹ã,ã^ãŠããã—ã«ã%ãæ’ã—ã
æœ-ã,çãf%ãfã,ã,ã,ã,ãfã@è”~èç°ãt...ã¹ã«é-çã—ã|æf...å±é...ãçjã@ URL
ã,çœç•¥ã—ã€ããç<-ã@è»çè¼%ã,,,æ,,è”³ã,æ-½ã—ãÿã’ã^ã€ã½”ç¼ãÇç@çç
ã”ã@ãf%ã,ãfãfãfãfã@æf...å±ããã,ã,ã,ã,³è£½ã”ã@ã,ã³ãf%ãf!ãf¼ã,ã,ã³¼è±jã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。