

# Cisco NX-OS 1/2af af^a, la, sa, ca @ MPLS OAM

a «ã Šã 'ã, <ã, µãf ¼ãf''ã, 'ã! "ã®³i¼^DoSi¼%o



ã, çãf%ãfã, ðã, ¶ãf³ãf¼ID : cisco-sa-nxos-[CVE-2021-1588](#)  
mpls-oam-dos-sGO9x5GM

ã^ã...-é-æ—¥ : 2021-08-25 16:00

æœœæ>æ-°æ—¥ : 2022-09-02 17:41

ãfãf¼ã, ãfšãf³ 1.1 : Final

CVSSã, 1ã, 3ã, ç : [8.6](#)

ãžéç- : No workarounds available

Cisco ãfã, ° ID : [CSCvx48078](#) [CSCvx66765](#)

æ—¥æœ-èªžã «ã, ^ã, <æf...ã ±ã -ã€èèªžã «ã, ^ã, <ãžÿæ-#ã ®éžã...-ã¼ã

æ!, è!

Cisco NX-OS 1/2af af^a, la, sa, ca @ MPLS

é<ç''ã€ç@;çtã€äzã®¼^OAMi¼%œ©ÿèf½ã®è,,tã¼±æ€šã «ã, ^ã, Šã€èªè ¼ã•ã, D

ã"ã®è,,tã¼±æ€šã -ã€èè²ã½"ãf#ãfã, ðã, 1ã® MPLS

ã, "ã, 3ãf¼è| çæ±,ã³ããŸã-ã, "ã, 3ãf¼ãzœç"ãfã, ±ãffãf^ã, 'ã! çtã™ã, <és>ã®ã...¥ãšæœè ¼ã

MPLS

è»ç€ãœæ%ãš¹ã «ãªã£ã|ã,,ã, <ã, ðãf³ã, çãf¼ãf•ã, šã, ðã, 1ã «æ, æ, ã®ã,ã, <

MPLS

ã, "ã, 3ãf¼è| çæ±,ã³ããŸã-ã, "ã, 3ãf¼ãzœç"ãfã, ±ãffãf^ã, 'é€äzã™ã,ãã"ã"ãšã€ãã"ã

MPLS OAM

ãf—ãfã, »ã, 1ã®ã, -ãf©ãffã,ãfãã "ãtèµ.ã<ã, ç¹ã, šèz"ã—ç™ç"ÿã•ã>ã|ã€èè²ã½"ãf#ãf

DoS çš¶æ...ãœç™ç"ÿã™ã,ã-èf½æ€šãœã,ã,šã³ãã™ã€,

ã,ã, 1ã, 3ã-ã"ã®è,,tã¼±æ€šã «ã³ã#|ã™ã, <ã, ½ãf•ãf^ã, |ã, šã, çã, çãffãf—ãf#ãf¼ãf^ã, 'ãfãfãf¼

ã"ã®ã, çãf%ãfã, ðã, ¶ãfã -ã€æ-ã®ãfãf³ã, -ã, ^ã, Šççºèªãšããã³ãã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-nxos-mpls-oam-dos-sGO9x5GM>

ã"ã®ã, çãf%ãfã, ðã, ¶ãfã -ã€ 2021 à¹ 8 æœ^ã «ã...-é-ã•ã,œãŸ Cisco FXOS

ãšã, ^ã³ NX-OS 1/2af af^a, |ã, šã, çã®ã, »ã,ãfãfãfãfã, £ã, çãf%ãfã, ðã, ¶ãfã

Event Response: August 2021 Cisco FXOS and NX-OS Software Security Advisory Bundled Publication

## è2â1/2“è£1/2â“

è,†â1/4±æ€§ã®ã,ã,è£1/2â“

Cisco NX-OS

MPLS OAM æ©ÿèf1/2ã®æœœ%0åŠ1ã«ãªã£ã|ã,,ã,ã'ã^ã®ãŠã™ã€,

- Nexus 3000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^i1/4^CSCvx66765i1/4%
- Nexus 7000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^i1/4^CSCvx48078i1/4%
- ã,1ã,¿ãf³ãf%0ã,¿ãfãf³ NX-OS ãf¿ãf1/4ãf%0ã® Nexus 9000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^i1/4^CSCvx66765i1/4%

è,†â1/4±æ€§ã®æã~ãœ™ã, Cisco

ã,1/2ãfãf^ã,|ã,Šã,¿ãfãfãf1/4ã,1ã«ãªã,,ã|ã-ã€ãª“ã®ã,¿ãf%0ãfã,ªã,¶ãfãã®ã€æ

## MPLS OAM æ©ÿèf1/2ã®çŠ¶æ...ã®çç°èª

Nexus 3000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^ãŠã,^ã³ Nexus 9000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^ãŠã™ã€ MPLS OAM

æ©ÿèf1/2ã-ãfãfã,©ãfãf^ãšç,,iãŠ1ã«ãªãª£ã|ã,,ãªãªã™ã€ Nexus 3000

ã,ãªãªf1/4ã,°ãªãªãÿã- 9000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^ãŠã™ã€ MPLS OAM

æ©ÿèf1/2ã®æœœ%0åŠ1ã«è”ã®šãª,æã|ã,,ã,ã<ã©ã†ã,ã,çç°èªãª™ã,ãªãª-ã

feature ã,³ãfzãf³ãf%0ã,'ã1/2;ç”ã-ãªãªã™ã€, Cisco NX-OS CLI ã®§ | include mpls\_oam

ã,³ãfzãf³ãf%0ã,'ã®ÿè;æã-ã|ã€ãª“ã®æ©ÿèf1/2ã®æœœ%0åŠ1ã«ãªãª£ã|ã,,ã,ã 3000 ã,ãªãªf1/4ã,°ãªãªãÿã- 9000 ã,ãªãªf1/4ã,°ã,1ã,ªãffãf^ãŠã™ã€ MPLS OAM æ©ÿèf1/2ã®æœœ%0åŠ1ã«ãªãª£ã|ã,,ã,ã'ã^ã®ãªã,ã»¥ã,ã«çç°ã-ãªãªã™ã€,

<#root>

nxos#

show feature | include mpls\_oam

mpls\_oam 1

enabled

Nexus 7000 `show mpls oam`

`show mpls oam`

`show mpls oam`

`show running-config | include "feature mpls"`  
**NX-OS CLI | include "feature mpls"**

<#root>

nxos#

```
show running-config | include "feature mpls"
feature mpls ldp
```

`show mpls oam`  
`show mpls oam`  
`show mpls oam`  
`show mpls oam`

`show mpls oam`  
`show mpls oam`  
`show mpls oam`

`show mpls oam`  
`show mpls oam`  
`show mpls oam`  
`show mpls oam`

`show mpls oam`  
`show mpls oam`  
`show mpls oam`  
`show mpls oam`

<#root>

nxos#

```
ping mpls
```







ã Šă@çæš~ã Cisco NX-OS

ã,½ãf•ãf^ã,|ã,šã,çã @è,,tã¼±æ€šã «ã,^ã,ã¾µã®³ã @ã @èf½æ€šã,'ã^æ-ã šã «ã,ã,^ã tã€

[Cisco Software Checker](#)

ã,'æ «ã¾ã —ã @ã |ã «ã¾ã™ã€,'ã «ã @ãf,,ãf¼ãf«ã «ã,^ã,šã€ ç%ã@šã @ Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,çãfããfãf¼ã,1ã «è²ã½"ã™ã,ã,ã,1ã,³ã,»ã,ãfããfãfãfã,£ ã,çãf%ããfã,ã,¶ã,¶ãfãã€ããšã,^ã³ã,ã,çãf%ããfã,ã,¶ã,¶ãfããšã-æ~žã•ã,£ã |ã,,ã,«è,,tã¼± Fixedã€ã¼%ã,'ç%ã¹ã@šã šã «ã¾ã™ã€,'ã¾ã ÿè²ã½"ã™ã,ã'ã^ã€ãããã @ãfããfã First Fixedã€ã¼%ã,'ç%ã¹ã@šã šã «ã¾ã™ã€,

ã Šă@çæš~ã @ã Cisco Software Checker

[ã,½ãf•ãf^ã —ã |ã æ-ã @æ-¹æ³•ã šã,çãf%ããfã,ã,¶ã,¶ãfãã,ææœç'çã šã «ã¾ã™ã€,](#)

- ã,½ãf•ãf^ã,|ã,šã,çã€ãf—ãf©ãffãf^ãf•ã,©ãf¼ãfã€ããšã,^ã³ 1ã «ã»ã¾ã,šã @ãfããfããf¼ã,1ã,'é,æšžã™ã,«
- ç%ã¹ã@šã @ãfããfããf¼ã,1ã @ãfãã,1ãf^ã,'ã «ã,€ .txtãfã,ã,ã,¶ãf«ã,'ã,çãffãf—ãfãf¼ãf%ãã™ã,«
- **show version ã,³ãfžãfããf%ã @ã±ãš>ã,'ã...ãšã™ã,«**

ææœç'çã,'é-ãšã —ã ÿ¾£ãšã€ãšã€ã™ã¹ã |ã @ã,ã,1ã,³ã,»ã,ãfããfããfãfã,£

ã,çãf%ããfã,ã,¶ã,¶ãfãã¾ã ÿã 1

ã «ã»ã¾ã,šã @ç%ã¹ã@šã @ã,çãf%ããfã,ã,¶ã,¶ãfãã£ã «ã¾ã™ã,£ã,ã,^ã tã€ «ææœç'çã,'ã,«ã,1ã,

ã¾ã ÿã€æ-ã @ãfãã,©ãf¼ãfã,ã'ã½ç"ã —ã |ã € Cisco NX-OS

ã,½ãf•ãf^ã,|ã,šã,çã "ãf—ãf©ãffãf^ãf•ã,©ãf¼ãfã,'é,æšžã€ãšã,^ã³ãfããfããf¼ã,1ã,'ã...ãšã™ã

Nexus 3000 ã,ãfããf¼ã,°ã,1ã,ããffãfã @ 7.0(3)I7(5)ã€ACIãfçããf¼ããf%ã @ Cisco NX-OS

ã,½ãf•ãf^ã,|ã,šã,çã @ 14.0(1h)¼%ãã€ã,ã,1ã,³ã,»ã,ãfããfããfã,£

ã,çãf%ããfã,ã,¶ã,¶ãfãã @ã¾è±ãã "ãã,ããfãããf¼ã,1ãšã,ã,ããã,'ã^æ-ã™ã,ãã"ã

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,çã
MDS 9000 ã,ãfããf¼ã,°ãfžãf«ãfãfã-ã,ããfãã,1ã,ããffãfã

Enter Version	Check
---------------	-------

ãfããfãã,©ãf«ãf^ãšã @ã Cisco Software Checkerã @çµæžœã «ã @ã Security Impact

[Rating¼^SIR¼%ã£ã€£€±ããšã€ã¾ã ÿã @ã€ã~ã€ã @è,,tã¼±æ€šããã'ã£ã€ã](#)

SIR è,,tã¼±æ€šã @çµæžœã,'ã «ã,ã,ãã «ã @ã Cisco Software Checker

ã,ã'½ç"ã —ã |ã €ææœç'çã,'ã,«ã,1ã,çãfžã,ã,°ã™ã,ãã "ãããã

[ã½èéÿã @è©ã¾ã¼^Impact Rating¼%ã]ãf%ããfããfãfã—ãf€ã,ããfããfã,1ãf^ã @

[ã,é-"¼^Medium¼%ã]ãfã,šãffã,ãfœãffã,ã,1ã,'ã,ããfãã «ã —ã¾ã™ã€,

Cisco Nexus 3000ãšã,^ã³ 9000ã,ãfããf¼ã,°ã,1ã,ããffãfã SMU





ã±°ã...

ã"ã®è,,†¼±æ€šã Cisco TAC

ã,µãfãf¼ãfã,±ãf¼ã,¹ã®èš£æ±°ã,ã«ç™°è|ã•ã,Æã¾ã—ãÿã€,

## URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-nxos-mpls-oam-dos-sGO9x5GM>

æ''è,,ã±ÿæ´

ãfãf¼ã,ãfsãf³	èªæŽ
1.1	è,,†¼±æ€šã®ã,ã, Cisco NX-OS ã,½ãfãfã, ã,šã,ç 8.4 ãfãfãf¼ã,¹ã,ã®ÿè;Æã—ã ã,,ã, Nexus 7000 ã,ãfãf¼ã, ã,¹ã,ããffãfã®è"ã®šè;çª°ã®ã•é;Æã«é-Çã™ã,æf...ã ±ã,è¼½ãšã€,
1.0	ã^ã>žã...-é-ãfãfãf¼ã,¹

ã^©ç''è!ç´,,

æœ-ã,çãf%ãfã,ã,ã,ãfããç,,jãèè¼ã®ã,,ã®ããã—ã|ã"æã¾ãã—ã|ãšã,šã€  
æœ-ã,çãf%ãfã,ã,ã,ãfãã®æf...ã ±ãšã,ã³ãfãfãã,ã®ã½çç"ã«é-Çã™ã,«è²-ã»ã®ã,€  
ã¾ãÿã€ã,ã,ã,ãæœ-ãf%ã,ãfãfãfãfãã®ã†...ã®¹ã,ã°ãšããã—ã«ã%æ'ã—ã  
æœ-ã,çãf%ãfã,ã,ã,ãfãã®è"è¼°ã†...ã®¹ã«é-Çã—ã|æf...ã ±é...ã¼ã® URL  
ã,çœççã—ã€ããçç<-ã®è»çè¼%ã,,æ,,è³ã,æ-½ã—ãÿã´ãã€ã½"ç¾ã¾Æç®çç  
ã"ã®ãf%ã,ãfãfãfãfãã®æf...ã ±ãã€ã,ã,ã,ã,è£½ã"ã®ã,ãfãf%ãfãf¼ã,ã,ã¾è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。