

Cisco Prime Infrastructure 3 Evolved Programmable Network

Manager 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100



Severity: **Medium**
CVE ID : [CVE-2021-34784](#)
Date: 2021-11-03 16:00
Version: **1.0** : Final
CVSS Score : [5.4](#)
Workarounds: No workarounds available
Cisco IDs : [CSCvz07282](#) [CSCvz09504](#)

Summary: A vulnerability in Cisco Prime Infrastructure 3 Evolved Programmable Network Manager (EPNM) WebApp allows an attacker to execute arbitrary code via a crafted request.

Details

Cisco Prime Infrastructure (PI) 3 Cisco Evolved Programmable Network Manager (EPNM) WebApp allows an attacker to execute arbitrary code via a crafted request. The vulnerability is located in the `WebApp` component of the `EPNM` component. The vulnerability is caused by a `Servlet` that does not properly validate the `request` parameter. An attacker can send a request with a `request` parameter that contains a `URL` to a remote server. The `Servlet` will then send a request to the remote server, which will execute the code on the remote server. This can be used to execute arbitrary code on the remote server.

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-pi-epnm-xss-U2JK537j>

Impact

Severity: **Medium**

Impact: An attacker can execute arbitrary code on the remote server.

Workarounds: No workarounds available.

References: [https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-pi-epnm-xss-U2JK537j](#)

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。