

Cisco Small Business RV $\tilde{a}, \cdot \tilde{a}^a \tilde{a} f^{1/4} \tilde{a}, ^\circ$ $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}} \tilde{a} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§}$



$\tilde{a}, \text{ç} \tilde{a} f \% \tilde{a} f \text{®} \tilde{a}, \text{‡} \tilde{a}, \text{¶} \tilde{a} f^a \tilde{a} f^{1/4} \text{ID}$: [cisco-sa-sb- CVE-2021-1472](#)
 rv-bypass-inject-Rbhgvfdx
 $\grave{\text{a}} \text{®} \grave{\text{a}} \dots - \acute{\text{e}} - \text{ç} \text{æ} - \text{¥}$: 2021-04-07 16:00 [CVE-2021-1473](#)
 $\tilde{a} f \text{®} \tilde{a} f^{1/4} \tilde{a}, \tilde{a} f \text{§} \tilde{a} f^3 1.0$: Final
 CVSS $\tilde{a}, \text{†} \tilde{a}, \text{³} \tilde{a}, \text{ç}$: [7.3](#)
 $\grave{\text{a}} \text{>} \text{ž} \text{®} \text{ç} -$: No workarounds available
 Cisco $\tilde{a} f \text{®} \tilde{a}, ^\circ$ ID : [CSCvw92718](#) [CSCvw92723](#)
[CSCvw92538](#)

$\text{æ} - \text{¥} \text{æ} - \acute{\text{e}}^a \text{ž} \text{®} \ll \tilde{a}, \text{^} \tilde{a}, \text{ç} \text{æ} f \dots \grave{\text{a}} \pm \tilde{a} \text{®} - \tilde{a} \text{€} \text{®} \grave{\text{e}} \text{ç} \pm \acute{\text{e}}^a \text{ž} \text{®} \ll \tilde{a}, \text{^} \tilde{a}, \text{ç} \text{Ž} \text{æ} - \text{†} \tilde{a} \text{®} \acute{\text{e}} \text{®} \text{ž} \text{®} \dots - \grave{\text{a}}^{1/4} \text{®} \tilde{a}$

$\text{æ} \text{!}, \grave{\text{e}} \text{!} \text{®}$

Cisco Small Business RV $\tilde{a}, \cdot \tilde{a}^a \tilde{a} f^{1/4} \tilde{a}, ^\circ$ $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}} \tilde{a} \text{®}$ Web

$\tilde{a} f^{\text{™}} \tilde{a} f^{1/4} \tilde{a}, \text{†} \tilde{a} \text{®} \text{ç} \text{®} \text{ç} \text{®} \text{†} \tilde{a}, \text{‡} \tilde{a} f^3 \tilde{a}, \grave{\text{c}} \tilde{a} f^{1/4} \tilde{a} f \cdot \tilde{a}, \text{§} \tilde{a}, \text{‡} \tilde{a}, \text{†} \tilde{a} \text{®} \ll \text{è} \text{‡} \text{æ} \cdot \text{°} \tilde{a} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§} \tilde{a} \text{®} \text{Ç} \grave{\text{a}} \sim \text{å} \text{œ} \text{°} \tilde{a} \text{®} - \tilde{a} \text{®} \text{³} \tilde{a} \text{®}$
 $\tilde{a} \text{®} \text{°} \tilde{a}, \text{Ç} \tilde{a}, \% \tilde{a} \text{®} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§} \tilde{a} \text{®} \text{®} \text{è} \text{ç} \text{°} \tilde{a} \text{®} \ll \tilde{a} \text{®} \text{‡} \tilde{a} \text{®,} \tilde{a} \text{®} \text{!} \tilde{a} \text{®} - \text{æ} \text{œ} - \tilde{a}, \text{ç} \tilde{a} f \% \tilde{a} f \text{®} \tilde{a}, \text{‡} \tilde{a}, \text{¶} \tilde{a} f^a \tilde{a} \text{®} \tilde{a} \text{®} \text{Ç} \text{®} \text{è} \text{ç} \text{°} \tilde{a} \text{®}$
 $\tilde{a}, \cdot \tilde{a}, \text{†} \tilde{a}, \text{³} \tilde{a} \text{®} - \tilde{a} \text{®} \text{°} \tilde{a}, \text{Ç} \tilde{a}, \% \tilde{a} \text{®} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§} \tilde{a} \text{®} \ll \text{å} \text{°} \text{³} \tilde{a} \text{®} \text{!} \tilde{a} \text{®} \text{™} \tilde{a}, \text{ç} \tilde{a}, \text{½} \tilde{a} f \cdot \tilde{a} f^{\text{^}} \tilde{a}, \text{!} \tilde{a}, \text{§} \tilde{a}, \text{ç} \tilde{a} f \text{®} \tilde{a} f \text{®} - \tilde{a} f \text{®} \tilde{a} f^{1/4} \tilde{a} f^{\text{^}} \tilde{a}, \text{†} \tilde{a}$
 $\tilde{a} \text{®} \text{°} \tilde{a} \text{®} \tilde{a}, \text{ç} \tilde{a} f \% \tilde{a} f \text{®} \tilde{a}, \text{‡} \tilde{a}, \text{¶} \tilde{a} f^a \tilde{a} \text{®} - \tilde{a} \text{®} \text{æ} - \text{!} \tilde{a} \text{®} \tilde{a} f^a \tilde{a} f^3 \tilde{a}, \text{^} \tilde{a}, \text{^} \tilde{a}, \text{§} \text{ç} \text{°} \text{è}^a \text{®} \tilde{a} \text{®} \text{§} \tilde{a} \text{®} \text{®} \tilde{a} \text{®} \text{³} \tilde{a} \text{®} \text{™} \tilde{a} \text{®},$
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-sb-rv-bypass-inject-Rbhgvfdx>

$\text{è} \text{ç} \text{°} \tilde{a}^{1/2} \text{°} \text{è} \text{£}^{1/2} \text{°} \text{®}$

$\text{è}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§} \tilde{a} \text{®} \tilde{a} \text{®,} \tilde{a}, \text{ç} \text{è} \text{£}^{1/2} \text{°} \text{®}$

$\tilde{a} \text{®} \text{°} \tilde{a}, \text{Ç} \tilde{a}, \% \tilde{a} \text{®} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \text{æ} \text{€} \text{§} \tilde{a} \text{®} - \tilde{a} \text{®} \text{®} \grave{\text{e}}, \text{†} \tilde{a}^{1/4} \pm \tilde{a} \text{®} \text{°} \tilde{a}, \text{½} \tilde{a} f \cdot \tilde{a} f^{\text{^}} \tilde{a}, \text{!} \tilde{a}, \text{§} \tilde{a}, \text{ç} \tilde{a} f^a \tilde{a} f^a \tilde{a} f^{1/4} \tilde{a}, \text{†} \tilde{a}, \text{°} \text{®} \text{Ž} \text{è}; \text{Ç} \tilde{a} \text{®} - \tilde{a} \text{®}$
 Cisco
 $\tilde{a}, \text{½} \tilde{a} f \cdot \tilde{a} f^{\text{^}} \tilde{a}, \text{!} \tilde{a}, \text{§} \tilde{a}, \text{ç} \tilde{a} f^a \tilde{a} f^a \tilde{a} f^{1/4} \tilde{a}, \text{†} \tilde{a} \text{®} \ll \tilde{a} \text{®} \text{‡} \tilde{a} \text{®,} \tilde{a} \text{®} \text{!} \tilde{a} \text{®} - \tilde{a} \text{®} \text{®} \tilde{a} \text{®} \text{°} \tilde{a} \text{®} \tilde{a}, \text{ç} \tilde{a} f \% \tilde{a} f \text{®} \tilde{a}, \text{‡} \tilde{a}, \text{¶} \tilde{a} f^a \tilde{a} \text{®} \tilde{a} \text{®} \text{Ç} \text{®} \text{è} \text{ç} \text{°} \tilde{a} \text{®}$

Cisco Small Business RV $\tilde{a}, \cdot \tilde{a}^a \tilde{a} f^{1/4} \tilde{a}, ^\circ$ $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}}$	$\acute{\text{e}} - \text{ç} \text{€} \text{£} \text{ä} \text{®} \sim \tilde{a} \text{®} \text{°} \tilde{a}, \% \tilde{a} \text{®,} \text{Ç} \tilde{a} \text{®} \text{°} \text{Ž} \text{®} \text{CVE ID}$
RV160 VPN $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}}$	CVE-2021-1472
RV160W Wireless-AC VPN $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}}$	CVE-2021-1472
RV260 VPN $\tilde{a} f \ll \tilde{a} f^{1/4} \tilde{a}, \grave{\text{c}}$	CVE-2021-1472

◆®ã,³ãfžãf³ãf%ooã,ããf³ã,ã,šã,ã,ãfšãf³ã◆®è,,†ã¼±æ€š

Cisco Small Business RV340 ãf«ãf¼ã,¿ã◆® Web

ãf™ãf¼ã,¹ç@;ç◆†ã,ããf³ã,¿ãf¼ãf•ã,šã,ãã,¹ã◆®è,,†ã¼±æ€šã◆«ã,^ã,šã€◆èª◆è¼ã◆ã,œã◆|ã◆,,ã◆

ã◆“ã◆®è,,†ã¼±æ€šã◆¬ã€◆ä,◆ã◆ã◆ã^†ã◆ªãf|ãf¼ã,¶ã◆®ã...¥ãš>æªœè¼ã◆«èµ•ã>ã◆—ã◆¾ã◆

OS ã◆šã»»æ,,◆ã◆®ã,³ãfžãf³ãf%ooã,ã®ÿè;œã◆šã◆◆ã,ã,^ã◆†ã◆«ã◆ªã,šã◆¾ã◆™ã€,

ã,ã,¹ã,³ã◆¬ã◆“ã◆®è,,†ã¼±æ€šã◆«ã³ã†|ã◆™ã,ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,ãfªãfªãf

æœ¬è,,†ã¼±æ€šã◆¬ã€◆ä»¥ã,ã◆®ã,ã,¹ã,³è£½ã”◆ã◆«ã½±éÿ¿ã◆—ã◆¾ã◆™ã€,

- RV340 ãf†ãf¥ã,çãf« WAN ã,®ã,¬ãf“ãffãf^ VPN ãf«ãf¼ã,¿
- RV340W ãf†ãf¥ã,çãf« WAN ã,®ã,¬ãf“ãffãf^ Wireless-AC VPN ãf«ãf¼ã,¿
- RV345 ãf†ãf¥ã,çãf« WAN ã,®ã,¬ãf“ãffãf^ VPN ãf«ãf¼ã,¿
- RV345P ãf†ãf¥ã,çãf« WAN ã,®ã,¬ãf“ãffãf^ PoE ã³ã¿œ VPN ãf«ãf¼ã,¿

Bug ID: [CSCvw92538](#)

CVE ID: CVE-2021-1473

ã,»ã,ãf¥ãfªãf†ã,£ã½±éÿ¿è©•ã¾¿;¿¼^SIR¿¼%oi¼šé«~

CVSS ãf™ãf¼ã,¹ã,¹ã,³ã,ç¿¼š7.3

CVSSãf™ã,¬ãf^ãf«¿¼šCVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

CVE-2021-1472: Cisco Small Business

RVã,ãfªãf¼ã,°ãf«ãf¼ã,¿ã◆«ã◆šã◆ã,«èª◆è¼ããf◆ã,ããf³ã,¹ãf•ã,¿ã,ããf«ã,çãffãf—ãfãf¼ãf%ooã◆

Cisco Small Business RV ã,ãfªãf¼ã,°ãf«ãf¼ã,¿ã◆® Web

ãf™ãf¼ã,¹ã◆®ç@;ç◆†ã,ããf³ã,¿ãf¼ãf•ã,šã,ãã,¹ã◆®è,,†ã¼±æ€šã◆«ã,^ã,šã€◆èª◆è¼ã◆ã,œã◆|ã◆

ã◆“ã◆®è,,†ã¼±æ€šã◆¬ã€◆è©²ã½”ã◆™ã,ãf†ãf◆ã,ãã,¹ã◆šã,»ãffã,ãfšãf³ã◆œé◆©ã^†ã◆«ç@;ç◆

HTTP

è|◆æ±,ã,é€◆ä¿¿ã◆™ã,ã◆“ã◆”ã◆«ã,^ã,šã€◆ã◆“ã◆®è,,†ã¼±æ€šã,ã,æfã^©ç””ã◆™ã,ã◆¬èf

ã,ã,¹ã,³ã◆¬ã◆“ã◆®è,,†ã¼±æ€šã◆«ã³ã†|ã◆™ã,ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,ãfªãfªãf

æœ¬è,,†ã¼±æ€šã◆¬ã€◆ä»¥ã,ã◆®ã,ã,¹ã,³è£½ã”◆ã◆«ã½±éÿ¿ã◆—ã◆¾ã◆™ã€,

- RV160 VPN ãf«ãf¼ã,¿
- RV160W Wireless-AC VPN ãf«ãf¼ã,¿
- RV260 VPN ãf«ãf¼ã,¿
- PoE ã³ã¿œ RV260P VPN ãf«ãf¼ã,¿
- RV260W Wireless-AC VPN ãf«ãf¼ã,¿
- RV340 ãf†ãf¥ã,çãf« WAN ã,®ã,¬ãf“ãffãf^ VPN ãf«ãf¼ã,¿

- RV340W Wireless-AC VPN
- RV345 Wireless-AC VPN
- RV345P PoE Wireless-AC VPN

Bug ID: CSC92718, CSC92723

CVE ID: CVE-2021-1472

CVSS v3.1: 5.5

CVSS v2.0: 5.3

CVSS v3.1: 3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

Summary

A vulnerability exists in the... (text is garbled)

Impact

The vulnerability... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

... (text is garbled)

TAC (<https://www.cisco.com/c/en/us/support/web/tsd-cisco-worldwide-contacts.html>)

... (text is garbled)

ç,,;ã,,ÿã,çãffãf—ã,°ãf—ãf1/4ãf%ã®ã³4è±;è£1/2ã”ãSã,ã,ã”ã”ã,è”1/4æ~Žã—ã|ã,,ãÿã
URL ã,ã”ç””æ,,ãããããããã,ã€,

ä;®æ£æ,^ã;ãfãfãfãf1/4ã,¹

æ¬;ã®è;”ã«çããã™ã,^ãããã«ã€èè²ã1/2”ã™ã,ä;®æ£æ,^ã;ã;®ã,1/2ãfãfã,|ã,Sã,Çãfãfãfãf

Cisco Small Business RV ã,ãfãf1/4ã,°ãf«ãf1/4ã,;ç	ä;®æ£æ,^ã;ãfãfãfãf1/4ã,¹
RV160ã€RV160Wã€RV260ã€RV260Pã€ãŠã,^ã³ RV260W	1.0.01.03 ä»¥€™
RV340ã€RV340Wã€RV345ã€ãŠã,^ã³ RV345P	1.0.03.21 ä»¥€™

Cisco.com ã® [Software Center](#)
ã<ã,%ã,1/2ãfãfã,|ã,Sã,Çã,ãfã,|ãfãfãf1/4ãf%ã™ã,ã«ã«ã€[ã™ã¹ã|ã,ã,ç...Sì1/4^Brov
[Alli1/4%o](#)] ã,ã,ãfãfãfã,ã—ã€[ãfã,|ãfãfãf1/4ãf%ããfãf1/4ãf i1/4^Downloads Homei1/4%o]
> [ãf«ãf1/4ã,çi1/4^Routersi1/4%o] > [ã,1ãfçãf1/4ãf«ãf”ã,ãfã,¹ã”ã”ãf«ãf1/4ã,çi1/4^Small
Business Routersi1/4%o] > [Small Business RVã,ãfãf1/4ã,°ãf«ãf1/4ã,çi1/4^Small Business RV
Series Routersi1/4%o] ã®éãã«çS»ããã—ã³4ã™ã€,

ä,æ£ã^©ç””ã°ã³4ã”ã...ã1/4ç™ºè;”

Cisco Product Security Incident Response
Teami1/4^PSIRTi1/4%ãSããã€æœãã,Çãf%ãããã,ã,¶ã,¶ãfãã«è”~è1/4%ãã,ã,Çãã|ã,,ã,è,,ã1/4±æ€

ã‡ã...

ã,ã,1ã,ããã€ã”ã,Çã,%ã®è,,ã1/4±æ€Sã,ã±ãŠã—ã|ããããããã€ã£ãÿIoT
Inspector Research Lab ã® T.Shiomitsu æ°ãã«æ,,ÿè¬ãã,,ãÿã—ã³4ã™ã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-sb-rv-bypass-inject-Rbhgvfdx>

æ”¹è”,ã±¥æ’

ãfãf1/4ã,ãfSãf³	èª—æ~Ž	ã,»ã,ã,ãfSãf³	ã,1ãfãf1/4ã,çã,¹	æ—¥ã»~
1.0	ã^ã>žã...¬é¬ãfãfãf1/4ã,¹	-	Final	2021-APR-07

ã^©ç””è!ç’,,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。