



XEã,½ãf•ãf^ã,|ã,Sã,çãfããfãf¼ã,¹17.3.1ã»¥é™™ i¼^ã Yã ã —ã€ æœ€ã^ã @ã¿@æ£ãfãfãfã

- ãfãf¼ãf•ã,ããf¼ãf—ãf³æŽ¥ç¶šã @ã^¶é™™
- TCP SYNãf•ãf©ãffãf%ãã^¶é™™
- TCP SYNã,ããfã,ãf¼ãœ©Yèf½

è,,†ã¼±æ€§ã @ã,ã, Cisco

ã,½ãf•ãf^ã,|ã,Sã,çãfããfãf¼ã,¹ã @è©³ç'°ã «ã ãã,,ã |ã -ã€ã "ã @ã,çãf%ããfã,ãã,¶ã,¶ã

ãf†ãfã,ãã,¹è"ã @šã @çç°èª

ãfãf¼ãf•ã,ããf¼ãf—ãf³æŽ¥ç¶šã^¶é™™ã€TCP  
SYNãf•ãf©ãffãf%ãã^¶é™™ã€ãã¼ã Yã -TCP

SYNã,ããfã,ãf¼ãœ©Yèf½ã -ã€ã-;ã @è"ã @šã,³ãfžãf³ãf%ãã @ã,,ã šã,£ããããf†ãfã,

- max-incomplete
- max-incomplete tcp
- max-incomplete udp
- max-incomplete icmp
- max-incomplete high
- max-incomplete low
- tcp max-incomplete host
- tcp syn-flood limit
- tcp syn-flood rate per-destination

ãf†ãf¼ã,¿ãf—ãf-ãf¼ãf³ã £æ£ã,,ã «ãf—ãfã,°ãf©ãfãã•ã,£ã Yããã©ãã†ããã,çç°èªãã™™

**platform hardware qfp active feature firewall**

runtimeã,³ãfžãf³ãf%ãã, 'ã½¿ç"ã —ãã¼ãã™™ã€è"ã @šã £ãfãf¼ãf•ã,ããf¼ãf—ãf³ã @ã,»ããfã,ãã

openã€syn-floodã€ãã¼ã Yã -syn-

cookieã£ããã,£ãžã,£ããœ"ãã™™ã,ã¿...è|ãã£ãã,ã,šãã¼ãã™™ã€ãã"ã,£ã,%ãã @æ©

<#root>

Router#

show platform hardware qfp active feature firewall runtime

```

.
.
.
global3 0x00000081:
  syn-flood                (0x00000040)
  syn-cookie                (0x00000020)
  half-open                 (0x00000080)
.
.

```



ã, 'ä½ç'™ã—ã!æ¬jã®æ-¹æ³·ãšã,çãf%ãfã,ã,¶ã,¶ãfã,æœç'çãšããã¾ã™ã€,

- ä,½ãf·ãf^ã,|ã,§ã,çã" 1ã«ã»¥ã,šã®ãfããfãf¼ã,¹ã,'é,æšžã—ã¾ã™ã€,
- ç%¹ã®šã®ãfããfãf¼ã,¹ã®ãfã,¹ãf^ã,'ã«ã,€ .txt  
ãf·ã,jã,ããf«ã,'ã,çãffãf—ãfãf¼ãf%ãã™ã,ç
- **show version** ä,³ãfžãf³ãf%ãã®ã†°ãš>ã,'ã...¥ãš>ã™ã,ç

æœç'çã,'é-ãš<ã—ãÿã¾ã€ãšã€ã™ã¹ã|ã®ã,ã,¹ã,³ã,»ã,ãf¥ãfãfãfã,£  
ã,çãf%ãfã,ã,¶ã,¶ãfããç%¹ã®šã®ã,çãf%ãfã,ã,¶ã,¶ãfããã¾ãÿã™æœ€æ-°ã®ã...-é-ç

ã¾ãÿãÿã€æ¬jã®ã½çã¼ã,'ä½ç'™ã—ã!ã€Cisco IOSã¾ãÿãÿã™ã IOS XE  
ã,½ãf·ãf^ã,|ã,šã,çãfããfãf¼ã,¹¼^15.1(4)M2ã,, 3.13.8S

ãªã©i¼%ã,'ã...¥ãš>ã™ã,çã"ã"ãšã€ããã®ãfããfãf¼ã,¹ã€ã,ã,¹ã,³  
ã,»ã,ãf¥ãfããfã,£

ã,çãf%ãfã,ã,¶ã,¶ãfãã®ã½±éÿã,'ã—ã'ã|ã,,ã,çããã©ãfãã,'ã^æ-ãšãã¾ã

ãfãfã,©ãf«ãf^ãšã™ã€Cisco Software Checkerã®çμæžœã«ã™ã€Security Impact  
Ratingi¼^SIRi¼%ã€ã€ã€ã¾ãšã€ã¾ã¾ãÿã™ã™ã€ã€ã®è,,fã¼±æ€šããã'ã€ã€

SIR è,,fã¼±æ€šã®çμæžœã,'ã«ã,ã,çã«ã™ã€Cisco.comã«ã,ã,ç Cisco Software  
Checker ä,'ä½ç'™ã—ã!ã€æœç'çã,'ã,«ã,¹ã,çãfžã,ã,°ã™ã,çã"ã"ããã«

[ã½±éÿã®è©ã¾i¼^Impact Ratingi¼%]

ã®ã,çã«ã,ã,çãf%ãfãfãfã—ãfã,|ãf³ãfã,¹ãf^ã® [ã,é-"i¼^Mediumi¼%]

ãfã,šãffã,ãfœãffã,ã,¹ã,'ã,ªãf³ã«ã—ã¾ã™ã€,

ä,æfã^©ç'™ã°ã¾ãã"ã...-ã¼ç™°èj"

Cisco Product Security Incident Response

Teami¼^PSIRTi¼%ã™ã€æœ-ã,çãf%ãfã,ã,¶ã,¶ãfãã«è~è¼%ãã,ã,€ã|ã,,ã,è,,fã¼±æ€šã

ã†°ã...

ã"ã®è,,fã¼±æ€šã™ã Cisco TAC

ã,μãfãf¼ãf^ã,±ãf¼ã,¹ã®èšfæ±°ã,ã«ç™°è|ãã,ã,€ã¾ã—ãÿã€,

### URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-zbfw-tguGuYq>

æ"¹è,,ã±¥æ'

ãf◊ãf¼ã,ãfšãf³	èª-æ~Ž	ã,»ã,ã,ãfšãf³	ã,¹ãf†ãf¼ã,¿ã,¹	æ—Yä»~
1.0	å^◊å>žå...-é-ãfªãfªãf¼ã,¹	-	Final	2021 å¹´ 9 æœˆ 22 æ—Y

## å^©ç””è!◊ç´,,

æœ-ã,çãf%ãf◊ã,ã,ã,¶ã,¶ãfªã◊-ç,,jã¿◊è”¼ã◊@ã,,ã◊@ã◊”ã◊—ã◊|ã◊”æ◊◊ã¾ã◊—ã◊|ã◊Šã,Šã€  
æœ-ã,çãf%ãf◊ã,ã,ã,¶ãfªã◊@æf...å±ã◊Šã,^ã◊³ãfªãf³ã,ã◊@ã½¿ç””ã◊«é-çã◊™ã,«è²-ã»ã◊@ã,€  
ã◊¾ã◊Yã€◊ã,ã,¹ã,³ã◊-æœ-ãf%ã,ãfªãf;ãf³ãf^ã◊@ãt...å@¹ã,ã^ãŠã◊ªã◊—ã◊«ã%ãæ’ã◊—ã◊  
æœ-ã,çãf%ãf◊ã,ã,ã,¶ãfªã◊@è”~è¿ãt...å@¹ã◊«é-çã◊—ã◊|æf...å±é...◊ã¿ã◊@ URL  
ã,çœ◊ç•¥ã◊—ã€◊å◊~ç<-ã◊@è»çè¼%ã,,æ,,◊è”³ã,æ-½ã◊—ã◊Yã´ã◊^ã€◊å½”ç¾¾ã◊CEç@¿ç◊  
ã◊”ã◊@ãf%ã,ãfªãf;ãf³ãf^ã◊@æf...å±ã◊-ã€◊ã,ã,¹ã,³è£½ã”◊ã◊@ã,“ãf³ãf%ãf!ãf¼ã,¶ã,ã³¾è±j

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。