Catalyst 9000 ãƒ•ã‚¡ãƒŸãƒªå‘ã‘ Cisco IOS XE ãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ ã‚³ãƒ³ãƒˆãƒãƒ¼ãƒ© ã‚½ãƒ•ãƒˆã‚¦ã‚§ã‚¢ã‚«ã‚Šã‚‘ã‚‹ SNMP ãƒˆãƒ©ãƒƒãƒﬁé–¢é€£ã‚® DoS è„†å¼±æ€§

High

ã‚¢ãƒ‰ãƒ¤ã‚¤ã‚¶ãƒªID : cisco-sa-c9800-snmp-trap-dos-mjent3Ey

åˆ•å…¬é–‹æ—¥ : 2022-04-13 16:00

ãƒ•ãƒｰã‚¸ãƒ§ãƒ³ 1.0 : Final

CVSSã‚¹ã‚¢ : 7.4

å›žé¿ç– : Yes

Cisco ãƒ•ã‚° ID : CSCvs71784

CVE-2022-20684

æ—¥æœ¬è³žã‚«ã‚ˆã‚‹ãƒ…å ±ã¯ã€è‹±è³žã‚«ã‚ˆã‚‹åŽŸæ–‡ã®ã®é‚žå…¬å¼ã

æ¦‚è¦

Catalyst 9000ãƒ•ã‚¡ãƒŸãƒªç”¨ã‚®Cisco IOS XEãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ãƒˆãƒãƒｰãƒ©ã‚½ãƒ•ãƒˆã‚¦ã‚§ã‚®ã‚®ãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ãƒ©ã‚¤ãƒˆã‚§ã‚¢ãƒ³ãƒˆã‚§ã‚®ã‚®ãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ãƒ©ã‚¤ãƒˆã‚©ã‚¤ã‚¢ãƒ³ãƒˆã‚®ã‚®Network Management Protocol(SNMP)ãƒˆãƒ©ãƒƒãƒﬁç”Ÿæˆ‐ã‚«ã‚Šã‚‘ã‚‹è„†å¼±æ€§ã‚«ã‚Šã€‐èª‐è¨¼ã‚•ã‚Œã‚¦

ã‚“ã‚®è„†å¼±æ€§ã‚¯ã€‐ãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ãƒ©ã‚¤ãƒˆæŽ¥ç¶šã‚¤ãƒ™ãƒ³ãƒˆã‚«é–¢ã€£ã‚™802.1xãƒ‘ã‚±ãƒｯãƒˆã‚Œé€‐ä¿¡ã‚•ã‚Œã‚‹ã‚¨ã€‐ã‚“ã‚®è„†å¼±æ€§ã‚Œã‚¨ã‚¯ãƒﬁãƒ—ãƒｯã‚¤ãƒˆã‚•ã‚Œã‚‹DoS çŠ¶æ…‹ã‚Œ™ºç”Ÿã™ã‚‹å‐¯èƒ½æ€§ã‚Œã‚‚ã‚Šã‚¾ã‚™ã€‚

ã‚·ã‚¹ã‚¯ã‚“ã‚®è„†å¼±æ€§ã«å¯¾ä‡¦ã™ã‚‹ã‚½ãƒ•ãƒˆã‚¦ã‚§ã‚¢ãƒｯﾌﾟﾃｰﾄ’ﾊﾟｯﾁ

ã‚“ã‚®ã‚¢ãƒ‰ãƒ¤ã‚¤ã‚¶ãﾟã‚¯ã€‐æ¬¡ã‚®ãﾟãﾟã‚¯ã‚ˆã‚Šç¢ºèª‐ã‚§ã‚‐ã‚¾ã‚™ã€‚
https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-c9800-snmp-trap-dos-mjent3Ey

ã‚“ã‚®ã‚¢ãƒ‰ãƒ¤ã‚¤ã‚¶ãﾟã‚¯ã€‐2022 å¹´ 4 æœˆã«å…¬é–‹ã•ã‚Œã‚Ÿ Cisco IOS ã‚½ãƒ•ãƒˆã‚¦ã‚§ã‚Šã‚ˆã‚³ IOS XE ã‚½ãƒ•ãƒˆã‚¦ã‚§ãﾟãﾟãﾟ¼ã‚¹ã‚®ã‚»ã‚¥ãﾟãﾟ†ã‚£ã‚¢ãƒ‰ãƒ¤ã‚¤ã‚¶ãﾟ
ãƒ•ãƒ³ãƒ‰ãƒ«ã‚®ä¸€éƒ¨ã‚§ã‚™ã€‚ã‚¢ãƒ‰ãƒ¤ã‚¤ã‚¶ãﾟã‚®å®Œå…¨ã‚ªãﾟãﾟã‚¹ãﾟãﾟ¨ã‚ﾟﾟã‚

Event Response: April 2022 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publicationã€‚ã‚'å‚,ç…§ã—ã¦ã‚‚ã‚ ã•ã„ã€‚

è©²å½“è£½å“‚

è„†å¼±æ€§ã®ã‚‚ã‚‹è£½å“‚

ã“ã®è„†å¼±æ€§ã¯ã€Catalyst 9000ãƒ•ã‚¡ãƒŸãƒªç”¨ã®Cisco IOS XEãƒ¯ã‚¤ãƒ¤ãƒ¬ã‚¹ãƒ³ãƒˆãƒãƒ¼ãƒ©ã‚½ãƒ•ãƒˆã‚¦ã‚§ã‚ã®è„†å¼±æ€§ã‚Œå˜åœ¨ã™ã‚‹ãƒªãƒª

- Catalyst 9300ã€‚9400ã€‚9500 ã‚·ãƒªãƒｰã‚º ã‚¹ã‚¤ãƒƒãﾁ ç”¨ Catalyst 9800 çµ„ã‚¿ã‚¤ãﾌﾟ ãﾌｧｲｱｰｳｫｰﾙ
- Catalyst 9800 ã‚·ãﾘｰｽﾞ ﾌｧｲｱｰｳｫｰﾙ ｻｰﾋﾞｽ
- ã‚¯ﾗｳﾄﾞﾍﾞｰｽﾄ Catalyst 9800-CL ﾌｧｲｱｰｳｫｰﾙ
- Catalyst ã‚¢ã‚¯ｾｽﾎﾟｲﾝﾄ ﾌｧｲｱｰｳｫｰﾙ çµ„ã‚¿ｲﾌﾟ ﾌｧｲｱｰｳｫｰﾙ

è„†å¼±æ€§ã‚Œå˜åœ¨ã™ã‚‹ Cisco ã‚½ﾌﾄｳｪｱ ｾｷｭﾘﾃｨｱﾄﾞﾊﾞｲｽ ﾌｧｲｱｰｳｫｰﾙ ｻｰﾋﾞｽ€Œä

ãƒ‡ãƒ•ã‚¤ã‚¹ è¨å®šã®ç¢ºèª

ã‚¯ﾗｳﾄﾞﾍﾞｰｽﾄ ﾌｧｲｱｰｳｫｰﾙ ｻｰﾋﾞｽ ｲﾝｽﾀﾝｽ ﾏﾈｰｼﾞﾒﾝﾄ ｺﾝｿｰﾙ ｱﾌﾟﾘｹｰｼｮﾝ ｱｸｾｽ ﾎﾟｲﾝﾄ ﾏｽﾀｰ ｻｰﾊﾞｰ ｱﾄﾞﾚｽ ｺﾝﾌｨｸﾞﾚｰｼｮﾝ ﾌｧｲﾙ ﾌｫｰﾏｯﾄ ﾌｧｲｱｰｳｫｰﾙ ﾙｰﾙ ｾｷｭﾘﾃｨ ｸﾞﾙｰﾌﾟ ﾛｸﾞｲﾝ ﾕｰｻﾞｰ ｱｶｳﾝﾄ ﾛｰﾙﾍﾞｰｽﾄ ｱｸｾｽ ｺﾝﾄﾛｰﾙ ﾘｽﾄ ﾛｰﾐﾝｸﾞ ﾌﾟﾛﾌｧｲﾙ ﾒﾆｭｰ ﾊﾟｽﾜｰﾄﾞ ﾎﾟﾘｼｰ ﾌﾟﾛﾌｧｲﾙ ﾎﾟﾘｼｰ ﾏｯﾌﾟ ｻｰﾋﾞｽ ﾃﾝﾌﾟﾚｰﾄ ｾｯｼｮﾝ ﾛｸﾞｲﾝ ｾｷｭﾘﾃｨ ﾃﾝﾌﾟﾚｰﾄ ｾｯｼｮﾝ ﾀｲﾑｱｳﾄ ﾕｰｻﾞｰ ﾛｰﾙ ﾌﾟﾛﾌｧｲﾙ ﾕｰｻﾞｰ ﾛｰﾙ ﾏｯﾌﾟ ﾕｰｻﾞｰﾈｰﾑ ﾍﾞｰｽﾄ ｱｸｾｽ ｺﾝﾄﾛｰﾙ ﾘｽﾄ ｱｸｾｽ ﾘｽﾄ ｲﾝﾀｰﾌｪｰｽ ｺﾝﾌｨｸﾞﾚｰｼｮﾝ ﾛｸﾞｲﾝ ﾛｰｶﾙ ﾕｰｻﾞｰﾈｰﾑ ﾊﾟｽﾜｰﾄﾞ ﾎﾟﾘｼｰ ﾏｯﾌﾟ ﾊﾟｽﾜｰﾄﾞ ﾎﾟﾘｼｰ ﾌﾟﾛﾌｧｲﾙ ﾛｰﾙ ﾍﾞｰｽﾄ ｱｸｾｽ ｺﾝﾄﾛｰﾙ ﾘｽﾄ ﾛｰﾙ ﾌﾟﾛﾌｧｲﾙ ｻｰﾋﾞｽ

ã►“ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►®è„†å¼±æ€§ã►®ã►,ã,‹è£½å“►ã,»ã,¯ã,·ãƒ§ãƒ³ã►«è¨˜è¼‰ã►•ã

ã,·ã,¹ã,³ã►¯ã€►ã►“ã►®è„†å¼±æ€§ã►Œä»¥ä¸‹ã►®ã,·ã,¹ã,³è£½å“►ã►«ã►¯å½±éŸ¿ã,'ä¸Žã►^ã►

- IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
- IOS XR ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
- Meraki è£½å“►
- NX-OS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
- ãƒ¯ã,¤ãƒ¤ãƒ¬ã,¹ LAN ã,³ãƒ³ãƒˆãƒãƒ¼ãƒ©ï¼^WLCï¼‰AireOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

å›žé►¿ç–

ãƒ¯ã,¤ãƒ¤ãƒ¬ã,¹é™¤å¤–ã,¯ãƒ©ã,¤ã,¢ãƒ³ãƒˆã►«SNMPãƒˆãƒ©ãƒƒãƒ—ã,'å¿…è¦►ã►¨ã►—ã►ªã►„ã►Šå►¢

```
WLC(config)#no trapflags client excluded
```

ã►“ã►®å›žé►¿ç–ã►¯å°Žå…¥ã►•ã,Œã►¦ã►Šã,Šã€►ãƒ†ã,¹ãƒˆç'°å¢ƒã►§ã►¯å►Ÿè¨¼æ¸ˆã►¿ã►§ã

ä¿►æ£æ¸ˆã►¿ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

ã,·ã,¹ã,³ã►¯ã►“ã►®ã,¢ãƒ‰ãƒ►ã,¤ã,¶ãƒªã►«è¨˜è¼‰ã►•ã,Œã►Ÿè„†å¼±æ€§ã►«å¯¾å‡¦ã►™ã,‹ç„¡

ã►Šå►¢æ§˜ã►Œã,¤ãƒ³ã,¹ãƒˆãƒ¼ãƒ«ã►—ã►Ÿã,Šã,µãƒ►ãƒ¼ãƒˆã,'å►—ã►'ã►Ÿã,Šã►§ã►►ã,‹ã►®ã
ãƒ►ãƒ¼ã,¸ãƒ§ãƒ³ã►¨ãƒ•ã,£ãƒ¼ãƒ►ãƒ£
ã,»ãƒƒãƒˆã►«å¯¾ã►—ã►¦ã►®ã►¿ã►¨ã►ªã,Šã►¾ã►™ã€,ã►►ã►®ã,ˆã►†ã►ªã,½ãƒ•ãƒˆã,¦ã,§ã,
https://www.cisco.com/c/en/us/products/end-user-license-agreement.html

ã►¾ã►Ÿã€►ã►Šå►¢æ§˜ã►Œã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã,'ãƒ€ã,¦ãƒ³ãƒãƒ¼ãƒ‰ã►§ã►►ã,‹ã►®ã►¯ã€►ã,
ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã►§ã►™ã€,ç„¡å„Ÿã►®ã,»ã,ãƒ¥ãƒªãƒ†ã,£ ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ã,¢ãƒƒãƒ—ãƒ‡ãƒ¼ãƒˆã►«ã,ˆã►£ã►¦ã€►ã►Šå►¢æ§˜ã►«æ–°ã►—ã►„ã,½ãƒ•ãƒˆã,¦ã,§ã,¢
ãƒ©ã,¤ã,»ãƒ³ã,¹ã€►è¿½åŠ ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ ãƒ•ã,£ãƒ¼ãƒ►ãƒ£
ã,»ãƒƒãƒˆã€►ã►¾ã►Ÿã►¯ãƒ¡ã,¸ãƒ£ãƒ¼ ãƒªãƒ“ã,¸ãƒ§ãƒ³
ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã►«å¯¾ã►™ã,‹æ¨©é™►ã►Œä»˜ä¸Žã►•ã,Œã,‹ã►“ã►¨ã►¯ã►,ã,Šã►¾ã►

Cisco.com ã►® Cisco Support and Downloads
ãƒšãƒ¼ã,¸ã►«ã►¯ã€►ãƒ©ã,¤ã,»ãƒ³ã,¹ã►¨ãƒ€ã,¦ãƒ³ãƒãƒ¼ãƒ‰ã►«é–¢ã►™ã,‹æƒ…å ±ã►Œè¨˜è¼‰ã►
Devicesï¼‰]
ãƒ„ãƒ¼ãƒ«ã,'ä½¿ç"¨ã►™ã,‹ã►Šå►¢æ§˜ã►®ã,«ã,¹ã,¿ãƒžãƒ¼ãƒ‡ãƒ►ã,¤ã,¹ã,µãƒ►ãƒ¼ãƒˆç¯„å›²ã,,è¡¨ç¤º

ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã►®ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'æ¤œè¨Žã►™ã,‹éš›ã►«ã►¯ã€►ã,·ã,¹ã,³

ã,»ã,ãƒ¥ãƒªãƒ†ã,£ ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒª
ãƒšãƒ¼ã,¸ã•§å…¥æ‰‹ã•§ã••ã,‹ã,·ã,¹ã,³è£½å“•ã•®ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã,'å®šæœŸçš„ã•«å•,ç
ã,½ãƒªãƒ¥ãƒ¼ã,·ãƒ§ãƒ³ä¸€å¼•ã,'ç¢ºèª•ã•—ã•¦ã••ã• ã••ã•„ã€,

ã•„ã•šã,Œã•®å´å•^ã,,ã€•ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã•™ã,‹ãƒ‡ãƒ•ã,¤ã,¹ã•«å••å^†ã•ªãƒ¡ãƒ¢ã
Technical Assistance
Centerï¼ˆTACï¼‰ã,,ã•—ã••ã•¯å¥'ç´„ã•—ã•¦ã•„ã,‹ãƒ¡ãƒ³ãƒ†ãƒŠãƒ³ã,¹ãƒ—ãƒãƒ•ã,¤ãƒ€ãƒ¼ã•«

ã,µãƒ¼ãƒ“ã,¹å¥'ç´„ã,'ã•"å^©ç"¨ã•§ã•ªã•„ã•Šå®¢æ§˜

ã,·ã,¹ã,³ã•‹ã,‰ç›´æŽ¥è³¼å…¥ã•—ã•Ÿã•Œã,·ã,¹ã,³ã•®ã,µãƒ¼ãƒ“ã,¹å¥'ç´„ã,'ã•"å^©ç"¨ã•„ã•Ÿã•
cisco-worldwide-
contacts.htmlï¼‰ã•«é€£ç¡¡ã•—ã•¦ã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã,'å…¥æ‰‹ã•—ã•¦ã••ã• ã••ã•„

ç„¡å„Ÿã,¢ãƒƒãƒ—ã,°ãƒ¬ãƒ¼ãƒ‰ã•®å¯¾è±¡è£½å“•ã•§ã•‚ã,‹ã•“ã•¨ã,'è¨¼æ˜Žã•—ã•¦ã•„ã•Ÿã
URL ã,'ã•"ç"¨æ„•ã••ã• ã••ã•„ã€,

Cisco IOS ã•Šã,^ã•³ IOS XE ã,½ãƒ•ãƒˆã,¦ã,§ã,¢

Cisco IOS ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•Šã,^ã•³ IOS XE
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•®è„†å¼±æ€§ã•«ã,^ã,‹ä¾µå®³ã•®å•¯èƒ½æ€§ã,'å^¤æ–ã•§ã••ã,‹ã,^ã•†ã€
Cisco Software Checker
ã,'æ••ä¾›ã•—ã•¦ã•„ã•¾ã•™ã€,ã•"ã•®ãƒ„ãƒ¼ãƒ«ã•«ã,^ã,Šã€•ç‰¹å®šã•®ã,½ãƒ•ãƒˆã,¦ã,
ã,»ã,ãƒ¥ãƒªãƒ†ã,£
ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã€•ã•Šã,^ã•³å•„ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã•§è¬¬æ˜Žã••ã,Œã•¦ã•„ã,‹è„†å¼±
Fixedã€•ï¼‰ã,'ç‰¹å®šã•§ã••ã•¾ã•™ã€,ã•¾ã•Ÿè©²å½"ã•™ã,‹å´å•^ã€•ã••ã•®ãƒªãƒª
First Fixedã€•ï¼‰ã,'ç‰¹å®šã•§ã••ã•¾ã•™ã€,

ã•Šå®¢æ§˜ã•¯ã€•Cisco Software Checker
ã,'ä½¿ç"¨ã•—ã•¦æ¬¡ã•®æ–¹æ³•ã•§ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã,'æ¤œç´¢ã•§ã••ã•¾ã•™ã€,

- ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ã•¨ 1 ã•¤ä»¥ä¸Šã•®ãƒªãƒªãƒ¼ã,¹ã,'é•¸æŠžã•—ã•¾ã•™ã€,
- ç‰¹å®šã•®ãƒªãƒªãƒ¼ã,¹ã•®ãƒªã,¹ãƒˆã,'å•«ã,€ .txt ãƒ•ã,¡ã,¤ãƒ«ã,'ã,¢ãƒƒãƒﾌãƒ¼ãƒ‰ã•™ã,‹
- **show version** ã,³ãƒžãƒ³ãƒ‰ã•®å‡ºåŠ›ã,'å…¥åŠ›ã•™ã,‹

æ¤œç´¢ã,'é–‹å§‹ã•—ã•Ÿå¾Œã•§ã€•ã•™ã•¹ã•¦ã•®ã,·ã,¹ã,³ ã,»ã,ãƒ¥ãƒªãƒ†ã,£
ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã€•ç‰¹å®šã•®ã,¢ãƒ‰ãƒ•ã,¤ã,¶ãƒªã€•ã•¾ã•Ÿã•¯æœ€æ–°ã•®å…¬é–‹ã

ã•¾ã•Ÿã€•æ¬¡ã•®å½¢å¼•ã,'ä½¿ç"¨ã•—ã•¦ã€•Cisco IOS ã•¾ã•Ÿã•¯ IOS XE
ã,½ãƒ•ãƒˆã,¦ã,§ã,¢ãƒªãƒªãƒ¼ã,¹ï¼^**15.1(4)M2 ã,„ 3.13.8S**
ã•ªã•©ï¼‰ã,'å…¥åŠ›ã•™ã,‹ã•“ã•¨ã•§ã€•ã••ã•®ãƒªãƒªãƒ¼ã,¹ã•Œã,·ã,¹ã,³

ã‚»ã‚ãƒ¥ãƒªãƒ†ã‚£
ã‚¢ãƒ‰ãƒ﹠ã‚¤ã‚¶ãƒªã﹠®å½±éŸ¿ã‚'å﹠—ã﹠'ã﹠¦ã﹠„ã‚‹ã﹠‹ã﹠©ã﹠†ã﹠‹ã‚'åˆ¤æ–ã﹠§ã﹠﹠ã﹠¾ã﹠

Check

ãƒ‡ãƒ•ã‚©ãƒ«ãƒˆã﹠§ã﹠¯ã€﹠Cisco Software Checker ã﹠®çµ﹠æžœã﹠«ã﹠¯ã€﹠Security Impact Ratingï¼ˆSIRï¼‰ã﹠Œã€Œé‡﹠å¤§ã€﹠ã﹠¾ã﹠Ÿã﹠¯ã€Œé«˜ã€﹠ã﹠®è„†å¼±æ€§ã﹠ ã﹠'ã﹠Œå﹠«
SIR è„†å¼±æ€§ã﹠®çµ﹠æžœã‚'å﹠«ã‚‹ã﹠‹ã﹠«ã﹠¯ã€﹠Cisco.com ã﹠«ã﹠‚ã‚‹ Cisco Software Checker ã‚'ä½¿ç"¨ã﹠—ã﹠¦ã€﹠æ¤œç´¢ã‚'ã‚«ã‚¹ã‚¿ãƒžã‚¤ã‚ºã﹠™ã‚‹ã﹠¨ã﹠﹠ã﹠«
[å½±éŸ¿ã﹠®è©•ä¾¡ï¼ˆImpact Ratingï¼‰]
ã﹠®ä¸‹ã﹠«ã﹠‚ã‚‹ã‚‰ã‚ƒã‚ƒã‚—ã‚€ã‚¦ãƒ³ãƒˆã﹠® [ä¸é–"ï¼ˆMediumï¼‰]
ãƒ﹠§ãƒƒã‚¯ãƒœãƒƒã‚¯ã‚'ã‚ªãƒ³ã﹠«ã﹠—ã﹠¾ã﹠™ã€‚

ä¸﹠æ£åˆ©ç"¨ä°‹ä¾‹ã﹠¨å…¬å¼﹠ç™°è¡¨

Cisco Product Security Incident Response Teamï¼ˆPSIRTï¼‰ã﹠¯ã€﹠æœ¬ã‚ƒã‚ƒã‚—ã‚¤ã‚ƒã﹠«è¨˜è¼‰ã﹠•ã‚Œã﹠¦ã﹠„ã‚‹è„†å¼±æ€§ã﹠

å‡°å…¸

æœ¬è„†å¼±æ€§ã﹠¯ã€﹠ã‚·ã‚³ã‚³å†…éƒ¨ã﹠§ã﹠®ã‚»ã‚ãƒ¥ãƒªãƒ†ã‚£ãƒ†ã‚³ãƒˆã﹠«ã‚ˆã﹠£ã﹠¦ç™°è¦‹ã﹠•ã‚Œã﹠¾ã﹠—ã﹠Ÿã€‚

URL

https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-c9800-snmp-trap-dos-mjent3Ey

æ"¹è¨‚å±¥æ´

ãƒ﹠ãƒ¼ã‚¸ãƒ§ãƒ³	è¹¬æ˜Ž	ã‚»ã‚¯ã‚·ãƒ§ãƒ³	ã‚¹ãƒ†ãƒｼｰã‚¿ｽ	æ—¥ä»˜
1.0	åˆ﹠å›žå…¬é–‹ãƒªãƒªｰｽ	-	Final	2022å¹´ 4 æœˆ 13 æ—¥

åˆ©ç"¨è¦﹠ç´„

æœ¬ã‚ƒã‚ƒã‚—ã‚¤ã‚ƒã﹠¯ç„¡ä¿﹠è¨¼ã﹠®ã‚‚ã﹠®ã﹠¨ã﹠—ã﹠¦ã﹠"æ﹠﹠ä¾›ã﹠—ã﹠¦ã﹠Šã‚Šã€
æœ¬ã‚ƒã‚ƒã‚—ã‚¤ã‚ƒã﹠®æƒ…å ±ã﹠Šã‚ˆã﹠³ãƒªãƒ³ã‚¯ã﹠®ä½¿ç"¨ã﹠«é–¢ã﹠™ã‚‹è²¬ä»»ã﹠®ä¸
ã﹠¾ã﹠Ÿã€﹠ã‚·ã‚³ã﹠¯æœ¬ãƒ‰ã‚ƒã‚ƒãƒ¡ãƒ³ãƒˆã﹠®å†…å®¹ã‚'ä°ˆå'Šã﹠ªã﹠—ã﹠«å¤‰æ›´ã﹠—ã﹠
æœ¬ã‚ƒã‚ƒã‚—ã‚¤ã‚ƒã﹠®è¨˜è¿°å†…å®¹ã﹠«é–¢ã﹠—ã﹠¦æƒ…å ±é…﹠ä¿¡ã﹠® URL
ã‚'çœ﹠ç•¥ã﹠—ã€﹠å﹠˜ç‹¬ã﹠®è»¢è¼‰ã„„æ„﹠è¨³ã‚'æ–½ã﹠—ã﹠Ÿå ´å﹠ˆã€﹠å½"ç¤¾ã﹠Œç®¡ç﹠

ã►“ã►®ãƒ‰ã‚ãƒ¥ãƒ¡ãƒ³ãƒˆã►®æƒ…å ±ã►¯ã€►ã‚·ã‚¹ã‚³è£½å“►ã►®ã‚¨ãƒ³ãƒ‰ãƒ¦ãƒ¼ã‚¶ã‚’å¯¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。