

è©²â¼“è£½â“

è,†â¼±æ€§ã®ã,ã,è£½â“

ã“ã®è,,†â¼±æ€§ã¬ã€Cisco FXOSã¼ãÿã¬NX-

OSã,½ãf•ãf^ã,|ã,šã,çã®è,,†â¼±æ€§ãĈEã~ãœã™ã,ãfããfãf¼ã,¹ã,ã@ÿè;ĈEã—ã|ã,,ã,ã

- Firepower 4100ã,ãfãf¼ã,(CSCVz72467)
- Firepower 9300ã,»ã,ãfãfãf†ã,£ã,çãf—ãf©ã,ãã,çãf³ã,¹(CSCVz72467)
- MDS 9000ã,ãfãf¼ã,°ãfžãf«ãfãf-ã,ããfãã,¹ã,ããffãf(CSCVz72463)
- Nexus 1000 Virtual Edge for VMware vSphere(CSCVz72464)
- Microsoft Hyper-Vã'ãNexus 1000Vã,¹ã,ããffãf(CSCVz72464)
- VMware vSphereã'ãNexus 1000Vã,¹ã,ããffãf(CSCVz72464)
- Nexus 3000ã,ãfãf¼ã,°ã,¹ã,ããffãf(CSCVz72442)
- Nexus 5500ãf—ãf©ãffãf^ãf•ã,©ãf¼ãfã,¹ã,ããffãf(CSCVz72465)
- Nexus 5600ãf—ãf©ãffãf^ãf•ã,©ãf¼ãfã,¹ã,ããffãf(CSCVz72465)
- Nexus 6000ã,ãfãf¼ã,°ã,¹ã,ããffãf(CSCVz72465)
- Nexus 7000ã,ãfãf¼ã,°ã,¹ã,ããffãf(CSCVz72463)
- ã,çãf—ãfãã,±ãf¼ã,ãfšãf³ã,»ãf³ãf^ãfãffã,ãã,ããf³ãfãf©ã,¹ãf^ãf©ã,ããfãf£(ACI)ããfçãf¼ãf%ãã®
- 9000ã,ãfãf¼ã,°ãf•ã,ããf-ããfãffã,ã,¹ã,ããffãf(CSCVz72462)
- ã,¹ã,çãf³ãf%ãã,çãfãf³NX-OSãfçãf¼ãf%ãã®Nexus
- 9000ã,ãfãf¼ã,°ã,¹ã,ããffãf(CSCVz72442)
- UCS 6200ã,ãfãf¼ã,°ãf•ã,ããf-ããfãffã,ãã,ããf³ã,çãf¼ã,³ãfã,ããf(CSCVz74433)
- UCS 6300ã,ãfãf¼ã,°ãf•ã,ããf-ããfãffã,ãã,ããf³ã,çãf¼ã,³ãfã,ããf(CSCVz74433)
- UCS 6400ã,ãfãf¼ã,°ãf•ã,ããf-ããfãffã,ãã,ããf³ã,çãf¼ã,³ãfã,ããf(CSCVz72466)

ã...¬é¬æ™,ç,¹ãšè,,†â¼±æ€§ãĈĈç©èªããã,ĈEã|ã,,ã,ã Cisco

ã,½ãf•ãf^ã,|ã,šã,çã®ãfããfãf¼ã,¹ã«ããã,,ã|ã¬ã€ãããã®ã,çãf%ããfãã,ãã,¶ãfãã®

IDã®è©³ç'ã,»ã,ã,ããšãšã,ã,ç...šã—ã|ãããããã•ã,,ã€,

Cisco FXOSã,½ãf•ãf^ã,¹ã,šã,çã® Cisco Discovery Protocolã®çš¶æ...ã,ççèªãã™ã,ã

Cisco Discovery

Protocolã¬ã€ç®ç†(mgmt0)ããfãf¼ãf^ãšããã«æœ%ãš¹ã«ããã,šã¼ã™ã€,ãfããfãf¼

FXOSã,½ãf•ãf^ã,|ã,šã,çãfããfãf¼ã,¹ãšã¬ã€Cisco Discovery

Protocolã¬ããã«ã™ã¹ã|ã®ã%éçãfããfãããfãf¼ãf^ãšæœ%ãš¹ã«ããã£ã

Cisco NX-OS Cisco Discovery Protocol

Cisco Discovery Protocol

Cisco Discovery Protocol

```
show running-config cdp all | include "cdp enable"
```

```
show running-config cdp all | include "cdp enable",
```

```
show running-config cdp all | include "cdp enable" Cisco Discovery Protocol
```

```
show running-config cdp all | include "cdp enable",
```

```
<#root>
```

```
nxos#
```

```
show running-config cdp all | include "cdp enable"
```

```
cdp enable
```

```
cdp enable
```

Cisco UCS Cisco Discovery Protocol

Cisco Discovery Protocol

Cisco Discovery Protocol

```
show running-config cdp all | include "cdp enable" Channel over
```

```
show running-config cdp all | include "cdp enable" Ethernet(FCoE)
```

Cisco Discovery Protocol Cisco UCS

```
show running-config cdp all | include "cdp enable" File
```

```
show running-config cdp all | include "cdp enable" System(NFS) Discovery
```

```
show running-config cdp all | include "cdp enable" configuration | egrep "^ scope|enable cdp"
```

```
show running-config cdp all | include "cdp enable" enable cdp
```

```
show running-config cdp all | include "cdp enable" eth-storage Cisco Discovery Protocol
```



```

ucs-fi* # scope eth-storage
ucs-fi /eth-storage* # enter nw-ctrl-policy default
ucs-fi /eth-storage/nw-ctrl-policy* #

disable cdp

ucs-fi /eth-storage/nw-ctrl-policy* # exit
ucs-fi /eth-storage* # exit
ucs-fi* # commit-buffer
ucs-fi#

```

ã"ã,CEã,%ã@ç·Cã'CEç-ã-ã°Zã...¥ã·ã,CEã|ãŠã,Šã€ãftã,¹ãf^ç°ãçfãšã-ã®Yè"¼æ,^ã

ä;@æææ,^ãçã,½ãf·ãf^ã,|ã,šã,ç

[ã.½ãf·ãf^ã.lã.šã.çã@ã,çãffãf-ã,°ãf-ãf¼ãf%ã,¹ææè"ZãTMã,<és>ã«ã-ã€ã.ã.lã.³](#)
[ã.ã.ãf¥ãfãfã,£ã.çãf%ãã,ã,¶ã,¶ã,¶ã](#)
[ãfšãf¼ã,ãšã...¥æ%ãšããã,ã,ã,¹ã,³è½ã"ã@ã,çãf%ããã,ã,ã,¶ã,¶ã,¶ã,¹ã@šæœYçš,ã«ã,ç](#)
ã,½ãfãf¥ãf¼ã,·ãfšãfã,€ã¼ã,çç°èã-ã|ãããããã,ã€,

ã,,ãšã,CEã@ã'ã^ã,,ã€ã,çãffãf-ã,°ãf-ãf¼ãf%ãTMã,<ãfããã,ã,ã,¹ã«ãã^ããããfãfçãã
Technical Assistance

Centeri¼^TACi¼%ã,,ã-ãããã-ã¥ç',ã-ã|ã,,ã,<ãfãf³ãfãfšãfã,¹ãf-ãfãfã,ããfãf¼ãã

Cisco FXOS ã,½ãf·ãf^ã,lã,šã,ç

çTMè;CEæTM,ç,¹ãšã-ã€æ-ã@è"ã«è"è¼%ã·ã,CEã|ã,,ã,<ãfãfãf¼ã,¹æf...ã±ã-æfçç
IDã@èç³'ã,»ã,-ã,ãfšãfã,¹ã,ç...šã-ã|ãããããã,ã€,

Firepower 4100ã,ãfãf¼ã,°ãšã,^ã³Firepower 9300ã,»ã,ãfãfãfã,£ã,çãf-ãfçã,ã,çãf³ã,¹

Cisco FXOS ã,½ãf·ãf^ã,lã,šã,ç ãfãfãf¼ã,¹	ã"ã@è,,tä±æšã«ã¼ãTMã,<æœæã^ã@ãä;@ææãfãfãf¼ã,¹
2.3 ã,^ã,šã%	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.3	2.3.1.219
2.4	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.5	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.6	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.7	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.8	ä;@æææ,^ãçãfãfãf¼ã,¹«çš»è;CEã€,
2.9	2.9.1.158

Cisco FXOS ã,½ãf•ãf^ã,lä,šã,ç ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ãž®æfãf^ãf^ãf^ã,¹
2.10	2.10.1.179
2.11	è,,†ã¼±æ€šã^ã—

Cisco NX-OS ã,½ãf•ãf^ã,lä,šã,ç

ãŠã©çæš~ã© Cisco NX-OS

ã,½ãf•ãf^ã,lä,šã,çã®è,,†ã¼±æ€šã«ã,^ã,ã³¼μã®³ã®ãèf½æ€šã,ã^æ-ãšããã,ã,^ã†ã€

[Cisco Software Checker](#)

ã,æã¼ãã—ã!ã,,ã¾ã™ã,ã"ã®ãf,,ãf¼ãf«ã«ã,^ã,šã€ç%¹ã®šã®
Cisco NX-OS ã,½ãf•ãf^ã,lä,šã,çãf^ãf^ãf^ã,¹ã«è²ã½"ã™ã,ã,ã,¹ã,³ã,»ã,ãfãf^ãf^ãf^ã,£
ã,çãf%ããfã,ã,¶ã,¶ãf^ã€ããšã,^ã³ã,ã,çãf%ããfã,ã,¶ã,¶ãf^ããšã-æ~žãã,£ã|ã,,ã,è,,†ã¼±
Fixedã€i¼%ã,ç%¹ã®šã®šãã¾ã™ã,ã¾ã¾ãè²ã½"ã™ã,ã'ã^ããããã®ãf^ãf^ãf^ã
First Fixedã€i¼%ã,ç%¹ã®šã®šãã¾ã™ã,ã¾ã¾ã

ãŠã©çæš~ãã© [Cisco Software Checker](#)

ã,ã½çç"ã—ã!æ-¼ã®æ-¹æ³•ãšã,çãf%ããfã,ã,¶ã,¶ãf^ã,æœœç'çãšãã¾ã™ã,ã

- ã,½ãf•ãf^ã,lä,šã,çã€ãf—ãf©ãffãf^ãf^ã,©ãf¼ãfã€ããšã,^ã³ 1
ã»ã»ã,šã®ãf^ãf^ãf^ã,¹ã,é,æšžã™ã,ç
- ç%¹ã®šã®ãf^ãf^ãf^ã,¹ã®ãf^ã,¹ãf^ã,ãã«ã,€ .txt
ãf^ã,¼ã,ããf«ã,ã,çãffãf—ãfãf¼ãf%ãã™ã,ç
- show version ã,³ãfžãf³ãf%ãã®ã³ãšã,ã'ã...ãšãã™ã,ç**

æœœç'çã,é-ãšãã—ãÿ¾ã£ãšã€ãã™ã¹ã!ã®ã,ã,¹ã,³ã,»ã,ãfãf^ãf^ãf^ã,£

ã,çãf%ããfã,ã,¶ã,¶ãf^ã¾ãÿã¹

ã»ã»ã,šã®ç%¹ã®šã®ã,çãf%ããfã,ã,¶ã,¶ãf^ã£ã«ã¾ã,£ã,ã,^ã†ã«æœœç'çã,ã,«ã,¹ã,

ã¾ãÿãÿã€æ-¼ã®ãf^ã,©ãf¼ãfã,ã'ã½çç"ã—ã!ã€Cisco NX-OS

ã,½ãf•ãf^ã,lä,šã,çã"ãf—ãf©ãffãf^ãf^ã,©ãf¼ãfã,é,æšžã€ãšã,^ã³ãf^ãf^ãf^ã,¹ã,ã'ã...ãšãã™ã

Nexus 3000 ã,ãf^ãf^ã,°ã,¹ã,ããffãfã® 7.0(3)I7(5)ã€ACIãfçãf¼ãf%ãã® Cisco NX-OS

ã,½ãf•ãf^ã,lä,šã,çã® 14.0(1h)i¼%ãã€ã,ã,¹ã,³ã,»ã,ãfãf^ãf^ãf^ã,£

ã,çãf%ããfã,ã,¶ã,¶ãf^ãã¾ã±ã¾"ããã,ãf^ãf^ãf^ã,¹ãšã,ã,ããã,ã^æ-ã™ã,ãã"ã

Cisco NX-OS ã,½ãf•ãf^ã,lä,šã,ç

MDS 9000 ã,ãf^ãf^ã,°ãfžãf«ãfãf-ã,ããfãã,¹ã,ããffãf

[Cisco Software Checker](#) [Security Impact Rating](#)
[Cisco Software Checker](#)
[Security Impact Rating](#)
[Cisco Software Checker](#)
[Security Impact Rating](#)
[Cisco Software Checker](#)
[Security Impact Rating](#)

Cisco Nexus 3000 7000 9000 SMU

[SMU](#)
[SMU](#)
[Cisco.com](#) [Software Center](#)
[SMU](#)

Cisco NX-OS	Platform	SMU
7.0(3)I7(10)	Nexus 3000 9000	nxos.CSCvz72442-n9k_ALL-1.0.0-7.0.3.I7.10.lib32_n9000.rpm
8.4(5)	Nexus 7000	n7000-s2-dk9.8.4.5.CSCvz72463.bin n7700-s2-dk9.8.4.5.CSCvz72463.bin n7700-s3-dk9.8.4.5.CSCvz72463.bin
9.3(8)	Nexus 3000 9000	nxos.CSCvz72442-n9k_ALL-1.0.0-9.3.8.lib32_n9000.rpm

[Cisco Nexus 3000 7000 9000 SMU](#)
[Cisco Nexus 3000 7000 9000 SMU](#)
[Cisco Nexus 3000 7000 9000 SMU](#)
[Cisco Nexus 3000 7000 9000 SMU](#)

Cisco UCS

[Cisco UCS](#)
[Cisco UCS](#)

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。