

Cisco IOS XE SD-WAN

ã,½ãf•ãf^ã,|ã,šã,çã®ã,³ãfžãf³ãf%o

ã,¼ãf³ã,ã,šã,ã,ãfšãf³ã®è,,†ã¼±æ€š



ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ID : cisco-sa-ios- [CVE-2023-20035](#)
xe-sdwan-VQAHEjYw

â^â...-é-æ—¥ : 2023-03-22 16:00

ãfãf¼ã,ãfšãf³ 1.0 : Final

CVSSã,1ã,³ã,ç : [7.8](#)

ãžéç- : No workarounds available

Cisco ãfã,° ID : [CSCvx72976](#) [CSCwc41942](#)

æ—¥æè-èªžã«ã,^ã,æf...ã ±ã-ã€èè±èªžã«ã,^ã,ãžÿæ-†ã®éžã...-ã¼ã

æ!,è!?

Cisco IOS XE SD-

WANã,½ãf•ãf^ã,|ã,šã,çã®CLIã®è,,†ã¼±æ€šã«ã,^ã,šã€èè¼ã•ã,Çãÿãfãf¼ã,ãfã®æ

ã"ã®è,,†ã¼±æ€šã-ã€ã,ã,1ãf†ãf CLIã«ã,^ã,ã,ã,ã^ã...¥ãšæœè¼ã«èµã»ã-

æ³T¼šç%¹ã®šã®ã½±éÿ;ã®è©³ç°ã«ã¼ã,,ã|ã-ã€ã"ã®ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ã®ã

ã,ã,1ã,³ã-ã"ã®è,,†ã¼±æ€šã«ã³¼ã†|ã™ã,ã,½ãf•ãf^ã,|ã,šã,çã,çãffãf—ãf†ãf¼ãf^ã,'ãfãfãf¼ã

ã"ã®ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ã-ã€æ-ã®ãfãf³ã,ã,^ã,šçç°èããšãã¼ã™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ios-xe-sdwan-VQAHEjYw>

ã"ã®ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ã-ã€2023 å¹ 3 æè^ã«ã...-é-ã•ã,Çãÿ Cisco IOS

ã,½ãf•ãf^ã,|ã,šã,çãšã,^ã³ IOS XE ã,½ãf•ãf^ã,|ã,šã,çãfãfãf¼ã,¹ã®ã,»ã,ãfãfãfãfã,£

ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ã

ãfãf³ãf%ãfã«ã®ä,€éf"ãšã™ã€,ã,çãf%ãfã,¼ã,¶ã,¶ãf³ãf¼ã,ã®ä,€è|šã«ã¼ã,,ã

[Event Response: March 2023 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled](#)

[Publication](#)ã€ã,'ã,ç...šã—ã|ãããããã,ã€,

è©²ã½“è£½ã“?

è,,†ã¼±æ€šã®ã,ã,è£½ã“

Router# show running-config | include sdwan
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN

- 1000 Cisco IOS XE SD-WAN
- 4000 Cisco IOS XE SD-WAN
- ASR 1000 Cisco IOS XE SD-WAN
- Catalyst 8000 Cisco IOS XE SD-WAN
- Cloud Services Router 1000V Cisco IOS XE SD-WAN

Router# show running-config | include sdwan
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN
[Cisco IOS XE SD-WAN](#)

Router# show running-config | include sdwan

Router# show running-config | include sdwan
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN

Router# show running-config | include sdwan

Router# show running-config | include sdwan
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN
Cisco IOS XE SD-WAN

Router# show running-config

Router# show running-config | include sdwan

Router#

```
Router# show running-config | include sdwan
tunnel mode sdwan
Router#
```

ã,³ãf—ã,ãfšãf³ 2i¼šshow version ã,³ãfžãf³ãf%ã, 'ã½¿ç”ã—ã¾ã™ã€,

ã¾ãÿã¬ã€show version

ã,³ãfžãf³ãf%ã, 'ã½¿ç”ã—ã|ã€ãf‡ãfã,ã,¹ã€ã,³ãf³ãf^ãfãf¼ãf©ãfçãf¼ãf%ãšã,ã,ã€

æ¬|ã«ã€ã,³ãf³ãf^ãfãf¼ãf©ãfçãf¼ãf%ã®ãf‡ãfã,ã,¹ã«ã¾ã™ã, < show version

ã,³ãfžãf³ãf%ã®ã±°ãš>ã¾ã€ã®ã,€éf”ã,¿ã°ã—ã¾ã™ã€,

```
Router# show version
.
.
.
Router operating mode: Controller-Managed
.
.
.
```

è,†ã¼±æ€šã, 'ã«ã,“ãšã,,ãªã,,ã”ã”ã€çç°èªã•ã,ã€ãÿè£½ã”

ã”ã®ã,çãf%ãfã,ã,¶ã,¶ãfã®è,†ã¼±æ€šã®ã,ã,è£½ã”ã,»ã,ã,ãfšãf³ã«è¼%ã•ã

ã,ã,¹ã,³ã¬ã€æœ¬è,†ã¼±æ€šã€ã»ã,ã,ã,¹ã,³è£½ã”ã¾ãÿã¬ãf—ãf©ãffãf^ãfã,ç

- IOS ã,½ãf•ãf^ã,ã,šã,ç
- èªª¾¼<ãfçãf¼ãf%ã® IOS XE ã,½ãf•ãf^ã,ã,šã,ç
- IOS XR ã,½ãf•ãf^ã,ã,šã,ç
- Meraki è£½ã”
- NX-OS ã,½ãf•ãf^ã,ã,šã,ç
- SD-WAN vBond Orchestrator ã,½ãf•ãf^ã,ã,šã,ç
- SD-WAN vEdge ãf«ãf¼ã,¿
- SD-WAN vEdge ã,ãf©ã,ãf%ãf«ãf¼ã,¿
- SD-WAN vManage ã,½ãf•ãf^ã,ã,šã,ç
- SD-WAN vSmart ã,³ãf³ãf^ãfãf¼ãf©ã,½ãf•ãf^ã,ã,šã,ç

è©³ç°

ã,“ã,¬ã,¹ãf—ãfã,ããf^ã®ã½±éÿã¬ã¬ã€è©²ã½”ãf‡ãfã,ã,¹ã®ãf‡ãfã,ã,¹ã®ãf|ãf¼ã,¶ãf¼ã,ç

ã”ã®è,†ã¼±æ€šã®ã,»ã,ãfãf³ãfãfã,£ã,ã®ã½±éÿã¬ã¬è©•ã¾ji¼^SIRi¼%ã¬ã€æ”©é™

ç,,jâ,,ÿã,çãffãf—ã,°ãf—ãf1/4ãf%ã®ã³4è±jè£1/2ã"ãSã,ã,ã"ã"ã,è"1/4æ~Zã—ã|ã,,ãÿã
URL ã,ã"ç"æ,,ãããããããã,,ã€,

Cisco IOS ãSã,ã³ IOS XE ã,1/2ãfãfã,ã,ã,Sã,ç

ãSã@çæSãCisco IOS ã,1/2ãfãfã,ã,ã,Sã,çãSã,ã³ IOS XE

ã,1/2ãfãfã,ã,ã,Sã,çã®è,,tã1/4±æ€Sã«ã,ã,ã3/4µã³ã®ã³èf1/2æ€Sã,ã^æããSããã,ã,ãtã

Cisco Software Checker

ã,æããããã—ã|ã,,ã3/4ã™ã€,ã"ã®ãf,,ãf1/4ãf«ã,ã1/2ãtã"ã"ãSã€ç%1ã®ãã®
ã,»ã,ãfãfããftã,£

ã,çãf%ããfã,ã,ã,ããã,ææoeç'çãSããããã,CEãZã,CEã®ã,çãf%ããfã,ã,ã,ãããSè"€ã
Fixedã€i1/4%ã,ç%1ã®ããSãããã3/4ã™ã€,ã3/4ãÿã€è²1/2"ã™ã,ã'ã^ã«ã-ã€Sof

Checker

ã«ã,ã,ãSã^ã^ããã,ã,CEãÿã™ã1ã|ã®ã,çãf%ããfã,ã,ã,ããã«è"~è1/4%ã®ã™ã1ã
First Fixedã€i1/4%ã,ç%1ã®ããSãããã3/4ã™ã€,

ã"ã®ãf,,ãf1/4ãf«ã,ã1/2ç"ã™ã,ã«ã-ã€ã€Cisco Software

[Checkerã€ãfSãf1/4ã,ã®æ%0<ãtã«ã3/4ã,,ã3/4ã™ã€,ã,ã,ã,ã-ã€æ-jã®ãfã,çãf1/4ãfã
ã,»ã,ãfãfããftã,£](#)

ã,çãf%ããfã,ã,ã,ããã«è²1/2"ã™ã,ãããããf1/4ã,1ãSã,ã,ãããçãtãã,çç°èãã—ã3/4

- ãf,,ãf1/4ãf«ãSææoeç'çã™ã,ã,çãf%ããfã,ã,ã,ããã,é,æSãã—ã3/4ã™ã€,ã"ã®ã,çãf%
- ãfããfãf1/4ã,1çããi1/4^15.9(3)M2ã€17.3.3ããã®i1/4%ã,ã...ãSãã—ã3/4ã™ã€,
- [ãfã,ãSããfã,1/4^Checki1/4%]ã,ã,ãããããfã,ã—ã3/4ã™ã€,

2	Critical,High,Medium
ã"ã®ãf,,ãf1/4ãf«ã,ã1/2ç"ã™ã,ã«ã-ã€ã€Cisco Software	

Enter release number	Check
----------------------	-------

ã,æ£ã^©ç"ã°ã3/4ã"ã...ã1/4ç™°èj"

Cisco Product Security Incident Response

Teami1/4^PSIRTi1/4%ã-ã€ææã,çãf%ããfã,ã,ã,ããã«è"~è1/4%ã®ãã,CEã|ã,,ã,è,,tã1/4±æ€Sã

ã†ã...

ææ-è,,tã1/4±æ€Sã-ã€ã,ã,ã,ã³ãt...éf"ãSã®ã,ã,ãfãfããftã,£
ãftã,ããããã«ã,ãã£ã|ç™°è|ããã,CEã3/4ã—ãÿã€,

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。